


AD-A117 038

CONSTRUCTION ENGINEERING RESEARCH LAB (ARMY) CHAMPAIGN IL F/G 13/2
EVALUATION OF LIGHTWEIGHT, RELOCATABLE STRUCTURES FOR USE IN TH--ETC(U)
MAY 82 A M KAO, M FRISCH, J LAMBERT, M PTAK
CERL-TR-M-314

UNCLASSIFIED

NL

1 of 1
4/1/88



END

DATE

FILMED

4-88

DTIC

12

AD A117038


Construction
Engineering
Research
Laboratory



United States Army
Corps of Engineers
... Serving the Army
... Serving the Nation

Technical Report M-314
May 1982
AFCS Lightweight T/O Structures


EVALUATION OF LIGHTWEIGHT,
RELOCATABLE STRUCTURES FOR USE
IN THEATERS OF OPERATIONS



DTIC FILE

by
A. Kao
M. Frisch
J. Lambert
M. Ptak

DTIC
ELECTE
JUL 20 1982
S D F



Approved for public release; distribution unlimited.

82 07 10 003

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

**DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED
DO NOT RETURN IT TO THE ORIGINATOR**

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER CERL-TR-M-314	2. GOVT ACCESSION NO. ADA 117551	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EVALUATION OF LIGHTWEIGHT, RELOCATABLE STRUCTURES FOR USE IN THEATERS OF OPERATIONS		5. TYPE OF REPORT & PERIOD COVERED FINAL
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) A. Kao M. Frisch J. Lambert M. Ptak		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. ARMY CONSTRUCTION ENGINEERING RESEARCH LABORATORY P.O. Box 4005, Champaign, IL 61820		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 4A762731AT41 Task Area G - Work Unit 008
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE May 1982
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Copies are obtainable from the National Technical Information Service Springfield, VA 22151		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Army Facilities Component System prefabricated buildings portable shelters		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The U.S. Army Construction Engineering Research Laboratory (CERL) identified and evaluated lightweight structures that are now being used by the military services and private industry, and that meet Army Facilities Component System (AFCS) requirements for initial to intermediate standards of construction (buildings to be used from 0 to 24 months).		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

To gather information about structures meeting these requirements, CERL surveyed Department of Defense agencies and private manufacturers. To evaluate and rank the shelters, CERL then used the Theater of Operations Building System Evaluation Procedure (TOBSEP) computer program.

This study found that off-the-shelf relocatable buildings available commercially can meet AFCS requirements, although the size correspondences may not be exact. The current DOD inventory of lightweight, relocatable structures does not meet the needs of AFCS—except for tentages and the Marine Corps Knockdown building system. Prefabricated panel and pre-engineered building systems can be used for structures with an 8-ft (2.4-m) ceiling and a width less than 60 ft (18.29 m). Requirements for larger facilities can be met by fabric structures. Most interior facilities provided by commercial manufacturers are expensive and exceed the requirements for military facilities. Most commercial systems do not lend themselves to phased construction. Most commercial structures do not adapt effectively to various climates (temperate, desert, tropic, frigid) without the use of mechanical systems.

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Avail and/or	
Dis. Special	
A	



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

FOREWORD

This study was performed by the Engineering and Materials Division (EM), U.S. Army Construction Engineering Research Laboratory (CERL) for the Office of the Chief of Engineers (OCE) under Project 4A762731AT41, "Military Facilities Engineering Technology"; Task Area G, "Base Development in the Theater of Operations"; Work Unit 008, "AFCS Lightweight T/O Structures." The OCE Technical Monitor was Mr. Arnold Ivener, DAEN-MPC-I. Dr. R. Quattrone is Chief of EM.

COL Louis J. Circeo is Commander and Director of CERL, and Dr. L. R. Shaffer is Technical Director.

CONTENTS

	Page
DD FORM 1473	1
FOREWORD	3
LIST OF TABLES AND FIGURES	5
1 INTRODUCTION	7
Background	
Objective	
Approach	
Mode of Technology Transfer	
2 METHODOLOGY	7
Evaluation Criteria	
Evaluation Procedure	
3 EVALUATION RESULTS	9
4 CONCLUSIONS	9
APPENDIX A: List of Commercial Manufacturers Contacted	16
APPENDIX B: Sample Evaluation Results	26
DISTRIBUTION	

TABLES

Number	Page
1 Candidate Structural System Selection Factors	8
2 Candidate Structures for AFCS	10
3 Ranking of Structures Less Than 60-Ft (18.29-m) Wide	15
4 Ranking of Structures Equal to or Greater Than 60-Ft (18.29-m) Wide	15

FIGURES

B1 Existing Barracks	26
B2 Evaluation Summary for Barracks	27
B3 Structure Evaluation for Parkline Inc. Barracks	28
B4 Structure Evaluation for Kelly Klosure Systems Barracks	29
B5 Structure Evaluation for Anchor Industries Barracks	30
B6 Existing Warehouse	31
B7 Evaluation Summary for Warehouse	32
B8 Structure Evaluation for Lockheed-Georgia Company Warehouse	33
B9 Structure Evaluation for Kelly Klosure Systems Warehouse	34
B10 Structure Evaluation for Atco Industries Warehouse	35
B11 Existing Signal Maintenance Building	36
B12 Evaluation Summary for Signal Maintenance Building	37
B13 Structure Evaluation for Birdair/Chemfab Signal Maintenance Building	38
B14 Structure Evaluation for Morgan Building Systems Signal Maintenance Building	39
B15 Structure Evaluation for Lockheed-Georgia Company Signal Maintenance Building	40

EVALUATION OF LIGHTWEIGHT, RELOCATABLE STRUCTURES FOR USE IN THEATERS OF OPERATIONS

1 INTRODUCTION

Background

The Army Facilities Component System (AFCS) now provides facilities meeting three construction standards: initial (to be used from 0 to 6 months), intermediate (6 to 24 months), and temporary (24 to 60 months). Based on the latest doctrine in the Joint Chiefs of Staff (JCS) Publication 3, the "24 to 60 months" standard has been eliminated and intermediate redesignated as temporary.¹ Most facilities in the present AFCS system have been developed to satisfy the intermediate and temporary requirements—the assumption being that assets already in the Table of Organization and Equipment (TOE) would meet most initial requirements. As a result, AFCS does not include many facilities that meet the initial construction requirements. However, with the Army's increased emphasis on short, intense conflicts, AFCS needs to develop facilities that will satisfy this standard.

Objective

The objective of this study was to identify and evaluate lightweight structures that are now used by the military services and private industry, and that meet AFCS requirements for initial to intermediate standards (0 to 24 months) of construction.

Approach

This objective was achieved by performing the study in two phases:

1. The U.S. Army Construction Engineering Research Laboratory (CERL) collected information about structures that Department of Defense (DOD) agencies and private industry developed, and that met AFCS requirements for theater of operations (TO) use.

2. These structures were evaluated and ranked based on a set of criteria developed from the principles of construction in Technical Manual (TM) 5-333 and

¹Joint Chief of Staff Publication 3, Vol 1 (Confidential), *Joint Logistics and Personnel Policy and Guidance*; Vol 2, *Joint Personnel/Manpower Policy and Guidance* (August 1973).

from other functional requirements.² The derivation of the evaluation criteria is explained in Chapter 2.

Mode of Technology Transfer

It is anticipated that the building systems identified will be incorporated by AFCS into Army TM 5-301, 5-302, and 5-303.³

2 METHODOLOGY

Evaluation Criteria

TM 5-333 discusses three principles for construction in TOs: speed of construction through the standardization and simplification of building components and construction activities; economy of construction in the use of materials, equipment, and personnel; and flexibility in meeting changing TO conditions.

Several criteria were drawn from these principles of construction to guide the evaluation. The building systems were to:

1. Minimize weight logistical requirements
2. Minimize volume logistical requirements
3. Be container compatible
4. Minimize construction costs for material and labor
5. Minimize construction skills and maximize simplicity of erection components
6. Minimize time needed to erect building components
7. Minimize requirements for equipment and for operator skills.

²*Construction Management*, Technical Manual (TM) 5-333 (Headquarters [HQ], Department of the Army [DA], February 1972).

³*Army Facilities Component System—Planning*, TM 5-301 (HQ, DA, September 1973); *Army Facilities Component System—Design*, TM 5-302 (HQ, DA, September 1973); *Army Facilities Component System—Logistics Data and Bills of Materials*, TM 5-303 (HQ, DA, June 1981).

In addition, the technical objectives suggested further criteria related to functional requirements. The building systems were to:

8. Be easily relocatable
9. Have adequate shelf life
10. Be easily adaptable to different climatic conditions
11. Require short lead-time for procurement
12. Be fabricated with readily available materials
13. Be compatible with existing AFCS interior design.

Based on these 13 points, evaluation criteria, with weighting factors suggested by AFCS, were developed (Table 1). The factors indicated the relative importance of each criterion in computing the final evaluation number. This final score was the primary element determining whether a structure would be recommended.

Evaluation Procedure

The evaluation study was divided into two major tasks. The first was to establish a list of manufacturers producing prefabricated buildings, and to contact these companies to obtain information necessary for evaluation. The second task was to establish a procedure for evaluating the structures.

Table 1
Candidate Structural System Selection Factors

Factors	Weighting Factor, Percent
1. Weight (short tons)	10
2. Cubage (measurement ton)	10
3. Container compatible	10
4. Cost	10
5. Erection simplicity	8
6. Assembly time (hours and manhours)	12
7. Special assembly equipment requirements	6
8. Relocatability	8
9. Shelf life (minimum 5 years)	5
10. Climate adaptability (temperate, desert, tropic, frigid)	5
11. Lead-time (procurement)	5
12. Quantity flexibility (materials availability, forming materials, or equipment)	5
13. Compatibility with existing AFCS interior designs	6
	100

Task 1

From information in previous CERL studies, CERL's files, and Sweet's catalog, a list of commercial manufacturers was compiled (Appendix A).⁴ CERL sent letters to 124 manufacturers to find out whether the performance of their structures met the evaluation criteria. Thirty-six companies responded. These manufacturers were later telephoned for more information needed to complete the evaluation.

In addition to the structures produced by commercial manufacturers, three DOD structures were evaluated: the Marine Corps' Knockdown Shelter, the Army's Temper Tent, and other structures listed in the Joint Services Catalog.⁵

Task 2

To assess several different shelters, a basis of comparison had to be established. Each shelter was evaluated in its bare state—i.e., without furniture and mechanical systems. It was felt that once a shelter had been isolated, interior packages of furnishings or mechanical equipment could be supplied either by AFCS or, in many cases, by the manufacturers.

To evaluate the large number of structural sizes which manufacturers offered, CERL selected a basic module for each width increment provided by AFCS (TM 5-302). Changes in length increments were treated as variations on the basic modules and therefore were not evaluated separately.

The Theater of Operations Building System Evaluation Procedures (TOBSEP) were used to evaluate each structure.⁶ These procedures were modified to reflect the criteria and weighting factors given in Table 1. TOBSEP criteria identical to those in Table 1 were retained; criteria in TOBSEP but not in Table 1 were eliminated. Criteria in Table 1 but not in TOBSEP were added.

⁴Thomas A. Kenny, T. Csizmadia, R. Schneider, *Effective Use of Systems Building Technology: Open Systems Catalog, Vols I-III*, Special Report D-73/ADA040756, ADA040757, ADA040758 (U.S. Army Construction Engineering Research Laboratory [CERL], June 1977); *Industrial Construction and Renovation Catalog File* (Sweet's Division, McGraw-Hill Information Systems Company).

⁵*Joint Services Catalog of Pre-Engineered Facilities Which Are Retrievable and Relocatable*, Department of the Army Pamphlet 415-2 (Departments of the Army, the Navy, and the Air Force, February 1977).

⁶T. C. Ryan and L. C. Tietz, *Evaluation System for Proposed Theater of Operation Structures*, Technical Report C-14/ADA006014 (CERL, January 1975).

The TOBSEP computer program allowed CERL to evaluate many structures and to store the results in retrievable files which could be changed and expanded as additional data were gathered through interviews with manufacturers' technical and sales personnel.

3 EVALUATION RESULTS

The results of the evaluation for three typical building sizes in AFCS are presented in Appendix B: a 30-ft (9.14-m) by 60-ft (18.29-m) by 8-ft (2.44-m)-high barracks, a 40-ft (12.19-m) by 100-ft (30.48-m) by 14-ft (4.27-m)-high warehouse, and an 80-ft (24.38-m) by 100-ft (30.48-m) by 12-ft (3.66-m)-high signal maintenance building. The evaluation results for each building include an illustration of the existing AFCS structure, an evaluation summary, and a structure evaluation (Figures B1 through B15).

The illustration of the existing structure shows the plan of the building from TM 5-302. The evaluation summary includes: (1) the ranking of all structures meeting dimensional requirements; this ranking is by final evaluation number from the TOBSEP calculation described below; (2) the structures recommended; and (3) an illustration of top candidates.

The structure evaluation—the TOBSEP evaluation for a candidate structure—includes the group criteria; the weighting factor for each group; a raw score, which is a numeric value assigned the structure based on an analysis of the manufacturer's questionnaire responses; and a group evaluation number, which is the product of the weighting factor multiplied by the raw score. The final evaluation number is the total of the 13 group evaluation numbers.

Other building sizes in AFCS were also evaluated. Top candidates selected for each AFCS facility are listed in Table 2. The evaluation indicated that the current DOD inventory of tactical lightweight, relocatable structures does not meet the needs of AFCS since AFCS buildings, in general, are nontactical and vary widely in size. With the exception of items from tentage and the Marine Corps Knockdown building system, tactical shelters generally have a small amount of space and are limited in application.

Private industry has shown an interest in relocatable, lightweight building systems and offers several structural alternatives. Two systems appear to meet

best the various needs of AFCS. Structural needs at the lower end of the inventory (facilities with an 8-ft [2.4-m] ceiling height and moderate width—less than 60 ft [18.29 m]) are met by prefabricated panel and pre-engineered building systems. Each is container compatible, relatively light for transport, and relocatable. See Table 3 for a ranking of the top 10 manufacturers. Fabric structures can be used most efficiently for larger facilities (with ceiling heights over 8 ft [2.4 m] and clear widths greater than or equal to 60 ft [18.29 m]). These have relatively light shipping weights, and are container compatible and relocatable. See Table 4 for a ranking of the top manufacturers.

The following deficiencies were identified for off-the-shelf, commercially available building systems:

1. Most interior items of equipment, such as furniture, provided by commercial manufacturers are expensive and exceed the requirements for military facilities. More austere facilities are needed.
2. Most commercial systems cannot be used for phased construction. Since building components are totally prefabricated in factories, the field commander cannot determine the level of austerity that may be needed for different requirements.
3. Most manufacturers say that their building systems are adaptable to varying climates (desert, tropical, temperate, and frigid), but these claims are based on the assumption that mechanical cooling and heating systems will be used to maintain the desired interior temperatures. In fact, the systems cannot be adapted readily to varying climates.

4 CONCLUSIONS

1. Off-the-shelf relocatable buildings available commercially can meet AFCS requirements, although the size correspondences may not be exact (Appendix B).
2. The current DOD inventory of lightweight, relocatable structures does not meet the needs of AFCS—except for tentages and the Marine Corps Knockdown building system.
3. Prefabricated panel and pre-engineered building systems can be used for structures with an 8-ft (2.4-m) ceiling and a width less than 60 ft (18.29 m). Requirements for larger facilities can be met by fabric structures.

Table 2
Candidate Structures for AFCS

Dimension, W x L x H	Facility Description	AFCS Facility Number	Kelly Klosure	Marine Corps Knockdown	D.S.I.	Parkline	Atco	Expandable Tent Shelters	Mobile Structures	C/O/A	Anchor Industries	Span Systems	Morgan	K-Span	Dobler	Endure-A-Lifetime	Brunswick	Olympic	National	Bitdar	Seaman	Goodyear	Pascoe	Lockheed
10 20 8	Latrine	72321BG						•									•					•		
20 20 8	Bathhouse	723524	•					•									•							
	Barracks	340325	•					•									•							
	Warehouse	44110BE	•					•									•							
20 24 8	Ice plant	43-21	•	•	•																			
20 30 8	Administration	61-11	•			•		•																
	Bathhouse	72-32	•			•		•																
	Chapel	74-47	•			•		•																
	Exchange	74-17	•			•		•																
	Educ bldg	74-13	•			•		•																
	Warehouse	44-11	•			•		•																
20 39 8	Ice plant	43-22	•	•	•																			
20 40 8	Administration	61-11	•						•		•													
	Bathhouse	72-32	•						•		•													
20	Communication bldg	13-12	•															•						
20 48 8	Barracks, arch	35-22	•	•	•																			
	Barracks, arch	34-22	•	•	•																			
20 50 8	Bathhouse	72-32	•	•	•																			
	Bathhouse	72-35	•	•	•																			
	Educ bldg	74-13	•	•	•																			
	Exchange	74-17	•	•	•																			
	Administration	61-11	•	•	•																			
	Chapel	74-47	•	•	•																			
	Warehouse	44-11	•	•	•																			

Table 2 (cont'd)

Dimension, W x L x H	Facility Description	AFC Facility Number	Kelly Klosure	Marine Corps Knockdown	D.S.I.	Parkline	Atco	Expandable Tent Shelters	Mobile Structures	C/O/A	Anchor Industries	Span Systems	Morgan	K-Span	Dobler	Endure-A-Lifetime	Brunswick	Olympic	National	Budair	Seaman	Goodyear	Pascoe	Lockheed
20 60 8	Bathhouse	72-32	•	•	•	•																		
	Exchange	74-13	•	•	•	•																		
20 80 0	Exchange	741723	•	•	•	•	•	•																
	Bathhouse	72-32	•	•	•	•																		
20 100 8	Exchange	74-13	•	•	•	•																		
	Bathhouse	72-35	•	•	•	•																		
	Administration	61-11	•	•	•	•																		
	Barracks	72-21	•	•	•	•																		
	Warehouse	44-11	•	•	•	•																		
30 60 8	Barracks	51-71	•	•	•	•					•													
	Chapel	74-47	•	•	•	•					•													
30 70 8	Dispensary	51-21	•	•	•	•													•					
	Administration	61-11	•	•	•	•													•					
30 80 8	Dispensary	53-01	•	•	•	•																		
30 90 8	Dispensary	53-01	•	•	•	•					•													
30 100 8	Barracks	51-71	•	•	•	•																		
	Barracks	53-05	•	•	•	•																		
32 32 8	Warehouse	34-11			•	•					•													
40 40 12	Motor repair	21-41	•	•	•	•																	•	
20	Shop	34-19	•	•	•	•															•			
20	Communication/rel	13-12/13-14	•	•	•	•																		
16	Training fac	17120AA	•	•	•	•																		
40 50 8	Post office	61-22	•	•	•	•																	•	

Table 2 (cont'd)

Dimension, W x L x H	Facility Description	AFC Facility Number	Kelly Klosure	Marine Corps Knockdown	D.S.I.	Parkline	Atco	Expandable Tent Shelters	Mobile Structures	C/O/A	Anchor Industries	Span Systems	Morgan	K-Span	Dobler	Endure-A-Lifetime	Brunswick	Olympic	National	Birdair	Seaman	Goodyear	Pascoe	Lockheed
40 60 12	Motor repair	21-41	•	•			•								•								•	•
20	Radio recv'r	13-21	•	•	•																		•	•
8	Day room	74-13	•	•	•																			
8	Post office	61-22	•	•	•																			
20	Telephone	13-14	•	•									•											•
17	Ice plant	43-23	•	•																				
14	Film equip & exch	75-15	•	•					•															
40 70 8	Post office	61-22	•	•	•																		•	•
40 80 0	Library	74-41	•	•	•																			
8	Chapel	74-47	•	•	•																			
12	Communication, R/S	13-11	•	•																			•	•
40 90 8	Post office	61-22	•	•																				
40 100 8	Warehouse	44-11	•	•	•				•														•	•
14	Warehouse	44-11	•	•																				
8	Administration	61-11	•	•	•																			
8	Post office	61-22	•	•	•																			
8	Theatre	74-45	•	•	•																			
11	Theatre	74-45	•	•	•																			
8	Library	74-41	•	•	•																			
8	Crafts	74-36	•	•	•																			
15	Marine shop	15-32	•	•	•																			
8	Central material	51-46	•	•	•																			
14	Carpenter shop	34-01	•	•																				
12	Signal maint	13-23	•	•																				
14	Laboratory,	75-14	•	•																				
	motion picture		•	•																				
14	Film equip & exch	75-15	•	•																				
40 110 8	Finance off	61027	•	•																				

Table 2 (cont'd)

Dimension, W x L x H	Facility Description	AFC Facility Number	Kelly Klosure	Marine Corps Knockdown	D.S.I.	Parkline	Alco	Expandable Tent Shelters	C/O/A	Anchor Industries	Span Systems	Morgan	K-Span	Dobler	Endure-A-Lifetime	Brunswick	Olympic	National	Birdair	Seaman	Goodyear	Parcoe	Lockheed
40 120 14 20	Carpenter shop Communication, radio	34-01 13-19	•	•		•	•				•												•
40 140 12	Communication, R/S	13-11	•				•																•
42 100 8	Kitchen & mess hall-200 man	72-61	•						•			•											
42 140 14	Kitchen & mess hall-500 man	72-62	•									•					•						
48 80 12 8	Boiler plant Kitchen & mess hall-200 man	82-21 72-61	• •	• •	• •				• •														
48 120 12	Boiler plant	82-21	•						•				•										
48 128 14	Kitchen & mess hall-500 man	72-62	•						•				•										
60 60 15/20	Shop	34-19									•								•				
60 80 20	Shop	34-19									•								•				
69 89 18 97 120 140 20 145 18 153 18 160 12 160 14 180 20 185 18	Maint shop (VEH) Repair shop (VEH) Maint shop (VEH) Theatre Repair shop (VEH) Maint shop (VEH) Boiler plant Special activities bldg Marine shop Maint shop (VEH)	21410AA 21410AD 21410AG-BR 74-46 21410AT 21410AY 82-21 74-31 15-32 21410BB-BE																					

Table 2 (cont'd)

Dimension, W x L x H	Facility Description	AFC Facility Number	Kelly Klosure	Marine Corps Knockdown	D.S.I.	Partline	Atco	Expandable Tent Shelters	Mobile Structures	C/O/A	Anchor Industries	Span Systems	Morgan	K-Span	Dobler	Endure-A-Lifetime	Brunswick	Olympic	National	Birdair	Seaman	Goodyear	Pascoe	Lockheed
193 18	Repair shop (VEH)	21410BL																						
258 18	Maint shop (VEH)	21410BH																						
260 14	Special activities bldg	74-32																						
300 15/20	RR Repair	86-31																						
80 100 12	Signal maint	13-23																						
15/20	Shop	34-19																						
14	Library	74-43																						
80 120 14	Exchange	74-23																						
14	Crafts	74-37																						
140 14	Post office	61-22																						
180 15/20	Auto rebuild	21-43																						
180 20	Ordnance shop	21-43																						
200 14	Post office	61-22																						
220 14	Warehouse	44-110																						
240 14	Post office	61-22																						
240 12	Auto maint	21-41																						
240 20	Ordnance fld	21-42																						
300 15/20	RR Machine	86-31																						
100 200 14	Film equip & exch	75-15																						
120 160 15/20	Ordnance PK	21-81																						
240 15/20	Gen purpose	21-82																						
180 320 14/20/35	Ordnance	21-51																						

Table 3
Ranking of Structures Less Than 60-Ft (18.29-m) Wide

Rank*	Manufacturer	1st	2nd	3rd	Total Points
1	Kelly Klosure	29	27	16	157
2	Marine Corps Knockdown	14	21	23	87
3	Lockheed-Georgia	15	1	0	47
4	D. S. I.	2	1	12	36
5	Parkline Inc.	9	0	7	34
6	Atco Foldaway	0	6	15	27
7	Expandable Tent Shelters	4	6	0	24
8	Mobile Structures	2	2	7	17
9	C/O/A	0	4	3	11
10	Anchor Industries	0	1	5	7

*Ranking of manufacturers by the number of times they received a first, second, or third place evaluation of AFCS facilities less than 60-ft (18.29-m) wide. Ranking procedure: first place evaluation = 3 points, second place evaluation = 2 points, and third place evaluation = 1 point.

4. Most interior facilities provided by the commercial manufacturers are expensive and exceed the requirements for military facilities.

5. Most commercial systems do not lend themselves to phased construction.

6. Most commercial structures do not adapt effectively to various climates (temperate, desert, tropical, frigid) without the use of mechanical systems.

7. A lightweight prefabricated panel system for buildings less than 60-ft (18.29-m) wide should be developed to meet the following requirements:

Table 4
Ranking of Structures Equal to or Greater Than 60-Ft (18.29-m) Wide

Rank*	Manufacturer	1st	2nd	3rd	Total Points
1	Birdair Chemfab	32	0	0	96
2	Morgan	1	26	4	59
3	Lockheed-Georgia	3	2	25	32
4	Seaman	0	4	13	21
5	Goodyear Aerospace	0	2	0	4
6	U.S. Army Tent M-1950	1	0	0	3
7	Pascoe	0	1	0	2
8	Kelly Klosure	0	0	1	1
9	Atco	0	0	1	1

*Ranking of manufacturers by the number of times they received a first, second, or third place evaluation for AFCS facilities greater than or equal to 60-ft (18.29-m) wide. Ranking procedure: first place evaluation = 3 points, second place evaluation = 2 points, and third place evaluation = 1 point.

a. Sizes should correspond to the new AFCS panelized wood building system incorporated into AFCS in 1981 (Change 3 to TM 5-301, 5-302, and 5-303).

b. Interior facilities should be interchangeable with the new AFCS panelized wood building system.

c. Capabilities for phased construction should be provided.

d. Options for various climatic conditions should be provided.

APPENDIX A: LIST OF COMMERCIAL MANUFACTURERS CONTACTED

The 124 manufacturers listed below were surveyed from 1 October 1980 to 1 April 1981.

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Adams and Westlocke Company Ford Street Elkhart, IN 46514		
Air Inflatable Products Company 240 Dodge Avenue East Haven, CT 06512	Returned	
Air Logistics Corporation 3600 East Foothill Blvd. Pasadena, CA 91109		
Aluminum Company of America 1043 Alcoa Bldg. Pittsburgh, PA 15219	Returned	
Aluminum Construction Company 1017 Alcoa Bldg. Pittsburgh, PA 15219	Returned	
Aluminum Structures Company 2514 Laurel Lane Wilmette, IL 60091		
Anchor Industries 1100 Burch Dr. Evansville, IN 47733		*
Armbruster Manufacturing Company 8601 Old Route 66 South Springfield, IL 62707		
Armco Steel Corporation Box 600 Middletown, OH 45043		
Arthur Industries P.O. Box 74, South Main St. Terryville, CT 06786		*
Atlantic International Corporation 111 T Chesapeake Park Plaza Baltimore, MD 21220		

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Atco Corp. 1830 N. Lamon Chicago, IL 60639		
ATCO Industries 3600 Yosemite, Suite 205 Denver, CO 80237		*
Aurora Building Complexes P.O. Box 4246 Riverside, CA 92504		
Automated Structures, Incorporated Box 5346 Charlottesville, VA 22903		
Basic Dwellings, Inc. P.O. Box 82 Claremont, CA 91711		*
Behlen Manufacturing Company P.O. Box 569 Columbus, NB 68601		
Bellaire Products, Incorporated N. Highway 301 Tallevast, FL 33580		
Birdair/CHEMFAB 2015 Walden Ave. Buffalo, NY 14225		*
Bradley Washfountain Company 9101 Fountain Blvd. Menomence Falls, WI 53051		
Brunswick Corp. Defense Division 150 Johnston Road Marion, VA 24354		*
Butler Manufacturing Company BMA Tower Kansas City, MO 64141	Returned	
CAREW Corporation 3495 Industrial Hwy. York, PA 17402		
Cary-Way Building Company 7150 Alameda-Genoa Rd. Houston, TX 77034		

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Chief Industries Incorporated P.O. Box 2078 Grand Island, NB 68801		
Cliff Industries P.O. Box 1327 County Rd. 3 South Elkhart, IN 46514		*
C/O/A 9305 Michigan Ave. Detroit, MI 48210		*
Compatible Design Systems Company Santa Clara, CA 95052	Returned	
Component Houses, Inc. 3255-T Middlebelt Rd. Inkster, MI 48141		
Composite Structures Corporation Box 625 Louisburg, NC 27549		
Concrete Plank Company, Incorporated 2 Parete Avenue North Arlington, NJ 07032		
Creative Building, Incorporated 1101 East University Urbana, IL 61801		
Creative Fabrics Systems, Inc. 2501 South Raritan Englewood, CO 80110		*
Customhouse Buildings 7810 4th Place Downey, CA 90241	Returned	
Delco Steel Fabricators, Incorporated 11200 Roosevelt Blvd. Philadelphia, PA 19116		
Design Space International 2 Bala Plaza Bala Cynkiyd, PA 19004		*
Designed Facilities Leasing 16203-T E. Arrow Hwy. Irwindale, CA 91706		

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Diamond Domes 120 Ruth Road Bloomington, IL 61701		*
Dobler Enterprises 208 McConnel St., Suite D Laramie, WY 82070		*
Dueue Precast Concrete Products, Incorporated P.O. Box 1277 Oshkosh, WI 54901		
Dynafab 3129 W. Burbank Blvd. Burbank, CA 91505		*
Econonabilt Manufacturer Company, Inc. 609 Mast Road Manchester, NH 03102	Returned	
Econostrut Systems Incorporated 650 California Street San Francisco, CA 94108	Returned	
Endure-A-Lifetime 7500 N.W. 72 Ave., P.O. Box 660666 Miami, FL 33166		*
Endure Aluminum Building Products 2375 NW 75th Elizabeth, NJ 07207	Returned	
Expandable Shelters, Inc. 810 Houston, Suite 1214 Ft. Worth, TX 76102		*
Factory Built Homes, Incorporated 1313 Pinewood Drive Pittsburgh, PA 15243		
Fantaine Modular Structures Inc. Easthampton Road, Rt. 10 P.O. Box 538 Northampton, MA 01060	Returned	
Fiberboard Paper Corporation 1710 59th Merville San Francisco, CA 94501	Returned	
Foam Molding Corp. 8000-T University Des Moines, IA 53011		

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Foam Plastics, Inc. 37-T 4th Street, SW Osseo, MN 55369		
Foamcar Incorporated P.O. Box 159 Benicia, CA 94501		
FULFAB, Incorporated 1525 Whipple Avenue SW Canton, OH 44710		
General Housing Industries, Inc. 301 South Allen Street State College, PA 16801	Returned	
Goodyear Aerospace Corporation Litchfield Park, AZ 85340		*
Guerdon Industries, Incorporated 21243 Ventura Woodland Hills, CA 91364		*
Housing Systems Company P.O. Drawer B Ventura, CA 93003	Returned	
Inmark International, Inc. 230 N. Michigan Ave. Chicago, IL 60601		*
Insulcrete International, Inc. 2000 SW 20th Street Ft. Lauderdale, FL 33315		*
Insta Buildings Incorporated 877 South Adams Road Birmingham, MI 48011	Returned	
International Shell Structures 180 Morris Avenue Mountain Lakes, NJ 07046	Returned	
International Shell Structures RD 1 Wharton, NJ 07885		
International Structures Corporation P.O. Box 69 Cornwells Heights, PA 19020		

Manufacturers Surveyed	Survey Returned-- No Forwarding Address	Manufacturers Responding
K-Span Building Systems RR 1 Huntingburg, IN 47542		*
Johns-Mansville 22 East 40th Street New York, NY 10016	Returned	
Jal-Donn Modular Building, Incorporated P.O. Box 45100 700 Bassett Road Westlake, OH 44145		
KAYKOR Division Continental Oil Company 129 Canel Road Fairless Hills, PA 19030	Returned	
Kelly Klosure Systems, Inc. P.O. Box 1058 Fremont, NB 68025		*
KWIK-Built, Inc. 3114 Benton St. Garland, TX 75042		*
L. Saunders, Inc. McLachlen Bank Bldg., Suite 810 666 11th St., NW Washington, DC 20001		*
Lawrence Packaging Supply Corp. 113-T N. 13th St. Newark, NJ 07107		
Line Structures Incorporated 695 Columbus Avenue Stratford, CT 06497	Returned	
Lockheed-Georgia Company 86 South Cobb Drive Marietta, GA 30063		*
M & S Structures P.O. Box 141, US 29-211 Gainesville, VA 22065	Returned	
Masonite Corporation 29 North Wacker Drive Chicago, IL 60606		


Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Mobile Facilities Incorporated 1800 W. 43rd Street Chicago, IL 60609	Returned	
Mobile Structures P.O. Box 1405 Elkhart, IN 46515		*
Modular Constructors Incorporated 309 New Boston Street Waburn, MA 01801		
Morgan Building Systems P.O. Box 222261 Dallas, TX 75222		*
Morgan Portable Building Company P.O. Box 7985 Kansas City, MO 64129		
Multiplex Structures Corporation Route 206 Mount Holly, NJ 08060		
National Building Systems P.O. Box 4368 Hialeah, FL 33014		*
Newtel Inc. P.O. Box 350839 Miami, FL 33135		
Niles Expanded Metals Corporation 105 North Pleasant Avenue P.O. Box 687 Niles, OH 44446		
Olympic Prefabricators P.O. Box 33686-T Seattle, WA 98133		*
Parkline, Inc. P.O. Box 65 Winfield, WV 25213		*
PASCOE Steel Corporation 1301 E. Lexington Ave. Pomona, CA 91766		*
Pacific Panels Incorporated P.O. Box 606 Elk Grove, CA 95624		

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Panel LOC Systems Incorporated P.O. Box 644 Dover, NJ 07801	Returned	
Panelfab International Corporation 2000 NE 146th St. North Miami, FL 33181		
Potlatch Wood Products Group P.O. Box 3591 San Francisco, CA 94119		
Pease Company 900 Laurel Ave. Hamilton, OH 45023		*
Pepsico Building Systems 3031 La Jolla St. Anaheim, CA 92806		*
Port-A-Built Corporation 5500 North Valley Highway Denver, CO 80216		
Porta House, Inc. 717-27 Kevin Court P.O. Drawer 2226 Oakland, CA 94621		
Porta-Kamp P.O. Box 7064-T Houston, TX 77008		
Porta-King Building Systems 4133-T Shoreline Drive Earth City, MO 63045		
Porta-Space Inc. P.O. Box 515-T Cockeysville, MD 21030		
Precision-Built Corporation 4224 Airport Road Cincinnati, OH 45226		
H. H. Robertson Company 2 Gateway Center Pittsburgh, PA 15222		
Seaman Building Systems 2028 E. Whitfield Avenue Sarasota, FL 33580		*

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Sectional Home Garage Works, Inc. 2344 Bailey Ave. Buffalo, NY 14211		
Sectional Housing Systems, Inc. 1772 Peynolds Avenue Santa Ana, CA 92705	Returned	
Sectional Structures Inc. 161 W. Schuyler Street Oswego, NJ 13126	Returned	
Sheffield Modulab 3630 San Fernando Road Glendale, CA 91204		
SOULE Buildings Soule Steel Company P.O. Box 3510 Rincon Annex San Francisco, CA 94119		*
Span Systems, Inc. 180 Morris Ave. Mountain Lakes, NJ 07046		*
Spuntech Housing Corporation 1360 N. Main Street Ann Arbor, MI 48104	Returned	
Star Manufacturing Company Dept. NCD-11A 8600 S. Interstate 35 Oklahoma City, OK 73143		
Stran Division National Steel Prod. Co. Box 4D490 Houston, TX 77040		
Structural Plastics Corporation 325 Newark Rd. Hebron, OH 43025	Returned	
Structures, Inc. Box 639 Johnstown, PA 15907		
Task Force Homes, Incorporated 16737 Shore Drive NE Seattle, WA 98155		

Manufacturers Surveyed	Survey Returned— No Forwarding Address	Manufacturers Responding
Techbuilt 127 Mt. Auburn Street Cambridge, MA 02138	Returned	
Timber Engineering Company 1619 Massachusetts Avenue NW Washington, DC 20036	Returned	
Timberweld Mfg. 903 Clough Ave. Columbus, MT 59019		
Transglobal Industries 1 Transglobal Square B7005 Long Beach, CA 90807		*
Uniblock Incorporated 6874 Hammond ES Dutton, MI 49016	Returned	
Unistrut Corporation 35005 Michigan Ave., W. Wayne, MI 48184		
United States Steel Homes Division of United States Steel P.O. Box 86 (USA 8680) Pittsburgh, PA 15230		
Unitized Systems Company, Incorporated P.O. Box 127 South Hill, VA 23970		
Universal Papertech Corporation Hatfield Industrial Park Hatfield, PA 19440	Returned	
Urban Systems Development Corporation Suite 900 Crystal Plaza 2001 Jefferson Davis Highway Arlington, VA 22202	Returned	
Wonder Bldg. Division Modular Technology Corp. Box 6 Plato Center, IL 60170		

**APPENDIX B:
SAMPLE EVALUATION RESULTS**



PLAN - BKS 2
MAX. CAPACITY (DOUBLE BUNKED) = 42 E.M.
OR WARD CAPACITY = 70 PATIENTS
SCALE NO. 1
FACIL. NO. 51101 - INTERIOR ONLY
FACIL. NO. 51111 - STEEL FRAME W/INTERIOR
FACIL. NO. 51121 - WOOD FRAME W/INTERIOR
FACIL. NO. 530501 - MECHANICAL VENTILATION ONLY

Figure B1. Existing barracks (facility number: 51-71).

AFCS-LIGHTWEIGHT/RELOCATABLE-SIRUCTURES-----SIRUCTURE_EVALUATION

DIMEN. 30X60X8

FACILITY BARRACKS

NUMBER 51-71

ILLUSTRATION

RECOMMENDATION

EVAL. NO. MANUFACTURER

★

PARKLINE INC.

.696

★

KELLY KLOSURE SYSTEMS

.672

★

ANCHOR INDUSTRIES

.665

MARINE CORPS KNOCKDOWN SHELTER

.657

NATIONAL BUILDING SYSTEMS

.635

ENDURE-A-LIFETIME

.576

.568 C/O/A

.481 PEPSICO BUILDING SYSTEMS

.472 DYNAFAB

.345 K-SPAN BUILDING SYSTEMS

.284 CLIFF INDUSTRIES




Figure B2. Evaluation summary for barracks.

AECS-LIGHTWEIGHT/RELOCATABLE STRUCTURES-----STRUCTURE EVALUATION

PARKLINE INC.
 PO BOX 65, WINFIELD, W. VA. 25213
 POC JERRY TENDALL, LOCKPORT, IL 815-838-1744 FTS 353-4011
 32X32X8 32X60X8 32X72X8 32X80X8 32X92X8 32X100X8

BUILDING USE-RARE STRUCTURE

	WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	.10	1.000	.1000
GROUP 2	.10	1.000	.1000
GROUP 3	.10	.500	.0500
GROUP 4	.05	1.000	.0500
GROUP 5	.10	.889	.0889
GROUP 6	.12	.538	.0646
GROUP 7	.08	.111	.0089
GROUP 8	.06	.500	.0300
GROUP 9	.08	.304	.0243
GROUP 10	.06	1.000	.0600
GROUP 11	.05	.785	.0393
GROUP 12	.05	.806	.0403
GROUP 13	.05	.785	.0393

 FINAL EVALUATION NUMBER .696

Figure B3. Structure evaluation for Parkline Inc. barracks.

AECs-LIGHTWEIGHT/HELICOPTERABLE-STRUCTURES-----STRUCTURE_EVALUATION

KELLY KLOSURE SYSTEMS
 PO BOX 105A, FREMONT, NEBRASKA 68025
 PHONE 800-228-7230 POC PAT BEERHORN
 28X60X8 28X72X8 28X92X8 28X100X8

BUILDING USE-RARE STRUCTURE

		WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	WEIGHT	.10	1.000	.1000
GROUP 2	CURAGE	.10	1.000	.1000
GROUP 3	CONTAINER COMPATIBILITY	.10	.600	.0600
GROUP 4	SHELF LIFE	.05	1.000	.0500
GROUP 5	COST	.10	.778	.0778
GROUP 6	ASSEMBLY TIME	.12	.693	.0831
GROUP 7	ERECTION SIMPLICITY	.08	.667	.0533
GROUP 8	SPECIAL ASSEMBLY REQUIREMENT	.06	.600	.0360
GROUP 9	RELOCATABILITY	.08	.391	.0313
GROUP 10	COMPATABILITY WITH AFCS INT	.06	.500	.0300
GROUP 11	LEAD TIME	.05	.472	.0236
GROUP 12	CLIMATE ADAPTABILITY	.05	.074	.0037
GROUP 13	QUANTITY FLEXIBILITY	.05	.472	.0236

 FINAL EVALUATION NUMBER .672

Figure B4. Structure evaluation for Kelly Klosure Systems barracks.

AFCS-LIGHTWEIGHT/RELOCATABLE STRUCTURES-----STRUCTURE EVALUATION

ANCHOR INDUSTRIES
1100 MURCH DRIVE
EVANSVILLE, INDIANA 47733
812-867-2421
30 X 30 FIESTA TENT BARE FACILITY
P.O.C ERIC R. SOELTER
BUILDING USE-BARE STRUCTURE

		WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	WEIGHT	.10	1.000	.1000
GROUP 2	CURAGE	.10	1.000	.1000
GROUP 3	CONTAINER COMPATIBILITY	.10	1.000	.1000
GROUP 4	SHELF LIFE	.05	0.000	0.0000
GROUP 5	COST	.10	1.000	.1000
GROUP 6	ASSEMBLY TIME	.12	.769	.0923
GROUP 7	ERECTION SIMPLICITY	.08	0.000	0.0000
GROUP 8	SPECIAL ASSEMBLY REQUIREMENT	.06	.100	.0060
GROUP 9	RELOCATABILITY	.08	.304	.0243
GROUP 10	COMPATIBILITY WITH AFCS INT	.06	1.000	.0600
GROUP 11	LEAD TIME	.05	.822	.0411
GROUP 12	CLIMATE ADAPTABILITY	.05	.012	.0006
GROUP 13	QUANTITY FLEXIBILITY	.05	.822	.0411

FINAL EVALUATION NUMBER .665

Figure B5. Structure evaluation for Anchor Industries barracks.




Figure B6. Existing warehouse (facility number: 44-11).

AECS-LIGHTWEIGHT/RELOCATABLE STRUCTURES-----STRUCTURE EVALUATION

NUMBER 44-11

FACILITY WAREHOUSE

EVAL. NO. MANUFACTURER RECOMMENDATION

.766 LOCKHEED-GEORGIA COMPANY ★

.607 KELLY KLOSURE SYSTEMS ★

.552 ATCO INDUSTRIES ★

.428 MORGAN BUILDING SYSTEMS

.356 OLYMPIC PREFABRICATORS

.254 K-SPAN BUILDING SYSTEMS

ILLUSTRATION



Figure B7. Evaluation summary for warehouse.

AFCS-LIGHTWEIGHT/RELOCATABLE-STRUCTURES-----STRUCTURE_EVALUATION

LOCKHEED-GEORGIA COMPANY
 MARIETTA, GEORGIA
 LOCKHEED
 37X48X12

BUILDING USE-RARE STRUCTURE

		WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	WEIGHT	.10	1.000	.1000
GROUP 2	CURAGE	.10	1.000	.1000
GROUP 3	CONTAINER COMPATIBILITY	.10	1.000	.1000
GROUP 4	SHELF LIFE	.05	1.000	.0500
GROUP 5	COST	.10	0.000	0.0000
GROUP 6	ASSEMBLY TIME	.12	1.000	.1200
GROUP 7	ERECTION SIMPLICITY	.08	1.000	.0800
GROUP 8	SPECIAL ASSEMBLY REQUIREMENT	.06	1.000	.0600
GROUP 9	RELOCATABILITY	.08	1.000	.0800
GROUP 10	COMPATABILITY WITH AFCS INT	.06	1.000	.0600
GROUP 11	LEAD TIME	.05	0.000	0.0000
GROUP 12	CLIMATE ADAPTABILITY	.05	.318	.0159
GROUP 13	QUANTITY FLEXIBILITY	.05	0.000	0.0000

 FINAL EVALUATION NUMBER .766

Figure B8. Structure evaluation for Lockheed-Georgia Company warehouse.

AFCS-LIGHTWEIGHT/RELOCATABLE-STRUCTURES-----STRUCTURE EVALUATION

KELLY KLOSURE SYSTEMS
 PO BOX 105A, FREMONT, NEBRASKA 68025
 PHONE 800-228-7230 POC PAT HEFFRON
 44X40X12 44X40X16 44X40X20 44X60X8 44X60X12 44X60X16 44X60X20 44X80X8
 44X80X12 44X100X8 44X100X12 44X100X16 44X120X16 44X120X20 44X140X12
 44X140X1
 BUILDING USE-RARE STRUCTURE

	WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	WEIGHT	.10	.0800
GROUP 2	CURAGE	.10	.0800
GROUP 3	CONTAINER COMPATIBILITY	.10	.0286
GROUP 4	SHELF LIFE	.05	.0500
GROUP 5	COST	1.000	.0500
GROUP 6	ASSEMBLY TIME	.10	.0685
GROUP 7	ERECTION SIMPLICITY	.12	.0500
GROUP 8	SPECIAL ASSEMBLY REQUIREMENT	.08	.0400
GROUP 9	RELOCATABILITY	.667	.0655
GROUP 10	COMPATIBILITY WITH AFCS INT	.818	.0600
GROUP 11	LEAD TIME	1.000	.0170
GROUP 12	CLIMATE ADAPTABILITY	.341	0.0000
GROUP 13	QUANTITY FLEXIBILITY	0.000	.0170
		.341	

 FINAL EVALUATION NUMBER .607


Figure B9. Structure evaluation for Kelly Klosure Systems warehouse.

AFCS-LIGHTWEIGHT/RELOCATABLE STRUCTURES-----STRUCTURE EVALUATION

ATCO INDUSTRIES
 3600 YOSEMITE, SUITE 205
 DENVER, COLORADO 80237
 303-779-4273 FTS-234-3131
 40 X 40 FOLDWAY - EXPANDABLE
 P.O.C. PETER MC EWE
 BUILDING USE-SHAPE STRUCTURE

		WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	WEIGHT	.10	.200	.0200
GROUP 2	CUBAGE	.10	.200	.0200
GROUP 3	CONTAINER COMPATIBILITY	.10	0.000	0.0000
GROUP 4	SELF LIFE	.05	0.000	0.0000
GROUP 5	COST	.10	.750	.0750
GROUP 6	ASSEMBLY TIME	.12	.717	.0860
GROUP 7	ERECTION SIMPLICITY	.08	.875	.0700
GROUP 8	SPECIAL ASSEMBLY REQUIREMENT	.06	.333	.0200
GROUP 9	RELOCATABILITY	.08	.636	.0509
GROUP 10	COMPATIBILITY WITH AFCS INT	.06	1.000	.0600
GROUP 11	LEAD TIME	.05	1.000	.0500
GROUP 12	CLIMATE ADAPTABILITY	.05	1.000	.0500
GROUP 13	QUANTITY FLEXIBILITY	.05	1.000	.0500
*****				*****
			FINAL EVALUATION NUMBER	.552
*****				*****

Figure B10. Structure evaluation for Atco Industries warehouse.



PLAN - SHOP, SIGNAL MAINTENANCE, 80' X 100'

SCALE NO. 1

FACIL. NO. 137302-INTERIOR ONLY

FACIL NO 137312-STEEL FRAME W/INTERIOR



Figure B11. Existing signal maintenance building (facility number: 13-23).

ALCS-LIGHTWEIGHT/RELOCATABLE-STRUCTURES-----STRUCTURE-EVALUATION

NUMBER 13-23

FACILITY SIGNAL MAINT

RECOMMENDATION



EVAL. NO. MANUFACTURER

.669 BIRD AIR/CHEMFAH

.504 MORGAN BUILDING SYSTEMS

.447 LOCKHEED-GEORGIA COMPANY

.414 SEAMAN CORPORATION

★ ★ ★

Figure B12. Evaluation summary for signal maintenance building.

AFCS-LIGHTWEIGHT/RELOCATABLE STRUCTURES-----STRUCTURE EVALUATION

BIRDPAIR/CHEMFAB
 2015 WALDEN AVE
 BUFFALO, NEW YORK 14225
 716-684-9500 FTS-437-4411
 80 X 100 AIR SHELTER EXP TO 80 X 250 BARE FACILITY
 P.O.C. AUD SMITH
 BUILDING USE-BARE STRUCTURE

	WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1 WEIGHT	.10	1.000	.1000
GROUP 2 CURAGE	.10	1.000	.1000
GROUP 3 CONTAINER COMPATIBILITY	.10	1.000	.1000
GROUP 4 SHELF LIFE	.05	0.000	0.0000
GROUP 5 COST	.10	1.000	.1000
GROUP 6 ASSEMBLY TIME	.12	.599	.0719
GROUP 7 ERECTION SIMPLICITY	.08	0.000	0.0000
GROUP 8 SPECIAL ASSEMBLY REQUIREMENT	.06	1.000	.0600
GROUP 9 RELOCATABILITY	.08	0.000	0.0000
GROUP 10 COMPATABILITY WITH AFCS INT	.06	0.000	0.0000
GROUP 11 LEAD TIME	.05	1.000	.0500
GROUP 12 CLIMATE ADAPTABILITY	.05	.741	.0370
GROUP 13 QUANTITY FLEXIBILITY	.05	1.000	.0500

 FINAL EVALUATION NUMBER .669

Figure B13. Structure evaluation for Birdair/Chemfab signal maintenance building.

AECS-LIGHT/RELOCATABLE STRUCTURES-----STRUCTURE EVALUATION

MORGAN BUILDING SYSTEMS
 PO BOX 222261, DALLAS, TEXAS 75222
 PHONE 214-840-1200 FTS 729-4011 POC LANNIE RATLIFF
 80X102X20 80X120X14 80X139X14 80X185X20 80X203X14 80X222X14
 80X240X14 80X240X12 80X298X20

BUILDING USE-RARE STRUCTURE

GROUP	WEIGHT	WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	WEIGHT	.10	0.000	0.0000
GROUP 2	CURAGE	.10	0.000	0.0000
GROUP 3	CONTAINER COMPATIBILITY	.10	0.000	0.0000
GROUP 4	SHELF LIFE	.05	1.000	.0500
GROUP 5	COST	.10	.750	.0750
GROUP 6	ASSEMBLY TIME	.12	.599	.0719
GROUP 7	FRECTION SIMPLICITY	.08	1.000	.0800
GROUP 8	SPECIAL ASSEMBLY REQUIREMENT	.06	.667	.0400
GROUP 9	RELOCATABILITY	.08	.500	.0400
GROUP 10	COMPATABILITY WITH APCS INT	.06	1.000	.0600
GROUP 11	LEAD TIME	.05	.367	.0184
GROUP 12	CLIMATE ADAPTABILITY	.05	1.000	.0500
GROUP 13	QUANTITY FLEXIBILITY	.05	.367	.0184

 FINAL EVALUATION NUMBER .504

Figure B14. Structure evaluation for Morgan Building Systems signal maintenance building.

AFCS-LIGHTWEIGHT/RELOCATABLE-STRUCTURES-----STRUCTURE EVALUATION

LOCKHEED-GEORGIA COMPANY
 MARTETTA, GEORGIA LOCARCH
 76XRAX25

BUILDING USE-WARE STRUCTURE

GROUP	WEIGHT	WEIGHTING FACTOR	RAW SCORE	GROUP EVALUATION
GROUP 1	WEIGHT	.10	.250	.0250
GROUP 2	CUBAGE	.10	.250	.0250
GROUP 3	CONTAINER COMPATIBILITY	.10	0.000	0.0000
GROUP 4	SHELF LIFE	.05	1.000	.0500
GROUP 5	CUST	.10	0.000	0.0000
GROUP 6	ASSEMBLY TIME	.12	1.000	.1200
GROUP 7	ERECTION SIMPLICITY	.08	.500	.0400
GROUP 8	SPECIAL ASSEMBLY REQUIREMENT	.06	.889	.0533
GROUP 9	RELOCATABILITY	.08	1.000	.0800
GROUP 10	COMPATABILITY WITH AFCS INT	.06	.333	.0200
GROUP 11	LEAD TIME	.05	0.000	0.0000
GROUP 12	CLIMATE ADAPTABILITY	.05	.667	.0333
GROUP 13	QUANTITY FLEXIBILITY	.05	0.000	0.0000

 FINAL EVALUATION NUMBER .447

Figure B15. Structure evaluation for Lockheed-Georgia Company signal maintenance building.

CERL DISTRIBUTION

Chief of Engineers
ATTN: Tech Monitor
ATTN: DAEN-AS1-1 (2)
ATTN: DAEN-CCP
ATTN: DAEN-CW
ATTN: DAEN-CWE
ATTN: DAEN-CWM-H
ATTN: DAEN-CWO
ATTN: DAEN-CWP
ATTN: DAEN-MP
ATTN: DAEN-MPC
ATTN: DAEN-MPE
ATTN: DAEN-MPO
ATTN: DAEN-MPR-A
ATTN: DAEN-RD
ATTN: DAEN-RDC
ATTN: DAEN-RDM
ATTN: DAEN-RM
ATTN: DAEN-ZC
ATTN: DAEN-ZCE
ATTN: DAEN-ZCI
ATTN: DAEN-ZCM

FESA, ATTN: Library 22060

US Army Engineer Districts

ATTN: Library
Alaska 99501
Al Batin 09616
Albuquerque 87103
Baltimore 21203
Buffalo 14207
Charleston 29402
Chicago 60604
Detroit 48231
Far East 96301
Fort Worth 76102
Galveston 77550
Huntington 25721
Jacksonville 32232
Japan 96343
Kansas City 64106
Little Rock 72203
Los Angeles 90053
Louisville 40201
Memphis 38103
Mobile 36628
Nashville 37202
New Orleans 70160
New York 10007
Norfolk 23510
Omaha 68102
Philadelphia 19106
Pittsburgh 15222
Portland 97208
Riyadh 09038
Rock Island 61201
Sacramento 95814
San Francisco 94105
Savannah 31402
Seattle 98124
St. Louis 63101
St. Paul 55101
Tulsa 74102
Vicksburg 39180
Walla Walla 99362
Wilmington 28401

US Army Engineer Divisions

ATTN: Library
Europe 09757
Huntsville 35807
Lower Mississippi Valley 39180
Middle East 09038
Middle East (Rear) 22601
Missouri River 68101
New England 02154
North Atlantic 10007
North Central 60605
North Pacific 97208
Ohio River 45201
Pacific Ocean 96858
South Atlantic 30303
South Pacific 94111
Southwestern 75202

US Army Europe

HQ, 7th Army Training Command 09114
ATTN: AETTG-DEM (5)
HQ, 7th Army ODCS/Engr. 09403
ATTN: AEAEN-EH (4)
V. Corps 09079
ATTN: AETVDEN (5)
VII. Corps 09154
ATTN: AETSDEH (5)
21st Support Command 09325
ATTN: AEREN (5)
Berlin 09742
ATTN: AEA-EN (2)
Southern European Task Force 09168
ATTN: AEESE-ENG (3)
Installation Support Activity 09403
ATTN: AEUES-RP

8th USA, Korea
ATTN: EAFE (8) 96301
ATTN: EAFE-Y 96358
ATTN: EAFE-ID 96224
ATTN: EAFE-AM 96208
ATTN: EAFE-M 96271
ATTN: EAFE-P 96259
ATTN: EAFE-T 96212

416th Engineer Command 60623
ATTN: Facilities Engineer

USA Japan (USARJ)
Ch, FE Div, AJEN-FE 96343
Fac Engr (Honshu) 96343
Fac Engr (Okinawa) 96331

ROK/US Combined Forces Command 96301
ATTN: EUSA-HMC-CFC/Engr

US Military Academy 10996
ATTN: Facilities Engineer
ATTN: Dept of Geography & Computer Science
ATTN: DSCPER/MAEN-A

Engr. Studies Center 20315
ATTN: Library

AMMRC, ATTN: ORXMR-WE 02172

USA ARRCOM 61299
ATTN: DRCIS-RI-1
ATTN: DRSAR-IS

DARCOM - Dir., Inst., & Svcs.
ATTN: Facilities Engineer

ARRADCOM 07801
Aberdeen Proving Ground 21005
Army Matls. and Mechanics Res. Ctr.
Corpus Christi Army Depot 78419
Harry Diamond Laboratories 20783
Dugway Proving Ground 84022
Jefferson Proving Ground 47250
Fort Monmouth 07703
Letterkenny Army Depot 17201
Natick R&D Ctr. 01760
New Cumberland Army Depot 17070
Pueblo Army Depot 81001
Red River Army Depot 75501
Redstone Arsenal 35809
Rock Island Arsenal 61299
Savanna Army Depot 61074
Sharpe Army Depot 95331
Seneca Army Depot 14541
Tobyhanna Army Depot 18466
Tooele Army Depot 84074
Watervliet Arsenal 12189
Yuma Proving Ground 85364
White Sands Missile Range 88002

DLA ATTN: DLA-WI 22314

FORSCOM

FORSCOM Engineer, ATTN: AFEN-FE
ATTN: Facilities Engineer
Fort Buchanan 00934
Fort Bragg 28307
Fort Campbell 42223
Fort Carson 80913
Fort Devens 01433
Fort Drum 13601
Fort Hood 76544
Fort Indiantown Gap 17003
Fort Irwin 92311
Fort Sam Houston 78234
Fort Lewis 98433
Fort McCoy 54656
Fort McPherson 30330
Fort George G. Meade 20755
Fort Ord 93941
Fort Polk 71459
Fort Richardson 99505
Fort Riley 66442
Presidio of San Francisco 94129
Fort Sheridan 60037
Fort Stewart 31313
Fort Wainwright 99703
Vancouver Bks. 98660

HSC

ATTN: HSLO-F 78234
ATTN: Facilities Engineer
Fitzsimons Army Medical Center 80240
Walter Reed Army Medical Center 20012

INSCOM - Ch, Instl. Div.

ATTN: Facilities Engineer
Arlington Hall Station (2) 22212
Vint Hill Farms Station 22186

MDW

ATTN: Facilities Engineer
Cameron Station 22314
Fort Lesley J. McNair 20319
Fort Myer 22211

MTMC

ATTN: MTMC-SA 20315
ATTN: Facilities Engineer
Oakland Army Base 94626
Bayonne NJ 07002
Sunny Point NJ 20461

MAHACOM, ATTN: DRDMA-F 07180

TARCOM, Fac. Div. 48090

TECUM, ATTN: DRSTE-LG-F 21005

TRADOC

HQ, TRADOC, ATTN: ATEN-FE
ATTN: Facilities Engineer
Fort Belvoir 22060
Fort Benning 31905
Fort Bliss 79916
Carlisle Barracks 17013
Fort Chaffee 72902
Fort Dix 08640
Fort Eustis 23604
Fort Gordon 30905
Fort Hamilton 11252
Fort Benjamin Harrison 46216
Fort Jackson 29207
Fort Knox 40121
Fort Leavenworth 66027
Fort Lee 23801
Fort McClellan 46205
Fort Monroe 23651
Fort Rucker 36362
Fort Sill 73503
Fort Leonard Wood 65473

TSARCOM, ATTN: STSAS-F 63120

USACC

ATTN: Facilities Engineer
Fort Huachuca 85613
Fort Ritchie 21719

WESTCOM

ATTN: Facilities Engineer
Fort Shafter 96858

SHAPE 09055

ATTN: Survivability Section, LCB-UPS
Infrastructure Branch, LAMUA

HQ USEUCOM 09128

ATTN: ECJ 4/7-LUE

Fort Belvoir, VA 22060

ATTN: ATZA-OTE-EM
ATTN: ATZA-OTE-SW
ATTN: ATZA-FE
ATTN: Engr. Library
ATTN: Canadian Liaison Office (2)
ATTN: IWR Library

Cold Regions Research Engineering Lab 03755
ATTN: Library

ETL, ATTN: Library 22060

Waterways Experiment Station 39180
ATTN: Library

HQ, XVIII Airborne Corps and 28307

Ft. Bragg

ATTN: AFZA-FE-EE

Chanute AFB, IL 61868

3345 CES/DE, Stop 27

Norton AFB 92409

ATTN: AFRCE-MX/DEE

MCCL 93041

ATTN: Library (Code L08A)

Tyndall AFB, FL 32403

AFESC/Engineering & Service Lab

Defense Technical Info. Center 22314
ATTN: ODA (12)

Engineering Societies Library 10017
New York, NY

National Guard Bureau 20310
Installation Division

US Government Printing Office 22304
Receiving Section/Depository Copies (2)

Kao, Anthony M.

Evaluation of lightweight, relocatable structures for use in theaters of operations / A. Kao, M. Frisch. -- Champaign, IL : Construction Engineering Research Laboratory ; available from NTIS, 1982.

40 p. (Technical Report / Construction Engineering Research Laboratory ; M-314.

1. Buildings, portable. 2. U.S. Army -- Military construction operations. I. Frisch, Mark. II. Title. III. Series : Technical report U.S. Army (Construction Engineering Research Laboratory (U.S.)); M-314.