

AD-A118 712

ALBERTA UNIV EDMONTON DEPT OF CHEMISTRY

F/G 7/4

ORTHOGONAL COLLOCATION SIMULATION OF THE ROTATING DISC ELECTROD--ETC (11)

AUG 82 B SPEISER, S PONS, J MCALEER

N00014-82-G-0017

UNCLASSIFIED

TR-12

NL

100-1
4-712
8712



END
9 82
DTIC

AD A118712

DTIC FILE COPY

OFFICE OF NAVAL RESEARCH
Contract N00014-82-G-0017
Task No. NR 359-718
TECHNICAL REPORT NO. 12

Orthogonal Collocation Simulation of the Rotating Disc Electrode

By
Bernd Speiser, Stanley Pons and Jerome McAleer

Prepared for Publication in
Electrochimica Acta

University of Alberta
Department of Chemistry
Edmonton, Alberta, Canada
T6G 2G2

August 18, 1982

Reproduction in whole or in part is permitted for
any purpose of the United States Government

This document has been approved for public release
and sale; its distribution is unlimited.

DTIC
ELECTE
AUG 31 1982
H

REPORT DOCUMENTATION PAGE		DTIC AD INSTRUCTIONS REPRINTS & CATALOG NUMBER	
1. REPORT NUMBER 12	2. GOVT ACCESSION NO. AD-A118712	3. REPORT TYPE & PERIOD COVERED Technical Report # 12	4. PERFORMING ORG. REPORT NUMBER N00014-82-G-0017
5. TITLE (and Subtitle) Orthogonal Collocation Simulation of The Rotating Disc Electrode		6. CONTRACT OR GRANT NUMBER(s) N00014-82-G-0017	
7. AUTHOR(s) Stanley Pons, Bernd Speiser, and J. McAleer		8. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Task No. NR 359-718	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry University of Alberta Edmonton, Alberta, Canada T6G 2G2		10. REPORT DATE August 18, 1982	
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research - Chemistry Code 472 Arlington, Virginia 22217		12. NUMBER OF PAGES 22	
13. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		14. SECURITY CLASS (for this report) Unclassified	
15. DISTRIBUTION STATEMENT (for this Report) This document has been approved for public release and sale; its distribution unlimited.			
16. DISTRIBUTION STATEMENT (for the abstract entered in Steps 15, 17 & 18) (if different from 15)			
17. SUPPLEMENTARY NOTES			
18. KEY WORDS (Continue on reverse side if necessary and identify by block number) Electrochemistry, Simulation, Orthogonal Collocation, Rotating Disc Electrodes			
19. ABSTRACT (Continue on reverse side if necessary and identify by block number) The theory of orthogonal collocation as applied to rotating disc systems is presented and its advantages are described. The technique is extremely fast and application of chemical reactions is easily implemented.			

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE
5/78 0102 11 014 0001
Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (FROM DATA FURNISHED)

82 8 27 054

ORTHOGONAL COLLOCATION SIMULATION OF THE
ROTATING DISK ELECTRODE

Stanley Pons^{*}, Bernd Speiser, and
Jerome P. McAleer

Department of Chemistry
University of Alberta
Edmonton, Alberta, Canada
T6G 2G2

ABSTRACT

The hydrodynamic problem of the rotating disc electrode is approximated using the weighted residual technique of orthogonal collocation. Results are given for a potential step applied to the electrode where simple reversible charge transfer to a single species takes place.

Analytical solutions for the current at rotating disc electrodes (RDE) (Figure 1) are known for only the simplest electrochemical reaction mechanisms or electrical perturbations. Orthogonal collocation solution techniques, like finite difference approaches, give a single mathematical method for approximating virtually all electrochemical responses and mechanisms. The RDE is described by a partial differential equation containing square distance terms. It is shown that such non-linearity presents no special problems in the approximation technique. The results for the RDE are available from changing only 2 program steps in the general program solving a simple electron transfer mechanism at a stationary planar electrode.

DIMENSIONAL ANALYSIS

The general differential equation describing mass transport to a rotating disc electrode is given by

$$V_r \frac{\partial c_i}{\partial r} + \frac{V_\theta}{r} \frac{\partial c_i}{\partial \theta} + V_z \frac{\partial c_i}{\partial z} = D_i \nabla^2 c_i \quad (1)$$

where the c_i are the concentrations of electroactive species, t is the time, z is the distance coordinate normal to the electrode surface, D_i are the diffusion coefficient, r is the distance coordinate parallel to the electrode surface, the V_i are velocity components of the fluid, and θ is the rotation coordinate about

the z axis.

In the assumption of an ideal hydrodynamic model, there is no change in concentration in the θ direction. Also, we assume that V_z is independent of r , which implies a uniform flow. We can thus approximate $\partial c_i / \partial r = 0$ over the whole electrode when the radius of the electrode is small with respect to the sheath.

The assumptions reduce the differential equation to the form:

$$\frac{\partial c_i}{\partial t} = D_i \frac{\partial^2 c_i}{\partial z^2} - V_z \frac{\partial c_i}{\partial z} \quad (2)$$

The velocity term V_z has been given by Levitch (1) and is a function of the kinematic viscosity ν and the rotation velocity ω :

$$V_z = -0.51 \omega^{3/2} \nu^{-1/2} z^2 = K z^2 \quad (3)$$

Thus

$$\frac{\partial c_i}{\partial t} = D_i \frac{\partial^2 c_i}{\partial z^2} - K z^2 \frac{\partial c_i}{\partial z} \quad (4)$$

We require to have the equation in dimensionless form. We choose as the distance coordinate

$$z = z'/L \quad (5)$$

where L is a distance along the z axis where, during the time

Accession For	RTIS GRAI
DTIC FTS	Unannounced
Justification	
By	
Distribution/	
Availability Codes	
Dist	Special



frame of the experiment, no diffusion effects are present. We choose the time coordinate as

$$\tau = \frac{Dt}{L^2} \quad [6]$$

and a dimensionless constant

$$\beta = \frac{RL^3}{D} \quad [7]$$

Concentration is made dimensionless by dividing by the bulk concentration c^b :

$$c^* = \frac{c}{c^b} \quad [8]$$

Substitution of [5], [6], and [8] into the differential equation [2] yields:

$$\frac{Dc^b}{L^2} \frac{\partial c^*}{\partial \tau} = \frac{Dc^b}{L^2} \frac{\partial^2 c^*}{\partial z^2} - \frac{RL^3}{L} z^2 \frac{\partial c^*}{\partial z} \quad [9]$$

or

$$\frac{\partial c^*}{\partial \tau} = \frac{\partial^2 c^*}{\partial z^2} - \beta z^2 \frac{\partial c^*}{\partial z} \quad [10]$$

$$\frac{\partial c^*}{\partial \tau} = \frac{\partial^2 c^*}{\partial z^2} - \beta z^2 \frac{\partial c^*}{\partial z} \quad [11]$$

We consider the transient current at the rotating electrode

when a potential step is applied which drives the surface concentration of the electroactive species to zero.

$$\begin{aligned} c^*(0, \tau) &= 0 & c^*(1, \tau) &= 0 \\ c^*(z, 0) &= 1 \end{aligned} \quad [12]$$

It has been shown that the weighted residual method of orthogonal collocation can furnish accurate solutions to differential equations (2-4) at certain distance points in solution. The points correspond to the roots or zeros (collocation points) of orthogonal shifted Jacobi polynomials.

DISCRETIZATION OF THE DIFFERENTIAL EQUATION

The 2 differentials are discretized in terms of collocation coefficients [3]:

$$\left. \frac{dc^*}{dz} \right|_{z_i} = \sum_{j=1}^{N+2} A_{ij} c^*(z_j, \tau) \quad [13]$$

and

$$\left. \frac{d^2 c^*}{dz^2} \right|_{z_i} = \sum_{j=1}^{N+2} B_{ij} c^*(z_j, \tau) \quad [14]$$

where z_i are the roots of the Jacobi polynomial of order N chosen, and the A_{ij} and B_{ij} are elements of matrices given in terms of the z_i only:

$$A = \left(\frac{dz_i}{dz_j} \right)_{i,j=1}^{N+2} \quad [15]$$

$$\bar{B} = \left| \frac{d^2 z_j}{dz^2 i} \right| \cdot \bar{G}^{-1} \quad [16]$$

$$\bar{G} = |z_j^2| \quad [17]$$

The values of each of these matrix elements are easily calculated by matrix multiplication and inverse matrix routines (such as those based on Gauss-Jordan elimination) (4).

Substitution of the discretized differentials into [11] yields:

$$\frac{dc^*}{dT} \left| z_i \right| = \sum_{j=1}^{N+2} B_{ij} c^*(z_j, T) - \sum_{j=1}^{N+2} A_{ij} c^*(z_j, T) \quad [18]$$

We have now $N+2$ equations ($z=0$ and $z=1$ plus the N central roots) in $N+2$ unknown $c^*(z_j, T)$. The dimension is reduced by two, and the problem specified to final form by introducing into [18] the known boundary conditions

$$c^*(0, T) = 0 \quad [19]$$

$$c^*(1, T) = 1$$

which are the first and last terms of each summation:

$$\frac{dc^*}{dT} \left| z_i \right| = B_{i,1} c^*(0, T) + B_{i,N+2} c^*(1, T) + \sum_{j=2}^{N+1} B_{ij} c^*(z_j, T) - \sum_{j=2}^{N+1} A_{ij} c^*(z_j, T) \quad [20]$$

to yield

$$\frac{dc^*}{dT} \left| z_i \right| = B_{i,N+2} + \sum_{j=2}^{N+1} B_{ij} c^*(z_j, T) - \sum_{j=2}^{N+1} A_{ij} c^*(z_j, T) \quad [21]$$

Thus the concentration profiles as a function of time are readily and efficiently generated by integrating the N sets of first order differential equation [21]. One may use available subroutines from software libraries such as IMSL or SSP, or more specialized programs taking the stiffness of the differential equations into account (2,4).

As has been shown previously, more complicated mechanisms may be readily incorporated into the equations (3,4) as well as a variety of electrochemical techniques, electrode geometries (5-8), and edge effect considerations (9,10).

RDE CURRENT

Current to the RDE is given by the flux at the surface:

$$i = nFAD \left(\frac{dc}{dz} \right)_{z=0} \quad (22)$$

or in terms of the dimensionless concentration [8] and distance [5],

$$i = \frac{nFADc^b}{L} \left(\frac{dc^*}{dz} \right)_{z=0} \quad (23)$$

or

$$i = \frac{nFAD^{2/3} c^b k^{1/3}}{\delta^{1/3}} \left(\frac{dc^*}{dz} \right)_{z=0} \quad (24)$$

which is given immediately during the simulation at each time point by

$$i = nFAD^{2/3} c^b k^{1/3} \delta^{-1/3} \left[A_{1,N+2} + \sum_{j=2}^{N+1} A_{1,j} c^*(z_j, T) \right] \quad (25)$$

since the term in brackets is the dimensionless flux in eqn (24) at $z=0$ by equation (11).

We can compare our result to a series solution (1) which states that the time dependent current is proportional to

$$i = 2 \sum_{m=1}^{\infty} \exp\left(-\frac{m^2 \pi^2 D t}{\delta_0^2}\right) \quad (26)$$

where

$$\delta_0 = 1.61 D^{1/3} \omega^{-1/2} \nu^{1/6} \quad (27)$$

Introducing the dimensionless time variable M into (26) we find the current is proportional to

$$1 + 2 \sum_{m=1}^{\infty} \exp\left[-\frac{1}{2} m^2 \pi^2 \delta^{2/3} T\right] \quad (28)$$

so that the ratio of the current calculated from equation (25) to the expression (28) should be constant. Results for a given set of parameters are given in Table 1. It is seen that for only six collocation points, the current values are accurate to 0.05%. This value may be further decreased by forcing higher accuracy in the integrations (2) or increasing the number of collocation points, although ten points do not exhibit significant improvement over nine. The maximum relative error decrease using ten instead of nine collocation points is 0.007%.


The results for the rotating ring disc electrode are being optimized, and will be the subject of a forthcoming publication.

ACKNOWLEDGEMENTS

Part of this work was supported by a grant from the Office of Naval Research. The authors also thank the Department of Chemistry at the University of Alberta for additional support.

τ	<u>Simulated Flux</u> Eqn. 28
10^{-5}	0.7985
10^{-4}	0.7702
10^{-3}	0.7700
10^{-2}	0.7700
10^{-1}	0.7700
10^0	0.7704

Table 1. Ratio of simulated flux to analytical current-time function (Ref. 11) $\beta = 10^{-1}$. For typical rotation speeds (1000 RPM), viscosities, and diffusion coefficients, the real total time simulated in the table is $t = 100$ ms.



REFERENCES

1. V.G. Levitch, "Physicochemical Hydrodynamics", Prentice-Hall, Englewood Cliffs, N.J., 1962.
2. J. Villadsen and M. Michelsen, "Solution of Differential Equation Models by Polynomial Approximation", Prentice-Hall, Englewood Cliffs, N.J., 1978.
3. L. Whiting and P. Carr, J. Electroanal. Chem. 81, 1 (1977).
4. S. Pons in A.J. Bard, Ed., "Electroanalytical Chemistry", in press.
5. S. Pons and P.P. Schmidt, Electrochim. Acta. 25, 987 (1980).
6. B. Speiser, J. Electroanal. Chem. 110, 69 (1980).
7. S. Pons, Can. J. Chem. 59, 1538 (1981).
8. S. Pons, Electrochim. Acta 26, 601 (1981).
9. B. Speiser and Stanley Pons, Can. J. Chem., in press.
10. B. Speiser and Stanley Pons, Can. J. Chem., submitted for publication.
11. Yu. G. Siver, Russ. J. Phys. Chem. 33, 533 (1959).

SP472-3/817

472:GAN:716:1ab
780472-608

TECHNICAL REPORT DISTRIBUTION LIST, 359

	No. Copies
Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, NY 11210	1
Dr. Lasser Blum Department of Physics University of Puerto Rico Rio Piedras, PR 00931	1
Dr. Joseph Gordon II IBM Corporation F31/ZH1 5600 Cottle Road San Jose, CA 95193	1
Dr. Robert Somero Jet Propulsion Laboratory California Institute of Technology Pasadena, CA 91103	1

SP472-3/A1

472:GAN:716:en)
78u472-608

SP472-3/A11

472:GAN:716:66c
78u472-608

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies		No. Copies
Office of Naval Research Attn: Code 472 800 North Quincy Street Arlington, Virginia 22217	2	U.S. Army Research Office Attn: CDD-JA-IP P.O. Box 1211 Research Triangle Park, N.C. 27709	1
ONR Western Regional Office Attn: Dr. R. J. Marcus 1030 East Green Street Pasadena, California 91106	1	Naval Ocean Systems Center Attn: Mr. Joe McCartney San Diego, California 92132	1
ONR Eastern Regional Office Attn: Dr. L. H. Peebles Building 114, Section D 666 Summer Street Boston, Massachusetts 02210	1	Naval Weapons Center Attn: Dr. A. S. Master, Chemistry Division China Lake, California 93555	1
Director, Naval Research Laboratory Attn: Code 6100 Washington, D.C. 20390	1	Naval Civil Engineering Laboratory Attn: Dr. R. J. Drisco Port Hueneme, California 92301	1
The Assistant Secretary of the Navy (REAS) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20330	1	Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Department of the Navy Washington, D.C. 20360	1	Scientific Advisor Commandant of the Marine Corps (Code 8D-1) Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22304	12	Naval Ship Research and Development Center Attn: Dr. G. Bouzajian, Applied Chemistry Division Annapolis, Maryland 21401	1
Dr. Fred Sealford Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto, Marine Sciences Division San Diego, California 92132	1
		Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	No. Copies		No. Copies
Dr. Paul Delaney Department of Chemistry New York University New York, New York 10003	1	Dr. P. J. Bendra Department of Chemistry University of Southampton Southampton SO9 5NH United Kingdom	1
Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106	1	Dr. Sam Payne Department of Chemistry Purdue University West Lafayette, Indiana 47907	1
Dr. D. W. Bannion Department of Chemical Engineering Brigham Young University Provo, Utah 84602	1	Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514	1
Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125	1	Naval Ocean Systems Center Attn: Technical Library San Diego, California 92132	1
Dr. J. J. Auborn Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. C. E. Mueller The Electrochemistry Branch Materials Division, Research & Technology Department Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910	1
Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. C. Goodman Globe-Union Incorporated 5157 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. T. Katam Lockheed Missiles & Space Co., Inc. P.O. Box 306 Sunnyvale, California 94088	1	Dr. J. Boechler Electrochimica Corporation Attention: Technical Library 2485 Charleston Road Mountain View, California 94040	1
Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135	1	Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063	1
Dr. S. Brummer EIC Incorporated 55 Chapel Street Newton, Massachusetts 02158	1	Dr. H. Rietel Chemistry Department Pennsylvania Polytechnic Institute Troy, New York 12181	1
Library P. B. Mallory and Company, Inc. Northwest Industrial Park Burlington, Massachusetts 01803	1		

TECHNICAL REPORT DISTRIBUTION LIST, 359

	No. Copies		No. Copies
Dr. R. Munk Naval Research Laboratory Code 6130 Washington, D.C. 20375	1	Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709	1
Dr. John F. Huelihan Shenango Valley Campus Pennsylvania State University Sharon, Pennsylvania 16146	1	Dr. Denton Elliott Air Force Office of Scientific Research Bolling AFB Washington, DC 20332	1
Dr. D. V. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201	1	Dr. David Albena Chemistry Department Rensselaer Polytechnic Institute Troy, NY 12181	1
Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201	1	Dr. A. P. B. Lever Chemistry Department York University Downsview, Ontario M3J1P3 Canada	1
Dr. Alan Bewick Department of Chemistry The University Southampton, SO9 5NH England	1	Mr. Maurice F. Murphy Naval Sea Systems Command 61832 2221 Jefferson Davis Highway Arlington, VA 20360	1
Dr. A. Riaz NAVSEA-5433 MC 94 2541 Jefferson Davis Highway Arlington, Virginia 20362	1	Dr. Stanislaw Szpak Naval Ocean Systems Center Code 6343 San Diego, CA 95152	1
Dr. John Kincaid Department of the Navy Strategic Systems Project Office Room 901 Washington, DC 20376	1	Dr. Gregory Farrington Department of Materials Science & Engineering University of Pennsylvania Philadelphia, PA 19104	1
M. L. Robertson Manager, Electrochemical Power Sonics Division Naval Weapons Support Center Crane, Indiana 47522	1	Dr. Bruce Thum Department of Engineering & Applied Science University of California Los Angeles, CA 90024	1
Dr. Elton Cairns Energy & Environment Division Lawrence Berkeley Laboratory University of California Berkeley, California 94720	1		

TECHNICAL REPORT DISTRIBUTION LIST, 359

	No. Copies		No. Copies
Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706	1	Dr. R. P. Van Dyne Department of Chemistry Northwestern University Evanston, Illinois 60201	1
Dr. M. Wrighton Chemistry Department Massachusetts Institute of Technology Cambridge, Massachusetts 02139	1	Dr. S. Stanley Pons Department of Chemistry University of Alberta Edmonton, Alberta CANADA T6C 2G2	1
Larry E. Piew Naval Weapons Support Center Code 30736, Building 2906 Crane, Indiana 47522	1	Dr. Michael J. Weaver Department of Chemistry Michigan State University East Lansing, Michigan 48824	1
S. Rubt DOF (STOR) 600 E Street Washington, D.C. 20545	1	Dr. P. David Rauh EIC Corporation 55 Chapel Street Boston, Massachusetts 02158	1
Dr. Aaron Mold Brown University Department of Chemistry Providence, Rhode Island 02192	1	Dr. J. David Harnorum Research Laboratories Division Hughes Aircraft Company 3011 Malibu Canyon Road Malibu, California 90265	1
Dr. R. C. Chudacok McGraw-Edison Company Edison Battery Division Post Office Box 28 Bloomfield, New Jersey 07003	1	Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton SO9 5NH England	1
Dr. A. J. Bard University of Texas Department of Chemistry Austin, Texas 78712	1	Dr. Janet Osteryoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. M. M. Nicholson Electronics Research Center Rockwell International 5370 Miraloma Avenue Anaheim, California	1	Dr. R. A. Osteryoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910	1	Mr. James R. Haden Naval Underwater Systems Center Code 3432 Newport, Rhode Island 02840	1

END

DATE
FILMED

9 - 82

DTIC