

AD-A121 740

LIPSCHITZ PROPERTIES OF SOLUTION IN MATHEMATICAL
PROGRAMMING(U) STANFORD UNIV CA INST FOR MATHEMATICAL
STUDIES IN THE SOCIAL SCIENCES B CORNET ET AL. AUG 82
TR-369 N00014-79-C-0685

171

UNCLASSIFIED


F/G 12/1

NL

END

FILMED

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

LIPSCHITZ PROPERTIES OF SOLUTION
IN MATHEMATICAL PROGRAMMING

by

Bernard Cornet and Guy Laroque

Technical Report No. 369
August, 1982

DTIC
ELECTE
NOV 22 1982
S B D

A REPORT OF THE
CENTER FOR RESEARCH ON ORGANIZATIONAL EFFICIENCY
STANFORD UNIVERSITY

Contract ONR-N00014-79-C-0685, United States Office of Naval Research

THE ECONOMICS SERIES
INSTITUTE FOR MATHEMATICAL STUDIES IN THE SOCIAL SCIENCES
Fourth Floor, Encina Hall
Stanford University
Stanford, California
94035

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

LIPSCHITZ PROPERTIES OF SOLUTION

IN MATHEMATICAL PROGRAMMING *

by

Bernard Cornet and Guy Laroque

1. Introduction

Let U be an open subset of $\mathbb{R}^k$, V an open subset of $\mathbb{R}^l$, $f, g_i, i = 1, \dots, m$, be mappings from $U \times V$ to $\mathbb{R}$ and C be a nonempty closed convex subset of $\mathbb{R}^m$. For $p = (p_i), g = (g_i)$ in $\mathbb{R}^m$, we denote by $\langle p, q \rangle = \sum_{i=1}^m p_i q_i$ the scalar product of $\mathbb{R}^m$ and $\|p\| = \sqrt{\langle p, p \rangle}$ the Euclidean norm. For a fixed α in V , we consider the following nonlinear programming problem:

$$(1.1) \quad \begin{cases} \text{Find a local minimum of } f(x, \alpha) \\ \text{subject to } g(x, \alpha) \in C \\ \text{and } x \in U, \end{cases}$$

where $g(x, \alpha) = (g_1(x, \alpha), \dots, g_m(x, \alpha))$ and x is the variable of the problem.

Assume that the mappings f and $g_i, i = 1, \dots, m$ are differentiable with respect to the first variable. We denote by $Df(x, \alpha), Dg_i(x, \alpha), i = 1, \dots, m$ the gradient with respect to x . In this paper, we also consider the following "generalized equation" or "variational inequality" in the unknowns x and λ , which is a necessary condition satisfied by any solution of (1.1) under a constraint qualification assumption:

* This research was sponsored by Office of Naval Research Contract N00014-79-C-0685 at the Institute for Mathematical Studies in the Social Sciences, Stanford University.

✓
des
or
PER
LETTER



A		
---	--	--

$$(1.2) \quad \begin{cases} Df(x, \alpha) + \sum_{i=1}^m \lambda_i Dg_i(x, \alpha) = 0 \\ \lambda = (\lambda_i) \in N(C, g(x, \alpha)) \end{cases}$$

where $\lambda = (\lambda_i)$ is a vector of $\mathbb{R}^m$, and $N(C, p)$ denotes the normal cone to C at p :

$$N(C, p) = \begin{cases} \{ \lambda \in \mathbb{R}^m \mid \langle \lambda, p \rangle \geq \langle \lambda, q \rangle \text{ for all } q \text{ in } C \} & \text{if } p \in C \\ \emptyset & \text{if } p \notin C \end{cases}$$

In the particular case of equality and/or inequality constraints, i.e., $C = \{0\}^{m_1} \times \mathbb{R}_+^{m_2}$, $m = m_1 + m_2$, the system (1.2) reduces exactly to the Kuhn-Tucker necessary conditions:

$$(1.3) \quad \begin{cases} Df(x, \alpha) + \sum_{i=1}^m \lambda_i Dg_i(x, \alpha) = 0, \\ g_i(x, \alpha) = 0, \quad i = 1, \dots, m_1, \\ g_i(x, \alpha) \geq 0, \quad \lambda_i \geq 0, \quad \lambda_i g_i(x, \alpha) = 0, \quad i = m_1 + 1, \dots, m. \end{cases}$$

In this paper, we are concerned with the behaviour of the solutions of problems ~~(1.1), (1.2), (1.3)~~ and also with the Lipschitzian dependence of the set of solutions with respect to the parameter α . The paper is organized as follows. ~~In Section 2, we state~~ the main theorems of ~~the paper~~ ^{are stated}. Sufficient conditions are given to have (1) local uniqueness of solutions of ~~(1.1) and (1.2) or (1.3)~~ and (2) Lipschitzian dependence of the solution with respect to the parameter α . The proofs of the theorems are given in Section 3. *next page*

^{cont} → The main tool, in this analysis, is an implicit function theorem for Lipschitzian mappings due to Clarke ~~[1976]~~ (see also Hiriart-Urruty) ~~[1978]~~ → The main idea is to write the generalized equation ~~(1.2) or (1.3)~~ as a system of Lipschitzian mapping, to which Clarke's implicit function theorem can be applied. The notion of generalized derivative of the projection mapping on a convex are of particular use.

We end the introduction by indicating briefly the link between this paper and others written previously. The standard implicit-function theorem was used by Fiacco-McCormick [1968], Fiacco [1976] and Robinson [1974] to analyse the sensitivity of perturbed nonlinear programming problems under stronger assumptions than those used in this paper. A general implicit function theorem has been proved by Robinson [1980] for "generalized equation". Applications are given by him to the sensitivity analysis in the case of equality and/or inequality constraints. This corresponds essentially to the results obtained on equation (1.3). The present paper, which generalizes a previous result of the authors (see also Cornet [1981]) in the case of equality and/or inequality constraints, uses a different technique than the papers quoted above. Another approach for this problem in the convex case is due to Aubin [1981], who uses a different version of the implicit function theorem for convex processes. His result can be derived from ours. Finally we mention the work of Levitin [1975], who has made an analysis of the Lipschitz dependence of the solution of a mathematical programming problem without the use of implicit function theorem.

2. Statement of the Theorems

We posit the following assumption, which describes the general framework of the paper:

Assumption (A.1):

- (i) U is an open subset of $\mathbb{R}^k$, V an open subset of $\mathbb{R}$, C a nonempty closed subset of $\mathbb{R}^m$.
- (ii) For all α in V , the mappings $f(\cdot, \alpha): U \rightarrow \mathbb{R}^m$ and $g_i(\cdot, \alpha): U \rightarrow \mathbb{R}$, $i = 1, \dots, m$ are twice continuously differentiable.
- (iii) The mappings $g_i(\cdot, \cdot): U \times V \rightarrow \mathbb{R}$, $Dg_i(\cdot, \cdot): U \times V \rightarrow \mathbb{R}^k$, $i = 1, \dots, m$ and $Df(\cdot, \cdot): U \times V \rightarrow \mathbb{R}^k$ are Lipschitzian.

Here, and in the following, we denote by D the operator of differentiation with respect to the first variable x . Without risk of confusion, $Df(x, \alpha)$ will denote, according to the context, either the linear mapping from $\mathbb{R}^k$ to $\mathbb{R}$ or a vector of $\mathbb{R}^k$. Similarly, $D^2f(x, \alpha)$ will denote either the linear mapping from $\mathbb{R}^k$ into $\mathbb{R}^k$, or the matrix of second derivatives of f .

Let $(\bar{x}, \bar{\alpha}, \bar{\lambda})$ in $U \times V \times \mathbb{R}^m$. We introduce the two following assumptions:

Assumption (A.2): The vectors $Dg_i(\bar{x}, \bar{\alpha})$ $i = 1, \dots, m$ are linearly independent.

Assumption (A.3): For all h in $\mathbb{R}^k$, $h \neq 0$, such that $\langle Df(\bar{x}, \bar{\alpha}), h \rangle = 0$, then

$$\langle (D^2f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \bar{\lambda}_i D^2g_i(\bar{x}, \bar{\alpha}))h, h \rangle > 0 .$$

The main theorem of the paper deals with the solution of the system (1.2) when the parameter $\bar{\alpha}$ is slightly perturbed:

Theorem 2.1: Under Assumption (A.1), let $(\bar{x}, \bar{\lambda})$ in $U \times \mathbb{R}^k$ satisfy the system of equations (1.2) for $\alpha = \bar{\alpha}$ in V . Assume furthermore that $(\bar{x}, \bar{\alpha}, \bar{\lambda})$ satisfy (A.2) and (A.3).

Then there exist open neighborhoods U_1 of $\bar{x}$ in U , V_1 of $\bar{\alpha}$ in V , W_1 of $\bar{\lambda}$ in $\mathbb{R}^m$, and mappings $x(\cdot): V_1 \rightarrow U_1$, $\lambda(\cdot): V_1 \rightarrow W_1$ such that:

- (i) the mappings $x(\cdot)$ and $\lambda(\cdot)$ are Lipschitzian;
- (ii) $x(\bar{\alpha}) = \bar{x}$, $\lambda(\bar{\alpha}) = \bar{\lambda}$;
- (iii) for all α in V_1 , $(x(\alpha), \lambda(\alpha))$ is the unique solution in $U_1 \times W_1$ of equation (1.2) at α .

In the case of equality and/or inequality constraints, we are able to weaken assumptions (A.2) and (A.3), getting the strong order conditions of Robinson ([1980], pp. 54-55).

As before, let $(\bar{x}, \bar{\alpha}, \bar{\lambda})$ in $U \times V \times \mathbb{R}^m$.

Assumption (A.2 bis): The vectors $Dg_i(\bar{x}, \bar{\alpha})$ for all $i = 1, \dots, m$ such that $g_i(\bar{x}, \bar{\alpha}) = 0$ are linearly independent.

Assumption (A.3 bis): For all h in $\mathbb{R}^k$, $h \neq 0$, such that

$$\begin{cases} \langle Dg_i(\bar{x}, \bar{\alpha}), h \rangle = 0 & i = 1, \dots, m_1 \\ \langle \bar{\lambda}_i Dg_i(\bar{x}, \bar{\alpha}), h \rangle = 0 & \text{for all } i = m_1 + 1, \dots, m \\ & \text{such that } g_i(\bar{x}, \bar{\alpha}) = 0 \end{cases}$$

Then,

$$\langle D^2 f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \bar{\lambda}_i D^2 g_i(\bar{x}, \bar{\alpha}) h, h \rangle > 0 .$$

Note that (A.3) is more restrictive than (A.3 bis), when the first order condition $Df(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \bar{\lambda}_i Dg_i(\bar{x}, \bar{\alpha}) = 0$ holds. Note also that the constraints bearing on h for $i = m_1 + 1, \dots, m$ are not restrictive when $\bar{\lambda}_i = 0$.

Theorem 2.2: Under Assumption (A.1), let $(\bar{x}, \bar{\lambda})$ in $U \times \mathbb{R}^k$ satisfy the system of equations (1.3) for $\alpha = \bar{\alpha}$ in V . Assume furthermore that $(\bar{x}, \bar{\alpha}, \bar{\lambda})$ satisfy (A.2 bis) and (A.3 bis).

Then there exist open neighborhoods U_1 of $\bar{x}$ in U , V_1 of $\bar{\alpha}$ in V , W_1 of $\bar{\lambda}$ in $\mathbb{R}^m$, and mappings $x(\cdot): V_1 \rightarrow U_1$, $\lambda(\cdot): V_1 \rightarrow W_1$ such that

- (i) the mappings $x(\cdot)$ and $\lambda(\cdot)$ are Lipschitzian;
- (ii) $x(\bar{\alpha}) = \bar{x}$, $\lambda(\bar{\alpha}) = \bar{\lambda}$;
- (iii) for all α in V_1 , $(x(\alpha), \lambda(\alpha))$ is the unique solution in $U_1 \times W_1$ of equation (1.3) at α .

Finally, we have to come back to the solution of the initial problem (1.1).

Corollary 2.3: Let $\bar{x}$ in U be a solution of (1.1) at α in V . Assume that the second derivatives $D^2 f(x, \alpha)$ and $D^2 g_i(x, \alpha)$, ($i = 1, \dots, m$), are continuous at $(\bar{x}, \bar{\alpha})$.

Then, under the assumptions of Theorem 2.2 (respectively 2.2 in the case of equality and/or inequality constraints), there exist open neighborhoods U_2 of $\bar{x}$ in U_1 , V_2 of $\bar{\alpha}$ in V_1 such that the mapping $x(\cdot): V_1 \rightarrow U_1$ defined in Theorem 2.1 (respectively 2.2), satisfies the following property:

For all α in V_2 , $x(\alpha)$ is the unique local minimum on U_2 of problem (1.1) at α .

3. Proofs

The idea behind the proof of Theorem 2.1 is to write the system (1.2), i.e., the first order necessary conditions, as a system of equations $\phi(x, \lambda, \alpha) = 0$, where the unknown is the couple (x, λ) and ϕ is a locally Lipschitzian mapping. Then we shall get (x, λ) as a function of the parameter α through an implicit function theorem for Lipschitzian mappings which we recall hereafter.

We first recall some definitions. Following Clarke [1975], let ψ be a mapping from an open subset N of $\mathbb{R}^n$ to $\mathbb{R}^n$ and let $\bar{y}$ be an element in N . We define the generalized derivative of ψ at $\bar{y}$ in N denoted $\partial\psi(\bar{y})$, to be the convex hull of the set of matrices M of the form $M = \lim_j D\psi(y^j)$, where y^j is a sequence in N converging to $\bar{y}$ and ψ is differentiable at y^j , with derivative $D\psi(y^j)$. If ψ is locally Lipschitzian, then, by Rademacher's theorem, ψ is differentiable almost everywhere, and one easily shows that the set $\partial\psi(\bar{y})$ is nonempty, convex, and compact. It coincides with the derivative $D\psi(\bar{y})$, whenever ψ is continuously differentiable on a neighborhood of $\bar{y}$.

Now let ϕ be a Lipschitzian mapping from an open subset of $\mathbb{R}^n \times \mathbb{R}^l$ to $\mathbb{R}^n$. We define the generalized partial derivative of ϕ with respect to the first variable at the point $(\bar{y}, \bar{\alpha})$, denoted by $\partial_y \phi(\bar{y}, \bar{\alpha})$, as the convex hull of the set of matrices M of the form $M = \lim_j D_y \phi(y^j, \alpha^j)$, where $\{y^j\}, \{\alpha^j\}$ are sequences in $\mathbb{R}^n$ and $\mathbb{R}^l$ converging to $\bar{y}$ and $\bar{\alpha}$ respectively, ϕ is differentiable at (y^j, α^j) and $D_y \phi(y^j, \alpha^j)$ denotes the usual partial Jacobian matrix with respect to the first variable y .

We now state the implicit function theorem for Lipschitzian mappings due to Clarke [1976] (see also Hiriart-Urruty [1978]).

Theorem 3.1: Let E, F be finite dimensional real vector spaces, let Ω be an open subset of $E \times F$ and let ϕ be a Lipschitzian mapping from Ω to E . We suppose that, at a point $(\bar{y}, \bar{\alpha})$ in Ω , the generalized partial derivative $\partial_y \phi(\bar{y}, \bar{\alpha})$ has maximal rank (in the sense that every matrix in $\partial_y \phi(\bar{y}, \bar{\alpha})$ has maximal rank) and that $\phi(\bar{y}, \bar{\alpha}) = 0$. Then, there exist open neighborhoods U of $\bar{y}$, V of $\bar{\alpha}$ and a Lipschitzian mapping f from V to U , such that:

$$(i) \quad \bar{y} = f(\bar{\alpha})$$

$$(ii) \quad \text{for all } \alpha \text{ in } V, f(\alpha) \text{ is the unique element in } U \text{ satisfying } \phi(f(\alpha), \alpha) = 0.$$

Before proceeding to the proof of Theorem 2.1, we need some further definitions, as well as two lemmas. Let C be a nonempty closed convex subset of $\mathbb{R}^m$ and p an element of $\mathbb{R}^m$. We denote by

$\pi(p)$ the projection of p on C . We recall that $\pi(p)$ is uniquely defined by one of the two equivalent assertions:

$$(3.2) \quad \pi(p) \in C \text{ and } \|\pi(p) - p\| \leq \|\pi(p) - q\| \text{ for all } q \text{ in } C;$$

$$(3.3) \quad \pi(p) \in C \text{ and } \langle \pi(p) - p, \pi(p) - q \rangle \leq 0 \text{ for all } q \text{ in } C.$$

Furthermore, the mapping $p \mapsto \pi(p)$, from $\mathbb{R}^m$ to $\mathbb{R}^m$ is Lipschitzian of constant 1 (i.e., for all p, q in $\mathbb{R}^m$, $\|\pi(p) - \pi(q)\| \leq \|p - q\|$, see for example, Rockafellar [1970]).

Lemma 3.4: Let C be a nonempty, closed, convex subset of $\mathbb{R}^m$, $\pi: \mathbb{R}^m \rightarrow \mathbb{R}^m$ the projection mapping on C . Then, for every p in $\mathbb{R}^m$, and every h in $\mathbb{R}^m$.

$$(i) \quad \langle \Delta h, h - \Delta h \rangle \geq 0 \text{ for every } \Delta \text{ in } \partial\pi(p);$$

$$(ii) \quad \langle p - \pi(p), \Delta h \rangle = 0 \text{ for every } \Delta \text{ in } \partial\pi(p).$$

Proof:

(i) By (3.3), for all p, q in $\mathbb{R}^m$, $\langle p - \pi(p), \pi(q) - \pi(p) \rangle \leq 0$ and $\langle q - \pi(q), \pi(p) - \pi(q) \rangle \leq 0$. Summing up the two inequalities, taking $q = p + th$, for $t > 0$, in $\mathbb{R}^m$, dividing by t^2 , we get:

$$(3.5) \quad \left\langle \frac{\pi(p + th) - \pi(p)}{t}, h \right\rangle \geq \left\| \frac{\pi(p + th) - \pi(p)}{t} \right\|^2.$$

Let Δ in $\partial\pi(p)$. From the definition of $\partial\pi(p)$, there exist weights $W^i > 0$, $i = 1, \dots, I$, $\sum_{i=1}^I W^i = 1$ and $(m \times m)$ matrices Δ^i , $i = 1, \dots, I$ in $\partial\pi(p)$ such that $\Delta = \sum_{i=1}^I W^i \Delta^i$ and the Δ^i satisfy the following property. For all i , there exists a sequence $\{p^{ij}\}$ in

$\mathbb{R}^m$ converging to p , such that the derivative $D\pi(p^{ij})$ exists and $\Delta^i = \lim_j D\pi(p^{ij})$. Using (3.5) with $p = p^{ij}$, when $t \rightarrow 0$, $j \rightarrow \infty$, we get at the limit, for all $i = 1, \dots, I$:

$$\langle \Delta^i h, h \rangle \geq ||\Delta^i h||^2.$$

Using the fact that the mapping $p \rightarrow ||p||^2$ is convex, we get:

$$||\Delta h||^2 - \langle \Delta h, h \rangle \leq \sum_{i=1}^I w^i (||\Delta^i h||^2 - \langle \Delta^i h, h \rangle) \leq 0.$$

(ii) From (3.3), taking $q = \pi(p + th)$, h in $\mathbb{R}^m$, $t \neq 0$, dividing by t , we get:

$$\langle p - \pi(p), \frac{\pi(p + th) - \pi(p)}{t} \rangle \leq 0 \quad \text{if } t > 0$$

$$\langle p - \pi(p), \frac{\pi(p + th) - \pi(p)}{t} \rangle \geq 0 \quad \text{if } t < 0.$$

Thus, at a point p in $\mathbb{R}^m$ where π is differentiable, when $t \rightarrow 0$ at the limit in the two above inequalities, we get:

$$\langle p - \pi(p), D\pi(p)h \rangle = 0.$$

Now let p be an arbitrary point in $\mathbb{R}^m$ and let Δ be in $\partial\pi(p)$. Using the definition of $\partial\pi(p)$, as in the proof of the first part of the lemma, we get $\langle p - \pi(p), \Delta h \rangle = 0$. This ends the proof of Lemma 3.4.

Remark 3.5: When $C = \{0\}^{m_1} \times \mathbb{R}_+^{m_2}$ with $m_1 + m_2 = m$, it is easy to compute $\partial\pi(p)$ for all p in $\mathbb{R}^m$. Let Δ_{ij} be the element of row i and column j of a $m \times m$ matrix. Then Δ belongs to $\partial\pi(p)$ if and only if:

$$\begin{array}{ll}
 \Delta_{ij} = 0 & \text{for all } i \neq j \\
 \Delta_{ii} = 0 & \text{for } i = 1, \dots, m_1 \\
 \Delta_{ii} = 1 & \text{if } p_i > 0 \\
 0 \leq \Delta_{ii} \leq 1 & \text{if } p_i = 0 \\
 \Delta_{ii} = 0 & \text{if } p_i < 0
 \end{array} \left. \vphantom{\begin{array}{l} \Delta_{ij} = 0 \\ \Delta_{ii} = 0 \\ \Delta_{ii} = 1 \\ 0 \leq \Delta_{ii} \leq 1 \\ \Delta_{ii} = 0 \end{array}} \right\} \text{for } i = m_1 + 1, \dots, m_2$$

Lemma 3.6: Let C be a nonempty, closed, convex subset of $\mathbb{R}^m$, let $\pi: \mathbb{R}^m \rightarrow \mathbb{R}^m$ be the projection mapping on C , let p be an element in C and λ be in $\mathbb{R}^m$. Then the following assertions are equivalent:

(i) $\lambda \in N(C, p)$, i.e., $\langle \lambda, p \rangle \geq \langle \lambda, q \rangle$ for all q in C ;

(ii) there exists μ in $\mathbb{R}^m$ such that $p = \pi(\mu)$ and $\lambda = \mu - \pi(\mu)$.

Proof: (i) $\rightarrow$ (ii). Let $\lambda \in N(C, p)$ and $\mu = \lambda + p$. It suffices to show that $p = \pi(\mu)$. Since λ belongs to $N(C, p)$, for all q in C , $\langle \mu - p, q - p \rangle \leq 0$. By (3.3), we deduce $p = \pi(\mu)$. (ii) $\rightarrow$ (i): Let μ in $\mathbb{R}^m$ with $p = \pi(\mu)$ and $\lambda = \mu - \pi(\mu)$. By (3.3), for all q in C , $\langle \pi(\mu) - \mu, \pi(\mu) - q \rangle \leq 0$. Therefore, for all q in C , $\langle \lambda, p \rangle \geq \langle \lambda, q \rangle$ and λ belongs to $N(C, p)$.

This completes the proof of Lemma 3.6.

In order to prove Theorem 2.1, we modify the necessary conditions (1.2) by introducing an auxiliary variable μ .

Let (x, λ) be in $U \times \mathbb{R}^m$, α in V . From Lemma 3.6, (x, λ) satisfies the first order condition (1.2) at α :

$$(1.2) \quad \begin{cases} Df(x, \alpha) + \sum_{i=1}^m \lambda_i Dg_i(x, \alpha) = 0 \\ \lambda \in N(C, g(x, \alpha)) \end{cases}$$

if and only if there exists μ in $\mathbb{R}^m$ such that (x, λ, μ) satisfies the system of equations:

$$(3.7) \quad \begin{cases} Df(x, \alpha) + \sum_{i=1}^m \lambda_i Dg_i(x, \alpha) = 0 \\ g(x, \alpha) - \pi(\mu) = 0 \\ g(x, \alpha) + \lambda - \mu = 0 \end{cases}$$

Let $y = (x, \lambda, \mu)$. We denote by $\phi(y, \alpha)$ the left-hand side of the system (3.7). ϕ is a mapping from an open subset of $\mathbb{R}^{k+2m} \times \mathbb{R}^l$ into $\mathbb{R}^{k+2m}$. Since the projection mapping π on C is Lipschitzian, ϕ is locally Lipschitzian.

Proof of Theorem 2.1: Let $\bar{\mu} = \bar{\lambda} + g(\bar{x}, \bar{\alpha})$, and $\bar{y} = (\bar{x}, \bar{\lambda}, \bar{\mu})$.

By Clarke's implicit function theorem (Theorem 3.1), it suffices to prove that the generalized partial derivative $\partial_y \phi(\bar{y}, \bar{\alpha})$ is of maximal rank.

Let Δ be an arbitrary element in $\partial \pi(\bar{\mu})$. Then $\partial_y \phi(\bar{y}, \bar{\alpha})$ is made up of the matrices of the following form:

$$M = \begin{bmatrix} D^2 f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \bar{\lambda}_i D^2 g_i(\bar{x}, \bar{\alpha}) & Dg(\bar{x}, \bar{\alpha})^T & 0 \\ Dg(\bar{x}, \bar{\alpha}) & 0 & -\Delta \\ Dg(\bar{x}, \bar{\alpha}) & I_m & -I_m \end{bmatrix}$$

where $Dg(\bar{x}, \bar{\alpha})$ denotes the $m \times k$ matrix of rows $Dg_i(\bar{x}, \bar{\alpha})$, $i = 1, \dots, m$, $Dg(\bar{x}, \bar{\alpha})^T$ its transpose, and I_m the $(m \times m)$ identity matrix.

To show that M is of full rank, let there be vectors a in $\mathbb{R}^k$, b and c in $\mathbb{R}^m$ such that:

$$(3.8) \quad M \begin{bmatrix} a \\ b \\ c \end{bmatrix} = 0$$

It suffices to show that $a = 0$ and $b = c = 0$.

Replacing M by its value in (3.8), we get:

$$(3.9) \quad \begin{cases} [D^2 f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \bar{\lambda}_i D^2 g_i(\bar{x}, \bar{\alpha})]a + Dg(\bar{x}, \bar{\alpha})^T b = 0 \\ Dg(\bar{x}, \bar{\alpha})a - \Delta c = 0 \\ Dg(\bar{x}, \bar{\alpha})a + b - c = 0 \end{cases}$$

Premultiplying the first equation by a , using the other ones and Lemma 3.4 (i), we get:

$$\begin{aligned}
 a^T [D^2 f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \bar{\lambda}_i D^2 g_i(\bar{x}, \bar{\alpha})] a &= -a^T Dg(\bar{x}, \bar{\alpha})^T b \\
 &= -b^T \Delta c \\
 &= -(c - \Delta c)^T \Delta c \leq 0 .
 \end{aligned}$$

On the other hand, using the first order condition (2.2) and the above equations, we get:

$$Df(\bar{x}, \bar{\alpha})a = -\bar{\lambda}^T Dg(\bar{x}, \bar{\alpha})a = -\bar{\lambda}^T \Delta c$$

Since $\bar{\lambda} = \bar{\mu} - \pi(\bar{\mu})$ and Δ belongs to $\partial\pi(\bar{\mu})$, by Lemma (3.4) (ii), we obtain:

$$(3.10) \quad Df(\bar{x}, \bar{\alpha})a = 0 .$$

By Assumption (A.3) of Theorem 2.1, we get $a = 0$. The first line of (3.9) implies then $Dg(\bar{x}, \bar{\alpha})^T b = 0$. Since by Assumption (A.2) the vectors $Dg_i(\bar{x}, \bar{\alpha})$, $i = 1, \dots, m$ are independent, we have $b = 0$. Thus, $c = 0$. This ends the proof of Theorem 2.1.

Proof of Theorem 2.2: It follows the same line as that of Theorem 2.1. First note that we can ignore the constraints i in $\{m_1 + 1, \dots, m\}$ such that $g_i(\bar{x}, \bar{\alpha}) > 0$. In fact, the continuity of the solution $x(\alpha)$ which we are looking for implies that these constraints will stay unbinding. The only difference lies then in the study of system (3.9) where Remark 3.5 and Assumption (A.3 bis) are used.

In fact, the second line in (3.9), using Remark 3.5, leads to:

$$\nabla g_i(\bar{x}, \bar{\alpha})a = 0 \quad \text{for } i = 1, \dots, m_1 .$$

Furthermore, consider an i in $\{m_1 + 1, \dots, m\}$ such that $g_i(\bar{x}, \bar{\alpha}) = 0$ and $\bar{\lambda}_i > 0$. Then by (3.7), $\bar{\mu}_i < 0$. Thus by Remark 3.5, $\Delta_{ii} = 0$, therefore:

$$Dg_i(\bar{x}, \bar{\alpha})a = 0.$$

Consequently, in the proof of Theorem 2.1, we can replace (3.10) by:

$$(3.11) \quad \begin{aligned} Dg_i(\bar{x}, \bar{\alpha})a &= 0 & \text{for } i = 1, \dots, m_1 \\ \bar{\lambda}_i Dg_i(\bar{x}, \bar{\alpha})a &= 0 & \text{for all } i \text{ in } \{m_1 + 1, \dots, m\} \\ & & \text{such that } g_i(\bar{x}, \bar{\alpha}) = 0. \end{aligned}$$

By Assumption (A.3 bis), we get $a = 0$. The rest of the proof is unchanged. This ends the proof of Theorem 2.2.

Proof of Corollary 2.3: By Robinson [1980], under Assumption (A.2), the system of equations (1.2) (respectively (1.3)) is a necessary condition for the solution of (1.1). Let $x(\cdot): V_1 \rightarrow U_1$ be the mapping defined in Theorem 2.1 (respectively 2.2). Then, for all α in V_1 , $x(\alpha)$ is the only candidate for a local minimum on U_1 , for problem (1.1).

To show that it corresponds in fact to a local minimum, we have to check that the sufficient conditions (A.3) (respectively (A.3 bis)) are satisfied in an open neighborhood of $(\bar{x}, \bar{\alpha})$ (see Robinson [1980] for a proof that (A.3) and (A.3 bis) are indeed sufficient conditions).

We prove it for (A.3), leaving the other similar case to the reader. Suppose on the contrary that for a sequence $\{(x^j, \alpha^j)\}$ converging to $(\bar{x}, \bar{\alpha})$, (A.3) is violated at $(x^j, \alpha^j, \lambda(\alpha^j))$. There exists h^j in $\mathbb{R}^k$, $\|h^j\| = 1$ such that $\langle Df(x^j, \alpha^j), h^j \rangle = 0$ and $\langle (D^2f(x^j, \alpha^j) + \sum_{i=1}^m \lambda_i(\alpha^j) D^2g_i(x^j, \alpha^j)) h^j, h^j \rangle \leq 0$ where $\lambda(\alpha)$ is the Lipschitzian function defined in Theorem 2.1. Since the h^j stay in a compact, there exists a converging subsequence towards $\bar{h}$. From the continuity assumptions, we have $\langle Df(\bar{x}, \bar{\alpha}), \bar{h} \rangle = 0$ and

$$\langle (D^2f(\bar{x}, \bar{\alpha}) + \sum_{i=1}^m \lambda_i(\bar{\alpha}) D^2g_i(\bar{x}, \bar{\alpha})) \bar{h}, \bar{h} \rangle \leq 0 .$$

Hence this contradicts Assumption (A.3). This ends the proof of Corollary 2.3.

References

- Aubin, J.P. [1981], "Lipschitz Behaviour of Solutions to Convex Minimization Problems," Working Paper, I.A.S.A.
- Auslender, A., "Theorem of Constant Rank for Lipschitzian Maps and Applications in Optimization Theory," Working Paper, Université de Clermont-Ferrand.
- Clarke, F. [1975], "Generalized Gradients and Applications," Transactions of the American Mathematical Society, 205, pp. 247-262.
- Clarke, F. [1976], "On the Inverse Function Theorem," Pacific Journal of Mathematics, 64:1, pp. 97-102.
- Cornet, B. and G. Laroque [1980], "Lipschitz Properties of Constrained Demand Functions and Constrained Maximizers," I.N.S.E.E. Working Paper 8005.
- Cornet, B. [1981], "Contributions à la Théorie des Mécanismes Dynamiques d'allocation des Ressources", thèse d'état, Université Paris IX Dauphine.
- Fiacco, A.V. and G.P. McCormick [1968], "Nonlinear Programming: Sequential Unconstrained Minimization Techniques," Wiley, New York.
- Fiacco, A.V. [1976], "Sensitivity Analysis for Nonlinear Programming Using Penalty Methods," Mathematical Programming, 10 pp. 287-311.
- Fiacco, A.V. and W.P. Hutzler [1982], "Basic Results in the Development of Sensitivity and Stability Analysis in Nonlinear Programming," Computation and Operation Research, 9:1, pp. 9-28.
- Hiriart-Urruty, J.B. [1978], "Tangent Cones, Generalized Gradients and Mathematical Programming in Banach Spaces," Mathematics of Operations Research.
- Kojima, M. [1980], "Strongly Stable Stationary Solutions in Nonlinear Programs," Analysis and Computation of Fixed Points, ed. by S.M. Robinson, Academic Press.
- Levitin, E.S. [1975], "On the Local Perturbation Theory of a Problem of Mathematical Programming in a Banach Space," Soviet Math. Dokl., 15, pp. 603-608.
- Robinson, S.M. [1974], "Perturbed Kuhn-Tucker Points and Rates of Convergence for a Class of Nonlinear Programming Algorithm," Mathematical Programming, 7 pp. 1-16.

Robinson, S.M. [1980], "Strongly Regular Generalized Equations,"
Mathematics of Operations Research, 5, 1, pp. 43-62.

Robinson, S.M. [1980], "Generalized Equations and Their Solution,
Part II: Applications to Nonlinear Programming," Cahiers au
Ceremade 8006, Universite Paris IX Dauphine.

Rockafellar, R.T. [1970], Convex Analysis, Princeton University Press.

REPORTS IN THIS SERIES

160. "The Structure and Stability of Competitive Dynamical Systems," by David Gale and Karl Shell.
161. "Monopolistic Competition and the Capital Market," by J. E. Stiglitz.
162. "The Corporation Tax," by J. E. Stiglitz.
163. "Measuring Returns to Scale in the Aggregate and the Scale Effect of Public Goods," by David A. Starrett.
164. "Monopoly, Quality, and Regulation," by Michael Spence.
165. "A Note on the Budget Constraint in a Model of Borrowing," by Duncan K. Foley and Martin F. Hellwig.
166. "Incentives, Risk, and Information: Notes Towards a Theory of Hierarchy," by Joseph E. Stiglitz.
167. "Asymptotic Expansions of the Distributions of Estimates in Simultaneous Equations for Alternative Parameter Sequences," by T. W. Anderson.
168. "Estimation of Linear Functional Relationships: Approximate Distributions and Connections with Simultaneous Equations in Econometrics," by T. W. Anderson.
169. "Monopoly and the Rate of Extraction of Exhaustible Resources," by Joseph E. Stiglitz.
170. "Equilibrium in Competitive Insurance Markets: An Essay on the Economics of Imperfect Information," by Michael Rothschild and Joseph Stiglitz.
171. "Strong Consistency of Least Squares Estimates in Normal Linear Regression," by T. W. Anderson and John B. Taylor.
172. "Incentive Schemes under Differential Information Structures: An Application to Trade Policy," by Partha Dasgupta and Joseph Stiglitz.
173. "The Incidence and Efficiency Effects of Taxes on Income from Capital," by John B. Shoven.
174. "Distribution of a Maximum Likelihood Estimate of a Slope Coefficient: The LIML Estimate for Known Covariance Matrices," by T. W. Anderson and Takamitsu Sawa.
175. "A Comment on the Test of Overidentifying Restrictions," by Joseph B. Kadane and T. W. Anderson.
176. "An Asymptotic Expansion of the Distribution of the Maximum Likelihood Estimate of the Slope Coefficient in a Linear Functional Relationship," by T. W. Anderson.
177. "Some Experimental Results on the Statistical Properties of Least Squares Estimates in Control Problems," by T. W. Anderson and John B. Taylor.
178. "A Note on 'Unfilled Expectations' Equilibria," by David M. Kreps.
179. "Uncertainty and the Rate of Extraction under Alternative Institutional Arrangements," by Partha Dasgupta and Joseph E. Stiglitz.
180. "Budget Displacement Effects of Inflationary Finance," by Jerry Green and E. Sheshinski.
181. "Towards a Marxist Theory of Money," by Duncan K. Foley.
182. "The Existence of Futures Markets, Noisy Rational Expectations and Informational Externalities," by Sanford Grossman.
183. "On the Efficiency of Competitive Stock Markets where Traders have Diverse Information," by Sanford Grossman.
184. "A Bidding Model of Perfect Competition," by Robert Wilson.
185. "A Bayesian Approach to the Production of Information and Learning by Doing," by Sanford J. Grossman, Richard E. Kihlstrom and Leonard J. Mirman.
186. "Disequilibrium Allocations and Recontracting," by Jean-Michel Grandmont, Guy Laroque and Yves Younes.
187. "Agreeing to Disagree," by Robert J. Aumann.
188. "The Maximum Likelihood and the Nonlinear Three Stage Least Squares Estimator in the General Nonlinear Simultaneous Equation Model," by Takeshi Anemiyi.
189. "The Modified Second Round Estimator in the General Qualitative Response Model," by Takeshi Anemiyi.
190. "Some Theorems in the Linear Probability Model," by Takeshi Anemiyi.
191. "The Bilinear Complementarity Problem and Competitive Equilibria of Linear Economic Models," by Robert Wilson.
192. "Noncooperative Equilibrium Concepts for Oligopoly Theory," by L. A. Gerard-Varet.
193. "Inflation and Costs of Price Adjustment," by Eytan Sheshinski and Yoram Weis.
194. "Power and Taxes in a Multi-Commodity Economy," by R. J. Aumann and M. Kurz.
195. "Distortion of Preferences, Income Distribution and the Case for a Linear Income Tax," by Mordecai Kurz.
196. "Search Strategies for Nonrenewable Resource Deposits," by Richard J. Gilbert.
197. "Demand for Fixed Factors, Inflation and Adjustment Costs," by Eytan Sheshinski and Yoram Weis.
198. "Bargains and Ripples: A Model of Monopolistically Competitive Price Dispersion," by Steve Salop and Joseph Stiglitz.
199. "The Design of Tax Structure: Direct Versus Indirect Taxation by A. B. Atkinson and J. E. Stiglitz.
200. "Market Allocations of Location Choice in a Model with Free Mobility," by David Starrett.
201. "Efficiency in the Optimum Supply of Public Goods," by Lawrence J. Lau, Eytan Sheshinski and Joseph E. Stiglitz.
202. "Risk Sharing, Sharecropping and Uncertain Labor Markets," by David M. G. Newbery.
203. "On Non-Walrasian Equilibria," by Frank Hahn.
204. "A Note on Elasticity of Substitution Functions," by Lawrence J. Lau.
205. "Quantity Constraints as Substitutes for Inoperative Markets: The Case of the Credit Markets," by Mordecai Kurz.
206. "Incremental Consumer's Surplus and Hedonic Price Adjustment," by Robert D. Willig.

207. "Optimal Depletion of an Uncertain Stock," by Richard Gilbert.
208. "Some Minimum Chi-Square Estimators and Comparisons of Normal and Logistical Models in Qualitative Response Analysis," by Kunito Morinase.
209. "A Characterization of the Optimality of Equilibrium in Incomplete Markets," by Sanford J. Grossman.
210. "Inflation and Taxes in a Growing Economy with Debt and Equity Finance," by M. Feldstein, J. Green and E. Sheshinski.
211. "The Specification and Estimation of a Multivariate Logit Model," by Takeshi Anemiyi.
212. "Prices and Queues as Screening Devices in Competitive Markets," by Joseph E. Stiglitz.
213. "Conditions for Strong Consistency of Least Squares Estimates in Linear Models," by T. W. Anderson and John B. Taylor.
214. "Utilitarianism and Horizontal Equity: The Case for Random Taxation," by Joseph E. Stiglitz.
215. "Simple Formulae for Optimal Income Taxation and the Measurement of Inequality," by Joseph E. Stiglitz.
216. "Temporal Resolution of Uncertainty and Dynamic Choice Behavior," by David M. Kreps and Ernie L. Porteus.
217. "The Estimation of Nonlinear Labor Supply Functions with Taxes from a Truncated Sample," by Michael Hurd.
218. "The Welfare Implications of the Unemployment Rate," by Michael Hurd.
219. "Keynesian Economics and General Equilibrium Theory: Reflections on Some Current Debates," by Frank Hahn.
220. "The Core of an Exchange Economy with Differential Information," by Robert Wilson.
221. "A Competitive Model of Exchange," by Robert Wilson.
222. "Intermediate Preferences and the Majority Rule," by Jean-Michel Grandmont.
223. "The Fixed Price Equilibria: Some Results in Local Comparative Statics," by Guy Laroque.
224. "On Stockholder Uniformity in Making Production and Financial Decisions," by Sanford J. Grossman and Joseph E. Stiglitz.
225. "Selection of Regressors," by Takeshi Anemiyi.
226. "A Note on a Random Coefficients Model," by Takeshi Anemiyi.
227. "A Note on a Heteroscedastic Model," by Takeshi Anemiyi.
228. "Welfare Measurement for Local Public Finance," by David Starrett.
229. "Unemployment Equilibrium with Rational Expectations," by W. P. Heller and R. M. Starr.
230. "A Theory of Competitive Equilibrium in Stock Market Economies," by Sanford J. Grossman and Oliver D. Hart.
231. "An Application of Stigler's Methods to the Problem of Single Period Control of Regression Models," by Asad Zaman.
232. "Second Best Welfare Economics in the Mixed Economy," by David Starrett.
233. "The Logic of the Fix-Price Method," by Jean-Michel Grandmont.
234. "Tables of the Distribution of the Maximum Likelihood Estimate of the Slope Coefficient and Approximations," by T. W. Anderson and Takamitsu Sawa.
235. "Further Results on the Informational Efficiency of Competitive Stock Markets," by Sanford Grossman.
236. "The Estimation of a Simultaneous-Equation Tobit Model," by Takeshi Anemiyi.
237. "The Estimation of a Simultaneous-Equation Generalized Probit Model," by Takeshi Anemiyi.
238. "The Consistency of the Maximum Likelihood Estimator in a Disequilibrium Model," by T. Anemiyi and G. Sen.
239. "Numerical Evaluation of the Exact and Approximate Distribution Functions of the Two-Stage Least Squares Estimate," by T. W. Anderson and Takamitsu Sawa.
240. "Risk Measurement of Public Projects," by Robert Wilson.
241. "On the Capitalization Hypothesis in Closed Communities," by David Starrett.
242. "A Note on the Uniqueness of the Representation of Commodity-Augmenting Technical Change," by Lawrence J. Lau.
243. "The Property Rights Doctrine and Demand Revelation under Incomplete Information," by Kenneth J. Arrow.
244. "Optimal Capital Gains Taxation Under Limited Information," by Jerry R. Green and Eytan Sheshinski.
245. "Straightforward Individual Incentive Compatibility in Large Economies," by Peter J. Hammond.
246. "On the Rate of Convergence of the Core," by Robert J. Aumann.
247. "Unsatisfactory Equilibria," by Frank Hahn.
248. "Existence Conditions for Aggregate Demand Functions: The Case of a Single Index," by Lawrence J. Lau.
249. "Existence Conditions for Aggregate Demand Functions: The Case of Multiple Indices," by Lawrence J. Lau.
250. "A Note on Exact Index Numbers," by Lawrence J. Lau.
251. "Linear Regression Using Both Temporally Aggregated and Temporally Disaggregated Data," by Cheng Hsiao.
252. "The Existence of Economic Equilibria: Continuity and Mixed Strategies," by Partha Dasgupta and Eric Maskin.
253. "A Complete Class Theorem for the Control Problem and Further Results on Admissibility and Inadmissibility," by Asad Zaman.
254. "Measure-Based Values of Market Games," by Sergiu Hart.
255. "Axioms as an Outcome of Social Interaction," by Mordecai Kurz.
256. "A Representation Theorem for 'Preference for Flexibility,'" by David M. Kreps.
257. "The Existence of Efficient and Incentive Compatible Equilibria with Public Goods," by Theodore Groves and John O. Ledyard.
258. "Efficient Collective Choice with Compensation," by Theodore Groves.
259. "On the Impossibility of Informationally Efficient Markets," by Sanford J. Grossman and Joseph E. Stiglitz.

REPORTS IN THIS SERIES

321. "Efficiency of Resource Allocation by Uninformed Demand," by Theodore Groves and Sergiu Hart.
322. "A Comparison of the Box-Cox Maximum Likelihood Estimator and the Nonlinear Two Stage Least Squares Estimator," by Takashi Amemiya and James L. Powell.
323. "Comparisons of the Quantiles of the TSLS and LIML Estimators for Simultaneous Equations," by T. W. Anderson, Notoo Kunitomo, and Takamitsu Sawa.
324. "Admissibility of the Bayes Procedure Corresponding to the Uniform Prior Distribution for the Control Problem in Four Dimensions but Not in Five," by Charles Stein and Asad Zaman.
325. "Some Recent Developments on the Distributions of Single-Equation Estimators," by T. W. Anderson.
326. "On Inflation," by Frank Hahn.
327. "Two Papers on Majority Rule: 'Continuity Properties of Majority Rule with Intermediate Preferences,' by Peter Coughlin and Kuan-Pin Lin; and, 'Electoral Outcomes with Probabilistic Voting and Nash Social Welfare Maxima,' by Peter Coughlin and Samuel Nitzan.
328. "On the Endogenous Formation of Coalitions," by Sergiu Hart and Mordchai Kurz.
329. "Controllability, Pecuniary Externalities and Optimal Taxation," by David Starrett.
330. "Nonlinear Regression Models," by Takashi Amemiya.
331. "Paradoxical Results from Inadequate Conditions for Majority Rule," by Hervé Raynaud.
332. "On Welfare Economics with Incomplete Information and the Social Value of Public Information," by Peter J. Hammond.
333. "Equilibrium Policy Proposals with Abstentions," by Peter J. Coughlin.
334. "Inflation Escalator and Invariant Measures," by Michael I. Takser.
335. "The Life-Cycle Hypothesis and the Effects of Social Security and Private Pensions on Family Savings," by Mordchai Kurz.
336. "Optimal Retirement Age," by Mordchai Kurz.
337. "Bayesian Incentive Compatible Beliefs," by Claude d'Aupremont and Louis-André Gérard-Varet.
338. "Qualitative Response Models: A Survey," by Takashi Amemiya.
339. "The Social Costs of Monopoly and Regulation: A Game Theoretic Analysis," by William P. Rogerson.
340. "Sequential Equilibria," by David M. Kreps and Robert Wilson.
341. "Enhancing of Samplings," by Michael I. Takser.
342. "Formulation and Estimation of Dynamic Models Using Panel Data," by T. W. Anderson and Cheng Hsiao.
343. "Ex-Post Optimality as a Dynamically Consistent Objective for Collective Choice Under Uncertainty," by Peter Hammond.
344. "Three Lectures in Monetary Theory," by Frank H. Hahn.
345. "Socially Optimal Investment Rule in the Presence of Incomplete Markets and Other Second Best Distortions," by Frank Hahn and David A. Starrett.
346. "Approximate Purification of Mixed Strategies," by Robert Aumann, Yitzhak Kalznelson, Roy Radner, Robert W. Rosenthal, and Benjamin Weis.
347. "Conditions for Transitivity of Majority Rule with Algorithmic Interpretations," by Hervé Raynaud.
348. "How Restrictive Actually are the Value Restriction Conditions," by Hervé Raynaud.
349. "Consumer Duality in the Style of Fulfilled Expectations Equilibrium," by William Nonshek and Hugh Sonnenschein.
350. "Law of Large Numbers for Random Sets and Allocation Processes," by Zvi Artstein and Sergiu Hart.
351. "Risk Perception in Psychology and Economics," by Kenneth J. Arrow.
352. "Shrunk Prediction for Autoregressive Models," by Takashi Amemiya.
353. "Predation, Reputation, and Entry Deterrence," by Paul Milgrom and John Roberts.
354. "Social and Private Production Objectives in the Sequence Economy," by David Starrett.
355. "Recursive Rational Choice," by Alan Lewis.
356. "Least Absolute Deviations Estimation for Censored and Truncated Regression Models," by James Powell.
357. "Relatively Recursive Rational Choice," by Alan Lewis.
358. "A Theory of Auctions and Competitive Bidding," by Paul Milgrom and Robert Weber.
359. "Facing an Uncertain Future," by W. M. Gorman.
360. "The Individual Freedom Allowed by the Value Restriction Condition," by Hervé Raynaud.
361. "Incomplete Resource Allocation Mechanisms," by P. J. Hammond.
362. "W. E. Diewert and T. R. Luen.".
363. "Optimum Pricing Policy Under Stochastic Inflation," by E. Shephard and Y. Weiss.
364. "Capital Accumulation and the Characteristics of Private Interpersonal Transfer," by M. Kurz.
365. "Asymptotic Efficiency and Higher Order Efficiency of the Limited Information Maximum Likelihood Estimator in Large Econometric Models," by T. Kunitomo.
366. "Semi-Values of Political Economic Games," by A. Neyman.
367. "Non-Zero-Sum Two-Person Repeated Games with Incomplete Information," by S. Hart.
368. "Partially Generalized Least Squares and Two-Stage Least Squares Estimators," by T. Amemiya.
369. "Lipschitz Properties of Solution in Mathematical Programming," by B. Cornet and G. Laroque.

REPORTS IN THIS SERIES

369. "Values for Games Without Sidepayments: Some Difficulties With Current Concepts," by Alois E. Roth.
370. "Markings and the Valuation of Risk-Neutral Assets," by J. Michael Harrison and David M. Kreps.
371. "Anticipatory Modeling and Money - Income Quantity Decision," by Cheng Hsiao.
372. "Measurement Error in a Dynamic Simultaneous Equations Model without Stochastic Disturbances," by Cheng Hsiao.
373. "The Measurement of Double-Weighted Loss Revenue," by W. E. Diewert.
374. "The Elasticity of Demand for Supply and a Generalized Le Chatelier Principle," by W. E. Diewert.
375. "Income Distribution and Disturbances of Preferences: the R (Commodity) Case," by Mordchai Kurz.
376. "The α -Order Mean Squared Error of the Maximum Likelihood and the Minimum Logit Chi-Square Estimator," by Takashi Amemiya.
377. "Forecasting Non-Neumann-Negotiations and Induced Preferences," by David M. Kreps and Ives L. Porteus.
378. "Take-Over Bids and the Theory of the Components," by Sanford Grossman and Oliver D. Hart.
379. "The Numerical Values of Some Key Postulates in Economic Models," by T. W. Anderson, Kimu Morimune and Takamitsu Sawa.
380. "Two Representations of Information Structures and Their Comparison," by Jerry Green and Nancy Stacey.
381. "Asymptotic Expansions of the Distribution of Estimators in a Linear Functional Relationship when the Sample Size is Large," by Notoo Kunitomo.
382. "Public Goods and Power," by R. J. Aumann, M. Kurz and A. Neyman.
383. "An Alternative Approach to the Efficiency of Non-Cooperative Equilibria in Economies with a Continuum of Traders," by A. Mas-Colell, J. Klevor, and T. W. Anderson and Takamitsu Sawa.
384. "Asymptotic Modeling of Capital Money and Income Data," by Cheng Hsiao.
385. "We Can't Deny It: Forecasting," by John D. Gough and Heriberto Polanco-Rubio.
386. "Constrained Excess Demand Functions," by Heriberto Polanco-Rubio.
387. "On the Bayesian Solution of Nash Equilibrium," by Alan Tennstedt.
388. "Qualitative Responses to Microeconomic Theory," by C. Courlet, J. J. Laffont and A. Monfret.
389. "A Time Series Analysis of the Impact of Consumer Wage and Price Controls," by Cheng Hsiao and Olayiwura Fajana.
390. "A Strategic Theory of Inflation," by Mordchai Kurz.
391. "A Characterization of Vector Resource Games in $g(RA)$," by Yair Tauman.
392. "On the Method of Taxation and the Provision of Local Public Goods," by David A. Starrett.
393. "An Optimization Problem Arising in Economics: Approximate Solutions, Linearity, and a Law of Large Numbers," by Sergiu Hart.
394. "Asymptotic Expansions of the Distributions of the Estimates of Coefficients in a Simultaneous Equation System," by Yoonsoo Park, Notoo Kunitomo, and Takamitsu Sawa.
395. "Optimal d Voluntary Income Distribution," by E. J. Arrow.
396. "Asymmetric Values of Mixed Games," by Abraham Neyman.
397. "Time Series Modeling and Causal Ordering of Conditional Money Income and Interest Rate," by Cheng Hsiao.
398. "An Analysis of Power in Exchange Economies," by Martin J. Osborne.
399. "Extremities of the Reciprocal of a Normal Mean," by Asad Zaman.
400. "Improving the Maximum Likelihood Estimator in Linear Functional Relationships for Alternative Parameter Sequences," by Kimio Morimune and Notoo Kunitomo.
401. "Calculation of Bivariate Normal Integrals by the Use of Incomplete Negative-Order Moments," by Ken Takemoto and Atsuhiko Takemoto.
402. "On Partitioning of a Sample with Binary-Type Questions in Line of Collecting Observations," by Kenneth J. Arrow, Leon Penzinschky and Nelson Sobel.
403. "The Two Stage Least Squares Estimation," by Takashi Amemiya.
404. "Three Essays on Capital Markets," by David M. Kreps.
405. "Efficient Outcomes and Social Loss-Likelihood Functions," by Peter Coughlin and Samuel Nitzan.
406. "Mean on Social Choice and Voting," by Peter Coughlin.
407. "Overlapping Expectations and Hart's Conditions for Equilibrium in a Securities Model," by Peter J. Hammond.
408. "Discrete and Local Electronic Computations with Probabilistic Voting," by Peter Coughlin and Samuel Nitzan.
409. "Asymptotic Expansions of the Distributions of the Test Statistics for Overidentifying Restrictions in a System of Simultaneous Equations," by Kimimune, Morimune, and Tennstedt.
410. "Incomplete Markets and the Observability of Risk Preference Properties," by H. H. Polemarchakis and L. Selden.
411. "Markovian Securities and the Efficiency of Risk Allocation of Risk: A Comment on the Black-Scholes Option Pricing Model," by David M. Kreps.
412. "Asymptotic Expansions of the Distributions of k-Class Estimators when the Disturbances are Small," by Notoo Kunitomo, Kimu Morimune, and Takamitsu Sawa.
413. "Advantage and Equilibrium in Economies with Infinitely Many Commodities," by David M. Kreps.
414. "Unemployment Equilibrium in an Economy with Linked Prices," by Mordchai Kurz.
415. "Pseudo Optimal Nash Equilibria are Competitive in a Repeated Economy," by Mordchai Kurz and Sergiu Hart.
416. "Identification," by Cheng Hsiao.
417. "An Introduction to Two-Person Zero-Sum Repeated Games with Incomplete Information," by Sylvain Sorin.
418. "Estimation of Dynamic Models with Error Components," by T. W. Anderson and Cheng Hsiao.
419. "On Robust Estimation in Constant Equivalence Control," by Anders H. Westlund and Hans Stenlund.
420. "On Industry Equilibrium Under Uncertainty," by J. Dreze and E. Shephard.
421. "Cost Benefit Analysis and Project Evaluation from the Viewpoint of Productive Efficiency," by W. E. Diewert.
422. "On the Chain-Store Paradox and Predation: Repetition for Toughness," by D. M. Kreps and Robert Wilson.
423. "On the Number of Commodities Required to Represent a Market Game," Sergiu Hart.
424. "Evaluation of the Distribution Function of the Limited Information Maximum Likelihood Estimator," by T. W. Anderson, Notoo Kunitomo, and Takamitsu Sawa.
425. "A Comparison of the Logit Model and Normal Discriminant Analysis when the Independent Variables are Binary," by Takashi Amemiya and James L. Powell.