

AD-A122 912

NUMERICAL METHODS FOR CONSTRAINED AND UNCONSTRAINED
OPTIMIZATION(U) NORTH CAROLINA UNIV AT CHAPEL HILL
P T BOGGS ET AL. 23 DEC 82 ARO-15157.8-MA

1/1

UNCLASSIFIED


DAAG29-77-G-0125

F/G 12/1

NL



END
DATE
FILED
2 83
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

12

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AD A122912

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 15157.8-MA	2. GOVT ACCESSION NO. AD-A122912	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Numerical Methods for Constrained and Unconstrained Optimization		5. TYPE OF REPORT & PERIOD COVERED Final: 15 Apr 77 - 30 Sep 82
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Paul T. Boggs, Jon W. Tolle		8. CONTRACT OR GRANT NUMBER(s) DAAG29 77 G 0125; DAAG29 79 G 0014; DAAG29 79 D 1002
9. PERFORMING ORGANIZATION NAME AND ADDRESS University of North Carolina Chapel Hill, NC 27514		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS U. S. Army Research Office PO Box 12211 Research Triangle Park, NC 27709		12. REPORT DATE 12/23/82
		13. NUMBER OF PAGES 6
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) JAN 03 1983		
18. SUPPLEMENTARY NOTES The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) algorithms optimizing penalty functions		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The main thrust of the research has been toward the development of efficient algorithms for solving the finite - dimensional constrained optimization problem $\begin{aligned} &\text{minimize } f(x) \\ &\text{subject to } g(x) \leq 0 \text{ and } h(x) = 0. \end{aligned}$ where $f: R^n \rightarrow R$, $g: R^n \rightarrow R^m$, and $h: R^n \rightarrow R^p$ are smooth functions. Historically, problems of this type have been solved by either penalty function methods or through linearization procedures. The fact that neither of these techniques is		

DTIC full copy

20. ABSTRACT CONTINUED



completely satisfactory for general nonlinear problems has lead to a concentrated research effort to find better approaches. What has so far emerged from this work is a blending of the penalty function and linearization ideas with the quadratic approximation methods associated with unconstrained optimization. While there remain many unresolved issues, it is now apparent that this synthesis has resulted in more efficient algorithms for the nonlinear constrained optimization problem.



Form For	
1	☒
2	☐
3	☐
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	



A

ADA 122 912 ...

FINAL REPORT

P.T. Boggs and J.W. Tolle

December 23, 1982

U.S. Army Research Office

DAAG 29-77G0125, - 79G0014, - 79D1002

The University of North Carolina at Chapel Hill

This report contains a summary of the research on nonlinear optimization conducted at the University of North Carolina and the Army Research Office from April 15, 1977 through September 30, 1982. This research was sponsored under grants DAAG 29-77G0125, - 79G0014, - 79D1002 from the U.S. Army Research Office.

Introduction

The main thrust of the research conducted during this period has been toward the development of efficient algorithms for solving the finite - dimensional constrained optimization problem

$$\text{minimize } f(x)$$

$$\text{subject to } g(x) \leq 0 \text{ and } h(x) = 0.$$

where $f: \mathbb{R}^n \rightarrow \mathbb{R}$, $g: \mathbb{R}^n \rightarrow \mathbb{R}^m$, and $h: \mathbb{R}^n \rightarrow \mathbb{R}^p$ are smooth functions.

Historically, problems of this type have been solved by either penalty function methods or through linearization procedures. The fact that neither of these techniques is completely satisfactory for general nonlinear problems has led to a concentrated research effort to find better approaches. What has so far emerged from this work is a blending of the penalty function and linearization ideas with the quadratic approximation methods associated with unconstrained optimization. While there remain many unresolved issues, it is now apparent that this synthesis has resulted in more efficient algorithms for the nonlinear constrained optimization problem. The research described briefly below has been part of this development.

Penalty functions

A family of multiplier functions, $M(x, \lambda; c, d)$, has been developed for the equality-constrained problem. M depends upon two parameters (c, d) and is concave and quadratic in the multiplier λ . For certain finite values of c and d the pair (x^*, λ^*) is a saddle point of M if and only if (x^*, λ^*) is an optimal vector and its multiplier for the problem. If $\nabla_{\lambda} M(x, \lambda; c, d) = 0$ is solved for λ in terms of x , then for appropriate values of c and d , $M(x, \lambda(x); c, d)$ is an exact penalty function for the optimization problem. The penalty function and its applications are discussed in [1T], [2T], [3T], [6T], [1P], and [2P].

Constrained optimization and differential equations.

It is well known that for the unconstrained minimization, solving the gradient differential equation, $x' = -\nabla f(x)$, $x(0) = x^0$, by Euler's method is equivalent to using a steepest descent algorithm to minimize f . In [5T], [7T] and [1P] an algorithm for solving the equality-constrained problem is developed which is based on the gradient system

$$x' = -\nabla_x M(x, \lambda; c, d) , \quad x(0) = x^0 ,$$

$$\lambda' = -\nabla_\lambda M(x, \lambda; c, d) , \quad \lambda(0) = \lambda^0 .$$

where M is the multiplier function reported above. Because of the large values of the parameter c which are required to validate the important theoretical properties of M , the above system is best analyzed as a singularly perturbed system of the form

$$\frac{1}{c} x' = \psi(x, \lambda; c, d)$$

$$\lambda' = \psi(x, \lambda; c, d) .$$

Quasi Newton methods.

An important new technique for solving the constrained nonlinear problem is the method of successive quadratic programming. Locally this method is equivalent to solving the nonlinear system

$$\nabla_x \ell(x, \lambda) = 0 ,$$

$$h(x) = 0 ,$$

$$g_i(x) = 0 , i \in I$$

where $\ell(x, \lambda)$ is the Lagrangian function and I is the index set of active inequality constraints at optimality. In a series of reports and papers, [4T], [8T], [3P], and [4P] the local convergence of quasi-Newton algorithms for solving this system is investigated. In particular, necessary conditions for convergence and necessary and sufficient conditions for superlinear convergence are obtained.

Implementation

Research continues on the implementation of an efficient algorithm which is both robust and locally superlinearly convergent. One major difficulty which has been overcome in this quest is the identification of a merit function (a function used to measure the progress of the algorithm) which is consistent with superlinear convergence. In [9T], [10T], [5P], and [6P] a member of the family of multiplier functions described above is shown to have this desirable property. This merit function is incorporated into an algorithmic scheme for solving the nonlinear problem.

Continuing investigations.

The research initiated under the sponsorship of the Army Research Office is continuing. Current topics of interest include the application of successive quadratic programming to large scale nonlinear problems [11T] and the implementation of the algorithm described in [6P] in a more efficient and robust manner [12T].

Technical Reports

- [1T] A Two Parameter Multiplier Function with Exact Penalty Functions, Paul T. Boggs and Jon W. Tolle, Technical Report 77-1, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, January 1977.
- [2T] Asymptotic Analysis of the Saddle Point of a Two-Parameter Multiplier Function, Paul T. Boggs and Jon W. Tolle, Technical Report 77-6, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, May 1977.
- [3T] Certain Theoretical and Computational Aspects of Multiplier Methods for Constrained Minimization, Paul T. Boggs and Jon W. Tolle, Technical Report 77-13, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, September 1977.
- [4T] A Study of the Han-Powell Algorithm for solving Nonlinear Programming Problems, Pyng Wang, Technical Report 78-9, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, October 1978.
- [5T] Singular Perturbation Techniques for Nonlinear Optimization Problems, Paul T. Boggs and Jon W. Tolle, Technical Report 79-5, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, May 1979.
- [6T] Augmented Lagrangians Which Are Quadratic in the Multiplier, Paul T. Boggs and Jon W. Tolle, Technical Report 79-6, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, June 1979.
- [7T] An Algorithm for Constrained Optimization Problems Using Gradient Differential Equations, Paul T. Boggs and Jon W. Tolle, Technical Report 79-7, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, July 1979.
- [8T] On Quasi-Newton Methods for Constrained Optimization, Paul T. Boggs and Jon W. Tolle, Technical Report 79-8, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, August 1979.
- [9T] Merit Functions for Nonlinear Programming Problems, Paul T. Boggs and Jon W. Tolle, Technical Report 81-2, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, April 1981.
- [10T] An Implementation of a Quasi-Newton Method for Constrained Optimization, Paul T. Boggs and Jon W. Tolle, Technical Report 81-3, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, April 1981.
- [11T] A Method for Solving Large Scale Programs, R. Nickel, Dissertation Proposal, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, July 1982.
- [12T] Some Experience in Solving Nonlinear Programming Problems Utilizing a Smooth Descent Function, Paul Boggs and Jon W. Tolle, Technical Report 83-1, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, January 1983.

Published Papers

- [1P] "Singular Perturbation Techniques for Nonlinear Optimization Problems," Paul T. Boggs and Jon W. Tolle, Ottimizzazione non lineare e Applicazioni, S. Incerti and G. Treccani, eds., Pitagora Editrice, Bologna, (1980), pp. 1-32.
- [2P] "Augmented Lagrangians Which Are Quadratic in the Multiplier," Paul T. Boggs and Jon W. Tolle, Journal of Optimization Thoery and Its Applications, 31 (1980), pp. 17-26.
- [3P] "On the Local Convergence of Quasi-Newton Methods for Constrained Optimization," Paul T. Boggs, Pyng Wang and Jon W. Tolle, SIAM Journal on Control and Optimization, 20 (1982), pp. 161-171.
- [4P] "The Characterization of Q-Superlinear Convergence of Methods for Constrained Optimization," Paul T. Boggs, Pyng Wang and Jon W. Tolle, Proceedings of the 20th IEEE Conference on Decision and Control, Vol 2, December 1981, pp. 758-761.
- [5P] "Merit Functions for Nonlinear Programming Problems," Paul T. Boggs and Jon W. Tolle, Proceedings of 3rd I.I.M.A.S. Workshop on Numerical Analysis, J. P. Hennart, ed., Springer Verlag, Berlin, 1982. pp. 1-10.
- [6P] "Descent Functions for Constrained Optimization," Paul T. Boggs and Jon W. Tolle, submitted. 34 pages.

Other Reports and Papers Supported.

- [1M] Some Experimental Results Concerning the Expected Number of Pivots for Solving Randomly Generated Linear Programs, Janet Dunham, Douglas Kelly and Jon W. Tolle, Technical Report 77-16, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, December 1977.
- [2M] Mathematical Software: How to Sell Mathematics, Paul T. Boggs, Mathematics Tomorrow, L. A. Steen ed., Springer Verlag, New York 1981, pp 221-229.
- [3M] Locally Lipschitz Functions and Nondifferentiable Programming by Geraud Fontanie, Technical Report 80-3, Curriculum in Operations Research and Systems Analysis, UNC, Chapel Hill, March 1980.
- [4M] The Expected Number of Vertices for a Class of Random Polyhedra, D. G. Kelly and Jon W. Tolle, SIAM Journal on Algebraic and Discrete Methods, 20 91981), pp. 441-451.

Graduate Students Supported by Grants.

Wang, Pyng, M.S. 1978
 Huang, Bao, Ph.D. 1980
 Fontanie, Geraud, M.S. 1980
 Nickel, Ronald, Ph.D. (expected 1983)

