

AD-A131 178

SIMPLE K-ENERGY RADIATIVE SCALING LAW FOR IMPLoding
WIRE ARRAYS AND GAS P. (U) BERKELEY RESEARCH ASSOCIATES
INC CA J B WORKMAN ET AL 01 MAR 82 PD-BRA-82-272R

1/1

UNCLASSIFIED

DNA-TR-81-122 DNA001-81-C-0053

F/G 18/3

NL




END

FORMED

...

...



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-E 301184

(12)

DNA-TR-81-122

ADA131178

SIMPLE K-ENERGY RADIATIVE SCALING LAW FOR IMPLoding WIRE ARRAYS AND GAS PUFFS

Joseph B. Workman
Clifford W. Prettie
Berkeley Research Associates
125 University Ave
P.O. Box 983
Berkeley, California 94710

1 March 1982

Technical Report

CONTRACT No. DNA 001-81-C-0053

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

DTIC
ELECTE
AUG 8 1983

S

B

THIS WORK WAS SPONSORED BY THE DEFENSE NUCLEAR AGENCY
UNDER RDT&E RMSS CODE B323081466 T99QAXLA00013 H2590D.

DTIC FILE COPY

Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, DC 20305

83 05 01 000

Destroy this report when it is no longer
needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY,
ATTN: STTI, WASHINGTON, D.C. 20305, IF
YOUR ADDRESS IS INCORRECT, IF YOU WISH TO
BE DELETED FROM THE DISTRIBUTION LIST, OR
IF THE ADDRESSEE IS NO LONGER EMPLOYED BY
YOUR ORGANIZATION.



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DNA-TR-81-122	2. GOVT ACCESSION NO. AD-A131178	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SIMPLE K-ENERGY RADIATIVE SCALING LAW FOR IMPLoding WIRE ARRAYS AND GAS PUFFS		5. TYPE OF REPORT & PERIOD COVERED Technical Report
		6. PERFORMING ORG. REPORT NUMBER PD-BRA-82-272R
7. AUTHOR(s) Joseph B. Workman Clifford W. Prettie		8. CONTRACT OR GRANT NUMBER(s) DNA 001-81-C-0053
9. PERFORMING ORGANIZATION NAME AND ADDRESS Berkeley Research Associates 125 University Avenue NE, P.O. Box 983 Berkeley, California 94710		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Task T99QAXLA-00013
11. CONTROLLING OFFICE NAME AND ADDRESS Director Defense Nuclear Agency Washington, DC 20305		12. REPORT DATE 1 March 1982
		13. NUMBER OF PAGES 20
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This work was sponsored by the Defense Nuclear Agency under RDT&E RMSS Code B323081466 T99QAXLA00013 H2590D.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Scaling Laws Wire Plasmas X-ray Devices Radiation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A simple static K-energy radiation power scaling expression has been derived for element with $Z \leq 40$. Bound-Bound, Free-Bound, and Free-Free transitions have been included and accounted for in the expression. The results are shown to be in reasonable agreement with a wide range of experimental values.		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

PREFACE

The authors would like to thank the members of the Plasma Radiation Branch at the Naval Research Laboratory for their kind assistance and warm hospitality on a number of visits to their institution.

Accession for	
NTIS	☒
DTIC	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
	PREFACE	1
I	INTRODUCTION	3
II	THEORY AND RESULTS	6
III	REFERENCES	15

LIST OF ILLUSTRATIONS

1.	NRL Data Compared to Equation (7)	9
2.	Model Calculations Compared to Equation (9)	10
3.	Total Bremsstrahlung Compared to Equation (12)	12
4.	Radiated Power	13

SECTION I

INTRODUCTION

The development of intense photon sources for nuclear weapons effects simulation has been actively supported by the Defense Nuclear Agency for at least the last twenty years. During this period it has become quite apparent that pulse power generators can be used successfully to heat material loads to the plasma state at temperatures and densities capable of exciting the K-shell of most low-Z elements. These subsequently radiate as intense X-ray sources. The material loads most often encountered with pulse power devices are: (1) an array of finely suspended wires, (2) a gas puff, and (3) a cylindrical annular foil. These material loads are rapidly vaporized by fast rising mega-ampere currents and, subsequently, converted to hot dense plasma that are copious emitters of intense X-rays. Because of the complexity of the phenomena involving radiation magnetohydrodynamics, it is not surprising that present day understanding of the plasma behavior leading to the emission of X-rays is still rudimentary. On the other hand, considerable progress has been made in understanding and modelling the radiative properties and energetics of low-Z and moderate-Z materials. Based on this understanding and on the empirical information regarding the temperature and density structure across the radiating plasma, it has appeared possible to derive a relationship which would show the manner in which the K-shell radiated power varies as a function of temperature, density, plasma size, and material (i.e., Z). This topic is the subject of this paper.

Before proceeding to the development of the actual scaling law, it is reasonable to review the application and importance of such work. Present results have generally established key features in the plasma structure of the majority of high K-shell yield experiments. The structure consists of a set of compressed hot spots or beaded spots, which appear to emit K-shell radiation. The spots are surrounded by an outer corona which predominantly radiates at a cooler temperature in the L-shell. This would be typical of aluminum, for example. The temperature structure suggests a distribution of ionization states across the plasma that reflects the core/corona pictorial representation and clearly indicates that not all of the plasma mass is heated to the K-shell. At higher power levels, it is also observed that more mass is heated to the K-shell level, but that substantially the same plasma structure is maintained. For higher Z loads, wherein $K \rightarrow L$ -shell and $L \rightarrow M$ -shell, we still note that the characteristic structure is preserved, i.e., core/corona. This result raises an important question about the behavior at higher power levels; namely, will higher power achieve higher temperatures or will it simply heat more of the plasma to existing or slightly higher temperatures. In the former case, the spectrum will be hardened, although the yields may not increase significantly above existing levels, while for the latter case the spectrum will be preserved but the yield will increase substantially. Since the goal of the program is to both harden the spectrum and increase the yields, it seems inevitable that a larger machine will have to be built in order to experimentally ascertain this information. However, from a theoretical point of view it should be possible to make some intelligent

comments regarding, at least, the scaling of the yield in terms of radiative properties of the load. To this purpose we derive a simple scaling law based on the radiative capacity of the plasma at temperatures capable of supporting K-shell radiation and where the size of the emitting region does not affect, significantly, the emitting qualities of the source. Reabsorption through the cooler regions has been neglected for simplicity.

SECTION II

THEORY AND RESULTS

Numerical simulations and spectroscopic analysis of wire or puff gas implosions suggest that the inner portion of the compressed plasma is hot enough to ignite the K-shell of all low-Z and some medium-Z elements. Estimates of the plasma density in the high temperature core region is on the order of 10^{19} to 10^{20} ions per cm^3 depending on whether the wires or puffs are used as the load material. Although these conditions are not those of a plasma in corona equilibrium, it is well known from the work of the Plasma Radiation Branch at the Naval Research Laboratory that for the K-shell emitting region of the plasma, a corona equilibrium analysis provides reasonably acceptable results for the radiated K-shell energy. Stretching this point a bit further, we will adopt the assumption of corona equilibrium for the core plasma and develop a simple scaling law for the radiated power in terms of temperature, density, and atomic number. Opacity effects will be completely ignored, but can be accounted for in a post hoc manner.

A survey of the literature (see, for example, the corona equilibrium calculations by Davis and Jacobs or D. Post) reveals that line radiation is dominant in hot plasmas up to about $Z = 40$. Beyond $Z = 40$, bremsstrahlung radiation begins to dominate the power spectrum. Detailed calculations in conjunction with the observations indicate that about 70% of the K-line yield emanates from the resonance levels of hydrogen-and helium-like ionization stages, on shots that are considered good in that they are of high yields. Using these empirical facts and the

assumption of corona ionization equilibrium, the peak K-line radiative power, K_L^M , associated with the resonance lines can be represented as

$$K_L^M \approx N_e \sum_{q=1}^2 N_q X(s \rightarrow q) \Delta E(s \rightarrow q) \quad (1)$$

where N_1, N_2 are N_{He}, N_H , respectively and $X(s \rightarrow 1) = X(1s^2 \rightarrow 1s2p)$, $X(s \rightarrow 2) = X(1s \rightarrow 2p)$ are the collisional excitation rate coefficients and $\Delta E(s \rightarrow q)$ is the excitation energy for the corresponding transitions, respectively. Finally, N_e is the electron density. At peak K-line emission the detailed calculations of Davis and Jacobs and Duston and Davis estimate that the fractional population densities are

$$N_1 \approx 0.37N_I \quad \text{and} \quad N_2 \approx 0.5N_I. \quad (2)$$

In addition $\Delta E(s \rightarrow 1) \approx 0.95 \Delta E(s \rightarrow 2)$ where $\Delta E(s \rightarrow 2) = \frac{3}{4} I_H Z^2$. Hence

$$\Delta E(s \rightarrow 2) = 10Z^2 \quad \text{in ev.} \quad (3)$$

Substituting these estimates into equation (1) yields

$$K_L^M \approx 10Z^3 N_I^2 \left[0.35X(s \rightarrow 1) + 0.5X(s \rightarrow 2) \right] \frac{\text{watts}}{\text{cm}^2} \quad (4)$$

where $N_e \approx ZN_I$ has been used.

As a result of a number of calculations using the Coulomb-Born approximation, the Soviets have attempted to parametrize the electron impact excitation coefficient in the form (see Sobelman)

$$X \approx 10^{-8} \left(\frac{I_H}{\Delta E} \frac{X_u}{X_l} \right)^{3/2} \frac{2}{g_l} A \frac{\beta^{1/2} (\beta + 1)}{\beta + \xi} e^{-\beta} \quad (5)$$

where χ_u (χ_l) represents the upper (lower) state ionization energy, g_l is the lower state statistical weight, $\beta = \Delta E/kT_e$, and $A \approx 20$ for $1s \rightarrow 2p$ transitions. This expression, equation (5), neglects exchange effects which can influence helium-like transitions by factors of two in some cases. Bearing this in mind and setting $\chi_{1s} = z^2 I_H$, $\chi_{2p} = \frac{1}{4} z^2 I_H$, and assuming $\beta \gg \xi$ at $T_e = T_M$ yields

$$X^M(1s \rightarrow 2p) \approx 4 \times 10^{-8} \frac{1 + \beta}{z^3 \beta^{1/2}} e^{-\beta} \text{ cm}^3/\text{sec.} \quad (6)$$

A compilation of the NRL calculations is plotted in Figure 1 and suggests the following dependence:

$$T_M \approx 0.12 z^{3.38} \quad (7)$$

In addition, the β -dependence has been curve fitted for $z \leq 42$ with the result

$$\beta^{-1/2} (1 + \beta) e^{-\beta} \approx 0.012 z^{5/4} \quad (8)$$

Hence, the total power can now be written as

$$K_L^M \approx 10^{-27} z^{5/4} N_I^2 \quad (9)$$

where the knowledge that the resonance lines of the one- and two-electron systems account for roughly 70% of the radiated K-shell yield has been folded into equation (9). The result obtained from equation (9) is compared with the more detailed NRL models and as seen in Figure 2 is in reasonably good agreement, i.e., to within about a factor slightly less than two for $4 < z < 60$.

The continuum contribution to the K-shell yield comes from the free-bound and free-free processes. In the case of the free-bound radiative recombination contribution,




Figure 1. NRL Data Compared to Equation (7)

+ = NRL Data
— = Equation (7)




Figure 2. Model Calculations Compared to Equation (9)

— = Model Calculations
 - - - = Equation (9)

only two edges contribute to the K-line energies and can be represented by

$$K_{FB}^M \approx 1.6 \times 10^{-19} N_e \sum_i \chi_i \alpha_i N_i \quad (10)$$

where χ is the ionization energy, α is the rate coefficient, and N_i is the recombining ion density. From a number of detailed calculations it can be shown that the following approximations are reasonable, namely

$$N_{\text{bare Nucleus}} \approx 0.2 N_H \quad \text{and} \quad 1.1 \chi_{\text{He}} \approx \chi_H = z^2 I_H$$

If we take $\alpha = 5.2 \times 10^{-14} (z/T_M)^{1/2}$ and substitute the above approximations into K_{b-f}^M we obtain

$$K_{b-f}^M \approx 5 \times 10^{-32} z^{4/3} N_I^2 \quad (11)$$

The bremsstrahlung emission is given by

$$K_{ff}^M \approx 1.5 \times 10^{-32} z^3 N_I T_M^{-1/2} \int_{h\nu'}^{\infty} e^{-h\nu/T_M} d(h\nu)$$

where $h\nu'$ is the energy cutoff below which photons do not contribute to the K-shell and is set by the energy of the $1s^2 \rightarrow 1s 2p$ edge. Hence

$$K_{ff}^M \approx 5.3 \times 10^{-33} z^{4.7} N_I^2 e^{-h\nu/0.12 z^{3.38}} \quad (12)$$

Figure 3 shows a comparison between the total bremsstrahlung emission, i.e., $h\nu' = 0$ and that predicted from equation (12). The difference is about 40%.

The total power radiated at or above K-line energies is shown on Figure 4. The discrepancy between the two curves labeled "total emission" is due to inclusion of all




Figure 3. Total Bremsstrahlung Compared to Equation (12)

--- = Total
 — = Equation (12)




Figure 4. Radiated Power

- : Total (all energies)
- : Total (above K-line)
- · - : K-line
- · · - : Bremsstrahlung (above K-line)

energies in the free-bound and free-free estimates. Even so, the difference only amounts to about a factor of 2 at higher Z values.

The values obtained here are reasonable in comparison with some of the experimental values for a given Z . However, this simple scaling law should not be construed as anything other than what it is; a simple scaling law for estimating radiative yields. In the future, this model will be incorporated into a simple circuit-implosion model.

SECTION III

REFERENCES

1. Davis, J., and V. Jacobs, JQSRT, 24, 283 (1980).
2. Duston, D., and J. Davis, Phys. Rev. A: 23, 2602 (1981; 21, 1664 (1980)).
3. Sobelman, I.I., An Introduction to the Theory of Atomic Spectra, Pergamon Press, NY (1972).
4. Post, D., R. Jensen, C. Tarter, W. Grasberger, and W. Lokke, Atomic Data and Nuclear Tables, 20, 397 (1978).

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

Assistant to the Secretary of Defense
Atomic Energy

ATTN: Executive Assistant
ATTN: Military Applications

Defense Intell Agency
ATTN: DT-IB, R. Rubenstein

Defense Nuclear Agency

ATTN: RAAE
ATTN: RAEV
ATTN: STNA
ATTN: RAEF

4 cy ATTN: TITL

Defense Tech Info Ctr
12 cy ATTN: OD

Field Command Defense Nuclear Agency
Det 1
Lawrence Livermore Lab
ATTN: FC-1

Field Command

Defense Nuclear Agency

ATTN: FCPR
ATTN: FCTT, W. Summa
ATTN: FCTT
ATTN: FCTXE
ATTN: FCTT, G. Ganong

Under Secretary of Defense for Rsch & Engrg
ATTN: Strategic & Space Sys (OS)

DEPARTMENT OF THE ARMY

Harry Diamond Labs

ATTN: DELHD-NW-P, 20240
ATTN: DELHD-NW-RA, 22100
ATTN: DELHD-NW-RI, Kervis, 22900
ATTN: DELHD-TA-L, 81100

US Army Nuclear & Chemical Agency
ATTN: Library

US Army Test and Evaluation Comd
ATTN: DRSTE-EL

USA Missile Command
ATTN: Doc Sec

DEPARTMENT OF THE NAVY

Naval Rsch Lab

ATTN: Code 2000, J. Brown
ATTN: Code 4770, I. Vitkovitsky
ATTN: Code 4720, J. Davis
ATTN: Code 4780, S. Ossakow
ATTN: Code 4773, G. Cooperstein

Naval Weapons Ctr

ATTN: Code 343, FKA6A2, Tech Svcs

DEPARTMENT OF THE NAVY (Continued)

Naval Surface Weapons Center

ATTN: Code R40
ATTN: Code F31
ATTN: Code F34

DEPARTMENT OF THE AIR FORCE

Air Force Weapons Lab

ATTN: SUL
ATTN: CA
ATTN: NTYC
ATTN: NT
ATTN: NTYP

Ballistic Missile Office

ATTN: ENSN
ATTN: SYDT

Deputy Chief of Staff

Rsch, Dev, & Acq
ATTN: AFROQI

Space Div

ATTN: XR
ATTN: YEZ
ATTN: YGJ
ATTN: YKF
ATTN: YKS, P. Stadler
ATTN: YKM
ATTN: YNV

Strategic Air Command

ATTN: INT, E. Jacobsen

DEPARTMENT OF ENERGY

Department of Energy

Office of Military Application

ATTN: Ofc of Inert Fusion, S. Kahalas
ATTN: Ofc of Inert Fusion, C. Hilland
ATTN: Ofc of Inert Fusion, T. Godlove

OTHER GOVERNMENT AGENCY

Central Intell Agency

ATTN: OSWR/NED

DEPARTMENT OF ENERGY CONTRACTORS

University of California

Lawrence Livermore National Lab

ATTN: Tech Info Dept, Library
ATTN: L-545, J. Nuckolls, Class L-477
ATTN: L-47, L. Wouters
ATTN: L-153
ATTN: L-153, D. Meeker, Class L-477
ATTN: W. Pickles, L-401

Los Alamos National Lab

ATTN: MS222, J. Brownell

DEPARTMENT OF ENERGY CONTRACTORS (Continued)

Sandia National Lab
ATTN: M. Clauser, Org 5241
ATTN: G. Kuswa, Org 5240
ATTN: G. Yonas
ATTN: Tech Library, 3141
ATTN: J. Powell
ATTN: Org 9336, D. Allen

DEPARTMENT OF DEFENSE CONTRACTORS

Advanced Rsch & Applications Corp
ATTN: R. Armistead

Aerospace Corp
ATTN: V. Josephson
ATTN: S. Bower
ATTN: Tech Info Svcs

BDM Corp
ATTN: Corporate Library

BDM Corp
ATTN: L. Hoeft

Boeing Co
ATTN: Aerospace Library

Dikewood
ATTN: Tech Library for L. Davis

EG&G Wash Analytical Svcs Ctr, Inc
ATTN: Library

General Electric Co
ATTN: J. Peden
ATTN: H. O'Donnell

IRT Corp
ATTN: R. Mertz

JAYCOR
ATTN: E. Wenaas

JAYCOR
ATTN: E. Alcaraz
ATTN: R. Sullivan

Kaman Sciences Corp
ATTN: S. Face

Berkeley Research Associates
4 cy ATTN: J. Workman
4 cy ATTN: C. Prettie

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Lockheed Missiles & Space Co, Inc
ATTN: S. Taimuty, Dept 81-74/154

Lockheed Missiles & Space Co, Inc
ATTN: L. Chase

Maxwell Labs, Inc
ATTN: A. Kolb
ATTN: D. Tanimoto
ATTN: A. Miller
ATTN: O. Cole

McDonnell Douglas Corp
ATTN: S. Schneider

Mission Research Corp
ATTN: W. Hart
ATTN: C. Longmire

Mission Research Corp
ATTN: B. Godfrey

Mission Research Corp, San Diego
ATTN: B. Passenheim

Pacific-Sierra Research Corp
ATTN: H. Brode, Chairman SAGE
ATTN: L. Schlessinger

Physics International Co
ATTN: C. Gilman
ATTN: C. Stallings
ATTN: G. Frazier

R & D Associates
ATTN: P. Haas
ATTN: A. Latter

R & D Associates
ATTN: P. Turchi

S-CUBED
ATTN: A. Wilson

Science Applications, Inc
ATTN: K. Sites

TRW Electronics & Defense Sector
ATTN: Tech Info Ctr
ATTN: D. Clement

Kaman Tempo
ATTN: DASIAC

END

FILMED

9-83

DTIC