


AD-A132 410 EASTERN-WESTERN ARCTIC SEA ICE ANALYSIS 1982(U) NAVAL
POLAR OCEANOGRAPHY CENTER WASHINGTON DC 1982


1/4

UNCLASSIFIED

F/G 8/12

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

UNCLASSIFIED

**EASTERN—WESTERN
ARCTIC SEA ICE ANALYSIS
1982**

**PREPARED BY
NAVAL POLAR OCEANOGRAPHY CENTER,
SUITLAND, MD**

**PREPARED FOR
COMMANDER,
NAVAL OCEANOGRAPHY COMMAND
NSTL STATION, BAY ST. LOUIS, MS 39529**

DISTRIB
Approv
Dist

88 08 10 0

ADA132410

DTC FILE COPY

5

STERN E ANALYSIS


APHY CENTER,

DTIC
ELECTE
SEP 13 1983
D

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

OMMAND
DUIS, MS 39529

88 08 10 035



FOREWORD

The U.S. Navy has a long and colorful history of polar exploration and currently is an active participant in the growing national activity in the Arctic and Antarctic. The strategic importance and increased demand for the natural resources of these areas have resulted in a greater requirement for environmental information. In 1976, the National Oceanic and Atmospheric Administration (NOAA) joined the Navy in forming a Joint Ice Center (JIC) to combine efforts and resources in sea ice analysis and forecasting.

Through 1972, reliable sea ice information in the polar regions was based on a relatively few shore station and ship reports augmented by limited aerial reconnaissance data. These data were further restricted mainly to the relatively small areas observed primarily during the ship operating seasons. The advent of high resolution satellite imagery combined with the ground truth of conventional observations has in recent years enabled a description of the polar ice fields on a semi-synoptic scale in both polar regions.

This publication is the ninth in a continuing yearly series of Arctic sea ice atlases prepared in the Joint Ice Center at the Naval Polar Oceanography Center, Suitland. The atlas contains weekly charts depicting Northern Hemisphere ~~and Great Lakes~~ ice conditions and extents. The information presented was prepared under operational time constraints principally from satellite imagery supplemented by conventional observations. The Great Lakes ice analyses are derived principally from information provided by the National Weather Service Forecast Office, Ann Arbor, Michigan. Table 1 located on the inside back cover summarizes satellite data availability for 1982.

The purpose of with reliable wee limitations and oth various forms of procedures:

(1) Conventional reconnaissance observations; timeliness;

(2) Satellite the most recent and conventional with sa

(3) Where suffi limit, an estimated availability the ic ice drift data and no data availability

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By <u>Per Ltr. on F:</u>	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



FOREWORD

History of polar
t in the growing
. The strategic
resources of these
for environmental
atmospheric Admin-
Ice Center (JIC)
and forecasting.

the polar regions
reports augmented
ata were further
observed primarily
f high resolution
h of conventional
otion of the polar
egions.

g yearly series of
center at the Naval
ains weekly charts
ice conditions and
er operational time
supplemented by
alyses are derived
nal Weather Service
ated on the inside
or 1982.

The purpose of this atlas is to provide operators and researchers with reliable weekly hemispheric ice analyses. Satellite data limitations and other difficulties involved in manually synthesizing various forms of ice data have evolved the following analysis procedures:

(1) a. Conventional shore station, ship and aerial ice reconnaissance observations are plotted on base charts and evaluated for timeliness;


(2) b. Satellite data is analyzed for ice information content, with the most recent and highest resolution considered first. Synthesis of conventional with satellite data yields the final analysis;


(3) c. Where sufficient data is not available to define the sea ice limit, an estimated boundary is depicted. After one week of no data availability the ice edge position is based on analyzed theoretical ice drift data and other diagnostic aids. During subsequent weeks of no data availability the ice edges approach seasonal mean positions.


Joint Ice Center
Naval Polar Oceanography Center
4301 Suitland Road
Washington, DC 20390

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By <i>Per Ltr. on File</i>	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
<i>A</i>	













2














2

































2













2







2








2





























2







15 JUNE 1982
JOINT ICE CENTER
HYDROGRAPHY CENTER, SUITLAND


prints
 coast, C₁, and 3rd marker, C₂, ice
 2nd marker, S₁, and 3rd marker, S₂, ice
 1st and patches


EXAMPLES

$\frac{C}{C_1 C_2 C_3}$	$\frac{C}{S_1 S_2}$	$\frac{C}{S_1 S_2}$
$\frac{C}{S_1 S_2}$	$\frac{C}{S_1 S_2}$	$\frac{C}{S_1 S_2}$


NOTE:
 1. remains fair along the coast
 on a growth (cm) based on freezing degree days
 with on first succeeding chart
 otherwise


2







2








2















2











2







































2








2


















2





2





AD-A132 410


EASTERN-WESTERN ARCTIC SEA ICE ANALYSIS 1982(U) NAVAL
POLAR OCEANOGRAPHY CENTER WASHINGTON DC 1982


2/4

UNCLASSIFIED


F/G 8/12


NL







MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A







2










2








2
















2


















2







2













2














2















2











2



















2
























2








2


















2







2







2













2













2








2















2







2











2





AD-A132 410


EASTERN-WESTERN ARCTIC SEA ICE ANALYSIS 1982(U) NAVAL
POLAR OCEANOGRAPHY CENTER WASHINGTON DC 1982


314

UNCLASSIFIED


F/G 8/12


NL







MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A














2


















2







2





2





2




TABLE 1 SATELLITE DATA UTILIZED DURING 1982


Time Period		Satellite Remote Sensing			Resolution	Coverage
From	To	Sensor Platform	Sensor Type	Spectral Region		
1-82	12-82	NOAA-6	AVHRR HRPT/LAC VIS NIR IR IR	0.55-0.68 um 0.73-1.10 um 3.55-3.93 um 10.5-11.5 um	1km	Regional
			GAC VIS IR	0.55-0.68 um 10.5-11.5 um	4km	Global
1-82	12-82	NOAA-7	AVHRR HRPT/LAC VIS NIR IR IR	0.58-0.68 um 0.73-1.10 um 3.55-3.93 um 10.3-11.3 um	1km	Regional
			GAC VIS IR	0.58-0.68 um 10.3-11.3 um	4km	Global
1-82	11-82	NIMBUS-5 *	ESMR	1.55 cm	25km	Global
11-82	12-82					Regional
1-82	12-82	NIMBUS-7	SMR	0.81 cm 1.66 cm	50km	Global

Abbreviations and Acronyms

AVHRR - Advanced Very High Resolution Radiometer
 cm - Centimeter
 ESMR - Electrically Scanning Microwave Radiometer
 GAC - Global Area Coverage
 HRPT - High Resolution Picture Transmission
 IR - Infrared
 km - Kilometer

LAC - Local Area Coverage
 NIR - Near Infrared
 SMR - Scanning Multifrequency Microwave Radiometer
 VHRR - Very High Resolution Radiometer
 VIS - Visual
 um - Micrometer

* NIMBUS-5 recorders failed on 23 November 1982, limiting data to the Alaska region.



AD-A132 410

EASTERN-WESTERN ARCTIC SEA ICE ANALYSIS 1982(U) NAVAL
POLAR OCEANOGRAPHY CENTER WASHINGTON DC MAR 83

4/14


UNCLASSIFIED

F/G 8/12

NL



END
DATE
FILMED
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 1963 - A

SUPPLEMENTAR

INFORMATION

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
	AD A132410	
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
Eastern-Western Arctic Sea Ice Analysis 1982		Reference Report 1982
7. AUTHOR(s)		6. PERFORMING ORG. REPORT NUMBER
Naval Polar Oceanography Center, Suitland, MD		
9. PERFORMING ORGANIZATION NAME AND ADDRESS		8. CONTRACT OR GRANT NUMBER(s)
Naval Oceanography Command Detachment Federal Bldg Asheville, NC 28801		
11. CONTROLLING OFFICE NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Commander Naval Oceanography Command NSTL MS 39529		12. REPORT DATE Mar 83
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES
		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
Sea ice, polar ice fields, satellite imagery, concentration, stage of development, fast ice, concentration of thickness, theoretical thickness, Arctic		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
These are approximately 7-days analysis of sea ice prepared by the Naval Polar Oceanography Center, Suitland, MD. Included are ice concentration and ice thickness (age).		

DD FORM 1473

1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

S N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)