

AD-A136 092

ENVIRONMENTAL VARIABILITY OF THE JORDAN BASIN GULF OF
MAINE AUGUST 1982 N. (U) NAVAL OCEAN RESEARCH AND
DEVELOPMENT ACTIVITY NSTL STATION MS.


1/3


UNCLASSIFIED

B A WATROUS ET AL. NOV 83 NORDA-TN-243

F/G 8/10

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

10


NORDA Technical Note 243

Naval Ocean Research and
Development Activity
NSTL, Mississippi 39529



Environmental Variability of the Jordan Basin, Gulf of Maine August, 1982, NRL Cruise 712-82

AD-A236092



DEC 20 1983
A

Approved for Public Release
Distribution Unlimited

Benjamin A. Watrous, Jr.
Roger J. VanWyckhouse
Joseph V. Soileau

Ocean Science and Technology Laboratory
Ocean Acoustics Division

September 1983

DTIC FILE COPY

83 12 210

X

[illegible]

ACKNOWLEDGEMENTS

The preparation of this technical note was part of the work performed for the Naval Research Laboratory Shallow Water Program under Program Element 62759N. Sponsorship was provided by Dr. W. B. Moseley, NRL Code 5120. This program was managed by Mr. Frank Ingenito, NRL Code 5120. The work was performed during fiscal year 1983.

CONTENTS

LIST OF ILLUSTRATIONS AND TABLES

I.	INTRODUCTION	1
II.	DISCUSSION OF ENVIRONMENTAL DATA	1
A.	Oceanographic Data	1
B.	Bathymetric Data	2
C.	Navigation Data	2
D.	Gravity Core and Grab Sample Data	5
E.	Meteorological Data	5
III.	GEOGRAPHIC AND OCEANOGRAPHIC SETTING	5
A.	Geographic Setting	5
B.	Oceanographic Setting	6
IV.	SOUND SPEED ANALYSIS IN THE JORDAN BASIN	10
A.	General	10
B.	Temperature Variability	10
C.	Salinity Variability	14
D.	Sound Speed Variability	24
V.	METEOROLOGICAL VARIABILITY	31
VI.	REFERENCES	31
VII.	COMPENDIUM OF ENVIRONMENTAL DATA	
	Appendix A. XBT Data	35
	Appendix B. STD Data	73
	Appendix C. Bathymetric Data	91
	Appendix D. Navigation Data	225
	Appendix E. Meteorological Data	253

ILLUSTRATIONS

Figure 1. Location of XBT Data	3
Figure 2. Location of STD/SV Data	4
Figure 3. Gigelow's Schematic Representation of the Summer Non-Tidal Circulation in the Gulf of Maine	7
Figure 4. Location of Radial Tracks and Array Tests	11
Figure 5. Temperature Composite Plot - Jordan Basin STD Data	13
Figure 6. Temperature Isopleths at 10 Meters	15
Figure 7. Temperature Isopleths at 50 Meters	16
Figure 8. Temperature Isopleths at 100 Meters	17
Figure 9. Temperature Isopleths at 200 Meters	18
Figure 10. Salinity Composite Plot - Jordan Basin STD Data	19
Figure 11. Salinity Isopleths at 10 Meters	20
Figure 12. Salinity Isopleths at 50 Meters	21
Figure 13. Salinity Isopleths at 100 Meters	22
Figure 14. Salinity Isopleths at 200 Meters	23
Figure 15. Sound Speed Composite Plot of Porfiles Along Radial Tracks	25
Figure 16. Sound Speed Variability Along Radial Track No. 1	26
Figure 17. Sound Speed Variability Along Radial Track No. 2	27
Figure 18. Sound Speed Variability Along Radial Track No. 3	28
Figure 19. Sound Speed Variability Along Radial Track No. 4	29
Figure 20. Isobaths of Axial Depth - Jordan Basin STD Data	30
Figure 21. Meteorological Data	32

ENVIRONMENTAL VARIABILITY OF THE JORDAN BASIN, GULF OF MAINE
AUGUST, 1982, NRL CRUISE 712-82

I. INTRODUCTION

The Naval Research Laboratory (NRL) Cruise 712-80 was conducted in the Gulf of Maine during August 1982. It was the first of a series of experiments to determine effective procedures for the use of shipboard towed arrays in continental shelf waters. The experiment was designed to encompass the following:

- Research array engineering trials;
- Effect of tow ship noise on array performance;
- Effect of shallow water environment on array performance; and,
- Environmental sampling activities in support of acoustic measurements.

The experiment was conducted under the cognizance of NRL Code 5121 with assistance from Codes 5004 and 5120. Other participants included personnel from Naval Ocean Research and Development Activity (NORDA, Codes 340 and 360).

This document contains a brief analysis of the oceanographic data collected in the Jordan Basin and a compendium of the environmental data collected during the exercise.

All aspects of this experiment are unclassified.

II. DISCUSSION OF ENVIRONMENTAL DATA

A. Oceanographic Data - Two basic types of oceanographic data were collected during the exercise; expendable bathythermograph (XBT) and Salinity, Temperature, Depth and Sound Velocity (STD/SV) observations.

The Sippican Model T-7 XBT was used at two-hour intervals throughout the exercise. These provide a continuous record of temperature from the surface to 750 meters (m) and were of sufficient depth to reach the bottom in all but the southeast corner (Northeast Channel) of the exercise area. These records were machine

digitized and converted to sound speed using exercise-collected salinities and Mackenzie's equation (1981).

A total of 169 XBTs were taken of which 141 are considered good. The high failure rate was due to recorder malfunctions and calibration problems. The locations of the XBT data are shown in figure 1. A tabulation of the processed data is given in Appendix A.

STD/SV data were collected at 36 sites in the vicinity of the acoustic source in the Jordan Basin (see figure 2). A Plessey, model 9830 deep ocean station system was used to obtain these data. This system provides a continuous record of temperature, salinity, and sound speed as a function of depth. Although in situ sound speed data were available from the STD/SV measurements, the data presented here are computed values using Mackenzie's equation. This was done to maintain consistency with the sound speed data from the XBTs. All sound speed data were digitally reduced by computer to the following standard depth increments:

- 5m increments from 0-100m depth
- 10m increments from 100-500m depth
- 20m increments from 500-2000m depth

A complete listing of the processed STD/SV data is given in Appendix B.

B. Bathymetric Data - Approximately 2200 nautical miles (nm) of 12 kHz (narrow beam) bathymetry were collected during the exercise. This represents a continuous record in the area of interest except for short interruptions for paper changes and one interruption for array testing. These data were digitized (by NORDA Code 340) using inflection points (at one minute intervals when necessary), key punched, and recorded on magnetic tape. The processed bathymetric data are given in Appendix C.

Bathymetric data at 3.5 kHz were collected, however, a continuous record was not obtained since the 3.5 kHz system was secured each time acoustic array testing was in progress. These data will be used in the analysis of the sediment core and grab sample data by NORDA Code 360.

C. Navigation Data - The navigation for this cruise was collected by Naval




Figure 1. Location of XBT data.




Figure 2. Location of STD/SV data.

Research Laboratory (NRL) Code 5004 personnel using Satellite and LORAN C receivers. The data were logged every 30 minutes, at turning points and at equipment deployments. The navigation data were rectified by NORDA CODE 340 and were integrated into all the environmental data sets presented in this report. The final processed navigation data are listed in Appendix D.

D. Gravity Core and Grap Sample Data - Thirty-five gravity cores and five Shipeks grap samples were collected by NORDA Code 360 personnel with assistance from NRL and ship personnel. One bottom sample was collected at each of the 36 STD/SV stations (see figure 2) and four at selected sites in the Northeast Channel. These data will be processed and reported by NORDA Code 360 personnel.

E. Meteorological Data - Meteorological data were collected every two hours by the ship's crew and were processed by NORDA Code 340. Meteorological logs are given in Appendix E.

III. GEOGRAPHIC AND OCEANOGRAPHIC SETTING

A. GEOGRAPHIC SETTING

The indentation of the northeast coast of the United States (between Cape Sable on the east and Cape Hope and Nantucket on the west) was first referred to as the Gulf of Maine (GOM) by Mitchell (1881). According to Hopkins and Garfield (1978), the GOM is much more an enclosed basin than its sea level contour indicates. They point out that its surface opening to the North Atlantic is about 30% of its smoothed perimeter, at 45m this reduces to 15%, and at 180m to less than 2%. Georges Bank is the major bathymetric feature blocking the opening. Browns Bank on the Scotian Shelf and Nantucket Shoals also contribute to the restriction. The Northeast Channel is the only deep access with a sill depth of 230m and a cross sectional area of about 7.5 km². The Great South Channel (70m sill) and the shelf depression north of Browns Bank (130m sill) are the only other accesses deeper than 50m.

B. OCEANOGRAPHIC SETTING

Figure 3 shows the non-tidal circulation in the GOM for summer (Bigelow, 1927). Near surface speeds of approximately 5-10 cm/s are typical throughout the year with maximum speeds obtained during spring, while during summer and winter the flow is diminished. The current field in the area of interest may be divided into a seasonal mean flow, low-frequency current fluctuations (associated with density effects, wind stress, topographic waves, and the ocean circulation), diurnal and semidiurnal tidal currents, and high frequency fluctuations associated with surface and internal waves. In water depths shallower than about 60m, the water column can be vertically well mixed throughout the year due to the strong semidiurnal tidal currents (Burns, 1982).

Beardsley and Smith (1981) summarized six years of current meter records, satellite tracked drifters, and aircraft tracked drifters as follows:

- The counterclockwise GOM circulation is a large-scale permanent feature.
- The clockwise flow around Georges Bank is also a persistent feature with a jetlike northeast flow along the northern flank and a weaker broader southeast flow along the southern flank.
- Measurements in the Northeast Channel indicate a relatively constant influx of slope water below 100m on the eastern side.
- At the western end of the Scotian Shelf (43°N - 66°) a permanent clockwise gyre occurs around Browns Bank.
- Transient upwelling in the vicinity of the Scotian Shelf and Georges Bank should be expected during times of persistent westerly winds.

The following is a discussion of the circulation in the GOM by Sutcliffe, et al (1976): The circulation in the GOM is mainly cyclonic, moving into the Bay of Fundy on the Nova Scotia side and out on the New Brunswick side, then along the coast of the U.S. as far as Cape Cod (Bigelow, 1927). Part of these waters then flow northeasterly to Georges Bank where they again split, part toward the Bay of Fundy and part turning southward to flow back along the U.S. coast (Bigelow, 1927). The amount of flow in each direction depends on the time of year (Bumpus and Lauzier, 1965). Tidal mixing is a prominent feature of the Bay of Fundy (Hachey and Bailey,




Figure 3. Bigelow's schematic representation of the summer nontidal circulation in the Gulf of Maine. Published in 1927.

1952). Slope water is a major constituent of GOM waters (Hachey, et al, 1954). Effects of the Gulf Stream on the GOM and Scotian Shelf waters are felt through its effects on Slope Water characteristics.

The oceanic influences that directly affect the waters in the GOM or on the Scotian Shelf include the Nova Scotian Current, the Cape Breton Current, and the Slope Water. These in turn are directly affected by the Labrador Current, the Gulf Stream, and the fresh water discharge from the St. Lawrence River. Also affecting the GOM and Scotian Shelf waters are on-site meteorological factors such as solar heating, wind patterns, cloud cover, precipitation, and evaporation.

To be more specific, Hopkins and Garfield (1979) describe six water masses associated with the Gulf of Maine system as follows:

- Scotian Shelf Water (SSW). The SSW is a boundary water mass for the Gulf of Maine, and in the event of westward transport on the Scotian Shelf, a source water. It is distinguished by a narrower temperature range ($0-12^{\circ}\text{C}$) than the Maine Surface Water (MSW) and the median salinity is slightly fresher (31.8 o/oo) than that of the MSW. Various authors (e.g. Bigelow, 1927; Sutcliffe, et al 1976) have suggested a transport westward into the Gulf of Maine. Bigelow (1927) suggested that SSW flows into the Gulf during spring and summer; whereas Bumpus and Lauzier (1965) described a westward flow off Cape Sable as characteristic of the winter season. Comprehensive data on the transport through the Cape Sable cross-section do not apparently exist.

- Maine Surface Water (MSW). The MSW has salinities between 31.4 -23.2 o/oo. In the near shore regions local runoff may depress salinity values further. The runoff is not evenly distributed: ~35% discharge into the western portion of the Gulf from Cape Cod to the Penobscot River, ~62% into the region from the Penobscot to the St. John River and the remainder (~3%) into the Bay of Fundy. The $1-17^{\circ}\text{C}$ temperature range reflects the seasonal heating and cooling cycle. Vertical T-S gradients in MSW are reduced in the regions of greater tidal mixing, producing for example, higher salinities and lower temperatures in the northeastern portion of the Gulf.

- Maine Intermediate Water (MIW). The MIW is a lower salinity, temperature-minimum water. The salinities are too low to be of offshore origin, and

the water mass volume shows seasonal fluctuations, thus local coastal formation is suggested. During winter the MIW characteristics converge with the MSW, but during the spring the two water masses diverge as the MSW freshens and warms. The GOM has been described as a three-layered basin except for winter when it is two layered. The MIW is the remnant water mass from the previous winter. It is not correspondingly destroyed during summer heating because the mixing processes associated with cooling extend deeper (~125m) than those associated with warming (~50m). The MIW core is found around 75m with a depth range and volume dependent on seasonal production.

- Maine Bottom Water (MBW). The MBW is a warmer, higher salinity water than the MIW. It occupies the depths between the MIW and the bottom. By definition its water type is unaffected directly by air-sea interaction (i.e., by definition because the direct effects are absorbed by the MIW). The only offshore exposure occurs through the Northeast Channel where entry of Slope Water is determined on the basis of density. Incoming water has a route controlled by bathymetry; after entry over the sill it flows into Georges Basin and thence westward to the Wilkerson Basin or northward to the Jordan Basin. None of the interior depressions is sufficiently large in volume to permit significant accumulations of a deeper (than MBW) water mass.

- Georges Bank Water (GBW). The GBW has been designated a separate water mass on the basis of its water type homogeneity and on the basis of its distribution which commonly does not extend off the Bank. The GBW is more closely associated with the interior Gulf of Maine water than exterior. This is indicated by the salinities, which over an annual cycle remains remarkably constant at around 32.5 o/oo. For comparison, the surface 50m inside the Gulf has an average of 32.4 o/oo, and the offshore has 33.7 o/oo.

- Slope Water (SW). The water encountered exterior to the Gulf of Maine, particularly off the Northeast Channel region is referred to as slope water. The description and definition of the water masses in this region is lacking. Following Gatién's (1976) analysis Hopkins and Garfield (1979) have distinguished between the slope water dominated by water of Gulf Stream origin and that dominated by water of Labrador Current, calling them upper SW and lower SW, respectively.

IV. SOUND SPEED ANALYSIS IN THE JORDAN BASIN

A. GENERAL

Due to the nature of the exercise and the manner in which it was conducted, no acoustic tracks radial to the source were run. The determination of geographic and temporal variability along acoustic paths is essential in the assessment of oceanographic environmental effects on propagated sound energy. In order to overcome this problem, the authors have constructed four artificial acoustic tracks at approximately 215, 187, 121, and 342 degrees from the acoustic source. These tracks were chosen to bisect as many segments of actual ship tracks (where array testing had taken place) as possible and where sufficient exercise-collected temperature and salinity data were available (see figure 4). The sound source used was small and could not be detected much beyond the Jordan Basin; consequently, the collection of STD data and this analysis are limited to that region of the exercise area.

B. TEMPERATURE VARIABILITY

The temperature of the GOM water masses is highly variable. The interaction of the major factors that govern the temperature is very complex and is beyond the scope of this analysis. Bigelow (1927) discusses several of these factors some of which are listed below:

- Solar warming,
- Dispersal of heat downward into the water column,
- Effects of upwelling,
- Effects of horizontal circulations,
- Effects of evaporation,
- Effects of Nova Scotian current,
- Effects of slope water,
- Effects of winter chilling, and
- Effects of river runoff.

While Bigelow correctly itemized the major factors influencing the Gulf of Maine, it is Hopkins and Garfield (1979) discussion of the local atmospheric buoyancy extraction processes that give a clear picture of the environmental mechanism operating in the Gulf of Maine. In summary, the Gulf of Maine can be considered as a




Figure 4. Location of radial tracks and array tests.

three layered water mass system during all but the winter season when the upper two layers merge. Continental westerly winds during winter range off-shore to 125 km and with the addition of almost 100% cloud cover chill the Gulf of Maine by convection to a depth of 125 meters. This changes the three layered system to a two layered system of MIW and MBW. The MIW can account for as much as 50% of the water column. Large intrusions of SSW are imported into the MIW during discrete winter events as opposed to a continuous flow over the year via the Cape Sable to Browns Bank section. The Northeast Channel is the import point for SW which by density migrates through Georges Basin eastward to the Wilkinson Basin and northward to the Jordan Basin and becomes via advection with MIW, Maine Bottom Water.

The Gulf of Maine is a very unstable system and as such MIW water mass thickness at the end of winter can be as much as 165 meters usually centered over the Wilkinson Basin. At the end of the cycle in the late fall MIW thickness may be only 60 meters in the Wilkinson Basin, thinning to less than 20 meters over the Jordan Basin and to zero in shoal areas. With the advent of spring river flow increases, evaporation increases and wind chill decreases. The upper portion of MIW develops a summer thermocline, is modified by addition of fresh surface water and, by convection to the atmosphere, becomes MSW down to a depth of between 50-60 m. The greatest mixing losses sustained by the MIW occur in the northeastern portion where the dissipation of tidal energy is the greatest. By fall the process tends to reverse and by winter the MSW has completely mixed to a single MIW mass.

MIW is a local phenomenon characteristic of the Gulf of Maine but is part of a highly unstable system and shows great environmental variability from year to year.

Figure 5 is a composite temperature plot of 32 of the 36 STD/SVs collected in the Jordan Basin. This figure shows the following ranges in temperature at selected depths:

DEPTH (M)	TEMPERATURE
61	4.0
75-100	3.8
150	3.2
200	1.9

As a rough estimate, figure 5 can be used to delimit the three basic water




Figure 5. Temperature composite plot--Jordan Basin STD/SV data.

masses, zero to 61m is the MSW, 61 to 150m is the MIW and below 150m is MBW. These ranges are schematic; they will vary depending on the season, the year, and the location.

Figures 6-9 are isotherm plots at 10, 50, 100, and 200m, respectively. These figures fit the classic pattern for the area (Bigelow, 1927) even though their overall or mean temperatures appear warmer by several degrees centigrade than those reported by Hopkins and Garfield (1979).

C. SALINITY VARIABILITY

Salinities in the GOM, like temperatures, are highly variable although to a lesser degree. Bigelow (1927) put it this way, "The GOM is interesting for the wide regional variations in salinity in its inner waters, where in spite of its small extent, the extremes recorded (about 27 to 35⁰/oo) cover a wider range than that of the entire Atlantic basin outside the 1000m contour."

Figure 10 is a composite plot of salinity from the STD/SV data set. This plot shows the following ranges in salinity at selected depths:

DEPTH (M)	SALINITY RANGE (°/oo)
0	0.75
20	1.62
50	1.00
100	1.33
150	1.09
200	0.54

Salt fingering (or mixing) is well demonstrated in figure 10 between the 15 to 35m depths only at the stations adjoining the sound source. Salt fingering at these depth appears to diminish away from this central location in all directions. As a result, salt fingering is almost non-existent over the remaining portion of the Jordan Basin.

Figures 11-14 show the geographic distribution of salinity at 10, 50, 100, and 200 meters, respectively. Most of these figures show a rather "expected" salinity pattern except for figure 12. This figure at 50m reflects the intense mixing at the boundary of the Jordan Basin which is delineated by the 200m isobath. The mixing is




Figure 6. Temperature isopleths at 10 meters.




Figure 7. Temperature isopleths at 50 meters.




Figure 8. Temperature isopleths at 100 meters.




Figure 9. Temperature isopleths at 200 meters.




Figure 10. Salinity composite plot--Jordan Basin STD/SU data.




Figure 11. Salinity isopleths at 10 meters.




Figure 12. Salinity isopleths at 50 meters.




Figure 13. Salinity isopleths at 100 meters.




Figure 14. Salinity isopleths at 200 meters.

demonstrated by alternating areas of high and low salinity around the perimeter of the basin relative to a central mean value of $33.4^0/00$.

D. SOUND SPEED VARIABILITY

Figure 15 is a composite plot of sound speed profiles from STD/SV and XBT data extracted from the data set along synthetic radial cross sections or tracks. The general shape of the profiles is similar, i.e., most of them show a well layered three-water-mass (MSW, MIW, & MBW) system which is characteristic of the GOM in summer. In addition to the sound speed variability, this plot shows the varying thickness of the MIW and its vertical movements in the water column.

Figures 16 thru 19 show the sound speed variability along the synthetic four radial tracks. Included in each of these figures is a profile composite and a tabulation, giving the type of observation, range from source, observation time, location of observation, and the corrected depth at each observation location.

As the sound source was fixed during this experiment at a level to place it in the MIW (Deep Sound Channel - DSC), transmission over the Jordan and Wilkinson Basins should have been excellent. Track 2 (profile 4) and figure 3 (profile 4 and 5) indicate areas at the boundary of the Jordan Basin where mixing and or tidal action are in the process of destroying the summer three layer model.

In general these sections show a weak to no sonic layer and a well developed DSC axis that corresponds to the MIW core. The DSC axis varies from 50 to 130m in depth (see Figure 20). Observed microstructure is due to mixing associated with water masses (MSW & MBW) above and below the MIW core. Variability in the sound speed of this axis is probably due to the varying intensity (thickness and variable sound speeds) of the MIW.

All sound speed profiles from STD/SVs or derived from XBTs indicated that any sound source in the water column would be bottom interacting during this experiment. Bottom types and sediment velocities will be presented in another NORDA report.




Figure 15. Sound speed composite plot of profiles along radial tracks.




Figure 16. Sound speed variability along radial track number 1.




Figure 17. Sound speed variability along radial track number 2.






Figure 18. Sound speed variability along radial track number 3.

SOUND SPEED VARIABILITY ALONG RADIAL TRACK #4



LOCATION OF SOUND SPEED PROFILES USED ALONG RADIAL #4						
PROFILE CONSEC. NO	OBSERVATION	RANGE FROM SOURCE (NM) (KM)	DTG (AUG. 82)	LATITUDE (°N)	LONGITUDE (°W)	CORR. DEPTH ALONG SEC. (M)
1	STD 1	1.5	11 1520	43°44.2'	67°43.2'	226
2	XBT 41	8.0	17 2015	43°50.8'	67°46.3'	213
3	STD 9	10.5	22 0500	43°52.0'	67°48.7'	202

Figure 19. Sound speed variability along radial track number 4.




Figure 20. Isobaths of axial depth--Jordan Basin STD/SV data.

V. METEOROLOGICAL VARIABILITY

Figure 21 shows the wind speed, wind direction, and sea height as observed during the exercise. Sea height as depicted in this illustration, is the locally generated sea action and is not combined with swell (waves generated from a distant fetch area). The meteorological hindcasts indicate that a major weather disturbance took place on 25 and 26 August. This disturbance resulted from a fast-moving low pressure system which moved through the exercise area from the west. Data collection was interrupted during this period but the interruption had little impact on the overall effort since it was of short duration and it occurred during the latter part of the exercise after most of the exercise objectives had been accomplished.

VI. REFERENCES

- Beardsley, R. C., and C. N. Flagg (1976). The water structure, mean current, and shelf/slope-water front on the New England Continental Shelf. *Mem. Soc. Roy. Sci. Liege*, 6, 209-225.
- Bigelow, H. B. (1927). Physical oceanography of the Gulf of Maine. U.S. Dept. of Comm. Bur. Fish. Bull., 40, 511-1027.
- Bumpus, D. F., and L. M. Lauzier (1965). Surface circulation on the Continental Shelf of eastern North America between Newfoundland and Florida. *Amer. Geogr. Soc., Serial Atlas of the Marine Environment*, folio 7, 4 pl., 8 pp.
- Bumpus, D. F. (1976). Review of the physical oceanography of Georges Bank. *Int. Comm. Northwest Atl. Fish. Res. Bull.* 12, 119-134.
- Burns, Donald A. (1982). Physical Oceanographic Summary for the Gulf of Maine/Georges Bank. Naval Ocean Research and Development Activity, TN 157, September.
- Colton, J. B., Jr. (1964). History of oceanography in the offshore waters of the Gulf of Maine. U.S. Fish and Wildlife Service, Special Scientific Report - Fisheries No. 496. 18 pp.
- Garrett, C. J. R., J. R. Keeley and D. A. Greenburg (1978). Tidal mixing versus thermal stratification in the Bay of Fundy and Gulf of Maine. *Atmos.-Ocean*, 16, 403-423.
- Hopkins, T. S., and N. Garfield (1979). Gulf of Maine intermediate water, *J. Mar. Res.*, 37, 103-139.
- Hopkins, T. S., and N. Garfield (1981). Physical origins of Georges Bank water. *J. Mar. Res.*, 39, 465-500.
- Mackenzie, K. V. (1981). Nine Term Equation for Sound Speed in the Oceans. *J.*




Figure 21. Meteorological data.

Acous. Soc. Am., Vol. 70, No. 3, September, 807-812.

McLellan, H. J. (1957). On the distinctness and origin of the Slope Water off the Scotian Shelf and its easterly flow south of the Grand Banks. J. Fish. Res. Bd. Canada, 14, 213-239.

Sutcliffe, W. H., Jr., K. H. Loucks, and K. F. Drinkwater (1976). Coastal circulation and physical oceanography of the Scotian shelf. J. Fish. Res. Bd. Canada, 33, 98-115.

Trites, R. W., and R. E. Banks (1958). Circulation on the Scotian Shelf as indicated by drift bottles. J. Fish. Res. Bd. Canada, 15, 79-89.

VII. COMPENDIUM OF ENVIRONMENTAL DATA

- A. XBT Data (37 pages)
- B. STD/SV Data (16 pages)
- C. Bathymetric Data (130 pages)
- D. Navigation Data (23 pages)
- E. Meteorological Data (13 pages)

APPENDIX A:

XBT DATA

PLATFORM: LYNCH 7
 POSITION: 43 40N 67 59W
 MSG/MSG1: 151/37
 DATE/TIME: 11AUG82/1956
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.31 13.90 32.62
 5 1499.35 13.60 32.57
 10 1496.96 12.90 32.46
 15 1493.04 11.80 32.26
 20 1487.63 10.10 32.69
 25 1487.74 10.00 33.00
 30 1488.32 10.10 33.12
 35 1486.35 9.52 33.16
 40 1484.96 9.10 33.22
 45 1483.30 8.60 33.32
 50 1473.19 6.10 32.91
 55 1471.83 5.70 33.04
 60 1470.60 5.40 32.96
 65 1470.87 5.40 33.11
 70 1471.39 5.46 33.26
 75 1470.83 5.31 33.23
 80 1471.34 5.40 33.28
 85 1471.83 5.41 33.57
 90 1471.99 5.45 33.50
 95 1472.32 5.49 33.57
 100 1473.20 5.64 33.72
 110 1475.86 6.20 33.92
 120 1475.84 6.12 34.03
 130 1475.58 6.02 34.01
 140 1475.75 6.00 34.08
 150 1476.65 6.15 34.18
 160 1477.59 6.32 34.26
 170 1478.81 6.77 34.49
 180 1480.65 6.90 34.62

PLATFORM: LYNCH 8
 POSITION: 43 29N 67 45W
 MSG/MSG1: 151/37
 DATE/TIME: 11AUG82/2241
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.82 16.15 32.91
 5 1504.29 14.98 32.96
 10 1496.46 12.68 32.66
 15 1491.55 11.05 33.18
 20 1486.68 9.70 33.10
 25 1484.22 8.84 33.60
 30 1482.10 8.26 33.58
 35 1482.13 8.16 33.84
 40 1479.31 7.43 33.75
 45 1474.23 6.23 33.38
 50 1472.68 5.80 33.45
 55 1471.84 5.52 33.61
 60 1471.03 5.29 33.64
 65 1471.08 5.26 33.71
 70 1471.09 5.23 33.75
 75 1471.21 5.20 33.88
 80 1471.70 5.28 33.94
 85 1472.13 5.36 33.96
 90 1472.80 5.45 34.14
 95 1473.35 5.53 34.25
 100 1473.89 5.61 34.35
 110 1475.06 5.80 34.54
 120 1476.09 6.00 34.60
 130 1477.18 6.21 34.67
 140 1478.69 6.50 34.83
 150 1483.03 7.50 35.06
 160 1484.82 7.87 35.23
 170 1484.17 7.66 35.22
 180 1483.13 7.35 35.20
 190 1482.05 7.06 35.11
 200 1482.44 7.08 35.22

PLATFORM: LYNCH 9
 POSITION: 43 29N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 11AUG82/2320
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.05 16.04 32.55
 5 1504.66 15.24 32.57
 10 1502.18 14.43 32.60
 15 1499.65 13.62 32.63
 20 1497.48 12.95 32.61
 25 1495.40 12.32 32.60
 30 1490.92 10.90 32.90
 35 1487.30 9.80 33.10
 40 1484.14 8.90 33.16
 45 1483.67 8.70 33.32
 50 1483.01 8.50 33.32
 55 1482.40 8.28 33.43
 60 1481.89 8.11 33.47
 65 1481.38 7.97 33.43
 70 1480.97 7.82 33.49
 75 1479.89 7.48 33.60
 80 1478.55 7.08 33.70
 85 1475.29 6.20 33.79
 90 1473.83 5.80 33.84
 95 1473.93 5.80 33.85
 100 1474.04 5.82 33.81
 110 1475.66 6.01 34.36
 120 1476.31 6.13 34.37
 130 1478.14 6.55 34.37
 140 1480.87 7.21 34.36
 150 1481.65 7.35 34.42
 160 1482.85 7.60 34.48
 170 1483.30 7.66 34.52
 180 1483.63 7.66 34.66
 190 1483.61 7.60 34.69
 200 1483.72 7.60 34.65
 220 1484.15 7.60 34.73

PLATFORM: LYNCH 10
 POSITION: 43 30N 67 25W
 MSG/MSG1: 151/37
 DATE/TIME: 12AUG82/0021
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.18 15.00 32.88
 5 1503.45 14.74 32.90
 10 1500.06 13.75 32.68
 15 1495.00 12.10 33.02
 20 1487.99 10.10 32.98
 25 1486.41 9.53 33.31
 30 1484.90 9.06 33.42
 35 1483.80 8.71 33.52
 40 1482.73 8.40 33.53
 45 1482.11 8.18 33.63
 50 1481.54 7.97 33.75
 55 1481.02 7.82 33.72
 60 1481.06 7.76 33.87
 65 1480.95 7.71 33.87
 70 1480.73 7.58 34.03
 75 1480.17 7.38 34.13
 80 1479.94 7.20 34.43
 85 1478.60 6.91 34.20
 90 1477.29 6.50 34.37
 95 1475.94 6.14 34.36
 100 1477.58 6.60 34.16
 110 1485.82 8.58 34.54
 120 1488.99 9.24 34.99
 130 1489.41 9.25 35.17
 140 1488.25 8.86 35.26
 150 1487.63 8.67 35.20
 160 1486.97 8.43 35.26
 170 1486.63 8.26 35.36
 180 1486.65 8.21 35.40
 190 1486.78 8.20 35.40
 200 1486.96 8.20 35.42
 220 1487.75 8.29 35.52

PLATFORM LYNCH 16
 POSITION: 42 3N 65 29W
 MSG/MSG1: 151/25
 DATE/TIME: 15AUG82/2306
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.76 15.50 32.86
 5 1502.68 14.50 32.90
 10 1495.74 12.46 32.68
 15 1476.82 7.13 33.02
 20 1474.77 6.60 32.98
 25 1476.26 6.85 33.31
 30 1475.97 6.72 33.42
 35 1474.76 6.36 33.52
 40 1464.39 3.80 33.53
 45 1464.60 3.80 33.63
 50 1465.98 4.07 33.75
 55 1467.89 4.52 33.72
 60 1469.90 4.94 33.87
 65 1471.45 5.30 33.87
 70 1473.15 5.65 34.03
 75 1475.00 6.06 34.13
 80 1477.21 6.50 34.43
 85 1479.34 7.10 34.20
 90 1481.95 7.70 34.37
 95 1483.08 7.98 34.36
 100 1483.82 8.22 34.16
 110 1484.61 8.26 34.54
 120 1484.97 8.16 34.99
 130 1483.99 7.80 35.17
 140 1482.93 7.45 35.26
 150 1481.79 7.13 35.20
 160 1481.21 6.92 35.26
 170 1480.41 6.64 35.36
 180 1479.05 6.24 35.40
 190 1478.42 6.04 35.40
 200 1477.93 5.87 35.42
 220 1477.70 5.70 35.52
 240 1478.03 5.70 35.52
 260 1478.32 5.69 35.52
 280 1478.45 5.64 35.52
 300 1478.57 5.59 35.52
 320 1478.58 5.51 35.52
 340 1478.55 5.42 35.52
 360 1478.47 5.32 35.52
 380 1478.35 5.21 35.52
 400 1478.24 5.10 35.52
 420 1477.79 4.91 35.52
 440 1477.42 4.74 35.52
 460 1477.18 4.60 35.52
 480 1477.51 4.60 35.52
 500 1477.84 4.60 35.52
 520 1478.33 4.64 35.52
 560 1478.54 4.53 35.52
 600 1479.32 4.56 35.52
 640 1479.32 4.40 35.52
 680 1479.19 4.21 35.52
 720 1479.81 4.20 35.52
 760 1480.06 4.10 35.52

PLATFORM LYNCH 17
 POSITION: 42 2N 65 32W
 MSG/MSG1: 151/25
 DATE/TIME: 15AUG82/2343
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.45 15.40 32.88
 5 1500.73 13.90 32.90
 10 1490.43 10.93 32.68
 15 1482.81 8.70 33.02
 20 1475.17 6.70 32.98
 25 1470.88 5.50 33.31
 30 1466.43 4.36 33.42
 35 1462.18 3.30 33.52
 40 1462.27 3.30 33.53
 45 1463.80 3.61 33.63
 50 1465.68 4.00 33.75
 55 1467.39 4.40 33.72
 60 1469.61 4.87 33.87
 65 1471.61 5.34 33.87
 70 1473.83 5.82 34.03
 75 1476.03 6.32 34.13
 80 1478.89 6.93 34.43
 85 1480.58 7.42 34.20
 90 1482.14 7.75 34.37
 95 1483.43 8.07 34.36
 100 1485.14 8.57 34.16
 110 1486.26 8.70 34.54
 120 1486.06 8.45 34.99
 130 1485.77 8.27 35.17
 140 1485.44 8.11 35.26
 150 1484.89 7.94 35.20
 160 1484.37 7.74 35.26
 170 1486.03 8.10 35.36
 180 1486.91 8.28 35.40
 190 1486.82 8.21 35.40
 200 1486.13 7.98 35.42
 220 1484.10 7.33 35.52
 240 1482.69 6.88 35.52
 260 1482.16 6.66 35.52
 280 1481.62 6.44 35.52
 300 1481.24 6.26 35.52
 320 1481.13 6.15 35.52
 340 1480.07 5.80 35.52
 360 1479.76 5.64 35.52
 380 1479.20 5.42 35.52
 400 1479.01 5.29 35.52
 420 1478.89 5.18 35.52
 440 1478.97 5.12 35.52
 460 1479.22 5.10 35.52
 480 1479.59 5.11 35.52
 500 1480.21 5.18 35.52
 520 1480.29 5.12 35.52
 560 1480.01 4.89 35.52
 600 1480.47 4.84 35.52
 640 1480.84 4.77 35.52

PLATFORM LYNCH 22
 POSITION: 42 5N 65 43W
 MSG/MSG1: 151/25
 DATE/TIME: 16AUG82/0213
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.14 16.50 32.27
 5 1505.17 15.40 32.58
 10 1497.48 12.90 32.89
 15 1495.01 12.16 32.86
 20 1494.19 11.93 32.76
 25 1493.74 11.76 32.81
 30 1493.53 11.66 32.85
 35 1489.80 10.60 32.79
 40 1482.18 8.40 33.09
 45 1480.62 7.94 33.17
 50 1479.71 7.65 33.26
 55 1478.79 7.37 33.33
 60 1478.83 7.35 33.36
 65 1479.43 7.47 33.40
 70 1479.06 7.32 33.50
 75 1478.92 7.25 33.54
 80 1479.65 7.40 33.59
 85 1479.96 7.44 33.65
 90 1480.40 7.49 33.78
 95 1482.33 7.95 33.85
 100 1484.79 8.52 34.03
 110 1488.24 9.30 34.34
 120 1488.08 9.15 34.53
 130 1487.91 9.01 34.68
 140 1487.70 8.87 34.79
 150 1487.16 8.64 34.91
 160 1486.29 8.37 34.90
 170 1485.10 8.01 34.90
 180 1483.47 7.54 34.90
 190 1482.33 7.20 34.90
 200 1481.42 6.92 34.91
 220 1478.57 6.10 34.95
 240 1477.10 5.65 34.95
 260 1477.23 5.60 34.95

PLATFORM LYNCH 23
 POSITION: 42 6N 65 44W
 MSG/MSG1: 151/25
 DATE/TIME: 16AUG82/0249
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.75 16.70 32.27
 5 1507.66 16.20 32.58
 10 1507.70 16.07 32.89
 15 1507.04 15.84 32.86
 20 1505.79 15.45 32.76
 25 1503.29 14.62 32.81
 30 1500.36 13.68 32.85
 35 1491.22 11.00 32.79
 40 1488.82 10.20 33.09
 45 1487.18 9.70 33.17
 50 1485.17 9.10 33.26
 55 1483.32 8.56 33.33
 60 1482.20 8.23 33.36
 65 1481.08 7.90 33.40
 70 1480.48 7.69 33.50
 75 1480.54 7.67 33.54
 80 1480.65 7.66 33.59
 85 1480.73 7.64 33.65
 90 1480.90 7.62 33.78
 95 1481.03 7.61 33.85
 100 1481.68 7.70 34.03
 110 1485.16 8.47 34.34
 120 1484.92 8.30 34.53
 130 1483.98 7.96 34.68
 140 1483.33 7.71 34.79
 150 1483.04 7.55 34.91
 160 1483.26 7.57 34.90
 170 1482.31 7.28 34.90
 180 1481.27 6.97 34.90
 190 1481.05 6.87 34.90
 200 1480.60 6.71 34.91
 220 1479.24 6.27 34.95
 240 1479.29 6.20 34.95

PLATFORM: LYNCH 24
 POSITION: 42 8N 65 51W
 MSG/MSG1: 151/25
 DATE/TIME: 16AUG82/0545
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1509.36 16.90 32.27
 5 1509.19 16.70 32.58
 10 1509.02 16.50 32.89
 15 1506.29 15.60 32.96
 20 1502.63 14.46 32.76
 25 1495.43 12.25 32.81
 30 1486.25 9.62 32.85
 35 1483.34 8.83 32.79
 40 1482.11 8.38 33.09
 45 1479.32 7.60 33.17
 50 1475.23 6.50 33.26
 55 1477.74 7.10 33.33
 60 1478.45 7.25 33.36
 65 1479.16 7.40 33.40
 70 1479.75 7.50 33.50
 75 1479.88 7.50 33.54
 80 1480.03 7.50 33.59
 85 1480.19 7.50 33.65
 95 1480.61 7.50 33.85
 100 1480.91 7.50 34.03
 110 1481.40 7.48 34.34
 120 1481.72 7.46 34.53
 130 1481.99 7.44 34.68
 140 1482.22 7.42 34.79
 150 1482.43 7.39 34.91
 160 1482.45 7.36 34.90
 170 1482.46 7.32 34.90
 180 1482.28 7.23 34.90
 190 1481.67 7.03 34.90
 200 1481.03 6.82 34.91
 220 1479.84 6.42 34.95

PLATFORM: LYNCH 25
 POSITION: 42 15N 66 3W
 MSG/MSG1: 151/26
 DATE/TIME: 16AUG82/0845
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.75 16.70 32.27
 5 1508.80 16.57 32.58
 10 1509.09 16.52 32.89
 15 1506.66 15.72 32.86
 20 1492.69 11.50 32.76
 25 1483.09 8.80 32.81
 30 1477.90 7.40 32.85
 35 1477.36 7.26 32.79
 40 1477.20 7.10 33.09
 45 1476.72 6.93 33.17
 50 1476.57 6.84 33.26
 55 1477.67 7.08 33.33
 60 1478.68 7.31 33.36
 65 1480.50 7.75 33.40
 70 1485.42 9.00 33.50
 75 1484.47 8.71 33.54
 80 1483.76 8.48 33.59
 85 1483.21 8.29 33.65
 95 1483.70 8.31 33.85
 100 1485.24 8.64 34.03
 110 1488.38 9.34 34.34
 120 1489.62 9.57 34.53
 130 1488.61 9.20 34.68
 140 1486.99 8.68 34.79
 150 1484.57 7.95 34.91
 160 1483.60 7.66 34.90
 170 1482.73 7.39 34.90
 180 1482.82 7.37 34.90
 190 1482.91 7.35 34.90
 200 1483.01 7.33 34.91
 220 1483.27 7.30 34.95
 240 1483.59 7.30 34.95

PLATFORM: LYNCH 26
 POSITION: 42 20N 66 13W
 MSG/MSG1: 151/26
 DATE/TIME: 16AUG82/1145
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1510.81 17.38 32.27
 5 1510.65 17.18 32.58
 10 1509.39 16.62 32.89
 15 1505.82 15.45 32.86
 20 1497.29 12.84 32.76
 25 1494.74 12.05 32.81
 30 1492.69 11.42 32.85
 35 1489.16 10.42 32.79
 40 1487.11 9.73 33.09
 45 1484.90 9.08 33.17
 50 1483.09 8.54 33.26
 55 1481.74 8.14 33.33
 60 1480.33 7.74 33.36
 65 1479.04 7.37 33.40
 70 1478.05 7.06 33.50
 75 1477.01 6.76 33.54
 80 1476.61 6.62 33.59
 85 1478.26 7.00 33.65
 90 1480.44 7.50 33.78
 95 1482.56 8.01 33.85
 100 1485.01 8.58 34.03
 110 1484.89 8.40 34.34
 120 1483.02 7.80 34.53
 130 1483.22 7.76 34.68
 140 1482.84 7.58 34.79
 150 1482.46 7.40 34.91
 160 1481.87 7.21 34.90
 170 1480.83 6.90 34.90
 180 1481.00 6.90 34.90

PLATFORM: LYNCH 27
 POSITION: 42 28N 66 25W
 MSG/MSG1: 151/26
 DATE/TIME: 16AUG82/1445
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.45 16.60 32.27
 5 1507.85 16.26 32.58
 10 1503.58 14.76 32.89
 15 1496.61 12.63 32.86
 20 1489.38 10.56 32.76
 25 1484.02 9.05 32.81
 30 1480.59 8.10 32.85
 35 1478.68 7.60 32.79
 40 1478.75 7.50 33.09
 45 1478.54 7.40 33.17
 50 1480.01 7.73 33.26
 55 1482.04 8.22 33.33
 60 1479.49 7.52 33.36
 65 1477.92 7.08 33.40
 70 1480.02 7.57 33.50
 75 1482.29 8.13 33.54
 80 1482.48 8.14 33.59
 85 1482.49 8.10 33.65
 90 1482.73 8.10 33.78
 95 1482.90 8.10 33.85
 100 1483.20 8.10 34.03
 110 1483.76 8.10 34.34
 120 1484.16 8.10 34.53
 130 1484.28 8.04 34.68
 140 1484.25 7.95 34.79
 150 1484.19 7.85 34.91
 160 1483.22 7.56 34.90
 170 1483.00 7.46 34.90
 180 1482.97 7.41 34.90
 190 1482.95 7.36 34.90
 200 1482.93 7.31 34.91
 220 1483.38 7.33 34.95
 240 1483.86 7.37 34.95
 260 1484.31 7.40 34.95

PLATFORM: LYNCH 32				PLATFORM: LYNCH 33				PLATFORM: LYNCH 34				PLATFORM: LYNCH 35			
POSITION: 42 49N 67 24W				POSITION: 43 6N 67 30W				POSITION: 43 23N 67 35W				POSITION: 43 41N 67 41W			
MSG/MSG1: 151/27				MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37			
DATE/TIME: 17AUG82/0415				DATE/TIME: 17AUG82/0615				DATE/TIME: 17AUG82/0815				DATE/TIME: 17AUG82/1015			
INSTRUMENT TYPE: XBT				INSTRUMENT TYPE: XBT				INSTRUMENT TYPE: XBT				INSTRUMENT TYPE: XBT			
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)
0	1493.74	16.50	19.97	0	1508.26	16.40	32.63	0	1507.02	16.00	32.63	0	1509.11	16.70	32.58
5	1497.87	16.17	24.32	5	1508.88	16.57	32.65	5	1502.06	14.40	32.65	5	1500.62	14.00	32.53
10	1499.82	15.15	28.66	10	1508.63	16.45	32.68	10	1500.22	13.80	32.68	10	1498.33	13.30	32.48
15	1498.66	13.40	32.41	15	1507.66	16.10	32.70	15	1498.00	13.10	32.70	15	1494.98	12.25	32.58
20	1493.07	11.70	32.50	20	1503.57	14.80	32.63	20	1493.79	11.86	32.63	20	1491.86	11.30	32.65
25	1491.74	11.20	32.77	25	1498.68	13.30	32.57	25	1489.58	10.66	32.57	25	1491.47	11.10	32.84
30	1490.01	10.74	32.63	30	1487.00	10.00	32.34	30	1486.27	9.80	32.34	30	1488.28	10.20	32.79
35	1488.82	10.28	32.93	35	1485.51	9.43	32.75	35	1485.03	9.30	32.75	35	1485.22	9.30	32.90
40	1486.91	9.72	32.96	40	1483.12	8.70	32.94	40	1484.98	9.20	32.94	40	1484.71	9.10	33.02
45	1483.97	8.90	32.96	45	1482.13	8.35	33.14	45	1485.67	9.30	33.14	45	1482.98	8.60	33.06
50	1480.80	7.90	33.37	50	1481.37	8.00	33.52	50	1485.94	9.22	33.52	50	1482.26	8.40	33.02
55	1480.99	7.90	33.46	55	1480.11	7.70	33.36	55	1484.42	8.84	33.36	55	1481.36	8.10	33.15
60	1481.10	7.90	33.48	60	1479.78	7.63	33.25	60	1483.46	8.60	33.25	60	1481.86	8.20	33.18
65	1481.25	7.90	33.54	65	1479.86	7.57	33.43	65	1483.80	8.61	33.43	65	1481.73	8.10	33.31
70	1481.21	7.86	33.56	70	1479.71	7.53	33.43	70	1484.22	8.70	33.43	70	1480.73	7.80	33.36
75	1480.89	7.74	33.60	75	1479.87	7.53	33.43	75	1484.12	8.65	33.43	75	1480.66	7.75	33.39
80	1480.05	7.46	33.72	80	1480.19	7.58	33.47	80	1483.31	8.40	33.47	80	1480.24	7.60	33.45
85	1479.55	7.27	33.84	85	1480.49	7.60	33.58	85	1483.01	8.26	33.58	85	1479.67	7.40	33.54
90	1479.59	7.26	33.84	90	1480.74	7.60	33.72	90	1483.03	8.20	33.72	90	1479.46	7.30	33.62
95	1480.45	7.44	33.91	95	1480.81	7.60	33.71	95	1482.46	8.03	33.71	95	1479.31	7.20	33.74
100	1481.01	7.55	33.95	100	1480.93	7.60	33.74	100	1481.70	7.80	33.74	100	1479.58	7.20	33.89
110	1482.08	7.74	34.09	110	1481.63	7.64	34.04	110	1481.55	7.62	34.04	110	1479.75	7.10	34.20
120	1483.22	7.93	34.29	120	1481.96	7.70	33.99	120	1479.64	7.10	33.99	120	1480.11	7.10	34.36
130	1483.98	8.10	34.25	130	1482.25	7.70	34.09	130	1480.01	7.12	34.09	130	1479.89	7.00	34.36
140	1484.39	8.10	34.45	140	1482.77	7.76	34.19	140	1481.00	7.30	34.19	140	1482.65	7.70	34.28
150	1484.74	8.10	34.60	150	1483.57	7.81	34.55	150	1482.66	7.57	34.55	150	1482.15	7.50	34.36
160	1485.01	8.10	34.68	160	1484.00	7.86	34.61	160	1482.70	7.52	34.61	160	1483.04	7.65	34.48
170	1484.86	8.01	34.70	170	1484.31	7.89	34.63	170	1482.82	7.50	34.63	170	1483.09	7.60	34.54
180	1484.59	7.91	34.66	180	1484.30	7.82	34.70	180	1483.07	7.50	34.70	180	1483.28	7.60	34.56
190	1483.91	7.69	34.66	190	1484.48	7.83	34.69	190	1483.22	7.50	34.69	190	1483.50	7.60	34.61
200	1483.58	7.56	34.66	200	1484.84	7.88	34.69	200	1483.20	7.45	34.69	200	1483.77	7.60	34.69
220	1483.67	7.50	34.66					220	1483.01	7.31	34.71	220	1485.39	7.80	35.11

PLATFORM LYNCH 36
 POSITION 43 56N 67 37W
 MSG/MSG1 151/37
 DATE/TIME 17AUG82/1215
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1509 22 16 70 32 67
 5 1503 28 14 77 32 67
 10 1497 05 12 85 32 67
 15 1495 38 12 33 32 68
 20 1492 14 11 36 32 71
 25 1489 08 10 38 32 98
 30 1489 13 10 25 33 33
 35 1487 18 9 78 33 06
 40 1485 63 9 31 33 14
 45 1484 10 8 84 33 24
 50 1482 43 8 36 33 28
 55 1480 72 7 89 33 27
 60 1480 44 7 74 33 44
 65 1479 82 7 55 33 46
 70 1479 83 7 35 34 02
 75 1478 50 7 15 33 51
 80 1477 98 6 95 33 66
 85 1477 39 6 75 33 74
 90 1476 69 6 55 33 74
 95 1476 38 6 35 34 05
 100 1478 42 6 87 33 99
 110 1478 27 6 73 34 17
 120 1478 12 6 60 34 33
 130 1480 28 7 10 34 36
 140 1480 77 7 21 34 28
 150 1480 56 7 07 34 42
 160 1480 97 7 13 34 43
 170 1481 51 7 20 34 51
 180 1482 11 7 27 34 64
 190 1482 76 7 37 34 72
 200 1483 44 7 47 34 83
 220 1484 53 7 67 34 83

PLATFORM LYNCH 37
 POSITION 43 59N 67 36W
 MSG/MSG1 151/37
 DATE/TIME 17AUG82/1415
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1509 54 16 70 32 95
 5 1506 33 15 64 32 92
 10 1503 01 14 58 32 90
 15 1499 61 13 52 32 87
 20 1495 73 12 36 32 82
 25 1493 16 11 50 33 08
 30 1490 38 10 72 32 98
 35 1487 62 9 95 32 92
 40 1485 67 9 38 32 96
 45 1483 43 8 74 33 00
 50 1481 11 8 10 33 01
 55 1481 30 8 10 33 10
 60 1480 58 7 82 33 31
 65 1479 64 7 53 33 38
 70 1478 74 7 25 33 46
 75 1477 77 6 97 33 49
 80 1477 92 6 98 33 51
 85 1477 65 6 88 33 54
 90 1477 46 6 78 33 64
 95 1477 14 6 68 33 63
 100 1478 80 7 07 33 67
 110 1480 58 7 47 33 73
 120 1483 39 8 11 33 89
 130 1481 53 7 55 33 98
 140 1480 63 7 20 34 20
 150 1481 24 7 29 34 28
 160 1481 63 7 34 34 31
 170 1482 21 7 38 34 51
 180 1483 46 7 66 34 52
 190 1484 14 7 79 34 54
 200 1484 00 7 69 34 60
 220 1484 64 7 75 34 67

PLATFORM LYNCH 39
 POSITION 43 54N 67 40W
 MSG/MSG1 151/37
 DATE/TIME 17AUG82/1815
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504 91 15 31 32 67
 5 1501 63 14 26 32 67
 10 1498 26 13 21 32 67
 15 1496 30 12 60 32 68
 20 1494 70 12 10 32 71
 25 1493 39 11 60 32 98
 30 1490 96 10 76 33 33
 35 1488 74 10 21 33 06
 40 1486 91 9 66 33 14
 45 1485 11 9 11 33 24
 50 1484 53 8 92 33 28
 55 1483 40 8 60 33 27
 60 1482 50 8 28 33 44
 65 1481 39 7 96 33 46
 70 1481 37 7 75 34 02
 75 1480 32 7 62 33 51
 80 1480 04 7 48 33 66
 85 1479 73 7 35 33 74
 90 1479 30 7 22 33 74
 95 1479 28 7 09 34 05
 100 1478 77 6 96 33 99
 110 1478 15 6 70 34 17
 120 1482 58 7 75 34 33
 130 1483 51 7 94 34 36
 140 1481 58 7 42 34 28
 150 1482 80 7 65 34 42
 160 1484 07 8 15 34 43
 170 1485 07 8 13 34 51
 180 1485 28 8 10 34 64
 190 1485 62 8 12 34 72
 200 1486 56 8 29 34 83

PLATFORM LYNCH 40
 POSITION 43 54N 67 40W
 MSG/MSG1 151/37
 DATE/TIME 17AUG82/1820
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502 65 14 60 32 67
 5 1502 47 14 52 32 67
 10 1500 87 14 00 32 67
 15 1498 02 13 11 32 68
 20 1495 73 12 40 32 71
 25 1494 25 11 85 32 98
 30 1492 86 11 30 33 33
 35 1489 63 10 46 33 06
 40 1487 20 9 74 33 14
 45 1486 03 9 36 33 24
 50 1483 97 8 77 33 28
 55 1483 48 8 62 33 27
 60 1482 76 8 35 33 44
 65 1481 66 8 03 33 46
 70 1481 26 7 72 34 02
 75 1479 89 7 51 33 51
 80 1479 58 7 36 33 66
 85 1479 03 7 17 33 74
 90 1478 33 6 97 33 74
 95 1478 23 6 82 34 05
 100 1477 67 6 68 33 99
 110 1477 29 6 48 34 17
 120 1477 33 6 40 34 33
 130 1479 11 6 80 34 36
 140 1482 16 7 57 34 28
 150 1484 36 8 06 34 42
 160 1483 01 7 66 34 43
 170 1482 86 7 55 34 51
 180 1484 21 7 82 34 64
 190 1485 21 8 01 34 72
 200 1485 77 8 08 34 83

PLATFORM: LYNCH 41
 POSITION: 43 51N 67 46W
 MSG/MSG1: 151/37
 DATE/TIME: 17AUG82/2015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1503.07 14.65 32.89
 5 1502.69 14.51 32.88
 10 1501.91 14.25 32.86
 15 1500.08 13.66 32.88
 20 1498.58 13.20 32.83
 25 1490.32 10.84 32.65
 30 1485.41 9.45 32.68
 35 1482.27 8.57 32.71
 40 1482.43 8.46 33.11
 45 1482.56 8.34 33.51
 50 1482.31 8.21 33.63
 55 1482.05 8.08 33.76
 60 1481.54 7.91 33.80
 65 1480.62 7.71 33.61
 70 1479.96 7.50 33.66
 75 1479.44 7.30 33.80
 80 1478.79 7.10 33.83
 85 1478.17 6.91 33.86
 90 1477.33 6.65 33.94
 95 1476.03 6.30 33.93
 100 1476.27 6.35 33.91
 110 1477.52 6.60 33.98
 120 1480.39 7.30 33.96
 130 1482.71 7.85 34.00
 140 1484.49 8.25 34.08
 150 1484.49 8.17 34.19
 160 1484.28 8.02 34.35
 170 1482.62 7.40 34.78
 180 1483.83 7.71 34.67
 190 1485.16 8.00 34.72
 200 1484.80 8.05 34.15
 220 1485.54 8.16 34.15

PLATFORM: LYNCH 42
 POSITION: 43 51N 67 39W
 MSG/MSG1: 151/37
 DATE/TIME: 17AUG82/2215
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.88 15.30 32.67
 5 1504.49 15.15 32.67
 10 1501.74 14.27 32.67
 15 1494.25 12.00 32.68
 20 1492.10 11.35 32.71
 25 1490.22 10.70 32.98
 30 1490.24 10.56 33.33
 35 1489.49 10.42 33.06
 40 1489.41 10.35 33.14
 45 1489.37 10.28 33.24
 50 1489.28 10.22 33.28
 55 1486.55 9.45 33.27
 60 1482.76 8.35 33.44
 65 1479.63 7.50 33.46
 70 1478.94 7.12 34.02
 75 1476.94 6.75 33.51
 80 1476.46 6.56 33.66
 85 1476.41 6.50 33.74
 90 1476.21 6.43 33.74
 95 1476.58 6.40 34.05
 100 1476.57 6.40 33.99
 110 1478.12 6.69 34.17
 120 1482.38 7.70 34.33
 130 1483.43 7.92 34.36
 140 1483.91 8.03 34.28
 150 1484.13 8.00 34.42
 160 1484.61 8.08 34.43
 170 1484.58 8.00 34.51
 180 1485.16 8.07 34.64
 190 1485.96 8.21 34.72
 200 1486.44 8.26 34.83
 220 1486.17 8.10 34.83

PLATFORM: LYNCH 43
 POSITION: 43 46N 67 33W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/0015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.11 16.00 32.70
 5 1506.91 15.91 32.70
 10 1506.59 15.78 32.70
 15 1499.81 13.64 32.71
 20 1497.36 12.87 32.74
 25 1494.77 12.10 32.70
 30 1491.12 11.16 32.31
 35 1490.08 10.58 33.08
 40 1490.26 10.55 33.25
 45 1490.38 10.52 33.36
 50 1490.20 10.42 33.44
 55 1489.72 10.22 33.57
 60 1489.34 10.02 33.78
 65 1488.77 9.82 33.84
 70 1488.21 9.63 33.87
 75 1487.66 9.43 33.95
 80 1487.31 9.26 34.11
 85 1486.91 9.10 34.19
 90 1482.58 7.92 34.20
 95 1481.80 7.72 34.12
 100 1481.35 7.53 34.28
 110 1483.35 7.95 34.47
 120 1486.89 8.81 34.58
 130 1487.41 8.90 34.60
 140 1485.69 8.36 34.71
 150 1485.11 8.14 34.77
 160 1485.20 8.14 34.71
 170 1485.77 8.24 34.74
 180 1485.98 8.24 34.75
 190 1485.79 8.16 34.74
 200 1485.57 8.03 34.82
 220 1485.99 8.06 34.81

PLATFORM: LYNCH 44
 POSITION: 43 41N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/0215
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.12 16.30 32.77
 5 1508.18 16.30 32.76
 10 1507.72 16.13 32.75
 15 1505.59 15.42 32.75
 20 1499.75 13.57 32.78
 25 1494.22 11.92 32.75
 30 1490.12 10.72 32.77
 35 1486.66 9.62 33.12
 40 1485.20 9.17 33.20
 45 1484.46 8.90 33.35
 50 1483.80 8.70 33.35
 55 1483.77 8.66 33.38
 60 1483.83 8.62 33.49
 65 1484.07 8.60 33.67
 70 1484.42 8.60 33.89
 75 1484.58 8.60 33.95
 80 1484.54 8.55 34.00
 85 1484.49 8.50 34.05
 90 1483.97 8.30 34.17
 95 1483.27 8.10 34.15
 100 1483.55 8.10 34.31
 110 1484.42 8.23 34.47
 120 1485.66 8.49 34.56
 130 1487.09 8.80 34.64
 140 1486.73 8.70 34.52
 150 1487.84 8.94 34.57
 160 1486.77 8.60 34.59
 170 1484.99 8.09 34.57
 180 1484.91 8.00 34.64
 190 1485.32 8.06 34.66
 200 1485.68 8.11 34.67
 220 1486.37 8.20 34.69
 240 1486.70 8.20 34.69

PLATFORM LYNCH 45
 POSITION: 43 40N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/0234
 INSTRUMENT TYPE XBT
 DEPTH SVEL SAL
 (M) (M/S) (C) (PPT)
 0 1507 81 16 20 32 77
 5 1507 50 16 08 32 76
 10 1507 35 16 01 32 75
 15 1503 53 14 77 32 75
 20 1496 97 12 74 32 78
 25 1491 36 11 10 32 75
 30 1491 14 11 01 32 77
 35 1489 13 10 30 33 12
 40 1489 31 10 30 33 20
 45 1489 58 10 30 33 35
 50 1487 71 9 76 33 35
 55 1485 41 9 10 33 38
 60 1483 57 8 55 33 49
 65 1482 56 8 20 33 57
 70 1482 92 8 20 33 89
 75 1483 08 8 20 33 95
 80 1483 22 8 20 34 00
 85 1483 63 8 27 34 05
 90 1483 29 8 12 34 17
 95 1483 08 8 05 34 15
 100 1483 67 8 13 34 31
 110 1484 68 8 30 34 47
 120 1486 00 8 58 34 56
 130 1486 19 8 56 34 64
 140 1485 41 8 35 34 52
 150 1484 39 8 02 34 57
 160 1484 85 8 09 34 59
 170 1484 65 8 00 34 57
 180 1484 98 8 02 34 64
 190 1486 22 8 30 34 66
 200 1486 40 8 30 34 67
 220 1486 75 8 30 34 69

PLATFORM LYNCH 46
 POSITION: 43 34N 67 24W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/0415
 INSTRUMENT TYPE XBT
 DEPTH SVEL SAL
 (M) (M/S) (C) (PPT)
 0 1507 53 16 20 32 54
 5 1506 84 15 95 32 54
 10 1505 54 15 50 32 55
 15 1501 95 14 34 32 59
 20 1491 79 11 30 32 59
 25 1490 49 10 89 32 65
 30 1489 27 10 48 32 78
 35 1488 23 10 15 32 83
 40 1487 31 9 84 32 92
 45 1486 19 9 44 33 14
 50 1483 72 8 65 33 44
 55 1483 00 8 43 33 46
 60 1482 41 8 22 33 55
 65 1481 56 7 93 33 69
 70 1480 46 7 60 33 76
 75 1480 32 7 52 33 82
 80 1480 19 7 44 33 90
 85 1480 06 7 38 33 91
 90 1480 04 7 33 33 99
 95 1480 10 7 31 34 03
 100 1480 32 7 36 33 99
 110 1480 13 7 26 34 01
 120 1479 91 7 14 34 08
 130 1481 05 7 30 34 36
 140 1480 53 7 10 34 43
 150 1482 04 7 41 34 54
 160 1483 70 7 80 34 55
 170 1484 97 8 10 34 52
 180 1485 13 8 10 34 52
 190 1484 67 7 93 34 53
 200 1484 42 7 80 34 60
 220 1484 76 7 80 34 61

PLATFORM LYNCH 47
 POSITION: 43 34N 67 23W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/0615
 INSTRUMENT TYPE XBT
 DEPTH SVEL SAL
 (M) (M/S) (C) (PPT)
 0 1507 22 16 10 32 54
 5 1506 06 15 70 32 54
 10 1504 59 15 20 32 55
 15 1501 82 14 30 32 59
 20 1496 95 12 80 32 59
 25 1492 98 11 60 32 65
 30 1490 20 10 74 32 78
 35 1489 20 10 42 32 83
 40 1487 45 9 88 32 92
 45 1485 27 9 19 33 14
 50 1483 16 8 50 33 44
 55 1482 89 8 40 33 46
 60 1481 80 8 06 33 55
 65 1480 95 7 77 33 69
 70 1480 08 7 50 33 76
 75 1480 13 7 47 33 82
 80 1480 19 7 44 33 90
 85 1480 21 7 42 33 91
 90 1480 47 7 44 33 99
 95 1481 37 7 64 34 03
 100 1481 67 7 71 33 99
 110 1479 98 7 22 34 01
 120 1480 46 7 28 34 08
 130 1481 20 7 34 34 36
 140 1481 77 7 42 34 43
 150 1482 69 7 58 34 54
 160 1482 55 7 50 34 55
 170 1482 87 7 55 34 52
 180 1483 19 7 59 34 52
 190 1483 41 7 60 34 53
 200 1483 54 7 57 34 60
 220 1483 42 7 45 34 61

PLATFORM LYNCH 48
 POSITION: 43 33N 67 21W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/0815
 INSTRUMENT TYPE XBT
 DEPTH SVEL SAL
 (M) (M/S) (C) (PPT)
 0 1507 69 16 12 32 88
 5 1507 42 16 00 32 90
 10 1504 90 15 25 32 68
 15 1502 83 14 45 33 02
 20 1498 62 13 16 32 98
 25 1493 48 11 51 33 31
 30 1491 41 10 86 33 42
 35 1489 26 10 20 33 52
 40 1486 93 9 53 33 53
 45 1485 92 9 20 33 63
 50 1485 19 8 94 33 75
 55 1484 19 8 66 33 72
 60 1483 41 8 38 33 87
 65 1482 43 8 10 33 87
 70 1480 73 7 58 34 03
 75 1480 63 7 50 34 13
 80 1480 75 7 41 34 43
 85 1479 34 7 10 34 20
 90 1478 23 6 74 34 37
 95 1477 05 6 42 34 36
 100 1477 11 6 48 34 16
 110 1479 71 6 98 34 54
 120 1482 95 7 63 34 99
 130 1483 99 7 80 35 17
 140 1484 84 7 95 35 26
 150 1483 90 7 68 35 20
 160 1483 49 7 51 35 26
 170 1483 90 7 54 35 36
 180 1484 22 7 57 35 40
 190 1484 43 7 58 35 40
 200 1484 34 7 51 35 42
 220 1485 90 7 80 35 52
 240 1486 23 7 80 35 52

PLATFORM: LYNCH 49
 POSITION: 43 31N 67 32W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/1015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.28 16.10 32.59
 5 1505.34 15.45 32.59
 10 1502.71 14.60 32.59
 15 1495.49 12.40 32.58
 20 1491.53 11.33 32.30
 25 1489.54 10.66 32.54
 30 1487.24 10.10 32.24
 35 1486.07 9.60 32.70
 40 1484.91 9.13 33.09
 45 1483.91 8.80 33.21
 50 1483.25 8.55 33.36
 55 1482.95 8.42 33.45
 60 1482.65 8.30 33.50
 65 1482.43 8.20 33.56
 70 1482.75 8.23 33.66
 75 1483.16 8.26 33.84
 80 1483.52 8.30 33.94
 85 1485.07 8.68 33.97
 90 1486.19 8.96 33.97
 95 1485.69 8.80 33.98
 100 1483.88 8.32 33.90
 110 1479.36 7.05 34.04
 120 1480.90 7.36 34.19
 130 1486.21 8.67 34.33
 140 1486.75 8.73 34.45
 150 1485.53 8.35 34.48
 160 1484.78 8.10 34.51
 170 1484.77 8.05 34.51
 180 1485.23 8.13 34.51
 190 1485.66 8.20 34.52
 200 1485.98 8.24 34.52
 220 1486.68 8.30 34.63

PLATFORM: LYNCH 50
 POSITION: 43 29N 67 39W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/1217
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.99 15.70 32.55
 5 1505.79 15.60 32.57
 10 1505.90 15.60 32.60
 15 1496.91 12.80 32.63
 20 1487.54 10.10 32.61
 25 1484.23 9.18 32.60
 30 1481.26 8.26 32.90
 35 1480.21 7.90 33.10
 40 1480.37 7.90 33.16
 45 1479.77 7.67 33.32
 50 1478.44 7.30 33.43
 55 1475.01 6.37 33.43
 60 1473.27 5.90 33.47
 65 1473.01 5.83 33.43
 70 1473.50 5.91 33.49
 75 1474.08 6.00 33.60
 80 1474.13 5.96 33.70
 85 1474.17 5.92 33.79
 90 1474.27 5.91 33.84
 95 1474.57 5.96 33.85
 100 1474.92 6.04 33.81
 110 1477.21 6.40 34.36
 120 1482.66 7.76 34.37
 130 1486.00 8.60 34.37
 140 1482.60 7.66 34.36
 150 1481.50 7.31 34.42
 160 1481.47 7.24 34.48
 170 1482.57 7.47 34.52
 180 1483.59 7.65 34.66
 190 1484.10 7.73 34.69
 200 1483.15 7.45 34.65

PLATFORM: LYNCH 51
 POSITION: 43 19N 67 47W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/1415
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.79 16.80 31.19
 5 1508.21 16.65 31.87
 10 1507.71 16.20 32.55
 15 1496.46 12.70 32.54
 20 1490.86 11.08 32.47
 25 1487.83 10.27 32.29
 30 1487.20 9.95 32.65
 35 1486.27 9.62 32.80
 40 1485.94 9.39 33.15
 45 1485.42 9.21 33.20
 50 1484.88 9.04 33.20
 55 1484.29 8.87 33.18
 60 1483.89 8.72 33.24
 65 1483.48 8.57 33.29
 70 1482.94 8.42 33.25
 75 1482.88 8.35 33.34
 80 1482.65 8.30 33.25
 85 1482.72 8.25 33.38
 90 1482.72 8.20 33.47
 95 1482.65 8.15 33.50
 100 1482.56 8.11 33.49
 110 1483.81 8.34 33.66
 120 1480.84 7.45 33.86
 130 1480.80 7.35 34.00
 140 1481.23 7.32 34.31
 150 1482.28 7.47 34.56
 160 1481.85 7.43 34.20
 170 1482.21 7.40 34.45
 180 1482.78 7.58 34.53
 190 1483.25 7.57 34.50
 200 1483.87 7.66 34.59
 220 1484.01 7.58 34.68
 240 1484.06 7.50 34.70
 260 1484.38 7.50 34.70

PLATFORM: LYNCH 52
 POSITION: 43 23N 67 45W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/1615
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.79 16.80 31.19
 5 1507.75 16.50 31.87
 10 1504.74 15.25 32.55
 15 1498.48 13.30 32.54
 20 1493.13 11.73 32.47
 25 1488.40 10.43 32.29
 30 1485.92 9.60 32.65
 35 1483.87 8.97 32.80
 40 1483.23 8.66 33.15
 45 1482.21 8.35 33.20
 50 1480.85 7.97 33.20
 55 1478.41 7.32 33.18
 60 1477.52 7.05 33.24
 65 1476.97 6.87 33.29
 70 1477.30 6.95 33.25
 75 1475.58 6.46 33.34
 80 1472.91 5.80 33.25
 85 1473.41 5.86 33.38
 90 1473.88 5.93 33.47
 95 1474.28 6.00 33.50
 100 1474.35 6.00 33.49
 110 1475.52 6.20 33.66
 120 1477.02 6.47 33.86
 130 1481.99 7.66 34.00
 140 1484.77 8.25 34.31
 150 1482.78 7.60 34.56
 160 1481.42 7.32 34.20
 170 1482.09 7.37 34.45
 180 1482.89 7.51 34.53
 190 1483.17 7.55 34.50
 200 1483.25 7.50 34.59
 220 1483.78 7.52 34.68
 240 1484.40 7.59 34.70
 260 1484.77 7.60 34.70
 280 1484.40 7.42 34.70

PLATFORM: LYNCH 53
 POSITION: 43 25N 67 50W
 MSG/MSG1: 151/37
 DATE/TIME: 18AUG82/1815
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1510.18 17.00 32.71
 5 1509.59 16.78 32.71
 10 1505.94 15.57 32.71
 15 1500.78 13.94 32.70
 20 1495.09 12.31 32.44
 25 1489.27 10.60 32.49
 30 1485.86 9.52 32.83
 35 1483.53 8.82 32.97
 40 1482.14 8.37 33.15
 45 1480.87 7.95 33.34
 50 1479.44 7.59 33.23
 55 1478.45 7.28 33.33
 60 1477.75 7.08 33.33
 65 1475.03 6.50 32.91
 70 1474.98 6.37 33.21
 75 1472.30 5.65 33.31
 80 1472.02 5.53 33.40
 85 1471.70 5.41 33.47
 90 1471.42 5.30 33.53
 95 1471.85 5.38 33.55
 100 1472.33 5.46 33.61
 110 1473.36 5.63 33.75
 120 1474.39 5.77 33.99
 130 1475.16 5.90 34.05
 140 1477.12 6.30 34.21
 150 1481.40 7.25 34.53
 160 1485.54 8.30 34.51
 170 1485.04 8.13 34.49
 180 1484.59 7.98 34.45
 190 1484.44 7.90 34.45
 200 1484.62 7.90 34.46
 220 1485.73 8.08 34.54
 240 1486.56 8.20 34.58

PLATFORM: LYNCH 54
 POSITION: 43 24N 68 2W
 MSG/MSG1: 151/38
 DATE/TIME: 18AUG82/2015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.11 16.40 32.50
 5 1507.41 16.16 32.47
 10 1505.34 15.48 32.44
 15 1503.22 14.80 32.41
 20 1492.10 11.66 31.82
 25 1482.97 8.90 32.42
 30 1479.77 7.90 32.82
 35 1479.02 7.62 33.01
 40 1477.95 7.27 33.16
 45 1479.09 7.59 33.02
 50 1478.81 7.55 32.86
 55 1478.87 7.50 32.99
 60 1478.32 7.27 33.19
 65 1476.82 6.83 33.30
 70 1475.83 6.55 33.32
 75 1475.31 6.37 33.41
 80 1475.06 6.27 33.46
 85 1475.01 6.22 33.51
 90 1475.09 6.20 33.57
 95 1475.23 6.20 33.62
 100 1475.33 6.20 33.63
 110 1475.73 6.22 33.76
 120 1476.37 6.34 33.76
 130 1476.89 6.40 33.85
 140 1477.21 6.40 33.98
 150 1478.02 6.50 34.17
 160 1479.12 6.67 34.38
 170 1480.66 7.03 34.36
 180 1483.79 7.80 34.37
 190 1484.09 7.80 34.47
 200 1483.63 7.62 34.52
 220 1483.92 7.60 34.55
 240 1484.25 7.60 34.55

PLATFORM: LYNCH 55
 POSITION: 43 22N 68 3W
 MSG/MSG1: 151/38
 DATE/TIME: 18AUG82/2215
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.46 16.20 32.47
 5 1507.27 16.12 32.45
 10 1506.11 15.73 32.43
 15 1504.24 15.12 32.41
 20 1496.29 12.80 32.05
 25 1492.45 11.55 32.35
 30 1488.84 10.40 32.66
 35 1485.34 9.40 32.70
 40 1481.91 8.40 32.87
 45 1480.26 7.92 32.95
 50 1479.10 7.57 33.02
 55 1478.26 7.34 33.00
 60 1479.35 7.57 33.10
 65 1480.18 7.80 32.98
 70 1478.78 7.40 33.03
 75 1477.55 7.01 33.19
 80 1476.15 6.62 33.23
 85 1474.91 6.26 33.31
 90 1473.61 5.90 33.35
 95 1473.83 5.93 33.36
 100 1474.08 5.97 33.37
 110 1474.66 6.05 33.45
 120 1475.37 6.12 33.66
 130 1475.98 6.20 33.76
 140 1476.88 6.27 34.12
 150 1478.41 6.61 34.14
 160 1480.63 7.06 34.37
 170 1481.82 7.35 34.29
 180 1482.98 7.58 34.39
 190 1483.41 7.63 34.44
 200 1483.11 7.50 34.47
 220 1483.13 7.40 34.53
 240 1483.57 7.40 34.63

PLATFORM: LYNCH 56
 POSITION: 43 23N 68 2W
 MSG/MSG1: 151/38
 DATE/TIME: 19AUG82/0015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.38 16.50 32.47
 5 1508.16 16.41 32.45
 10 1507.88 16.30 32.43
 15 1504.02 15.05 32.41
 20 1495.47 12.56 32.05
 25 1491.93 11.40 32.35
 30 1487.03 9.90 32.66
 35 1484.90 9.28 32.70
 40 1483.78 8.90 32.87
 45 1483.02 8.65 32.95
 50 1482.26 8.40 33.02
 55 1481.66 8.23 33.00
 60 1481.23 8.06 33.10
 65 1480.56 7.90 32.98
 70 1480.31 7.80 33.03
 75 1479.79 7.59 33.19
 80 1479.12 7.38 33.23
 85 1477.12 6.82 33.31
 90 1474.73 6.18 33.35
 95 1474.59 6.12 33.36
 100 1474.40 6.05 33.37
 110 1474.30 5.96 33.45
 120 1474.45 5.89 33.66
 130 1474.51 5.83 33.76
 140 1475.25 5.86 34.12
 150 1475.96 5.99 34.14
 160 1477.57 6.28 34.37
 170 1481.31 7.22 34.29
 180 1482.79 7.53 34.39
 190 1483.25 7.59 34.44
 200 1483.49 7.60 34.47
 220 1483.36 7.46 34.53

PLATFORM: LYNCH 57
 POSITION: 43 24N 68 1W
 MSG/MSG1: 151/38
 DATE/TIME: 19AUG82/0215
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1509.33 16.80 32.50
 5 1508.67 16.57 32.47
 10 1504.23 15.13 32.44
 15 1492.11 11.48 32.41
 20 1482.70 9.05 31.82
 25 1483.90 9.15 32.42
 30 1483.32 8.84 32.82
 35 1482.45 8.52 33.01
 40 1481.52 8.20 33.16
 45 1481.04 8.10 33.02
 50 1480.53 8.00 32.86
 55 1479.83 7.75 32.99
 60 1479.21 7.50 33.19
 65 1477.13 6.91 33.30
 70 1474.92 6.32 33.32
 75 1474.28 6.11 33.41
 80 1473.99 6.00 33.46
 85 1473.74 5.90 33.51
 90 1473.89 5.90 33.57
 95 1474.03 5.90 33.62
 100 1474.13 5.90 33.63
 110 1474.45 5.90 33.76
 120 1475.10 6.02 33.76
 130 1475.90 6.15 33.85
 140 1476.74 6.28 33.98
 150 1476.28 6.82 34.17
 160 1481.60 7.36 34.38
 170 1483.12 7.67 34.36
 180 1483.79 7.80 34.37
 190 1484.05 7.79 34.47
 200 1483.97 7.71 34.52
 220 1483.92 7.60 34.55

PLATFORM: LYNCH 58
 POSITION: 43 24N 68 4W
 MSG/MSG1: 151/38
 DATE/TIME: 19AUG82/0415
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1508.11 16.40 32.50
 5 1508.00 16.35 32.47
 10 1502.86 14.70 32.44
 15 1491.69 11.36 32.41
 20 1484.84 9.63 31.82
 25 1482.14 8.68 32.42
 30 1480.46 8.08 32.82
 35 1479.41 7.72 33.01
 40 1478.26 7.35 33.16
 45 1477.19 7.10 33.02
 50 1477.34 7.17 32.86
 55 1479.06 7.55 32.99
 60 1478.47 7.31 33.19
 65 1476.23 6.68 33.30
 70 1474.60 6.24 33.32
 75 1474.84 6.25 33.41
 80 1473.99 6.00 33.46
 85 1473.65 5.88 33.51
 90 1473.49 5.80 33.57
 95 1473.83 5.85 33.62
 100 1474.13 5.90 33.63
 110 1474.93 6.02 33.76
 120 1476.13 6.28 33.76
 130 1477.28 6.50 33.85
 140 1477.61 6.50 33.98
 150 1479.67 6.92 34.17
 160 1480.18 6.94 34.38
 170 1480.15 6.90 34.36
 180 1480.67 6.99 34.37
 190 1481.55 7.14 34.47
 200 1482.09 7.22 34.52
 220 1482.76 7.30 34.55

PLATFORM: LYNCH 59
 POSITION: 43 28N 67 52W
 MSG/MSG1: 151/37
 DATE/TIME: 19AUG82/0615
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1503.66 14.90 32.71
 5 1501.88 14.32 32.71
 10 1495.34 12.33 32.71
 15 1485.74 9.60 32.70
 20 1482.42 8.77 32.44
 25 1482.16 8.66 32.49
 30 1482.22 8.54 32.83
 35 1481.20 8.20 32.97
 40 1479.13 7.58 33.15
 45 1476.46 6.81 33.34
 50 1474.08 6.22 33.23
 55 1472.49 5.77 33.33
 60 1471.88 5.60 33.33
 65 1472.08 5.76 32.91
 70 1471.82 5.58 33.21
 75 1471.33 5.41 33.31
 80 1470.80 5.23 33.40
 85 1471.25 5.30 33.47
 90 1471.99 5.44 33.53
 95 1472.65 5.58 33.55
 100 1473.33 5.71 33.61
 110 1474.41 5.89 33.75
 120 1475.35 6.01 33.99
 130 1476.12 6.14 34.05
 140 1478.34 6.61 34.21
 150 1481.59 7.30 34.53
 160 1483.19 7.68 34.51
 170 1483.52 7.73 34.49
 180 1483.25 7.63 34.45
 190 1483.18 7.57 34.45
 200 1483.17 7.52 34.46
 220 1483.29 7.44 34.54
 240 1483.51 7.40 34.58

PLATFORM: LYNCH 60
 POSITION: 43 31N 67 40W
 MSG/MSG1: 151/37
 DATE/TIME: 19AUG82/0815
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.97 14.30 32.91
 5 1500.97 13.95 32.96
 10 1494.04 11.97 32.66
 15 1487.65 9.96 33.18
 20 1486.35 9.61 33.10
 25 1485.96 9.31 33.60
 30 1485.21 9.09 33.58
 35 1484.80 8.87 33.84
 40 1483.98 8.66 33.75
 45 1483.04 8.51 33.38
 50 1482.64 8.36 33.45
 55 1482.17 8.16 33.61
 60 1481.49 7.95 33.64
 65 1480.82 7.73 33.71
 70 1480.11 7.51 33.75
 75 1479.54 7.30 33.88
 80 1479.16 7.16 33.94
 85 1478.76 7.03 33.96
 90 1478.56 6.90 34.14
 95 1475.64 6.10 34.25
 100 1477.47 6.51 34.35
 110 1477.28 6.36 34.54
 120 1477.68 6.40 34.60
 130 1481.25 7.25 34.67
 140 1485.88 8.37 34.83
 150 1484.94 8.00 35.06
 160 1484.86 7.88 35.23
 170 1484.90 7.85 35.22
 180 1486.93 8.35 35.20
 190 1487.39 8.46 35.11
 200 1487.39 8.38 35.22
 220 1486.75 8.10 35.29

PLATFORM LYNCH 61
 POSITION: 43 31N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 19AUG82/1015
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507 63 16 10 32 88
 5 1507 55 16 04 32 90
 10 1507 03 15 93 32 68
 15 1506 48 15 60 33 02
 20 1498 42 13 10 32 98
 25 1492 78 11 31 33 31
 30 1487 25 9 70 33 42
 35 1486 76 9 51 33 52
 40 1486 19 9 33 33 53
 45 1485 33 9 04 33 63
 50 1484 37 8 72 33 75
 55 1483 21 8 40 33 72
 60 1484 16 8 58 33 87
 65 1484 91 8 76 33 87
 70 1483 68 8 30 34 03
 75 1483 68 8 30 34 13
 80 1484 40 8 37 34 43
 85 1484 49 8 45 34 20
 90 1484 64 8 41 34 37
 95 1483 84 8 18 34 36
 100 1482 84 7 96 34 16
 110 1481 95 7 56 34 54
 120 1482 15 7 42 34 99
 130 1483 38 7 64 35 17
 140 1484 19 7 78 35 26
 150 1484 01 7 71 35 20
 160 1484 33 7 73 35 26
 170 1484 81 7 78 35 36
 180 1485 25 7 84 35 40
 190 1485 61 7 89 35 40
 200 1486 02 7 95 35 42
 220 1486 32 7 91 35 52

PLATFORM LYNCH 62
 POSITION: 43 30N 67 21W
 MSG/MSG1: 151/37
 DATE/TIME: 19AUG82/1215
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507 32 16 00 32 88
 5 1505 96 15 53 32 90
 10 1502 18 14 40 32 68
 15 1499 39 13 40 33 02
 20 1496 91 12 65 32 98
 25 1495 52 12 10 33 31
 30 1494 01 11 60 33 42
 35 1492 40 11 08 33 52
 40 1490 36 10 48 33 53
 45 1488 41 9 88 33 63
 50 1486 67 9 34 33 75
 55 1485 60 9 04 33 72
 60 1484 76 8 74 33 87
 65 1483 72 8 44 33 87
 70 1483 02 8 18 34 03
 75 1482 92 8 10 34 13
 80 1483 12 8 03 34 43
 85 1482 64 7 96 34 20
 90 1482 71 7 90 34 37
 95 1482 55 7 84 34 36
 100 1482 15 7 78 34 16
 110 1482 37 7 67 34 54
 120 1482 72 7 57 34 99
 130 1482 73 7 47 35 17
 140 1482 74 7 40 35 26
 150 1482 83 7 40 35 20
 160 1483 07 7 40 35 26
 170 1483 36 7 40 35 36
 180 1483 57 7 40 35 40
 190 1483 74 7 40 35 40
 200 1483 92 7 40 35 42
 220 1485 17 7 61 35 52

PLATFORM LYNCH 63
 POSITION: 43 31N 67 12W
 MSG/MSG1: 151/37
 DATE/TIME: 19AUG82/1415
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504 98 15 30 32 76
 5 1503 07 14 70 32 69
 10 1498 62 13 34 32 61
 15 1495 46 12 40 32 55
 20 1490 60 10 98 32 54
 25 1488 66 10 40 32 58
 30 1487 60 10 04 32 71
 35 1486 43 9 67 32 79
 40 1486 11 9 47 33 05
 45 1485 29 9 15 33 20
 50 1484 99 9 00 33 35
 55 1484 79 8 89 33 45
 60 1484 29 8 57 33 79
 65 1484 51 8 78 33 48
 70 1484 27 8 57 33 79
 75 1484 05 8 46 33 88
 80 1483 68 8 25 34 02
 85 1483 74 8 36 33 87
 90 1483 62 8 28 33 95
 95 1483 68 8 25 34 02
 100 1483 67 8 21 34 07
 110 1483 68 8 14 34 16
 120 1483 75 8 06 34 32
 130 1483 69 7 97 34 42
 140 1483 59 7 88 34 48
 150 1483 50 7 80 34 52
 160 1483 76 7 82 34 54
 170 1484 07 7 85 34 56
 180 1484 33 7 87 34 58
 190 1484 69 7 90 34 64
 200 1484 81 7 90 34 61
 220 1485 20 7 90 34 65

PLATFORM LYNCH 64
 POSITION: 43 27N 67 3W
 MSG/MSG1: 151/37
 DATE/TIME: 19AUG81/1615
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1506 64 15 90 32 57
 5 1506 09 15 68 32 61
 10 1504 80 15 23 32 65
 15 1502 43 14 62 32 23
 20 1498 67 13 42 32 30
 25 1494 72 12 07 32 74
 30 1492 96 11 47 32 93
 35 1491 71 11 06 33 02
 40 1490 58 10 66 33 19
 45 1489 05 10 18 33 27
 50 1487 40 9 64 33 45
 55 1485 63 9 11 33 53
 60 1484 54 8 74 33 69
 65 1483 69 8 47 33 76
 70 1482 86 8 21 33 81
 75 1482 05 7 95 33 89
 80 1481 91 7 87 33 95
 85 1481 95 7 83 34 04
 90 1481 91 7 80 34 04
 95 1481 87 7 76 34 06
 100 1481 90 7 73 34 11
 110 1482 67 7 85 34 23
 120 1483 14 7 89 34 35
 130 1482 52 7 68 34 37
 140 1482 72 7 64 34 52
 150 1483 34 7 72 34 64
 160 1483 95 7 80 34 75
 170 1483 88 7 74 34 74
 180 1483 82 7 68 34 74
 190 1483 75 7 62 34 75
 200 1483 84 7 60 34 75
 220 1484 24 7 60 34 80

PLATFORM: LYNCH 65									
POSITION: 43 25N 67 2W									
MSG/MSG1: 151/37									
DATE/TIME: 19AUG82/1815									
INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL						
(M)	(M/S)	(C)	(PPT)						
0	1507.27	16.10	32.57						
5	1506.52	15.82	32.61						
10	1505.43	15.43	32.65						
15	1502.43	14.62	32.23						
20	1498.41	13.34	32.30						
25	1494.21	11.92	32.74						
30	1492.37	11.30	32.93						
35	1490.69	10.77	33.02						
40	1487.12	9.70	33.19						
45	1483.62	8.70	33.27						
50	1483.66	8.63	33.45						
55	1483.58	8.56	33.53						
60	1483.60	8.49	33.69						
65	1483.51	8.42	33.76						
70	1483.35	8.34	33.81						
75	1483.22	8.26	33.89						
80	1483.05	8.17	33.95						
85	1482.94	8.09	34.04						
90	1482.67	8.00	34.04						
95	1482.48	7.92	34.06						
100	1482.28	7.83	34.11						
110	1483.05	7.95	34.23						
120	1483.48	7.98	34.35						
130	1482.98	7.80	34.37						
140	1483.33	7.80	34.52						
150	1483.65	7.80	34.64						
160	1484.07	7.83	34.75						
170	1484.34	7.86	34.74						
180	1484.62	7.89	34.74						
190	1484.93	7.93	34.75						
200	1485.29	7.98	34.75						

PLATFORM: LYNCH 66									
POSITION: 43 25N 67 0W									
MSG/MSG1: 151/37									
DATE/TIME: 19AUG82/2018									
INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL						
(M)	(M/S)	(C)	(PPT)						
0	1507.88	16.30	32.57						
5	1506.56	15.83	32.61						
10	1505.34	15.40	32.65						
15	1501.39	14.30	32.23						
20	1496.83	12.87	32.30						
25	1492.92	11.55	32.74						
30	1488.82	10.30	32.93						
35	1487.93	10.00	33.02						
40	1487.12	9.70	33.19						
45	1486.25	9.41	33.27						
50	1485.45	9.11	33.45						
55	1484.81	8.89	33.53						
60	1484.42	8.71	33.69						
65	1483.92	8.53	33.76						
70	1483.39	8.35	33.81						
75	1482.88	8.17	33.89						
80	1482.71	8.08	33.95						
85	1482.86	8.07	34.04						
90	1482.86	8.05	34.04						
95	1482.90	8.03	34.06						
100	1483.00	8.02	34.11						
110	1483.24	8.00	34.23						
120	1483.56	8.00	34.35						
130	1484.68	8.25	34.37						
140	1483.45	7.83	34.52						
150	1483.88	7.86	34.64						
160	1484.34	7.90	34.75						
170	1484.49	7.90	34.74						
180	1484.65	7.90	34.74						
190	1484.82	7.90	34.75						
200	1484.99	7.90	34.75						

PLATFORM: LYNCH 67									
POSITION: 43 26N 67 1W									
MSG/MSG1: 151/37									
DATE/TIME: 19AUG82/2218									
INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL						
(M)	(M/S)	(C)	(PPT)						
0	1506.96	16.00	32.57						
5	1505.21	15.40	32.61						
10	1501.82	14.30	32.65						
15	1497.53	13.13	32.23						
20	1494.83	12.28	32.30						
25	1492.47	11.42	32.74						
30	1489.75	10.56	32.93						
35	1486.83	9.70	33.02						
40	1485.95	9.38	33.19						
45	1484.96	9.06	33.27						
50	1484.11	8.75	33.45						
55	1483.28	8.48	33.53						
60	1483.30	8.41	33.69						
65	1483.20	8.34	33.76						
70	1483.09	8.27	33.81						
75	1482.99	8.20	33.89						
80	1482.97	8.15	33.95						
85	1482.98	8.10	34.04						
90	1482.90	8.06	34.04						
95	1482.82	8.01	34.06						
100	1483.00	8.02	34.11						
110	1483.35	8.03	34.23						
120	1482.53	7.73	34.35						
130	1482.37	7.64	34.37						
140	1482.68	7.63	34.52						
150	1483.98	7.73	34.64						
160	1483.39	7.81	34.75						
170	1484.26	7.84	34.74						
180	1484.54	7.87	34.74						
190	1484.82	7.90	34.75						
200	1484.99	7.90	34.75						

PLATFORM: LYNCH 68									
POSITION: 43 27N 66 58W									
MSG/MSG1: 151/36									
DATE/TIME: 20AUG82/0015									
INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL						
(M)	(M/S)	(C)	(PPT)						
0	1507.66	15.90	33.43						
5	1505.62	15.33	33.15						
10	1502.10	14.31	32.86						
15	1497.33	12.88	32.75						
20	1492.83	11.50	32.87						
25	1488.78	10.28	33.03						
30	1486.77	9.71	33.01						
35	1485.08	9.14	33.26						
40	1483.68	8.75	33.24						
45	1483.32	8.62	33.28						
50	1482.98	8.50	33.30						
55	1482.73	8.37	33.42						
60	1482.73	8.25	33.72						
65	1482.43	8.12	33.81						
70	1482.78	8.14	33.96						
75	1483.28	8.20	34.11						
80	1483.62	8.25	34.17						
85	1484.01	8.31	34.23						
90	1484.71	8.40	34.46						
95	1485.18	8.48	34.53						
100	1485.64	8.56	34.59						
110	1486.28	8.67	34.65						
120	1485.70	8.43	34.77						
130	1484.77	8.13	34.79						
140	1484.68	8.00	34.98						
150	1484.91	8.02	34.98						
160	1485.14	8.05	34.94						
170	1485.37	8.07	34.93						
180	1485.59	8.09	34.92						
190	1485.85	8.10	34.96						
200	1486.00	8.10	34.95						
220	1486.33	8.10	34.95						

PLATFORM LYNCH 69										PLATFORM LYNCH 70										PLATFORM LYNCH 71										PLATFORM LYNCH 72									
POSITION 43 31N 67 3W										POSITION 43 29N 67 3W										POSITION 43 25N 67 8W										POSITION 43 30N 67 17W									
MSG/MSG1 151/37										MSG/MSG1 151/37										MSG/MSG1 151/37										MSG/MSG1 151/37									
DATE/TIME 20AUG82/0215										DATE/TIME 20AUG82/0415										DATE/TIME 20AUG82/0615										DATE/TIME 20AUG82/0815									
INSTRUMENT TYPE XBT										INSTRUMENT TYPE XBT										INSTRUMENT TYPE XBT										INSTRUMENT TYPE XBT									
DEPTH SVEL TEMP SAL										DEPTH SVEL TEMP SAL										DEPTH SVEL TEMP SAL										DEPTH SVEL TEMP SAL									
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)																
0	1506.96	16.00	32.57	0	1504.13	15.10	32.57	0	1504.13	15.10	32.57	0	1504.13	15.10	32.57	0	1504.13	15.10	32.57	0	1505.36	15.42	32.76																
5	1504.58	15.20	32.61	5	1503.88	14.98	32.61	5	1503.88	14.98	32.61	5	1503.62	14.90	32.61	5	1505.01	15.31	32.69	5	1505.01	15.31	32.69																
10	1502.31	14.45	32.65	10	1502.21	14.42	32.65	10	1502.21	14.42	32.65	10	1500.61	13.93	32.65	10	1500.61	13.93	32.65	10	1504.66	15.20	32.61																
15	1498.90	13.54	32.23	15	1496.12	12.71	32.23	15	1496.12	12.71	32.23	15	1494.11	12.12	32.23	15	1494.11	12.12	32.23	15	1504.44	15.13	32.55																
20	1495.24	12.40	32.30	20	1493.87	12.00	32.30	20	1493.87	12.00	32.30	20	1490.52	11.04	32.30	20	1490.52	11.04	32.30	20	1503.34	14.76	32.54																
25	1493.44	11.70	32.74	25	1492.05	11.30	32.74	25	1492.05	11.30	32.74	25	1489.00	10.44	32.74	25	1489.00	10.44	32.74	25	1500.38	13.81	32.58																
30	1490.50	10.77	32.93	30	1488.13	10.11	32.93	30	1488.13	10.11	32.93	30	1487.23	9.86	32.93	30	1487.23	9.86	32.93	30	1495.83	13.38	32.71																
35	1487.38	9.85	33.02	35	1485.55	9.35	33.02	35	1485.55	9.35	33.02	35	1485.40	9.31	33.02	35	1485.40	9.31	33.02	35	1494.05	1.81	32.79																
40	1485.00	9.07	33.27	40	1485.36	9.22	33.19	40	1485.36	9.22	33.19	40	1484.47	8.98	33.19	40	1484.47	8.98	33.19	40	1492.92	11.37	33.05																
45	1485.00	9.07	33.27	45	1485.11	9.10	33.27	45	1485.11	9.10	33.27	45	1483.62	8.70	33.27	45	1483.62	8.70	33.27	45	1491.17	10.81	33.17																
50	1484.71	8.91	33.45	50	1484.30	8.80	33.45	50	1484.30	8.80	33.45	50	1482.42	8.30	33.45	50	1482.42	8.30	33.45	50	1489.01	10.17	33.20																
55	1484.29	8.75	33.53	55	1483.36	8.50	33.53	55	1483.36	8.50	33.53	55	1481.85	8.10	33.53	55	1481.85	8.10	33.53	55	1486.91	9.52	33.35																
60	1484.01	8.60	33.69	60	1482.51	8.20	33.69	60	1482.51	8.20	33.69	60	1482.01	8.07	33.69	60	1482.01	8.07	33.69	60	1485.68	9.13	33.45																
65	1484.11	8.58	33.76	65	1482.34	8.11	33.76	65	1482.34	8.11	33.76	65	1482.11	8.05	33.76	65	1482.11	8.05	33.76	65	1484.58	8.80	33.48																
70	1484.18	8.56	33.81	70	1482.18	8.03	33.81	70	1482.18	8.03	33.81	70	1482.14	8.02	33.81	70	1482.14	8.02	33.81	70	1483.46	8.46	33.54																
75	1484.27	8.54	33.89	75	1482.05	7.95	33.89	75	1482.05	7.95	33.89	75	1482.24	8.00	33.89	75	1482.24	8.00	33.89	75	1483.40	8.34	33.79																
80	1484.36	8.52	33.95	80	1481.91	7.87	33.95	80	1481.91	7.87	33.95	80	1482.10	7.92	33.95	80	1482.10	7.92	33.95	80	1483.29	8.26	33.88																
85	1484.48	8.50	34.04	85	1481.84	7.80	34.04	85	1481.84	7.80	34.04	85	1482.22	7.90	34.04	85	1482.22	7.90	34.04	85	1483.10	8.19	33.87																
90	1484.63	8.52	34.04	90	1481.61	7.72	34.04	90	1481.61	7.72	34.04	90	1482.29	7.90	34.04	90	1482.29	7.90	34.04	90	1482.97	8.11	33.95																
95	1484.86	8.55	34.06	95	1481.72	7.72	34.06	95	1481.72	7.72	34.06	95	1482.17	7.84	34.06	95	1482.17	7.84	34.06	95	1482.92	8.05	34.02																
100	1485.11	8.58	34.11	100	1481.97	7.75	34.11	100	1481.97	7.75	34.11	100	1481.93	7.74	34.11	100	1481.93	7.74	34.11	100	1482.87	8.00	34.07																
110	1485.69	8.65	34.23	110	1482.59	7.83	34.23	110	1482.59	7.83	34.23	110	1481.87	7.64	34.23	110	1481.87	7.64	34.23	110	1482.73	7.89	34.16																
120	1485.44	8.50	34.35	120	1483.18	7.90	34.35	120	1483.18	7.90	34.35	120	1482.03	7.60	34.35	120	1482.03	7.60	34.35	120	1482.72	7.79	34.32																
130	1485.14	8.37	34.37	130	1483.36	7.90	34.37	130	1483.36	7.90	34.37	130	1482.10	7.57	34.37	130	1482.10	7.57	34.37	130	1482.66	7.70	34.42																
140	1485.41	8.35	34.52	140	1483.48	7.84	34.52	140	1483.48	7.84	34.52	140	1483.37	7.81	34.52	140	1483.37	7.81	34.52	140	1482.52	7.60	34.48																
150	1485.62	8.32	34.64	150	1483.65	7.80	34.64	150	1483.65	7.80	34.64	150	1483.99	7.89	34.64	150	1483.99	7.89	34.64	150	1482.77	7.61	34.52																
160	1485.85	8.30	34.75	160	1483.95	7.80	34.75	160	1483.95	7.80	34.75	160	1483.95	7.80	34.75	160	1483.95	7.80	34.75	160	1483.04	7.63	34.54																
170	1486.00	8.30	34.74	170	1484.11	7.80	34.74	170	1484.11	7.80	34.74	170	1484.57	7.92	34.74	170	1484.57	7.92	34.74	170	1483.31	7.65	34.56																
180	1486.17	8.30	34.74	180	1484.27	7.80	34.74	180	1484.27	7.80	34.74	180	1484.88	7.96	34.74	180	1484.88	7.96	34.74	180	1483.57	7.67	34.58																
190	1486.33	8.30	34.75	190	1484.44	7.80	34.75	190	1484.44	7.80	34.75	190	1485.20	8.00	34.75	190	1485.20	8.00	34.75	190	1483.89	7.69	34.64																
200	1486.50	8.30	34.75	200	1484.68	7.82	34.75	200	1484.68	7.82	34.75	200	1485.21	7.96	34.75	200	1485.21	7.96	34.75	200	1484.05	7.70	34.61																
220	1486.89	8.30	34.80	220	1485.27	7.87	34.80	220	1485.27	7.87	34.80	220	1485.38	7.90	34.80	220	1485.38	7.90	34.80	220	1484.43	7.70	34.65																

PLATFORM: LYNCH 73
 POSITION: 43 33N 67 26W
 MSG/MSG1: 151/37
 DATE/TIME: 20AUG82/1015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.53 16.20 32.54
 5 1507.03 16.01 32.54
 10 1506.66 15.86 32.55
 15 1502.79 14.60 32.59
 20 1494.57 12.10 32.59
 25 1491.23 11.10 32.65
 30 1487.55 10.00 32.78
 35 1485.86 9.50 32.83
 40 1484.55 9.09 32.92
 45 1483.45 8.70 33.14
 50 1483.72 8.65 33.44
 55 1483.64 8.60 33.46
 60 1482.90 8.35 33.55
 65 1482.81 8.26 33.69
 70 1482.67 8.18 33.76
 75 1482.54 8.10 33.82
 80 1482.14 7.95 33.90
 85 1481.40 7.73 33.91
 90 1480.51 7.45 33.99
 95 1480.14 7.32 34.03
 100 1479.82 7.23 33.99
 110 1480.32 7.31 34.01
 120 1481.69 7.60 34.08
 130 1483.73 8.00 34.36
 140 1483.98 8.00 34.43
 150 1483.76 7.86 34.54
 160 1482.71 7.54 34.55
 170 1482.45 7.44 34.52
 180 1482.49 7.41 34.52
 190 1482.79 7.44 34.53
 200 1483.16 7.47 34.60
 220 1483.99 7.60 34.61

PLATFORM: LYNCH 74
 POSITION: 43 39N 67 26W
 MSG/MSG1: 151/37
 DATE/TIME: 20AUG82/1235
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.10 15.42 32.54
 5 1504.84 15.31 32.54
 10 1504.59 15.20 32.55
 15 1504.23 15.05 32.59
 20 1500.61 13.90 32.59
 25 1495.81 12.42 32.65
 30 1492.88 11.50 32.78
 35 1487.69 10.00 32.83
 40 1487.16 9.80 32.92
 45 1486.78 9.60 33.14
 50 1486.50 9.40 33.44
 55 1484.50 8.83 33.46
 60 1483.46 8.50 33.55
 65 1483.23 8.37 33.69
 70 1482.22 8.06 33.76
 75 1481.21 7.75 33.82
 80 1480.00 7.39 33.90
 85 1477.96 6.84 33.91
 90 1476.01 6.30 33.99
 95 1477.92 6.75 34.03
 100 1479.70 7.20 33.99
 110 1480.29 7.30 34.01
 120 1480.53 7.30 34.08
 130 1481.51 7.42 34.36
 140 1482.34 7.57 34.43
 150 1482.77 7.60 34.54
 160 1482.97 7.61 34.55
 170 1483.52 7.72 34.52
 180 1483.91 7.78 34.52
 190 1483.98 7.75 34.53
 200 1484.08 7.71 34.60

PLATFORM: LYNCH 75
 POSITION: 43 36N 67 29W
 MSG/MSG1: 151/37
 DATE/TIME: 20AUG82/1415
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1506.60 15.90 32.54
 5 1506.50 15.84 32.54
 10 1506.38 15.77 32.55
 15 1503.75 14.90 32.59
 20 1498.63 13.30 32.59
 25 1494.30 11.98 32.65
 30 1492.60 11.42 32.78
 35 1490.73 10.85 32.83
 40 1489.08 10.33 32.92
 45 1488.27 10.01 33.14
 50 1487.60 9.70 33.44
 55 1486.09 9.26 33.46
 60 1484.66 8.82 33.55
 65 1483.26 8.38 33.69
 70 1483.43 8.38 33.76
 75 1484.05 8.50 33.82
 80 1485.27 8.78 33.90
 85 1485.81 8.90 33.91
 90 1482.46 7.96 33.99
 95 1479.40 7.13 34.03
 100 1477.95 6.75 33.99
 110 1481.06 7.50 34.01
 120 1480.15 7.20 34.08
 130 1481.05 7.30 34.36
 140 1482.15 7.52 34.43
 150 1483.26 7.73 34.54
 160 1483.47 7.74 34.55
 170 1483.45 7.70 34.52
 180 1483.61 7.70 34.52
 190 1483.79 7.70 34.53
 200 1484.04 7.70 34.60
 220 1484.37 7.70 34.61

PLATFORM: LYNCH 76
 POSITION: 43 32N 67 35W
 MSG/MSG1: 151/37
 DATE/TIME: 20AUG82/1615
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.88 14.42 32.51
 5 1501.57 14.30 32.51
 10 1500.82 14.01 32.60
 15 1497.93 13.08 32.69
 20 1493.41 11.75 32.64
 25 1489.85 10.72 32.62
 30 1488.32 10.28 32.59
 35 1487.14 9.85 32.83
 40 1486.02 9.46 33.01
 45 1485.38 9.26 33.02
 50 1484.83 9.05 33.14
 55 1484.31 8.85 33.25
 60 1483.65 8.64 33.28
 65 1483.23 8.50 33.31
 70 1482.98 8.38 33.40
 75 1482.99 8.31 33.55
 80 1482.94 8.24 33.66
 85 1483.27 8.30 33.68
 90 1484.39 8.57 33.69
 95 1485.49 8.84 33.70
 100 1483.93 8.43 33.62
 110 1480.56 7.46 33.74
 120 1480.33 7.30 33.92
 130 1483.23 8.00 33.96
 140 1484.56 8.27 34.08
 150 1484.76 8.23 34.23
 160 1484.95 8.16 34.45
 170 1484.94 8.09 34.53
 180 1484.84 8.03 34.50
 190 1484.94 8.00 34.54
 200 1485.27 8.00 34.67
 220 1485.66 8.00 34.72

PLATFORM LYNCH 77										PLATFORM LYNCH 78										PLATFORM LYNCH 79										PLATFORM LYNCH 80									
POSITION: 43 25N 67 41W										POSITION: 43 18N 67 48W										POSITION: 43 26N 67 39W										POSITION: 43 25N 67 42W									
MSG/MSG1: 151/37										MSG/MSG1: 151/37										MSG/MSG1: 151/37										MSG/MSG1: 151/37									
DATE/TIME: 20AUG82/1815										DATE/TIME: 20AUG82/2015										DATE/TIME: 20AUG82/2215										DATE/TIME: 21AUG82/0015									
INSTRUMENT TYPE XBT										INSTRUMENT TYPE XBT										INSTRUMENT TYPE XBT										INSTRUMENT TYPE XBT									
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL																
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)																
0	1500	88	14	10	32	55		0	1506	26	16	30	31	19		0	1500	55	14	00	32	55		0	1500	94	14	12	32	55									
5	1500	73	14	02	32	57		5	1506	61	16	13	31	87		5	1500	37	13	91	32	57		5	1500	60	13	98	32	57									
10	1500	59	13	94	32	60		10	1507	25	16	05	32	55		10	1500	13	13	80	32	60		10	1500	06	13	78	32	60									
15	1500	57	13	90	32	63		15	1507	16	16	00	32	54		15	1497	92	13	10	32	63		15	1499	28	13	51	32	63									
20	1500	63	13	90	32	61		20	1500	85	14	02	32	47		20	1488	40	10	34	32	61		20	1494	11	11	96	32	61									
25	1498	78	13	32	32	60		25	1493	00	11	73	32	29		25	1486	87	9	90	32	60		25	1489	04	10	50	32	60									
30	1494	14	11	82	32	90		30	1488	10	10	20	32	65		30	1485	77	9	47	32	90		30	1486	57	9	69	32	90									
35	1490	29	10	63	33	10		35	1485	20	9	33	32	80		35	1485	02	9	18	33	10		35	1483	95	8	89	33	10									
40	1486	94	9	66	33	16		40	1484	43	8	98	33	15		40	1484	51	9	00	33	16		40	1481	17	8	11	33	16									
45	1485	64	9	23	33	32		45	1483	26	8	63	33	20		45	1484	12	8	82	33	32		45	1478	58	7	36	33	32									
50	1485	29	9	11	33	32		50	1482	48	8	40	33	20		50	1483	50	8	63	33	32		50	1476	10	6	70	33	32									
55	1485	09	9	00	33	43		55	1481	89	8	23	33	18		55	1483	30	8	52	33	43		55	1474	73	6	30	33	43									
60	1484	49	8	80	33	47		60	1481	41	8	06	33	24		60	1483	06	8	42	33	47		60	1474	87	6	30	33	47									
65	1483	76	8	60	33	43		65	1480	95	7	90	33	29		65	1482	71	8	32	33	43		65	1476	00	6	58	33	43									
70	1483	74	8	55	33	49		70	1479	94	7	63	33	25		70	1482	49	8	22	33	49		70	1473	90	6	01	33	49									
75	1483	77	8	50	33	60		75	1479	10	7	36	33	34		75	1482	52	8	17	33	60		75	1473	68	5	90	33	60									
80	1483	49	8	37	33	70		80	1478	09	7	11	33	25		80	1482	66	8	15	33	70		80	1473	89	5	90	33	70									
85	1483	11	8	22	33	79		85	1477	45	6	88	33	38		85	1482	74	8	12	33	79		85	1474	77	6	07	33	79									
90	1482	69	8	07	33	84		90	1475	67	6	38	33	47		90	1482	61	8	05	33	84		90	1478	26	6	92	33	84									
95	1482	21	7	92	33	85		95	1476	35	6	52	33	50		95	1481	91	7	84	33	85		95	1478	98	7	08	33	85									
100	1481	63	7	76	33	81		100	1478	76	7	12	33	49		100	1481	10	7	62	33	81		100	1478	90	7	05	33	81									
110	1481	22	7	43	34	36		110	1480	76	7	54	33	66		110	1480	72	7	30	34	36		110	1479	56	7	00	34	36									
120	1480	12	7	10	34	37		120	1478	24	6	78	33	86		120	1481	67	7	50	34	37		120	1479	35	6	90	34	37									
130	1479	00	6	77	34	37		130	1477	87	6	60	34	00		130	1480	32	7	11	34	37		130	1483	36	7	90	34	37									
140	1479	36	6	82	34	36		140	1479	44	6	86	34	31		140	1485	49	8	42	34	36		140	1484	58	8	18	34	36									
150	1483	87	7	93	34	42		150	1483	35	7	75	34	56		150	1484	48	8	09	34	42		150	1484	74	8	16	34	42									
160	1485	32	8	25	34	48		160	1481	35	7	30	34	20		160	1483	16	7	68	34	48		160	1483	92	7	88	34	48									
170	1484	33	7	93	34	52		170	1481	82	7	30	34	45		170	1484	25	7	91	34	52		170	1483	45	7	70	34	52									
180	1485	15	8	06	34	66		180	1482	24	7	34	34	53		180	1484	92	8	00	34	66		180	1483	05	7	51	34	66									
190	1485	24	8	03	34	69		190	1482	52	7	38	34	50		190	1485	13	8	00	34	69		190	1482	11	7	21	34	69									
200	1484	98	7	93	34	65		200	1482	87	7	40	34	59		200	1485	25	8	00	34	65		200															
220	1484	91	7	80	34	73		220	1483	32	7	40	34	68		220	1485	26	7	89	34	73		220															
240	1484	59	7	63	34	73		240	1483	67	7	40	34	70		240								240															

PLATFORM: LYNCH 81										PLATFORM: LYNCH 82										PLATFORM: LYNCH 83										PLATFORM: LYNCH 84									
POSITION: 43 30N 67 33W										POSITION: 43 27N 67 40W										POSITION: 43 23N 67 53W										POSITION: 43 18N 68 64									
MSG/MSG1: 151/37										MSG/MSG1: 151/37										MSG/MSG1: 151/37										MSG/MSG1: 151/38									
DATE/TIME: 21AUG82/0215										DATE/TIME: 21AUG82/0419										DATE/TIME: 21AUG82/0619										DATE/TIME: 21AUG82/0819									
INSTRUMENT TYPE: XBT										INSTRUMENT TYPE: XBT										INSTRUMENT TYPE: XBT										INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)								
0	1502.50	14.60	32.55	0	1500.55	14.00	32.55	0	1506.19	15.70	32.71	0	1506.19	15.70	32.71	0	1502.23	14.60	32.32	0	1502.23	14.60	32.32																
5	1502.36	14.52	32.57	5	1500.27	13.88	32.57	5	1506.05	15.63	32.71	5	1506.05	15.63	32.71	5	1501.75	14.38	32.44	5	1501.75	14.38	32.44																
10	1502.08	14.40	32.60	10	1500.09	13.79	32.60	10	1505.94	15.57	32.71	10	1505.94	15.57	32.71	10	1501.33	14.18	32.56	10	1501.33	14.18	32.56																
15	1501.35	14.14	32.63	15	1500.04	13.74	32.63	15	1505.79	15.50	32.70	15	1505.79	15.50	32.70	15	1497.43	13.00	32.50	15	1497.43	13.00	32.50																
20	1498.35	13.21	32.61	20	1498.32	13.20	32.61	20	1490.01	10.85	32.44	20	1490.01	10.85	32.44	20	1490.26	10.90	32.50	20	1490.26	10.90	32.50																
25	1493.62	11.80	32.60	25	1491.24	11.12	32.60	25	1485.72	9.62	32.49	25	1485.72	9.62	32.49	25	1483.80	9.06	32.61	25	1483.80	9.06	32.61																
30	1492.16	11.25	32.90	30	1488.46	10.21	32.90	30	1483.64	8.92	32.83	30	1483.64	8.92	32.83	30	1480.93	8.26	32.64	30	1480.93	8.26	32.64																
35	1490.53	10.70	33.10	35	1487.66	9.90	33.10	35	1481.27	8.22	32.97	35	1481.27	8.22	32.97	35	1479.18	7.73	32.80	35	1479.18	7.73	32.80																
40	1489.26	10.30	33.16	40	1486.54	9.59	33.16	40	1478.93	7.53	33.15	40	1478.93	7.53	33.15	40	1477.58	7.24	32.99	40	1477.58	7.24	32.99																
45	1488.24	9.94	33.32	45	1485.71	9.25	33.32	45	1476.54	6.83	33.34	45	1476.54	6.83	33.34	45	1477.70	7.19	32.95	45	1477.70	7.19	32.95																
50	1487.09	9.60	33.32	50	1484.66	8.94	33.32	50	1474.16	6.24	33.23	50	1474.16	6.24	33.23	50	1477.53	7.19	32.95	50	1477.53	7.19	32.95																
55	1486.05	9.26	33.43	55	1483.79	8.65	33.43	55	1473.89	6.12	33.33	55	1473.89	6.12	33.33	55	1477.46	7.14	32.98	55	1477.46	7.14	32.98																
60	1485.08	8.96	33.47	60	1482.99	8.40	33.47	60	1476.14	6.67	33.33	60	1476.14	6.67	33.33	60	1477.26	7.05	33.04	60	1477.26	7.05	33.04																
65	1484.02	8.67	33.43	65	1482.06	8.15	33.43	65	1477.07	7.02	32.91	65	1477.07	7.02	32.91	65	1476.39	6.80	33.06	65	1476.39	6.80	33.06																
70	1483.36	8.45	33.49	70	1481.51	7.96	33.49	70	1477.07	6.90	33.21	70	1477.07	6.90	33.21	70	1475.68	6.55	33.20	70	1475.68	6.55	33.20																
75	1483.09	8.32	33.60	75	1481.35	7.86	33.60	75	1475.93	6.56	33.31	75	1475.93	6.56	33.31	75	1474.81	6.30	33.23	75	1474.81	6.30	33.23																
80	1483.98	8.50	33.70	80	1480.83	7.67	33.70	80	1474.86	6.24	33.40	80	1474.86	6.24	33.40	80	1474.00	6.07	33.26	80	1474.00	6.07	33.26																
85	1485.10	8.75	33.79	85	1479.79	7.35	33.79	85	1473.96	5.97	33.47	85	1473.96	5.97	33.47	85	1473.19	5.74	33.28	85	1473.19	5.74	33.28																
90	1485.80	8.90	33.84	90	1479.51	7.24	33.84	90	1473.04	5.70	33.53	90	1473.04	5.70	33.53	90	1473.17	5.83	33.23	90	1473.17	5.83	33.23																
95	1485.90	8.90	33.85	95	1482.33	7.95	33.85	95	1473.14	5.70	33.55	95	1473.14	5.70	33.55	95	1473.47	5.88	33.24	95	1473.47	5.88	33.24																
100	1482.93	8.10	33.81	100	1483.68	8.30	33.81	100	1473.41	5.73	33.61	100	1473.41	5.73	33.61	100	1473.70	5.92	33.23	100	1473.70	5.92	33.23																
110	1480.99	7.37	34.36	110	1485.85	8.65	34.36	110	1474.04	5.80	33.75	110	1474.04	5.80	33.75	110	1474.69	6.08	33.38	110	1474.69	6.08	33.38																
120	1482.05	7.60	34.37	120	1486.58	8.80	34.37	120	1475.31	6.00	33.99	120	1475.31	6.00	33.99	120	1476.60	6.48	33.50	120	1476.60	6.48	33.50																
130	1482.83	7.76	34.37	130	1486.11	8.63	34.37	130	1476.63	6.27	34.05	130	1476.63	6.27	34.05	130	1478.03	6.77	33.60	130	1478.03	6.77	33.60																
140	1483.52	7.90	34.36	140	1484.96	8.28	34.36	140	1480.53	7.17	34.21	140	1480.53	7.17	34.21	140	1480.74	7.39	33.71	140	1480.74	7.39	33.71																
150	1483.76	7.90	34.42	150	1484.02	7.97	34.42	150	1483.81	7.88	34.53	150	1483.81	7.88	34.53	150	1480.84	7.32	33.87	150	1480.84	7.32	33.87																
160	1484.00	7.90	34.48	160	1483.92	7.88	34.48	160	1483.72	7.82	34.51	160	1483.72	7.82	34.51	160	1481.07	7.30	33.99	160	1481.07	7.30	33.99																
170	1484.06	7.86	34.52	170	1483.76	7.78	34.52	170	1483.40	7.70	34.49	170	1483.40	7.70	34.49	170	1482.05	7.47	34.12	170	1482.05	7.47	34.12																
180	1484.24	7.82	34.66	180	1483.47	7.62	34.66	180	1483.52	7.70	34.45	180	1483.52	7.70	34.45	180	1483.51	7.72	34.38	180	1483.51	7.72	34.38																
190	1484.37	7.80	34.69	190	1483.07	7.46	34.69	190	1482.53	7.40	34.45	190	1482.53	7.40	34.45	190	1483.55	7.66	34.47	190	1483.55	7.66	34.47																
200	1484.49	7.80	34.65	200	1482.88	7.38	34.65	200	1482.71	7.40	34.46	200	1482.71	7.40	34.46	200	1482.91	7.45	34.47	200	1482.91	7.45	34.47																
220	1484.91	7.80	34.73	220	1483.07	7.32	34.73	220	1483.10	7.39	34.54	220	1483.10	7.39	34.54	220	1483.24	7.33	34.58	220	1483.24	7.33	34.58																
								240	1483.24	7.33	34.58	240	1483.24	7.33	34.58	240	1483.43	7.30	34.56	240	1483.43	7.30	34.56																
								260	1483.43	7.30	34.56	260	1483.43	7.30	34.56	260	1483.43	7.30	34.56	260	1483.43	7.30	34.56																

PLATFORM LYNCH 85
 POSITION 43 23N 68 9W
 MSG/MSG1 151/38
 DATE/TIME 21AUG82/1015
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1503.41 15.60 32.32
 5 1505.39 15.52 32.44
 10 1505.39 15.45 32.56
 15 1503.98 15.00 32.50
 20 1498.58 13.32 32.50
 25 1493.21 11.68 32.61
 30 1487.52 10.04 32.64
 35 1481.73 8.40 32.90
 40 1480.05 7.93 32.81
 45 1478.59 7.47 32.99
 50 1477.22 7.11 32.95
 55 1477.69 7.20 32.98
 60 1477.46 7.10 33.04
 65 1477.57 7.10 33.06
 70 1477.60 7.04 33.20
 75 1476.70 6.78 33.23
 80 1476.42 6.68 33.26
 85 1476.18 6.59 33.28
 90 1475.83 6.50 33.23
 95 1475.70 6.44 33.24
 100 1475.57 6.39 33.23
 110 1475.57 6.30 33.38
 120 1476.08 6.35 33.50
 130 1476.57 6.40 33.60
 140 1477.07 6.45 33.71
 150 1477.60 6.49 33.87
 160 1478.65 6.68 33.99
 170 1479.77 6.88 34.12
 180 1480.66 6.98 34.38
 190 1481.31 7.08 34.47
 200 1481.56 7.10 34.47

PLATFORM LYNCH 86
 POSITION 43 29N 68 2W
 MSG/MSG1 151/38
 DATE/TIME 21AUG82/1215
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.17 13.90 32.50
 5 1499.59 13.71 32.47
 10 1498.97 13.51 32.44
 15 1498.32 13.30 32.41
 20 1487.28 10.30 31.82
 25 1480.14 8.15 31.42
 30 1477.85 7.40 32.82
 35 1477.52 7.23 33.01
 40 1477.22 7.08 33.16
 45 1476.80 7.00 33.02
 50 1476.32 6.91 32.86
 55 1476.26 6.83 32.99
 60 1476.48 6.80 33.19
 65 1476.51 6.75 33.30
 70 1476.30 6.67 33.32
 75 1476.18 6.59 33.41
 80 1476.01 6.51 33.46
 85 1475.73 6.40 33.51
 90 1475.37 6.27 33.57
 95 1475.03 6.15 33.62
 100 1474.61 6.02 33.63
 110 1475.05 6.05 33.76
 120 1475.38 6.09 33.76
 130 1475.42 6.03 33.85
 140 1475.75 6.03 33.98
 150 1476.40 6.09 34.17
 160 1477.07 6.15 34.38
 170 1477.63 6.26 34.36
 180 1478.72 6.49 34.37
 190 1479.95 6.73 34.47
 200 1481.24 7.00 34.52

PLATFORM LYNCH 87
 POSITION 43 36N 67 54W
 MSG/MSG1 151/37
 DATE/TIME 21AUG82/1415
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.10 13.80 32.72
 5 1499.69 13.65 32.72
 10 1499.11 13.45 32.72
 15 1498.48 13.24 32.71
 20 1496.68 12.74 32.54
 25 1492.87 11.70 32.27
 30 1490.36 10.73 32.94
 35 1489.12 10.28 33.17
 40 1487.92 9.91 33.21
 45 1487.21 9.61 33.46
 50 1485.98 9.30 33.31
 55 1484.25 9.00 32.75
 60 1484.44 8.87 33.22
 65 1484.22 8.75 33.35
 70 1483.83 8.62 33.35
 75 1481.96 8.08 33.42
 80 1479.73 7.43 33.56
 85 1477.34 6.81 33.52
 90 1475.05 6.20 33.54
 95 1475.04 6.14 33.66
 100 1474.89 6.09 33.63
 110 1474.94 6.03 33.73
 120 1475.48 6.05 33.96
 130 1476.32 6.16 34.15
 140 1476.99 6.27 34.20
 150 1479.42 6.81 34.32
 160 1482.02 7.42 34.37
 170 1481.87 7.33 34.40
 180 1482.01 7.30 34.47

PLATFORM LYNCH 88
 POSITION 43 41N 67 49W
 MSG/MSG1 151/37
 DATE/TIME 21AUG82/1615
 INSTRUMENT TYPE XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.62 15.20 32.72
 5 1504.22 15.05 32.72
 10 1503.83 14.90 32.72
 15 1501.90 14.28 32.71
 20 1499.56 13.60 32.54
 25 1495.96 12.60 32.27
 30 1492.16 11.24 32.94
 35 1489.30 10.33 33.17
 40 1487.81 9.88 33.21
 45 1486.95 9.54 33.46
 50 1485.87 9.27 33.31
 55 1484.25 9.00 32.75
 60 1484.14 8.79 33.22
 65 1483.66 8.60 33.35
 70 1483.11 8.43 33.35
 75 1482.64 8.26 33.42
 80 1482.29 8.10 33.56
 85 1481.67 7.93 33.52
 90 1481.29 7.80 33.54
 95 1481.02 7.67 33.66
 100 1480.61 7.55 33.63
 110 1480.12 7.35 33.73
 120 1479.34 7.03 33.96
 130 1475.87 6.30 34.15
 140 1477.50 6.40 34.20
 150 1482.86 7.70 34.32
 160 1483.86 7.90 34.37
 170 1483.45 7.74 34.40
 180 1483.09 7.58 34.47
 190 1482.85 7.46 34.52
 200 1482.91 7.40 34.62
 220 1483.17 7.40 34.57

PLATFORM:	LYNCH	89	PLATFORM:	LYNCH	90	PLATFORM:	LYNCH	91	PLATFORM:	LYNCH	92
POSITION:	43 40N 67 43W		POSITION:	43 45N 67 42W		POSITION:	43 59N 67 39W		POSITION:	43 60N 67 27W	
MSG/MSG1:	151/37		MSG/MSG1:	151/37		MSG/MSG1:	151/37		MSG/MSG1:	151/37	
DATE/TIME:	21AUG82/1815		DATE/TIME:	21AUG82/2015		DATE/TIME:	21AUG82/2243		DATE/TIME:	22AUG82/0050	
INSTRUMENT TYPE:	XBT		INSTRUMENT TYPE:	XBT		INSTRUMENT TYPE:	XBT		INSTRUMENT TYPE:	XBT	
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)
0	1507.12	16.00	32.72	0	1507.58	16.20	32.58	0	1501.55	14.16	32.95
5	1506.52	15.78	32.72	5	1506.74	15.92	32.53	5	1500.59	13.85	32.92
10	1503.03	14.65	32.72	10	1505.61	15.55	32.48	10	1499.62	13.54	32.90
15	1498.01	13.10	32.71	15	1504.61	15.17	32.58	15	1498.71	13.25	32.87
20	1493.05	11.68	32.54	20	1501.98	14.30	32.65	20	1497.80	12.97	32.82
25	1488.71	10.52	32.27	25	1494.46	11.96	32.84	25	1497.18	12.67	33.08
30	1488.21	10.13	32.94	30	1490.25	10.75	32.79	30	1496.05	12.35	32.98
35	1487.20	9.75	33.17	35	1489.75	10.55	32.90	35	1494.79	11.98	32.92
40	1486.24	9.45	33.21	40	1488.36	10.44	32.02	40	1492.88	11.39	32.96
45	1485.70	9.20	33.46	45	1489.29	10.32	33.06	45	1490.93	10.80	33.00
50	1484.68	8.95	33.31	50	1488.89	10.20	33.02	50	1488.48	10.09	33.01
55	1483.06	8.68	32.75	55	1487.94	9.87	33.15	55	1486.09	9.38	33.10
60	1482.68	8.40	33.22	60	1483.82	8.72	33.18	60	1484.84	8.95	33.31
65	1481.82	8.11	33.35	65	1481.73	8.10	33.31	65	1484.07	8.70	33.38
70	1481.18	7.92	33.35	70	1480.39	7.71	33.36	70	1483.32	8.45	33.46
75	1480.89	7.80	33.42	75	1479.63	7.48	33.39	75	1482.50	8.20	33.49
80	1480.73	7.69	33.56	80	1479.08	7.30	33.45	80	1481.92	8.02	33.51
85	1480.29	7.57	33.52	85	1478.12	7.00	33.54	85	1481.58	7.90	33.54
90	1480.10	7.49	33.54	90	1476.84	6.63	33.62	90	1481.29	7.77	33.64
95	1480.25	7.47	33.66	95	1477.67	6.78	33.74	95	1480.64	7.58	33.63
100	1480.22	7.45	33.63	100	1479.23	7.11	33.89	100	1479.69	7.30	33.67
110	1480.31	7.40	33.73	110	1485.91	8.72	34.20	110	1477.98	6.80	33.73
120	1477.34	6.52	33.96	120	1482.58	7.74	34.36	120	1478.62	6.87	33.89
130	1476.87	6.30	34.15	130	1482.59	7.70	34.36	130	1479.49	7.02	33.98
140	1477.10	6.30	34.20	140	1483.34	7.88	34.28	140	1480.63	7.20	34.20
150	1478.80	6.45	34.32	150	1485.11	8.28	34.36	150	1481.40	7.33	34.28
160	1480.98	7.15	34.37	160	1485.17	8.21	34.48	160	1482.13	7.47	34.31
170	1482.07	7.38	34.40	170	1485.21	8.16	34.54	170	1483.09	7.61	34.51
180	1482.82	7.51	34.47	180	1485.18	8.10	34.56	180	1483.76	7.74	34.52
190	1483.42	7.61	34.52	190	1485.40	8.10	34.61	190	1484.48	7.88	34.54
200	1483.91	7.66	34.62					200	1485.22	8.01	34.60
220	1484.55	7.76	34.57					220	1484.64	7.75	34.67

PLATFORM: LYNCH 93
 POSITION: 43 52N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0223
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1503.03 14.70 32.72
 5 1502.25 14.43 32.73
 10 1501.46 14.16 32.73
 15 1500.14 13.73 32.73
 20 1497.82 13.06 32.59
 25 1494.01 11.85 32.78
 30 1489.14 10.46 32.73
 35 1486.91 9.84 32.67
 40 1486.23 9.55 32.91
 45 1485.59 9.25 33.21
 50 1485.37 9.15 33.28
 55 1485.40 9.10 33.38
 60 1485.53 9.04 33.59
 65 1485.49 8.99 33.64
 70 1485.54 8.97 33.68
 75 1485.78 8.95 33.87
 80 1485.87 8.93 33.93
 85 1485.91 8.91 33.96
 90 1486.15 8.90 34.12
 95 1486.30 8.88 34.23
 100 1486.38 8.86 34.29
 110 1486.71 8.83 34.51
 120 1486.88 8.79 34.64
 130 1486.83 8.72 34.67
 140 1486.79 8.66 34.69
 150 1486.74 8.60 34.69
 160 1486.61 8.52 34.70
 170 1486.56 8.45 34.74
 180 1486.55 8.40 34.75
 190 1486.77 8.40 34.80
 200 1486.97 8.40 34.83
 220 1487.32 8.40 34.84

PLATFORM: LYNCH 94
 POSITION: 43 52N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0341
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.39 14.21 32.67
 5 1501.21 14.13 32.67
 10 1500.60 13.92 32.67
 15 1496.98 12.80 32.68
 20 1493.15 11.65 32.71
 25 1492.31 11.29 32.98
 30 1491.35 10.87 33.33
 35 1488.77 10.22 33.06
 40 1487.57 9.84 33.14
 45 1486.62 9.52 33.24
 50 1485.05 9.06 33.28
 55 1483.06 8.51 33.27
 60 1483.02 8.42 33.44
 65 1483.28 8.46 33.46
 70 1484.17 8.49 34.02
 75 1481.50 7.93 33.51
 80 1479.03 7.22 33.66
 85 1477.67 6.82 33.74
 90 1478.06 6.90 33.74
 95 1478.81 6.97 34.05
 100 1479.90 7.25 33.99
 110 1483.55 8.10 34.17
 120 1484.66 8.30 34.33
 130 1483.58 7.96 34.36
 140 1483.04 7.80 34.28
 150 1483.07 7.72 34.42
 160 1482.90 7.63 34.43
 170 1484.43 7.96 34.51
 180 1485.77 8.23 34.64
 190 1486.41 8.33 34.72
 200 1486.67 8.32 34.83
 220 1485.60 7.95 34.83

PLATFORM: LYNCH 95
 POSITION: 43 52N 67 49W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0516
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1499.39 13.60 32.67
 5 1497.81 13.10 32.67
 10 1495.52 12.40 32.67
 15 1492.17 11.40 32.68
 20 1489.70 10.67 32.71
 25 1487.49 9.94 32.98
 30 1487.51 9.80 33.33
 35 1487.25 9.80 33.06
 40 1487.35 9.78 33.14
 45 1487.49 9.76 33.24
 50 1487.51 9.73 33.28
 55 1487.51 9.71 33.27
 60 1486.56 9.37 33.44
 65 1484.67 8.83 33.46
 70 1483.57 8.33 34.02
 75 1481.77 8.00 33.51
 80 1480.73 7.66 33.66
 85 1480.34 7.51 33.74
 90 1480.00 7.40 33.74
 95 1480.02 7.28 34.05
 100 1479.59 7.17 33.99
 110 1479.13 6.95 34.17
 120 1478.59 6.72 34.33
 130 1479.00 6.77 34.36
 140 1479.41 6.86 34.28
 150 1481.68 7.36 34.42
 160 1484.04 7.93 34.43
 170 1484.80 8.06 34.51
 180 1485.28 8.10 34.64

PLATFORM: LYNCH 96
 POSITION: 43 44N 67 60W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0654
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1498.71 13.30 32.93
 5 1498.48 13.22 32.90
 10 1498.29 13.15 32.86
 15 1498.03 13.06 32.83
 20 1497.12 12.78 32.79
 25 1493.35 11.65 32.81
 30 1489.06 10.43 32.75
 35 1486.10 9.56 32.84
 40 1485.24 9.23 33.06
 45 1484.17 8.90 33.12
 50 1483.17 8.59 33.18
 55 1482.15 8.28 33.24
 60 1481.56 8.07 33.33
 65 1481.52 8.01 33.41
 70 1481.48 7.95 33.50
 75 1481.30 7.85 33.59
 80 1480.49 7.62 33.59
 85 1479.70 7.38 33.63
 90 1478.96 7.16 33.66
 95 1478.28 6.96 33.67
 100 1477.70 6.77 33.73
 110 1477.57 6.66 33.83
 120 1477.70 6.62 33.93
 130 1478.35 6.70 34.07
 140 1479.90 6.95 34.39
 150 1480.49 7.08 34.33
 160 1480.56 7.03 34.41
 170 1480.61 7.00 34.41
 180 1480.77 7.00 34.41

PLATFORM: LYNCH 97
 POSITION: 43 44N 67 49W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0843
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1497.88 13.10 32.80
 5 1497.96 13.10 32.80
 10 1497.98 13.08 32.80
 15 1498.00 13.05 32.83
 20 1497.96 13.02 32.82
 25 1497.56 12.96 32.58
 30 1497.33 12.76 32.89
 35 1496.83 12.57 32.94
 40 1493.71 11.60 33.04
 45 1489.49 10.36 33.11
 50 1487.35 9.73 33.15
 55 1486.58 9.45 33.29
 60 1485.60 9.10 33.48
 65 1484.34 8.74 33.47
 70 1483.62 8.50 33.55
 75 1483.20 8.35 33.60
 80 1482.70 8.19 33.61
 85 1482.42 8.05 33.75
 90 1482.06 7.92 33.79
 95 1481.67 7.80 33.78
 100 1481.25 7.67 33.77
 110 1479.06 7.05 33.81
 120 1476.97 6.44 33.92
 130 1476.47 6.24 34.02
 140 1477.10 6.28 34.26
 150 1477.92 6.38 34.47
 160 1481.79 7.30 34.55
 170 1481.93 7.30 34.54
 180 1482.11 7.30 34.55
 190 1482.27 7.30 34.55
 200 1482.47 7.30 34.57

PLATFORM: LYNCH 99
 POSITION: 43 44N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/1010
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.29 15.10 32.70
 5 1504.21 15.05 32.70
 10 1504.13 15.00 32.70
 15 1504.02 14.94 32.71
 20 1502.89 14.55 32.74
 25 1497.90 13.02 32.70
 30 1493.46 11.83 32.31
 35 1492.13 11.16 33.08
 40 1490.48 10.61 33.25
 45 1489.49 10.27 33.36
 50 1488.95 10.07 33.44
 55 1488.42 9.86 33.57
 60 1488.07 9.67 33.78
 65 1487.86 9.57 33.84
 70 1487.59 9.46 33.87
 75 1487.40 9.36 33.95
 80 1487.09 9.20 34.11
 85 1486.43 8.97 34.19
 90 1485.63 8.73 34.20
 95 1484.75 8.50 34.12
 100 1485.18 8.54 34.28
 110 1485.91 8.63 34.47
 120 1486.48 8.70 34.58
 130 1486.67 8.70 34.60
 140 1486.96 8.70 34.71
 150 1486.95 8.63 34.77
 160 1486.59 8.51 34.71
 170 1486.59 8.46 34.74
 180 1486.62 8.42 34.75
 190 1486.70 8.40 34.74
 200 1486.96 8.40 34.82
 220 1487.24 8.39 34.81
 240 1487.24 8.30 34.81

PLATFORM: LYNCH 100
 POSITION: 43 43N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/1123
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.15 14.10 32.77
 5 1500.99 14.03 32.76
 10 1500.95 14.00 32.75
 15 1501.04 14.00 32.75
 20 1496.40 12.57 32.78
 25 1493.56 11.73 32.75
 30 1491.46 11.10 32.77
 35 1486.59 9.60 33.12
 40 1484.97 9.11 33.20
 45 1483.57 8.66 33.35
 50 1482.34 8.31 33.35
 55 1482.72 8.38 33.38
 60 1483.16 8.44 33.49
 65 1483.62 8.48 33.67
 70 1483.71 8.41 33.89
 75 1483.64 8.35 33.95
 80 1483.52 8.28 34.00
 85 1483.40 8.21 34.05
 90 1483.71 8.23 34.17
 95 1483.95 8.28 34.15
 100 1484.42 8.33 34.31
 110 1485.06 8.40 34.47
 120 1484.95 8.30 34.56
 130 1484.31 8.06 34.64
 140 1483.33 7.80 34.52
 150 1483.56 7.80 34.57
 160 1483.75 7.80 34.59
 170 1483.89 7.80 34.57

PLATFORM: LYNCH 101
 POSITION: 43 44N 67 16W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/1235
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.49 15.50 32.66
 5 1504.00 15.00 32.66
 10 1500.85 14.00 32.66
 15 1497.62 13.00 32.66
 20 1496.78 12.73 32.65
 25 1495.04 12.23 32.55
 30 1492.70 11.46 32.75
 35 1490.21 10.70 32.83
 40 1488.30 10.13 32.88
 45 1486.80 9.62 33.10
 50 1485.52 9.20 33.24
 55 1484.12 8.77 33.33
 60 1482.67 8.34 33.40
 65 1481.60 7.95 33.66
 70 1480.57 7.70 33.54
 75 1480.16 7.52 33.70
 80 1481.16 7.72 33.81
 85 1481.43 7.78 33.78
 90 1481.27 7.64 34.02
 95 1481.32 7.60 34.11
 100 1481.54 7.60 34.22
 110 1481.48 7.51 34.32
 120 1483.99 8.50 34.79

PLATFORM: LYNCH 102				PLATFORM: LYNCH 103				PLATFORM: LYNCH 104				PLATFORM: LYNCH 105			
POSITION: 43 36N 67 6W				POSITION: 43 36N 67 16W				POSITION: 43 36N 67 26W				POSITION: 43 36N 67 38W			
MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37			
DATE/TIME: 22AUG82/1422				DATE/TIME: 22AUG82/1528				DATE/TIME: 22AUG82/1637				DATE/TIME: 22AUG82/1813			
INSTRUMENT TYPE: XBT				INSTRUMENT TYPE: XBT				INSTRUMENT TYPE: XBT				INSTRUMENT TYPE: XBT			
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)
0	1503.24	14.80	32.63	0	1503.00	14.70	32.70	0	1504.41	15.20	32.54	0	1503.74	15.00	32.51
5	1500.67	13.98	32.63	5	1501.81	14.32	32.66	5	1503.88	15.01	32.54	5	1503.73	14.97	32.51
10	1498.95	13.43	32.64	10	1500.87	14.02	32.62	10	1503.51	14.86	32.55	10	1503.69	14.90	32.60
15	1497.40	12.94	32.64	15	1499.26	13.52	32.58	15	1503.11	14.70	32.59	15	1501.62	14.20	32.69
20	1496.18	12.56	32.63	20	1497.34	12.90	32.64	20	1499.75	13.64	32.59	20	1499.17	13.45	32.64
25	1494.95	12.17	32.65	25	1491.07	11.05	32.66	25	1493.09	11.63	32.65	25	1495.12	12.23	32.62
30	1491.58	11.16	32.69	30	1487.14	9.94	32.63	30	1490.34	10.78	32.78	30	1490.54	10.90	32.59
35	1488.58	10.30	32.67	35	1486.99	9.80	32.85	35	1487.50	9.95	32.83	35	1489.41	10.48	32.83
40	1486.28	9.63	32.72	40	1486.91	9.65	33.16	40	1484.96	9.20	32.92	40	1488.46	10.13	33.01
45	1484.44	9.06	32.86	45	1485.65	9.26	33.24	45	1485.89	9.36	33.14	45	1487.36	9.80	33.02
50	1483.99	8.88	32.97	50	1483.74	8.71	33.28	50	1485.02	9.00	33.44	50	1486.31	9.45	33.14
55	1483.70	8.70	33.21	55	1483.43	8.54	33.47	55	1483.26	8.50	33.46	55	1485.24	9.10	33.25
60	1483.86	8.61	33.54	60	1483.37	8.47	33.57	60	1482.71	8.30	33.55	60	1484.06	8.75	33.28
65	1484.28	8.66	33.67	65	1483.23	8.40	33.60	65	1483.08	8.33	33.69	65	1482.86	8.40	33.31
70	1484.53	8.70	33.67	70	1483.13	8.34	33.64	70	1483.43	8.38	33.76	70	1482.49	8.25	33.40
75	1485.09	8.74	33.94	75	1483.08	8.28	33.71	75	1482.54	8.10	33.82	75	1481.89	8.02	33.55
80	1485.37	8.79	33.95	80	1483.20	8.23	33.90	80	1482.71	8.10	33.90	80	1481.27	7.80	33.66
85	1485.31	8.75	33.96	85	1483.20	8.18	33.98	85	1481.86	7.85	33.91	85	1480.76	7.64	33.68
90	1485.30	8.70	34.03	90	1483.10	8.13	34.05	90	1480.01	7.32	33.99	90	1479.79	7.36	33.69
95	1485.32	8.65	34.13	95	1483.10	8.08	34.07	95	1479.67	7.20	34.03	95	1477.86	6.84	33.70
100	1485.23	8.60	34.14	100	1483.19	8.03	34.23	100	1479.70	7.20	33.99	100	1475.71	6.30	33.62
110	1485.24	8.50	34.32	110	1483.07	7.95	34.24	110	1477.56	6.60	34.01	110	1476.19	6.34	33.74
120	1485.15	8.40	34.41	120	1483.07	7.90	34.27	120	1479.21	6.96	34.08	120	1476.73	6.38	33.92
130	1485.01	8.26	34.59	130	1483.45	7.90	34.44	130	1481.47	7.41	34.36	130	1477.59	6.54	33.96
140	1484.56	8.11	34.55	140	1483.79	7.90	34.58	140	1481.96	7.47	34.43	140	1479.11	6.85	34.08
150	1484.36	7.97	34.69	150	1484.05	7.90	34.65	150	1482.27	7.47	34.54	150	1481.40	7.35	34.23
160	1483.92	7.82	34.67	160	1484.18	7.90	34.63	160	1482.28	7.43	34.55	160	1482.82	7.60	34.45
170	1484.06	7.80	34.71	170	1484.36	7.90	34.64	170	1482.30	7.40	34.52	170	1484.22	7.90	34.53
180	1484.19	7.80	34.68	180	1484.55	7.90	34.74	180	1482.46	7.40	34.52	180	1484.04	7.82	34.50
190	1484.36	7.80	34.68					190	1482.64	7.40	34.53	190	1484.37	7.85	34.54
200	1484.57	7.80	34.72					200	1482.89	7.40	34.60	200	1484.96	7.92	34.67
								220	1483.22	7.40	34.61	220	1485.85	8.05	34.72

PLATFORM: LYNCH 106
 POSITION: 43 36N 67 49W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/1941
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.54 14.55 32.72
 5 1501.81 14.30 32.72
 10 1499.54 13.58 32.72
 15 1494.45 12.05 32.71
 20 1488.96 10.52 32.54
 25 1486.21 9.83 32.27
 30 1484.56 9.13 32.94
 35 1483.40 8.72 33.17
 40 1482.22 8.37 33.21
 45 1478.17 7.21 33.46
 50 1474.11 6.20 33.31
 55 1472.35 5.92 32.75
 60 1472.55 5.80 33.22
 65 1472.27 5.67 33.35
 70 1472.12 5.61 33.35
 75 1472.45 5.65 33.42
 80 1472.87 5.69 33.56
 85 1473.06 5.73 33.52
 90 1473.29 5.76 33.54
 95 1473.76 5.82 33.66
 100 1474.37 5.96 33.63
 110 1475.70 6.22 33.73
 120 1477.22 6.49 33.96
 130 1479.31 6.92 34.15
 140 1481.52 7.43 34.20
 150 1481.79 7.42 34.32
 160 1481.67 7.33 34.37
 170 1481.76 7.30 34.40
 180 1482.01 7.30 34.47
 190 1482.23 7.30 34.52

PLATFORM: LYNCH 107
 POSITION: 43 36N 68 0W
 MSG/MSG1: 151/38
 DATE/TIME: 22AUG82/2101
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.29 14.20 32.62
 5 1501.09 14.13 32.57
 10 1498.67 13.41 32.46
 15 1492.70 11.70 32.26
 20 1491.55 11.20 32.69
 25 1490.25 10.70 33.00
 30 1488.68 10.20 33.12
 35 1487.26 9.77 33.16
 40 1486.10 9.41 33.22
 45 1484.94 9.04 33.32
 50 1483.13 8.67 32.91
 55 1479.16 7.56 33.04
 60 1475.80 6.70 32.96
 65 1473.93 6.16 33.11
 70 1475.08 6.38 33.26
 75 1474.76 6.29 33.23
 80 1474.55 6.20 33.28
 85 1473.85 5.91 33.57
 90 1473.88 5.92 33.50
 95 1474.13 5.94 33.57
 100 1474.48 5.96 33.72
 110 1475.02 5.99 33.92
 120 1475.84 6.12 34.03
 130 1476.49 6.25 34.01
 140 1477.54 6.45 34.08
 150 1478.74 6.68 34.18
 160 1479.75 6.87 34.26
 170 1480.74 7.01 34.49
 180 1481.58 7.14 34.62
 190 1482.10 7.20 34.72

PLATFORM: LYNCH 108
 POSITION: 43 28N 68 11W
 MSG/MSG1: 151/38
 DATE/TIME: 22AUG82/2249
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.12 14.50 32.50
 5 1502.10 14.48 32.47
 10 1502.05 14.45 32.44
 15 1502.00 14.42 32.41
 20 1501.22 14.37 31.82
 25 1501.52 14.22 32.42
 30 1498.22 13.05 32.82
 35 1493.48 11.57 33.01
 40 1487.89 9.92 33.16
 45 1483.97 8.88 33.02
 50 1480.46 7.98 32.86
 55 1479.40 7.64 32.99
 60 1479.01 7.45 33.19
 65 1478.46 7.25 33.30
 70 1477.87 7.07 33.32
 75 1477.59 6.95 33.41
 80 1477.27 6.83 33.46
 85 1476.95 6.71 33.51
 90 1476.63 6.59 33.57
 95 1476.37 6.49 33.62
 100 1476.40 6.47 33.63
 110 1476.60 6.44 33.76
 120 1476.61 6.40 33.76
 130 1476.97 6.42 33.85
 140 1477.41 6.45 33.98
 150 1477.94 6.48 34.17
 160 1478.45 6.50 34.38
 170 1478.58 6.50 34.36

PLATFORM: LYNCH 109
 POSITION: 43 28N 67 60W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0007
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.77 14.70 32.50
 5 1502.01 14.45 32.47
 10 1501.76 14.36 32.44
 15 1501.67 14.32 32.41
 20 1496.35 12.90 31.82
 25 1491.65 11.30 32.42
 30 1488.67 10.30 32.82
 35 1483.57 8.82 33.01
 40 1482.46 8.45 33.16
 45 1482.06 8.37 33.02
 50 1481.67 8.30 32.86
 55 1481.35 8.15 32.99
 60 1480.36 7.80 33.19
 65 1478.65 7.30 33.30
 70 1476.69 6.77 33.32
 75 1474.72 6.22 33.41
 80 1473.83 5.96 33.46
 85 1473.74 5.90 33.51
 90 1473.93 5.91 33.57
 95 1474.11 5.92 33.62
 100 1474.25 5.93 33.63
 110 1474.69 5.96 33.76
 120 1474.94 5.98 33.76
 130 1475.50 6.05 33.85
 140 1476.26 6.16 33.98
 150 1477.39 6.34 34.17
 160 1479.08 6.66 34.38
 170 1480.77 7.06 34.36
 180 1482.53 7.47 34.37
 190 1484.20 7.83 34.47
 200 1484.39 7.82 34.52
 220 1483.80 7.57 34.55
 240 1484.13 7.57 34.55

PLATFORM: LYNCH 110
 POSITION: 43 28N 67 48W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0123
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.75 14.00 32.71
 5 1500.51 13.90 32.71
 10 1495.78 12.46 32.71
 15 1491.17 11.11 32.70
 20 1487.10 10.04 32.44
 25 1484.91 9.40 32.49
 30 1483.08 8.77 32.83
 35 1481.84 8.37 32.97
 40 1481.87 8.30 33.15
 45 1481.97 8.24 33.34
 50 1481.08 8.02 33.23
 55 1479.68 7.60 33.33
 60 1477.82 7.10 33.33
 65 1475.78 6.69 32.91
 70 1476.16 6.67 33.21
 75 1476.29 6.65 33.31
 80 1476.40 6.63 33.40
 85 1476.50 6.61 33.47
 90 1476.58 6.59 33.53
 95 1476.48 6.54 33.55
 100 1476.44 6.49 33.61
 110 1476.43 6.40 33.75
 120 1476.50 6.30 33.99
 130 1477.94 6.60 34.05
 140 1480.06 7.05 34.21
 150 1482.55 7.55 34.53
 160 1483.64 7.80 34.51
 170 1483.94 7.84 34.49
 180 1483.71 7.75 34.45
 190 1483.49 7.65 34.45
 200 1482.90 7.45 34.46

PLATFORM: LYNCH 111
 POSITION: 43 29N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0228
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.48 15.22 32.55
 5 1504.21 15.10 32.57
 10 1501.76 14.30 32.60
 15 1496.30 12.62 32.63
 20 1490.68 10.98 32.61
 25 1487.89 10.18 32.60
 30 1485.95 9.52 32.90
 35 1484.61 9.07 33.10
 40 1482.46 8.45 33.16
 45 1482.17 8.30 33.32
 50 1482.26 8.30 33.32
 55 1480.92 7.89 33.43
 60 1480.86 7.84 33.47
 65 1480.58 7.76 33.43
 70 1480.17 7.61 33.49
 75 1479.77 7.45 33.60
 80 1479.37 7.29 33.70
 85 1478.51 7.02 33.79
 90 1475.82 6.30 33.84
 95 1477.50 6.70 33.85
 100 1478.70 7.00 33.81
 110 1478.39 6.70 34.36
 120 1478.56 6.70 34.37
 130 1481.25 7.35 34.37
 140 1482.41 7.61 34.36
 150 1482.80 7.65 34.42
 160 1483.20 7.69 34.48
 170 1484.59 8.00 34.52
 180 1485.30 8.10 34.66
 190 1485.13 8.00 34.69
 200 1485.25 8.00 34.65

PLATFORM: LYNCH 112
 POSITION: 43 28N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0341
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.47 15.20 32.59
 5 1504.29 15.12 32.59
 10 1504.31 15.10 32.59
 15 1502.52 14.52 32.58
 20 1498.27 13.30 32.30
 25 1498.25 13.18 32.54
 30 1496.41 12.72 32.24
 35 1490.58 10.85 32.70
 40 1487.73 9.90 33.09
 45 1486.83 9.59 33.21
 50 1486.30 9.37 33.36
 55 1486.23 9.30 33.45
 60 1486.08 9.22 33.50
 65 1485.68 9.07 33.56
 70 1485.07 8.85 33.66
 75 1484.59 8.64 33.84
 80 1484.50 8.56 33.94
 85 1484.44 8.51 33.97
 90 1485.03 8.65 33.97
 95 1485.32 8.70 33.98
 100 1485.11 8.65 33.90
 110 1482.63 7.90 34.04
 120 1481.44 7.50 34.19
 130 1481.43 7.41 34.33
 140 1482.48 7.60 34.45
 150 1482.69 7.60 34.48
 160 1482.27 7.44 34.51

PLATFORM: LYNCH 113
 POSITION: 43 29N 67 16W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0446
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.46 14.51 32.76
 5 1502.20 14.43 32.69
 10 1502.26 14.45 32.61
 15 1502.10 14.40 32.55
 20 1500.55 13.90 32.54
 25 1499.55 13.56 32.58
 30 1493.14 11.60 32.71
 35 1487.53 9.97 32.79
 40 1483.89 8.87 33.05
 45 1482.92 8.55 33.17
 50 1481.96 8.26 33.20
 55 1481.61 8.10 33.35
 60 1481.06 7.90 33.45
 65 1481.30 7.93 33.48
 70 1481.61 7.97 33.54
 75 1481.81 7.92 33.79
 80 1480.67 7.57 33.88
 85 1480.16 7.42 33.87
 90 1479.99 7.33 33.95
 95 1479.59 7.18 34.02
 100 1479.03 7.00 34.07
 110 1479.50 7.05 34.16
 120 1480.30 7.16 34.32
 130 1481.97 7.52 34.42
 140 1482.71 7.65 34.48
 150 1483.19 7.72 34.52
 160 1483.61 7.78 34.54
 170 1483.96 7.82 34.56
 180 1484.25 7.85 34.58
 190 1484.61 7.88 34.64
 200 1484.66 7.86 34.61

PLATFORM	LYNCH	114	115	116	117
POSITION	43 28N	43 28N	43 28N	43 28N	43 28N
MSG/MSG1	151/37	151/36	151/36	151/37	151/37
DATE/TIME	23AUG82/0557	23AUG82/0708	23AUG82/0818	23AUG82/1003	23AUG82/1003
INSTRUMENT	TYPE XBT	TYPE XBT	TYPE XBT	TYPE XBT	TYPE XBT
DEPTH SVEL	TEMP	TEMP	TEMP	TEMP	TEMP
(M)	(M/S)	(C)	(C)	(C)	(C)
SAL	(PPT)	(PPT)	(PPT)	(PPT)	(PPT)
0	1501.56	14.30	14.60	14.40	14.40
5	1501.24	14.16	14.33	14.20	14.27
10	1501.20	14.11	14.32	14.00	14.27
15	1497.90	13.24	13.57	13.40	13.84
20	1493.56	11.91	13.30	12.91	12.92
25	1490.89	10.97	13.03	12.10	12.92
30	1489.29	10.43	13.03	11.29	12.55
35	1488.47	10.15	13.02	10.48	12.55
40	1487.38	9.77	13.19	9.70	12.89
45	1486.07	9.36	13.27	9.33	12.97
50	1484.89	8.96	13.45	8.91	13.04
55	1484.48	8.80	13.53	8.55	13.12
60	1484.61	8.76	13.69	8.47	13.33
65	1484.44	8.67	13.76	8.41	13.40
70	1484.22	8.57	13.81	8.42	13.50
75	1484.05	8.48	13.89	8.44	13.54
80	1483.88	8.39	13.95	8.45	13.59
85	1483.73	8.30	14.04	8.47	13.65
90	1483.35	8.18	14.04	8.48	13.78
95	1483.01	8.06	14.06	8.50	13.85
100	1482.92	8.00	14.11	8.60	14.03
110	1483.24	8.00	14.23	8.80	14.34
120	1483.56	8.00	14.35	8.89	14.53
130	1483.74	8.00	14.37	8.90	14.68
140	1484.09	8.00	14.52	8.88	14.79
150	1484.41	8.00	14.64	8.68	14.91
160	1484.71	8.00	14.75	8.60	15.04
170	1484.95	8.02	14.74	8.60	15.16
180	1485.26	8.06	14.74	8.60	15.25
190	1485.58	8.10	14.75	8.60	15.34
200	1485.74	8.10	14.75	8.60	15.43
220	1486.14	8.10	14.80	8.60	15.78

PLATFORM	LYNCH	114	115	116	117
POSITION	43 28N	43 28N	43 28N	43 28N	43 28N
MSG/MSG1	151/37	151/36	151/36	151/37	151/37
DATE/TIME	23AUG82/0557	23AUG82/0708	23AUG82/0818	23AUG82/1003	23AUG82/1003
INSTRUMENT	TYPE XBT	TYPE XBT	TYPE XBT	TYPE XBT	TYPE XBT
DEPTH SVEL	TEMP	TEMP	TEMP	TEMP	TEMP
(M)	(M/S)	(C)	(C)	(C)	(C)
SAL	(PPT)	(PPT)	(PPT)	(PPT)	(PPT)
0	1501.56	14.30	14.60	14.40	14.40
5	1501.24	14.16	14.33	14.20	14.27
10	1501.20	14.11	14.32	14.00	14.27
15	1497.90	13.24	13.57	13.40	13.84
20	1493.56	11.91	13.30	12.91	12.92
25	1490.89	10.97	13.03	12.10	12.92
30	1489.29	10.43	13.03	11.29	12.55
35	1488.47	10.15	13.02	10.48	12.55
40	1487.38	9.77	13.19	9.70	12.89
45	1486.07	9.36	13.27	9.33	12.97
50	1484.89	8.96	13.45	8.91	13.04
55	1484.48	8.80	13.53	8.55	13.12
60	1484.61	8.76	13.69	8.47	13.33
65	1484.44	8.67	13.76	8.41	13.40
70	1484.22	8.57	13.81	8.42	13.50
75	1484.05	8.48	13.89	8.44	13.54
80	1483.88	8.39	13.95	8.45	13.59
85	1483.73	8.30	14.04	8.47	13.65
90	1483.35	8.18	14.04	8.48	13.78
95	1483.01	8.06	14.06	8.50	13.85
100	1482.92	8.00	14.11	8.60	14.03
110	1483.24	8.00	14.23	8.80	14.34
120	1483.56	8.00	14.35	8.89	14.53
130	1483.74	8.00	14.37	8.90	14.68
140	1484.09	8.00	14.52	8.88	14.79
150	1484.41	8.00	14.64	8.68	14.91
160	1484.71	8.00	14.75	8.60	15.04
170	1484.95	8.02	14.74	8.60	15.16
180	1485.26	8.06	14.74	8.60	15.25
190	1485.58	8.10	14.75	8.60	15.34
200	1485.74	8.10	14.75	8.60	15.43
220	1486.14	8.10	14.80	8.60	15.78

PLATFORM: LYNCH 118
 POSITION: 43 20N 67 4W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1008
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.72 14.40 32.44
 5 1501.27 14.20 32.53
 10 1500.81 14.00 32.63
 15 1496.85 12.75 32.72
 20 1493.72 11.87 32.55
 25 1492.01 11.34 32.59
 30 1490.70 10.89 32.75
 35 1488.38 10.17 32.89
 40 1485.76 9.40 32.97
 45 1485.07 9.17 33.04
 50 1484.40 8.94 33.12
 55 1481.77 8.20 33.17
 60 1481.86 8.20 33.18
 65 1481.95 8.20 33.18
 70 1482.30 8.20 33.40
 75 1482.33 8.20 33.36
 80 1482.91 8.20 33.75
 85 1483.05 8.20 33.80
 90 1483.23 8.20 33.88
 95 1483.37 8.20 33.92
 100 1483.54 8.20 34.00
 110 1484.14 8.23 34.26
 120 1484.80 8.27 34.53
 130 1485.13 8.30 34.57
 140 1485.32 8.30 34.59
 150 1485.53 8.30 34.63
 160 1485.71 8.30 34.64
 170 1485.91 8.30 34.67
 180 1486.00 8.27 34.71
 190 1486.06 8.24 34.71
 200 1486.16 8.21 34.75
 220 1486.67 8.25 34.78

PLATFORM: LYNCH 119
 POSITION: 43 20N 67 15W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1155
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.58 15.70 32.20
 5 1505.55 15.62 32.31
 10 1505.23 15.45 32.43
 15 1502.86 14.70 32.38
 20 1500.61 13.95 32.46
 25 1495.80 12.48 32.47
 30 1490.80 11.00 32.52
 35 1488.77 10.32 32.77
 40 1487.51 9.90 32.91
 45 1484.12 8.95 32.93
 50 1480.65 8.00 32.95
 55 1479.53 7.65 33.05
 60 1478.21 7.30 33.02
 65 1477.51 7.04 33.20
 70 1477.22 6.91 33.31
 75 1476.88 6.78 33.37
 80 1476.81 6.74 33.38
 85 1477.44 6.85 33.47
 90 1478.83 7.10 33.73
 95 1479.31 7.13 33.95
 100 1479.48 7.16 33.94
 110 1480.38 7.33 34.00
 120 1481.61 7.60 34.01
 130 1482.21 7.64 34.24
 140 1482.83 7.68 34.48
 150 1483.69 7.85 34.52
 160 1484.53 7.98 34.66
 170 1485.07 8.08 34.66

PLATFORM: LYNCH 120
 POSITION: 43 20N 67 26W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1258
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1491.49 15.80 19.97
 5 1496.24 15.66 24.32
 10 1499.56 15.07 28.66
 15 1502.52 14.58 32.41
 20 1495.03 12.27 32.50
 25 1490.00 10.71 32.77
 30 1487.90 10.15 32.63
 35 1486.98 9.77 32.93
 40 1484.75 9.13 32.96
 45 1482.47 8.50 32.96
 50 1482.92 8.46 33.37
 55 1482.96 8.42 33.46
 60 1482.92 8.38 33.48
 65 1482.85 8.32 33.54
 70 1482.88 8.30 33.56
 75 1483.02 8.30 33.60
 80 1483.25 8.30 33.72
 85 1483.48 8.30 33.84
 90 1483.56 8.30 33.84
 95 1483.72 8.30 33.91
 100 1483.86 8.30 33.95
 110 1483.37 8.08 34.09
 120 1483.33 7.96 34.29
 130 1482.68 7.76 34.25
 140 1482.60 7.63 34.45
 150 1483.53 7.78 34.60
 160 1483.87 7.80 34.68
 170 1484.06 7.80 34.70
 180 1484.17 7.80 34.66
 190 1484.33 7.80 34.66
 200 1484.49 7.80 34.66

PLATFORM: LYNCH 121
 POSITION: 43 20N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1423
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.63 14.30 32.63
 5 1501.41 14.20 32.65
 10 1501.20 14.10 32.68
 15 1500.59 13.88 32.70
 20 1499.84 13.65 32.63
 25 1493.58 11.80 32.57
 30 1489.27 10.63 32.34
 35 1486.32 9.65 32.75
 40 1485.83 9.43 32.94
 45 1485.97 9.38 33.14
 50 1485.98 9.23 33.52
 55 1483.52 8.60 33.36
 60 1481.76 8.15 33.25
 65 1480.32 7.69 33.43
 70 1478.27 7.14 33.43
 75 1475.85 6.50 33.43
 80 1477.04 6.77 33.47
 85 1478.21 7.01 33.58
 90 1478.65 7.06 33.72
 95 1479.15 7.17 33.71
 100 1480.62 7.52 33.74
 110 1481.28 7.55 34.04
 120 1479.49 7.06 33.99
 130 1479.55 7.00 34.09
 140 1481.43 7.41 34.19
 150 1482.20 7.45 34.55
 160 1482.59 7.49 34.61
 170 1482.93 7.53 34.63
 180 1483.34 7.57 34.70
 190 1483.61 7.60 34.69
 200 1483.77 7.60 34.69
 220 1484.12 7.60 34.71
 240 1482.94 7.20 34.73

PLATFORM: LYNCH 122
 POSITION: 43 20N 67 49W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1527
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1499.59 14.20 31.19
 5 1499.50 13.90 31.87
 10 1499.11 13.51 32.55
 15 1497.47 13.00 32.54
 20 1493.97 11.97 32.47
 25 1489.90 10.85 32.29
 30 1486.32 9.71 32.65
 35 1483.24 8.80 32.80
 40 1483.76 8.80 33.15
 45 1482.92 8.54 33.20
 50 1481.80 8.22 33.20
 55 1480.25 7.80 33.18
 60 1479.49 7.56 33.24
 65 1479.41 7.50 33.29
 70 1476.44 6.73 33.25
 75 1474.87 6.28 33.34
 80 1474.23 6.13 33.25
 85 1474.69 6.18 33.38
 90 1475.43 6.32 33.47
 95 1475.95 6.42 33.50
 100 1476.22 6.47 33.49
 110 1477.10 6.60 33.66
 120 1479.41 7.08 33.86
 130 1483.66 8.10 34.00
 140 1484.47 8.17 34.31
 150 1483.55 7.80 34.56
 160 1482.88 7.70 34.20
 170 1482.98 7.60 34.45
 180 1483.34 7.60 34.53
 190 1483.36 7.60 34.50
 200 1483.06 7.45 34.59
 220 1483.59 7.47 34.68
 240 1483.67 7.40 34.70

PLATFORM: LYNCH 123
 POSITION: 43 20N 68 0W
 MSG/MSG1: 151/38
 DATE/TIME: 23AUG82/1651
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.91 15.70 32.47
 5 1505.36 15.51 32.45
 10 1504.85 15.33 32.43
 15 1500.50 13.96 32.41
 20 1493.07 11.86 32.05
 25 1486.93 10.00 32.35
 30 1482.83 8.76 32.66
 35 1480.21 8.03 32.87
 40 1479.24 7.70 32.87
 45 1477.25 7.14 32.95
 50 1475.20 6.57 33.02
 55 1475.01 6.51 33.00
 60 1474.27 6.27 33.10
 65 1473.29 6.04 32.98
 70 1472.87 5.90 33.03
 75 1476.33 6.70 33.19
 80 1476.47 6.70 33.23
 85 1477.16 6.83 33.31
 90 1476.43 6.61 33.35
 95 1475.30 6.30 33.36
 100 1474.47 6.07 33.37
 110 1474.10 5.91 33.45
 120 1475.21 6.08 33.66
 130 1476.38 6.30 33.76
 140 1479.36 6.90 34.12
 150 1482.52 7.67 34.14
 160 1484.24 8.00 34.37
 170 1483.05 7.67 34.29
 180 1482.91 7.56 34.39
 190 1482.83 7.48 34.44
 200 1482.73 7.40 34.47
 220 1482.86 7.33 34.53

PLATFORM: LYNCH 124
 POSITION: 43 20N 68 11W
 MSG/MSG1: 151/38
 DATE/TIME: 23AUG82/1806
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.88 14.80 32.32
 5 1502.14 14.50 32.44
 10 1499.29 13.56 32.56
 15 1492.47 11.55 32.50
 20 1488.12 10.30 32.50
 25 1485.79 9.60 32.61
 30 1484.67 9.26 32.64
 35 1483.72 8.93 32.80
 40 1481.94 8.43 32.81
 45 1479.93 7.82 32.99
 50 1479.20 7.62 32.95
 55 1478.93 7.52 32.98
 60 1478.70 7.42 33.04
 65 1478.42 7.32 33.06
 70 1478.30 7.22 33.20
 75 1478.03 7.12 33.23
 80 1476.77 6.77 33.26
 85 1475.23 6.35 33.28
 90 1473.61 5.94 33.23
 95 1472.46 5.63 33.24
 100 1472.57 5.64 33.23
 110 1473.33 5.74 33.38
 120 1474.13 5.86 33.50
 130 1474.98 6.00 33.60
 140 1475.84 6.14 33.71
 150 1476.85 6.30 33.87
 160 1477.87 6.48 33.99
 170 1478.91 6.66 34.12
 180 1480.38 6.91 34.38
 190 1481.00 7.00 34.47

PLATFORM: LYNCH 125
 POSITION: 43 22N 68 9W
 MSG/MSG1: 151/38
 DATE/TIME: 24AUG82/0418
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.61 14.10 32.32
 5 1500.41 13.97 32.44
 10 1496.75 12.80 32.56
 15 1486.92 9.99 32.50
 20 1485.03 9.45 32.50
 25 1483.28 8.92 32.61
 30 1481.49 8.41 32.64
 35 1480.03 7.95 32.80
 40 1478.32 7.48 32.81
 45 1477.54 7.20 32.99
 50 1476.91 7.03 32.95
 55 1476.44 6.88 32.98
 60 1476.29 6.80 33.04
 65 1474.66 6.36 33.06
 70 1473.61 6.03 33.20
 75 1473.05 5.86 33.23
 80 1472.96 5.81 33.26
 85 1473.11 5.82 33.28
 90 1473.21 5.84 33.23
 95 1473.39 5.86 33.24
 100 1473.53 5.88 33.23
 110 1474.21 5.96 33.38
 120 1474.97 6.07 33.50
 130 1475.97 6.25 33.60
 140 1477.03 6.44 33.71
 150 1479.99 7.10 33.87
 160 1480.29 7.10 33.99
 170 1482.09 7.48 34.12
 180 1482.28 7.40 34.38
 190 1482.24 7.32 34.47
 200 1482.10 7.24 34.47
 220 1482.27 7.20 34.47

PLATFORM: LYNCH 126									
POSITION: 43 28N 67 2W									
MSG/MSG1: 151/37									
DATE/TIME: 23AUG82/0617									
INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)
0	1504.30	15.10	32.71	0	1502.87	14.70	32.59	0	1503.24
5	1503.96	14.97	32.71	5	1502.57	14.58	32.59	5	1502.75
10	1503.86	14.91	32.71	10	1502.39	14.50	32.59	10	1502.26
15	1502.61	14.50	32.70	15	1502.46	14.50	32.58	15	1502.02
20	1493.62	11.88	32.44	20	1502.21	14.50	32.30	20	1499.29
25	1484.43	9.27	32.49	25	1495.68	12.42	32.54	25	1496.20
30	1483.19	8.80	32.83	30	1491.27	11.23	32.24	30	1494.68
35	1482.52	8.55	32.97	35	1488.97	10.40	32.70	35	1493.45
40	1481.87	8.30	33.15	40	1486.50	9.56	33.09	40	1491.85
45	1481.25	8.05	33.34	45	1485.06	9.11	33.21	45	1490.84
50	1479.94	7.72	33.23	50	1484.26	8.82	33.36	50	1490.24
55	1478.53	7.30	33.33	55	1483.82	8.65	33.45	55	1489.76
60	1476.93	6.87	33.33	60	1483.29	8.47	33.50	60	1489.20
65	1475.62	6.65	32.91	65	1482.96	8.34	33.56	65	1488.23
70	1475.81	6.58	33.21	70	1482.82	8.25	33.66	70	1487.33
75	1475.74	6.51	33.31	75	1482.82	8.17	33.84	75	1486.53
80	1475.65	6.44	33.40	80	1482.72	8.09	33.94	80	1485.68
85	1475.82	6.44	33.47	85	1482.66	8.04	33.97	85	1486.29
90	1475.95	6.43	33.53	90	1482.55	7.99	33.97	90	1487.13
95	1475.57	6.31	33.55	95	1482.46	7.94	33.98	95	1487.75
100	1476.01	6.38	33.61	100	1482.28	7.90	33.90	100	1488.08
110	1478.24	6.86	33.75	110	1480.90	7.45	34.04	110	1488.54
120	1479.64	7.10	33.99	120	1481.83	7.60	34.19	120	1489.29
130	1482.24	7.71	34.05	130	1483.04	7.83	34.33	130	1489.78
140	1484.96	8.33	34.21	140	1482.94	7.72	34.45	140	1490.07
150	1485.78	8.40	34.53	150	1483.07	7.70	34.48	150	1490.12
160	1485.80	8.37	34.51	160	1483.26	7.70	34.51	160	1489.95
170	1485.68	8.30	34.49	170	1483.43	7.70	34.51	170	1489.59
180	1485.53	8.23	34.45	180	1483.60	7.70	34.51	180	1489.36
190	1485.35	8.14	34.45	190	1483.77	7.70	34.52	190	1489.58
200	1485.11	8.03	34.46	200	1483.93	7.70	34.52	200	1489.73
220	1484.71	7.81	34.54	220	1484.41	7.70	34.63		
240	1484.24	7.59	34.58						

PLATFORM: LYNCH 128									
POSITION: 43 26N 67 11W									
MSG/MSG1: 151/37									
DATE/TIME: 24AUG82/1017									
INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)
0	1504.67	15.20	32.76	0	1504.67	15.20	32.76	0	1503.24
5	1504.35	15.10	32.69	5	1504.35	15.10	32.69	5	1502.75
10	1503.80	14.93	32.61	10	1503.80	14.93	32.61	10	1502.26
15	1503.26	14.76	32.55	15	1503.26	14.76	32.55	15	1502.02
20	1501.63	14.23	32.54	20	1501.63	14.23	32.54	20	1499.29
25	1499.22	13.46	32.58	25	1499.22	13.46	32.58	25	1496.20
30	1494.94	12.12	32.71	30	1494.94	12.12	32.71	30	1494.68
35	1488.93	10.36	32.79	35	1488.93	10.36	32.79	35	1493.45
40	1485.37	9.27	33.05	40	1485.37	9.27	33.05	40	1491.85
45	1482.28	8.38	33.17	45	1482.28	8.38	33.17	45	1490.84
50	1482.11	8.30	33.20	50	1482.11	8.30	33.20	50	1490.24
55	1482.03	8.21	33.35	55	1482.03	8.21	33.35	55	1489.76
60	1481.94	8.13	33.45	60	1481.94	8.13	33.45	60	1489.20
65	1481.80	8.06	33.48	65	1481.80	8.06	33.48	65	1488.23
70	1481.72	8.00	33.54	70	1481.72	8.00	33.54	70	1487.33
75	1481.85	7.93	33.79	75	1481.85	7.93	33.79	75	1486.53
80	1481.70	7.84	33.88	80	1481.70	7.84	33.88	80	1485.68
85	1481.27	7.71	33.87	85	1481.27	7.71	33.87	85	1486.29
90	1480.95	7.58	33.95	90	1480.95	7.58	33.95	90	1487.13
95	1480.63	7.45	34.02	95	1480.63	7.45	34.02	95	1487.75
100	1480.50	7.38	34.07	100	1480.50	7.38	34.07	100	1488.08
110	1480.63	7.34	34.16	110	1480.63	7.34	34.16	110	1488.54
120	1480.84	7.30	34.32	120	1480.84	7.30	34.32	120	1489.29
130	1482.74	7.72	34.42	130	1482.74	7.72	34.42	130	1489.78
140	1484.42	8.10	34.48	140	1484.42	8.10	34.48	140	1490.07
150	1484.63	8.10	34.52	150	1484.63	8.10	34.52	150	1490.12
160	1484.83	8.10	34.54	160	1484.83	8.10	34.54	160	1489.95
170	1485.02	8.10	34.56	170	1485.02	8.10	34.56	170	1489.59
180	1485.20	8.10	34.58	180	1485.20	8.10	34.58	180	1489.36
190	1485.44	8.10	34.64	190	1485.44	8.10	34.64	190	1489.58
200	1485.57	8.10	34.61	200	1485.57	8.10	34.61	200	1489.73

PLATFORM: LYNCH 129									
POSITION: 43 27N 66 54W									
MSG/MSG1: 151/36									
DATE/TIME: 24AUG82/1207									
INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)
0	1503.24	14.50	33.43	0	1503.24	14.50	33.43	0	1503.24
5	1502.75	14.43	33.15	5	1502.75	14.43	33.15	5	1502.75
10	1502.26	14.36	32.86	10	1502.26	14.36	32.86	10	1502.26
15	1502.02	14.30	32.75	15	1502.02	14.30	32.75	15	1502.02
20	1499.29	13.40	32.87	20	1499.29	13.40	32.87	20	1499.29
25	1496.20	12.40	33.03	25	1496.20	12.40	33.03	25	1496.20
30	1494.68	11.94	33.01	30	1494.68	11.94	33.01	30	1494.68
35	1493.45	11.47	33.26	35	1493.45	11.47	33.26	35	1493.45
40	1491.85	11.00	33.24	40	1491.85	11.00	33.24	40	1491.85
45	1490.84	10.68	33.28	45	1490.84	10.68	33.28	45	1490.84
50	1490.24	10.48	33.30	50	1490.24	10.48	33.30	50	1490.24
55	1489.76	10.28	33.42	55	1489.76	10.28	33.42	55	1489.76
60	1489.20	10.00	33.72	60	1489.20	10.00	33.72	60	1489.20
65	1488.23	9.68	33.81	65	1488.23	9.68	33.81	65	1488.23
70	1487.33	9.36	33.96	70	1487.33	9.36	33.96	70	1487.33
75	1486.53	9.07	34.11	75	1486.53	9.07	34.11	75	1486.53
80	1485.68	8.80	34.17	80	1485.68	8.80	34.17	80	1485.68
85	1486.29	8.92	34.23	85	1486.29	8.92	34.23	85	1486.29
90	1487.13	9.05	34.46	90	1487.13	9.05	34.46	90	1487.13
95	1487.75	9.17	34.53	95	1487.75	9.17	34.53	95	1487.75
100	1488.08	9.22	34.59	100	1488.08	9.22	34.59	100	1488.08
110	1488.54	9.28	34.65	110	1488.54	9.28	34.65	110	1488.54
120	1489.29	9.40	34.77	120	1489.29	9.40	34.77	120	1489.29
130	1489.78	9.48	34.98	130	1489.78	9.48	34.98	130	1489.78
140	1490.07	9.45	34.98	140	1490.07	9.45	34.98	140	1490.07
150	1490.12	9.42	34.98	150	1490.12	9.42	34.98	150	1490.12
160	1489.95	9.34	34.94	160	1489.95	9.34	34.94	160	1489.95
170	1489.59	9.20	34.93	170	1489.59	9.20	34.93	170	1489.59
180	1489.36	9.10	34.92	180	1489.36	9.10	34.92	180	1489.36
190	1489.58	9.10	34.96	190	1489.58	9.10	34.96	190	1489.58
200	1489.73	9.10	34.95	200	1489.73	9.10	34.95	200	1489.73

PLATFORM: LYNCH 130
 POSITION: 43 17N 66 59W
 MSG/MSG1: 151/36
 DATE/TIME: 24AUG82/1414
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.82 14.80 32.27
 5 1502.65 14.61 32.58
 10 1502.16 14.32 32.89
 15 1500.84 13.90 32.96
 20 1495.59 12.34 32.76
 25 1490.80 10.92 32.81
 30 1487.86 10.06 32.85
 35 1484.71 9.20 32.79
 40 1484.54 9.03 33.09
 45 1484.08 8.86 33.17
 50 1483.69 8.70 33.26
 55 1483.21 8.53 33.33
 60 1482.84 8.40 33.36
 65 1483.05 8.42 33.40
 70 1483.29 8.43 33.50
 75 1483.50 8.45 33.54
 80 1483.72 8.47 33.59
 85 1483.92 8.48 33.65
 90 1484.16 8.48 33.78
 95 1484.26 8.46 33.85
 100 1484.45 8.43 34.03
 110 1484.44 8.28 34.34
 120 1484.27 8.13 34.53
 130 1486.01 8.50 34.68
 140 1486.77 8.62 34.79
 150 1487.16 8.64 34.91
 160 1487.41 8.67 34.90
 170 1487.65 8.69 34.90
 180 1487.48 8.60 34.90

PLATFORM: LYNCH 131
 POSITION: 43 7N 67 6W
 MSG/MSG1: 151/37
 DATE/TIME: 24AUG82/1641
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.92 15.40 32.44
 5 1504.86 15.32 32.53
 10 1504.80 15.24 32.63
 15 1504.81 15.18 32.72
 20 1504.59 15.15 32.55
 25 1504.60 15.11 32.59
 30 1501.52 14.07 32.75
 35 1496.03 12.35 32.89
 40 1490.11 10.60 32.97
 45 1486.94 9.68 33.04
 50 1486.10 9.40 33.12
 55 1487.38 9.71 33.17
 60 1489.97 10.40 33.18
 65 1489.55 10.26 33.18
 70 1489.43 10.13 33.40
 75 1488.99 10.00 33.36
 80 1488.77 9.78 33.75
 85 1486.86 9.22 33.80
 90 1486.66 9.12 33.88
 95 1487.10 9.20 33.92
 100 1487.28 9.20 34.00
 110 1487.76 9.20 34.26
 120 1488.26 9.20 34.53
 130 1488.14 9.11 34.57
 140 1487.97 9.01 34.59
 150 1487.99 8.96 34.63
 160 1488.03 8.92 34.64
 170 1488.15 8.90 34.67

PLATFORM: LYNCH 132
 POSITION: 43 13N 67 4W
 MSG/MSG1: 151/37
 DATE/TIME: 24AUG82/1815
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.55 15.60 32.44
 5 1505.33 15.47 32.53
 10 1505.21 15.37 32.63
 15 1505.22 15.31 32.72
 20 1503.60 14.84 32.55
 25 1500.69 13.90 32.59
 30 1499.41 13.43 32.75
 35 1498.13 12.97 32.89
 40 1496.24 12.36 32.97
 45 1493.47 11.51 33.04
 50 1491.33 10.85 33.12
 55 1490.16 10.48 33.17
 60 1488.96 10.12 33.18
 65 1486.68 9.47 33.18
 70 1483.09 8.41 33.40
 75 1482.33 8.20 33.36
 80 1482.91 8.20 33.75
 85 1483.16 8.23 33.80
 90 1483.98 8.40 33.88
 95 1484.72 8.56 33.92
 100 1485.53 8.73 34.00
 110 1487.24 9.06 34.26
 120 1488.63 9.30 34.53
 130 1488.84 9.30 34.57
 140 1489.04 9.30 34.59
 150 1488.95 9.22 34.63
 160 1486.99 8.64 34.64
 170 1485.99 8.32 34.67
 180 1485.93 8.25 34.71
 190 1485.95 8.21 34.71
 200 1486.13 8.20 34.75

PLATFORM: LYNCH 133
 POSITION: 43 22N 67 13W
 MSG/MSG1: 151/37
 DATE/TIME: 24AUG82/2030
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.27 15.60 32.20
 5 1505.11 15.48 32.31
 10 1505.17 15.43 32.43
 15 1505.03 15.38 32.38
 20 1505.05 15.33 32.46
 25 1503.59 14.84 32.47
 30 1497.86 13.05 32.52
 35 1494.33 11.90 32.77
 40 1489.67 10.50 32.91
 45 1484.68 9.10 32.93
 50 1482.92 8.60 32.95
 55 1480.48 7.90 33.05
 60 1479.22 7.56 33.02
 65 1479.33 7.51 33.20
 70 1479.36 7.46 33.31
 75 1479.33 7.41 33.37
 80 1479.38 7.40 33.38
 85 1479.58 7.40 33.47
 90 1479.45 7.26 33.73
 95 1479.19 7.10 33.95
 100 1481.18 7.60 33.94
 110 1483.59 8.17 34.00
 120 1484.27 8.30 34.01
 130 1484.83 8.33 34.24
 140 1485.45 8.37 34.48
 150 1485.73 8.39 34.52
 160 1485.70 8.29 34.66
 170 1485.52 8.20 34.66
 180 1485.91 8.24 34.72
 190 1486.27 8.29 34.73
 200 1484.80 7.85 34.75

PLATFORM: LYNCH 134
 POSITION: 43 30N 67 19W
 MSG/MSG1: 151/37
 DATE/TIME: 24AUG82/2215
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.67 15.20 32.76
 5 1503.71 14.90 32.69
 10 1502.55 14.54 32.61
 15 1497.99 13.15 32.55
 20 1491.66 11.28 32.54
 25 1488.05 10.23 32.58
 30 1485.71 9.52 32.71
 35 1485.26 9.35 32.79
 40 1485.00 9.17 33.05
 45 1483.86 8.80 33.17
 50 1483.05 8.55 33.20
 55 1482.93 8.45 33.35
 60 1482.77 8.35 33.45
 65 1482.48 8.24 33.48
 70 1481.34 7.90 33.54
 75 1479.82 7.40 33.79
 80 1478.93 7.12 33.88
 85 1478.14 6.90 33.87
 90 1478.75 7.01 33.95
 95 1479.39 7.13 34.02
 100 1480.00 7.25 34.07
 110 1480.63 7.34 34.16
 120 1481.22 7.40 34.32
 130 1481.51 7.40 34.42

PLATFORM: LYNCH 135
 POSITION: 43 38N 67 24W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/0018
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.09 15.10 32.54
 5 1501.93 14.40 32.54
 10 1500.99 14.08 32.55
 15 1500.52 13.90 32.59
 20 1499.72 13.63 32.59
 25 1498.44 13.20 32.65
 30 1492.60 11.42 32.78
 35 1488.12 10.12 32.83
 40 1486.06 9.50 32.92
 45 1484.56 9.00 33.14
 50 1483.76 8.66 33.44
 55 1482.62 8.33 33.46
 60 1481.95 8.10 33.55
 65 1481.64 7.95 33.69
 70 1481.23 7.80 33.76
 75 1480.90 7.67 33.82
 80 1480.58 7.54 33.90
 85 1480.14 7.40 33.91
 90 1479.15 7.10 33.99
 95 1479.40 7.13 34.03
 100 1479.55 7.16 33.99
 110 1480.56 7.37 34.01
 120 1482.07 7.70 34.08
 130 1481.86 7.51 34.36
 140 1481.69 7.40 34.43
 150 1482.00 7.40 34.54
 160 1482.24 7.42 34.55
 170 1482.64 7.49 34.52
 180 1482.84 7.50 34.52

PLATFORM: LYNCH 136
 POSITION: 43 48N 67 30W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/0213
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.06 14.40 32.72
 5 1501.83 14.30 32.73
 10 1501.92 14.30 32.73
 15 1497.04 12.80 32.73
 20 1493.46 11.78 32.59
 25 1491.78 11.21 32.78
 30 1490.14 10.74 32.73
 35 1488.46 10.27 32.67
 40 1487.15 9.80 32.91
 45 1486.87 9.60 33.21
 50 1486.30 9.40 33.28
 55 1485.77 9.20 33.38
 60 1485.38 9.00 33.59
 65 1484.82 8.81 33.64
 70 1485.21 8.88 33.68
 75 1485.48 8.87 33.87
 80 1485.57 8.85 33.93
 85 1485.58 8.82 33.96
 90 1485.78 8.80 34.12
 95 1486.16 8.84 34.23
 100 1486.50 8.89 34.29
 110 1484.91 8.35 34.51
 120 1483.46 7.88 34.64
 130 1483.63 7.87 34.67
 140 1484.50 8.05 34.69
 150 1485.16 8.18 34.69
 160 1485.03 8.10 34.70
 170 1485.05 8.05 34.74
 180 1485.04 8.00 34.75
 190 1485.87 8.16 34.80

PLATFORM: LYNCH 137
 POSITION: 44 0N 67 37W
 MSG/MSG1: 151/47
 DATE/TIME: 25AUG82/0415
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.05 13.70 32.95
 5 1499.93 13.65 32.92
 10 1499.82 13.60 32.90
 15 1499.61 13.52 32.87
 20 1499.30 13.42 32.82
 25 1495.62 12.21 33.08
 30 1494.03 11.76 32.98
 35 1492.40 11.29 32.92
 40 1490.62 10.75 32.96
 45 1488.86 10.22 33.00
 50 1487.07 9.70 33.01
 55 1485.42 9.20 33.10
 60 1484.66 8.90 33.31
 65 1484.19 8.73 33.38
 70 1483.73 8.56 33.46
 75 1483.25 8.40 33.49
 80 1483.36 8.40 33.51
 85 1483.48 8.40 33.54
 90 1482.63 8.12 33.64
 95 1481.36 7.77 33.63
 100 1479.69 7.30 33.67
 110 1478.18 6.85 33.73
 120 1478.97 6.96 33.89
 130 1479.68 7.07 33.98
 140 1480.47 7.16 34.20
 150 1481.09 7.25 34.28
 160 1481.79 7.38 34.31
 170 1483.05 7.60 34.51
 180 1484.03 7.81 34.52
 190 1484.71 7.94 34.54
 200 1485.26 8.02 34.60
 220 1484.91 7.82 34.67

PLATFORM: LYNCH 139
 POSITION: 43 56N 67 47W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/0816
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1498.99 13.40 32.89
 5 1498.95 13.37 32.88
 10 1498.92 13.34 32.86
 15 1498.89 13.30 32.88
 20 1496.15 12.48 32.83
 25 1491.94 11.30 32.65
 30 1489.26 10.51 32.68
 35 1486.53 9.72 32.71
 40 1484.26 8.95 33.11
 45 1484.14 8.76 33.51
 50 1484.19 8.71 33.63
 55 1483.07 8.35 33.76
 60 1481.81 7.98 33.80
 65 1481.31 7.89 33.61
 70 1481.11 7.80 33.66
 75 1478.59 7.08 33.80
 80 1477.62 6.80 33.83
 85 1477.94 6.85 33.86
 90 1477.14 6.60 33.94
 95 1477.33 6.63 33.93
 100 1477.50 6.66 33.91
 110 1477.95 6.71 33.98
 120 1478.25 6.75 33.96
 130 1478.57 6.78 34.00
 140 1479.15 6.86 34.08
 150 1479.93 6.98 34.19
 160 1480.75 7.10 34.35
 170 1482.85 7.46 34.78
 180 1483.26 7.56 34.67
 190 1483.64 7.60 34.72

PLATFORM: LYNCH 140
 POSITION: 43 44N 67 45W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/1012
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.59 14.00 32.58
 5 1499.73 13.73 32.53
 10 1499.19 13.56 32.48
 15 1498.86 13.40 32.58
 20 1495.83 12.45 32.65
 25 1492.87 11.50 32.84
 30 1491.28 11.04 32.79
 35 1489.86 10.58 32.90
 40 1487.13 10.10 32.02
 45 1487.05 9.70 33.06
 50 1486.16 9.45 33.02
 55 1484.19 8.85 33.15
 60 1481.87 8.20 33.18
 65 1480.66 7.82 33.31
 70 1480.88 7.84 33.36
 75 1479.97 7.57 33.39
 80 1479.08 7.30 33.45
 85 1480.48 7.61 33.54
 90 1481.15 7.74 33.62
 95 1478.34 6.95 33.74
 100 1476.45 6.40 33.89
 110 1476.61 6.30 34.20
 120 1478.94 6.80 34.36
 130 1481.63 7.45 34.36
 140 1481.35 7.36 34.28
 150 1482.91 7.70 34.36
 160 1484.37 8.00 34.48
 170 1483.66 7.75 34.54
 180 1481.27 7.86 34.56
 190 1481.25 8.06 34.61
 200 1485.67 8.10 34.69

PLATFORM: LYNCH 142
 POSITION: 43 20N 67 45W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/1415
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.61 15.20 32.71
 5 1503.68 14.88 32.71
 10 1502.80 14.58 32.71
 15 1501.11 14.04 32.70
 20 1497.94 13.15 32.44
 25 1494.18 12.00 32.49
 30 1490.09 10.69 32.83
 35 1487.07 9.78 32.97
 40 1486.30 9.49 33.15
 45 1485.55 9.20 33.34
 50 1484.43 8.91 33.23
 55 1483.10 8.50 33.33
 60 1483.55 8.60 33.33
 65 1484.31 8.92 32.91
 70 1484.70 8.90 33.21
 75 1481.59 8.02 33.31
 80 1480.71 7.74 33.40
 85 1481.49 7.90 33.47
 90 1479.74 7.40 33.53
 95 1478.75 7.12 33.55
 100 1479.10 7.17 33.61
 110 1479.10 7.08 33.75
 120 1478.90 6.91 33.99
 130 1481.05 7.40 34.05
 140 1483.82 8.03 34.21
 150 1485.02 8.20 34.53
 160 1484.03 7.90 34.51
 170 1482.64 7.50 34.49

PLATFORM: LYNCH 143
 POSITION: 43 10N 67 45W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/1620
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.81 15.20 31.19
 5 1503.22 15.05 31.87
 10 1503.79 14.95 32.55
 15 1503.05 14.70 32.54
 20 1499.90 13.73 32.47
 25 1496.52 12.76 32.29
 30 1493.76 11.80 32.65
 35 1485.39 9.38 32.80
 40 1483.38 8.70 33.15
 45 1482.77 8.50 33.20
 50 1482.86 8.50 33.20
 55 1482.00 8.26 33.18
 60 1481.06 7.97 33.24
 65 1480.30 7.73 33.29
 70 1477.30 6.95 33.25
 75 1475.66 6.48 33.34
 80 1476.13 6.61 33.25
 85 1476.55 6.65 33.38
 90 1476.85 6.68 33.47
 95 1477.84 6.90 33.50
 100 1477.71 6.85 33.49
 110 1477.54 6.71 33.66
 120 1478.24 6.78 33.86
 130 1479.67 7.06 34.00
 140 1479.99 7.00 34.31

PLATFORM: LYNCH 144
 POSITION: 43 SN 67 46W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/1915
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.70 15.80 31.19
 5 1504.52 15.46 31.87
 10 1502.19 14.45 32.55
 15 1498.41 13.28 32.54
 20 1494.79 12.21 32.47
 25 1492.33 11.54 32.29
 30 1490.89 10.98 32.65
 35 1489.13 10.41 32.80
 40 1485.28 9.21 33.15
 45 1481.87 8.26 33.20
 50 1480.70 7.93 33.20
 55 1479.49 7.60 33.18
 60 1479.65 7.60 33.24
 65 1479.80 7.60 33.29
 70 1479.78 7.59 33.25
 75 1479.91 7.57 33.34
 80 1479.79 7.55 33.25
 85 1479.93 7.52 33.38
 90 1480.04 7.50 33.47
 95 1479.44 7.31 33.50
 100 1478.61 7.08 33.49
 110 1478.16 6.87 33.66
 120 1478.40 6.82 33.86
 130 1478.89 6.86 34.00
 140 1479.87 6.97 34.31
 150 1480.74 7.07 34.56
 160 1480.96 7.20 34.20
 170 1481.82 7.30 34.45

PLATFORM: LYNCH 145
 POSITION: 43 ON 67 44W
 MSG/MSG1: 151/37
 DATE/TIME: 25AUG82/2015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1507.02 16.00 32.63
 5 1506.70 15.86 32.65
 10 1506.37 15.72 32.68
 15 1506.23 15.64 32.70
 20 1505.04 15.26 32.63
 25 1501.90 14.28 32.57
 30 1496.40 12.68 32.34
 35 1491.70 11.15 32.75
 40 1488.74 10.23 32.94
 45 1487.80 9.88 33.14
 50 1488.10 9.81 33.52
 55 1485.94 9.25 33.36
 60 1483.35 8.57 33.25
 65 1482.11 8.16 33.43
 70 1481.35 7.94 33.43
 75 1480.56 7.71 33.43
 80 1479.84 7.49 33.47
 85 1479.49 7.34 33.58
 90 1479.39 7.25 33.72
 95 1479.08 7.15 33.71
 100 1478.84 7.06 33.74
 110 1478.80 6.91 34.04
 120 1479.33 7.02 33.99
 130 1480.01 7.12 34.09
 140 1480.69 7.22 34.19
 150 1481.66 7.31 34.55
 160 1482.28 7.41 34.61
 170 1483.13 7.58 34.63

PLATFORM: LYNCH 146
 POSITION: 42 50N 67 40W
 MSG/MSG1: 151/27
 DATE/TIME: 25AUG82/2215
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.76 15.60 32.63
 5 1504.08 15.03 32.65
 10 1498.06 13.15 32.68
 15 1491.48 11.20 32.70
 20 1490.50 10.92 32.63
 25 1488.50 10.36 32.57
 30 1482.09 8.67 32.34
 35 1478.55 7.58 32.75
 40 1476.23 6.90 32.94
 45 1475.70 6.68 33.14
 50 1475.44 6.26 33.36
 55 1474.49 6.47 33.52
 60 1473.87 6.12 33.25
 65 1474.62 6.23 33.43
 70 1475.17 6.35 33.43
 75 1474.55 6.17 33.43
 80 1473.19 5.80 33.47
 85 1472.22 5.50 33.58
 90 1472.67 5.55 33.72
 95 1472.94 5.60 33.71
 100 1473.26 5.65 33.74
 110 1474.45 5.81 34.04
 120 1475.43 6.03 33.99
 130 1476.60 6.25 34.09
 140 1478.47 6.65 34.19
 150 1480.07 6.90 34.55
 160 1480.62 6.98 34.61
 170 1481.12 7.06 34.63
 180 1481.57 7.11 34.70
 190 1481.83 7.14 34.69
 200 1482.08 7.16 34.69
 220 1482.43 7.16 34.71
 240 1482.55 7.10 34.73

PLATFORM: LYNCH 147
 POSITION: 42 40N 67 35W
 MSG/MSG1: 151/27
 DATE/TIME: 26AUG82/0011
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1509.17 16.70 32.63
 5 1509.28 16.70 32.65
 10 1509.39 16.70 32.68
 15 1506.57 15.75 32.70
 20 1501.12 14.04 32.63
 25 1489.01 10.50 32.57
 30 1477.25 7.40 32.34
 35 1475.91 6.90 32.75
 40 1474.26 6.40 32.94
 45 1472.60 5.90 33.14
 50 1471.16 5.40 33.52
 55 1469.00 4.90 33.36
 60 1468.81 4.87 33.25
 65 1469.00 4.84 33.43
 70 1468.96 4.81 33.43
 75 1468.92 4.78 33.43
 80 1468.92 4.75 33.47
 85 1469.03 4.72 33.58
 90 1469.20 4.70 33.72
 95 1469.40 4.73 33.71
 100 1469.64 4.76 33.74
 110 1470.48 4.83 34.04
 120 1470.86 4.90 33.99
 130 1471.77 5.05 34.09
 140 1472.68 5.20 34.19
 150 1473.95 5.36 34.55
 160 1475.00 5.56 34.61
 170 1477.67 6.18 34.63
 180 1481.14 7.00 34.70
 190 1481.29 7.00 34.69
 200 1481.46 7.00 34.69

PLATFORM: LYNCH 148										PLATFORM: LYNCH 149										PLATFORM: LYNCH 150										PLATFORM: LYNCH 153									
POSITION: 42 30N 67 26W										POSITION: 42 33N 67 7W										POSITION: 42 33N 66 48W										POSITION: 42 33N 65 37W									
MSG/MSG1: 151/27										MSG/MSG1: 151/27										MSG/MSG1: 151/26										MSG/MSG1: 151/25									
DATE/TIME: 26AUG82/0211										DATE/TIME: 26AUG82/0413										DATE/TIME: 26AUG82/0615										DATE/TIME: 26AUG82/1405									
INSTRUMENT TYPE: XBT										INSTRUMENT TYPE: XBT										INSTRUMENT TYPE: XBT										INSTRUMENT TYPE: XBT									
DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)								
0	1509.88	16.90	32.71	0	1504.30	15.10	32.71	0	1504.30	15.10	32.71	0	1499.24	13.70	32.27	0	1499.24	13.70	32.27	0	1500.23	14.00	32.27	0	1500.23	14.00	32.27	0	1500.23	14.00	32.27								
5	1509.84	16.86	32.71	5	1504.25	15.06	32.71	5	1504.25	15.06	32.71	5	1499.69	13.70	32.58	5	1499.69	13.70	32.58	5	1500.41	13.92	32.58	5	1500.41	13.92	32.58	5	1500.41	13.92	32.58								
10	1509.83	16.83	32.71	10	1504.21	15.02	32.71	10	1504.21	15.02	32.71	10	1500.14	13.70	32.89	10	1500.14	13.70	32.89	10	1500.60	13.84	32.89	10	1500.60	13.84	32.89	10	1500.60	13.84	32.89								
15	1509.80	16.80	32.70	15	1504.14	14.98	32.70	15	1504.14	14.98	32.70	15	1500.18	13.70	32.86	15	1500.18	13.70	32.86	15	1500.35	13.75	32.86	15	1500.35	13.75	32.86	15	1500.35	13.75	32.86								
20	1508.72	16.52	32.44	20	1503.82	14.95	32.44	20	1503.82	14.95	32.44	20	1499.63	13.54	32.76	20	1499.63	13.54	32.76	20	1499.99	13.65	32.76	20	1499.99	13.65	32.76	20	1499.99	13.65	32.76								
25	1503.04	14.66	32.49	25	1503.84	14.91	32.49	25	1503.84	14.91	32.49	25	1494.40	11.95	32.81	25	1494.40	11.95	32.81	25	1498.54	13.17	32.81	25	1498.54	13.17	32.81	25	1498.54	13.17	32.81								
30	1496.72	12.60	32.83	30	1501.38	14.00	32.83	30	1501.38	14.00	32.83	30	1487.57	9.98	32.85	30	1487.57	9.98	32.85	30	1495.12	12.12	32.85	30	1495.12	12.12	32.85	30	1495.12	12.12	32.85								
35	1492.67	11.35	32.97	35	1496.88	12.57	32.97	35	1496.88	12.57	32.97	35	1483.38	8.84	32.79	35	1483.38	8.84	32.79	35	1491.26	11.01	32.79	35	1491.26	11.01	32.79	35	1491.26	11.01	32.79								
40	1488.09	9.98	33.15	40	1493.21	11.42	33.15	40	1493.21	11.42	33.15	40	1479.52	7.70	33.09	40	1479.52	7.70	33.09	40	1487.59	9.86	33.09	40	1487.59	9.86	33.09	40	1487.59	9.86	33.09								
45	1482.68	8.43	33.34	45	1489.49	10.28	33.34	45	1489.49	10.28	33.34	45	1475.54	6.63	33.17	45	1475.54	6.63	33.17	45	1485.35	9.20	33.17	45	1485.35	9.20	33.17	45	1485.35	9.20	33.17								
50	1477.62	7.12	33.23	50	1486.25	9.40	33.23	50	1486.25	9.40	33.23	50	1473.40	6.04	33.26	50	1473.40	6.04	33.26	50	1484.28	8.86	33.26	50	1484.28	8.86	33.26	50	1484.28	8.86	33.26								
55	1476.38	6.75	33.33	55	1484.60	8.90	33.33	55	1484.60	8.90	33.33	55	1474.00	6.15	33.33	55	1474.00	6.15	33.33	55	1483.21	8.53	33.33	55	1483.21	8.53	33.33	55	1483.21	8.53	33.33								
60	1474.96	6.37	33.33	60	1483.93	8.70	33.33	60	1483.93	8.70	33.33	60	1474.52	6.25	33.36	60	1474.52	6.25	33.36	60	1482.09	8.20	33.36	60	1482.09	8.20	33.36	60	1482.09	8.20	33.36								
65	1473.04	6.00	32.91	65	1483.00	8.57	32.91	65	1483.00	8.57	32.91	65	1475.01	6.34	33.40	65	1475.01	6.34	33.40	65	1481.99	8.14	33.40	65	1481.99	8.14	33.40	65	1481.99	8.14	33.40								
70	1471.98	5.62	33.21	70	1482.82	8.40	33.21	70	1482.82	8.40	33.21	70	1475.54	6.42	33.50	70	1475.54	6.42	33.50	70	1481.97	8.08	33.50	70	1481.97	8.08	33.50	70	1481.97	8.08	33.50								
75	1471.09	5.35	33.31	75	1482.08	8.15	33.31	75	1482.08	8.15	33.31	75	1475.98	6.50	33.54	75	1475.98	6.50	33.54	75	1481.91	8.03	33.54	75	1481.91	8.03	33.54	75	1481.91	8.03	33.54								
80	1470.88	5.25	33.40	80	1481.32	7.90	33.40	80	1481.32	7.90	33.40	80	1476.45	6.58	33.59	80	1476.45	6.58	33.59	80	1481.83	7.97	33.59	80	1481.83	7.97	33.59	80	1481.83	7.97	33.59								
85	1470.60	5.14	33.47	85	1480.54	7.65	33.47	85	1480.54	7.65	33.47	85	1477.16	6.72	33.65	85	1477.16	6.72	33.65	85	1481.80	7.92	33.65	85	1481.80	7.92	33.65	85	1481.80	7.92	33.65								
90	1470.32	5.03	33.53	90	1479.74	7.40	33.53	90	1479.74	7.40	33.53	90	1478.00	6.87	33.78	90	1478.00	6.87	33.78	90	1482.16	7.95	33.78	90	1482.16	7.95	33.78	90	1482.16	7.95	33.78								
95	1469.97	4.92	33.55	95	1479.14	7.22	33.55	95	1479.14	7.22	33.55	95	1478.75	7.02	33.85	95	1478.75	7.02	33.85	95	1481.76	7.80	33.85	95	1481.76	7.80	33.85	95	1481.76	7.80	33.85								
100	1469.72	4.82	33.61	100	1479.84	7.36	33.61	100	1479.84	7.36	33.61	100	1479.64	7.17	34.03	100	1479.64	7.17	34.03	100	1481.76	7.80	33.85	100	1481.76	7.80	33.85	100	1481.76	7.80	33.85								
110	1470.23	4.86	33.75	110	1481.84	7.79	33.75	110	1481.84	7.79	33.75	110	1481.36	7.47	34.34	110	1481.36	7.47	34.34	110	1481.76	7.80	33.85	110	1481.76	7.80	33.85	110	1481.76	7.80	33.85								
120	1471.03	4.94	33.99	120	1484.54	8.38	33.99	120	1484.54	8.38	33.99	120	1482.41	7.64	34.53	120	1482.41	7.64	34.53	120	1481.76	7.80	33.85	120	1481.76	7.80	33.85	120	1481.76	7.80	33.85								
130	1472.21	5.17	34.05	130	1486.28	8.78	34.05	130	1486.28	8.78	34.05	130	1483.03	7.71	34.68	130	1483.03	7.71	34.68	130	1481.76	7.80	33.85	130	1481.76	7.80	33.85	130	1481.76	7.80	33.85								
140	1474.89	5.74	34.21	140	1486.19	8.66	34.21	140	1486.19	8.66	34.21	140	1483.64	7.79	34.79	140	1483.64	7.79	34.79	140	1481.76	7.80	33.85	140	1481.76	7.80	33.85	140	1481.76	7.80	33.85								
150	1477.32	6.21	34.53	150	1486.26	8.53	34.53	150	1486.26	8.53	34.53	150	1484.00	7.80	34.91	150	1484.00	7.80	34.91	150	1481.76	7.80	33.85	150	1481.76	7.80	33.85	150	1481.76	7.80	33.85								
160	1478.69	6.52	34.51	160	1484.97	8.15	34.51	160	1484.97	8.15	34.51	160	1484.14	7.80	34.90	160	1484.14	7.80	34.90	160	1481.76	7.80	33.85	160	1481.76	7.80	33.85	160	1481.76	7.80	33.85								
170	1479.02	6.57	34.49	170	1483.21	7.65	34.49	170	1483.21	7.65	34.49	170	1484.30	7.80	34.90	170	1484.30	7.80	34.90	170	1481.76	7.80	33.85	170	1481.76	7.80	33.85	170	1481.76	7.80	33.85								
180	1480.43	6.90	34.45	180	1482.68	7.48	34.45	180	1482.68	7.48	34.45	180	1484.54	7.82	34.90	180	1484.54	7.82	34.90	180	1481.76	7.80	33.85	180	1481.76	7.80	33.85	180	1481.76	7.80	33.85								
190	1482.53	7.40	34.45	190	1482.80	7.47	34.45	190	1482.80	7.47	34.45	190	1484.90	7.87	34.90	190	1484.90	7.87	34.90	190	1481.76	7.80	33.85	190	1481.76	7.80	33.85	190	1481.76	7.80	33.85								
200	1483.59	7.63	34.46	200	1482.90	7.45	34.46	200	1482.90	7.45	34.46	200	1485.08	7.87	34.91	200	1485.08	7.87	34.91	200	1481.76	7.80	33.85	200	1481.76	7.80	33.85	200	1481.76	7.80	33.85								
220	1482.75	7.30	34.54	220	1483.21	7.42	34.54	220	1483.21	7.42	34.54	220	1485.11	7.78	34.95	220	1485.11	7.78	34.95	220	1481.76	7.80	33.85	220	1481.76	7.80	33.85	220	1481.76	7.80	33.85								
240	1482.93	7.25	34.58	240	1483.51	7.40	34.58	240	1483.51	7.40	34.58	240	1485.13	7.70	34.95	240	1485.13	7.70	34.95	240	1481.76	7.80	33.85	240	1481.76	7.80	33.85	240	1481.76	7.80	33.85								
260	1483.28	7.26	34.56	260	1483.82	7.40	34.56	260	1483.82	7.40	34.56	260	1485.13	7.70	34.95	260	1485.13	7.70	34.95	260	1481.76	7.80	33.85	260	1481.76	7.80	33.85	260	1481.76	7.80	33.85								
280	1483.26	7.17	34.56	280	1484.14	7.40	34.56	280	1484.14	7.40	34.56	280	1485.13	7.70	34.95	280	1485.13	7.70	34.95	280	1481.76	7.80	33.85	280	1481.76	7.80	33.85	280	1481.76	7.80	33.85								
300	1483.31	7.10	34.56	300	1484.47	7.40	34.56	300	1484.47	7.40	34.56	300	1485.13	7.70	34.95	300	1485.13	7.70	34.95	300	1481.76	7.80	33.85	300	1481.76	7.80	33.85	300	1481.76	7.80	33.85								
320				320	1484.80	7.40	34.56	320	1484.80	7.40	34.56	320				320				320	1481.76	7.80	33.85	320	1481.76	7.80	33.85	320	1481.76	7.80	33.85								

PLATFORM: LYNCH 154
 POSITION: 42 31N 65 39W
 MSG/MSG1: 151/25
 DATE/TIME: 26AUG82/1605
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1499.90 13.90 32.27
 5 1500.15 13.84 32.58
 10 1500.37 13.77 32.89
 15 1499.92 13.62 32.86
 20 1498.76 13.28 32.76
 25 1495.23 12.19 32.91
 30 1491.57 11.10 32.85
 35 1490.51 10.80 32.79
 40 1489.89 10.50 33.09
 45 1486.63 9.55 33.17
 50 1483.87 8.75 33.26
 55 1483.21 8.53 33.33
 60 1482.50 8.31 33.36
 65 1481.76 8.08 33.40
 70 1481.66 8.00 33.50
 75 1481.80 8.00 33.54
 80 1481.95 8.00 33.59
 85 1482.11 8.00 33.65
 90 1482.35 8.00 33.78
 95 1482.52 8.00 33.85
 100 1482.83 8.00 34.03

PLATFORM: LYNCH 155
 POSITION: 42 32N 65 56W
 MSG/MSG1: 151/25
 DATE/TIME: 26AUG82/1815
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1498.58 13.50 32.27
 5 1498.60 13.37 32.58
 10 1498.88 13.32 32.89
 15 1498.86 13.30 32.86
 20 1497.49 12.90 32.76
 25 1494.23 11.90 32.81
 30 1487.57 9.98 32.85
 35 1486.84 9.78 32.79
 40 1485.17 9.20 33.09
 45 1483.15 8.61 33.17
 50 1481.73 8.18 33.26
 55 1480.44 7.80 33.33
 60 1480.56 7.80 33.36
 65 1480.69 7.80 33.40
 70 1480.71 7.75 33.50
 75 1480.57 7.68 33.54
 80 1480.42 7.60 33.59
 85 1480.31 7.53 33.65
 90 1480.21 7.44 33.78
 95 1479.99 7.34 33.85
 100 1480.18 7.31 34.03
 110 1480.94 7.36 34.34
 120 1481.49 7.40 34.53

PLATFORM: LYNCH 156
 POSITION: 42 34N 66 14W
 MSG/MSG1: 151/26
 DATE/TIME: 26AUG82/2015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1499.24 13.70 32.27
 5 1499.36 13.60 32.58
 10 1499.48 13.50 32.89
 15 1498.79 13.28 32.86
 20 1496.75 12.68 32.76
 25 1494.68 12.03 32.81
 30 1491.85 11.18 32.85
 35 1487.86 10.06 32.79
 40 1483.31 8.70 33.09
 45 1480.31 7.86 33.17
 50 1478.98 7.46 33.26
 55 1477.47 7.03 33.33
 60 1475.79 6.57 33.36
 65 1475.05 6.35 33.40
 70 1475.73 6.47 33.50
 75 1476.38 6.60 33.54
 80 1475.74 6.40 33.59
 85 1476.06 6.44 33.65
 90 1476.50 6.49 33.78
 95 1477.50 6.70 33.85
 100 1478.59 6.90 34.03
 110 1480.32 7.20 34.34
 120 1481.10 7.30 34.53
 130 1481.95 7.43 34.68
 140 1482.76 7.56 34.79
 150 1483.23 7.60 34.91
 160 1483.37 7.60 34.90
 170 1483.38 7.56 34.90
 180 1483.28 7.49 34.90
 190 1483.18 7.42 34.90
 200 1483.28 7.40 34.91

PLATFORM: LYNCH 157
 POSITION: 42 26N 66 18W
 MSG/MSG1: 151/26
 DATE/TIME: 27AUG82/0011
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.17 14.60 32.27
 5 1502.62 14.60 32.58
 10 1503.07 14.60 32.89
 15 1503.11 14.60 32.86
 20 1503.08 14.60 32.76
 25 1502.32 14.32 32.81
 30 1501.31 13.97 32.85
 35 1499.26 12.16 32.79
 40 1486.27 9.50 33.09
 45 1480.35 7.87 33.17
 50 1475.90 6.67 33.26
 55 1473.85 6.11 33.33
 60 1475.12 6.40 33.36
 65 1477.21 6.90 33.40
 70 1478.40 7.15 33.50
 75 1478.88 7.24 33.54
 80 1479.34 7.32 33.59
 85 1479.85 7.41 33.65
 90 1480.44 7.50 33.78
 95 1480.96 7.59 33.85
 100 1481.57 7.67 34.03
 110 1482.47 7.76 34.34
 120 1482.37 7.63 34.53
 130 1482.26 7.51 34.68
 140 1482.07 7.38 34.79
 150 1481.69 7.20 34.91
 160 1481.10 7.01 34.90
 170 1480.44 6.80 34.90
 180 1479.71 6.57 34.90

PLATFORM: LYNCH 158
 POSITION: 42 16N 66 2W
 MSG/MSG1: 151/26
 DATE/TIME: 27AUG82/0213
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.82 15.43 32.27
 5 1504.98 15.34 32.58
 10 1505.14 15.25 32.89
 15 1503.98 14.87 32.86
 20 1501.33 14.06 32.76
 25 1491.79 11.20 32.81
 30 1489.80 10.40 32.85
 35 1484.79 9.22 32.79
 40 1481.09 8.11 33.09
 45 1478.54 7.40 33.17
 50 1478.40 7.31 33.26
 55 1478.25 7.23 33.33
 60 1478.06 7.15 33.36
 65 1477.84 7.06 33.40
 70 1477.85 7.01 33.50
 75 1478.33 7.10 33.54
 80 1478.02 6.98 33.59
 85 1479.89 7.42 33.65
 90 1481.97 7.90 33.78
 95 1484.04 8.40 33.85
 100 1484.34 8.40 34.03
 110 1485.94 8.68 34.34
 120 1487.93 9.11 34.53
 130 1488.39 9.14 34.68
 140 1488.84 9.18 34.79
 150 1488.90 9.11 34.91
 160 1488.19 8.88 34.90
 170 1487.54 8.66 34.90
 180 1486.06 8.22 34.90
 190 1484.25 7.70 34.90
 200 1483.63 7.49 34.91
 220 1482.76 7.17 34.95
 240 1482.32 6.97 34.95
 260 1481.59 6.70 34.95

PLATFORM: LYNCH 159
 POSITION: 42 7N 65 49W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/0412
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.53 14.40 32.27
 5 1501.75 14.33 32.58
 10 1502.16 14.32 32.89
 15 1502.37 14.37 32.86
 20 1500.68 13.86 32.76
 25 1496.45 12.55 32.81
 30 1488.94 10.36 32.85
 35 1480.59 8.10 32.79
 40 1480.32 7.91 33.09
 45 1479.66 7.69 33.17
 50 1478.78 7.41 33.26
 55 1478.02 7.17 33.33
 60 1477.63 7.04 33.36
 65 1477.21 6.90 33.40
 70 1477.03 6.80 33.50
 75 1477.16 6.80 33.54
 80 1477.31 6.80 33.59
 85 1477.48 6.80 33.65
 90 1477.72 6.80 33.78
 95 1477.90 6.80 33.85
 100 1478.43 6.86 34.03
 110 1479.27 6.93 34.34
 120 1479.86 6.98 34.53
 130 1480.60 7.08 34.68
 140 1486.69 8.60 34.79
 150 1482.31 7.36 34.91
 160 1482.03 7.25 34.90
 170 1481.76 7.14 34.90
 180 1482.16 7.20 34.90
 190 1482.18 7.16 34.90
 200 1480.80 6.76 34.91

PLATFORM: LYNCH 160
 POSITION: 42 2N 65 36W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/0613
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.53 14.40 32.27
 5 1501.75 14.33 32.58
 10 1501.71 14.18 32.89
 15 1501.23 14.02 32.86
 20 1500.19 13.71 32.76
 25 1497.16 12.76 32.81
 30 1492.90 11.48 32.85
 35 1483.64 8.91 32.79
 40 1475.24 6.60 33.09
 45 1476.41 6.85 33.17
 50 1476.80 6.90 33.26
 55 1475.47 6.52 33.33
 60 1473.13 5.90 33.36
 65 1472.86 5.80 33.40
 70 1476.29 6.61 33.50
 75 1479.92 7.51 33.54
 80 1484.02 8.55 33.59
 85 1488.00 9.58 33.65
 90 1491.06 10.36 33.78
 95 1491.91 10.55 33.85
 100 1491.96 10.48 34.03
 110 1491.97 10.33 34.34
 120 1491.79 10.17 34.53
 130 1491.56 10.01 34.68
 140 1491.11 9.80 34.79
 150 1490.33 9.50 34.91
 160 1489.34 9.19 34.90
 170 1487.99 8.78 34.90
 180 1486.43 8.32 34.90
 190 1485.05 7.91 34.90
 200 1484.09 7.61 34.91
 220 1482.61 7.13 34.95
 240 1482.12 6.92 34.95
 260 1481.63 6.71 34.95
 280 1481.53 6.60 34.95
 300 1481.46 6.50 34.95
 320 1481.40 6.40 34.95
 340 1481.33 6.30 34.95
 360 1480.75 6.07 34.95
 380 1480.20 5.85 34.95
 400 1479.65 5.63 34.95
 420 1479.13 5.42 34.95
 440 1478.32 5.14 34.95
 460 1477.22 4.79 34.95
 480 1476.98 4.65 34.95
 500 1477.10 4.60 34.95
 520 1477.43 4.60 34.95

PLATFORM: LYNCH 161
 POSITION: 42 12N 65 32W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/0819
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1499.90 13.90 32.27
 5 1498.06 13.21 32.58
 10 1497.00 12.76 32.89
 15 1495.59 12.33 32.86
 20 1490.94 11.00 32.76
 25 1484.10 9.07 32.81
 30 1478.10 7.45 32.85
 35 1474.58 6.55 32.79
 40 1473.42 6.14 33.09
 45 1472.64 5.90 33.17
 50 1472.84 5.90 33.26
 60 1476.22 6.68 33.36
 65 1477.92 7.08 33.40
 70 1479.40 7.41 33.50
 75 1479.73 7.46 33.54
 80 1480.07 7.51 33.59
 85 1480.43 7.56 33.65
 90 1480.86 7.61 33.78
 95 1481.23 7.66 33.85
 100 1482.06 7.80 34.03
 110 1482.85 7.86 34.34
 120 1483.40 7.90 34.53

PLATFORM: LYNCH 162
 POSITION: 42 21N 65 29W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/1010
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1497.24 13.10 32.27
 5 1497.02 12.90 32.58
 10 1497.17 12.81 32.89
 15 1495.56 12.32 32.86
 20 1494.91 12.14 32.76
 25 1494.85 12.08 32.91
 30 1494.74 12.01 32.85
 35 1488.83 10.33 32.79
 40 1479.33 7.65 33.09
 45 1476.99 7.00 33.17
 50 1476.68 6.87 33.26
 55 1476.57 6.80 33.33
 60 1476.77 6.82 33.36
 65 1477.02 6.85 33.40
 70 1477.31 6.87 33.50
 75 1477.52 6.89 33.54
 80 1477.94 6.96 33.59
 85 1478.57 7.08 33.65
 90 1479.28 7.20 33.78
 95 1479.99 7.34 33.85
 100 1480.53 7.40 34.03
 110 1481.09 7.40 34.34
 120 1481.49 7.40 34.53

PLATFORM: LYNCH 163
 POSITION: 42 28N 65 32W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/1220
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.23 14.00 32.27
 5 1500.35 13.90 32.58
 10 1500.47 13.80 32.89
 15 1500.35 13.75 32.86
 20 1500.15 13.70 32.76
 25 1500.13 13.65 32.81
 30 1500.10 13.60 32.85
 35 1499.97 13.56 32.79
 40 1500.25 13.51 33.09
 45 1497.38 12.60 33.17
 50 1493.69 11.47 33.26
 55 1490.00 10.38 33.33
 60 1486.00 9.33 33.36
 65 1483.87 8.64 33.40
 70 1483.52 8.49 33.50
 75 1483.08 8.34 33.54
 80 1482.67 8.19 33.59
 85 1482.26 8.04 33.65
 90 1481.97 7.90 33.78
 95 1482.14 7.90 33.85
 100 1482.45 7.90 34.03
 110 1483.00 7.90 34.34

PLATFORM: LYNCH 164
 POSITION: 42 33N 65 35W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/1430
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.23 14.00 32.27
 5 1499.76 13.72 32.58
 10 1499.48 13.50 32.89
 15 1498.79 13.28 32.86
 20 1498.06 13.07 32.76
 25 1497.40 12.83 32.81
 30 1496.48 12.52 32.85
 35 1493.85 11.75 32.79
 40 1490.46 10.66 33.09
 45 1487.25 9.72 33.17
 50 1486.17 9.37 33.26
 55 1483.51 8.61 33.33
 60 1481.55 8.06 33.36
 65 1481.30 7.96 33.40

PLATFORM: LYNCH 165
 POSITION: 42 21N 65 35W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/1625
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.82 14.80 32.27
 5 1501.10 14.13 32.58
 10 1500.14 13.70 32.89
 15 1498.79 13.28 32.86
 20 1498.33 13.15 32.76
 25 1497.47 12.85 32.81
 30 1493.39 11.62 32.85
 35 1489.12 10.41 32.79
 40 1485.17 9.20 33.09
 45 1483.00 8.57 33.17
 50 1480.85 7.95 33.26
 55 1479.87 7.65 33.33
 60 1479.72 7.58 33.36
 65 1479.62 7.52 33.40
 70 1479.56 7.45 33.50
 75 1479.42 7.38 33.54
 80 1479.30 7.31 33.59
 85 1479.54 7.33 33.65
 90 1479.98 7.38 33.78
 95 1480.30 7.42 33.85
 100 1480.80 7.47 34.03
 110 1481.48 7.50 34.34

PLATFORM: LYNCH 167
 POSITION: 42 6N 66 4W
 MSG/MSG1: 151/26
 DATE/TIME: 27AUG82/2015
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.04 15.50 32.27
 5 1505.01 15.35 32.58
 10 1505.04 15.22 32.89
 15 1503.24 14.64 32.86
 20 1502.18 14.32 32.76
 25 1501.09 13.94 32.81
 30 1499.07 13.29 32.85
 35 1495.05 12.10 32.79
 40 1488.35 10.07 33.09
 45 1482.81 8.52 33.17
 50 1480.47 7.85 33.26
 55 1478.02 7.17 33.33
 60 1477.01 6.88 33.36
 65 1477.06 6.86 33.40
 70 1477.19 6.84 33.50
 75 1477.24 6.82 33.54
 80 1477.31 6.80 33.59
 85 1477.40 6.78 33.65
 90 1477.56 6.76 33.78
 95 1477.66 6.74 33.85
 100 1477.89 6.72 34.03
 110 1478.37 6.70 34.34
 120 1478.77 6.70 34.53
 130 1479.12 6.70 34.68
 140 1480.21 6.90 34.79

PLATFORM: LYNCH 168
 POSITION: 42 6N 65 55W
 MSG/MSG1: 151/25
 DATE/TIME: 27AUG82/2215
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1505.35 15.60 32.27
 5 1504.28 15.12 32.58
 10 1503.29 14.67 32.89
 15 1502.37 14.37 32.86
 20 1502.18 14.32 32.76
 25 1499.17 13.36 32.81
 30 1494.05 11.81 32.85
 35 1488.94 10.36 32.79
 40 1486.82 9.65 33.09
 45 1484.16 8.88 33.17
 50 1481.04 8.00 33.26
 55 1480.44 7.80 33.33
 60 1479.80 7.60 33.36
 65 1479.20 7.41 33.40
 70 1478.63 7.21 33.50
 75 1478.26 7.08 33.54
 80 1478.33 7.06 33.59
 85 1478.38 7.03 33.65
 90 1478.54 7.01 33.78
 95 1478.60 6.98 33.85
 100 1478.79 6.95 34.03
 110 1479.15 6.90 34.34
 120 1479.83 6.97 34.53
 130 1480.53 7.06 34.68
 140 1480.71 7.03 34.79
 150 1480.65 6.93 34.91
 160 1480.40 6.83 34.90
 170 1480.01 6.69 34.90
 180 1479.55 6.53 34.90
 190 1479.09 6.37 34.90
 200 1478.80 6.25 34.91
 220 1478.53 6.09 34.95
 240 1478.30 5.95 34.95
 260 1478.43 5.90 34.95

PLATFORM: LYNCH 169
 POSITION: 42 22N 66 15W
 MSG/MSG1: 151/26
 DATE/TIME: 28AUG82/0318
 INSTRUMENT TYPE: XBT
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1503.77 15.10 32.27
 5 1503.90 15.00 32.58
 10 1504.03 14.90 32.89
 15 1501.49 14.10 32.86
 20 1499.82 13.60 32.76
 25 1499.31 13.40 32.81
 30 1497.09 12.70 32.85
 35 1489.19 10.43 32.79
 40 1484.50 9.02 33.09
 45 1478.74 7.45 33.17
 50 1477.58 7.10 33.26
 55 1477.74 7.10 33.33
 60 1477.86 7.10 33.36
 65 1477.80 7.05 33.40
 70 1477.81 7.00 33.50
 75 1477.71 6.94 33.54
 80 1477.78 6.92 33.59
 85 1478.41 7.04 33.65
 90 1479.12 7.16 33.78
 95 1479.76 7.28 33.85
 100 1480.53 7.40 34.03
 110 1481.24 7.44 34.34
 120 1481.26 7.34 34.53
 130 1481.03 7.19 34.68
 140 1480.52 6.98 34.79
 150 1480.06 6.78 34.91
 160 1479.50 6.60 34.90
 170 1478.91 6.41 34.90
 180 1479.04 6.40 34.90
 190 1479.21 6.40 34.90
 200 1479.39 6.40 34.91
 220 1479.60 6.36 34.95
 240 1479.57 6.27 34.95

APPENDIX B:

STD DATA

1										2										3										4									
PLATFORM: LYNCH										PLATFORM: LYNCH										PLATFORM: LYNCH										PLATFORM: LYNCH									
POSITION: 43 44N 67 43W										POSITION: 43 40N 67 60W										POSITION: 43 29N 67 45W										POSITION: 43 30N 67 24W									
MSG/MSG01: 151/37										MSG/MSG01: 151/37										MSG/MSG01: 151/37										MSG/MSG01: 151/37									
DATE/TIME: 11AUG82/1520										DATE/TIME: 11AUG82/1935										DATE/TIME: 11AUG82/2227										DATE/TIME: 12AUG82/0043									
INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD									
DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)								
0	1498.98	13.51	32.58	0	1499.49	13.65	32.62	0	1507.07	15.91	32.91	0	1504.23	15.02	32.88	0	1504.23	15.02	32.88	0	1504.23	15.02	32.88	0	1504.23	15.02	32.88	0	1504.23	15.02	32.88								
5	1499.00	13.51	32.53	5	1499.27	13.58	32.57	5	1507.83	16.11	32.96	5	1504.28	15.00	32.90	5	1504.28	15.00	32.90	5	1504.28	15.00	32.90	5	1504.28	15.00	32.90	5	1504.28	15.00	32.90								
10	1499.09	13.53	32.48	10	1498.40	13.33	32.46	10	1504.11	15.01	32.66	10	1500.94	14.02	32.68	10	1500.94	14.02	32.68	10	1500.94	14.02	32.68	10	1500.94	14.02	32.68	10	1500.94	14.02	32.68								
15	1498.53	13.30	32.58	15	1493.80	12.02	32.26	15	1498.32	13.02	33.18	15	1495.93	12.37	33.02	15	1495.93	12.37	33.02	15	1495.93	12.37	33.02	15	1495.93	12.37	33.02	15	1495.93	12.37	33.02								
20	1495.02	12.22	32.65	20	1487.08	9.95	32.69	20	1495.35	12.15	33.10	20	1491.66	11.13	32.98	20	1491.66	11.13	32.98	20	1491.66	11.13	32.98	20	1491.66	11.13	32.98	20	1491.66	11.13	32.98								
25	1489.53	10.56	32.84	25	1487.84	10.03	33.00	25	1488.66	10.05	33.60	25	1487.65	9.87	33.31	25	1487.65	9.87	33.31	25	1487.65	9.87	33.31	25	1487.65	9.87	33.31	25	1487.65	9.87	33.31								
30	1485.66	9.48	32.79	30	1487.84	9.97	33.12	30	1484.54	8.91	33.58	30	1486.52	9.50	33.42	30	1486.52	9.50	33.42	30	1486.52	9.50	33.42	30	1486.52	9.50	33.42	30	1486.52	9.50	33.42								
35	1483.85	8.93	32.90	35	1486.06	9.44	33.16	35	1482.70	8.31	33.84	35	1485.36	9.13	33.52	35	1485.36	9.13	33.52	35	1485.36	9.13	33.52	35	1485.36	9.13	33.52	35	1485.36	9.13	33.52								
40	1481.67	8.62	32.02	40	1485.14	9.15	33.22	40	1482.74	8.33	33.75	40	1485.09	9.03	33.53	40	1485.09	9.03	33.53	40	1485.09	9.03	33.53	40	1485.09	9.03	33.53	40	1485.09	9.03	33.53								
45	1482.53	8.48	33.06	45	1482.40	8.36	33.32	45	1479.24	7.51	33.38	45	1483.28	8.49	33.63	45	1483.28	8.49	33.63	45	1483.28	8.49	33.63	45	1483.28	8.49	33.63	45	1483.28	8.49	33.63								
50	1482.18	8.38	33.02	50	1477.76	7.26	32.91	50	1473.48	6.00	33.45	50	1482.68	8.27	33.75	50	1482.68	8.27	33.75	50	1482.68	8.27	33.75	50	1482.68	8.27	33.75	50	1482.68	8.27	33.75								
55	1481.52	8.14	33.15	55	1472.24	5.80	33.04	55	1472.36	5.65	33.61	55	1482.04	8.09	33.72	55	1482.04	8.09	33.72	55	1482.04	8.09	33.72	55	1482.04	8.09	33.72	55	1482.04	8.09	33.72								
60	1480.97	7.97	33.18	60	1471.77	5.69	32.96	60	1471.56	5.42	33.64	60	1481.74	7.94	33.87	60	1481.74	7.94	33.87	60	1481.74	7.94	33.87	60	1481.74	7.94	33.87	60	1481.74	7.94	33.87								
65	1480.39	7.75	33.31	65	1471.16	5.47	33.11	65	1471.44	5.35	33.71	65	1481.22	7.78	33.87	65	1481.22	7.78	33.87	65	1481.22	7.78	33.87	65	1481.22	7.78	33.87	65	1481.22	7.78	33.87								
70	1480.27	7.68	33.36	70	1471.92	5.59	33.26	70	1471.33	5.29	33.75	70	1480.58	7.54	34.03	70	1480.58	7.54	34.03	70	1480.58	7.54	34.03	70	1480.58	7.54	34.03	70	1480.58	7.54	34.03								
75	1480.04	7.59	33.39	75	1471.07	5.37	33.23	75	1471.10	5.17	33.88	75	1480.63	7.50	34.13	75	1480.63	7.50	34.13	75	1480.63	7.50	34.13	75	1480.63	7.50	34.13	75	1480.63	7.50	34.13								
80	1479.24	7.34	33.45	80	1470.97	5.31	33.28	80	1471.58	5.25	33.94	80	1481.94	7.72	34.43	80	1481.94	7.72	34.43	80	1481.94	7.72	34.43	80	1481.94	7.72	34.43	80	1481.94	7.72	34.43								
85	1478.53	7.11	33.54	85	1472.80	5.65	33.57	85	1471.85	5.29	33.96	85	1481.46	7.65	34.20	85	1481.46	7.65	34.20	85	1481.46	7.65	34.20	85	1481.46	7.65	34.20	85	1481.46	7.65	34.20								
90	1478.87	7.15	33.62	90	1471.62	5.36	33.50	90	1472.73	5.43	34.14	90	1480.33	7.28	34.37	90	1480.33	7.28	34.37	90	1480.33	7.28	34.37	90	1480.33	7.28	34.37	90	1480.33	7.28	34.37								
95	1479.35	7.21	33.74	95	1472.36	5.50	33.57	95	1473.49	5.56	34.25	95	1479.78	7.12	34.36	95	1479.78	7.12	34.36	95	1479.78	7.12	34.36	95	1479.78	7.12	34.36	95	1479.78	7.12	34.36								
100	1479.91	7.29	33.89	100	1473.92	5.82	33.72	100	1473.84	5.60	34.35	100	1477.03	6.46	34.16	100	1477.03	6.46	34.16	100	1477.03	6.46	34.16	100	1477.03	6.46	34.16	100	1477.03	6.46	34.16								
110	1483.77	8.15	34.20	110	1475.72	6.17	33.92	110	1475.38	5.88	34.54	110	1476.01	6.04	34.54	110	1476.01	6.04	34.54	110	1476.01	6.04	34.54	110	1476.01	6.04	34.54	110	1476.01	6.04	34.54								
120	1484.37	8.21	34.36	120	1475.92	6.14	34.03	120	1476.05	5.99	34.60	120	1483.53	7.78	34.99	120	1483.53	7.78	34.99	120	1483.53	7.78	34.99	120	1483.53	7.78	34.99	120	1483.53	7.78	34.99								
130	1485.20	8.39	34.36	130	1475.61	6.03	34.01	130	1477.06	6.18	34.67	130	1488.11	8.90	35.17	130	1488.11	8.90	35.17	130	1488.11	8.90	35.17	130	1488.11	8.90	35.17	130	1488.11	8.90	35.17								
140	1485.49	8.45	34.28	140	1476.05	6.07	34.08	140	1478.81	6.53	34.83	140	1489.83	9.29	35.26	140	1489.83	9.29	35.26	140	1489.83	9.29	35.26	140	1489.83	9.29	35.26	140	1489.83	9.29	35.26								
150	1484.54	8.13	34.36	150	1476.80	6.19	34.18	150	1482.34	7.32	35.06	150	1488.78	8.98	35.20	150	1488.78	8.98	35.20	150	1488.78	8.98	35.20	150	1488.78	8.98	35.20	150	1488.78	8.98	35.20								
160	1483.34	7.73	34.48	160	1477.52	6.30	34.26	160	1485.09	7.94	35.23	160	1487.53	8.58	35.26	160	1487.53	8.58	35.26	160	1487.53	8.58	35.26	160	1487.53	8.58	35.26	160	1487.53	8.58	35.26								
170	1484.16	7.88	34.54	170	1479.68	6.74	34.49	170	1484.40	7.72	35.22	170	1487.92	8.60	35.36	170	1487.92	8.60	35.36	170	1487.92	8.60	35.36	170	1487.92	8.60	35.36	170	1487.92	8.60	35.36								
180	1484.19	7.84	34.56	180	1480.86	6.96	34.62	180	1483.89	7.55	35.20	180	1487.18	8.35	35.40	180	1487.18	8.35	35.40	180	1487.18	8.35	35.40	180	1487.18	8.35	35.40	180	1487.18	8.35	35.40								
190	1484.17	7.78	34.61	190	1481.72	7.10	34.72	190	1482.38	7.14	35.11	190	1486.45	8.11	35.40	190	1486.45	8.11	35.40	190	1486.45	8.11	35.40	190	1486.45	8.11	35.40	190	1486.45	8.11	35.40								
200	1485.22	7.98	34.69	200	1480.86	6.96	34.62	200	1482.67	7.14	35.22	200	1486.74	8.14	35.42	200	1486.74	8.14	35.42	200	1486.74	8.14	35.42	200	1486.74	8.14	35.42	200	1486.74	8.14	35.42								
220	1489.21	8.81	35.11	220	1481.72	7.10	34.72	220	1483.57	7.27	35.29	220	1487.09	8.12	35.52	220	1487.09	8.12	35.52	220	1487.09	8.12	35.52	220	1487.09	8.12	35.52	220	1487.09	8.12	35.52								

PLATFORM: LYNCH 5
 POSITION: 43 60N 67 39W
 MSG/MSG1: 151/37
 DATE/TIME: 21AUG82/2228
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.02 13.69 32.95
 5 1499.79 13.61 32.92
 10 1499.55 13.52 32.90
 15 1499.31 13.43 32.87
 20 1498.13 13.07 32.82
 25 1495.68 12.23 33.08
 30 1494.65 11.94 32.98
 35 1493.55 11.62 32.92
 40 1492.53 11.29 32.96
 45 1489.68 10.45 33.00
 50 1487.79 9.90 33.01
 55 1485.64 9.26 33.10
 60 1484.39 8.83 33.31
 65 1483.97 8.67 33.38
 70 1483.36 8.46 33.46
 75 1482.31 8.15 33.49
 80 1481.39 7.88 33.51
 85 1481.05 7.76 33.54
 90 1481.47 7.82 33.64
 95 1481.44 7.79 33.63
 100 1479.11 7.15 33.67
 110 1476.88 6.52 33.73
 120 1478.76 6.89 33.89
 130 1477.76 6.58 33.98
 140 1480.01 7.04 34.20
 150 1480.90 7.20 34.28
 160 1481.13 7.21 34.31
 170 1482.75 7.52 34.51
 180 1483.42 7.65 34.52
 190 1483.87 7.72 34.54
 200 1484.50 7.82 34.60

PLATFORM: LYNCH 6
 POSITION: 44 ON 67 27W
 MSG/MSG1: 151/47
 DATE/TIME: 22AUG82/0022
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.69 14.20 32.94
 5 1501.55 14.15 32.91
 10 1501.42 14.09 32.88
 15 1501.27 14.03 32.85
 20 1500.52 13.78 32.85
 25 1499.74 13.48 32.96
 30 1497.60 12.80 33.00
 35 1493.97 11.67 33.11
 40 1489.45 10.34 33.20
 45 1487.87 9.77 33.52
 50 1486.59 9.38 33.57
 55 1486.23 9.23 33.67
 60 1486.15 9.17 33.72
 65 1486.10 9.10 33.80
 70 1485.41 8.91 33.71
 75 1483.17 8.31 33.71
 80 1482.95 8.21 33.74
 85 1482.86 8.14 33.82
 90 1482.80 8.08 33.90
 95 1483.24 8.14 34.00
 100 1484.09 8.31 34.10
 110 1485.63 8.64 34.22
 120 1486.95 8.86 34.49
 130 1486.24 8.68 34.32
 140 1485.89 8.45 34.59
 150 1486.42 8.53 34.66
 160 1486.69 8.55 34.68
 170 1486.69 8.50 34.69
 180 1486.96 8.51 34.75
 190 1487.19 8.49 34.85

PLATFORM: LYNCH 6
 POSITION: 44 ON 67 27W
 MSG/MSG1: 151/47
 DATE/TIME: 22AUG82/0022
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.22 14.09 32.87
 5 1501.14 14.03 32.88
 10 1501.06 13.98 32.89
 15 1500.65 13.83 32.88
 20 1499.82 13.55 32.89
 25 1498.99 13.26 32.95
 30 1496.21 12.33 33.17
 35 1493.87 11.64 33.13
 40 1490.42 10.57 33.32
 45 1488.66 10.03 33.41
 50 1487.28 9.54 33.66
 55 1486.26 9.24 33.65
 60 1485.87 9.07 33.78
 65 1484.40 8.65 33.79
 70 1483.48 8.37 33.82
 75 1483.13 8.27 33.80
 80 1483.08 8.24 33.78
 85 1482.82 8.12 33.86
 90 1483.16 8.16 33.95
 95 1484.17 8.38 34.02
 100 1484.79 8.49 34.11
 110 1486.66 8.95 34.11
 120 1486.53 8.75 34.48
 130 1485.29 8.36 34.51
 140 1485.94 8.47 34.59
 150 1486.54 8.55 34.69
 160 1486.68 8.53 34.73
 170 1486.68 8.50 34.69
 180 1486.87 8.50 34.71
 190 1487.09 8.50 34.76

PLATFORM: LYNCH 7
 POSITION: 43 52N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0159
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.45 14.21 32.72
 5 1501.63 14.24 32.73
 10 1501.80 14.26 32.73
 15 1501.93 14.28 32.73
 20 1500.93 14.00 32.59
 25 1498.94 13.30 32.78
 30 1496.43 12.55 32.73
 35 1492.04 11.28 32.67
 40 1490.27 10.67 32.91
 45 1489.11 10.22 33.21
 50 1487.31 9.68 33.28
 55 1486.40 9.37 33.38
 60 1485.56 9.05 33.59
 65 1485.93 9.11 33.64
 70 1486.12 9.12 33.68
 75 1486.65 9.19 33.87
 80 1486.36 9.06 33.93
 85 1485.62 8.83 33.96
 90 1485.56 8.74 34.12
 95 1485.75 8.73 34.23
 100 1485.98 8.75 34.29
 110 1486.86 8.87 34.51
 120 1487.18 8.87 34.64
 130 1487.35 8.86 34.67
 140 1487.48 8.85 34.69
 150 1486.94 8.65 34.69
 160 1486.75 8.56 34.70
 170 1486.14 8.34 34.74
 180 1486.11 8.28 34.75
 190 1486.60 8.35 34.80
 200 1486.71 8.33 34.83

PLATFORM: LYNCH 7				PLATFORM: LYNCH 8				PLATFORM: LYNCH 8				PLATFORM: LYNCH 8				PLATFORM: LYNCH 9			
POSITION: 43 52N 67 27W				POSITION: 43 52N 67 38W				POSITION: 43 52N 67 38W				POSITION: 43 52N 67 38W				POSITION: 43 52N 67 49W			
MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37			
DATE/TIME: 22AUG82/0205				DATE/TIME: 22AUG82/0321				DATE/TIME: 22AUG82/0329				DATE/TIME: 22AUG82/0329				DATE/TIME: 22AUG82/0434			
INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD			
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)
0	1502.13	14.39	32.79	0	1500.65	13.94	32.67	0	1500.26	14.03	32.22	0	1497.15	12.85	32.89	0	1497.15	12.85	32.89
5	1501.95	14.32	32.77	5	1500.65	13.94	32.67	5	1500.65	14.03	32.47	5	1497.38	12.90	32.88	5	1497.38	12.90	32.88
10	1501.77	14.25	32.74	10	1500.65	13.94	32.67	10	1501.03	14.03	32.73	10	1497.61	12.95	32.86	10	1497.61	12.95	32.86
15	1500.97	13.97	32.76	15	1500.77	13.94	32.68	15	1500.49	13.85	32.70	15	1497.85	12.99	32.88	15	1497.85	12.99	32.88
20	1499.61	13.53	32.78	20	1500.50	13.83	32.71	20	1494.01	11.77	33.07	20	1497.88	12.99	32.83	20	1497.88	12.99	32.83
25	1498.22	13.07	32.82	25	1493.95	11.77	32.98	25	1492.64	11.34	33.10	25	1495.65	12.37	32.65	25	1495.65	12.37	32.65
30	1495.42	12.11	33.14	30	1491.42	10.89	33.33	30	1491.21	10.91	33.12	30	1492.18	11.34	32.68	30	1492.18	11.34	32.68
35	1490.93	10.81	33.10	35	1488.78	10.22	33.06	35	1488.98	10.29	33.04	35	1488.20	10.18	32.71	35	1488.20	10.18	32.71
40	1488.93	10.22	33.14	40	1486.86	9.65	33.14	40	1486.73	9.62	33.09	40	1485.96	9.41	33.11	40	1485.96	9.41	33.11
45	1488.55	10.03	33.31	45	1485.14	9.12	33.24	45	1485.54	9.21	33.28	45	1487.98	9.80	33.51	45	1487.98	9.80	33.51
50	1487.34	9.65	33.37	50	1484.42	8.89	33.28	50	1483.20	8.55	33.34	50	1488.00	9.74	33.63	50	1488.00	9.74	33.63
55	1486.32	9.32	33.46	55	1483.09	8.52	33.27	55	1482.76	8.38	33.41	55	1487.90	9.65	33.76	55	1487.90	9.65	33.76
60	1485.50	9.04	33.56	60	1482.82	8.37	33.44	60	1481.97	8.12	33.51	60	1486.73	9.30	33.80	60	1486.73	9.30	33.80
65	1485.73	9.07	33.60	65	1482.25	8.19	33.46	65	1481.86	8.02	33.65	65	1482.23	8.13	33.61	65	1482.23	8.13	33.61
70	1486.18	9.14	33.68	70	1482.22	7.97	34.02	70	1483.32	8.32	33.86	70	1479.83	7.47	33.66	70	1479.83	7.47	33.66
75	1486.65	9.20	33.84	75	1481.80	8.01	33.51	75	1478.95	7.19	33.75	75	1479.16	7.23	33.80	75	1479.16	7.23	33.80
80	1486.31	9.06	33.90	80	1478.28	7.03	33.66	80	1477.22	6.72	33.78	80	1479.07	7.17	33.83	80	1479.07	7.17	33.83
85	1485.92	8.87	34.10	85	1477.33	6.74	33.74	85	1476.71	6.57	33.75	85	1478.83	7.08	33.86	85	1478.83	7.08	33.86
90	1485.26	8.69	34.03	90	1476.66	6.54	33.74	90	1479.29	7.17	33.88	90	1478.62	6.96	33.93	90	1478.62	6.96	33.93
95	1485.41	8.69	34.09	95	1479.54	7.16	34.05	95	1479.43	7.15	33.99	95	1478.62	6.96	33.93	95	1478.62	6.96	33.93
100	1485.69	8.71	34.17	100	1479.41	7.12	33.99	100	1479.31	7.10	33.97	100	1478.44	6.90	33.91	100	1478.44	6.90	33.91
110	1486.67	8.84	34.44	110	1480.24	7.23	34.17	110	1482.69	7.86	34.21	110	1478.19	6.77	33.98	110	1478.19	6.77	33.98
120	1487.43	8.97	34.55	120	1483.49	7.99	34.33	120	1483.66	8.02	34.38	120	1478.06	6.70	33.96	120	1478.06	6.70	33.96
130	1487.40	8.87	34.69	130	1483.81	8.02	34.36	130	1483.12	7.81	34.45	130	1477.08	6.40	34.00	130	1477.08	6.40	34.00
140	1487.43	8.82	34.72	140	1481.51	7.40	34.28	140	1481.76	7.45	34.33	140	1477.93	6.55	34.08	140	1477.93	6.55	34.08
150	1486.84	8.62	34.72	150	1482.11	7.47	34.42	150	1482.54	7.60	34.36	150	1479.16	6.78	34.19	150	1479.16	6.78	34.19
160	1486.94	8.58	34.78	160	1483.18	7.70	34.43	160	1482.21	7.44	34.45	160	1480.01	6.91	34.35	160	1480.01	6.91	34.35
170	1485.75	8.24	34.73	170	1482.77	7.53	34.51	170	1482.87	7.54	34.54	170	1482.91	7.47	34.78	170	1482.91	7.47	34.78
180	1486.43	8.34	34.83	180	1484.11	7.79	34.64	180	1484.88	8.02	34.56	180	1484.65	7.93	34.67	180	1484.65	7.93	34.67
190	1486.71	8.39	34.79	190	1486.05	8.23	34.72	190	1486.21	8.27	34.75	190	1485.00	7.96	34.72	190	1485.00	7.96	34.72
200	1486.56	8.29	34.83	200	1486.64	8.31	34.83	200	1486.49	8.31	34.72	200	1484.75	8.04	34.15	200	1484.75	8.04	34.15

PLATFORM: LYNCH 11
 POSITION: 43 44N 67 49W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0832
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1497.45 12.98 32.77
 5 1497.62 13.01 32.78
 10 1497.80 13.03 32.79
 15 1497.81 13.00 32.80
 20 1497.33 12.83 32.83
 25 1493.75 11.58 33.34
 30 1489.02 10.26 33.21
 35 1486.16 9.49 33.10
 40 1485.55 9.31 33.08
 45 1483.48 8.65 33.32
 50 1482.20 8.30 33.28
 55 1481.94 8.20 33.31
 60 1482.06 8.14 33.54
 65 1480.87 7.79 33.57
 70 1480.92 7.78 33.57
 75 1480.85 7.72 33.64
 80 1480.00 7.46 33.70
 85 1478.84 7.10 33.79
 90 1477.89 6.81 33.89
 95 1475.56 6.20 33.88
 100 1475.20 6.11 33.81
 110 1475.71 6.17 33.90
 120 1476.56 6.32 33.97
 130 1478.24 6.66 34.12
 140 1481.09 7.25 34.42
 150 1481.14 7.22 34.41
 160 1481.82 7.33 34.48
 170 1482.35 7.41 34.54
 180 1482.56 7.42 34.54
 190 1482.77 7.42 34.58
 200 1482.94 7.42 34.58

PLATFORM: LYNCH 12
 POSITION: 43 44N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0947
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1503.21 14.71 32.70
 5 1503.21 14.71 32.70
 10 1503.21 14.71 32.70
 15 1503.29 14.71 32.71
 20 1503.44 14.72 32.74
 25 1503.42 14.70 32.70
 30 1498.60 13.35 32.31
 35 1494.12 11.73 33.08
 40 1491.90 11.01 33.25
 45 1490.78 10.63 33.36
 50 1489.78 10.30 33.44
 55 1488.55 9.89 33.57
 60 1487.95 9.64 33.78
 65 1488.04 9.62 33.84
 70 1487.86 9.54 33.87
 75 1487.21 9.31 33.95
 80 1487.44 9.30 34.11
 85 1487.47 9.25 34.19
 90 1487.23 9.16 34.20
 95 1486.58 8.99 34.12
 100 1484.39 8.33 34.28
 110 1484.90 8.36 34.47
 120 1486.02 8.58 34.58
 130 1486.72 8.71 34.60
 140 1486.97 8.70 34.71
 150 1486.69 8.56 34.77
 160 1485.77 8.29 34.71
 170 1486.40 8.41 34.74
 180 1486.54 8.40 34.75
 190 1485.98 8.21 34.74
 200 1486.29 8.22 34.82
 220 1486.60 8.22 34.81

PLATFORM: LYNCH 12
 POSITION: 43 44N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/0954
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.95 14.71 32.62
 5 1503.10 14.71 32.69
 10 1503.26 14.71 32.75
 15 1503.25 14.70 32.71
 20 1503.25 14.67 32.72
 25 1502.57 14.38 32.85
 30 1495.01 11.99 33.13
 35 1492.20 11.10 33.32
 40 1490.78 10.66 33.36
 45 1489.57 10.27 33.45
 50 1488.55 9.91 33.59
 55 1488.03 9.72 33.67
 60 1487.94 9.62 33.81
 65 1487.92 9.58 33.86
 70 1487.53 9.40 34.00
 75 1487.21 9.30 33.98
 80 1487.31 9.27 34.07
 85 1487.31 9.23 34.14
 90 1487.19 9.15 34.21
 95 1486.54 8.95 34.22
 100 1484.03 8.29 34.11
 110 1484.16 8.26 34.17
 120 1485.72 8.59 34.32
 130 1486.70 8.71 34.61
 140 1486.97 8.70 34.71
 150 1486.82 8.65 34.60
 160 1485.87 8.34 34.64
 170 1486.45 8.43 34.72
 180 1486.00 8.22 34.85
 190 1486.21 8.23 34.86
 200 1486.42 8.24 34.87
 220 1486.56 8.21 34.81

PLATFORM: LYNCH 13
 POSITION: 43 44N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 22AUG82/1107
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.93 13.91 32.77
 5 1500.60 13.91 32.76
 10 1500.66 13.91 32.75
 15 1500.74 13.91 32.75
 20 1500.84 13.90 32.78
 25 1500.47 13.78 32.75
 30 1495.96 12.40 32.77
 35 1492.91 11.37 33.12
 40 1490.57 10.65 33.20
 45 1488.14 9.90 33.35
 50 1485.52 9.16 33.35
 55 1482.45 8.31 33.38
 60 1481.74 8.06 33.49
 65 1481.86 8.02 33.67
 70 1483.83 8.44 33.89
 75 1483.38 8.28 33.95
 80 1483.04 8.15 34.00
 85 1483.03 8.11 34.05
 90 1483.48 8.17 34.17
 95 1483.20 8.08 34.15
 100 1484.50 8.35 34.31
 110 1484.80 8.33 34.47
 120 1485.51 8.45 34.56
 130 1485.86 8.47 34.64
 140 1482.45 7.57 34.52
 150 1482.46 7.51 34.57
 160 1482.60 7.50 34.59
 170 1483.04 7.58 34.57
 180 1483.90 7.74 34.64
 190 1484.37 7.81 34.66
 200 1484.51 7.80 34.67

PLATFORM: LYNCH 13				PLATFORM: LYNCH 14				PLATFORM: LYNCH 14				PLATFORM: LYNCH 15			
POSITION: 43 43N 67 27W				POSITION: 43 44N 67 16W				POSITION: 43 44N 67 16W				POSITION: 43 36N 67 6W			
MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37			
DATE/TIME: 22AUG82/1114				DATE/TIME: 22AUG82/1226				DATE/TIME: 22AUG82/1235				DATE/TIME: 22AUG82/1409			
INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD			
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)
0	1500.76	13.94	32.89	0	1503.72	14.94	32.66	0	1503.72	14.94	32.66	0	1501.27	14.19	32.63
5	1500.69	13.91	32.82	5	1503.80	14.94	32.66	5	1504.07	15.04	32.63	5	1501.46	14.22	32.63
10	1500.62	13.89	32.76	10	1503.89	14.94	32.66	10	1504.06	15.01	32.62	10	1501.66	14.26	32.64
15	1500.65	13.88	32.75	15	1503.97	14.94	32.66	15	1504.08	14.98	32.64	15	1501.86	14.29	32.64
20	1500.66	13.85	32.76	20	1503.74	14.85	32.65	20	1502.60	14.46	32.73	20	1499.06	13.42	32.63
25	1499.23	13.39	32.77	25	1500.72	13.93	32.55	25	1496.48	12.56	32.82	25	1498.52	13.23	32.65
30	1494.01	11.69	33.16	30	1493.95	11.82	32.75	30	1496.47	12.55	32.77	30	1497.27	12.81	32.69
35	1492.26	11.15	33.21	35	1491.72	11.13	32.83	35	1496.05	12.40	32.77	35	1496.41	12.54	32.67
40	1486.99	9.66	33.21	40	1489.80	10.55	32.88	40	1495.77	12.29	32.79	40	1494.76	12.02	32.72
45	1483.42	8.57	33.50	45	1489.00	10.23	33.10	45	1490.50	10.66	33.07	45	1490.69	10.78	32.86
50	1481.94	8.19	33.41	50	1488.11	9.91	33.24	50	1488.06	9.90	33.23	50	1488.55	10.12	32.97
55	1481.34	7.98	33.49	55	1486.27	9.35	33.33	55	1486.29	9.31	33.47	55	1485.78	9.26	33.21
60	1482.17	8.15	33.58	60	1485.27	9.04	33.40	60	1484.89	8.89	33.51	60	1484.64	8.82	33.54
65	1483.76	8.45	33.87	65	1484.11	8.62	33.66	65	1484.07	8.58	33.74	65	1484.38	8.69	33.67
70	1483.51	8.35	33.91	70	1482.36	8.17	33.54	70	1482.13	8.05	33.71	70	1484.08	8.58	33.67
75	1483.16	8.21	34.00	75	1481.66	7.91	33.70	75	1481.53	7.86	33.74	75	1484.79	8.66	33.94
80	1483.08	8.15	34.03	80	1481.51	7.81	33.81	80	1481.00	7.66	33.86	80	1485.14	8.73	33.95
85	1482.55	7.97	34.09	85	1480.39	7.51	33.78	85	1480.18	7.44	33.81	85	1485.13	8.70	33.96
90	1482.71	7.97	34.16	90	1481.82	7.78	34.02	90	1481.87	7.79	34.03	90	1484.87	8.58	34.03
95	1482.99	8.01	34.19	95	1482.26	7.85	34.11	95	1481.53	7.66	34.09	95	1484.77	8.50	34.13
100	1483.65	8.12	34.32	100	1482.32	7.80	34.22	100	1481.04	7.50	34.13	100	1484.94	8.52	34.14
110	1485.04	8.40	34.46	110	1481.33	7.47	34.32	110	1481.34	7.48	34.30	110	1484.68	8.35	34.32
120	1485.52	8.45	34.56	120	1483.47	7.83	34.79	120	1485.45	8.42	34.58	120	1484.96	8.35	34.41
130	1484.54	8.11	34.68	130	1485.96	8.48	34.70	130	1486.29	8.59	34.64	130	1484.77	8.20	34.59
140	1482.55	7.58	34.56	140	1486.71	8.61	34.79	140	1486.58	8.59	34.73	140	1484.46	8.09	34.55
150	1482.42	7.51	34.55	150	1486.73	8.58	34.74	150	1486.75	8.59	34.74	150	1484.13	7.91	34.69
160	1482.50	7.48	34.57	160	1486.92	8.59	34.74	160	1486.92	8.59	34.74	160	1483.73	7.77	34.67
170	1482.93	7.56	34.55	170	1487.17	8.59	34.81	170	1487.10	8.59	34.76	170	1483.91	7.76	34.71
180	1483.73	7.72	34.54									180	1484.00	7.75	34.68
190	1484.46	7.81	34.73									190	1484.16	7.75	34.68
200	1484.54	7.81	34.67									200	1484.27	7.72	34.72

PLATFORM: LYNCH 15										PLATFORM: LYNCH 16										PLATFORM: LYNCH 16										PLATFORM: LYNCH 17									
POSITION: 43 36N 67 6W										POSITION: 43 36N 67 16W										POSITION: 43 36N 67 16W										POSITION: 43 36N 67 26W									
MSG/MSG1: 151/37										MSG/MSG1: 151/37										MSG/MSG1: 151/37										MSG/MSG1: 151/37									
DATE/TIME: 22AUG82/1414										DATE/TIME: 22AUG82/1525										DATE/TIME: 22AUG82/1530										DATE/TIME: 22AUG82/1648									
INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD									
DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)	DEPTH	SVEL	TEMP	SAL	(M)	(M/S)	(C)	(PPT)								
0	1501.37	14.23	32.61	0	1501.83	14.34	32.70	0	1501.59	14.27	32.54	0	1501.59	14.27	32.54	0	1503.58	14.87	32.54	0	1503.58	14.87	32.54																
5	1501.55	14.25	32.63	5	1501.80	14.32	32.66	5	1501.59	14.27	32.54	5	1501.59	14.27	32.54	5	1503.58	14.87	32.54	5	1503.58	14.87	32.54																
10	1501.74	14.28	32.64	10	1501.77	14.30	32.62	10	1501.64	14.27	32.57	10	1501.64	14.27	32.57	10	1503.63	14.88	32.55	10	1503.63	14.88	32.55																
15	1500.48	13.85	32.69	15	1501.67	14.25	32.58	15	1501.67	14.25	32.58	15	1501.27	14.10	32.67	15	1503.72	14.89	32.59	15	1503.72	14.89	32.59																
20	1497.96	13.05	32.75	20	1500.68	13.91	32.64	20	1499.87	13.65	32.67	20	1499.87	13.65	32.67	20	1503.38	14.76	32.59	20	1503.38	14.76	32.59																
25	1496.75	12.63	32.84	25	1499.93	13.65	32.66	25	1499.62	13.53	32.72	25	1499.62	13.53	32.72	25	1502.28	14.37	32.65	25	1502.28	14.37	32.65																
30	1495.74	12.31	32.84	30	1498.16	13.10	32.63	30	1498.16	13.10	32.63	30	1495.95	12.38	32.81	30	1494.06	11.84	32.78	30	1494.06	11.84	32.78																
35	1493.33	11.55	32.94	35	1492.40	11.32	32.85	35	1492.40	11.32	32.85	35	1488.27	10.01	33.27	35	1491.01	10.93	32.83	35	1491.01	10.93	32.83																
40	1490.87	10.78	33.08	40	1487.73	9.88	33.16	40	1487.73	9.88	33.16	40	1486.74	9.57	33.26	40	1487.47	9.89	32.92	40	1487.47	9.89	32.92																
45	1488.27	10.04	33.05	45	1486.88	9.59	33.24	45	1486.88	9.59	33.24	45	1486.23	9.39	33.30	45	1485.63	9.29	33.14	45	1485.63	9.29	33.14																
50	1486.24	9.40	33.24	50	1486.66	9.50	33.28	50	1486.66	9.50	33.28	50	1484.17	8.75	33.49	50	1486.82	9.49	33.44	50	1486.82	9.49	33.44																
55	1484.53	8.85	33.43	55	1484.40	8.80	33.47	55	1484.40	8.80	33.47	55	1482.90	8.35	33.62	55	1485.48	9.09	33.46	55	1485.48	9.09	33.46																
60	1484.22	8.68	33.62	60	1483.23	8.43	33.57	60	1482.68	8.26	33.65	60	1482.68	8.26	33.65	60	1483.99	8.64	33.55	60	1483.99	8.64	33.55																
65	1484.08	8.61	33.65	65	1483.04	8.35	33.60	65	1482.67	8.23	33.66	65	1482.67	8.23	33.66	65	1482.95	8.30	33.69	65	1482.95	8.30	33.69																
70	1483.79	8.49	33.72	70	1482.95	8.29	33.64	70	1482.95	8.29	33.64	70	1482.53	8.13	33.79	70	1483.20	8.32	33.76	70	1483.20	8.32	33.76																
75	1484.74	8.71	33.76	75	1482.84	8.22	33.71	75	1482.84	8.22	33.71	75	1482.62	8.10	33.89	75	1483.75	8.42	33.82	75	1483.75	8.42	33.82																
80	1485.05	8.71	33.93	80	1482.81	8.13	33.90	80	1482.81	8.13	33.90	80	1482.74	8.08	33.98	80	1483.68	8.36	33.90	80	1483.68	8.36	33.90																
85	1485.10	8.70	33.93	85	1482.83	8.08	33.98	85	1482.83	8.08	33.98	85	1482.35	7.93	34.06	85	1482.47	8.01	33.91	85	1482.47	8.01	33.91																
90	1484.87	8.60	33.99	90	1482.61	7.98	34.05	90	1482.61	7.98	34.05	90	1482.15	7.84	34.11	90	1482.10	7.87	33.99	90	1482.10	7.87	33.99																
95	1484.79	8.52	34.10	95	1482.40	7.90	34.07	95	1482.40	7.90	34.07	95	1482.19	7.81	34.16	95	1481.72	7.73	34.03	95	1481.72	7.73	34.03																
100	1485.00	8.53	34.17	100	1482.27	7.79	34.23	100	1482.27	7.79	34.23	100	1482.20	7.78	34.20	100	1479.97	7.27	33.99	100	1479.97	7.27	33.99																
110	1484.62	8.34	34.31	110	1482.22	7.73	34.24	110	1482.22	7.73	34.24	110	1482.21	7.72	34.26	110	1479.11	7.00	34.01	110	1479.11	7.00	34.01																
120	1484.91	8.34	34.41	120	1482.31	7.70	34.27	120	1482.31	7.70	34.27	120	1482.25	7.68	34.28	120	1478.18	6.70	34.08	120	1478.18	6.70	34.08																
130	1484.64	8.20	34.48	130	1482.83	7.74	34.44	130	1482.83	7.74	34.44	130	1482.97	7.76	34.49	130	1480.89	7.26	34.36	130	1480.89	7.26	34.36																
140	1484.44	8.08	34.55	140	1482.99	7.69	34.58	140	1482.99	7.69	34.58	140	1483.05	7.70	34.60	140	1482.30	7.56	34.43	140	1482.30	7.56	34.43																
150	1484.01	7.88	34.69	150	1483.48	7.75	34.65	150	1483.48	7.75	34.65	150	1483.48	7.74	34.69	150	1482.08	7.42	34.54	150	1482.08	7.42	34.54																
160	1483.69	7.76	34.67	160	1483.57	7.74	34.63	160	1483.57	7.74	34.63	160	1483.54	7.73	34.63	160	1482.24	7.42	34.55	160	1482.24	7.42	34.55																
170	1483.88	7.75	34.71	170	1483.71	7.73	34.64	170	1483.71	7.73	34.64	170	1483.68	7.72	34.64	170	1482.37	7.42	34.52	170	1482.37	7.42	34.52																
180	1484.01	7.75	34.68	180	1483.90	7.70	34.74	180	1483.90	7.70	34.74	180	1483.86	7.72	34.66	180	1482.53	7.42	34.52	180	1482.53	7.42	34.52																
190	1484.25	7.75	34.75	190	1484.17	7.72	34.66	190	1484.17	7.72	34.66	190	1484.17	7.72	34.66	190	1482.77	7.43	34.53	190	1482.77	7.43	34.53																
200	1484.17	7.72	34.66	200	1484.17	7.72	34.66	200	1484.17	7.72	34.66	200	1483.33	7.51	34.60	200	1483.33	7.51	34.60	200	1483.33	7.51	34.60																

PLATFORM: LYNCH 17										PLATFORM: LYNCH 18										PLATFORM: LYNCH 19									
POSITION: 43 36N 67 26W										POSITION: 43 36N 67 38W										POSITION: 43 36N 67 49W									
MSG/MSG1: 151/37										MSG/MSG1: 151/37										MSG/MSG1: 151/37									
DATE/TIME: 22AUG82/1650										DATE/TIME: 22AUG82/1812										DATE/TIME: 22AUG82/1936									
INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD										INSTRUMENT TYPE: STD									
DEPTH	SVEL	TEMP	SAL							DEPTH	SVEL	TEMP	SAL							DEPTH	SVEL	TEMP	SAL						
(M)	(M/S)	(C)	(PPT)							(M)	(M/S)	(C)	(PPT)							(M)	(M/S)	(C)	(PPT)						
0	1503.22	14.77	32.50							0	1503.14	14.75	32.51							0	1501.37	14.14	32.72						
5	1503.22	14.77	32.50							5	1503.14	14.75	32.51							5	1501.37	14.14	32.72						
10	1503.26	14.77	32.53							10	1503.29	14.76	32.60							10	1501.37	14.14	32.72						
15	1503.34	14.77	32.60							15	1503.43	14.76	32.69							15	1501.42	14.13	32.71						
20	1501.97	14.25	32.78							20	1502.75	14.54	32.64							20	1500.02	13.74	32.54						
25	1495.78	12.31	32.94							25	1498.34	13.18	32.62							25	1490.35	10.98	32.27						
30	1490.83	10.83	33.03							30	1493.36	11.71	32.59							30	1487.81	10.02	32.94						
35	1488.25	10.06	33.12							35	1489.62	10.54	32.83							35	1485.86	9.38	33.17						
40	1485.61	9.31	33.13							40	1488.03	10.01	33.01							40	1484.84	9.07	33.21						
45	1485.44	9.22	33.18							45	1487.37	9.80	33.02							45	1483.36	8.57	33.46						
50	1487.00	9.51	33.53							50	1486.68	9.55	33.14							50	1481.67	8.15	33.31						
55	1484.59	8.83	33.54							55	1486.01	9.31	33.25							55	1474.80	6.53	32.75						
60	1483.31	8.44	33.62							60	1485.44	9.12	33.28							60	1474.34	6.25	33.22						
65	1482.67	8.23	33.66							65	1484.17	8.75	33.31							65	1472.92	5.83	33.35						
70	1483.42	8.37	33.78							70	1482.35	8.21	33.40							70	1472.61	5.73	33.35						
75	1483.46	8.35	33.82							75	1482.04	8.06	33.55							75	1472.51	5.66	33.42						
80	1482.06	7.95	33.83							80	1481.15	7.77	33.66							80	1473.07	5.74	33.56						
85	1482.14	7.86	34.10							85	1480.38	7.61	33.68							85	1473.69	5.89	33.52						
90	1479.90	7.29	34.01							90	1480.64	7.51	33.69							90	1473.70	5.86	33.54						
95	1479.28	7.10	34.03							95	1478.73	7.06	33.70							95	1474.32	5.96	33.66						
100	1478.85	6.98	33.99							100	1475.69	6.30	33.62							100	1474.57	6.01	33.63						
110	1478.38	6.81	34.01							110	1475.20	6.09	33.74							110	1474.82	6.00	33.73						
120	1481.15	7.40	34.25							120	1475.66	6.11	33.92							120	1476.31	6.26	33.96						
130	1482.00	7.52	34.45							130	1476.55	6.28	33.96							130	1478.72	6.77	34.15						
140	1481.94	7.42	34.56							140	1477.96	6.56	34.08							140	1481.29	7.37	34.20						
150	1482.04	7.42	34.51							150	1480.20	7.04	34.23							150	1482.67	7.65	34.32						
160	1482.25	7.42	34.55							160	1482.83	7.60	34.45							160	1482.48	7.54	34.37						
170	1482.41	7.42	34.55							170	1483.30	7.66	34.53							170	1481.73	7.29	34.40						
180	1482.65	7.43	34.58							180	1483.77	7.75	34.50							180	1482.35	7.39	34.47						
190	1482.74	7.43	34.52							190	1483.82	7.70	34.54							190	1482.38	7.34	34.52						
200	1483.35	7.53	34.57							200	1485.99	8.19	34.67							200	1482.49	7.29	34.62						
										220	1486.22	8.15	34.72							220	1482.67	7.27	34.57						
										240	1485.98	7.99	34.75							240	1482.97	7.27	34.55						

PLATFORM: LYNCH 19				PLATFORM: LYNCH 20				PLATFORM: LYNCH 21				PLATFORM: LYNCH 21			
POSITION: 43 36N 67 49W				POSITION: 43 36N 68 0W				POSITION: 43 28N 68 11W				POSITION: 43 28N 68 11W			
MSG/MSG1: 151/37				MSG/MSG1: 151/38				MSG/MSG1: 151/38				MSG/MSG1: 151/38			
DATE/TIME: 22AUG82/1945				DATE/TIME: 22AUG82/2102				DATE/TIME: 22AUG82/2248				DATE/TIME: 22AUG82/2253			
INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD			
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)
0	1501.49	14.18	32.71	0	1504.84	15.22	32.72	0	1501.42	14.31	32.43	0	1501.48	14.34	32.38
5	1501.49	14.18	32.71	5	1501.90	14.28	32.80	5	1501.51	14.31	32.43	5	1501.55	14.33	32.42
10	1501.51	14.18	32.73	10	1498.96	13.35	32.89	10	1501.59	14.31	32.44	10	1501.62	14.31	32.46
15	1499.77	13.56	32.89	15	1496.02	12.41	32.98	15	1501.68	14.31	32.44	15	1501.71	14.31	32.46
20	1494.69	11.92	33.20	20	1490.40	10.79	32.94	20	1501.76	14.31	32.44	20	1501.14	14.08	32.55
25	1489.73	10.56	32.99	25	1488.49	10.19	33.05	25	1501.78	14.29	32.44	25	1498.28	13.13	32.74
30	1487.89	9.96	33.17	30	1487.71	9.96	33.03	30	1501.22	14.11	32.39	30	1491.03	10.88	33.04
35	1485.90	9.38	33.23	35	1486.51	9.56	33.16	35	1498.16	13.15	32.42	35	1484.90	9.07	33.32
40	1485.09	9.11	33.30	40	1485.25	9.18	33.22	40	1492.34	11.40	32.49	40	1481.17	8.19	32.92
45	1483.79	8.72	33.35	45	1485.21	9.09	33.37	45	1488.56	10.30	32.54	45	1478.53	7.43	33.06
50	1483.31	8.54	33.43	50	1483.76	8.65	33.48	50	1482.20	8.51	32.63	50	1477.27	7.08	33.08
55	1482.31	8.20	33.61	55	1482.25	8.25	33.40	55	1480.90	8.09	32.81	55	1476.83	6.91	33.19
60	1475.85	6.46	33.76	60	1478.17	7.18	33.35	60	1478.65	7.45	32.90	60	1476.74	6.84	33.28
65	1474.65	6.30	33.23	65	1475.01	6.36	33.33	65	1477.36	7.05	33.04	65	1476.52	6.77	33.25
70	1473.47	5.95	33.34	70	1474.33	6.17	33.33	70	1476.96	6.92	33.08	70	1476.12	6.62	33.32
75	1472.96	5.81	33.34	75	1473.85	6.04	33.30	75	1476.91	6.85	33.19	75	1475.83	6.50	33.42
80	1472.81	5.73	33.38	80	1475.35	6.36	33.39	80	1476.88	6.79	33.28	80	1475.66	6.42	33.45
85	1473.95	5.97	33.46	85	1475.52	6.35	33.51	85	1476.29	6.63	33.32	85	1475.54	6.36	33.50
90	1474.25	6.02	33.48	90	1474.82	6.12	33.60	90	1476.29	6.57	33.36	90	1475.54	6.33	33.51
95	1473.90	5.88	33.58	95	1473.84	5.86	33.61	95	1475.81	6.40	33.46	95	1475.76	6.35	33.56
100	1474.67	6.03	33.65	100	1474.13	5.91	33.61	100	1475.54	6.30	33.48	100	1476.16	6.41	33.64
110	1474.67	5.97	33.70	110	1474.81	6.01	33.68	110	1476.43	6.42	33.70	110	1476.30	6.36	33.78
120	1475.58	6.15	33.73	120	1475.22	6.04	33.79	120	1475.99	6.22	33.83	120	1475.94	6.21	33.83
130	1476.41	6.28	33.85	130	1475.91	6.13	33.91	130	1476.16	6.20	33.92	130	1476.13	6.20	33.87
140	1479.00	6.83	34.05	140	1476.51	6.23	33.94	140	1476.36	6.20	33.92	140	1476.34	6.20	33.91
150	1481.84	7.45	34.26	150	1477.26	6.36	34.02	150	1476.79	6.24	34.01	150	1476.72	6.24	33.96
160	1482.56	7.57	34.35	160	1478.75	6.64	34.20	160	1477.35	6.33	34.06	160	1477.18	6.30	33.99
170	1482.36	7.44	34.45	170	1480.32	6.95	34.33	170	1478.50	6.54	34.16	170	1478.48	6.30	33.99
180	1482.36	7.41	34.42	180	1480.81	7.02	34.38	180	1478.50	6.54	34.16	180	1478.83	6.57	34.21
190	1482.53	7.37	34.54	190	1481.91	7.22	34.52								
200	1482.39	7.29	34.54	200	1482.29	7.28	34.49								
220	1482.65	7.27	34.55												
240	1483.04	7.27	34.60												

PLATFORM: LYNCH 22
 POSITION: 43 28N 68 11W
 MSG/MSG1: 151/38
 DATE/TIME: 22AUG82/2252
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.60 14.34 32.50
 5 1501.61 14.33 32.47
 10 1501.63 14.32 32.44
 15 1501.64 14.31 32.41
 20 1497.54 13.26 31.82
 25 1482.09 8.67 32.42
 30 1479.42 7.81 32.82
 35 1479.00 7.61 33.01
 40 1480.15 7.84 33.16
 45 1479.00 7.57 33.02
 50 1476.53 6.96 32.86
 55 1473.65 6.17 32.99
 60 1471.80 5.62 33.19
 65 1472.18 5.66 33.30
 70 1472.04 5.60 33.32
 75 1472.37 5.63 33.41
 80 1472.80 5.70 33.46
 85 1473.05 5.73 33.51
 90 1472.92 5.66 33.57
 95 1473.16 5.68 33.62
 100 1473.41 5.72 33.63
 110 1474.03 5.79 33.76
 120 1474.52 5.88 33.76
 130 1475.44 6.04 33.85
 140 1477.25 6.41 33.98
 150 1478.96 6.74 34.17
 160 1481.23 7.21 34.38
 170 1482.86 7.60 34.36
 180 1483.26 7.66 34.37
 190 1482.60 7.41 34.47
 200 1483.15 7.50 34.52
 220 1482.69 7.28 34.55

PLATFORM: LYNCH 22
 POSITION: 43 28N 68 11W
 MSG/MSG1: 151/38
 DATE/TIME: 22AUG82/2259
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.24 14.29 32.34
 5 1501.33 14.27 32.39
 10 1501.41 14.25 32.44
 15 1500.60 13.95 32.53
 20 1495.51 12.18 33.14
 25 1486.83 9.79 32.90
 30 1481.87 8.35 33.14
 35 1479.46 7.74 33.00
 40 1479.60 7.77 32.94
 45 1480.03 7.82 33.06
 50 1478.90 7.42 33.33
 55 1476.78 6.83 33.39
 60 1474.65 6.31 33.27
 65 1472.58 5.73 33.40
 70 1471.85 5.59 33.20
 75 1472.12 5.59 33.35
 80 1472.25 5.61 33.33
 85 1472.67 5.65 33.47
 90 1472.95 5.71 33.44
 95 1473.28 5.76 33.48
 100 1473.16 5.69 33.52
 110 1473.65 5.73 33.66
 120 1474.09 5.79 33.69
 130 1474.80 5.90 33.77
 140 1475.77 6.09 33.82
 150 1477.26 6.39 33.90
 160 1480.14 7.03 34.08
 170 1482.64 7.55 34.33
 180 1483.54 7.72 34.42
 190 1482.52 7.41 34.40
 200 1483.04 7.47 34.52
 220 1482.69 7.28 34.55

PLATFORM: LYNCH 23
 POSITION: 43 28N 67 48W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0103
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1499.70 13.68 32.71
 5 1499.78 13.68 32.71
 10 1499.87 13.68 32.71
 15 1499.85 13.66 32.70
 20 1498.33 13.27 32.44
 25 1489.35 10.62 32.49
 30 1485.27 9.36 32.83
 35 1482.99 8.68 32.97
 40 1481.34 8.16 33.15
 45 1481.38 8.09 33.34
 50 1481.20 8.05 33.23
 55 1480.52 7.82 33.33
 60 1480.45 7.78 33.33
 65 1478.95 7.51 32.91
 70 1476.10 6.65 33.21
 75 1475.84 6.54 33.31
 80 1475.77 6.47 33.40
 85 1475.85 6.45 33.47
 90 1475.85 6.41 33.53
 95 1475.80 6.37 33.55
 100 1475.75 6.31 33.61
 110 1475.51 6.17 33.75
 120 1475.89 6.14 33.99
 130 1476.95 6.35 34.05
 140 1478.83 6.73 34.21
 150 1483.24 7.73 34.53
 160 1483.39 7.73 34.51
 170 1483.55 7.74 34.49
 180 1483.53 7.70 34.45
 190 1483.10 7.55 34.45
 200 1482.92 7.46 34.46
 220 1482.74 7.30 34.54
 240 1483.16 7.31 34.58

PLATFORM: LYNCH 23
 POSITION: 43 28N 67 48W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0112
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.06 13.80 32.69
 5 1499.99 13.75 32.71
 10 1499.92 13.69 32.73
 15 1499.86 13.64 32.74
 20 1491.50 11.00 33.22
 25 1485.88 9.48 33.05
 30 1483.93 8.87 33.22
 35 1482.07 8.37 33.16
 40 1481.16 8.10 33.19
 45 1481.25 8.09 33.22
 50 1480.98 7.97 33.32
 55 1479.75 7.64 33.27
 60 1478.89 7.34 33.42
 65 1476.35 6.72 33.28
 70 1475.63 6.50 33.31
 75 1475.47 6.43 33.35
 80 1475.79 6.45 33.49
 85 1475.78 6.41 33.52
 90 1475.80 6.39 33.55
 95 1475.71 6.34 33.57
 100 1475.81 6.32 33.64
 110 1475.58 6.18 33.77
 120 1475.60 6.13 33.81
 130 1475.98 6.15 33.92
 140 1477.86 6.56 33.98
 150 1479.49 6.90 34.09
 160 1481.86 7.42 34.25
 170 1483.33 7.71 34.39
 180 1483.48 7.69 34.46
 190 1482.95 7.51 34.46
 200 1482.79 7.40 34.53
 220 1482.74 7.30 34.53
 240 1483.16 7.31 34.58

PLATFORM: LYNCH 24
 POSITION: 43 29N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0209
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.50 14.60 32.55
 5 1502.91 14.69 32.57
 10 1503.32 14.78 32.60
 15 1503.72 14.87 32.63
 20 1499.34 13.51 32.61
 25 1493.26 11.70 32.60
 30 1489.35 10.46 32.90
 35 1487.72 9.92 33.10
 40 1485.73 9.33 33.16
 45 1485.01 9.06 33.32
 50 1482.59 8.39 33.32
 55 1482.40 8.28 33.43
 60 1482.58 8.29 33.47
 65 1482.12 8.16 33.43
 70 1480.80 7.78 33.49
 75 1480.76 7.71 33.60
 80 1479.91 7.43 33.70
 85 1480.13 7.44 33.79
 90 1479.32 7.19 33.84
 95 1479.15 7.12 33.85
 100 1478.06 6.84 33.81
 110 1481.21 7.43 34.36
 120 1481.43 7.44 34.37
 130 1481.58 7.43 34.37
 140 1481.72 7.43 34.36
 150 1482.91 7.68 34.42
 160 1483.21 7.69 34.48
 170 1483.03 7.59 34.52
 180 1485.28 8.09 34.66
 190 1485.29 8.04 34.69
 200 1484.62 7.83 34.65
 220 1485.83 8.04 34.73

PLATFORM: LYNCH 24
 POSITION: 43 29N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0218
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.03 15.06 32.60
 5 1503.97 15.01 32.62
 10 1503.91 14.96 32.64
 15 1501.56 14.05 33.05
 20 1493.42 11.50 33.36
 25 1488.23 10.07 33.19
 30 1487.03 9.72 33.20
 35 1485.49 9.24 33.30
 40 1484.26 8.84 33.44
 45 1481.97 8.22 33.38
 50 1482.23 8.24 33.48
 55 1481.27 7.88 33.74
 60 1480.56 7.73 33.56
 65 1480.45 7.66 33.62
 70 1479.75 7.44 33.69
 75 1479.59 7.37 33.71
 80 1478.97 7.13 33.88
 85 1478.73 7.06 33.85
 90 1477.78 6.79 33.87
 95 1475.44 6.19 33.81
 100 1478.47 6.97 33.72
 110 1479.69 7.10 34.16
 120 1478.40 6.78 34.00
 130 1478.95 6.86 34.06
 140 1482.22 7.58 34.32
 150 1482.97 7.69 34.45
 160 1483.10 7.67 34.46
 170 1483.28 7.70 34.39
 180 1485.28 8.09 34.68
 190 1484.95 7.97 34.64
 200 1484.98 7.94 34.62
 220 1485.86 8.04 34.76

PLATFORM: LYNCH 25
 POSITION: 43 28N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0324
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.00 15.00 32.59
 5 1504.00 15.00 32.59
 10 1504.00 15.00 32.59
 15 1504.04 14.99 32.58
 20 1502.38 14.55 32.30
 25 1498.53 13.27 32.54
 30 1493.82 11.96 32.24
 35 1488.51 10.27 32.70
 40 1487.33 9.79 33.09
 45 1486.31 9.45 33.21
 50 1485.55 9.17 33.36
 55 1485.67 9.15 33.45
 60 1485.12 8.96 33.50
 65 1484.25 8.69 33.56
 70 1483.99 8.56 33.66
 75 1484.32 8.57 33.84
 80 1484.98 8.69 33.94
 85 1485.18 8.71 33.97
 90 1484.56 8.52 33.97
 95 1483.87 8.31 33.98
 100 1482.89 8.06 33.90
 110 1482.02 7.74 34.04
 120 1481.20 7.44 34.19
 130 1482.21 7.61 34.33
 140 1482.27 7.54 34.45
 150 1482.28 7.49 34.48
 160 1482.20 7.42 34.51
 170 1482.36 7.42 34.51
 180 1482.52 7.42 34.51
 190 1482.69 7.42 34.52
 200 1482.86 7.42 34.52
 220 1483.33 7.42 34.63

PLATFORM: LYNCH 25
 POSITION: 43 28N 67 27W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0330
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1503.67 15.01 32.30
 5 1503.67 14.97 32.39
 10 1503.67 14.92 32.49
 15 1503.68 14.84 32.68
 20 1498.78 13.32 32.67
 25 1494.45 11.97 32.79
 30 1488.76 10.21 33.16
 35 1487.26 9.80 33.08
 40 1486.51 9.53 33.19
 45 1486.00 9.32 33.34
 50 1485.81 9.22 33.41
 55 1485.65 9.12 33.51
 60 1484.92 8.88 33.57
 65 1484.13 8.64 33.61
 70 1483.99 8.55 33.68
 75 1484.70 8.68 33.80
 80 1485.01 8.70 33.93
 85 1484.61 8.52 34.07
 90 1484.12 8.39 34.03
 95 1483.31 8.13 34.09
 100 1482.18 7.82 34.07
 110 1481.04 7.45 34.15
 120 1481.02 7.39 34.18
 130 1482.06 7.55 34.40
 140 1482.19 7.52 34.45
 150 1482.15 7.45 34.51
 160 1482.19 7.42 34.51
 170 1482.32 7.41 34.51
 180 1482.52 7.42 34.51
 190 1482.73 7.42 34.55
 200 1482.86 7.42 34.52
 220 1483.07 7.42 34.54

PLATFORM: LYNCH 26
 POSITION: 43 28N 67 16W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0431
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.07 14.08 32.76
 5 1501.15 14.11 32.69
 10 1501.22 14.13 32.61
 15 1501.24 14.13 32.55
 20 1500.72 13.95 32.54
 25 1498.42 13.22 32.58
 30 1497.01 12.73 32.71
 35 1488.63 10.28 32.79
 40 1485.21 9.23 33.05
 45 1482.92 8.55 33.17
 50 1481.83 8.23 33.20
 55 1480.90 7.91 33.35
 60 1480.74 7.82 33.45
 65 1480.07 7.61 33.48
 70 1478.92 7.27 33.54
 75 1479.55 7.33 33.79
 80 1478.74 7.07 33.88
 85 1478.26 6.93 33.87
 90 1477.83 6.78 33.95
 95 1478.13 6.81 34.02
 100 1478.59 6.89 34.07
 110 1479.58 7.07 34.16
 120 1480.53 7.22 34.32
 130 1481.71 7.45 34.42
 140 1481.95 7.45 34.48
 150 1482.23 7.47 34.52
 160 1482.58 7.51 34.54
 170 1482.89 7.54 34.56
 180 1483.26 7.59 34.58
 190 1483.72 7.65 34.64
 200 1483.90 7.66 34.61

PLATFORM: LYNCH 26
 POSITION: 43 29N 67 16W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0437
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.94 14.12 32.53
 5 1501.10 14.14 32.54
 10 1501.25 14.16 32.56
 15 1501.36 14.16 32.58
 20 1500.12 13.70 32.73
 25 1497.51 12.87 32.80
 30 1490.43 10.58 33.44
 35 1485.34 9.20 33.31
 40 1483.39 8.61 33.42
 45 1482.35 8.33 33.36
 50 1481.37 8.06 33.34
 55 1480.69 7.83 33.44
 60 1480.61 7.76 33.52
 65 1480.13 7.59 33.59
 70 1480.08 7.52 33.70
 75 1479.89 7.42 33.78
 80 1478.81 7.11 33.83
 85 1478.72 7.04 33.91
 90 1478.67 7.00 33.90
 95 1478.11 6.83 33.94
 100 1477.98 6.76 33.97
 110 1478.87 6.92 34.06
 120 1479.39 7.00 34.10
 130 1480.13 7.12 34.17
 140 1481.87 7.44 34.44
 150 1482.12 7.45 34.49
 160 1482.46 7.49 34.51
 170 1482.84 7.54 34.53
 180 1483.37 7.61 34.61
 190 1483.71 7.66 34.60
 200 1483.89 7.66 34.60

PLATFORM: LYNCH 27
 POSITION: 43 28N 67 5W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0543
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.18 13.88 32.57
 5 1499.96 13.77 32.61
 10 1499.75 13.67 32.65
 15 1499.41 13.70 32.23
 20 1494.42 12.16 32.30
 25 1490.84 10.96 32.74
 30 1488.12 10.11 32.93
 35 1486.88 9.71 33.02
 40 1486.06 9.41 33.19
 45 1484.61 8.97 33.27
 50 1484.29 8.80 33.45
 55 1483.29 8.48 33.53
 60 1482.75 8.26 33.69
 65 1482.75 8.22 33.76
 70 1482.76 8.18 33.81
 75 1482.62 8.10 33.89
 80 1482.21 7.95 33.95
 85 1482.15 7.88 34.04
 90 1482.17 7.87 34.04
 95 1482.21 7.85 34.06
 100 1482.39 7.86 34.11
 110 1482.60 7.83 34.23
 120 1483.02 7.86 34.35
 130 1483.18 7.85 34.37
 140 1483.78 7.92 34.52
 150 1483.89 7.86 34.64
 160 1484.51 7.95 34.75
 170 1484.89 8.01 34.74
 180 1485.11 8.02 34.74
 190 1485.27 8.02 34.75
 200 1485.44 8.02 34.75
 220 1485.89 8.03 34.80

PLATFORM: LYNCH 27
 POSITION: 43 28N 67 5W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/0549
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.74 14.03 32.63
 5 1500.71 13.99 32.63
 10 1500.68 13.96 32.64
 15 1499.28 13.42 32.87
 20 1495.36 12.23 32.87
 25 1490.78 10.88 32.90
 30 1488.96 10.31 33.04
 35 1488.02 10.01 33.07
 40 1486.38 9.50 33.18
 45 1485.94 9.34 33.22
 50 1484.43 8.85 33.41
 55 1483.77 8.59 33.58
 60 1482.88 8.31 33.67
 65 1482.79 8.25 33.70
 70 1482.78 8.21 33.75
 75 1482.79 8.18 33.80
 80 1482.71 8.11 33.87
 85 1482.25 7.93 33.99
 90 1482.13 7.87 34.01
 95 1482.28 7.88 34.02
 100 1482.20 7.83 34.06
 110 1482.52 7.82 34.20
 120 1482.79 7.84 34.23
 130 1483.16 7.86 34.33
 140 1483.42 7.87 34.38
 150 1483.86 7.87 34.59
 160 1484.17 7.89 34.65
 170 1484.63 7.95 34.70
 180 1485.09 8.02 34.74
 190 1485.27 8.02 34.74
 200 1485.44 8.02 34.75
 220 1485.81 8.03 34.75

PLATFORM: LYNCH POSITION: 43 28N 66 54W MSG/MSG1: 151/36 DATE/TIME: 23AUG82/0700 INSTRUMENT TYPE: STD	PLATFORM: LYNCH POSITION: 43 28N 66 54W MSG/MSG1: 151/36 DATE/TIME: 23AUG82/0805 INSTRUMENT TYPE: STD	PLATFORM: LYNCH POSITION: 43 28N 66 54W MSG/MSG1: 151/36 DATE/TIME: 23AUG82/0810 INSTRUMENT TYPE: STD	PLATFORM: LYNCH POSITION: 43 28N 67 4W MSG/MSG1: 151/37 DATE/TIME: 23AUG82/0945 INSTRUMENT TYPE: STD
DEPTH SVEL (M) (M/S) (C) TEMP (PPT) SAL	DEPTH SVEL (M) (M/S) (C) TEMP (PPT) SAL	DEPTH SVEL (M) (M/S) (C) TEMP (PPT) SAL	DEPTH SVEL (M) (M/S) (C) TEMP (PPT) SAL
0 1502.07 14.39 32.76 5 1502.01 14.34 32.77 10 1501.96 14.29 32.78 15 1500.54 13.74 33.04 20 1499.01 13.24 33.09 25 1497.76 12.86 33.04 30 1497.05 12.60 33.10 35 1495.12 11.99 33.15 40 1493.36 11.43 33.23 45 1492.87 11.25 33.30 50 1491.54 10.81 33.40 55 1489.95 10.29 33.54 60 1488.66 9.86 33.70 65 1487.63 9.51 33.83 70 1486.66 9.19 33.93 75 1486.98 9.21 34.06 80 1487.37 9.25 34.19 85 1488.08 9.40 34.26 90 1488.48 9.45 34.37 95 1489.08 9.54 34.51 100 1489.25 9.55 34.56 110 1489.74 9.60 34.67 120 1489.51 9.45 34.78 130 1489.03 9.28 34.79 140 1489.52 9.33 34.91 150 1489.61 9.29 34.94 160 1489.77 9.28 34.97 170 1489.79 9.25 34.95 180 1489.58 9.14 34.96 190 1489.61 9.11 34.96 200 1489.85 9.11 35.02	0 1500.26 14.01 32.27 5 1500.71 14.01 32.58 10 1501.16 14.01 32.89 15 1500.95 13.93 32.86 20 1497.60 12.93 32.76 25 1495.77 12.35 32.81 30 1493.22 11.57 32.85 35 1488.10 10.13 32.79 40 1485.09 9.18 33.09 45 1483.46 8.69 33.17 50 1482.53 8.39 33.26 55 1482.20 8.26 33.33 60 1482.06 8.19 33.36 65 1482.07 8.16 33.40 70 1482.38 8.19 33.50 75 1482.52 8.19 33.54 80 1482.67 8.19 33.59 85 1482.93 8.22 33.65 90 1483.53 8.31 33.78 95 1483.73 8.32 33.85 100 1484.40 8.42 34.03 110 1485.84 8.65 34.34 120 1486.82 8.81 34.53 130 1487.42 8.88 34.68 140 1487.48 8.81 34.79 150 1486.78 8.54 34.91 160 1486.64 8.46 34.90 170 1486.79 8.46 34.90 180 1486.92 8.45 34.90 190 1487.05 8.44 34.90 200 1487.20 8.43 34.91	0 1499.94 13.68 32.73 5 1499.99 13.67 32.77 10 1500.04 13.67 32.81 15 1500.13 13.67 32.90 20 1498.47 13.07 33.10 25 1495.54 12.18 33.10 30 1491.87 11.05 33.25 35 1487.53 9.80 33.28 40 1485.26 9.16 33.28 45 1483.02 8.55 33.23 50 1482.25 8.31 33.29 55 1482.00 8.21 33.31 60 1482.01 8.17 33.39 65 1482.22 8.16 33.52 70 1482.46 8.18 33.58 75 1482.61 8.19 33.60 80 1482.87 8.24 33.60 85 1483.25 8.27 33.74 90 1483.59 8.30 33.87 95 1483.52 8.26 33.86 100 1484.47 8.45 33.99 110 1486.34 8.78 34.36 120 1486.98 8.85 34.54 130 1487.37 8.84 34.75 140 1487.19 8.74 34.78 150 1486.76 8.54 34.89 160 1486.68 8.47 34.89 170 1486.83 8.46 34.93 180 1486.97 8.45 34.93 190 1487.06 8.44 34.91 200 1487.19 8.43 34.91	0 1499.04 13.58 32.44 5 1499.20 13.57 32.53 10 1499.37 13.56 32.63 15 1499.53 13.55 32.72 20 1498.10 13.16 32.55 25 1496.62 12.68 32.59 30 1491.73 11.18 32.75 35 1490.89 10.87 32.89 40 1489.98 10.57 32.97 45 1489.14 10.29 33.04 50 1488.14 9.96 33.12 55 1486.87 9.57 33.17 60 1486.54 9.45 33.18 65 1485.39 9.12 33.18 70 1484.33 8.74 33.40 75 1483.51 8.51 33.36 80 1482.19 8.01 33.75 85 1482.43 8.04 33.80 90 1482.86 8.10 33.88 95 1482.71 8.02 33.92 100 1482.75 7.99 34.00 110 1483.17 7.97 34.26 120 1484.03 8.07 34.53 130 1484.59 8.16 34.57 140 1484.88 8.18 34.59 150 1485.15 8.20 34.63 160 1485.30 8.19 34.64 170 1485.46 8.18 34.67 180 1485.44 8.12 34.71 190 1485.50 8.09 34.71 200 1485.72 8.09 34.75

PLATFORM: LYNCH 30				PLATFORM: LYNCH 31				PLATFORM: LYNCH 32			
POSITION: 43 20N 67 5W				POSITION: 43 20N 67 16W				POSITION: 43 20N 67 26W			
MSG/MSG1: 151/37				MSG/MSG1: 151/37				MSG/MSG1: 151/37			
DATE/TIME: 23AUG82/0953				DATE/TIME: 23AUG82/1147				DATE/TIME: 23AUG82/1305			
INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD				INSTRUMENT TYPE: STD			
DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL	DEPTH	SVEL	TEMP	SAL
(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)	(M)	(M/S)	(C)	(PPT)
0	1504.20	14.96	32.96	0	1505.61	15.58	32.53	0	1504.95	15.42	32.40
5	1502.30	14.41	32.83	5	1505.29	15.48	32.46	5	1505.12	15.45	32.40
10	1500.40	13.85	32.69	10	1504.97	15.38	32.39	10	1505.29	15.48	32.40
15	1497.21	12.83	32.78	15	1504.65	15.25	32.42	15	1505.25	15.43	32.42
20	1496.08	12.48	32.77	20	1502.98	14.53	32.53	20	1502.56	14.52	32.54
25	1492.11	11.26	32.90	25	1500.01	13.65	32.73	25	1498.30	13.16	32.65
30	1490.66	10.80	32.97	30	1496.51	12.53	32.84	30	1492.83	11.49	32.78
35	1489.84	10.54	33.01	35	1489.00	10.32	32.96	35	1488.45	10.17	32.94
40	1488.98	10.26	33.06	40	1488.33	10.10	33.00	40	1487.61	9.88	33.06
45	1487.68	9.85	33.13	45	1486.97	9.68	33.06	45	1486.37	9.50	33.10
50	1486.27	9.41	33.23	50	1484.05	8.77	33.35	50	1483.33	8.55	33.43
55	1485.20	9.07	33.31	55	1480.82	7.90	33.31	55	1482.65	8.33	33.48
60	1484.92	8.97	33.32	60	1478.73	7.34	33.32	60	1482.85	8.34	33.55
65	1484.33	8.78	33.35	65	1477.89	7.10	33.32	65	1482.79	8.28	33.62
70	1484.10	8.68	33.40	70	1476.88	6.80	33.36	70	1482.56	8.14	33.79
75	1482.28	8.08	33.67	75	1476.90	6.76	33.46	75	1482.55	8.10	33.83
80	1482.49	8.09	33.75	80	1476.79	6.72	33.43	80	1482.77	8.12	33.89
85	1482.87	8.14	33.84	85	1476.51	6.61	33.47	85	1482.88	8.10	33.96
90	1482.91	8.13	33.84	90	1476.91	6.61	33.73	90	1483.04	8.11	34.01
95	1483.01	8.11	33.90	95	1478.17	6.84	33.95	95	1483.12	8.10	34.03
100	1482.99	8.06	33.97	100	1478.60	6.93	33.94	100	1483.31	8.12	34.05
110	1482.96	8.01	33.97	110	1479.28	7.04	34.00	110	1483.39	8.03	34.25
120	1483.23	7.96	34.21	120	1479.59	7.08	34.01	120	1482.98	7.86	34.31
130	1484.33	8.10	34.53	130	1480.35	7.16	34.24	130	1481.90	7.51	34.39
140	1484.84	8.17	34.59	140	1482.32	7.55	34.48	140	1483.50	7.53	35.47
150	1485.12	8.20	34.60	150	1482.53	7.54	34.52	150	1482.88	7.61	34.59
160	1485.32	8.20	34.63	160	1483.81	7.79	34.66	160	1483.36	7.69	34.63
170	1485.45	8.18	34.66	170	1484.13	7.83	34.66	170	1483.66	7.71	34.66
180	1485.57	8.16	34.70	180	1484.50	7.87	34.72	180	1483.77	7.69	34.68
190	1485.60	8.11	34.74	190	1484.65	7.86	34.73				
200	1485.67	8.11	34.66	200	1484.87	7.87	34.75				
				220	1485.31	7.89	34.77				

PLATFORM: LYNCH 33
 POSITION: 43 20N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1417
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.69 14.01 32.63
 5 1500.77 14.00 32.65
 10 1500.84 13.99 32.68
 15 1500.92 13.98 32.70
 20 1500.70 13.91 32.63
 25 1498.83 13.35 32.57
 30 1493.05 11.71 32.34
 35 1488.57 10.27 32.75
 40 1486.80 9.70 32.94
 45 1485.49 9.25 33.14
 50 1486.29 9.31 33.52
 55 1485.73 9.19 33.36
 60 1483.43 8.59 33.25
 65 1480.52 7.74 33.43
 70 1479.64 7.49 33.43
 75 1478.84 7.26 33.43
 80 1475.92 6.49 33.47
 85 1476.29 6.52 33.58
 90 1477.92 6.87 33.72
 95 1478.94 7.12 33.71
 100 1478.90 7.07 33.74
 110 1482.05 7.75 34.04
 120 1479.83 7.15 33.99
 130 1479.86 7.08 34.09
 140 1480.08 7.06 34.19
 150 1482.18 7.45 34.55
 160 1482.55 7.48 34.61
 170 1482.82 7.50 34.63
 180 1483.11 7.51 34.70
 190 1483.30 7.52 34.69
 200 1483.36 7.49 34.69
 220 1483.55 7.45 34.71
 240 1483.94 7.46 34.73

PLATFORM: LYNCH 33
 POSITION: 43 20N 67 38W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1421
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1500.58 13.97 32.65
 5 1500.72 13.99 32.65
 10 1500.87 14.01 32.65
 15 1500.76 13.94 32.68
 20 1500.22 13.74 32.70
 25 1499.10 13.36 32.75
 30 1494.33 11.74 33.30
 35 1489.13 10.33 33.05
 40 1487.05 9.75 32.98
 45 1485.82 9.34 33.15
 50 1485.72 9.26 33.21
 55 1485.71 9.00 33.94
 60 1483.23 8.41 33.63
 65 1480.34 7.67 33.50
 70 1479.44 7.42 33.48
 75 1478.36 7.07 33.64
 80 1475.94 6.50 33.45
 85 1476.97 6.71 33.53
 90 1478.23 6.98 33.62
 95 1478.68 7.05 33.71
 100 1478.57 7.00 33.71
 110 1482.26 7.83 33.96
 120 1479.58 7.03 34.15
 130 1479.73 7.02 34.17
 140 1480.25 7.08 34.26
 150 1482.04 7.44 34.46
 160 1482.50 7.48 34.57
 170 1482.82 7.50 34.63
 180 1483.14 7.52 34.70
 190 1483.30 7.52 34.69
 200 1483.44 7.50 34.73
 220 1483.58 7.45 34.74
 240 1483.94 7.46 34.73

PLATFORM: LYNCH 34
 POSITION: 43 20N 67 49W
 MSG/MSG1: 151/37
 DATE/TIME: 23AUG82/1537
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1499.95 13.82 32.55
 5 1499.98 13.80 32.55
 10 1500.01 13.78 32.56
 15 1498.07 13.09 32.77
 20 1492.16 11.11 33.45
 25 1485.97 9.48 33.12
 30 1483.47 8.78 33.10
 35 1482.76 8.52 33.26
 40 1482.15 8.34 33.25
 45 1480.38 7.80 33.39
 50 1479.13 7.49 33.30
 55 1478.12 7.16 33.45
 60 1477.12 6.92 33.33
 65 1474.70 6.27 33.36
 70 1474.50 6.17 33.46
 75 1474.60 6.17 33.47
 80 1474.84 6.21 33.49
 85 1474.67 6.12 33.56
 90 1475.40 6.31 33.48
 95 1475.57 6.26 33.70
 100 1475.90 6.34 33.64
 110 1477.97 6.78 33.78
 120 1482.67 7.86 34.09
 130 1484.21 8.16 34.29
 140 1484.13 8.09 34.27
 150 1483.65 7.85 34.48
 160 1481.80 7.39 34.29
 170 1482.97 7.59 34.49
 180 1482.66 7.45 34.53
 190 1482.90 7.47 34.53
 200 1481.80 7.13 34.56
 220 1483.12 7.34 34.72
 240 1483.51 7.35 34.73

PLATFORM: LYNCH 35
 POSITION: 43 20N 68 0W
 MSG/MSG1: 151/38
 DATE/TIME: 23AUG82/1649
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.68 15.31 32.47
 5 1504.71 15.30 32.45
 10 1504.73 15.29 32.43
 15 1504.75 15.28 32.41
 20 1501.66 14.43 32.05
 25 1494.77 12.23 32.35
 30 1490.05 10.74 32.66
 35 1485.43 9.43 32.70
 40 1480.94 8.15 32.87
 45 1479.71 7.78 32.95
 50 1478.99 7.54 33.02
 55 1475.54 6.65 33.00
 60 1475.02 6.46 33.10
 65 1474.23 6.27 32.98
 70 1473.14 5.97 33.03
 75 1473.78 6.06 33.19
 80 1473.43 5.94 33.23
 85 1477.09 6.81 33.31
 90 1476.94 6.74 33.35
 95 1477.22 6.79 33.36
 100 1476.11 6.48 33.37
 110 1473.63 5.79 33.45
 120 1474.56 5.92 33.66
 130 1475.10 5.98 33.76
 140 1477.31 6.38 34.12
 150 1479.92 7.00 34.14
 160 1482.98 7.67 34.37
 170 1484.68 8.10 34.29
 180 1483.02 7.59 34.39
 190 1483.07 7.54 34.44
 200 1482.82 7.42 34.47
 220 1483.12 7.40 34.53
 240 1482.86 7.22 34.63

PLATFORM: LYNCH 35
 POSITION: 43 20N 68 0W
 MSG/MSG1: 151/38
 DATE/TIME: 23AUG82/1653
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1504.85 15.41 32.36
 5 1504.83 15.36 32.39
 10 1504.81 15.32 32.42
 15 1504.62 15.22 32.45
 20 1503.34 14.74 32.60
 25 1496.98 12.70 32.85
 30 1489.60 10.48 33.03
 35 1486.68 9.59 33.21
 40 1481.93 8.29 33.23
 45 1479.46 7.61 33.27
 50 1477.04 6.95 33.31
 55 1474.56 6.38 33.05
 60 1474.09 6.26 32.98
 65 1473.65 6.07 33.18
 70 1472.95 5.91 33.06
 75 1473.14 5.89 33.21
 80 1476.56 6.72 33.25
 85 1476.74 6.71 33.35
 90 1477.50 6.91 33.27
 95 1476.64 6.61 33.47
 100 1475.37 6.25 33.50
 110 1473.57 5.75 33.54
 120 1474.72 5.95 33.67
 130 1475.62 6.11 33.77
 140 1478.13 6.67 33.87
 150 1480.54 7.19 34.02
 160 1484.20 8.01 34.32
 170 1483.91 7.81 34.56
 180 1482.96 7.57 34.40
 190 1482.84 7.48 34.44
 200 1483.00 7.45 34.54
 220 1483.11 7.38 34.58
 240 1482.87 7.22 34.62

PLATFORM: LYNCH 36
 POSITION: 43 20N 68 11W
 MSG/MSG1: 151/38
 DATE/TIME: 23AUG82/1806
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1502.69 14.74 32.32
 5 1502.06 14.48 32.44
 10 1501.42 14.21 32.56
 15 1501.51 14.24 32.50
 20 1496.11 12.59 32.50
 25 1491.61 11.22 32.61
 30 1488.38 10.28 32.64
 35 1486.45 9.67 32.80
 40 1484.72 9.17 32.81
 45 1483.59 8.79 32.99
 50 1482.99 8.62 32.95
 55 1480.22 7.86 32.98
 60 1479.05 7.51 33.04
 65 1478.81 7.42 33.06
 70 1478.65 7.31 33.20
 75 1478.43 7.22 33.23
 80 1478.10 7.11 33.26
 85 1478.04 7.07 33.28
 90 1477.16 6.84 33.23
 95 1475.05 6.28 33.24
 100 1473.17 5.79 33.23
 110 1473.38 5.75 33.38
 120 1473.97 5.82 33.50
 130 1474.50 5.88 33.60
 140 1475.11 5.96 33.71
 150 1476.30 6.16 33.87
 160 1477.35 6.35 33.99
 170 1478.47 6.55 34.12
 180 1480.31 6.89 34.38
 190 1481.36 7.09 34.47

PLATFORM: LYNCH 36
 POSITION: 43 20N 68 11W
 MSG/MSG1: 151/38
 DATE/TIME: 23AUG82/1810
 INSTRUMENT TYPE: STD
 DEPTH SVEL TEMP SAL
 (M) (M/S) (C) (PPT)
 0 1501.81 14.40 32.51
 5 1501.84 14.38 32.53
 10 1501.87 14.35 32.55
 15 1500.33 13.72 32.91
 20 1493.01 11.50 33.04
 25 1489.12 10.41 32.91
 30 1486.87 9.77 32.90
 35 1484.73 9.16 32.93
 40 1483.68 8.83 33.00
 45 1483.35 8.69 33.08
 50 1482.37 8.37 33.20
 55 1479.82 7.69 33.16
 60 1478.99 7.47 33.13
 65 1478.47 7.30 33.17
 70 1478.29 7.20 33.25
 75 1478.11 7.12 33.30
 80 1477.99 7.07 33.29
 85 1477.05 6.80 33.33
 90 1474.51 6.10 33.42
 95 1472.87 5.68 33.40
 100 1473.25 5.77 33.37
 110 1473.72 5.81 33.47
 120 1474.19 5.86 33.55
 130 1474.65 5.91 33.63
 140 1475.71 6.09 33.75
 150 1476.57 6.24 33.83
 160 1477.56 6.42 33.94
 170 1478.88 6.65 34.12
 180 1480.39 6.93 34.33
 190 1480.91 6.97 34.47

APPENDIX C:
BATHYMETRIC DATA

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1	LYNCH	43 43.3 N	67 42.5 W	1250:00	110882	232.2	0.0
2	LYNCH	43 43.5 N	67 42.7 W	1255:00	110882	230.4	0.2
3	LYNCH	43 43.7 N	67 43.2 W	1300:00	110882	228.6	0.7
4	LYNCH	43 44.0 N	67 43.6 W	1305:00	110882	226.7	1.1
5	LYNCH	43 44.3 N	67 44.0 W	1310:00	110882	224.9	1.5
6	LYNCH	43 44.5 N	67 44.5 W	1315:00	110882	224.9	1.9
7	LYNCH	43 44.3 N	67 44.7 W	1320:00	110882	224.9	2.2
8	LYNCH	43 43.6 N	67 44.7 W	1325:00	110882	223.1	2.9
9	LYNCH	43 42.9 N	67 44.6 W	1330:00	110882	224.9	3.6
10	LYNCH	43 42.1 N	67 44.6 W	1335:00	110882	224.9	4.4
11	LYNCH	43 41.9 N	67 44.0 W	1340:00	110882	226.7	4.8
12	LYNCH	43 42.6 N	67 43.2 W	1345:00	110882	230.4	5.7
13	LYNCH	43 43.2 N	67 42.4 W	1350:00	110882	230.4	6.6
14	LYNCH	43 43.8 N	67 41.5 W	1355:00	110882	228.6	7.5
15	LYNCH	43 44.6 N	67 40.7 W	1400:00	110882	226.7	8.4
16	LYNCH	43 44.2 N	67 40.4 W	1405:00	110882	226.7	8.9
17	LYNCH	43 43.4 N	67 40.3 W	1410:00	110882	228.6	9.7
18	LYNCH	43 42.6 N	67 40.3 W	1415:00	110882	228.6	10.5
19	LYNCH	43 42.5 N	67 40.8 W	1420:00	110882	230.4	10.8
20	LYNCH	43 42.4 N	67 41.2 W	1425:00	110882	230.4	11.2
21	LYNCH	43 43.0 N	67 42.1 W	1430:00	110882	230.4	12.1
22	LYNCH	43 43.7 N	67 43.0 W	1435:00	110882	230.4	13.0
23	LYNCH	43 43.8 N	67 43.2 W	1445:00	110882	226.7	13.2
24	LYNCH	43 43.9 N	67 43.4 W	1500:00	110882	228.6	13.4
25	LYNCH	43 44.3 N	67 43.1 W	1530:00	110882	228.6	13.9
26	LYNCH	43 43.5 N	67 42.3 W	1600:00	110882	230.4	14.9
27	LYNCH	43 43.3 N	67 41.9 W	1630:00	110882	230.4	15.2
28	LYNCH	43 43.5 N	67 41.5 W	1648:00	110882	232.2	15.5
29	LYNCH	43 43.4 N	67 41.6 W	1651:00	110882	232.2	15.6
30	LYNCH	43 43.3 N	67 41.8 W	1654:00	110882	234.0	15.8
31	LYNCH	43 43.1 N	67 42.1 W	1657:00	110882	234.0	16.1
32	LYNCH	43 42.9 N	67 42.4 W	1700:00	110882	234.0	16.4
33	LYNCH	43 42.6 N	67 42.7 W	1730:00	110882	235.9	16.7
34	LYNCH	43 42.7 N	67 42.6 W	1735:00	110882	235.9	16.8
35	LYNCH	43 42.8 N	67 42.5 W	1745:00	110882	234.0	16.9
36	LYNCH	43 42.8 N	67 42.5 W	1749:00	110882	234.0	17.0
37	LYNCH	43 42.8 N	67 42.7 W	1750:00	110882	234.0	17.1
38	LYNCH	43 42.7 N	67 43.8 W	1755:00	110882	226.7	17.9
39	LYNCH	43 42.7 N	67 44.8 W	1800:00	110882	226.7	18.6
40	LYNCH	43 42.6 N	67 45.9 W	1805:00	110882	224.9	19.5
41	LYNCH	43 42.4 N	67 47.1 W	1810:00	110882	223.1	20.3
42	LYNCH	43 42.3 N	67 48.2 W	1815:00	110882	219.4	21.1
43	LYNCH	43 42.1 N	67 49.3 W	1820:00	110882	212.1	21.9
44	LYNCH	43 41.9 N	67 50.3 W	1825:00	110882	215.8	22.7
45	LYNCH	43 41.7 N	67 51.4 W	1830:00	110882	221.2	23.5
46	LYNCH	43 41.2 N	67 53.5 W	1840:00	110882	223.1	25.1
47	LYNCH	43 41.0 N	67 54.6 W	1845:00	110882	221.2	25.9
48	LYNCH	43 40.8 N	67 55.7 W	1850:00	110882	215.8	26.7
49	LYNCH	43 40.7 N	67 56.7 W	1855:00	110882	203.0	27.5
50	LYNCH	43 40.5 N	67 57.8 W	1900:00	110882	193.8	28.3
51	LYNCH	43 40.1 N	67 59.5 W	1930:00	110882	186.5	29.6
52	LYNCH	43 40.0 N	67 59.6 W	1930:00	110882	186.5	29.7
53	LYNCH	43 39.9 N	67 59.2 W	2000:00	110882	188.3	30.0
54	LYNCH	43 39.4 N	67 58.4 W	2020:00	110882	192.0	30.7
55	LYNCH	43 39.1 N	67 57.9 W	2023:00	110882	199.3	31.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
56	LYNCH	43 38.3 N	67 56.8 W	2030:00	110882	219.4	32.4
57	LYNCH	43 37.7 N	67 55.9 W	2035:00	110882	223.1	33.3
58	LYNCH	43 37.0 N	67 55.0 W	2040:00	110882	224.9	34.2
59	LYNCH	43 36.4 N	67 54.1 W	2045:00	110882	234.0	35.1
60	LYNCH	43 35.7 N	67 53.2 W	2050:00	110882	232.2	36.0
61	LYNCH	43 35.1 N	67 52.3 W	2055:00	110882	239.5	37.0
62	LYNCH	43 34.5 N	67 51.6 W	2059:00	110882	243.2	37.7
63	LYNCH	43 34.4 N	67 51.5 W	2100:00	110882	215.8	37.9
64	LYNCH	43 34.3 N	67 51.3 W	2101:00	110882	215.8	38.1
65	LYNCH	43 34.1 N	67 51.1 W	2102:00	110882	232.2	38.3
66	LYNCH	43 34.0 N	67 50.9 W	2103:00	110882	234.0	38.4
67	LYNCH	43 33.9 N	67 50.8 W	2104:00	110882	223.1	38.6
68	LYNCH	43 33.7 N	67 50.6 W	2105:00	110882	237.7	38.8
69	LYNCH	43 33.6 N	67 50.4 W	2106:00	110882	239.5	39.0
70	LYNCH	43 33.5 N	67 50.2 W	2107:00	110882	248.7	39.2
71	LYNCH	43 33.3 N	67 50.1 W	2108:00	110882	246.8	39.4
72	LYNCH	43 33.2 N	67 49.9 W	2109:00	110882	250.5	39.5
73	LYNCH	43 33.1 N	67 49.7 W	2110:00	110882	250.5	39.7
74	LYNCH	43 32.9 N	67 49.5 W	2111:00	110882	256.0	39.9
75	LYNCH	43 32.9 N	67 49.4 W	2112:00	110882	263.3	40.1
76	LYNCH	43 32.7 N	67 49.2 W	2113:00	110882	254.2	40.3
77	LYNCH	43 32.5 N	67 49.0 W	2114:00	110882	241.4	40.5
78	LYNCH	43 32.4 N	67 48.8 W	2115:00	110882	250.5	40.6
79	LYNCH	43 32.3 N	67 48.7 W	2116:00	110882	235.9	40.8
80	LYNCH	43 32.1 N	67 48.5 W	2117:00	110882	234.0	41.0
81	LYNCH	43 32.0 N	67 48.3 W	2118:00	110882	232.2	41.2
82	LYNCH	43 31.9 N	67 48.1 W	2119:00	110882	235.9	41.4
83	LYNCH	43 31.7 N	67 48.0 W	2120:00	110882	237.7	41.6
84	LYNCH	43 31.6 N	67 47.8 W	2121:00	110882	245.0	41.8
85	LYNCH	43 31.5 N	67 47.6 W	2122:00	110882	272.4	41.9
86	LYNCH	43 31.3 N	67 47.4 W	2123:00	110882	259.6	42.1
87	LYNCH	43 31.2 N	67 47.3 W	2124:00	110882	254.2	42.3
88	LYNCH	43 31.1 N	67 47.1 W	2125:00	110882	250.5	42.5
89	LYNCH	43 30.9 N	67 46.9 W	2126:00	110882	237.7	42.7
90	LYNCH	43 30.8 N	67 46.7 W	2127:00	110882	246.8	42.9
91	LYNCH	43 30.7 N	67 46.6 W	2128:00	110882	237.7	43.0
92	LYNCH	43 30.5 N	67 46.4 W	2129:00	110882	224.9	43.2
93	LYNCH	43 30.4 N	67 46.2 W	2130:00	110882	232.2	43.4
94	LYNCH	43 29.9 N	67 45.4 W	2136:00	110882	230.4	44.2
95	LYNCH	43 29.5 N	67 45.3 W	2200:00	110882	230.4	44.6
96	LYNCH	43 29.2 N	67 45.4 W	2230:00	110882	230.4	44.9
97	LYNCH	43 29.0 N	67 45.4 W	2247:00	110882	230.4	45.1
98	LYNCH	43 29.0 N	67 42.5 W	2300:00	110882	224.9	47.2
99	LYNCH	43 29.0 N	67 39.0 W	2315:00	110882	219.4	49.7
100	LYNCH	43 29.3 N	67 35.5 W	2330:00	110882	215.8	52.3
101	LYNCH	43 29.7 N	67 31.3 W	2345:00	110882	215.8	55.4
102	LYNCH	43 30.0 N	67 28.3 W	0000:00	120882	212.1	57.6
103	LYNCH	43 30.1 N	67 25.2 W	0015:00	120882	215.8	59.8
104	LYNCH	43 30.0 N	67 24.6 W	0030:00	120882	219.4	60.3
105	LYNCH	43 29.9 N	67 24.5 W	0100:00	120882	215.8	60.4
106	LYNCH	43 30.0 N	67 24.3 W	0126:00	120882	215.8	60.5
107	LYNCH	43 29.4 N	67 23.8 W	0130:00	120882	212.1	61.2
108	LYNCH	43 28.7 N	67 23.1 W	0135:00	120882	208.4	62.1
109	LYNCH	43 28.0 N	67 22.4 W	0140:00	120882	192.0	62.9
110	LYNCH	43 27.3 N	67 21.7 W	0145:00	120882	170.1	63.8
111	LYNCH	43 26.6 N	67 21.1 W	0150:00	120882	184.7	64.7

AD-A136 092

ENVIRONMENTAL VARIABILITY OF THE JORDAN BASIN GULF OF
MAINE AUGUST 1982 N. (U) NAVAL OCEAN RESEARCH AND
DEVELOPMENT ACTIVITY NSTL STATION MS.


2/3


UNCLASSIFIED

B A WATROUS ET AL. NOV 83 NORDA-TN-243

F/G 8/10

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
112	LYNCH	43 25.9 N	67 20.4 W	0155:00	120882	197.5	65.5
113	LYNCH	43 25.1 N	67 19.7 W	0200:00	120882	199.3	66.4
114	LYNCH	43 24.6 N	67 19.2 W	0204:00	120882	199.3	67.1
115	LYNCH	43 24.4 N	67 19.0 W	0205:00	120882	195.6	67.3
116	LYNCH	43 24.1 N	67 18.8 W	0207:00	120882	195.6	67.6
117	LYNCH	43 24.0 N	67 18.6 W	0208:00	120882	192.0	67.8
118	LYNCH	43 23.9 N	67 18.5 W	0209:00	120882	195.6	68.0
119	LYNCH	43 23.7 N	67 18.4 W	0210:00	120882	195.6	68.1
120	LYNCH	43 23.6 N	67 18.2 W	0211:00	120882	192.0	68.3
121	LYNCH	43 23.4 N	67 18.1 W	0212:00	120882	193.8	68.5
122	LYNCH	43 23.3 N	67 18.0 W	0213:00	120882	190.2	68.7
123	LYNCH	43 23.1 N	67 17.8 W	0214:00	120882	179.2	68.8
124	LYNCH	43 23.0 N	67 17.7 W	0215:00	120882	179.2	69.0
125	LYNCH	43 22.7 N	67 17.4 W	0217:00	120882	177.4	69.3
126	LYNCH	43 22.6 N	67 17.3 W	0218:00	120882	171.9	69.5
127	LYNCH	43 22.4 N	67 17.1 W	0219:00	120882	164.4	69.7
128	LYNCH	43 22.3 N	67 17.0 W	0220:00	120882	168.2	69.9
129	LYNCH	43 22.2 N	67 16.9 W	0221:00	120882	173.7	70.0
130	LYNCH	43 22.0 N	67 16.7 W	0222:00	120882	182.9	70.2
131	LYNCH	43 21.9 N	67 16.6 W	0223:00	120882	192.0	70.4
132	LYNCH	43 21.7 N	67 16.4 W	0224:00	120882	193.8	70.6
133	LYNCH	43 21.6 N	67 16.3 W	0225:00	120882	197.5	70.7
134	LYNCH	43 21.0 N	67 15.7 W	0229:00	120882	193.8	71.4
135	LYNCH	43 20.9 N	67 15.6 W	0230:00	120882	173.7	71.6
136	LYNCH	43 20.8 N	67 15.5 W	0231:00	120882	162.7	71.8
137	LYNCH	43 20.6 N	67 15.2 W	0232:00	120882	184.7	71.9
138	LYNCH	43 20.5 N	67 15.2 W	0233:00	120882	215.8	72.1
139	LYNCH	43 20.2 N	67 15.0 W	0235:00	120882	217.6	72.4
140	LYNCH	43 19.8 N	67 14.6 W	0238:00	120882	213.9	72.9
141	LYNCH	43 19.5 N	67 14.4 W	0240:00	120882	219.4	73.2
142	LYNCH	43 18.9 N	67 13.7 W	0245:00	120882	215.8	74.0
143	LYNCH	43 18.7 N	67 13.6 W	0246:00	120882	223.1	74.2
144	LYNCH	43 18.4 N	67 13.4 W	0248:00	120882	224.9	74.5
145	LYNCH	43 18.3 N	67 13.3 W	0249:00	120882	199.3	74.7
146	LYNCH	43 18.2 N	67 13.1 W	0250:00	120882	223.1	74.9
147	LYNCH	43 18.0 N	67 13.0 W	0251:00	120882	228.6	75.0
148	LYNCH	43 17.6 N	67 12.6 W	0254:00	120882	221.2	75.5
149	LYNCH	43 16.8 N	67 11.9 W	0300:00	120882	217.6	76.5
150	LYNCH	43 16.7 N	67 11.8 W	0301:00	120882	208.4	76.7
151	LYNCH	43 16.3 N	67 11.4 W	0304:00	120882	210.3	77.1
152	LYNCH	43 16.1 N	67 11.3 W	0305:00	120882	213.9	77.3
153	LYNCH	43 15.8 N	67 11.1 W	0307:00	120882	217.6	77.6
154	LYNCH	43 15.4 N	67 10.7 W	0310:00	120882	215.8	78.1
155	LYNCH	43 14.1 N	67 9.6 W	0320:00	120882	210.3	79.7
156	LYNCH	43 14.0 N	67 9.5 W	0321:00	120882	203.0	79.8
157	LYNCH	43 13.4 N	67 9.0 W	0325:00	120882	201.1	80.5
158	LYNCH	43 12.8 N	67 8.4 W	0330:00	120882	195.6	81.2
159	LYNCH	43 12.5 N	67 8.2 W	0332:00	120882	192.0	81.6
160	LYNCH	43 12.3 N	67 8.0 W	0334:00	120882	190.2	81.9
161	LYNCH	43 12.1 N	67 7.8 W	0335:00	120882	177.4	82.0
162	LYNCH	43 12.0 N	67 7.7 W	0336:00	120882	162.7	82.2
163	LYNCH	43 11.9 N	67 7.6 W	0337:00	120882	173.7	82.3
164	LYNCH	43 11.7 N	67 7.5 W	0338:00	120882	177.4	82.5
165	LYNCH	43 11.5 N	67 7.3 W	0340:00	120882	181.0	82.8
166	LYNCH	43 10.8 N	67 6.7 W	0345:00	120882	181.0	83.6
167	LYNCH	43 10.1 N	67 6.1 W	0350:00	120882	177.4	84.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
168	LYNCH	43 9 4 N	67 5 6 W	0355:00	120882	177.4	85.2
169	LYNCH	43 8 8 N	67 5 1 W	0359:00	120882	177.4	85.9
170	LYNCH	43 8 6 N	67 4 9 W	0400:00	120882	181.0	86.2
171	LYNCH	43 7 9 N	67 4 3 W	0403:00	120882	175.5	87.0
172	LYNCH	43 7 1 N	67 3 7 W	0410:00	120882	177.4	87.9
173	LYNCH	43 6 4 N	67 3 2 W	0415:00	120882	177.4	88.7
174	LYNCH	43 5 7 N	67 2 6 W	0420:00	120882	179.2	89.5
175	LYNCH	43 5 4 N	67 2 4 W	0422:00	120882	164.6	89.8
176	LYNCH	43 5 3 N	67 2 3 W	0423:00	120882	168.2	90.0
177	LYNCH	43 5 0 N	67 2 1 W	0425:00	120882	171.9	90.3
178	LYNCH	43 4 6 N	67 1 7 W	0428:00	120882	170.1	90.8
179	LYNCH	43 4 3 N	67 1 5 W	0430:00	120882	168.2	91.1
180	LYNCH	43 3 6 N	67 9 W	0435:00	120882	164.6	91.9
181	LYNCH	43 2 9 N	67 4 W	0440:00	120882	166.4	92.7
182	LYNCH	43 2 7 N	67 2 W	0442:00	120882	179.2	93.0
183	LYNCH	43 2 5 N	67 1 W	0443:00	120882	181.0	93.2
184	LYNCH	43 2 4 N	67 0 W	0444:00	120882	188.3	93.3
185	LYNCH	43 2 3 N	66 59 8 W	0445:00	120882	186.5	93.5
186	LYNCH	43 1 8 N	66 59 5 W	0448:00	120882	164.6	94.0
187	LYNCH	43 1 6 N	66 59 3 W	0450:00	120882	159.1	94.3
188	LYNCH	43 1 0 N	66 58 9 W	0454:00	120882	159.1	94.9
189	LYNCH	43 9 N	66 58 7 W	0455:00	120882	173.7	95.1
190	LYNCH	43 2 N	66 58 2 W	0500:00	120882	164.6	95.9
191	LYNCH	42 59 9 N	66 58 0 W	0502:00	120882	139.0	96.2
192	LYNCH	42 59 6 N	66 57 8 W	0504:00	120882	122.5	96.5
193	LYNCH	42 59 5 N	66 57 7 W	0505:00	120882	166.4	96.7
194	LYNCH	42 59 3 N	66 57 6 W	0506:00	120882	179.2	96.9
195	LYNCH	42 59 2 N	66 57 5 W	0507:00	120882	182.9	97.0
196	LYNCH	42 58 9 N	66 57 2 W	0509:00	120882	182.9	97.4
197	LYNCH	42 58 7 N	66 57 1 W	0510:00	120882	188.3	97.5
198	LYNCH	42 58 3 N	66 56 8 W	0513:00	120882	164.6	98.0
199	LYNCH	42 58 1 N	66 56 7 W	0514:00	120882	181.0	98.2
200	LYNCH	42 58 0 N	66 56 6 W	0515:00	120882	166.4	98.4
201	LYNCH	42 57 9 N	66 56 5 W	0516:00	120882	155.4	98.5
202	LYNCH	42 57 7 N	66 56 4 W	0517:00	120882	157.3	98.7
203	LYNCH	42 57 6 N	66 56 3 W	0518:00	120882	166.4	98.9
204	LYNCH	42 57 4 N	66 56 2 W	0519:00	120882	162.7	99.0
205	LYNCH	42 57 3 N	66 56 1 W	0520:00	120882	179.2	99.2
206	LYNCH	42 57 1 N	66 56 0 W	0521:00	120882	166.4	99.4
207	LYNCH	42 57 0 N	66 55 9 W	0522:00	120882	186.5	99.5
208	LYNCH	42 56 7 N	66 55 6 W	0524:00	120882	182.9	99.9
209	LYNCH	42 56 5 N	66 55 5 W	0525:00	120882	170.1	100.0
210	LYNCH	42 56 4 N	66 55 4 W	0526:00	120882	168.2	100.2
211	LYNCH	42 56 2 N	66 55 3 W	0527:00	120882	173.7	100.4
212	LYNCH	42 56 1 N	66 55 2 W	0528:00	120882	170.1	100.5
213	LYNCH	42 55 9 N	66 55 1 W	0529:00	120882	168.2	100.7
214	LYNCH	42 55 8 N	66 55 0 W	0530:00	120882	168.2	100.9
215	LYNCH	42 55 7 N	66 54 9 W	0531:00	120882	162.7	101.0
216	LYNCH	42 55 5 N	66 54 8 W	0532:00	120882	155.4	101.2
217	LYNCH	42 55 4 N	66 54 7 W	0533:00	120882	149.9	101.4
218	LYNCH	42 55 2 N	66 54 6 W	0534:00	120882	160.9	101.5
219	LYNCH	42 55 1 N	66 54 5 W	0535:00	120882	162.7	101.7
220	LYNCH	42 54 9 N	66 54 4 W	0536:00	120882	171.9	101.9
221	LYNCH	42 54 8 N	66 54 2 W	0537:00	120882	173.7	102.1
222	LYNCH	42 54 6 N	66 54 1 W	0538:00	120882	166.4	102.2
223	LYNCH	42 54 5 N	66 54 0 W	0539:00	120882	164.6	102.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
224	LYNCH	42 54.3 N	66 53.9 W	0540:00	120882	166.4	102.6
225	LYNCH	42 54.2 N	66 53.8 W	0541:00	120882	173.7	102.7
226	LYNCH	42 54.0 N	66 53.7 W	0542:00	120882	166.4	102.9
227	LYNCH	42 53.9 N	66 53.6 W	0543:00	120882	164.6	103.1
228	LYNCH	42 53.7 N	66 53.5 W	0544:00	120882	164.6	103.2
229	LYNCH	42 53.6 N	66 53.4 W	0545:00	120882	171.9	103.4
230	LYNCH	42 53.4 N	66 53.3 W	0546:00	120882	166.4	103.6
231	LYNCH	42 53.3 N	66 53.2 W	0547:00	120882	166.4	103.7
232	LYNCH	42 53.1 N	66 53.1 W	0548:00	120882	173.7	103.9
233	LYNCH	42 53.0 N	66 53.0 W	0549:00	120882	179.2	104.0
234	LYNCH	42 52.8 N	66 52.9 W	0550:00	120882	175.5	104.2
235	LYNCH	42 52.7 N	66 52.8 W	0551:00	120882	175.5	104.4
236	LYNCH	42 52.6 N	66 52.7 W	0552:00	120882	192.0	104.5
237	LYNCH	42 52.4 N	66 52.6 W	0553:00	120882	210.3	104.7
238	LYNCH	42 52.3 N	66 52.5 W	0554:00	120882	195.6	104.8
239	LYNCH	42 52.1 N	66 52.4 W	0555:00	120882	188.3	105.0
240	LYNCH	42 51.4 N	66 51.9 W	0600:00	120882	193.8	105.8
241	LYNCH	42 50.7 N	66 51.4 W	0605:00	120882	186.5	106.6
242	LYNCH	42 50.5 N	66 51.3 W	0606:00	120882	188.3	106.8
243	LYNCH	42 50.4 N	66 51.2 W	0607:00	120882	188.3	106.9
244	LYNCH	42 50.0 N	66 50.9 W	0610:00	120882	177.4	107.4
245	LYNCH	42 49.3 N	66 50.4 W	0615:00	120882	188.3	108.2
246	LYNCH	42 48.5 N	66 49.9 W	0620:00	120882	203.0	109.0
247	LYNCH	42 47.1 N	66 48.9 W	0630:00	120882	201.1	111.5
248	LYNCH	42 46.4 N	66 48.5 W	0635:00	120882	201.1	111.5
249	LYNCH	42 45.6 N	66 48.0 W	0640:00	120882	192.0	112.3
250	LYNCH	42 44.9 N	66 47.5 W	0645:00	120882	199.1	113.1
251	LYNCH	42 44.8 N	66 47.4 W	0646:00	120882	191.8	113.3
252	LYNCH	42 44.6 N	66 47.2 W	0647:00	120882	149.9	113.4
253	LYNCH	42 44.5 N	66 47.1 W	0648:00	120882	191.8	113.6
254	LYNCH	42 44.4 N	66 46.9 W	0649:00	120882	155.4	113.8
255	LYNCH	42 44.3 N	66 46.8 W	0650:00	120882	155.4	113.9
256	LYNCH	42 43.6 N	66 46.0 W	0655:00	120882	153.6	114.8
257	LYNCH	42 43.0 N	66 45.3 W	0700:00	120882	153.6	115.6
258	LYNCH	42 42.3 N	66 44.6 W	0705:00	120882	164.6	116.5
259	LYNCH	42 42.0 N	66 44.4 W	0707:00	120882	168.2	116.8
260	LYNCH	42 41.5 N	66 44.0 W	0710:00	120882	166.4	117.4
261	LYNCH	42 40.8 N	66 43.3 W	0715:00	120882	199.1	118.3
262	LYNCH	42 40.0 N	66 42.6 W	0720:00	120882	168.2	119.2
263	LYNCH	42 39.3 N	66 42.0 W	0725:00	120882	166.4	120.1
264	LYNCH	42 38.5 N	66 41.3 W	0730:00	120882	164.6	120.9
265	LYNCH	42 37.8 N	66 40.7 W	0735:00	120882	164.6	121.8
266	LYNCH	42 37.0 N	66 40.0 W	0740:00	120882	168.2	122.7
267	LYNCH	42 36.4 N	66 39.5 W	0745:00	120882	173.7	123.4
268	LYNCH	42 35.8 N	66 39.0 W	0750:00	120882	182.9	124.1
269	LYNCH	42 35.2 N	66 38.6 W	0755:00	120882	192.0	124.8
270	LYNCH	42 34.6 N	66 38.1 W	0800:00	120882	199.3	125.5
271	LYNCH	42 33.8 N	66 37.5 W	0805:00	120882	212.1	126.4
272	LYNCH	42 33.0 N	66 36.9 W	0810:00	120882	226.7	127.3
273	LYNCH	42 32.2 N	66 36.3 W	0815:00	120882	235.9	128.3
274	LYNCH	42 31.4 N	66 35.8 W	0820:00	120882	250.5	129.1
275	LYNCH	42 30.7 N	66 35.2 W	0825:00	120882	263.3	130.0
276	LYNCH	42 29.9 N	66 34.7 W	0830:00	120882	268.8	130.8
277	LYNCH	42 29.2 N	66 34.2 W	0835:00	120882	268.8	131.7
278	LYNCH	42 28.4 N	66 33.7 W	0840:00	120882	267.0	132.5
279	LYNCH	42 27.7 N	66 33.2 W	0845:00	120882	270.6	133.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
280	LYNCH	42 26.9 N	66 32.7 W	0850:00	120882	274.3	134.2
281	LYNCH	42 26.2 N	66 32.2 W	0855:00	120882	281.6	135.0
282	LYNCH	42 25.4 N	66 31.7 W	0900:00	120882	283.4	135.9
283	LYNCH	42 24.7 N	66 31.1 W	0905:00	120882	288.9	136.7
284	LYNCH	42 24.0 N	66 30.4 W	0910:00	120882	287.1	137.5
285	LYNCH	42 23.3 N	66 29.8 W	0915:00	120882	288.9	138.4
286	LYNCH	42 23.0 N	66 29.6 W	0917:00	120882	292.6	138.7
287	LYNCH	42 22.9 N	66 29.4 W	0918:00	120882	294.4	138.9
288	LYNCH	42 22.7 N	66 29.3 W	0919:00	120882	294.4	139.0
289	LYNCH	42 22.6 N	66 29.2 W	0920:00	120882	292.6	139.2
290	LYNCH	42 21.9 N	66 28.6 W	0925:00	120882	288.9	140.0
291	LYNCH	42 21.2 N	66 28.0 W	0930:00	120882	285.2	140.9
292	LYNCH	42 20.5 N	66 27.3 W	0935:00	120882	279.8	141.7
293	LYNCH	42 19.8 N	66 26.6 W	0940:00	120882	274.3	142.6
294	LYNCH	42 19.1 N	66 25.9 W	0945:00	120882	267.0	143.5
295	LYNCH	42 18.4 N	66 25.3 W	0950:00	120882	259.6	144.3
296	LYNCH	42 17.7 N	66 24.6 W	0955:00	120882	254.2	145.2
297	LYNCH	42 17.0 N	66 23.9 W	1000:00	120882	248.7	146.0
298	LYNCH	42 16.3 N	66 23.1 W	1005:00	120882	239.5	147.0
299	LYNCH	42 15.5 N	66 22.3 W	1010:00	120882	230.4	147.9
300	LYNCH	42 14.8 N	66 21.5 W	1015:00	120882	221.2	148.9
301	LYNCH	42 14.1 N	66 20.7 W	1020:00	120882	213.9	149.8
302	LYNCH	42 13.3 N	66 19.9 W	1025:00	120882	206.6	150.8
303	LYNCH	42 12.6 N	66 19.1 W	1030:00	120882	199.3	151.7
304	LYNCH	42 11.8 N	66 18.4 W	1035:00	120882	193.8	152.7
305	LYNCH	42 10.9 N	66 17.6 W	1040:00	120882	190.2	153.7
306	LYNCH	42 10.4 N	66 17.2 W	1045:00	120882	186.5	154.3
307	LYNCH	42 10.1 N	66 16.9 W	1049:00	120882	188.3	154.7
308	LYNCH	42 9.2 N	66 16.2 W	1050:00	120882	182.9	155.7
309	LYNCH	42 8.9 N	66 15.9 W	1052:00	120882	177.4	156.1
310	LYNCH	42 8.7 N	66 15.7 W	1053:00	120882	170.1	156.3
311	LYNCH	42 8.5 N	66 15.6 W	1054:00	120882	157.3	156.5
312	LYNCH	42 8.4 N	66 15.4 W	1055:00	120882	149.9	156.7
313	LYNCH	42 8.2 N	66 15.3 W	1056:00	120882	113.4	157.0
314	LYNCH	42 8.0 N	66 15.1 W	1057:00	120882	107.9	157.2
315	LYNCH	42 7.8 N	66 15.0 W	1058:00	120882	104.2	157.4
316	LYNCH	42 7.5 N	66 14.7 W	1100:00	120882	102.4	157.8
317	LYNCH	42 7.3 N	66 14.6 W	1101:00	120882	96.9	158.0
318	LYNCH	42 7.1 N	66 14.5 W	1102:00	120882	93.1	158.2
319	LYNCH	42 4.8 N	66 13.0 W	1115:00	120882	85.9	160.8
320	LYNCH	42 4.6 N	66 12.9 W	1116:00	120882	82.3	161.0
321	LYNCH	42 4.4 N	66 12.8 W	1117:00	120882	84.1	161.2
322	LYNCH	42 2.0 N	66 11.4 W	1130:00	120882	82.3	163.8
323	LYNCH	41 59.6 N	66 8.8 W	1145:00	120882	84.1	166.9
324	LYNCH	41 57.1 N	66 6.3 W	1200:00	120882	85.9	170.0
325	LYNCH	41 54.7 N	66 3.7 W	1215:00	120882	89.6	173.1
326	LYNCH	41 53.9 N	66 2.9 W	1220:00	120882	89.6	174.0
327	LYNCH	41 53.6 N	66 2.6 W	1223:00	120882	87.8	174.4
328	LYNCH	41 53.5 N	66 2.5 W	1225:00	120882	87.8	174.6
329	LYNCH	41 53.2 N	66 2.2 W	1230:00	120882	89.6	175.0
330	LYNCH	41 52.4 N	66 1.4 W	1230:00	120882	91.4	175.9
331	LYNCH	41 52.1 N	66 1.1 W	1232:00	120882	93.3	176.3
332	LYNCH	41 51.7 N	66 0.8 W	1234:00	120882	95.1	176.7
333	LYNCH	41 51.6 N	66 0.6 W	1235:00	120882	89.6	176.9
334	LYNCH	41 51.4 N	66 0.5 W	1236:00	120882	93.3	177.1
335	LYNCH	41 50.8 N	65 59.9 W	1240:00	120882	87.8	177.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
336	LYNCH	41 50.0 N	65 59.1 W	1245:00	120882	85.9	178.9
337	LYNCH	41 49.6 N	65 58.8 W	1247:00	120882	85.9	179.3
338	LYNCH	41 49.1 N	65 58.4 W	1250:00	120882	87.8	179.9
339	LYNCH	41 48.3 N	65 57.6 W	1255:00	120882	93.3	180.9
340	LYNCH	41 47.5 N	65 56.9 W	1300:00	120882	96.9	181.9
341	LYNCH	41 46.2 N	65 54.0 W	1315:00	120882	104.2	184.4
342	LYNCH	41 45.8 N	65 53.1 W	1320:00	120882	106.1	185.2
343	LYNCH	41 45.7 N	65 52.9 W	1321:00	120882	115.2	185.3
344	LYNCH	41 45.6 N	65 52.7 W	1322:00	120882	111.5	185.5
345	LYNCH	41 45.5 N	65 52.5 W	1323:00	120882	117.0	185.7
346	LYNCH	41 45.3 N	65 52.1 W	1325:00	120882	117.0	186.0
347	LYNCH	41 44.9 N	65 51.2 W	1330:00	120882	120.7	186.8
348	LYNCH	41 44.2 N	65 47.9 W	1344:00	120882	126.2	189.4
349	LYNCH	41 44.2 N	65 47.7 W	1345:00	120882	128.0	189.5
350	LYNCH	41 44.2 N	65 47.5 W	1346:00	120882	131.7	189.7
351	LYNCH	41 44.1 N	65 47.2 W	1347:00	120882	135.3	189.9
352	LYNCH	41 44.1 N	65 47.0 W	1348:00	120882	139.0	190.1
353	LYNCH	41 44.0 N	65 46.8 W	1349:00	120882	148.1	190.3
354	LYNCH	41 44.0 N	65 46.5 W	1350:00	120882	170.1	190.4
355	LYNCH	41 43.9 N	65 46.3 W	1351:00	120882	203.0	190.6
356	LYNCH	41 43.9 N	65 46.1 W	1352:00	120882	254.2	190.8
357	LYNCH	41 43.8 N	65 45.8 W	1353:00	120882	309.0	191.0
358	LYNCH	41 43.8 N	65 45.6 W	1354:00	120882	358.4	191.2
359	LYNCH	41 43.7 N	65 45.4 W	1355:00	120882	398.6	191.3
360	LYNCH	41 43.7 N	65 45.1 W	1356:00	120882	466.3	191.5
361	LYNCH	41 43.6 N	65 44.9 W	1357:00	120882	532.1	191.7
362	LYNCH	41 43.6 N	65 44.7 W	1358:00	120882	544.9	191.9
363	LYNCH	41 43.5 N	65 44.4 W	1359:00	120882	572.3	192.1
364	LYNCH	41 43.5 N	65 44.2 W	1400:00	120882	566.8	192.3
365	LYNCH	41 43.5 N	65 44.0 W	1401:00	120882	621.7	192.4
366	LYNCH	41 43.4 N	65 43.7 W	1402:00	120882	676.5	192.6
367	LYNCH	41 43.4 N	65 43.5 W	1403:00	120882	769.8	192.8
368	LYNCH	41 43.4 N	65 43.3 W	1404:00	120882	859.4	192.9
369	LYNCH	41 43.3 N	65 43.1 W	1405:00	120882	890.5	193.1
370	LYNCH	41 43.3 N	65 42.8 W	1406:00	120882	883.2	193.3
371	LYNCH	41 43.3 N	65 42.6 W	1407:00	120882	885.0	193.5
372	LYNCH	41 43.2 N	65 42.4 W	1408:00	120882	923.4	193.6
373	LYNCH	41 43.2 N	65 42.2 W	1409:00	120882	961.8	193.8
374	LYNCH	41 43.2 N	65 41.9 W	1410:00	120882	945.3	194.0
375	LYNCH	41 43.1 N	65 41.7 W	1411:00	120882	932.5	194.1
376	LYNCH	41 43.1 N	65 41.5 W	1412:00	120882	914.2	194.3
377	LYNCH	41 43.1 N	65 41.3 W	1413:00	120882	945.3	194.5
378	LYNCH	41 43.0 N	65 41.0 W	1414:00	120882	1007.5	194.7
379	LYNCH	41 43.0 N	65 40.8 W	1415:00	120882	1051.4	194.8
380	LYNCH	41 43.0 N	65 40.6 W	1416:00	120882	1066.0	195.0
381	LYNCH	41 42.9 N	65 40.3 W	1417:00	120882	1117.2	195.2
382	LYNCH	41 42.9 N	65 40.1 W	1418:00	120882	1159.3	195.4
383	LYNCH	41 42.9 N	65 39.9 W	1419:00	120882	1237.9	195.5
384	LYNCH	41 42.8 N	65 39.7 W	1420:00	120882	1301.9	195.7
385	LYNCH	41 42.8 N	65 39.4 W	1421:00	120882	1364.1	195.9
386	LYNCH	41 42.8 N	65 39.2 W	1422:00	120882	1378.7	196.0
387	LYNCH	41 42.7 N	65 39.0 W	1423:00	120882	1375.0	196.2
388	LYNCH	41 42.7 N	65 38.8 W	1424:00	120882	1397.0	196.4
389	LYNCH	41 42.7 N	65 38.5 W	1425:00	120882	1431.7	196.6
390	LYNCH	41 42.6 N	65 38.3 W	1426:00	120882	1429.9	196.7
391	LYNCH	41 42.6 N	65 38.1 W	1427:00	120882	1420.7	196.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
392	LYNCH	41 42 6 N	65 37 9 W	1428:00	120882	1442.7	197.1
393	LYNCH	41 42 5 N	65 37 6 W	1429:00	120882	1435.4	197.3
394	LYNCH	41 42 5 N	65 37 4 W	1430:00	120882	1444.5	197.4
395	LYNCH	41 42 5 N	65 37 1 W	1431:00	120882	1475.6	197.6
396	LYNCH	41 42 5 N	65 36 9 W	1432:00	120882	1499.4	197.8
397	LYNCH	41 42 4 N	65 36 6 W	1433:00	120882	1490.2	198.0
398	LYNCH	41 42 4 N	65 36 4 W	1434:00	120882	1517.7	198.2
399	LYNCH	41 42 4 N	65 36 1 W	1435:00	120882	1556.1	198.4
400	LYNCH	41 42 4 N	65 35 9 W	1436:00	120882	1599.9	198.6
401	LYNCH	41 42 3 N	65 35 6 W	1437:00	120882	1612.7	198.7
402	LYNCH	41 42 3 N	65 35 4 W	1438:00	120882	1621.9	198.9
403	LYNCH	41 42 3 N	65 35 1 W	1439:00	120882	1638.3	199.1
404	LYNCH	41 42 3 N	65 34 9 W	1440:00	120882	1653.0	199.3
405	LYNCH	41 42 2 N	65 34 6 W	1441:00	120882	1665.8	199.5
406	LYNCH	41 42 2 N	65 34 4 W	1442:00	120882	1671.2	199.7
407	LYNCH	41 42 2 N	65 34 1 W	1443:00	120882	1678.6	199.9
408	LYNCH	41 42 2 N	65 33 9 W	1444:00	120882	1689.5	200.1
409	LYNCH	41 42 2 N	65 33 6 W	1445:00	120882	1709.6	200.2
410	LYNCH	41 42 1 N	65 33 4 W	1446:00	120882	1726.1	200.4
411	LYNCH	41 42 1 N	65 33 1 W	1447:00	120882	1755.4	200.6
412	LYNCH	41 42 1 N	65 32 9 W	1448:00	120882	1777.3	200.8
413	LYNCH	41 42 1 N	65 32 6 W	1449:00	120882	1790.1	201.0
414	LYNCH	41 42 0 N	65 32 4 W	1450:00	120882	1799.2	201.2
415	LYNCH	41 42 0 N	65 32 1 W	1451:00	120882	1793.8	201.4
416	LYNCH	41 42 0 N	65 31 9 W	1452:00	120882	1791.9	201.6
417	LYNCH	41 42 0 N	65 31 6 W	1453:00	120882	1777.3	201.8
418	LYNCH	41 41 9 N	65 31 4 W	1454:00	120882	1768.2	201.9
419	LYNCH	41 41 9 N	65 31 1 W	1455:00	120882	1762.7	202.1
420	LYNCH	41 41 9 N	65 30 9 W	1456:00	120882	1766.3	202.3
421	LYNCH	41 41 9 N	65 30 6 W	1457:00	120882	1770.0	202.5
422	LYNCH	41 41 8 N	65 30 1 W	1459:00	120882	1753.5	202.9
423	LYNCH	41 41 8 N	65 29 9 W	1500:00	120882	1759.0	203.1
424	LYNCH	41 41 8 N	65 29 6 W	1501:00	120882	1766.3	203.3
425	LYNCH	41 41 7 N	65 29 4 W	1502:00	120882	1764.5	203.4
426	LYNCH	41 41 7 N	65 29 1 W	1503:00	120882	1775.5	203.6
427	LYNCH	41 41 7 N	65 28 9 W	1504:00	120882	1795.6	203.8
428	LYNCH	41 41 7 N	65 28 6 W	1505:00	120882	1808.4	204.0
429	LYNCH	41 41 6 N	65 28 4 W	1506:00	120882	1826.7	204.2
430	LYNCH	41 41 6 N	65 28 1 W	1507:00	120882	1812.0	204.4
431	LYNCH	41 41 6 N	65 27 9 W	1508:00	120882	1813.9	204.6
432	LYNCH	41 41 6 N	65 27 6 W	1509:00	120882	1841.3	204.8
433	LYNCH	41 41 5 N	65 27 4 W	1510:00	120882	1866.9	205.0
434	LYNCH	41 41 5 N	65 27 1 W	1511:00	120882	1881.5	205.2
435	LYNCH	41 41 5 N	65 26 9 W	1512:00	120882	1872.4	205.4
436	LYNCH	41 41 5 N	65 26 6 W	1513:00	120882	1881.5	205.6
437	LYNCH	41 41 4 N	65 26 4 W	1514:00	120882	1899.8	205.7
438	LYNCH	41 41 4 N	65 26 1 W	1515:00	120882	1932.7	205.9
439	LYNCH	41 41 4 N	65 25 9 W	1516:00	120882	1910.8	206.1
440	LYNCH	41 41 3 N	65 25 6 W	1517:00	120882	1909.0	206.3
441	LYNCH	41 41 3 N	65 25 4 W	1518:00	120882	1923.6	206.5
442	LYNCH	41 41 3 N	65 25 2 W	1519:00	120882	1936.4	206.6
443	LYNCH	41 41 3 N	65 24 9 W	1520:00	120882	1945.5	206.8
444	LYNCH	41 41 2 N	65 24 7 W	1521:00	120882	1949.2	207.0
445	LYNCH	41 41 2 N	65 24 5 W	1522:00	120882	1965.6	207.2
446	LYNCH	41 41 2 N	65 24 2 W	1523:00	120882	1963.8	207.4
447	LYNCH	41 41 2 N	65 24 0 W	1524:00	120882	1965.6	207.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
448	LYNCH	41 41.1 N	65 23.7 W	1525:00	120882	1956.5	207.7
449	LYNCH	41 41.1 N	65 23.5 W	1526:00	120882	1985.8	207.9
450	LYNCH	41 41.1 N	65 23.3 W	1527:00	120882	2022.3	208.1
451	LYNCH	41 41.1 N	65 23.0 W	1528:00	120882	2038.8	208.2
452	LYNCH	41 41.0 N	65 22.8 W	1529:00	120882	2051.6	208.4
453	LYNCH	41 41.0 N	65 22.6 W	1530:00	120882	2064.4	208.6
454	LYNCH	41 41.0 N	65 22.3 W	1531:00	120882	2093.6	208.8
455	LYNCH	41 40.9 N	65 22.1 W	1532:00	120882	2122.9	209.0
456	LYNCH	41 40.9 N	65 21.9 W	1533:00	120882	2152.1	209.1
457	LYNCH	41 40.9 N	65 21.6 W	1534:00	120882	2172.3	209.3
458	LYNCH	41 40.9 N	65 21.4 W	1535:00	120882	2197.9	209.5
459	LYNCH	41 40.8 N	65 21.2 W	1536:00	120882	2221.6	209.7
460	LYNCH	41 40.8 N	65 20.9 W	1537:00	120882	2219.8	209.8
461	LYNCH	41 40.8 N	65 20.7 W	1538:00	120882	2207.0	210.0
462	LYNCH	41 40.8 N	65 20.4 W	1539:00	120882	2216.1	210.2
463	LYNCH	41 40.7 N	65 20.2 W	1540:00	120882	2228.9	210.4
464	LYNCH	41 40.7 N	65 20.0 W	1541:00	120882	2214.3	210.6
465	LYNCH	41 40.7 N	65 19.7 W	1542:00	120882	2210.7	210.7
466	LYNCH	41 40.7 N	65 19.5 W	1543:00	120882	2203.3	210.9
467	LYNCH	41 40.6 N	65 19.3 W	1544:00	120882	2194.2	211.1
468	LYNCH	41 40.6 N	65 19.0 W	1545:00	120882	2185.1	211.3
469	LYNCH	41 40.6 N	65 18.8 W	1546:00	120882	2186.9	211.4
470	LYNCH	41 40.5 N	65 18.6 W	1547:00	120882	2194.2	211.6
471	LYNCH	41 40.5 N	65 18.3 W	1548:00	120882	2203.3	211.8
472	LYNCH	41 40.5 N	65 18.1 W	1549:00	120882	2203.3	212.0
473	LYNCH	41 40.5 N	65 17.9 W	1550:00	120882	2208.8	212.2
474	LYNCH	41 40.4 N	65 17.6 W	1551:00	120882	2210.7	212.3
475	LYNCH	41 40.4 N	65 17.4 W	1552:00	120882	2219.8	212.5
476	LYNCH	41 40.4 N	65 17.1 W	1553:00	120882	2227.1	212.7
477	LYNCH	41 40.4 N	65 16.9 W	1554:00	120882	2236.3	212.9
478	LYNCH	41 40.3 N	65 16.7 W	1555:00	120882	2256.4	213.1
479	LYNCH	41 40.3 N	65 16.4 W	1556:00	120882	2261.9	213.2
480	LYNCH	41 40.3 N	65 16.2 W	1557:00	120882	2261.9	213.4
481	LYNCH	41 40.3 N	65 16.0 W	1558:00	120882	2260.0	213.6
482	LYNCH	41 40.2 N	65 15.7 W	1559:00	120882	2260.0	213.8
483	LYNCH	41 40.2 N	65 15.5 W	1600:00	120882	2267.3	213.9
484	LYNCH	41 40.2 N	65 15.3 W	1601:00	120882	2269.2	214.1
485	LYNCH	41 40.2 N	65 15.0 W	1602:00	120882	2271.0	214.3
486	LYNCH	41 40.2 N	65 14.8 W	1603:00	120882	2274.7	214.5
487	LYNCH	41 40.2 N	65 14.5 W	1604:00	120882	2276.5	214.7
488	LYNCH	41 40.2 N	65 14.3 W	1605:00	120882	2280.1	214.8
489	LYNCH	41 40.2 N	65 14.1 W	1606:00	120882	2287.5	215.0
490	LYNCH	41 40.2 N	65 13.8 W	1607:00	120882	2289.3	215.2
491	LYNCH	41 40.2 N	65 13.6 W	1608:00	120882	2294.8	215.4
492	LYNCH	41 40.2 N	65 13.3 W	1609:00	120882	2300.3	215.6
493	LYNCH	41 40.2 N	65 13.1 W	1610:00	120882	2300.3	215.7
494	LYNCH	41 40.2 N	65 12.9 W	1611:00	120882	2300.3	215.9
495	LYNCH	41 40.2 N	65 12.6 W	1612:00	120882	2294.8	216.1
496	LYNCH	41 40.2 N	65 12.4 W	1613:00	120882	2298.4	216.3
497	LYNCH	41 40.2 N	65 12.1 W	1614:00	120882	2303.9	216.5
498	LYNCH	41 40.2 N	65 11.9 W	1615:00	120882	2309.4	216.6
499	LYNCH	41 40.2 N	65 11.8 W	1616:00	120882	2316.7	216.7
500	LYNCH	41 40.2 N	65 11.6 W	1617:00	120882	2313.1	216.8
501	LYNCH	41 40.2 N	65 11.5 W	1618:00	120882	2311.2	216.9
502	LYNCH	41 40.2 N	65 11.3 W	1619:00	120882	2305.7	217.0
503	LYNCH	41 40.2 N	65 11.2 W	1620:00	120882	2303.9	217.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
504	LYNCH	41 40.2 N	65 11.1 W	1621:00	120882	2305.7	217.2
505	LYNCH	41 40.2 N	65 11.0 W	1622:00	120882	2305.7	217.3
506	LYNCH	41 40.2 N	65 10.9 W	1623:00	120882	2307.6	217.4
507	LYNCH	41 40.2 N	65 10.8 W	1624:00	120882	2309.4	217.4
508	LYNCH	41 40.2 N	65 10.7 W	1625:00	120882	2313.1	217.5
509	LYNCH	41 40.2 N	65 10.7 W	1626:00	120882	2314.9	217.6
510	LYNCH	41 40.2 N	65 10.6 W	1627:00	120882	2316.7	217.6
511	LYNCH	41 40.2 N	65 10.5 W	1628:00	120882	2318.5	217.7
512	LYNCH	41 40.2 N	65 10.4 W	1629:00	120882	2318.5	217.8
513	LYNCH	41 40.2 N	65 10.3 W	1630:00	120882	2318.5	217.8
514	LYNCH	41 40.2 N	65 10.2 W	1635:00	120882	2320.4	217.9
515	LYNCH	41 40.2 N	65 10.2 W	1640:00	120882	2318.5	217.9
516	LYNCH	41 40.2 N	65 10.1 W	1645:00	120882	2314.9	218.0
517	LYNCH	41 40.2 N	65 10.1 W	1648:00	120882	2314.9	218.0
518	LYNCH	41 40.3 N	65 10.1 W	1650:00	120882	2313.1	218.1
519	LYNCH	41 40.3 N	65 10.2 W	1655:00	120882	2313.1	218.1
520	LYNCH	41 40.4 N	65 10.2 W	1700:00	120882	2311.2	218.2
521	LYNCH	41 40.4 N	65 10.2 W	1705:00	120882	2309.4	218.2
522	LYNCH	41 40.4 N	65 10.3 W	1710:00	120882	2311.2	218.2
523	LYNCH	41 40.4 N	65 10.3 W	1715:00	120882	2309.4	218.3
524	LYNCH	41 40.4 N	65 10.5 W	1720:00	120882	2309.4	218.4
525	LYNCH	41 40.5 N	65 10.7 W	1725:00	120882	2307.6	218.6
526	LYNCH	41 40.5 N	65 10.9 W	1730:00	120882	2300.3	218.7
527	LYNCH	41 40.5 N	65 11.2 W	1735:00	120882	2294.8	218.9
528	LYNCH	41 40.5 N	65 11.4 W	1738:00	120882	2294.8	219.1
529	LYNCH	41 40.5 N	65 11.5 W	1740:00	120882	2296.6	219.2
530	LYNCH	41 40.5 N	65 11.6 W	1742:00	120882	2300.3	219.3
531	LYNCH	41 40.5 N	65 11.8 W	1745:00	120882	2298.4	219.4
532	LYNCH	41 40.5 N	65 12.1 W	1750:00	120882	2292.9	219.6
533	LYNCH	41 40.6 N	65 12.4 W	1755:00	120882	2285.6	219.8
534	LYNCH	41 40.6 N	65 12.6 W	1758:00	120882	2283.8	220.0
535	LYNCH	41 40.6 N	65 12.7 W	1800:00	120882	2285.6	220.1
536	LYNCH	41 40.6 N	65 12.8 W	1801:00	120882	2285.6	220.1
537	LYNCH	41 40.6 N	65 12.9 W	1803:00	120882	2287.5	220.2
538	LYNCH	41 40.6 N	65 13.1 W	1805:00	120882	2285.6	220.4
539	LYNCH	41 40.6 N	65 13.5 W	1810:00	120882	2282.0	220.7
540	LYNCH	41 40.7 N	65 13.6 W	1811:00	120882	2282.0	220.8
541	LYNCH	41 40.7 N	65 13.8 W	1813:00	120882	2276.5	220.9
542	LYNCH	41 40.7 N	65 14.1 W	1815:00	120882	2272.8	221.1
543	LYNCH	41 40.8 N	65 14.4 W	1818:00	120882	2271.0	221.4
544	LYNCH	41 40.8 N	65 14.6 W	1820:00	120882	2261.9	221.5
545	LYNCH	41 40.9 N	65 15.2 W	1825:00	120882	2254.5	221.9
546	LYNCH	41 41.0 N	65 15.5 W	1828:00	120882	2250.9	222.2
547	LYNCH	41 41.0 N	65 15.7 W	1830:00	120882	2245.4	222.4
548	LYNCH	41 41.0 N	65 15.8 W	1831:00	120882	2243.6	222.5
549	LYNCH	41 41.0 N	65 16.0 W	1832:00	120882	2239.9	222.6
550	LYNCH	41 41.1 N	65 16.1 W	1833:00	120882	2236.3	222.7
551	LYNCH	41 41.1 N	65 16.2 W	1834:00	120882	2234.4	222.8
552	LYNCH	41 41.1 N	65 16.3 W	1835:00	120882	2232.6	222.9
553	LYNCH	41 41.1 N	65 16.5 W	1836:00	120882	2230.8	223.0
554	LYNCH	41 41.2 N	65 16.6 W	1837:00	120882	2230.8	223.1
555	LYNCH	41 41.2 N	65 16.7 W	1838:00	120882	2228.9	223.2
556	LYNCH	41 41.2 N	65 16.9 W	1839:00	120882	2232.6	223.3
557	LYNCH	41 41.2 N	65 17.0 W	1840:00	120882	2236.3	223.4
558	LYNCH	41 41.3 N	65 17.3 W	1842:00	120882	2236.3	223.6
559	LYNCH	41 41.3 N	65 17.4 W	1843:00	120882	2238.1	223.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
560	LYNCH	41 41.3 N	65 17.5 W	1844:00	120882	2238.1	223.8
561	LYNCH	41 41.4 N	65 17.6 W	1845:00	120882	2232.6	223.9
562	LYNCH	41 41.4 N	65 17.9 W	1847:00	120882	2221.6	224.1
563	LYNCH	41 41.4 N	65 18.2 W	1849:00	120882	2194.2	224.3
564	LYNCH	41 41.5 N	65 18.3 W	1850:00	120882	2186.9	224.4
565	LYNCH	41 41.5 N	65 18.4 W	1851:00	120882	2181.4	224.5
566	LYNCH	41 41.5 N	65 18.6 W	1852:00	120882	2174.1	224.6
567	LYNCH	41 41.5 N	65 18.7 W	1853:00	120882	2168.6	224.7
568	LYNCH	41 42.0 N	65 20.7 W	1909:00	120882	2161.3	226.2
569	LYNCH	41 42.0 N	65 20.8 W	1910:00	120882	2159.5	226.3
570	LYNCH	41 42.0 N	65 21.0 W	1911:00	120882	2157.6	226.4
571	LYNCH	41 42.1 N	65 21.1 W	1912:00	120882	2163.1	226.5
572	LYNCH	41 42.1 N	65 21.2 W	1913:00	120882	2179.6	226.6
573	LYNCH	41 42.1 N	65 21.3 W	1914:00	120882	2172.3	226.7
574	LYNCH	41 42.2 N	65 21.5 W	1915:00	120882	2154.0	226.8
575	LYNCH	41 42.2 N	65 21.6 W	1916:00	120882	2143.0	226.9
576	LYNCH	41 42.2 N	65 21.7 W	1917:00	120882	2139.3	227.0
577	LYNCH	41 42.2 N	65 21.8 W	1918:00	120882	2099.1	227.1
578	LYNCH	41 42.3 N	65 22.0 W	1919:00	120882	2075.3	227.2
579	LYNCH	41 42.3 N	65 22.1 W	1920:00	120882	2037.1	227.3
580	LYNCH	41 42.3 N	65 22.2 W	1921:00	120882	2036.9	227.4
581	LYNCH	41 42.4 N	65 22.3 W	1922:00	120882	2033.3	227.5
582	LYNCH	41 42.4 N	65 22.4 W	1923:00	120882	2016.8	227.5
583	LYNCH	41 42.4 N	65 22.5 W	1924:00	120882	2000.4	227.6
584	LYNCH	41 42.5 N	65 22.5 W	1925:00	120882	1983.9	227.7
585	LYNCH	41 42.5 N	65 22.6 W	1926:00	120882	1973.0	227.8
586	LYNCH	41 42.5 N	65 22.7 W	1927:00	120882	1960.2	227.8
587	LYNCH	41 42.5 N	65 22.8 W	1928:00	120882	1952.8	227.9
588	LYNCH	41 42.6 N	65 22.9 W	1929:00	120882	1931.0	228.0
589	LYNCH	41 42.6 N	65 23.0 W	1930:00	120882	1956.5	228.0
590	LYNCH	41 42.6 N	65 23.1 W	1931:00	120882	1965.6	228.1
591	LYNCH	41 42.7 N	65 23.2 W	1932:00	120882	1978.4	228.2
592	LYNCH	41 42.7 N	65 23.3 W	1933:00	120882	1996.7	228.3
593	LYNCH	41 42.7 N	65 23.4 W	1934:00	120882	1989.4	228.4
594	LYNCH	41 42.8 N	65 23.5 W	1935:00	120882	1989.4	228.5
595	LYNCH	41 42.8 N	65 23.6 W	1936:00	120882	1989.4	228.5
596	LYNCH	41 42.8 N	65 23.7 W	1937:00	120882	1978.4	228.6
597	LYNCH	41 42.9 N	65 23.8 W	1938:00	120882	1965.6	228.7
598	LYNCH	41 42.9 N	65 23.9 W	1939:00	120882	1952.8	228.8
599	LYNCH	41 42.9 N	65 24.0 W	1940:00	120882	1936.4	228.9
600	LYNCH	41 43.0 N	65 24.1 W	1941:00	120882	1929.1	229.0
601	LYNCH	41 43.0 N	65 24.2 W	1942:00	120882	1912.6	229.1
602	LYNCH	41 43.0 N	65 24.4 W	1943:00	120882	1901.6	229.2
603	LYNCH	41 43.1 N	65 24.5 W	1944:00	120882	1868.7	229.2
604	LYNCH	41 43.1 N	65 24.6 W	1945:00	120882	1855.9	229.3
605	LYNCH	41 43.2 N	65 24.8 W	1946:00	120882	1846.8	229.5
606	LYNCH	41 43.2 N	65 24.9 W	1947:00	120882	1832.2	229.6
607	LYNCH	41 43.3 N	65 25.1 W	1948:00	120882	1826.7	229.7
608	LYNCH	41 43.3 N	65 25.2 W	1949:00	120882	1812.0	229.9
609	LYNCH	41 43.4 N	65 25.4 W	1950:00	120882	1793.8	230.0
610	LYNCH	41 43.5 N	65 25.6 W	1951:00	120882	1779.1	230.2
611	LYNCH	41 43.5 N	65 25.7 W	1952:00	120882	1768.2	230.3
612	LYNCH	41 43.6 N	65 25.9 W	1953:00	120882	1762.7	230.4
613	LYNCH	41 43.6 N	65 26.1 W	1954:00	120882	1762.7	230.6
614	LYNCH	41 43.7 N	65 26.3 W	1955:00	120882	1775.5	230.7
615	LYNCH	41 43.7 N	65 26.4 W	1956:00	120882	1790.1	230.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
616	LYNCH	41 43 8 N	65 26 6 W	1957:00	120882	1806.6	231.0
617	LYNCH	41 43 8 N	65 26 8 W	1958:00	120882	1804.7	231.1
618	LYNCH	41 43 9 N	65 27 0 W	1959:00	120882	1786.4	231.3
619	LYNCH	41 43 9 N	65 27 1 W	2000:00	120882	1788.3	231.4
620	LYNCH	41 44 0 N	65 27 3 W	2001:00	120882	1795.6	231.5
621	LYNCH	41 44 0 N	65 27 5 W	2002:00	120882	1784.6	231.7
622	LYNCH	41 44 1 N	65 27 5 W	2003:00	120882	1779.1	231.8
623	LYNCH	41 44 2 N	65 27 4 W	2004:00	120882	1768.2	231.9
624	LYNCH	41 44 3 N	65 27 4 W	2005:00	120882	1755.4	232.0
625	LYNCH	41 44 4 N	65 27 4 W	2006:00	120882	1715.1	232.1
626	LYNCH	41 44 4 N	65 27 3 W	2007:00	120882	1704.2	232.1
627	LYNCH	41 44 5 N	65 27 3 W	2008:00	120882	1706.0	232.2
628	LYNCH	41 44 6 N	65 27 2 W	2009:00	120882	1718.8	232.3
629	LYNCH	41 44 7 N	65 27 2 W	2010:00	120882	1729.8	232.4
630	LYNCH	41 44 7 N	65 27 2 W	2011:00	120882	1748.0	232.4
631	LYNCH	41 44 7 N	65 27 1 W	2012:00	120882	1762.7	232.5
632	LYNCH	41 44 7 N	65 27 1 W	2013:00	120882	1784.6	232.5
633	LYNCH	41 44 7 N	65 27 1 W	2014:00	120882	1788.3	232.5
634	LYNCH	41 44 8 N	65 27 1 W	2015:00	120882	1795.6	232.5
635	LYNCH	41 44 8 N	65 26 9 W	2020:00	120882	1817.5	232.7
636	LYNCH	41 44 9 N	65 26 8 W	2025:00	120882	1839.5	232.8
637	LYNCH	41 44 9 N	65 26 6 W	2030:00	120882	1861.4	232.9
638	LYNCH	41 44 9 N	65 26 4 W	2033:00	120882	1866.9	233.0
639	LYNCH	41 45 0 N	65 26 3 W	2035:00	120882	1865.1	233.1
640	LYNCH	41 45 0 N	65 26 2 W	2038:00	120882	1845.0	233.3
641	LYNCH	41 45 0 N	65 26 1 W	2039:00	120882	1845.0	233.3
642	LYNCH	41 45 1 N	65 26 1 W	2040:00	120882	1857.8	233.4
643	LYNCH	41 45 1 N	65 25 9 W	2043:00	120882	1885.2	233.5
644	LYNCH	41 45 1 N	65 25 8 W	2044:00	120882	1890.7	233.5
645	LYNCH	41 45 1 N	65 25 8 W	2045:00	120882	1892.5	233.6
646	LYNCH	41 45 2 N	65 25 7 W	2047:00	120882	1899.8	233.7
647	LYNCH	41 45 2 N	65 25 6 W	2048:00	120882	1905.3	233.7
648	LYNCH	41 45 2 N	65 25 5 W	2050:00	120882	1927.2	233.8
649	LYNCH	41 45 2 N	65 25 4 W	2051:00	120882	1930.9	233.8
650	LYNCH	41 45 2 N	65 25 4 W	2052:00	120882	1938.2	233.9
651	LYNCH	41 45 2 N	65 25 2 W	2055:00	120882	1956.5	234.0
652	LYNCH	41 45 2 N	65 25 1 W	2057:00	120882	1973.0	234.1
653	LYNCH	41 45 2 N	65 25 0 W	2059:00	120882	1985.8	234.2
654	LYNCH	41 45 2 N	65 24 9 W	2100:00	120882	1996.7	234.2
655	LYNCH	41 45 2 N	65 24 8 W	2102:00	120882	2013.2	234.3
656	LYNCH	41 45 2 N	65 24 8 W	2103:00	120882	2018.7	234.3
657	LYNCH	41 45 2 N	65 24 6 W	2105:00	120882	2020.5	234.4
658	LYNCH	41 45 2 N	65 24 3 W	2110:00	120882	2031.5	234.6
659	LYNCH	41 45 1 N	65 24 1 W	2115:00	120882	2038.8	234.9
660	LYNCH	41 45 1 N	65 24 0 W	2116:00	120882	2038.8	234.9
661	LYNCH	41 45 1 N	65 23 9 W	2117:00	120882	2040.6	234.9
662	LYNCH	41 45 1 N	65 23 8 W	2120:00	120882	2044.3	235.1
663	LYNCH	41 45 1 N	65 23 2 W	2130:00	120882	2055.2	235.5
664	LYNCH	41 45 1 N	65 23 0 W	2133:00	120882	2053.4	235.6
665	LYNCH	41 45 1 N	65 22 9 W	2135:00	120882	2057.1	235.7
666	LYNCH	41 45 1 N	65 22 8 W	2136:00	120882	2060.7	235.8
667	LYNCH	41 45 1 N	65 22 8 W	2137:00	120882	2062.5	235.8
668	LYNCH	41 45 0 N	65 22 7 W	2138:00	120882	2060.7	235.9
669	LYNCH	41 45 0 N	65 22 7 W	2139:00	120882	2057.1	235.9
670	LYNCH	41 45 0 N	65 22 6 W	2140:00	120882	2055.2	236.0
671	LYNCH	41 45 0 N	65 22 5 W	2142:00	120882	2058.9	236.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
672	LYNCH	41 45 0 N	65 22 4 W	2143:00	120882	2062.5	236.1
673	LYNCH	41 45 0 N	65 22 4 W	2144:00	120882	2066.2	236.1
674	LYNCH	41 45 0 N	65 22 3 W	2145:00	120882	2069.9	236.2
675	LYNCH	41 44 8 N	65 22 2 W	2150:00	120882	2064.4	236.4
676	LYNCH	41 44 7 N	65 22 1 W	2155:00	120882	2066.3	236.6
677	LYNCH	41 44 5 N	65 22 0 W	2200:00	120882	2100.9	236.7
678	LYNCH	41 44 4 N	65 22 0 W	2205:00	120882	2102.8	236.9
679	LYNCH	41 44 2 N	65 21 9 W	2210:00	120882	2108.3	237.0
680	LYNCH	41 44 1 N	65 21 9 W	2215:00	120882	2111.9	237.1
681	LYNCH	41 44 0 N	65 21 9 W	2220:00	120882	2115.6	237.3
682	LYNCH	41 43 8 N	65 21 8 W	2225:00	120882	2117.4	237.4
683	LYNCH	41 43 7 N	65 21 8 W	2230:00	120882	2122.9	237.5
684	LYNCH	41 43 7 N	65 21 8 W	2234:00	120882	2128.4	237.6
685	LYNCH	41 43 6 N	65 21 8 W	2235:00	120882	2130.2	237.6
686	LYNCH	41 43 5 N	65 21 8 W	2245:00	120882	2137.5	237.7
687	LYNCH	41 43 5 N	65 21 8 W	2246:00	120882	2139.3	237.7
688	LYNCH	41 43 5 N	65 21 8 W	2247:00	120882	2137.5	237.7
689	LYNCH	41 43 5 N	65 21 8 W	2248:00	120882	2137.5	237.7
690	LYNCH	41 43 5 N	65 21 8 W	2249:00	120882	2137.5	237.7
691	LYNCH	41 43 5 N	65 21 8 W	2250:00	120882	2139.3	237.7
692	LYNCH	41 43 4 N	65 21 8 W	2300:00	120882	2144.8	237.8
693	LYNCH	41 43 3 N	65 21 7 W	2304:00	120882	2144.8	238.0
694	LYNCH	41 43 3 N	65 21 6 W	2305:00	120882	2139.3	238.0
695	LYNCH	41 43 2 N	65 21 5 W	2310:00	120882	2135.7	238.2
696	LYNCH	41 43 1 N	65 21 3 W	2315:00	120882	2135.7	238.4
697	LYNCH	41 43 0 N	65 21 3 W	2316:00	120882	2137.5	238.4
698	LYNCH	41 43 0 N	65 21 2 W	2318:00	120882	2132.0	238.5
699	LYNCH	41 43 0 N	65 21 2 W	2319:00	120882	2132.0	238.5
700	LYNCH	41 42 9 N	65 21 1 W	2320:00	120882	2128.4	238.5
701	LYNCH	41 42 9 N	65 21 1 W	2321:00	120882	2126.5	238.6
702	LYNCH	41 42 9 N	65 21 1 W	2322:00	120882	2124.7	238.6
703	LYNCH	41 42 9 N	65 21 1 W	2323:00	120882	2124.7	238.6
704	LYNCH	41 42 8 N	65 21 0 W	2325:00	120882	2128.4	238.7
705	LYNCH	41 42 8 N	65 20 9 W	2327:00	120882	2133.9	238.8
706	LYNCH	41 42 7 N	65 20 8 W	2330:00	120882	2135.7	238.9
707	LYNCH	41 42 6 N	65 20 7 W	2334:00	120882	2143.0	239.0
708	LYNCH	41 42 6 N	65 20 7 W	2335:00	120882	2143.0	239.0
709	LYNCH	41 42 5 N	65 20 6 W	2337:00	120882	2143.0	239.1
710	LYNCH	41 42 5 N	65 20 6 W	2338:00	120882	2144.8	239.1
711	LYNCH	41 42 5 N	65 20 5 W	2339:00	120882	2146.7	239.2
712	LYNCH	41 42 5 N	65 20 5 W	2340:00	120882	2150.3	239.2
713	LYNCH	41 42 4 N	65 20 5 W	2341:00	120882	2154.0	239.2
714	LYNCH	41 42 4 N	65 20 4 W	2342:00	120882	2157.6	239.3
715	LYNCH	41 42 4 N	65 20 4 W	2343:00	120882	2161.3	239.3
716	LYNCH	41 42 4 N	65 20 4 W	2344:00	120882	2163.1	239.3
717	LYNCH	41 42 3 N	65 20 3 W	2345:00	120882	2164.9	239.4
718	LYNCH	41 42 1 N	65 20 2 W	2350:00	120882	2185.1	239.6
719	LYNCH	41 41 9 N	65 20 0 W	2355:00	120882	2181.4	239.9
720	LYNCH	41 41 9 N	65 19 9 W	2356:00	120882	2181.4	239.9
721	LYNCH	41 41 8 N	65 19 9 W	2357:00	120882	2181.4	240.0
722	LYNCH	41 41 8 N	65 19 9 W	2358:00	120882	2183.2	240.0
723	LYNCH	41 41 7 N	65 19 8 W	2359:00	120882	2185.1	240.0
724	LYNCH	41 41 7 N	65 19 8 W	0000:00	130882	2185.1	240.0
725	LYNCH	41 41 6 N	65 19 7 W	0003:00	130882	2190.5	240.0
726	LYNCH	41 41 5 N	65 19 6 W	0006:00	130882	2183.2	240.4
727	LYNCH	41 41 4 N	65 19 4 W	0009:00	130882	2166.8	240.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
728	LYNCH	41 41 3 N	65 19 3 W	0012:00	130882	2159.5	240.7
729	LYNCH	41 41 2 N	65 19 2 W	0015:00	130882	2168.6	240.8
730	LYNCH	41 41 1 N	65 19 1 W	0017:00	130882	2177.7	240.9
731	LYNCH	41 41 0 N	65 19 1 W	0018:00	130882	2174.1	241.0
732	LYNCH	41 40 9 N	65 19 0 W	0021:00	130882	2168.6	241.1
733	LYNCH	41 40 9 N	65 18 9 W	0023:00	130882	2161.3	241.2
734	LYNCH	41 40 8 N	65 18 8 W	0025:00	130882	2159.5	241.3
735	LYNCH	41 40 7 N	65 18 7 W	0027:00	130882	2159.5	241.4
736	LYNCH	41 40 7 N	65 18 7 W	0028:00	130882	2161.3	241.4
737	LYNCH	41 40 6 N	65 18 6 W	0029:00	130882	2164.9	241.5
738	LYNCH	41 40 6 N	65 18 6 W	0030:00	130882	2168.6	241.5
739	LYNCH	41 40 6 N	65 18 6 W	0031:00	130882	2179.6	241.6
740	LYNCH	41 40 5 N	65 18 6 W	0032:00	130882	2185.1	241.6
741	LYNCH	41 40 5 N	65 18 5 W	0033:00	130882	2188.7	241.7
742	LYNCH	41 37 4 N	65 17 1 W	0145:00	130882	2276.5	245.0
743	LYNCH	41 37 3 N	65 17 0 W	0147:00	130882	2272.8	245.0
744	LYNCH	41 37 2 N	65 17 0 W	0150:00	130882	2276.5	245.2
745	LYNCH	41 37 0 N	65 16 9 W	0155:00	130882	2289.3	245.4
746	LYNCH	41 36 8 N	65 16 9 W	0200:00	130882	2303.9	245.6
747	LYNCH	41 36 4 N	65 16 7 W	0210:00	130882	2314.9	245.9
748	LYNCH	41 36 3 N	65 16 6 W	0215:00	130882	2324.0	246.1
749	LYNCH	41 36 1 N	65 16 6 W	0220:00	130882	2336.8	246.3
750	LYNCH	41 36 0 N	65 16 5 W	0225:00	130882	2349.6	246.4
751	LYNCH	41 35 8 N	65 16 4 W	0230:00	130882	2351.5	246.6
752	LYNCH	41 35 7 N	65 16 3 W	0234:00	130882	2360.6	246.8
753	LYNCH	41 35 6 N	65 16 2 W	0236:00	130882	2360.6	246.9
754	LYNCH	41 35 3 N	65 16 0 W	0245:00	130882	2369.7	247.2
755	LYNCH	41 34 8 N	65 15 6 W	0300:00	130882	2386.2	247.8
756	LYNCH	41 34 2 N	65 15 0 W	0315:00	130882	2406.3	248.6
757	LYNCH	41 34 1 N	65 15 0 W	0317:00	130882	2419.1	248.7
758	LYNCH	41 33 9 N	65 14 8 W	0320:00	130882	2432.8	248.8
759	LYNCH	41 33 7 N	65 14 7 W	0325:00	130882	2435.6	249.1
760	LYNCH	41 33 4 N	65 14 6 W	0330:00	130882	2437.4	249.4
761	LYNCH	41 32 7 N	65 14 0 W	0345:00	130882	2461.2	250.3
762	LYNCH	41 31 9 N	65 13 3 W	0400:00	130882	2490.4	251.2
763	LYNCH	41 31 1 N	65 12 9 W	0415:00	130882	2510.5	252.0
764	LYNCH	41 30 7 N	65 12 5 W	0423:00	130882	2527.0	252.5
765	LYNCH	41 30 6 N	65 12 5 W	0424:00	130882	2523.3	252.6
766	LYNCH	41 30 5 N	65 12 4 W	0425:00	130882	2532.5	252.7
767	LYNCH	41 30 5 N	65 12 3 W	0427:00	130882	2532.5	252.8
768	LYNCH	41 30 3 N	65 12 2 W	0430:00	130882	2548.8	253.0
769	LYNCH	41 30 2 N	65 12 1 W	0432:00	130882	2545.3	253.1
770	LYNCH	41 29 5 N	65 11 7 W	0445:00	130882	2574.5	253.9
771	LYNCH	41 28 6 N	65 11 3 W	0500:00	130882	2596.5	254.8
772	LYNCH	41 28 4 N	65 11 2 W	0504:00	130882	2609.3	255.1
773	LYNCH	41 28 0 N	65 10 9 W	0510:00	130882	2612.9	255.5
774	LYNCH	41 27 8 N	65 10 8 W	0513:00	130882	2616.6	255.7
775	LYNCH	41 27 7 N	65 10 7 W	0515:00	130882	2623.9	255.8
776	LYNCH	41 27 4 N	65 10 6 W	0520:00	130882	2664.1	256.1
777	LYNCH	41 26 8 N	65 10 2 W	0530:00	130882	2695.2	256.8
778	LYNCH	41 25 9 N	65 9 7 W	0545:00	130882	2728.1	257.7
779	LYNCH	41 25 0 N	65 9 3 W	0600:00	130882	2757.4	258.7
780	LYNCH	41 24 9 N	65 9 2 W	0603:00	130882	2759.2	258.8
781	LYNCH	41 24 0 N	65 9 2 W	0603:00	130882	2759.2	258.9
782	LYNCH	41 24 4 N	65 9 0 W	0611:00	130882	2779.3	259.4
783	LYNCH	41 24 2 N	65 8 9 W	0614:00	130882	2790.3	259.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
784	LYNCH	41 24 2 N	65 8 8 W	0615:00	130882	2792.1	259.6
785	LYNCH	41 24.1 N	65 8.8 W	0616:00	130882	2792.1	259.7
786	LYNCH	41 23.2 N	65 8.3 W	0630:00	130882	2821.4	260.7
787	LYNCH	41 22.3 N	65 7.9 W	0645:00	130882	2854.3	261.6
788	LYNCH	41 21.3 N	65 7.6 W	0700:00	130882	2887.2	262.6
789	LYNCH	41 21.1 N	65 7.5 W	0704:00	130882	2898.2	262.9
790	LYNCH	41 21.0 N	65 7.5 W	0705:00	130882	2901.8	262.9
791	LYNCH	41 20.9 N	65 7.4 W	0707:00	130882	2901.8	263.1
792	LYNCH	41 20.7 N	65 7.3 W	0710:00	130882	2911.0	263.3
793	LYNCH	41 20.5 N	65 7.2 W	0714:00	130882	2921.9	263.5
794	LYNCH	41 20.4 N	65 7.2 W	0715:00	130882	2920.1	263.6
795	LYNCH	41 19.9 N	65 7.0 W	0724:00	130882	2940.2	264.1
796	LYNCH	41 16.5 N	65 5.0 W	0845:00	130882	3037.1	267.8
797	LYNCH	41 16.5 N	65 4.9 W	0846:00	130882	3044.5	267.9
798	LYNCH	41 16.3 N	65 4.7 W	0850:00	130882	3046.3	268.1
799	LYNCH	41 16.1 N	65 4.5 W	0855:00	130882	3060.9	268.3
800	LYNCH	41 15.9 N	65 4.3 W	0900:00	130882	3062.7	268.6
801	LYNCH	41 15.7 N	65 4.3 W	0905:00	130882	3071.9	268.8
802	LYNCH	41 15.6 N	65 4.2 W	0909:00	130882	3073.7	268.9
803	LYNCH	41 15.4 N	65 4.0 W	0913:00	130882	3082.9	269.1
804	LYNCH	41 15.3 N	65 4.0 W	0915:00	130882	3079.2	269.3
805	LYNCH	41 15.3 N	65 3.9 W	0916:00	130882	3081.0	269.3
806	LYNCH	41 15.1 N	65 3.8 W	0920:00	130882	3093.8	269.5
807	LYNCH	41 14.9 N	65 3.6 W	0925:00	130882	3103.0	269.8
808	LYNCH	41 14.7 N	65 3.4 W	0930:00	130882	3108.5	270.0
809	LYNCH	41 14.1 N	65 3.2 W	0945:00	130882	3132.2	270.6
810	LYNCH	41 13.9 N	65 3.1 W	0950:00	130882	3135.9	270.8
811	LYNCH	41 13.7 N	65 3.1 W	0955:00	130882	3143.2	271.0
812	LYNCH	41 13.5 N	65 3.0 W	1000:00	130882	3146.8	271.2
813	LYNCH	41 13.0 N	65 3.3 W	1010:00	130882	3152.3	271.8
814	LYNCH	41 12.8 N	65 3.4 W	1015:00	130882	3161.5	272.0
815	LYNCH	41 12.6 N	65 3.5 W	1020:00	130882	3161.5	272.3
816	LYNCH	41 12.3 N	65 3.7 W	1025:00	130882	3163.3	272.5
817	LYNCH	41 12.1 N	65 3.8 W	1030:00	130882	3172.4	272.8
818	LYNCH	41 12.0 N	65 4.0 W	1033:00	130882	3176.1	272.9
819	LYNCH	41 11.9 N	65 4.1 W	1035:00	130882	3174.3	273.0
820	LYNCH	41 11.7 N	65 4.3 W	1040:00	130882	3174.3	273.3
821	LYNCH	41 11.6 N	65 4.5 W	1043:00	130882	3177.9	273.5
822	LYNCH	41 11.6 N	65 4.6 W	1045:00	130882	3183.4	273.6
823	LYNCH	41 11.5 N	65 4.7 W	1046:00	130882	3185.2	273.6
824	LYNCH	41 10.9 N	65 5.3 W	1100:00	130882	3199.9	274.4
825	LYNCH	41 10.9 N	65 5.5 W	1102:00	130882	3205.4	274.6
826	LYNCH	41 10.8 N	65 5.7 W	1105:00	130882	3168.8	274.8
827	LYNCH	41 10.8 N	65 6.0 W	1108:00	130882	3152.3	275.0
828	LYNCH	41 10.7 N	65 6.2 W	1110:00	130882	3154.2	275.1
829	LYNCH	41 10.7 N	65 6.5 W	1114:00	130882	3192.6	275.4
830	LYNCH	41 10.6 N	65 6.9 W	1119:00	130882	3179.8	275.7
831	LYNCH	41 10.6 N	65 7.0 W	1120:00	130882	3179.8	275.8
832	LYNCH	41 10.5 N	65 7.3 W	1123:00	130882	3199.9	276.0
833	LYNCH	41 10.5 N	65 7.5 W	1125:00	130882	3188.9	276.1
834	LYNCH	41 10.4 N	65 7.7 W	1128:00	130882	3167.0	276.3
835	LYNCH	41 10.4 N	65 7.9 W	1130:00	130882	3161.5	276.4
836	LYNCH	41 10.4 N	65 8.2 W	1133:00	130882	3165.1	276.7
837	LYNCH	41 10.4 N	65 8.3 W	1134:00	130882	3168.8	276.7
838	LYNCH	41 10.4 N	65 8.4 W	1135:00	130882	3168.8	276.8
839	LYNCH	41 10.5 N	65 8.8 W	1140:00	130882	3168.8	277.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
840	LYNCH	41 10.5 N	65 9.0 W	1142:00	130882	3168.8	277.3
841	LYNCH	41 10.5 N	65 9.3 W	1145:00	130882	3199.6	277.5
842	LYNCH	41 10.5 N	65 9.8 W	1150:00	130882	3130.4	277.9
843	LYNCH	41 10.6 N	65 10.2 W	1155:00	130882	3093.8	278.2
844	LYNCH	41 10.6 N	65 10.7 W	1200:00	130882	3064.6	278.6
845	LYNCH	41 10.7 N	65 11.0 W	1203:00	130882	3053.6	278.8
846	LYNCH	41 10.7 N	65 11.2 W	1205:00	130882	3022.5	279.0
847	LYNCH	41 10.8 N	65 11.4 W	1207:00	130882	3009.7	279.1
848	LYNCH	41 10.9 N	65 11.7 W	1210:00	130882	2975.0	279.4
849	LYNCH	41 10.9 N	65 12.0 W	1213:00	130882	2916.5	279.6
850	LYNCH	41 11.0 N	65 12.2 W	1215:00	130882	2920.1	279.8
851	LYNCH	41 11.2 N	65 12.3 W	1218:00	130882	2907.3	280.0
852	LYNCH	41 11.3 N	65 12.3 W	1219:00	130882	2894.5	280.0
853	LYNCH	41 11.3 N	65 12.4 W	1220:00	130882	2881.7	280.1
854	LYNCH	41 11.7 N	65 12.5 W	1225:00	130882	2843.3	280.5
855	LYNCH	41 11.8 N	65 12.5 W	1227:00	130882	2847.0	280.6
856	LYNCH	41 12.0 N	65 12.5 W	1229:00	130882	2867.1	280.8
857	LYNCH	41 12.0 N	65 12.6 W	1230:00	130882	3026.2	280.8
858	LYNCH	41 12.3 N	65 12.6 W	1234:00	130882	2980.5	281.1
859	LYNCH	41 12.4 N	65 12.6 W	1235:00	130882	2982.3	281.2
860	LYNCH	41 12.6 N	65 12.6 W	1238:00	130882	3059.8	281.4
861	LYNCH	41 12.7 N	65 12.6 W	1239:00	130882	3042.6	281.5
862	LYNCH	41 12.8 N	65 12.6 W	1240:00	130882	3039.8	281.6
863	LYNCH	41 12.9 N	65 12.7 W	1242:00	130882	2987.8	281.7
864	LYNCH	41 13.1 N	65 12.7 W	1244:00	130882	2975.0	281.9
865	LYNCH	41 13.2 N	65 12.7 W	1245:00	130882	2976.8	282.0
866	LYNCH	41 13.2 N	65 12.7 W	1246:00	130882	3006.1	282.0
867	LYNCH	41 14.7 N	65 12.7 W	1305:00	130882	2998.7	283.5
868	LYNCH	41 15.1 N	65 12.6 W	1310:00	130882	3009.7	283.9
869	LYNCH	41 15.5 N	65 12.6 W	1315:00	130882	3007.9	284.3
870	LYNCH	41 15.6 N	65 12.5 W	1317:00	130882	3013.4	284.4
871	LYNCH	41 15.8 N	65 12.5 W	1319:00	130882	3002.4	284.6
872	LYNCH	41 15.8 N	65 12.5 W	1320:00	130882	2993.3	284.7
873	LYNCH	41 16.2 N	65 12.4 W	1325:00	130882	2973.1	285.0
874	LYNCH	41 16.3 N	65 12.4 W	1326:00	130882	2975.0	285.1
875	LYNCH	41 16.4 N	65 12.4 W	1327:00	130882	2978.6	285.2
876	LYNCH	41 16.6 N	65 12.3 W	1330:00	130882	2947.5	285.4
877	LYNCH	41 16.7 N	65 12.2 W	1332:00	130882	2927.4	285.6
878	LYNCH	41 16.8 N	65 12.2 W	1333:00	130882	2932.9	285.7
879	LYNCH	41 16.9 N	65 12.2 W	1334:00	130882	2949.4	285.7
880	LYNCH	41 18.7 N	65 11.2 W	1400:00	130882	2852.5	287.7
881	LYNCH	41 19.1 N	65 11.0 W	1405:00	130882	2870.7	288.1
882	LYNCH	41 19.5 N	65 10.8 W	1410:00	130882	2861.6	288.5
883	LYNCH	41 20.2 N	65 10.6 W	1415:00	130882	2889.0	288.9
884	LYNCH	41 20.6 N	65 10.4 W	1420:00	130882	2916.5	289.3
885	LYNCH	41 21.0 N	65 10.2 W	1425:00	130882	2894.5	289.7
886	LYNCH	41 21.0 N	65 10.0 W	1430:00	130882	2885.4	290.2
887	LYNCH	41 21.4 N	65 9.8 W	1435:00	130882	2852.5	290.6
888	LYNCH	41 21.8 N	65 9.5 W	1440:00	130882	2843.1	291.1
889	LYNCH	41 22.3 N	65 9.3 W	1445:00	130882	2834.2	291.5
890	LYNCH	41 23.1 N	65 8.8 W	1455:00	130882	2815.9	292.4
891	LYNCH	41 23.5 N	65 8.6 W	1500:00	130882	2801.3	292.9
892	LYNCH	41 23.7 N	65 8.9 W	1505:00	130882	2784.8	293.1
893	LYNCH	41 23.8 N	65 9.2 W	1510:00	130882	2783.0	293.4
894	LYNCH	41 23.5 N	65 9.2 W	1520:00	130882	2797.6	293.7
895	LYNCH	41 22.9 N	65 9.4 W	1530:00	130882	2815.9	294.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
896	LYNCH	41 22.1 N	65 9.7 W	1545:00	130882	2834.2	295.2
897	LYNCH	41 21.8 N	65 9.8 W	1550:00	130882	2837.8	295.5
898	LYNCH	41 21.2 N	65 9.9 W	1600:00	130882	2870.7	296.1
899	LYNCH	41 20.7 N	65 10.0 W	1610:00	130882	2903.7	296.5
900	LYNCH	41 20.2 N	65 10.1 W	1620:00	130882	2923.8	297.0
901	LYNCH	41 20.0 N	65 10.1 W	1625:00	130882	2925.6	297.3
902	LYNCH	41 19.7 N	65 10.2 W	1630:00	130882	2912.8	297.6
903	LYNCH	41 19.6 N	65 10.2 W	1633:00	130882	2912.8	297.7
904	LYNCH	41 19.3 N	65 10.3 W	1639:00	130882	2889.0	298.0
905	LYNCH	41 19.1 N	65 10.4 W	1645:00	130882	2878.1	298.2
906	LYNCH	41 18.5 N	65 10.5 W	1657:00	130882	2907.3	298.8
907	LYNCH	41 18.4 N	65 10.5 W	1700:00	130882	2912.8	298.9
908	LYNCH	41 18.1 N	65 10.5 W	1706:00	130882	2914.6	299.2
909	LYNCH	41 17.9 N	65 10.6 W	1709:00	130882	2936.6	299.4
910	LYNCH	41 17.8 N	65 10.6 W	1712:00	130882	2934.7	299.6
911	LYNCH	41 17.6 N	65 10.6 W	1715:00	130882	2907.3	299.7
912	LYNCH	41 17.5 N	65 10.6 W	1718:00	130882	2905.5	299.9
913	LYNCH	41 17.2 N	65 10.7 W	1724:00	130882	2852.5	300.1
914	LYNCH	41 17.0 N	65 10.7 W	1727:00	130882	2845.1	300.3
915	LYNCH	41 16.9 N	65 10.7 W	1730:00	130882	2848.8	300.4
916	LYNCH	41 16.8 N	65 10.7 W	1733:00	130882	2854.3	300.6
917	LYNCH	41 16.6 N	65 10.7 W	1736:00	130882	2876.2	300.7
918	LYNCH	41 16.3 N	65 10.8 W	1742:00	130882	2907.3	301.0
919	LYNCH	41 16.0 N	65 10.8 W	1748:00	130882	2980.5	301.3
920	LYNCH	41 15.7 N	65 10.7 W	1754:00	130882	2958.5	301.6
921	LYNCH	41 15.6 N	65 10.7 W	1757:00	130882	2980.5	301.8
922	LYNCH	41 15.4 N	65 10.7 W	1800:00	130882	2978.6	301.9
923	LYNCH	41 15.2 N	65 10.7 W	1803:00	130882	2976.8	302.1
924	LYNCH	41 14.9 N	65 10.7 W	1809:00	130882	2998.7	302.4
925	LYNCH	41 14.8 N	65 10.7 W	1812:00	130882	3040.8	302.6
926	LYNCH	41 14.6 N	65 10.7 W	1815:00	130882	3032.7	302.7
927	LYNCH	41 13.8 N	65 10.7 W	1830:00	130882	3053.6	303.5
928	LYNCH	41 12.4 N	65 10.5 W	1900:00	130882	3093.8	304.9
929	LYNCH	41 12.1 N	65 10.5 W	1906:00	130882	3095.7	305.2
930	LYNCH	41 11.8 N	65 10.4 W	1912:00	130882	3077.4	305.5
931	LYNCH	41 11.7 N	65 10.4 W	1915:00	130882	3090.2	305.7
932	LYNCH	41 11.5 N	65 10.4 W	1918:00	130882	3066.4	305.8
933	LYNCH	41 11.4 N	65 10.4 W	1921:00	130882	3062.7	306.0
934	LYNCH	41 11.2 N	65 10.3 W	1924:00	130882	3062.7	306.1
935	LYNCH	41 11.1 N	65 10.3 W	1927:00	130882	3051.8	306.3
936	LYNCH	41 10.9 N	65 10.3 W	1930:00	130882	3057.3	306.4
937	LYNCH	41 10.8 N	65 10.2 W	1933:00	130882	3090.2	306.6
938	LYNCH	41 10.6 N	65 10.2 W	1936:00	130882	3106.6	306.7
939	LYNCH	41 10.5 N	65 10.1 W	1939:00	130882	3088.3	306.9
940	LYNCH	41 10.3 N	65 10.1 W	1942:00	130882	3088.3	307.0
941	LYNCH	41 10.2 N	65 10.0 W	1945:00	130882	3090.2	307.2
942	LYNCH	41 10.1 N	65 10.0 W	1948:00	130882	3071.9	307.3
943	LYNCH	41 9.8 N	65 9.9 W	1954:00	130882	3026.2	307.6
944	LYNCH	41 9.6 N	65 9.8 W	1957:00	130882	3020.7	307.7
945	LYNCH	41 9.5 N	65 9.8 W	2000:00	130882	3026.2	307.9
946	LYNCH	41 9.3 N	65 9.7 W	2006:00	130882	3060.9	308.1
947	LYNCH	41 9.1 N	65 9.7 W	2009:00	130882	3077.4	308.3
948	LYNCH	41 8.9 N	65 9.6 W	2015:00	130882	3110.3	308.5
949	LYNCH	41 8.8 N	65 9.4 W	2018:00	130882	3126.7	308.7
950	LYNCH	41 8.7 N	65 9.2 W	2021:00	130882	3135.9	308.8
951	LYNCH	41 8.6 N	65 9.1 W	2024:00	130882	3163.3	309.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
952	LYNCH	41 8.4 N	65 8.7 W	2030:00	130882	3181.6	309.4
953	LYNCH	41 8.5 N	65 8.1 W	2036:00	130882	3225.5	309.8
954	LYNCH	41 8.7 N	65 7.1 W	2045:00	130882	3229.1	310.6
955	LYNCH	41 9.0 N	65 6.9 W	2048:00	130882	3214.5	310.9
956	LYNCH	41 9.2 N	65 6.6 W	2051:00	130882	3201.7	311.1
957	LYNCH	41 9.4 N	65 6.4 W	2054:00	130882	3225.5	311.4
958	LYNCH	41 9.6 N	65 6.1 W	2057:00	130882	3218.2	311.7
959	LYNCH	41 9.8 N	65 5.9 W	2100:00	130882	3135.9	312.0
960	LYNCH	41 10.1 N	65 5.8 W	2103:00	130882	3128.6	312.3
961	LYNCH	41 10.3 N	65 5.7 W	2106:00	130882	3165.1	312.5
962	LYNCH	41 10.6 N	65 5.7 W	2109:00	130882	3177.9	312.8
963	LYNCH	41 10.9 N	65 5.6 W	2112:00	130882	3203.5	313.1
964	LYNCH	41 12.5 N	65 5.1 W	2130:00	130882	3159.6	314.8
965	LYNCH	41 15.0 N	65 4.8 W	2200:00	130882	3079.2	317.3
966	LYNCH	41 18.0 N	65 7.4 W	2300:00	130882	2990.5	320.8
967	LYNCH	41 19.0 N	65 8.8 W	2330:00	130882	2960.3	322.3
968	LYNCH	41 19.4 N	65 9.5 W	2342:00	130882	2943.9	323.0
969	LYNCH	41 19.5 N	65 9.7 W	2345:00	130882	2945.7	323.1
970	LYNCH	41 19.6 N	65 9.9 W	2348:00	130882	2951.2	323.3
971	LYNCH	41 19.8 N	65 10.2 W	2354:00	130882	2909.1	323.6
972	LYNCH	41 20.0 N	65 10.6 W	0000:00	140882	2896.3	324.0
973	LYNCH	41 20.3 N	65 11.1 W	0009:00	140882	2876.2	324.5
974	LYNCH	41 20.6 N	65 11.6 W	0018:00	140882	2850.6	325.0
975	LYNCH	41 20.8 N	65 12.0 W	0024:00	140882	2812.2	325.3
976	LYNCH	41 20.9 N	65 12.2 W	0027:00	140882	2779.3	325.5
977	LYNCH	41 21.1 N	65 12.3 W	0030:00	140882	2766.5	325.6
978	LYNCH	41 21.2 N	65 12.5 W	0033:00	140882	2744.6	325.8
979	LYNCH	41 21.3 N	65 12.7 W	0036:00	140882	2744.6	326.0
980	LYNCH	41 21.4 N	65 12.8 W	0039:00	140882	2731.8	326.1
981	LYNCH	41 21.5 N	65 13.0 W	0042:00	140882	2704.4	326.3
982	LYNCH	41 21.7 N	65 13.4 W	0048:00	140882	2676.9	326.6
983	LYNCH	41 21.8 N	65 13.6 W	0051:00	140882	2669.6	326.8
984	LYNCH	41 21.9 N	65 13.7 W	0054:00	140882	2653.0	327.0
985	LYNCH	41 22.0 N	65 13.9 W	0057:00	140882	2629.4	327.2
986	LYNCH	41 22.1 N	65 14.1 W	0100:00	140882	2614.8	327.3
987	LYNCH	41 22.5 N	65 14.7 W	0109:00	140882	2596.5	327.9
988	LYNCH	41 22.9 N	65 15.6 W	0121:00	140882	2578.2	328.7
989	LYNCH	41 24.5 N	65 16.9 W	0150:00	140882	2633.0	330.5
990	LYNCH	41 24.6 N	65 16.9 W	0151:00	140882	2633.0	330.6
991	LYNCH	41 24.7 N	65 17.0 W	0154:00	140882	2627.6	330.8
992	LYNCH	41 24.9 N	65 17.1 W	0157:00	140882	2656.8	331.0
993	LYNCH	41 25.1 N	65 17.2 W	0200:00	140882	2669.6	331.2
994	LYNCH	41 25.3 N	65 17.2 W	0203:00	140882	2666.0	331.4
995	LYNCH	41 25.5 N	65 17.3 W	0206:00	140882	2666.0	331.6
996	LYNCH	41 25.7 N	65 17.3 W	0209:00	140882	2673.3	331.8
997	LYNCH	41 25.9 N	65 17.4 W	0212:00	140882	2684.2	332.0
998	LYNCH	41 26.3 N	65 17.5 W	0218:00	140882	2676.9	332.4
999	LYNCH	41 26.5 N	65 17.5 W	0221:00	140882	2664.1	332.6
1000	LYNCH	41 27.9 N	65 17.9 W	0242:00	140882	2592.8	334.0
1001	LYNCH	41 28.3 N	65 17.9 W	0248:00	140882	2576.4	334.4
1002	LYNCH	41 28.5 N	65 18.0 W	0251:00	140882	2563.6	334.6
1003	LYNCH	41 28.7 N	65 18.0 W	0254:00	140882	2559.9	334.8
1004	LYNCH	41 29.1 N	65 18.1 W	0300:00	140882	2538.1	335.3
1005	LYNCH	41 29.5 N	65 18.1 W	0306:00	140882	2530.6	335.7
1006	LYNCH	41 29.9 N	65 18.1 W	0312:00	140882	2505.0	336.1
1007	LYNCH	41 30.4 N	65 18.1 W	0318:00	140882	2505.0	336.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1008	LYNCH	41 30.8 N	65 18.1 W	0324:00	140882	2494.1	336.9
1009	LYNCH	41 31.2 N	65 18.1 W	0330:00	140882	2492.2	337.4
1010	LYNCH	41 31.7 N	65 18.1 W	0336:00	140882	2486.8	337.8
1011	LYNCH	41 32.1 N	65 18.0 W	0342:00	140882	2505.0	338.3
1012	LYNCH	41 32.6 N	65 18.0 W	0348:00	140882	2506.9	338.7
1013	LYNCH	41 32.8 N	65 18.0 W	0351:00	140882	2503.2	339.0
1014	LYNCH	41 33.0 N	65 17.9 W	0354:00	140882	2516.0	339.2
1015	LYNCH	41 33.3 N	65 17.9 W	0357:00	140882	2490.4	339.4
1016	LYNCH	41 33.5 N	65 17.9 W	0400:00	140882	2483.1	339.7
1017	LYNCH	41 33.8 N	65 18.1 W	0406:00	140882	2468.5	339.9
1018	LYNCH	41 34.0 N	65 18.2 W	0412:00	140882	2431.9	340.2
1019	LYNCH	41 34.3 N	65 18.4 W	0418:00	140882	2431.9	340.5
1020	LYNCH	41 34.8 N	65 18.7 W	0430:00	140882	2444.7	341.1
1021	LYNCH	41 35.4 N	65 18.6 W	0440:00	140882	2419.1	341.7
1022	LYNCH	41 35.7 N	65 18.2 W	0448:00	140882	2338.7	342.1
1023	LYNCH	41 35.8 N	65 17.5 W	0454:00	140882	2349.6	342.7
1024	LYNCH	41 35.8 N	65 16.8 W	0500:00	140882	2340.5	343.2
1025	LYNCH	41 35.9 N	65 14.6 W	0521:00	140882	2351.5	344.9
1026	LYNCH	41 36.0 N	65 13.9 W	0527:00	140882	2322.2	345.4
1027	LYNCH	41 36.0 N	65 13.6 W	0530:00	140882	2340.5	345.6
1028	LYNCH	41 36.0 N	65 13.3 W	0533:00	140882	2411.8	345.8
1029	LYNCH	41 36.1 N	65 12.6 W	0539:00	140882	2230.8	346.3
1030	LYNCH	41 36.2 N	65 11.7 W	0548:00	140882	2446.5	347.1
1031	LYNCH	41 36.3 N	65 10.4 W	0600:00	140882	2459.3	348.0
1032	LYNCH	41 36.3 N	65 10.1 W	0603:00	140882	2453.8	348.3
1033	LYNCH	41 36.3 N	65 9.7 W	0606:00	140882	2450.2	348.5
1034	LYNCH	41 36.4 N	65 9.4 W	0607:00	140882	2450.2	348.8
1035	LYNCH	41 36.4 N	65 8.8 W	0615:00	140882	2468.5	349.3
1036	LYNCH	41 36.4 N	65 8.4 W	0618:00	140882	2474.0	349.5
1037	LYNCH	41 36.4 N	65 8.1 W	0621:00	140882	2474.0	349.8
1038	LYNCH	41 36.5 N	65 7.1 W	0630:00	140882	2486.8	350.5
1039	LYNCH	41 36.5 N	65 6.7 W	0633:00	140882	2477.6	350.8
1040	LYNCH	41 36.6 N	65 5.7 W	0642:00	140882	2503.2	351.6
1041	LYNCH	41 36.6 N	65 5.3 W	0645:00	140882	2503.2	351.8
1042	LYNCH	41 36.6 N	65 4.9 W	0648:00	140882	2503.2	352.1
1043	LYNCH	41 36.6 N	65 4.6 W	0651:00	140882	2486.8	352.4
1044	LYNCH	41 36.7 N	65 4.2 W	0654:00	140882	2479.4	352.7
1045	LYNCH	41 36.7 N	65 3.9 W	0657:00	140882	2495.9	352.9
1046	LYNCH	41 36.7 N	65 3.5 W	0700:00	140882	2510.5	353.2
1047	LYNCH	41 36.6 N	65 2.8 W	0706:00	140882	2488.6	353.7
1048	LYNCH	41 36.5 N	65 2.1 W	0712:00	140882	2563.6	354.3
1049	LYNCH	41 35.1 N	65 7 W	0742:00	140882	2655.0	356.0
1050	LYNCH	41 34.2 N	65 0 W	0800:00	140882	2704.4	357.0
1051	LYNCH	41 33.8 N	64 59.8 W	0818:00	140882	2706.2	357.5
1052	LYNCH	41 33.5 N	64 59.7 W	0830:00	140882	2719.0	357.8
1053	LYNCH	41 32.8 N	65 2 W	0842:00	140882	2706.2	358.6
1054	LYNCH	41 32.1 N	65 6 W	0854:00	140882	2702.5	359.4
1055	LYNCH	41 31.7 N	65 9 W	0900:00	140882	2709.8	359.8
1056	LYNCH	41 31.3 N	65 1.1 W	0906:00	140882	2720.8	360.2
1057	LYNCH	41 31.0 N	65 1.3 W	0912:00	140882	2737.3	360.6
1058	LYNCH	41 30.6 N	65 1.5 W	0918:00	140882	2724.5	361.0
1059	LYNCH	41 30.3 N	65 1.8 W	0924:00	140882	2711.7	361.4
1060	LYNCH	41 29.9 N	65 2.0 W	0930:00	140882	2731.8	362.2
1061	LYNCH	41 29.6 N	65 2.4 W	0936:00	140882	2751.9	362.6
1062	LYNCH	41 29.3 N	65 2.8 W	0942:00	140882	2753.7	363.9
1063	LYNCH	41 28.4 N	65 4.0 W	1000:00	140882		

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1064	LYNCH	41 27 5 N	65 4 9 W	1015:00	140882	2764.7	365.1
1065	LYNCH	41 27 3 N	65 5 1 W	1018:00	140882	2775.7	365.3
1066	LYNCH	41 27 1 N	65 5 3 W	1021:00	140882	2775.7	365.5
1067	LYNCH	41 26 7 N	65 5 7 W	1027:00	140882	2764.7	366.0
1068	LYNCH	41 26 5 N	65 5 9 W	1030:00	140882	2770.2	366.2
1069	LYNCH	41 25 8 N	65 6 7 W	1042:00	140882	2793.9	367.2
1070	LYNCH	41 25 6 N	65 6 9 W	1045:00	140882	2783.0	367.5
1071	LYNCH	41 25 4 N	65 7 1 W	1048:00	140882	2779.3	367.7
1072	LYNCH	41 25 2 N	65 7 4 W	1051:00	140882	2783.0	368.0
1073	LYNCH	41 24 8 N	65 7 8 W	1057:00	140882	2793.9	368.5
1074	LYNCH	41 24 6 N	65 8 0 W	1100:00	140882	2790.3	368.7
1075	LYNCH	41 24 0 N	65 8 7 W	1112:00	140882	2788.5	369.5
1076	LYNCH	41 22 8 N	65 10 2 W	1136:00	140882	2806.7	371.1
1077	LYNCH	41 22 5 N	65 10 5 W	1142:00	140882	2817.7	371.5
1078	LYNCH	41 22 0 N	65 11 2 W	1154:00	140882	2865.3	372.3
1079	LYNCH	41 21 7 N	65 11 6 W	1200:00	140882	2854.3	372.7
1080	LYNCH	41 21 6 N	65 11 8 W	1203:00	140882	2857.9	372.9
1081	LYNCH	41 21 4 N	65 12 0 W	1206:00	140882	2834.2	373.1
1082	LYNCH	41 21 3 N	65 12 2 W	1209:00	140882	2834.2	373.3
1083	LYNCH	41 21 1 N	65 12 4 W	1212:00	140882	2795.8	373.5
1084	LYNCH	41 21 0 N	65 12 6 W	1215:00	140882	2783.0	373.8
1085	LYNCH	41 20 7 N	65 13 0 W	1221:00	140882	2740.9	374.2
1086	LYNCH	41 20 5 N	65 13 2 W	1224:00	140882	2733.6	374.4
1087	LYNCH	41 20 4 N	65 13 4 W	1227:00	140882	2742.8	374.6
1088	LYNCH	41 20 2 N	65 13 6 W	1230:00	140882	2768.3	374.8
1089	LYNCH	41 20 1 N	65 13 8 W	1233:00	140882	2728.1	375.0
1090	LYNCH	41 19 9 N	65 14 0 W	1236:00	140882	2724.5	375.2
1091	LYNCH	41 19 6 N	65 14 4 W	1242:00	140882	2708.0	375.7
1092	LYNCH	41 19 5 N	65 14 7 W	1245:00	140882	2706.2	375.9
1093	LYNCH	41 19 4 N	65 14 9 W	1248:00	140882	2706.2	376.1
1094	LYNCH	41 19 2 N	65 15 1 W	1251:00	140882	2728.1	376.3
1095	LYNCH	41 18 9 N	65 15 5 W	1257:00	140882	2839.7	376.7
1096	LYNCH	41 18 8 N	65 15 7 W	1300:00	140882	2881.7	376.9
1097	LYNCH	41 18 6 N	65 15 7 W	1303:00	140882	2901.8	377.1
1098	LYNCH	41 18 5 N	65 15 7 W	1306:00	140882	2905.5	377.2
1099	LYNCH	41 18 2 N	65 15 6 W	1312:00	140882	2911.0	377.6
1100	LYNCH	41 18 0 N	65 15 4 W	1318:00	140882	2923.8	377.8
1101	LYNCH	41 17 9 N	65 15 2 W	1321:00	140882	2909.1	378.0
1102	LYNCH	41 17 9 N	65 14 9 W	1324:00	140882	2885.4	378.2
1103	LYNCH	41 17 8 N	65 14 5 W	1330:00	140882	2834.2	378.5
1104	LYNCH	41 17 8 N	65 14 3 W	1333:00	140882	2821.4	378.7
1105	LYNCH	41 17 7 N	65 14 1 W	1336:00	140882	2843.3	378.8
1106	LYNCH	41 17 7 N	65 13 8 W	1339:00	140882	2826.9	379.0
1107	LYNCH	41 17 7 N	65 13 6 W	1342:00	140882	2834.2	379.2
1108	LYNCH	41 17 7 N	65 13 4 W	1345:00	140882	2852.5	379.4
1109	LYNCH	41 17 6 N	65 13 2 W	1348:00	140882	2852.5	379.5
1110	LYNCH	41 17 6 N	65 13 0 W	1351:00	140882	2848.8	379.7
1111	LYNCH	41 17 6 N	65 12 7 W	1354:00	140882	2841.5	379.9
1112	LYNCH	41 17 5 N	65 12 5 W	1357:00	140882	2852.5	380.0
1113	LYNCH	41 17 5 N	65 12 3 W	1400:00	140882	2852.5	380.2
1114	LYNCH	41 17 4 N	65 11 9 W	1406:00	140882	2806.7	380.5
1115	LYNCH	41 17 4 N	65 11 7 W	1409:00	140882	2797.6	380.7
1116	LYNCH	41 17 4 N	65 11 5 W	1412:00	140882	2819.5	380.8
1117	LYNCH	41 17 3 N	65 10 8 W	1421:00	140882	2874.4	381.3
1118	LYNCH	41 17 2 N	65 10 4 W	1427:00	140882	2916.5	381.6
1119	LYNCH	41 17 2 N	65 10 2 W	1430:00	140882	2962.2	381.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1120	LYNCH	41 17.1 N	65 9.6 W	1439:00	140882	2967.7	382.3
1121	LYNCH	41 17.1 N	65 9.1 W	1445:00	140882	3017.0	382.6
1122	LYNCH	41 17.1 N	65 8.7 W	1451:00	140882	3006.1	382.9
1123	LYNCH	41 17.0 N	65 8.1 W	1500:00	140882	3015.2	383.4
1124	LYNCH	41 17.0 N	65 7.6 W	1509:00	140882	3026.2	383.8
1125	LYNCH	41 17.0 N	65 7.5 W	1510:00	140882	3017.0	383.8
1126	LYNCH	41 17.0 N	65 6.3 W	1530:00	140882	3015.2	384.7
1127	LYNCH	41 17.1 N	65 5.1 W	1551:00	140882	3020.7	385.6
1128	LYNCH	41 17.1 N	65 4.6 W	1600:00	140882	3033.5	386.0
1129	LYNCH	41 17.2 N	65 4.3 W	1606:00	140882	3048.1	386.3
1130	LYNCH	41 17.2 N	65 3.9 W	1612:00	140882	3031.7	386.5
1131	LYNCH	41 17.3 N	65 3.6 W	1618:00	140882	3046.3	386.8
1132	LYNCH	41 17.3 N	65 3.2 W	1624:00	140882	3035.3	387.1
1133	LYNCH	41 17.4 N	65 2.5 W	1636:00	140882	3015.2	387.6
1134	LYNCH	41 17.5 N	65 2.1 W	1642:00	140882	3039.0	387.9
1135	LYNCH	41 17.6 N	65 9.9 W	1700:00	140882	3053.6	388.8
1136	LYNCH	41 18.2 N	64 59.0 W	1733:00	140882	3086.5	390.4
1137	LYNCH	41 18.8 N	65 1.0 W	1800:00	140882	3017.0	392.0
1138	LYNCH	41 19.3 N	65 3.4 W	1824:00	140882	2980.5	393.8
1139	LYNCH	41 19.3 N	65 3.7 W	1827:00	140882	2985.9	394.1
1140	LYNCH	41 19.4 N	65 4.0 W	1830:00	140882	2980.5	394.3
1141	LYNCH	41 21.2 N	65 5.1 W	1857:00	140882	2911.0	396.2
1142	LYNCH	41 22.2 N	65 5.1 W	1909:00	140882	2916.5	396.5
1143	LYNCH	41 22.2 N	65 5.1 W	1912:00	140882	2874.4	397.3
1144	LYNCH	41 22.5 N	65 5.1 W	1913:00	140882	2868.9	397.6
1145	LYNCH	41 23.0 N	65 5.1 W	1918:00	140882	2872.6	397.8
1146	LYNCH	41 24.1 N	65 5.1 W	1930:00	140882	2863.4	398.1
1147	LYNCH	41 24.2 N	65 5.0 W	1933:00	140882	2885.4	399.2
1148	LYNCH	41 24.3 N	65 4.9 W	1936:00	140882	2852.5	399.3
1149	LYNCH	41 24.3 N	65 4.9 W	1936:00	140882	2834.2	399.4
1150	LYNCH	41 24.1 N	65 3.8 W	2000:00	140882	2874.4	400.3
1151	LYNCH	41 23.2 N	65 2.7 W	2030:00	140882	2925.6	401.5
1152	LYNCH	41 22.1 N	65 1.5 W	2100:00	140882	2962.2	402.9
1153	LYNCH	41 20.5 N	65 9.9 W	2151:00	140882	3017.0	404.6
1154	LYNCH	41 20.2 N	65 9.9 W	2200:00	140882	3015.2	404.9
1155	LYNCH	41 19.6 N	65 9.9 W	2230:00	140882	3017.0	405.5
1156	LYNCH	41 20.0 N	65 1.8 W	2300:00	140882	2980.5	406.3
1157	LYNCH	41 21.0 N	65 2.1 W	2324:00	140882	2964.0	407.3
1158	LYNCH	41 21.2 N	65 2.0 W	2327:00	140882	2976.8	407.5
1159	LYNCH	41 21.3 N	65 1.9 W	2330:00	140882	2980.5	407.6
1160	LYNCH	41 22.5 N	65 1.3 W	2351:00	140882	2954.9	408.9
1161	LYNCH	41 22.7 N	65 1.2 W	2354:00	140882	2940.2	409.1
1162	LYNCH	41 22.8 N	65 1.1 W	2357:00	140882	2927.4	409.2
1163	LYNCH	41 22.9 N	65 1.0 W	0000:00	150882	2925.6	409.3
1164	LYNCH	41 23.5 N	65 9.9 W	0027:00	150882	2912.8	410.0
1165	LYNCH	41 23.7 N	65 9.9 W	0033:00	150882	2905.5	410.7
1166	LYNCH	41 24.2 N	65 1.2 W	0100:00	150882	2868.9	411.4
1167	LYNCH	41 24.8 N	65 1.8 W	0130:00	150882	2837.8	412.4
1168	LYNCH	41 25.7 N	65 2.3 W	0200:00	150882	2695.2	415.6
1169	LYNCH	41 28.5 N	65 4.2 W	0300:00	150882	2742.8	418.0
1170	LYNCH	41 30.8 N	65 5.1 W	0327:00	150882	2675.1	418.3
1171	LYNCH	41 31.1 N	65 5.2 W	0330:00	150882	2656.8	418.5
1172	LYNCH	41 31.4 N	65 5.3 W	0333:00	150882	2620.2	420.1
1173	LYNCH	41 32.9 N	65 5.7 W	0348:00	150882	2596.5	420.5
1174	LYNCH	41 33.3 N	65 5.8 W	0351:00	150882	2580.0	420.9
1175	LYNCH	41 33.7 N	65 6.0 W	0354:00	150882		

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1176	LYNCH	41 34.2 N	65 6.1 W	0400:00	150882	2567.2	421.4
1177	LYNCH	41 36.7 N	65 6.8 W	0430:00	150882	2483.1	423.9
1178	LYNCH	41 39.7 N	65 7.3 W	0500:00	150882	2377.1	427.0
1179	LYNCH	41 41.0 N	65 7.5 W	0518:00	150882	2331.3	428.3
1180	LYNCH	41 44.1 N	65 7.4 W	0600:00	150882	2218.0	431.4
1181	LYNCH	41 44.8 N	65 7.5 W	0612:00	150882	2194.2	432.1
1182	LYNCH	41 45.1 N	65 7.6 W	0618:00	150882	2210.7	432.5
1183	LYNCH	41 45.5 N	65 7.6 W	0624:00	150882	2230.8	432.8
1184	LYNCH	41 46.1 N	65 7.7 W	0636:00	150882	2194.2	433.4
1185	LYNCH	41 47.3 N	65 7.7 W	0700:00	150882	2139.3	434.6
1186	LYNCH	41 47.8 N	65 8.5 W	0730:00	150882	2137.5	435.4
1187	LYNCH	41 48.0 N	65 9.0 W	0742:00	150882	2135.7	435.8
1188	LYNCH	41 48.0 N	65 9.1 W	0745:00	150882	2121.1	435.9
1189	LYNCH	41 48.1 N	65 9.5 W	0754:00	150882	2064.4	436.2
1190	LYNCH	41 48.2 N	65 9.6 W	0757:00	150882	2049.7	436.3
1191	LYNCH	41 48.2 N	65 9.7 W	0800:00	150882	2047.9	436.4
1192	LYNCH	41 48.8 N	65 10.4 W	0818:00	150882	2011.4	437.2
1193	LYNCH	41 49.3 N	65 11.1 W	0836:00	150882	1998.6	438.0
1194	LYNCH	41 50.4 N	65 12.2 W	0900:00	150882	1941.9	439.3
1195	LYNCH	41 50.9 N	65 12.8 W	0912:00	150882	1934.6	440.0
1196	LYNCH	41 52.0 N	65 14.0 W	0936:00	150882	1870.6	441.3
1197	LYNCH	41 52.7 N	65 15.0 W	0954:00	150882	1846.8	442.4
1198	LYNCH	41 53.0 N	65 15.3 W	1000:00	150882	1823.0	442.8
1199	LYNCH	41 53.3 N	65 15.5 W	1006:00	150882	1810.2	443.1
1200	LYNCH	41 53.5 N	65 15.6 W	1009:00	150882	1802.9	443.3
1201	LYNCH	41 53.9 N	65 15.8 W	1013:00	150882	1824.8	443.7
1202	LYNCH	41 54.0 N	65 15.9 W	1018:00	150882	1810.2	443.9
1203	LYNCH	41 54.7 N	65 16.3 W	1030:00	150882	1759.0	444.6
1204	LYNCH	41 54.9 N	65 16.4 W	1033:00	150882	1738.9	444.8
1205	LYNCH	41 55.4 N	65 16.7 W	1042:00	150882	1737.1	445.3
1206	LYNCH	41 55.6 N	65 16.7 W	1045:00	150882	1722.4	445.5
1207	LYNCH	41 55.7 N	65 16.8 W	1048:00	150882	1704.2	445.7
1208	LYNCH	41 56.1 N	65 17.0 W	1054:00	150882	1704.2	446.1
1209	LYNCH	41 56.4 N	65 17.2 W	1100:00	150882	1700.5	446.4
1210	LYNCH	41 57.0 N	65 17.4 W	1109:00	150882	1691.4	447.1
1211	LYNCH	41 57.6 N	65 17.7 W	1118:00	150882	1685.9	447.7
1212	LYNCH	41 58.4 N	65 18.0 W	1130:00	150882	1684.0	448.5
1213	LYNCH	41 59.1 N	65 18.1 W	1139:00	150882	1667.6	449.2
1214	LYNCH	41 59.6 N	65 18.1 W	1148:00	150882	1660.3	449.7
1215	LYNCH	41 59.7 N	65 18.0 W	1151:00	150882	1649.3	449.9
1216	LYNCH	41 59.8 N	65 17.9 W	1154:00	150882	1625.5	450.0
1217	LYNCH	41 59.9 N	65 17.8 W	1157:00	150882	1621.9	450.1
1218	LYNCH	42 0.0 N	65 17.7 W	1200:00	150882	1627.4	450.2
1219	LYNCH	41 59.8 N	65 17.8 W	1206:00	150882	1647.5	450.4
1220	LYNCH	41 59.7 N	65 17.8 W	1209:00	150882	1654.8	450.5
1221	LYNCH	41 59.6 N	65 17.3 W	1221:00	150882	1660.3	450.9
1222	LYNCH	41 59.7 N	65 17.2 W	1224:00	150882	1647.5	451.0
1223	LYNCH	42 0.0 N	65 17.1 W	1230:00	150882	1638.3	451.3
1224	LYNCH	42 0.7 N	65 17.0 W	1242:00	150882	1590.8	452.1
1225	LYNCH	42 1.1 N	65 17.0 W	1248:00	150882	1572.5	452.4
1226	LYNCH	42 1.8 N	65 16.9 W	1300:00	150882	1484.7	453.1
1227	LYNCH	42 2.2 N	65 16.8 W	1306:00	150882	1462.8	453.5
1228	LYNCH	42 3.6 N	65 16.3 W	1330:00	150882	1415.3	455.0
1229	LYNCH	42 3.9 N	65 16.2 W	1336:00	150882	1353.1	455.3
1230	LYNCH	42 4.6 N	65 16.0 W	1348:00	150882	1338.5	456.0
1231	LYNCH	42 5.1 N	65 15.9 W	1357:00	150882	1298.2	456.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
1232	LYNCH	42 5 3 N	65 15 8 W	1400:00	150882	1252.5	456.7
1233	LYNCH	42 5 5 N	65 15 7 W	1403:00	150882	1243.4	456.9
1234	LYNCH	42 5 6 N	65 15 6 W	1406:00	150882	1236.1	457.1
1235	LYNCH	42 5 8 N	65 15 5 W	1409:00	150882	1239.7	457.2
1236	LYNCH	42 5 9 N	65 15 4 W	1412:00	150882	1269.0	457.4
1237	LYNCH	42 6 1 N	65 15 4 W	1415:00	150882	1316.5	457.6
1238	LYNCH	42 6 2 N	65 15 3 W	1418:00	150882	1404.3	457.7
1239	LYNCH	42 6 4 N	65 15 2 W	1421:00	150882	1417.1	457.9
1240	LYNCH	42 6 8 N	65 14 9 W	1430:00	150882	1407.9	458.4
1241	LYNCH	42 7 0 N	65 14 7 W	1436:00	150882	1400.6	458.6
1242	LYNCH	42 7 2 N	65 14 6 W	1439:00	150882	1371.4	458.8
1243	LYNCH	42 7 3 N	65 14 5 W	1442:00	150882	1353.1	458.9
1244	LYNCH	42 7 4 N	65 14 5 W	1445:00	150882	1312.9	459.1
1245	LYNCH	42 7 6 N	65 14 3 W	1451:00	150882	1192.2	459.3
1246	LYNCH	42 7 8 N	65 14 2 W	1454:00	150882	1133.7	459.5
1247	LYNCH	42 8 0 N	65 14 0 W	1500:00	150882	1036.8	459.7
1248	LYNCH	42 8 1 N	65 14 0 W	1503:00	150882	1031.3	459.9
1249	LYNCH	42 8 2 N	65 13 9 W	1506:00	150882	1042.2	460.0
1250	LYNCH	42 8 3 N	65 13 9 W	1509:00	150882	1097.1	460.1
1251	LYNCH	42 8 4 N	65 13 8 W	1512:00	150882	1133.7	460.2
1252	LYNCH	42 8 6 N	65 13 8 W	1515:00	150882	1183.0	460.3
1253	LYNCH	42 8 7 N	65 13 7 W	1518:00	150882	1241.6	460.4
1254	LYNCH	42 8 8 N	65 13 7 W	1521:00	150882	1261.7	460.6
1255	LYNCH	42 8 9 N	65 13 6 W	1524:00	150882	1265.3	460.7
1256	LYNCH	42 9 0 N	65 13 6 W	1527:00	150882	1248.9	460.8
1257	LYNCH	42 9 1 N	65 13 5 W	1530:00	150882	1245.2	460.9
1258	LYNCH	42 9 6 N	65 13 4 W	1545:00	150882	1190.4	461.4
1259	LYNCH	42 9 6 N	65 13 3 W	1548:00	150882	1184.9	461.5
1260	LYNCH	42 10 0 N	65 13 2 W	1600:00	150882	987.4	461.8
1261	LYNCH	42 10 4 N	65 13 1 W	1606:00	150882	894.1	462.2
1262	LYNCH	42 10 5 N	65 13 1 W	1609:00	150882	879.5	462.4
1263	LYNCH	42 10 7 N	65 13 0 W	1612:00	150882	932.5	462.6
1264	LYNCH	42 10 9 N	65 13 0 W	1615:00	150882	925.2	462.7
1265	LYNCH	42 10 8 N	65 13 2 W	1618:00	150882	903.3	462.9
1266	LYNCH	42 10 7 N	65 13 6 W	1624:00	150882	773.5	463.2
1267	LYNCH	42 10 6 N	65 13 8 W	1627:00	150882	804.5	463.4
1268	LYNCH	42 10 5 N	65 14 0 W	1630:00	150882	914.2	463.6
1269	LYNCH	42 10 3 N	65 14 2 W	1633:00	150882	987.4	463.8
1270	LYNCH	42 10 1 N	65 14 5 W	1636:00	150882	1042.2	464.1
1271	LYNCH	42 10 0 N	65 14 7 W	1639:00	150882	1077.0	464.3
1272	LYNCH	42 9 8 N	65 14 9 W	1642:00	150882	1005.7	464.6
1273	LYNCH	42 9 6 N	65 15 2 W	1645:00	150882	939.8	464.8
1274	LYNCH	42 9 4 N	65 15 4 W	1648:00	150882	932.5	465.1
1275	LYNCH	42 9 2 N	65 15 6 W	1651:00	150882	1009.3	465.3
1276	LYNCH	42 9 1 N	65 15 8 W	1654:00	150882	1122.7	465.6
1277	LYNCH	42 8 9 N	65 16 1 W	1657:00	150882	1206.8	465.8
1278	LYNCH	42 8 7 N	65 16 3 W	1700:00	150882	1269.0	466.1
1279	LYNCH	42 8 6 N	65 16 6 W	1703:00	150882	1280.0	466.3
1280	LYNCH	42 8 4 N	65 16 8 W	1706:00	150882	1243.4	466.6
1281	LYNCH	42 8 3 N	65 17 1 W	1709:00	150882	1252.5	466.8
1282	LYNCH	42 8 1 N	65 17 4 W	1712:00	150882	1254.4	467.0
1283	LYNCH	42 8 0 N	65 17 7 W	1715:00	150882	1280.0	467.3
1284	LYNCH	42 7 9 N	65 17 9 W	1718:00	150882	1278.1	467.5
1285	LYNCH	42 7 7 N	65 18 2 W	1721:00	150882	1188.5	467.8
1286	LYNCH	42 7 6 N	65 18 5 W	1724:00	150882	1141.0	468.0
1287	LYNCH	42 7 4 N	65 18 7 W	1727:00	150882	1119.0	468.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1288	LYNCH	42 7 3 N	65 19 0 W	1730 00	150882	1133.7	468.5
1289	LYNCH	42 7 1 N	65 19 3 W	1733 00	150882	1124.5	468.8
1290	LYNCH	42 7 0 N	65 19 5 W	1736 00	150882	1078.8	469.0
1291	LYNCH	42 6 8 N	65 19 8 W	1739 00	150882	1080.6	469.3
1292	LYNCH	42 6 7 N	65 20 0 W	1742 00	150882	1082.5	469.5
1293	LYNCH	42 6 5 N	65 20 3 W	1745 00	150882	1078.8	469.8
1294	LYNCH	42 6 4 N	65 20 5 W	1748 00	150882	1060.5	469.9
1295	LYNCH	42 6 2 N	65 20 8 W	1754 00	150882	947.2	470.2
1296	LYNCH	42 6 1 N	65 20 9 W	1757 00	150882	903.3	470.4
1297	LYNCH	42 6 0 N	65 21 1 W	1800 00	150882	947.2	470.5
1298	LYNCH	42 5 7 N	65 21 6 W	1806 00	150882	1073.3	471.0
1299	LYNCH	42 5 6 N	65 21 8 W	1809 00	150882	1089.8	471.2
1300	LYNCH	42 5 4 N	65 22 0 W	1812 00	150882	1102.6	471.5
1301	LYNCH	42 5 3 N	65 22 3 W	1815 00	150882	1133.7	471.7
1302	LYNCH	42 5 0 N	65 22 7 W	1821 00	150882	1062.4	472.1
1303	LYNCH	42 4 8 N	65 22 9 W	1824 00	150882	994.7	472.4
1304	LYNCH	42 4 7 N	65 23 2 W	1827 00	150882	992.9	472.6
1305	LYNCH	42 4 5 N	65 23 4 W	1830 00	150882	1045.9	472.8
1306	LYNCH	42 4 3 N	65 23 6 W	1833 00	150882	974.6	473.1
1307	LYNCH	42 4 1 N	65 23 8 W	1836 00	150882	921.6	473.3
1308	LYNCH	42 4 0 N	65 24 1 W	1839 00	150882	956.3	473.5
1309	LYNCH	42 3 8 N	65 24 3 W	1842 00	150882	1018.5	473.8
1310	LYNCH	42 3 6 N	65 24 5 W	1845 00	150882	1104.4	474.0
1311	LYNCH	42 3 4 N	65 24 7 W	1848 00	150882	1062.4	474.3
1312	LYNCH	42 3 2 N	65 24 9 W	1851 00	150882	992.9	474.5
1313	LYNCH	42 3 1 N	65 25 2 W	1854 00	150882	992.9	474.8
1314	LYNCH	42 2 9 N	65 25 4 W	1857 00	150882	1000.2	475.0
1315	LYNCH	42 2 7 N	65 25 6 W	1900 00	150882	1058.7	475.2
1316	LYNCH	42 2 5 N	65 25 9 W	1903 00	150882	1212.3	475.5
1317	LYNCH	42 2 3 N	65 26 1 W	1906 00	150882	1212.3	475.8
1318	LYNCH	42 2 1 N	65 26 4 W	1909 00	150882	1175.7	476.0
1319	LYNCH	42 1 9 N	65 26 6 W	1912 00	150882	1201.3	476.3
1320	LYNCH	42 1 8 N	65 26 9 W	1915 00	150882	1219.6	476.6
1321	LYNCH	42 1 6 N	65 27 1 W	1918 00	150882	1188.5	476.8
1322	LYNCH	42 1 4 N	65 27 4 W	1921 00	150882	1091.6	477.1
1323	LYNCH	42 1 2 N	65 27 6 W	1924 00	150882	1071.5	477.4
1324	LYNCH	42 1 0 N	65 27 9 W	1927 00	150882	1115.4	477.6
1325	LYNCH	42 8 N	65 28 1 W	1930 00	150882	1095.3	477.9
1326	LYNCH	42 6 N	65 28 4 W	1933 00	150882	976.4	478.2
1327	LYNCH	42 4 N	65 28 6 W	1936 00	150882	916.1	478.4
1328	LYNCH	42 3 N	65 28 9 W	1939 00	150882	939.8	478.7
1329	LYNCH	42 1 N	65 29 1 W	1942 00	150882	969.1	479.0
1330	LYNCH	41 59 9 N	65 29 4 W	1945 00	150882	969.1	479.2
1331	LYNCH	41 59 7 N	65 29 6 W	1948 00	150882	1037.6	479.5
1332	LYNCH	41 59 4 N	65 30 1 W	1954 00	150882	1122.7	480.0
1333	LYNCH	41 59 2 N	65 30 4 W	1957 00	150882	1124.5	480.2
1334	LYNCH	41 59 0 N	65 30 6 W	2000 00	150882	1115.4	480.5
1335	LYNCH	41 59 1 N	65 30 8 W	2003 00	150882	1042.2	480.7
1336	LYNCH	41 59 2 N	65 31 0 W	2006 00	150882	1024.0	480.8
1337	LYNCH	41 59 3 N	65 31 2 W	2009 00	150882	998.4	481.0
1338	LYNCH	41 59 4 N	65 31 4 W	2012 00	150882	945.3	481.2
1339	LYNCH	41 59 5 N	65 31 6 W	2015 00	150882	901.5	481.4
1340	LYNCH	41 59 6 N	65 31 8 W	2018 00	150882	896.0	481.6
1341	LYNCH	41 59 8 N	65 31 9 W	2021 00	150882	919.7	481.7
1342	LYNCH	41 59 9 N	65 32 1 W	2024 00	150882	960.0	481.9
1343	LYNCH	42 0 N	65 32 1 W	2027 00	150882	992.9	482.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1344	LYNCH	42 2 N	65 31.9 W	2030:00	150882	932.5	482.3
1345	LYNCH	42 3 N	65 31.8 W	2033:00	150882	897.8	482.4
1346	LYNCH	42 5 N	65 31.6 W	2036:00	150882	890.5	482.6
1347	LYNCH	42 6 N	65 31.4 W	2039:00	150882	883.2	482.8
1348	LYNCH	42 8 N	65 31.3 W	2042:00	150882	927.0	483.0
1349	LYNCH	42 9 N	65 31.1 W	2045:00	150882	888.7	483.2
1350	LYNCH	42 1.1 N	65 30.7 W	2048:00	150882	822.8	483.5
1351	LYNCH	42 1.2 N	65 30.4 W	2051:00	150882	769.8	483.8
1352	LYNCH	42 1.4 N	65 30.0 W	2054:00	150882	804.5	484.2
1353	LYNCH	42 1.5 N	65 29.6 W	2057:00	150882	841.1	484.5
1354	LYNCH	42 1.7 N	65 29.3 W	2100:00	150882	896.0	484.8
1355	LYNCH	42 1.8 N	65 28.9 W	2103:00	150882	914.2	485.1
1356	LYNCH	42 2.0 N	65 28.5 W	2106:00	150882	892.3	485.4
1357	LYNCH	42 2.1 N	65 28.1 W	2109:00	150882	892.3	485.7
1358	LYNCH	42 2.3 N	65 27.8 W	2112:00	150882	912.4	486.0
1359	LYNCH	42 2.4 N	65 27.4 W	2115:00	150882	927.0	486.4
1360	LYNCH	42 2.5 N	65 27.3 W	2118:00	150882	960.0	486.5
1361	LYNCH	42 2.8 N	65 27.2 W	2124:00	150882	1066.0	486.8
1362	LYNCH	42 2.9 N	65 27.1 W	2127:00	150882	1078.8	486.9
1363	LYNCH	42 3.1 N	65 27.0 W	2130:00	150882	1071.5	487.1
1364	LYNCH	42 3.2 N	65 26.9 W	2133:00	150882	1091.6	487.2
1365	LYNCH	42 3.3 N	65 26.8 W	2136:00	150882	1080.6	487.4
1366	LYNCH	42 3.5 N	65 26.8 W	2139:00	150882	1097.1	487.5
1367	LYNCH	42 3.6 N	65 26.7 W	2142:00	150882	1005.7	487.7
1368	LYNCH	42 3.7 N	65 26.6 W	2145:00	150882	969.1	487.8
1369	LYNCH	42 3.9 N	65 26.5 W	2148:00	150882	1031.3	488.0
1370	LYNCH	42 4.0 N	65 26.4 W	2151:00	150882	1040.4	488.1
1371	LYNCH	42 4.1 N	65 26.4 W	2154:00	150882	987.4	488.3
1372	LYNCH	42 4.3 N	65 26.3 W	2157:00	150882	802.7	488.4
1373	LYNCH	42 4.4 N	65 26.2 W	2200:00	150882	972.8	488.5
1374	LYNCH	42 4.6 N	65 25.9 W	2203:00	150882	987.4	488.9
1375	LYNCH	42 4.7 N	65 25.5 W	2206:00	150882	885.0	489.2
1376	LYNCH	42 4.8 N	65 25.5 W	2209:00	150882	861.2	489.2
1377	LYNCH	42 4.9 N	65 25.7 W	2212:00	150882	850.3	489.4
1378	LYNCH	42 4.9 N	65 25.8 W	2215:00	150882	806.4	489.5
1379	LYNCH	42 5.0 N	65 26.0 W	2218:00	150882	766.1	489.6
1380	LYNCH	42 5.0 N	65 26.1 W	2221:00	150882	768.0	489.8
1381	LYNCH	42 5.1 N	65 26.3 W	2224:00	150882	808.2	489.9
1382	LYNCH	42 5.1 N	65 26.4 W	2227:00	150882	806.4	490.0
1383	LYNCH	42 5.2 N	65 26.6 W	2230:00	150882	749.7	490.1
1384	LYNCH	42 5.0 N	65 26.8 W	2233:00	150882	777.1	490.4
1385	LYNCH	42 4.9 N	65 27.1 W	2236:00	150882	896.0	490.6
1386	LYNCH	42 4.7 N	65 27.3 W	2239:00	150882	841.1	490.8
1387	LYNCH	42 4.6 N	65 27.5 W	2242:00	150882	822.8	491.1
1388	LYNCH	42 4.4 N	65 27.8 W	2245:00	150882	877.7	491.3
1389	LYNCH	42 4.2 N	65 28.0 W	2248:00	150882	819.2	491.5
1390	LYNCH	42 4.1 N	65 28.2 W	2251:00	150882	822.8	491.8
1391	LYNCH	42 3.9 N	65 28.4 W	2254:00	150882	932.5	492.0
1392	LYNCH	42 3.8 N	65 28.7 W	2257:00	150882	1060.5	492.2
1393	LYNCH	42 3.6 N	65 28.9 W	2300:00	150882	1042.2	492.5
1394	LYNCH	42 3.0 N	65 29.8 W	2312:00	150882	972.8	493.4
1395	LYNCH	42 2.9 N	65 30.1 W	2315:00	150882	936.2	493.6
1396	LYNCH	42 2.8 N	65 30.3 W	2318:00	150882	896.0	493.8
1397	LYNCH	42 2.6 N	65 30.5 W	2321:00	150882	822.8	494.0
1398	LYNCH	42 2.5 N	65 30.7 W	2324:00	150882	808.2	494.2
1399	LYNCH	42 2.3 N	65 31.0 W	2327:00	150882	830.1	494.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1400	LYNCH	42 2 2 N	65 31 2 W	2330:00	150882	777.1	494.7
1401	LYNCH	42 2 0 N	65 31 5 W	2333:00	150882	736.9	494.9
1402	LYNCH	42 1 9 N	65 31 7 W	2336:00	150882	709.5	495.2
1403	LYNCH	42 1 7 N	65 32 0 W	2339:00	150882	640.0	495.4
1404	LYNCH	42 1 6 N	65 32 2 W	2342:00	150882	672.9	495.7
1405	LYNCH	42 1 4 N	65 32 5 W	2345:00	150882	747.9	495.9
1406	LYNCH	42 1 2 N	65 32 7 W	2348:00	150882	830.1	496.2
1407	LYNCH	42 1 1 N	65 33 0 W	2351:00	150882	810.0	496.4
1408	LYNCH	42 9 N	65 33 2 W	2354:00	150882	786.3	496.6
1409	LYNCH	42 8 N	65 33 5 W	2357:00	150882	753.3	496.9
1410	LYNCH	42 6 N	65 33 7 W	0000:00	150882	786.3	497.1
1411	LYNCH	42 5 N	65 33 9 W	0003:00	150882	751.5	497.4
1412	LYNCH	42 3 N	65 34 1 W	0006:00	150882	658.3	497.6
1413	LYNCH	42 2 N	65 34 3 W	0009:00	150882	576.0	497.8
1414	LYNCH	42 0 N	65 34 5 W	0012:00	150882	603.4	498.0
1415	LYNCH	42 0 N	65 34 8 W	0015:00	150882	570.5	498.2
1416	LYNCH	42 0 N	65 35 0 W	0018:00	150882	570.5	498.4
1417	LYNCH	42 0 N	65 35 3 W	0021:00	150882	570.5	498.6
1418	LYNCH	42 1 N	65 35 6 W	0024:00	150882	493.7	498.9
1419	LYNCH	42 3 N	65 36 0 W	0027:00	150882	433.4	499.2
1420	LYNCH	42 5 N	65 36 3 W	0030:00	150882	396.8	499.5
1421	LYNCH	42 8 N	65 36 7 W	0035:00	150882	351.1	499.9
1422	LYNCH	42 1 0 N	65 37 2 W	0040:00	150882	305.4	500.3
1423	LYNCH	42 1 3 N	65 37 6 W	0045:00	150882	257.8	500.7
1424	LYNCH	42 1 6 N	65 38 0 W	0050:00	150882	232.2	501.2
1425	LYNCH	42 1 8 N	65 38 5 W	0055:00	150882	230.4	501.6
1426	LYNCH	42 2 1 N	65 38 9 W	0100:00	150882	234.0	502.0
1427	LYNCH	42 3 6 N	65 40 9 W	0130:00	150882	239.5	504.1
1428	LYNCH	42 4 2 N	65 41 6 W	0145:00	150882	246.8	504.9
1429	LYNCH	42 4 7 N	65 42 4 W	0200:00	150882	246.8	505.7
1430	LYNCH	42 5 1 N	65 43 0 W	0215:00	150882	245.0	506.2
1431	LYNCH	42 5 4 N	65 43 6 W	0230:00	150882	243.2	506.8
1432	LYNCH	42 5 5 N	65 44 2 W	0245:00	150882	241.4	507.3
1433	LYNCH	42 5 6 N	65 44 9 W	0300:00	150882	241.4	507.8
1434	LYNCH	42 5 7 N	65 46 1 W	0330:00	150882	241.4	508.7
1435	LYNCH	42 5 8 N	65 46 6 W	0345:00	150882	239.5	509.1
1436	LYNCH	42 5 8 N	65 47 1 W	0400:00	150882	239.5	509.4
1437	LYNCH	42 6 2 N	65 47 5 W	0415:00	150882	248.7	509.9
1438	LYNCH	42 6 5 N	65 47 9 W	0430:00	150882	241.4	510.3
1439	LYNCH	42 6 9 N	65 48 3 W	0445:00	150882	241.4	510.8
1440	LYNCH	42 7 2 N	65 48 7 W	0500:00	150882	241.4	511.3
1441	LYNCH	42 7 5 N	65 49 3 W	0515:00	150882	241.4	511.8
1442	LYNCH	42 7 8 N	65 49 9 W	0530:00	150882	239.5	512.3
1443	LYNCH	42 8 1 N	65 50 7 W	0545:00	150882	237.7	513.0
1444	LYNCH	42 8 4 N	65 51 5 W	0600:00	150882	237.7	513.7
1445	LYNCH	42 8 8 N	65 52 4 W	0615:00	150882	235.9	514.4
1446	LYNCH	42 9 1 N	65 53 3 W	0630:00	150882	230.4	515.2
1447	LYNCH	42 9 5 N	65 54 2 W	0645:00	150882	223.1	516.0
1448	LYNCH	42 9 9 N	65 55 2 W	0700:00	150882	217.6	516.8
1449	LYNCH	42 10 9 N	65 57 4 W	0730:00	150882	212.1	518.7
1450	LYNCH	42 11 8 N	65 58 5 W	0745:00	150882	215.8	519.9
1451	LYNCH	42 12 7 N	65 59 6 W	0815:00	150882	223.1	521.1
1452	LYNCH	42 13 2 N	66 1 7 W	0815:00	150882	226.7	522.1
1453	LYNCH	42 13 7 N	66 1 9 W	0830:00	150882	234.0	523.1
1454	LYNCH	42 14 5 N	66 3 1 W	0845:00	150882	243.2	524.3
1455	LYNCH	42 15 5 N	66 4 6 W	0900:00	150882	252.3	525.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1456	LYNCH	42 15 5 N	66 4 7 W	0901:00	160882	248.7	525.9
1457	LYNCH	42 15 6 N	66 4 7 W	0902:00	160882	252.3	525.9
1458	LYNCH	42 15 7 N	66 4 9 W	0905:00	160882	254.2	526.1
1459	LYNCH	42 15 8 N	66 4 9 W	0906:00	160882	256.0	526.2
1460	LYNCH	42 15 8 N	66 5 0 W	0907:00	160882	254.2	526.3
1461	LYNCH	42 15 9 N	66 5 1 W	0908:00	160882	256.0	526.3
1462	LYNCH	42 16 0 N	66 5 2 W	0910:00	160882	257.8	526.4
1463	LYNCH	42 16 0 N	66 5 2 W	0911:00	160882	256.0	526.5
1464	LYNCH	42 16 1 N	66 5 3 W	0912:00	160882	256.0	526.6
1465	LYNCH	42 16 1 N	66 5 4 W	0913:00	160882	261.5	526.6
1466	LYNCH	42 16 2 N	66 5 4 W	0914:00	160882	256.0	526.7
1467	LYNCH	42 16 2 N	66 5 5 W	0915:00	160882	257.8	526.8
1468	LYNCH	42 16 3 N	66 5 8 W	0920:00	160882	257.8	527.1
1469	LYNCH	42 16 7 N	66 6 1 W	0925:00	160882	259.6	527.5
1470	LYNCH	42 16 8 N	66 6 1 W	0926:00	160882	259.6	527.5
1471	LYNCH	42 16 8 N	66 6 2 W	0927:00	160882	259.6	527.5
1472	LYNCH	42 16 9 N	66 6 2 W	0928:00	160882	259.6	527.6
1473	LYNCH	42 16 9 N	66 6 3 W	0929:00	160882	261.5	527.7
1474	LYNCH	42 17 0 N	66 6 3 W	0930:00	160882	259.6	527.7
1475	LYNCH	42 17 0 N	66 6 4 W	0931:00	160882	259.6	527.8
1476	LYNCH	42 17 0 N	66 6 5 W	0932:00	160882	261.5	527.9
1477	LYNCH	42 17 1 N	66 6 5 W	0933:00	160882	259.6	527.9
1478	LYNCH	42 17 1 N	66 6 6 W	0934:00	160882	261.5	528.0
1479	LYNCH	42 17 2 N	66 6 6 W	0935:00	160882	257.8	528.1
1480	LYNCH	42 17 2 N	66 6 7 W	0936:00	160882	256.0	528.1
1481	LYNCH	42 17 3 N	66 6 8 W	0937:00	160882	259.6	528.2
1482	LYNCH	42 17 3 N	66 6 8 W	0938:00	160882	256.0	528.3
1483	LYNCH	42 17 4 N	66 6 9 W	0939:00	160882	252.3	528.3
1484	LYNCH	42 17 4 N	66 6 9 W	0940:00	160882	256.0	528.4
1485	LYNCH	42 17 5 N	66 7 0 W	0941:00	160882	250.5	528.5
1486	LYNCH	42 17 5 N	66 7 0 W	0942:00	160882	252.3	528.5
1487	LYNCH	42 17 6 N	66 7 1 W	0943:00	160882	252.3	528.6
1488	LYNCH	42 17 6 N	66 7 2 W	0944:00	160882	250.5	528.6
1489	LYNCH	42 17 7 N	66 7 2 W	0945:00	160882	250.5	528.7
1490	LYNCH	42 17 7 N	66 7 3 W	0946:00	160882	252.3	528.8
1491	LYNCH	42 17 8 N	66 7 3 W	0947:00	160882	250.5	528.8
1492	LYNCH	42 17 8 N	66 7 4 W	0948:00	160882	250.5	528.9
1493	LYNCH	42 17 9 N	66 7 5 W	0949:00	160882	248.7	529.0
1494	LYNCH	42 17 9 N	66 7 5 W	0950:00	160882	250.5	529.0
1495	LYNCH	42 18 0 N	66 7 6 W	0951:00	160882	248.7	529.1
1496	LYNCH	42 18 0 N	66 7 6 W	0952:00	160882	248.7	529.2
1497	LYNCH	42 18 1 N	66 7 7 W	0953:00	160882	250.5	529.2
1498	LYNCH	42 18 1 N	66 7 7 W	0954:00	160882	246.8	529.3
1499	LYNCH	42 18 2 N	66 7 8 W	0955:00	160882	250.5	529.4
1500	LYNCH	42 18 2 N	66 7 9 W	0956:00	160882	248.7	529.4
1501	LYNCH	42 18 3 N	66 8 0 W	0957:00	160882	248.7	529.5
1502	LYNCH	42 18 3 N	66 8 0 W	0958:00	160882	250.5	529.6
1503	LYNCH	42 18 4 N	66 8 0 W	0959:00	160882	246.8	529.6
1504	LYNCH	42 18 4 N	66 8 1 W	1000:00	160882	250.5	529.7
1505	LYNCH	42 18 4 N	66 8 2 W	1001:00	160882	248.7	529.8
1506	LYNCH	42 18 3 N	66 8 3 W	1002:00	160882	235.9	529.8
1507	LYNCH	42 18 3 N	66 8 4 W	1003:00	160882	246.8	529.9
1508	LYNCH	42 18 2 N	66 8 5 W	1004:00	160882	246.8	530.0
1509	LYNCH	42 18 2 N	66 8 6 W	1005:00	160882	245.0	530.1
1510	LYNCH	42 18 2 N	66 8 6 W	1006:00	160882	241.4	530.2
1511	LYNCH	42 18 1 N	66 8 7 W	1007:00	160882	241.4	530.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1512	LYNCH	42 18 1 N	66 8 8 W	1008:00	160882	239.5	530.3
1513	LYNCH	42 18 0 N	66 9 0 W	1010:00	160882	239.5	530.5
1514	LYNCH	42 17 8 N	66 9 5 W	1015:00	160882	235.9	530.8
1515	LYNCH	42 17 2 N	66 10 8 W	1030:00	160882	228.6	532.0
1516	LYNCH	42 17 5 N	66 11 6 W	1045:00	160882	221.2	532.7
1517	LYNCH	42 17 8 N	66 12 4 W	1100:00	160882	223.1	533.3
1518	LYNCH	42 19 4 N	66 13 2 W	1130:00	160882	224.9	535.0
1519	LYNCH	42 20 2 N	66 13 4 W	1145:00	160882	226.7	535.8
1520	LYNCH	42 20 9 N	66 13 7 W	1200:00	160882	228.6	536.6
1521	LYNCH	42 21 8 N	66 13 9 W	1215:00	160882	230.4	537.5
1522	LYNCH	42 22 4 N	66 14 9 W	1230:00	160882	232.2	538.4
1523	LYNCH	42 22 9 N	66 16 1 W	1245:00	160882	235.9	539.5
1524	LYNCH	42 23 4 N	66 17 2 W	1300:00	160882	241.4	540.4
1525	LYNCH	42 23 9 N	66 18 5 W	1315:00	160882	245.0	541.5
1526	LYNCH	42 24 4 N	66 19 7 W	1330:00	160882	245.0	542.5
1527	LYNCH	42 25 0 N	66 20 9 W	1345:00	160882	246.8	543.6
1528	LYNCH	42 25 6 N	66 22 1 W	1400:00	160882	248.7	544.7
1529	LYNCH	42 26 3 N	66 23 2 W	1415:00	160882	250.5	545.7
1530	LYNCH	42 26 9 N	66 24 2 W	1430:00	160882	248.7	546.7
1531	LYNCH	42 27 6 N	66 25 2 W	1445:00	160882	250.5	547.7
1532	LYNCH	42 28 3 N	66 26 2 W	1500:00	160882	250.5	548.7
1533	LYNCH	42 29 0 N	66 27 0 W	1515:00	160882	246.8	549.6
1534	LYNCH	42 29 5 N	66 27 8 W	1530:00	160882	246.8	550.4
1535	LYNCH	42 30 0 N	66 28 7 W	1545:00	160882	248.7	551.2
1536	LYNCH	42 30 4 N	66 29 6 W	1600:00	160882	250.5	552.0
1537	LYNCH	42 30 6 N	66 30 6 W	1615:00	160882	252.3	552.8
1538	LYNCH	42 30 8 N	66 31 7 W	1630:00	160882	253.6	553.6
1539	LYNCH	42 31 1 N	66 32 7 W	1645:00	160882	250.5	554.4
1540	LYNCH	42 31 4 N	66 33 7 W	1700:00	160882	246.8	555.2
1541	LYNCH	42 31 8 N	66 34 7 W	1715:00	160882	241.4	556.0
1542	LYNCH	42 32 0 N	66 35 6 W	1730:00	160882	239.5	556.7
1543	LYNCH	42 32 3 N	66 36 6 W	1745:00	160882	234.0	557.5
1544	LYNCH	42 32 8 N	66 37 3 W	1800:00	160882	232.2	558.3
1545	LYNCH	42 33 5 N	66 37 9 W	1815:00	160882	215.8	559.1
1546	LYNCH	42 33 6 N	66 38 4 W	1820:00	160882	213.9	559.5
1547	LYNCH	42 33 5 N	66 39 5 W	1830:00	160882	219.4	560.3
1548	LYNCH	42 33 5 N	66 40 1 W	1835:00	160882	221.2	560.9
1549	LYNCH	42 33 5 N	66 40 3 W	1837:00	160882	223.1	560.9
1550	LYNCH	42 33 5 N	66 40 5 W	1838:00	160882	221.2	561.0
1551	LYNCH	42 33 5 N	66 40 6 W	1839:00	160882	223.1	561.1
1552	LYNCH	42 33 5 N	66 40 7 W	1840:00	160882	221.2	561.2
1553	LYNCH	42 33 5 N	66 40 8 W	1841:00	160882	221.2	561.3
1554	LYNCH	42 33 5 N	66 41 3 W	1845:00	160882	223.1	561.6
1555	LYNCH	42 33 5 N	66 41 5 W	1847:00	160882	224.9	561.8
1556	LYNCH	42 33 5 N	66 41 7 W	1848:00	160882	228.6	561.9
1557	LYNCH	42 33 5 N	66 41 8 W	1849:00	160882	226.7	562.0
1558	LYNCH	42 33 5 N	66 41 9 W	1850:00	160882	226.7	562.0
1559	LYNCH	42 33 5 N	66 42 0 W	1851:00	160882	228.6	562.1
1560	LYNCH	42 33 5 N	66 42 4 W	1855:00	160882	230.4	562.4
1561	LYNCH	42 33 5 N	66 42 9 W	1900:00	160882	228.6	562.8
1562	LYNCH	42 33 7 N	66 44 4 W	1915:00	160882	228.6	563.9
1563	LYNCH	42 33 8 N	66 46 0 W	1930:00	160882	228.6	565.1
1564	LYNCH	42 33 7 N	66 47 6 W	1945:00	160882	230.4	566.3
1565	LYNCH	42 33 6 N	66 49 2 W	2000:00	160882	230.4	567.5
1566	LYNCH	42 33 5 N	66 50 9 W	2015:00	160882	234.0	568.7
1567	LYNCH	42 33 4 N	66 52 6 W	2030:00	160882	263.3	570.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1568	LYNCH	42 33.4 N	66 53.2 W	2035:00	160882	261.5	570.4
1569	LYNCH	42 33.4 N	66 53.4 W	2037:00	160882	257.8	570.6
1570	LYNCH	42 33.4 N	66 53.5 W	2038:00	160882	257.8	570.6
1571	LYNCH	42 33.4 N	66 53.8 W	2040:00	160882	261.5	570.8
1572	LYNCH	42 33.4 N	66 53.9 W	2041:00	160882	263.3	570.9
1573	LYNCH	42 33.4 N	66 54.0 W	2042:00	160882	268.8	571.0
1574	LYNCH	42 33.4 N	66 54.1 W	2043:00	160882	274.3	571.1
1575	LYNCH	42 33.4 N	66 54.2 W	2044:00	160882	272.4	571.2
1576	LYNCH	42 33.4 N	66 54.3 W	2045:00	160882	276.1	571.7
1577	LYNCH	42 33.4 N	66 54.9 W	2050:00	160882	279.8	571.9
1578	LYNCH	42 33.4 N	66 55.3 W	2053:00	160882	283.4	571.9
1579	LYNCH	42 33.4 N	66 55.4 W	2054:00	160882	285.2	572.0
1580	LYNCH	42 33.4 N	66 56.1 W	2100:00	160882	287.1	572.5
1581	LYNCH	42 33.3 N	66 57.8 W	2115:00	160882	294.4	573.8
1582	LYNCH	42 33.1 N	66 59.4 W	2130:00	160882	301.7	575.0
1583	LYNCH	42 32.9 N	67 2.8 W	2145:00	160882	305.4	576.0
1584	LYNCH	42 32.6 N	67 2.2 W	2200:00	160882	309.0	577.1
1585	LYNCH	42 32.3 N	67 3.7 W	2215:00	160882	312.7	578.3
1586	LYNCH	42 31.9 N	67 5.2 W	2230:00	160882	316.3	579.4
1587	LYNCH	42 31.5 N	67 6.6 W	2245:00	160882	320.0	580.5
1588	LYNCH	42 31.1 N	67 7.9 W	2300:00	160882	323.6	581.6
1589	LYNCH	42 30.9 N	67 9.3 W	2315:00	160882	323.6	582.6
1590	LYNCH	42 30.8 N	67 10.7 W	2330:00	160882	325.5	583.6
1591	LYNCH	42 30.6 N	67 12.1 W	2345:00	160882	325.5	584.7
1592	LYNCH	42 30.5 N	67 13.5 W	0000:00	170882	325.5	585.7
1593	LYNCH	42 30.5 N	67 14.4 W	0015:00	170882	325.5	586.4
1594	LYNCH	42 30.4 N	67 15.9 W	0100:00	170882	321.8	587.5
1595	LYNCH	42 30.4 N	67 16.2 W	0115:00	170882	321.8	587.7
1596	LYNCH	42 30.3 N	67 16.5 W	0130:00	170882	321.8	587.9
1597	LYNCH	42 30.3 N	67 16.8 W	0145:00	170882	310.8	588.7
1598	LYNCH	42 31.5 N	67 18.1 W	0200:00	170882	309.0	589.7
1599	LYNCH	42 33.2 N	67 19.6 W	0215:00	170882	285.2	591.8
1600	LYNCH	42 34.6 N	67 21.2 W	0230:00	170882	272.4	593.6
1601	LYNCH	42 35.8 N	67 22.1 W	0242:00	170882	265.1	595.0
1602	LYNCH	42 36.2 N	67 22.3 W	0245:00	170882	261.5	595.4
1603	LYNCH	42 36.7 N	67 22.7 W	0250:00	170882	259.6	596.0
1604	LYNCH	42 37.3 N	67 23.0 W	0255:00	170882	257.8	596.6
1605	LYNCH	42 38.0 N	67 23.0 W	0300:00	170882	252.3	597.3
1606	LYNCH	42 38.9 N	67 22.7 W	0305:00	170882	252.3	598.2
1607	LYNCH	42 39.1 N	67 22.5 W	0308:00	170882	257.8	598.5
1608	LYNCH	42 39.2 N	67 22.5 W	0309:00	170882	261.5	598.6
1609	LYNCH	42 39.3 N	67 22.6 W	0310:00	170882	261.5	598.7
1610	LYNCH	42 40.0 N	67 22.8 W	0315:00	170882	252.3	599.4
1611	LYNCH	42 40.6 N	67 23.0 W	0320:00	170882	239.5	600.1
1612	LYNCH	42 40.8 N	67 23.0 W	0321:00	170882	234.0	600.2
1613	LYNCH	42 41.1 N	67 23.0 W	0323:00	170882	223.1	600.5
1614	LYNCH	42 41.2 N	67 23.1 W	0324:00	170882	213.9	600.6
1615	LYNCH	42 41.3 N	67 23.1 W	0325:00	170882	201.1	600.7
1616	LYNCH	42 41.7 N	67 23.2 W	0328:00	170882	188.3	601.2
1617	LYNCH	42 41.9 N	67 23.2 W	0329:00	170882	186.5	601.3
1618	LYNCH	42 42.0 N	67 23.2 W	0330:00	170882	188.3	601.4
1619	LYNCH	42 42.1 N	67 23.2 W	0331:00	170882	184.7	601.6
1620	LYNCH	42 42.4 N	67 23.3 W	0333:00	170882	192.0	601.9
1621	LYNCH	42 42.6 N	67 23.3 W	0334:00	170882	199.3	602.0
1622	LYNCH	42 42.7 N	67 23.3 W	0335:00	170882	203.0	602.2
1623	LYNCH	42 42.9 N	67 23.3 W	0336:00	170882	206.6	602.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1624	LYNCH	42 43 0 N	67 23 3 W	0337:00	170882	213.9	602.5
1625	LYNCH	42 43 2 N	67 23 4 W	0338:00	170882	208.4	602.6
1626	LYNCH	42 43 3 N	67 23 4 W	0339:00	170882	208.4	602.8
1627	LYNCH	42 43 5 N	67 23 4 W	0340:00	170882	210.3	602.9
1628	LYNCH	42 44 2 N	67 23 5 W	0345:00	170882	195.6	603.6
1629	LYNCH	42 44 7 N	67 23 6 W	0348:00	170882	184.7	604.1
1630	LYNCH	42 44 8 N	67 23 6 W	0349:00	170882	182.9	604.3
1631	LYNCH	42 45 0 N	67 23 6 W	0350:00	170882	184.7	604.4
1632	LYNCH	42 45 7 N	67 23 7 W	0355:00	170882	206.6	605.2
1633	LYNCH	42 46 0 N	67 23 7 W	0357:00	170882	215.8	605.5
1634	LYNCH	42 46 2 N	67 23 8 W	0358:00	170882	217.6	605.6
1635	LYNCH	42 46 3 N	67 23 8 W	0359:00	170882	217.6	605.8
1636	LYNCH	42 46 5 N	67 23 8 W	0400:00	170882	215.8	606.0
1637	LYNCH	42 46 9 N	67 23 9 W	0403:00	170882	217.6	606.4
1638	LYNCH	42 47 1 N	67 23 9 W	0404:00	170882	223.1	606.5
1639	LYNCH	42 47 2 N	67 23 9 W	0405:00	170882	213.9	606.7
1640	LYNCH	42 48 0 N	67 24 1 W	0410:00	170882	210.3	607.4
1641	LYNCH	42 48 1 N	67 24 1 W	0411:00	170882	204.8	607.6
1642	LYNCH	42 48 3 N	67 24 1 W	0412:00	170882	203.0	607.7
1643	LYNCH	42 48 4 N	67 24 1 W	0413:00	170882	193.8	607.9
1644	LYNCH	42 48 6 N	67 24 2 W	0414:00	170882	195.6	608.0
1645	LYNCH	42 48 7 N	67 24 2 W	0415:00	170882	210.3	608.2
1646	LYNCH	42 48 8 N	67 24 2 W	0416:00	170882	228.6	608.3
1647	LYNCH	42 49 0 N	67 24 3 W	0417:00	170882	221.2	608.5
1648	LYNCH	42 49 1 N	67 24 3 W	0418:00	170882	212.1	608.6
1649	LYNCH	42 49 4 N	67 24 4 W	0420:00	170882	199.3	608.9
1650	LYNCH	42 49 6 N	67 24 4 W	0421:00	170882	193.8	609.1
1651	LYNCH	42 49 7 N	67 24 5 W	0422:00	170882	197.5	609.2
1652	LYNCH	42 49 9 N	67 24 5 W	0423:00	170882	197.5	609.4
1653	LYNCH	42 50 0 N	67 24 6 W	0424:00	170882	195.6	609.5
1654	LYNCH	42 50 2 N	67 24 6 W	0425:00	170882	188.3	609.7
1655	LYNCH	42 50 3 N	67 24 6 W	0426:00	170882	197.5	609.8
1656	LYNCH	42 50 5 N	67 24 7 W	0427:00	170882	199.3	610.0
1657	LYNCH	42 50 6 N	67 24 7 W	0428:00	170882	204.8	610.1
1658	LYNCH	42 50 8 N	67 24 8 W	0429:00	170882	215.8	610.3
1659	LYNCH	42 50 9 N	67 24 8 W	0430:00	170882	230.4	610.4
1660	LYNCH	42 51 0 N	67 24 8 W	0431:00	170882	223.1	610.6
1661	LYNCH	42 51 2 N	67 24 9 W	0432:00	170882	223.1	610.7
1662	LYNCH	42 51 3 N	67 24 9 W	0433:00	170882	232.2	610.9
1663	LYNCH	42 51 5 N	67 25 0 W	0434:00	170882	224.9	611.0
1664	LYNCH	42 51 6 N	67 25 0 W	0435:00	170882	223.1	611.2
1665	LYNCH	42 51 8 N	67 25 0 W	0436:00	170882	239.5	611.3
1666	LYNCH	42 51 9 N	67 25 1 W	0437:00	170882	243.2	611.5
1667	LYNCH	42 52 2 N	67 25 2 W	0439:00	170882	246.8	611.8
1668	LYNCH	42 52 4 N	67 25 2 W	0440:00	170882	245.0	611.9
1669	LYNCH	42 52 7 N	67 25 3 W	0442:00	170882	232.2	612.2
1670	LYNCH	42 52 8 N	67 25 3 W	0443:00	170882	232.2	612.4
1671	LYNCH	42 53 0 N	67 25 4 W	0444:00	170882	234.0	612.5
1672	LYNCH	42 53 1 N	67 25 4 W	0445:00	170882	230.4	612.7
1673	LYNCH	42 53 2 N	67 25 4 W	0446:00	170882	232.2	612.8
1674	LYNCH	42 53 4 N	67 25 5 W	0447:00	170882	237.7	613.0
1675	LYNCH	42 53 5 N	67 25 5 W	0448:00	170882	246.8	613.1
1676	LYNCH	42 53 7 N	67 25 6 W	0449:00	170882	259.6	613.3
1677	LYNCH	42 53 8 N	67 25 6 W	0450:00	170882	234.0	613.4
1678	LYNCH	42 54 0 N	67 25 6 W	0451:00	170882	232.2	613.6
1679	LYNCH	42 54 1 N	67 25 7 W	0452:00	170882	241.4	613.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1680	LYNCH	42 54.6 N	67 25.8 W	0455:00	170882	237.7	614.2
1681	LYNCH	42 55.0 N	67 25.9 W	0458:00	170882	235.9	614.6
1682	LYNCH	42 55.2 N	67 26.0 W	0459:00	170882	235.9	614.8
1683	LYNCH	42 55.3 N	67 26.0 W	0500:00	170882	243.2	614.9
1684	LYNCH	42 55.4 N	67 26.0 W	0501:00	170882	250.3	615.0
1685	LYNCH	42 55.6 N	67 26.1 W	0502:00	170882	232.2	615.2
1686	LYNCH	42 55.7 N	67 26.1 W	0503:00	170882	224.9	615.3
1687	LYNCH	42 55.8 N	67 26.2 W	0504:00	170882	223.1	615.4
1688	LYNCH	42 55.9 N	67 26.2 W	0505:00	170882	230.4	615.6
1689	LYNCH	42 56.1 N	67 26.3 W	0506:00	170882	237.7	615.7
1690	LYNCH	42 56.2 N	67 26.3 W	0507:00	170882	234.0	615.8
1691	LYNCH	42 56.3 N	67 26.4 W	0508:00	170882	230.4	616.0
1692	LYNCH	42 56.6 N	67 26.5 W	0510:00	170882	221.2	616.2
1693	LYNCH	42 56.9 N	67 26.6 W	0513:00	170882	219.4	616.6
1694	LYNCH	42 57.1 N	67 26.7 W	0514:00	170882	221.2	616.7
1695	LYNCH	42 57.2 N	67 26.7 W	0515:00	170882	217.6	616.9
1696	LYNCH	42 57.3 N	67 26.8 W	0516:00	170882	217.6	617.0
1697	LYNCH	42 57.5 N	67 26.8 W	0517:00	170882	215.8	617.1
1698	LYNCH	42 57.6 N	67 26.9 W	0518:00	170882	215.8	617.3
1699	LYNCH	42 57.8 N	67 27.0 W	0520:00	170882	219.4	617.5
1700	LYNCH	42 58.2 N	67 27.2 W	0523:00	170882	221.2	618.0
1701	LYNCH	42 58.5 N	67 27.4 W	0525:00	170882	221.2	618.2
1702	LYNCH	42 59.1 N	67 27.7 W	0530:00	170882	217.6	618.9
1703	LYNCH	42 59.8 N	67 28.0 W	0535:00	170882	212.1	619.6
1704	LYNCH	43 5.5 N	67 28.3 W	0540:00	170882	201.1	620.3
1705	LYNCH	43 1.2 N	67 28.5 W	0545:00	170882	192.0	621.0
1706	LYNCH	43 1.4 N	67 28.7 W	0547:00	170882	192.0	621.3
1707	LYNCH	43 1.6 N	67 28.7 W	0548:00	170882	193.8	621.5
1708	LYNCH	43 1.7 N	67 28.8 W	0549:00	170882	193.6	621.6
1709	LYNCH	43 1.8 N	67 28.8 W	0550:00	170882	193.6	621.8
1710	LYNCH	43 2.5 N	67 29.1 W	0555:00	170882	193.6	622.5
1711	LYNCH	43 2.9 N	67 29.3 W	0558:00	170882	199.3	622.9
1712	LYNCH	43 3.1 N	67 29.3 W	0559:00	170882	204.8	623.0
1713	LYNCH	43 3.2 N	67 29.4 W	0600:00	170882	204.8	623.2
1714	LYNCH	43 3.5 N	67 29.5 W	0602:00	170882	201.1	623.5
1715	LYNCH	43 4.0 N	67 29.7 W	0605:00	170882	201.1	624.0
1716	LYNCH	43 4.1 N	67 29.7 W	0606:00	170882	203.0	624.1
1717	LYNCH	43 4.3 N	67 29.8 W	0607:00	170882	203.0	624.3
1718	LYNCH	43 4.4 N	67 29.8 W	0608:00	170882	204.8	624.5
1719	LYNCH	43 4.7 N	67 29.9 W	0610:00	170882	204.8	624.8
1720	LYNCH	43 5.5 N	67 30.2 W	0615:00	170882	197.5	625.6
1721	LYNCH	43 5.9 N	67 30.3 W	0618:00	170882	190.2	626.0
1722	LYNCH	43 6.2 N	67 30.4 W	0620:00	170882	181.0	626.3
1723	LYNCH	43 6.3 N	67 30.5 W	0621:00	170882	179.2	626.4
1724	LYNCH	43 6.6 N	67 30.6 W	0623:00	170882	188.3	626.7
1725	LYNCH	43 6.7 N	67 30.6 W	0624:00	170882	190.2	626.9
1726	LYNCH	43 6.8 N	67 30.7 W	0625:00	170882	192.0	626.9
1727	LYNCH	43 7.0 N	67 30.7 W	0626:00	170882	186.5	627.1
1728	LYNCH	43 7.2 N	67 30.8 W	0628:00	170882	186.5	627.4
1729	LYNCH	43 7.4 N	67 30.9 W	0629:00	170882	181.0	627.5
1730	LYNCH	43 7.5 N	67 30.9 W	0630:00	170882	179.2	627.6
1731	LYNCH	43 7.8 N	67 31.0 W	0632:00	170882	173.7	627.9
1732	LYNCH	43 7.9 N	67 31.0 W	0633:00	170882	173.7	628.1
1733	LYNCH	43 8.2 N	67 31.1 W	0635:00	170882	181.0	628.3
1734	LYNCH	43 8.9 N	67 31.4 W	0640:00	170882	181.0	629.1
1735	LYNCH	43 9.3 N	67 31.5 W	0643:00	170882	170.1	629.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1736	LYNCH	43 9 6 N	67 31 6 W	0645:00	170882	170.1	629.8
1737	LYNCH	43 9 7 N	67 31 6 W	0646:00	170882	173.7	629.9
1738	LYNCH	43 10 0 N	67 31 7 W	0648:00	170882	171.9	630.2
1739	LYNCH	43 10 2 N	67 31 7 W	0649:00	170882	175.5	630.4
1740	LYNCH	43 10 3 N	67 31 8 W	0650:00	170882	179.2	630.5
1741	LYNCH	43 10 5 N	67 31 8 W	0651:00	170882	179.2	630.7
1742	LYNCH	43 10 6 N	67 31 8 W	0652:00	170882	184.7	630.8
1743	LYNCH	43 10 9 N	67 31 9 W	0654:00	170882	184.7	631.1
1744	LYNCH	43 11 1 N	67 31 9 W	0655:00	170882	182.9	631.3
1745	LYNCH	43 11 2 N	67 32 0 W	0656:00	170882	182.9	631.4
1746	LYNCH	43 11 4 N	67 32 0 W	0657:00	170882	184.7	631.6
1747	LYNCH	43 11 5 N	67 32 0 W	0658:00	170882	190.2	631.7
1748	LYNCH	43 11 7 N	67 32 1 W	0659:00	170882	192.0	631.9
1749	LYNCH	43 11 8 N	67 32 1 W	0701:00	170882	182.9	632.0
1750	LYNCH	43 11 9 N	67 32 1 W	0701:00	170882	182.9	632.2
1751	LYNCH	43 12 1 N	67 32 2 W	0702:00	170882	184.7	632.3
1752	LYNCH	43 12 2 N	67 32 2 W	0703:00	170882	184.7	632.4
1753	LYNCH	43 12 3 N	67 32 2 W	0704:00	170882	184.7	632.6
1754	LYNCH	43 12 5 N	67 32 3 W	0705:00	170882	188.3	632.7
1755	LYNCH	43 13 0 N	67 32 3 W	0709:00	170882	190.2	633.2
1756	LYNCH	43 13 1 N	67 32 4 W	0710:00	170882	193.8	633.4
1757	LYNCH	43 13 3 N	67 32 4 W	0711:00	170882	193.8	633.5
1758	LYNCH	43 13 4 N	67 32 4 W	0712:00	170882	190.2	633.6
1759	LYNCH	43 13 5 N	67 32 4 W	0713:00	170882	192.0	633.8
1760	LYNCH	43 13 7 N	67 32 5 W	0714:00	170882	192.0	633.9
1761	LYNCH	43 13 8 N	67 32 5 W	0715:00	170882	192.0	634.0
1762	LYNCH	43 14 0 N	67 32 5 W	0716:00	170882	195.6	634.2
1763	LYNCH	43 14 1 N	67 32 6 W	0717:00	170882	195.6	634.4
1764	LYNCH	43 14 3 N	67 32 6 W	0718:00	170882	199.3	634.5
1765	LYNCH	43 14 4 N	67 32 6 W	0719:00	170882	190.2	634.7
1766	LYNCH	43 14 6 N	67 32 7 W	0720:00	170882	192.0	634.8
1767	LYNCH	43 14 7 N	67 32 7 W	0721:00	170882	184.7	635.0
1768	LYNCH	43 14 9 N	67 32 7 W	0722:00	170882	195.6	635.1
1769	LYNCH	43 15 0 N	67 32 8 W	0723:00	170882	199.3	635.3
1770	LYNCH	43 15 2 N	67 32 8 W	0724:00	170882	197.5	635.4
1771	LYNCH	43 15 3 N	67 32 8 W	0725:00	170882	199.3	635.6
1772	LYNCH	43 15 5 N	67 32 9 W	0726:00	170882	199.3	635.7
1773	LYNCH	43 15 6 N	67 32 9 W	0727:00	170882	203.0	635.9
1774	LYNCH	43 15 8 N	67 32 9 W	0728:00	170882	203.0	636.1
1775	LYNCH	43 15 9 N	67 33 0 W	0729:00	170882	204.8	636.2
1776	LYNCH	43 16 1 N	67 33 0 W	0730:00	170882	199.3	636.4
1777	LYNCH	43 16 2 N	67 33 0 W	0731:00	170882	204.8	636.5
1778	LYNCH	43 16 4 N	67 33 1 W	0732:00	170882	212.1	636.7
1779	LYNCH	43 16 8 N	67 33 2 W	0735:00	170882	212.1	637.1
1780	LYNCH	43 16 9 N	67 33 2 W	0736:00	170882	210.3	637.2
1781	LYNCH	43 17 1 N	67 33 2 W	0737:00	170882	212.1	637.4
1782	LYNCH	43 17 5 N	67 33 3 W	0740:00	170882	215.8	637.8
1783	LYNCH	43 17 6 N	67 33 4 W	0741:00	170882	217.6	637.9
1784	LYNCH	43 17 8 N	67 33 4 W	0742:00	170882	215.8	638.1
1785	LYNCH	43 17 9 N	67 33 4 W	0743:00	170882	219.4	638.2
1786	LYNCH	43 18 1 N	67 33 5 W	0744:00	170882	221.2	638.4
1787	LYNCH	43 18 2 N	67 33 5 W	0745:00	170882	223.1	638.5
1788	LYNCH	43 18 3 N	67 33 5 W	0746:00	170882	223.1	638.7
1789	LYNCH	43 18 5 N	67 33 6 W	0747:00	170882	219.4	638.8
1790	LYNCH	43 18 9 N	67 33 7 W	0750:00	170882	219.4	639.3
1791	LYNCH	43 19 7 N	67 34 0 W	0755:00	170882	217.6	640.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1792	LYNCH	43 20.4 N	67 34.2 W	0800:00	170882	212.1	640.8
1793	LYNCH	43 20.5 N	67 34.3 W	0801:00	170882	206.6	640.9
1794	LYNCH	43 21.1 N	67 34.5 W	0805:00	170882	208.4	641.5
1795	LYNCH	43 21.9 N	67 34.7 W	0810:00	170882	215.8	642.3
1796	LYNCH	43 22.6 N	67 35.0 W	0815:00	170882	219.4	643.0
1797	LYNCH	43 23.3 N	67 35.3 W	0820:00	170882	221.2	643.8
1798	LYNCH	43 24.8 N	67 35.8 W	0830:00	170882	221.2	645.3
1799	LYNCH	43 26.3 N	67 36.2 W	0840:00	170882	217.6	646.8
1800	LYNCH	43 27.1 N	67 36.4 W	0845:00	170882	215.8	647.6
1801	LYNCH	43 27.2 N	67 36.5 W	0846:00	170882	210.3	647.8
1802	LYNCH	43 27.4 N	67 36.5 W	0847:00	170882	215.8	647.9
1803	LYNCH	43 29.3 N	67 37.1 W	0900:00	170882	215.8	649.9
1804	LYNCH	43 30.8 N	67 37.5 W	0910:00	170882	217.6	651.5
1805	LYNCH	43 31.6 N	67 37.7 W	0915:00	170882	221.2	652.2
1806	LYNCH	43 33.9 N	67 38.3 W	0930:00	170882	228.6	654.6
1807	LYNCH	43 34.6 N	67 38.5 W	0935:00	170882	230.4	655.3
1808	LYNCH	43 35.0 N	67 38.7 W	0938:00	170882	232.2	655.7
1809	LYNCH	43 35.3 N	67 38.8 W	0940:00	170882	237.7	656.0
1810	LYNCH	43 36.0 N	67 39.0 W	0945:00	170882	239.5	656.8
1811	LYNCH	43 36.8 N	67 39.4 W	0950:00	170882	232.2	657.6
1812	LYNCH	43 38.3 N	67 40.2 W	1000:00	170882	228.6	659.2
1813	LYNCH	43 40.6 N	67 41.2 W	1015:00	170882	226.7	661.6
1814	LYNCH	43 41.4 N	67 41.5 W	1020:00	170882	232.2	662.4
1815	LYNCH	43 42.2 N	67 41.7 W	1025:00	170882	232.2	663.3
1816	LYNCH	43 42.7 N	67 41.9 W	1028:00	170882	228.6	663.8
1817	LYNCH	43 43.0 N	67 42.0 W	1030:00	170882	230.4	664.1
1818	LYNCH	43 43.5 N	67 42.1 W	1033:00	170882	234.0	664.6
1819	LYNCH	43 43.8 N	67 42.2 W	1035:00	170882	232.2	664.9
1820	LYNCH	43 45.0 N	67 42.6 W	1043:00	170882	226.7	666.1
1821	LYNCH	43 45.3 N	67 42.7 W	1045:00	170882	226.7	666.4
1822	LYNCH	43 47.6 N	67 41.6 W	1100:00	170882	221.2	668.9
1823	LYNCH	43 49.9 N	67 40.2 W	1115:00	170882	212.1	671.4
1824	LYNCH	43 50.5 N	67 39.8 W	1119:00	170882	210.3	672.0
1825	LYNCH	43 50.6 N	67 39.7 W	1120:00	170882	206.6	672.2
1826	LYNCH	43 50.8 N	67 39.6 W	1121:00	170882	204.8	672.4
1827	LYNCH	43 50.9 N	67 39.5 W	1122:00	170882	204.8	672.5
1828	LYNCH	43 51.1 N	67 39.5 W	1123:00	170882	201.1	672.7
1829	LYNCH	43 51.2 N	67 39.4 W	1124:00	170882	204.8	672.8
1830	LYNCH	43 51.4 N	67 39.3 W	1125:00	170882	203.0	673.0
1831	LYNCH	43 51.7 N	67 39.1 W	1127:00	170882	201.1	673.3
1832	LYNCH	43 51.8 N	67 39.0 W	1128:00	170882	201.1	673.5
1833	LYNCH	43 52.0 N	67 38.9 W	1129:00	170882	201.1	673.6
1834	LYNCH	43 52.1 N	67 38.8 W	1130:00	170882	203.0	673.8
1835	LYNCH	43 52.2 N	67 38.7 W	1131:00	170882	203.0	673.9
1836	LYNCH	43 52.6 N	67 38.5 W	1135:00	170882	201.1	674.4
1837	LYNCH	43 53.2 N	67 38.1 W	1140:00	170882	199.3	675.0
1838	LYNCH	43 53.4 N	67 38.0 W	1142:00	170882	201.1	675.2
1839	LYNCH	43 53.7 N	67 37.8 W	1145:00	170882	201.1	675.6
1840	LYNCH	43 53.8 N	67 37.7 W	1147:00	170882	201.1	675.7
1841	LYNCH	43 53.9 N	67 37.7 W	1148:00	170882	197.5	675.8
1842	LYNCH	43 54.0 N	67 37.6 W	1150:00	170882	195.6	675.9
1843	LYNCH	43 54.7 N	67 37.2 W	1200:00	170882	197.5	676.7
1844	LYNCH	43 55.3 N	67 36.8 W	1210:00	170882	199.3	677.3
1845	LYNCH	43 55.5 N	67 36.7 W	1213:00	170882	199.3	677.5
1846	LYNCH	43 55.5 N	67 36.7 W	1215:00	170882	201.1	677.6
1847	LYNCH	43 56.2 N	67 36.2 W	1230:00	170882	204.8	678.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1848	LYNCH	43 57 0 N	67 35 3 W	1245:00	170882	206.6	679.4
1849	LYNCH	43 57 8 N	67 34 3 W	1300:00	170882	206.6	680.4
1850	LYNCH	43 58 1 N	67 34 0 W	1305:00	170882	208.4	680.8
1851	LYNCH	43 58 3 N	67 33 6 W	1310:00	170882	206.6	681.1
1852	LYNCH	43 58 6 N	67 33 3 W	1315:00	170882	201.1	681.5
1853	LYNCH	43 58 9 N	67 33 2 W	1320:00	170882	201.1	681.8
1854	LYNCH	43 59 1 N	67 33 0 W	1325:00	170882	201.1	682.1
1855	LYNCH	43 59 2 N	67 33 2 W	1330:00	170882	204.8	682.2
1856	LYNCH	43 59 3 N	67 33 5 W	1335:00	170882	206.6	682.4
1857	LYNCH	43 59 3 N	67 33 7 W	1340:00	170882	215.8	682.6
1858	LYNCH	43 59 3 N	67 34 0 W	1345:00	170882	219.4	682.8
1859	LYNCH	43 59 3 N	67 34 3 W	1350:00	170882	213.9	683.0
1860	LYNCH	43 59 4 N	67 34 6 W	1355:00	170882	212.1	683.2
1861	LYNCH	43 59 4 N	67 34 9 W	1400:00	170882	208.4	683.5
1862	LYNCH	43 59 4 N	67 35 5 W	1410:00	170882	204.8	683.9
1863	LYNCH	43 59 4 N	67 35 6 W	1411:00	170882	204.8	684.0
1864	LYNCH	43 59 4 N	67 35 6 W	1412:00	170882	208.4	684.1
1865	LYNCH	43 59 4 N	67 35 8 W	1415:00	170882	210.3	684.5
1866	LYNCH	43 59 2 N	67 35 3 W	1425:00	170882	204.8	684.8
1867	LYNCH	43 59 1 N	67 35 0 W	1430:00	170882	206.6	685.1
1868	LYNCH	43 59 1 N	67 34 5 W	1435:00	170882	212.1	685.4
1869	LYNCH	43 59 1 N	67 34 1 W	1439:00	170882	217.6	685.5
1870	LYNCH	43 59 1 N	67 34 0 W	1440:00	170882	217.6	685.5
1871	LYNCH	43 59 1 N	67 33 9 W	1441:00	170882	215.8	685.5
1872	LYNCH	43 59 0 N	67 33 6 W	1445:00	170882	206.6	685.8
1873	LYNCH	43 59 0 N	67 33 1 W	1450:00	170882	201.1	686.2
1874	LYNCH	43 59 0 N	67 33 0 W	1451:00	170882	199.3	686.3
1875	LYNCH	43 59 0 N	67 32 9 W	1452:00	170882	203.0	686.4
1876	LYNCH	43 59 0 N	67 32 8 W	1453:00	170882	201.1	686.4
1877	LYNCH	43 59 0 N	67 32 7 W	1454:00	170882	201.1	686.4
1878	LYNCH	43 59 0 N	67 32 6 W	1455:00	170882	203.0	686.5
1879	LYNCH	43 59 0 N	67 32 1 W	1500:00	170882	206.6	686.9
1880	LYNCH	43 58 9 N	67 31 6 W	1505:00	170882	210.3	687.2
1881	LYNCH	43 58 8 N	67 31 1 W	1510:00	170882	210.3	687.6
1882	LYNCH	43 58 7 N	67 30 6 W	1515:00	170882	208.4	688.0
1883	LYNCH	43 58 9 N	67 30 5 W	1520:00	170882	206.6	688.2
1884	LYNCH	43 59 2 N	67 30 7 W	1530:00	170882	208.4	688.5
1885	LYNCH	43 59 1 N	67 31 7 W	1545:00	170882	217.6	689.2
1886	LYNCH	43 59 0 N	67 32 4 W	1555:00	170882	213.9	689.7
1887	LYNCH	43 59 0 N	67 32 6 W	1558:00	170882	212.1	689.9
1888	LYNCH	43 59 0 N	67 32 7 W	1600:00	170882	199.3	690.0
1889	LYNCH	43 59 0 N	67 32 8 W	1602:00	170882	201.1	690.1
1890	LYNCH	43 59 0 N	67 33 0 W	1604:00	170882	199.3	690.2
1891	LYNCH	43 59 0 N	67 33 1 W	1605:00	170882	201.1	690.2
1892	LYNCH	43 59 0 N	67 33 2 W	1607:00	170882	203.0	690.3
1893	LYNCH	43 58 9 N	67 33 4 W	1610:00	170882	203.0	690.5
1894	LYNCH	43 58 9 N	67 33 8 W	1615:00	170882	210.3	690.8
1895	LYNCH	43 58 9 N	67 34 0 W	1618:00	170882	215.8	690.9
1896	LYNCH	43 58 9 N	67 34 1 W	1619:00	170882	217.6	691.0
1897	LYNCH	43 58 9 N	67 34 2 W	1620:00	170882	215.8	691.0
1898	LYNCH	43 58 8 N	67 34 9 W	1630:00	170882	206.6	691.6
1899	LYNCH	43 57 7 N	67 36 2 W	1655:00	170882	203.0	693.0
1900	LYNCH	43 57 5 N	67 36 5 W	1700:00	170882	201.1	693.3
1901	LYNCH	43 56 0 N	67 37 8 W	1730:00	170882	197.5	695.1
1902	LYNCH	43 55 8 N	67 38 0 W	1735:00	170882	195.6	695.3
1903	LYNCH	43 55 6 N	67 38 3 W	1740:00	170882	193.8	695.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1904	LYNCH	43 55.4 N	67 38.5 W	1745:00	170882	193.8	695.9
1905	LYNCH	43 54.9 N	67 39.0 W	1755:00	170882	195.6	696.4
1906	LYNCH	43 54.8 N	67 39.1 W	1758:00	170882	193.8	696.6
1907	LYNCH	43 54.7 N	67 39.2 W	1759:00	170882	192.0	696.6
1908	LYNCH	43 54.7 N	67 39.2 W	1800:00	170882	193.8	696.7
1909	LYNCH	43 54.5 N	67 39.4 W	1805:00	170882	193.8	697.0
1910	LYNCH	43 54.4 N	67 39.5 W	1807:00	170882	195.6	697.1
1911	LYNCH	43 54.3 N	67 39.5 W	1808:00	170882	195.6	697.1
1912	LYNCH	43 54.2 N	67 39.6 W	1810:00	170882	193.8	697.3
1913	LYNCH	43 54.1 N	67 39.7 W	1812:00	170882	192.0	697.4
1914	LYNCH	43 54.0 N	67 39.8 W	1815:00	170882	193.8	697.5
1915	LYNCH	43 53.7 N	67 40.1 W	1820:00	170882	193.8	697.9
1916	LYNCH	43 53.6 N	67 40.2 W	1822:00	170882	192.0	698.0
1917	LYNCH	43 53.1 N	67 40.7 W	1830:00	170882	190.2	698.6
1918	LYNCH	43 52.8 N	67 41.0 W	1835:00	170882	192.0	699.0
1919	LYNCH	43 52.6 N	67 41.2 W	1840:00	170882	192.0	699.3
1920	LYNCH	43 52.5 N	67 41.3 W	1842:00	170882	193.8	699.4
1921	LYNCH	43 52.3 N	67 41.5 W	1845:00	170882	193.8	699.6
1922	LYNCH	43 52.2 N	67 41.5 W	1846:00	170882	195.6	699.7
1923	LYNCH	43 52.2 N	67 41.6 W	1847:00	170882	197.5	699.7
1924	LYNCH	43 52.0 N	67 41.7 W	1850:00	170882	195.6	699.9
1925	LYNCH	43 51.8 N	67 42.0 W	1855:00	170882	195.6	700.3
1926	LYNCH	43 51.5 N	67 42.2 W	1900:00	170882	193.8	700.6
1927	LYNCH	43 51.2 N	67 42.4 W	1905:00	170882	193.8	700.9
1928	LYNCH	43 50.9 N	67 42.6 W	1910:00	170882	197.5	701.2
1929	LYNCH	43 50.8 N	67 42.7 W	1912:00	170882	199.3	701.4
1930	LYNCH	43 50.8 N	67 42.8 W	1913:00	170882	197.5	701.4
1931	LYNCH	43 50.7 N	67 42.9 W	1915:00	170882	201.1	701.5
1932	LYNCH	43 50.4 N	67 43.1 W	1920:00	170882	201.1	701.9
1933	LYNCH	43 50.2 N	67 43.4 W	1925:00	170882	204.8	702.2
1934	LYNCH	43 49.9 N	67 43.6 W	1930:00	170882	206.6	702.5
1935	LYNCH	43 49.8 N	67 44.0 W	1935:00	170882	212.1	702.8
1936	LYNCH	43 49.7 N	67 44.4 W	1940:00	170882	223.1	703.1
1937	LYNCH	43 49.7 N	67 44.8 W	1945:00	170882	223.1	703.4
1938	LYNCH	43 49.7 N	67 45.2 W	1950:00	170882	219.4	703.6
1939	LYNCH	43 49.8 N	67 45.5 W	1955:00	170882	215.8	703.9
1940	LYNCH	43 49.9 N	67 45.6 W	1957:00	170882	212.1	704.0
1941	LYNCH	43 49.9 N	67 45.7 W	1958:00	170882	213.9	704.1
1942	LYNCH	43 50.0 N	67 45.8 W	2000:00	170882	217.6	704.2
1943	LYNCH	43 50.0 N	67 45.9 W	2002:00	170882	219.4	704.3
1944	LYNCH	43 50.1 N	67 46.0 W	2003:00	170882	217.6	704.3
1945	LYNCH	43 50.2 N	67 46.1 W	2005:00	170882	217.6	704.4
1946	LYNCH	43 50.3 N	67 46.2 W	2007:00	170882	213.9	704.6
1947	LYNCH	43 50.3 N	67 46.2 W	2008:00	170882	213.9	704.6
1948	LYNCH	43 50.4 N	67 46.3 W	2010:00	170882	215.8	704.7
1949	LYNCH	43 50.8 N	67 46.3 W	2015:00	170882	215.8	705.1
1950	LYNCH	43 51.2 N	67 46.2 W	2020:00	170882	210.3	705.5
1951	LYNCH	43 51.2 N	67 46.2 W	2021:00	170882	206.6	705.6
1952	LYNCH	43 51.3 N	67 46.2 W	2022:00	170882	203.0	705.7
1953	LYNCH	43 51.4 N	67 46.2 W	2023:00	170882	197.5	705.8
1954	LYNCH	43 51.6 N	67 46.2 W	2025:00	170882	193.8	705.9
1955	LYNCH	43 51.6 N	67 46.2 W	2026:00	170882	190.2	706.0
1956	LYNCH	43 51.7 N	67 46.2 W	2027:00	170882	190.2	706.1
1957	LYNCH	43 51.8 N	67 46.2 W	2028:00	170882	188.3	706.2
1958	LYNCH	43 51.9 N	67 46.2 W	2029:00	170882	186.5	706.2
1959	LYNCH	43 51.9 N	67 46.2 W	2030:00	170882	186.5	706.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
1960	LYNCH	43 52 0 N	67 46 2 W	2031:00	170882	188.3	706.4
1961	LYNCH	43 52 1 N	67 46 2 W	2032:00	170882	192.0	706.5
1962	LYNCH	43 52 3 N	67 46 0 W	2035:00	170882	195.6	706.7
1963	LYNCH	43 52 4 N	67 45 8 W	2037:00	170882	201.1	706.9
1964	LYNCH	43 52 5 N	67 45 7 W	2038:00	170882	206.6	707.0
1965	LYNCH	43 52 6 N	67 45 6 W	2039:00	170882	208.4	707.1
1966	LYNCH	43 52 6 N	67 45 5 W	2040:00	170882	208.4	707.2
1967	LYNCH	43 53 0 N	67 45 1 W	2045:00	170882	208.4	707.6
1968	LYNCH	43 53 2 N	67 44 9 W	2048:00	170882	210.3	707.9
1969	LYNCH	43 53 3 N	67 44 7 W	2050:00	170882	213.9	708.1
1970	LYNCH	43 53 5 N	67 44 1 W	2055:00	170882	223.1	708.6
1971	LYNCH	43 53 5 N	67 44 0 W	2056:00	170882	224.9	708.6
1972	LYNCH	43 53 5 N	67 43 9 W	2057:00	170882	224.9	708.7
1973	LYNCH	43 53 5 N	67 43 7 W	2058:00	170882	223.1	708.8
1974	LYNCH	43 53 6 N	67 43 5 W	2100:00	170882	221.2	709.0
1975	LYNCH	43 53 6 N	67 42 9 W	2105:00	170882	219.4	709.4
1976	LYNCH	43 53 7 N	67 42 4 W	2110:00	170882	213.9	709.8
1977	LYNCH	43 53 7 N	67 41 8 W	2115:00	170882	199.3	710.2
1978	LYNCH	43 53 7 N	67 41 3 W	2120:00	170882	197.5	710.6
1979	LYNCH	43 53 5 N	67 40 9 W	2125:00	170882	195.6	710.9
1980	LYNCH	43 53 4 N	67 40 7 W	2127:00	170882	193.8	711.1
1981	LYNCH	43 53 4 N	67 40 6 W	2128:00	170882	192.0	711.2
1982	LYNCH	43 53 4 N	67 40 5 W	2129:00	170882	190.2	711.2
1983	LYNCH	43 53 3 N	67 40 5 W	2130:00	170882	192.0	711.3
1984	LYNCH	43 53 1 N	67 40 0 W	2135:00	170882	190.2	711.7
1985	LYNCH	43 53 1 N	67 39 9 W	2136:00	170882	193.8	711.7
1986	LYNCH	43 53 0 N	67 39 9 W	2137:00	170882	192.0	711.8
1987	LYNCH	43 53 0 N	67 39 8 W	2138:00	170882	193.8	711.9
1988	LYNCH	43 52 9 N	67 39 6 W	2140:00	170882	192.0	712.0
1989	LYNCH	43 52 9 N	67 39 4 W	2142:00	170882	193.8	712.2
1990	LYNCH	43 52 8 N	67 39 4 W	2143:00	170882	193.8	712.2
1991	LYNCH	43 52 8 N	67 39 3 W	2144:00	170882	195.6	712.3
1992	LYNCH	43 52 7 N	67 39 2 W	2145:00	170882	195.6	712.4
1993	LYNCH	43 52 7 N	67 39 1 W	2146:00	170882	193.8	712.5
1994	LYNCH	43 52 6 N	67 39 1 W	2147:00	170882	193.8	712.5
1995	LYNCH	43 52 5 N	67 39 0 W	2150:00	170882	195.6	712.7
1996	LYNCH	43 52 2 N	67 39 0 W	2155:00	170882	199.3	713.0
1997	LYNCH	43 52 1 N	67 38 9 W	2157:00	170882	201.1	713.1
1998	LYNCH	43 52 0 N	67 38 9 W	2158:00	170882	201.1	713.2
1999	LYNCH	43 51 9 N	67 38 9 W	2200:00	170882	199.3	713.3
2000	LYNCH	43 51 4 N	67 38 8 W	2210:00	170882	203.0	713.8
2001	LYNCH	43 51 3 N	67 38 8 W	2211:00	170882	204.8	713.9
2002	LYNCH	43 51 1 N	67 38 6 W	2215:00	170882	204.8	714.1
2003	LYNCH	43 50 9 N	67 38 4 W	2220:00	170882	206.6	714.4
2004	LYNCH	43 50 6 N	67 38 1 W	2225:00	170882	210.3	714.7
2005	LYNCH	43 50 4 N	67 37 9 W	2230:00	170882	212.1	715.0
2006	LYNCH	43 49 8 N	67 37 1 W	2245:00	170882	215.8	715.8
2007	LYNCH	43 49 1 N	67 36 4 W	2300:00	170882	215.8	716.7
2008	LYNCH	43 48 9 N	67 36 2 W	2305:00	170882	219.4	716.9
2009	LYNCH	43 48 7 N	67 35 9 W	2310:00	170882	223.1	717.2
2010	LYNCH	43 48 5 N	67 35 7 W	2315:00	170882	224.9	717.5
2011	LYNCH	43 47 8 N	67 35 0 W	2330:00	170882	226.7	718.3
2012	LYNCH	43 47 0 N	67 34 0 W	2350:00	170882	228.6	719.4
2013	LYNCH	43 46 8 N	67 33 8 W	2355:00	170882	223.1	719.7
2014	LYNCH	43 46 6 N	67 33 5 W	0000:00	180882	221.2	719.9
2015	LYNCH	43 46 1 N	67 32 7 W	0015:00	180882	221.2	720.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2016	LYNCH	43 45.5 N	67 31.9 W	0030:00	180882	221.2	721.5
2017	LYNCH	43 45.0 N	67 31.1 W	0045:00	180882	223.1	722.3
2018	LYNCH	43 44.5 N	67 30.4 W	0100:00	180882	224.9	723.0
2019	LYNCH	43 43.3 N	67 29.0 W	0130:00	180882	221.2	724.6
2020	LYNCH	43 42.7 N	67 28.5 W	0145:00	180882	217.6	725.3
2021	LYNCH	43 42.0 N	67 28.0 W	0200:00	180882	215.8	726.1
2022	LYNCH	43 41.2 N	67 27.4 W	0215:00	180882	217.6	727.0
2023	LYNCH	43 40.3 N	67 26.8 W	0230:00	180882	213.9	728.0
2024	LYNCH	43 39.4 N	67 26.8 W	0245:00	180882	210.3	728.9
2025	LYNCH	43 38.3 N	67 25.6 W	0300:00	180882	210.3	730.3
2026	LYNCH	43 37.3 N	67 25.1 W	0315:00	180882	210.3	731.3
2027	LYNCH	43 36.4 N	67 24.8 W	0330:00	180882	212.1	732.3
2028	LYNCH	43 35.5 N	67 24.7 W	0345:00	180882	213.9	733.2
2029	LYNCH	43 34.6 N	67 24.9 W	0400:00	180882	213.9	734.1
2030	LYNCH	43 33.6 N	67 24.3 W	0415:00	180882	213.9	735.2
2031	LYNCH	43 34.0 N	67 24.4 W	0430:00	180882	212.1	735.6
2032	LYNCH	43 33.9 N	67 24.3 W	0500:00	180882	212.1	735.7
2033	LYNCH	43 33.7 N	67 22.6 W	0515:00	180882	213.9	737.0
2034	LYNCH	43 33.4 N	67 22.7 W	0530:00	180882	213.9	737.3
2035	LYNCH	43 32.6 N	67 23.1 W	0545:00	180882	213.9	738.2
2036	LYNCH	43 32.9 N	67 22.5 W	0600:00	180882	215.8	738.6
2037	LYNCH	43 33.8 N	67 22.5 W	0615:00	180882	213.9	739.5
2038	LYNCH	43 33.2 N	67 22.9 W	0630:00	180882	213.9	740.1
2039	LYNCH	43 32.3 N	67 21.8 W	0645:00	180882	219.4	741.3
2040	LYNCH	43 31.9 N	67 21.4 W	0650:00	180882	217.6	741.8
2041	LYNCH	43 31.9 N	67 21.3 W	0653:00	180882	215.8	741.9
2042	LYNCH	43 31.9 N	67 21.2 W	0655:00	180882	217.6	741.9
2043	LYNCH	43 31.9 N	67 21.1 W	0700:00	180882	221.2	742.0
2044	LYNCH	43 31.9 N	67 21.0 W	0703:00	180882	221.2	742.1
2045	LYNCH	43 31.9 N	67 20.9 W	0705:00	180882	219.4	742.2
2046	LYNCH	43 31.7 N	67 22.3 W	0720:00	180882	215.8	743.2
2047	LYNCH	43 31.6 N	67 22.5 W	0723:00	180882	215.8	743.4
2048	LYNCH	43 31.6 N	67 22.7 W	0725:00	180882	217.6	743.5
2049	LYNCH	43 31.4 N	67 22.5 W	0730:00	180882	217.6	743.7
2050	LYNCH	43 31.2 N	67 22.3 W	0737:00	180882	213.9	744.0
2051	LYNCH	43 31.1 N	67 22.2 W	0740:00	180882	212.1	744.1
2052	LYNCH	43 31.4 N	67 21.6 W	0750:00	180882	213.9	744.6
2053	LYNCH	43 31.6 N	67 21.2 W	0755:00	180882	215.8	745.0
2054	LYNCH	43 31.9 N	67 20.8 W	0800:00	180882	219.4	745.4
2055	LYNCH	43 32.4 N	67 20.7 W	0810:00	180882	224.9	745.9
2056	LYNCH	43 32.5 N	67 20.8 W	0815:00	180882	223.1	746.0
2057	LYNCH	43 32.6 N	67 20.8 W	0815:00	180882	224.9	746.1
2058	LYNCH	43 32.6 N	67 21.4 W	0820:00	180882	221.2	746.5
2059	LYNCH	43 32.5 N	67 22.5 W	0830:00	180882	217.6	747.4
2060	LYNCH	43 32.4 N	67 24.0 W	0845:00	180882	212.1	748.5
2061	LYNCH	43 32.3 N	67 25.6 W	0900:00	180882	212.1	749.6
2062	LYNCH	43 31.9 N	67 28.5 W	0930:00	180882	212.1	751.8
2063	LYNCH	43 31.2 N	67 31.0 W	1000:00	180882	213.9	753.7
2064	LYNCH	43 29.8 N	67 32.7 W	1030:00	180882	215.8	755.6
2065	LYNCH	43 29.2 N	67 33.5 W	1045:00	180882	217.6	756.4
2066	LYNCH	43 29.0 N	67 33.9 W	1050:00	180882	215.8	756.7
2067	LYNCH	43 28.6 N	67 34.6 W	1100:00	180882	215.8	757.4
2068	LYNCH	43 28.1 N	67 35.8 W	1115:00	180882	217.6	758.4
2069	LYNCH	43 28.0 N	67 35.9 W	1117:00	180882	219.4	758.5
2070	LYNCH	43 27.9 N	67 36.1 W	1120:00	180882	217.6	758.7
2071	LYNCH	43 27.5 N	67 36.7 W	1130:00	180882	215.8	759.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2072	LYNCH	43 26.8 N	67 37.5 W	1145:00	180882	219.4	760.2
2073	LYNCH	43 26.1 N	67 38.4 W	1200:00	180882	221.2	761.2
2074	LYNCH	43 25.3 N	67 39.3 W	1215:00	180882	226.7	762.2
2075	LYNCH	43 24.6 N	67 40.2 W	1230:00	180882	232.2	763.2
2076	LYNCH	43 23.1 N	67 42.2 W	1300:00	180882	245.0	765.2
2077	LYNCH	43 22.8 N	67 42.6 W	1305:00	180882	246.8	765.6
2078	LYNCH	43 22.6 N	67 42.9 W	1310:00	180882	250.5	766.0
2079	LYNCH	43 22.3 N	67 43.3 W	1315:00	180882	252.3	766.4
2080	LYNCH	43 22.0 N	67 43.7 W	1320:00	180882	259.6	766.7
2081	LYNCH	43 21.8 N	67 44.0 W	1325:00	180882	263.3	767.1
2082	LYNCH	43 21.5 N	67 44.4 W	1330:00	180882	267.0	767.5
2083	LYNCH	43 21.3 N	67 44.7 W	1335:00	180882	265.1	767.8
2084	LYNCH	43 21.0 N	67 45.1 W	1340:00	180882	259.6	768.2
2085	LYNCH	43 20.9 N	67 45.1 W	1341:00	180882	261.5	768.2
2086	LYNCH	43 20.9 N	67 45.2 W	1342:00	180882	256.0	768.3
2087	LYNCH	43 20.9 N	67 45.3 W	1343:00	180882	261.5	768.4
2088	LYNCH	43 20.8 N	67 45.4 W	1345:00	180882	261.5	768.5
2089	LYNCH	43 20.5 N	67 45.8 W	1350:00	180882	259.6	768.9
2090	LYNCH	43 20.4 N	67 45.9 W	1352:00	180882	257.8	769.0
2091	LYNCH	43 20.3 N	67 46.1 W	1355:00	180882	257.8	769.3
2092	LYNCH	43 20.2 N	67 46.2 W	1356:00	180882	257.8	769.3
2093	LYNCH	43 20.0 N	67 46.5 W	1400:00	180882	254.2	769.6
2094	LYNCH	43 19.9 N	67 46.6 W	1402:00	180882	252.3	769.8
2095	LYNCH	43 19.8 N	67 46.7 W	1403:00	180882	246.8	769.9
2096	LYNCH	43 19.7 N	67 46.8 W	1405:00	180882	245.0	770.0
2097	LYNCH	43 19.7 N	67 46.9 W	1406:00	180882	239.5	770.1
2098	LYNCH	43 19.6 N	67 46.9 W	1407:00	180882	230.4	770.2
2099	LYNCH	43 19.5 N	67 47.0 W	1408:00	180882	243.2	770.2
2100	LYNCH	43 19.4 N	67 47.1 W	1410:00	180882	246.8	770.4
2101	LYNCH	43 19.4 N	67 47.2 W	1411:00	180882	245.0	770.4
2102	LYNCH	43 19.3 N	67 47.3 W	1412:00	180882	243.2	770.6
2103	LYNCH	43 19.3 N	67 47.3 W	1413:00	180882	243.2	770.6
2104	LYNCH	43 19.2 N	67 47.4 W	1414:00	180882	239.5	770.7
2105	LYNCH	43 19.2 N	67 47.5 W	1415:00	180882	243.2	770.7
2106	LYNCH	43 19.1 N	67 47.5 W	1416:00	180882	243.2	770.8
2107	LYNCH	43 18.9 N	67 47.8 W	1420:00	180882	241.4	771.1
2108	LYNCH	43 18.6 N	67 48.1 W	1425:00	180882	239.5	771.5
2109	LYNCH	43 18.4 N	67 48.3 W	1428:00	180882	235.9	771.7
2110	LYNCH	43 18.3 N	67 48.4 W	1430:00	180882	234.0	771.8
2111	LYNCH	43 18.2 N	67 48.5 W	1432:00	180882	234.0	772.0
2112	LYNCH	43 18.1 N	67 48.6 W	1433:00	180882	235.9	772.1
2113	LYNCH	43 18.1 N	67 48.7 W	1434:00	180882	235.9	772.1
2114	LYNCH	43 18.0 N	67 48.8 W	1435:00	180882	232.2	772.2
2115	LYNCH	43 17.9 N	67 48.8 W	1436:00	180882	232.2	772.3
2116	LYNCH	43 17.7 N	67 49.1 W	1440:00	180882	232.2	772.6
2117	LYNCH	43 17.7 N	67 49.2 W	1441:00	180882	234.0	772.7
2118	LYNCH	43 17.8 N	67 49.2 W	1442:00	180882	235.9	772.7
2119	LYNCH	43 17.9 N	67 49.4 W	1445:00	180882	224.9	772.9
2120	LYNCH	43 17.9 N	67 49.5 W	1446:00	180882	221.2	772.9
2121	LYNCH	43 17.9 N	67 49.5 W	1447:00	180882	221.2	773.0
2122	LYNCH	43 17.9 N	67 49.6 W	1448:00	180882	221.2	773.0
2123	LYNCH	43 18.0 N	67 49.6 W	1449:00	180882	223.1	773.1
2124	LYNCH	43 18.0 N	67 49.7 W	1450:00	180882	219.4	773.2
2125	LYNCH	43 18.1 N	67 49.7 W	1451:00	180882	221.2	773.2
2126	LYNCH	43 18.1 N	67 49.6 W	1452:00	180882	221.2	773.3
2127	LYNCH	43 18.2 N	67 49.6 W	1453:00	180882	219.4	773.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2128	LYNCH	43 18 2 N	67 49 5 W	1454:00	180882	217.6	773.4
2129	LYNCH	43 18 3 N	67 49 5 W	1455:00	180882	219.4	773.5
2130	LYNCH	43 18 3 N	67 49 4 W	1456:00	180882	221.2	773.6
2131	LYNCH	43 18 4 N	67 49 4 W	1457:00	180882	217.6	773.7
2132	LYNCH	43 18 4 N	67 49 3 W	1458:00	180882	219.4	773.8
2133	LYNCH	43 18 5 N	67 49 3 W	1459:00	180882	221.2	773.8
2134	LYNCH	43 18 5 N	67 49 2 W	1500:00	180882	223.1	773.8
2135	LYNCH	43 18 6 N	67 49 1 W	1501:00	180882	226.7	774.1
2136	LYNCH	43 18 8 N	67 49 0 W	1504:00	180882	226.7	774.2
2137	LYNCH	43 18 8 N	67 48 9 W	1505:00	180882	226.7	774.4
2138	LYNCH	43 19 0 N	67 48 8 W	1508:00	180882	228.6	774.5
2139	LYNCH	43 19 1 N	67 48 7 W	1509:00	180882	226.7	774.5
2140	LYNCH	43 19 2 N	67 48 7 W	1510:00	180882	226.7	774.5
2141	LYNCH	43 19 2 N	67 48 6 W	1511:00	180882	221.2	774.6
2142	LYNCH	43 19 3 N	67 48 6 W	1512:00	180882	215.8	774.7
2143	LYNCH	43 19 4 N	67 48 5 W	1513:00	180882	213.9	774.8
2144	LYNCH	43 19 4 N	67 48 5 W	1514:00	180882	217.6	774.8
2145	LYNCH	43 19 5 N	67 48 4 W	1515:00	180882	215.8	774.9
2146	LYNCH	43 19 6 N	67 48 4 W	1516:00	180882	219.4	775.0
2147	LYNCH	43 19 6 N	67 48 3 W	1517:00	180882	221.2	775.1
2148	LYNCH	43 19 7 N	67 48 3 W	1518:00	180882	223.1	775.1
2149	LYNCH	43 19 7 N	67 48 2 W	1519:00	180882	223.1	775.2
2150	LYNCH	43 19 8 N	67 48 2 W	1520:00	180882	223.1	775.3
2151	LYNCH	43 19 9 N	67 48 1 W	1522:00	180882	224.9	775.4
2152	LYNCH	43 20 0 N	67 48 0 W	1523:00	180882	223.1	775.5
2153	LYNCH	43 20 0 N	67 48 0 W	1524:00	180882	221.2	775.5
2154	LYNCH	43 20 1 N	67 47 9 W	1525:00	180882	226.7	775.6
2155	LYNCH	43 20 2 N	67 47 9 W	1526:00	180882	223.1	775.7
2156	LYNCH	43 20 2 N	67 47 8 W	1527:00	180882	221.2	775.8
2157	LYNCH	43 20 3 N	67 47 8 W	1528:00	180882	234.0	775.8
2158	LYNCH	43 20 3 N	67 47 7 W	1529:00	180882	243.0	775.9
2159	LYNCH	43 20 4 N	67 47 7 W	1530:00	180882	246.8	776.0
2160	LYNCH	43 20 7 N	67 47 4 W	1535:00	180882	250.5	776.4
2161	LYNCH	43 21 1 N	67 47 1 W	1540:00	180882	250.5	776.7
2162	LYNCH	43 21 4 N	67 46 8 W	1545:00	180882	254.2	777.1
2163	LYNCH	43 21 9 N	67 46 2 W	1555:00	180882	261.5	777.8
2164	LYNCH	43 22 0 N	67 45 9 W	1600:00	180882	261.5	778.0
2165	LYNCH	43 22 3 N	67 45 6 W	1605:00	180882	263.3	778.4
2166	LYNCH	43 22 6 N	67 45 3 W	1610:00	180882	267.0	778.8
2167	LYNCH	43 22 9 N	67 45 0 W	1615:00	180882	265.1	779.2
2168	LYNCH	43 23 5 N	67 44 4 W	1625:00	180882	259.6	779.9
2169	LYNCH	43 23 6 N	67 44 3 W	1627:00	180882	257.8	780.0
2170	LYNCH	43 23 7 N	67 44 2 W	1629:00	180882	256.0	780.2
2171	LYNCH	43 23 8 N	67 44 1 W	1630:00	180882	254.2	780.3
2172	LYNCH	43 24 1 N	67 43 8 W	1635:00	180882	250.5	780.6
2173	LYNCH	43 24 3 N	67 43 5 W	1640:00	180882	250.5	781.0
2174	LYNCH	43 24 6 N	67 43 2 W	1645:00	180882	248.7	781.3
2175	LYNCH	43 24 9 N	67 42 8 W	1650:00	180882	245.0	781.7
2176	LYNCH	43 25 2 N	67 42 7 W	1655:00	180882	241.4	782.0
2177	LYNCH	43 25 5 N	67 42 8 W	1700:00	180882	243.2	782.3
2178	LYNCH	43 25 5 N	67 43 2 W	1703:00	180882	245.0	782.6
2179	LYNCH	43 25 5 N	67 43 4 W	1705:00	180882	243.2	782.7
2180	LYNCH	43 25 5 N	67 44 2 W	1715:00	180882	243.2	783.4
2181	LYNCH	43 25 5 N	67 44 7 W	1720:00	180882	243.2	783.7
2182	LYNCH	43 25 5 N	67 44 9 W	1722:00	180882	241.4	783.9
2183	LYNCH	43 25 4 N	67 45 0 W	1723:00	180882	241.4	783.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NM) ALONG TRACK
2184	LYNCH	43 25.4 N	67 45.1 W	1724.00	180882	243.0	784.0
2185	LYNCH	43 25.4 N	67 45.2 W	1725.00	180882	243.2	784.1
2186	LYNCH	43 25.4 N	67 45.6 W	1729.00	180882	243.2	784.4
2187	LYNCH	43 25.4 N	67 45.7 W	1730.00	180882	237.7	784.5
2188	LYNCH	43 25.4 N	67 45.8 W	1731.00	180882	237.7	784.5
2189	LYNCH	43 25.4 N	67 45.9 W	1732.00	180882	237.7	784.6
2190	LYNCH	43 25.4 N	67 46.0 W	1733.00	180882	243.2	784.7
2191	LYNCH	43 25.3 N	67 46.2 W	1735.00	180882	245.0	784.9
2192	LYNCH	43 25.3 N	67 46.4 W	1737.00	180882	246.8	785.0
2193	LYNCH	43 25.3 N	67 46.6 W	1738.00	180882	246.8	785.1
2194	LYNCH	43 25.3 N	67 46.7 W	1739.00	180882	245.0	785.2
2195	LYNCH	43 25.3 N	67 46.8 W	1740.00	180882	245.0	785.2
2196	LYNCH	43 25.3 N	67 46.9 W	1741.00	180882	239.5	785.3
2197	LYNCH	43 25.2 N	67 47.0 W	1742.00	180882	241.4	785.4
2198	LYNCH	43 25.2 N	67 47.1 W	1743.00	180882	245.0	785.5
2199	LYNCH	43 25.2 N	67 47.3 W	1745.00	180882	245.0	785.6
2200	LYNCH	43 25.2 N	67 47.8 W	1750.00	180882	241.4	786.0
2201	LYNCH	43 25.2 N	67 48.0 W	1752.00	180882	241.4	786.1
2202	LYNCH	43 25.1 N	67 48.2 W	1754.00	180882	241.4	786.3
2203	LYNCH	43 25.1 N	67 48.3 W	1755.00	180882	237.7	786.4
2204	LYNCH	43 25.1 N	67 48.4 W	1756.00	180882	235.9	786.4
2205	LYNCH	43 25.1 N	67 48.5 W	1757.00	180882	237.7	786.5
2206	LYNCH	43 25.1 N	67 48.6 W	1758.00	180882	237.7	786.6
2207	LYNCH	43 25.1 N	67 48.8 W	1800.00	180882	239.5	786.7
2208	LYNCH	43 25.1 N	67 49.3 W	1805.00	180882	235.9	787.1
2209	LYNCH	43 25.0 N	67 49.5 W	1807.00	180882	237.7	787.3
2210	LYNCH	43 25.0 N	67 49.6 W	1808.00	180882	237.7	787.3
2211	LYNCH	43 25.0 N	67 49.7 W	1809.00	180882	235.9	787.4
2212	LYNCH	43 25.0 N	67 49.8 W	1810.00	180882	234.0	787.5
2213	LYNCH	43 25.0 N	67 49.9 W	1811.00	180882	234.0	787.6
2214	LYNCH	43 25.0 N	67 50.0 W	1812.00	180882	230.4	787.6
2215	LYNCH	43 25.0 N	67 50.4 W	1815.00	180882	230.4	787.9
2216	LYNCH	43 24.9 N	67 50.6 W	1817.00	180882	230.4	788.0
2217	LYNCH	43 24.9 N	67 50.7 W	1818.00	180882	228.6	788.1
2218	LYNCH	43 24.9 N	67 50.9 W	1820.00	180882	228.6	788.2
2219	LYNCH	43 24.9 N	67 51.0 W	1821.00	180882	230.4	788.3
2220	LYNCH	43 24.9 N	67 51.1 W	1822.00	180882	230.4	788.4
2221	LYNCH	43 24.9 N	67 51.2 W	1823.00	180882	232.2	788.5
2222	LYNCH	43 24.9 N	67 51.3 W	1824.00	180882	234.0	788.5
2223	LYNCH	43 24.9 N	67 51.4 W	1825.00	180882	237.7	788.6
2224	LYNCH	43 24.8 N	67 51.5 W	1826.00	180882	239.5	788.7
2225	LYNCH	43 24.8 N	67 51.6 W	1827.00	180882	237.7	788.8
2226	LYNCH	43 24.8 N	67 51.7 W	1828.00	180882	235.9	788.9
2227	LYNCH	43 24.8 N	67 51.8 W	1829.00	180882	235.9	788.9
2228	LYNCH	43 24.8 N	67 51.9 W	1830.00	180882	234.0	789.0
2229	LYNCH	43 24.8 N	67 52.0 W	1831.00	180882	237.7	789.1
2230	LYNCH	43 24.8 N	67 52.1 W	1832.00	180882	241.4	789.1
2231	LYNCH	43 24.7 N	67 52.4 W	1835.00	180882	241.4	789.3
2232	LYNCH	43 24.7 N	67 52.5 W	1836.00	180882	243.2	789.4
2233	LYNCH	43 24.7 N	67 52.6 W	1837.00	180882	245.0	789.5
2234	LYNCH	43 24.7 N	67 52.6 W	1838.00	180882	254.2	789.6
2235	LYNCH	43 24.7 N	67 52.6 W	1840.00	180882	252.3	789.7
2236	LYNCH	43 24.7 N	67 52.9 W	1841.00	180882	241.4	789.8
2237	LYNCH	43 24.6 N	67 53.0 W	1842.00	180882	245.0	789.8
2238	LYNCH	43 24.6 N	67 53.2 W	1844.00	180882	245.0	790.0
2239	LYNCH	43 24.6 N	67 53.3 W	1845.00	180882	246.8	790.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2240	LYNCH	43 24.6 N	67 53.4 W	1846:00	180882	241.4	790.1
2241	LYNCH	43 24.6 N	67 53.5 W	1847:00	180882	243.2	790.2
2242	LYNCH	43 24.6 N	67 53.6 W	1848:00	180882	246.8	790.3
2243	LYNCH	43 24.6 N	67 53.7 W	1849:00	180882	248.7	790.3
2244	LYNCH	43 24.6 N	67 53.8 W	1850:00	180882	248.8	790.4
2245	LYNCH	43 24.6 N	67 53.9 W	1851:00	180882	250.5	790.5
2246	LYNCH	43 24.6 N	67 54.0 W	1852:00	180882	250.5	790.6
2247	LYNCH	43 24.5 N	67 54.8 W	1900:00	180882	248.7	791.1
2248	LYNCH	43 24.3 N	67 56.3 W	1915:00	180882	248.7	792.2
2249	LYNCH	43 24.1 N	67 57.7 W	1930:00	180882	243.2	793.3
2250	LYNCH	43 24.1 N	67 58.2 W	1935:00	180882	243.2	793.6
2251	LYNCH	43 24.0 N	67 59.1 W	1945:00	180882	237.7	794.3
2252	LYNCH	43 23.8 N	68 5.5 W	2000:00	180882	232.2	795.3
2253	LYNCH	43 23.7 N	68 1.9 W	2015:00	180882	224.9	796.4
2254	LYNCH	43 23.3 N	68 3.2 W	2030:00	180882	221.2	797.4
2255	LYNCH	43 22.2 N	68 3.3 W	2045:00	180882	221.2	798.4
2256	LYNCH	43 23.8 N	68 3.5 W	2000:00	180882	221.2	801.0
2257	LYNCH	43 22.2 N	68 3.5 W	2115:00	180882	219.4	803.7
2258	LYNCH	43 22.5 N	68 3.0 W	2120:00	180882	223.1	804.1
2259	LYNCH	43 22.7 N	68 2.6 W	2125:00	180882	224.9	804.5
2260	LYNCH	43 23.0 N	68 2.2 W	2130:00	180882	226.7	804.9
2261	LYNCH	43 22.5 N	68 1.9 W	2145:00	180882	232.2	806.0
2262	LYNCH	43 22.1 N	68 1.5 W	2200:00	180882	230.4	806.6
2263	LYNCH	43 22.3 N	68 2.3 W	2209:00	180882	226.7	807.2
2264	LYNCH	43 22.5 N	68 4.2 W	2230:00	180882	217.6	808.5
2265	LYNCH	43 22.6 N	68 4.3 W	2232:00	180882	215.8	808.6
2266	LYNCH	43 22.6 N	68 4.3 W	2233:00	180882	217.6	808.7
2267	LYNCH	43 22.7 N	68 4.2 W	2234:00	180882	219.4	808.8
2268	LYNCH	43 22.7 N	68 4.2 W	2235:00	180882	215.8	808.9
2269	LYNCH	43 22.8 N	68 4.1 W	2236:00	180882	219.4	808.9
2270	LYNCH	43 22.7 N	68 3.7 W	2240:00	180882	219.4	809.2
2271	LYNCH	43 22.7 N	68 3.3 W	2245:00	180882	219.4	809.6
2272	LYNCH	43 21.9 N	68 2.1 W	2300:00	180882	228.6	810.7
2273	LYNCH	43 21.1 N	68 2.4 W	2315:00	180882	226.7	811.6
2274	LYNCH	43 21.6 N	68 2.5 W	2330:00	180882	223.1	812.1
2275	LYNCH	43 23.0 N	68 3.4 W	2346:00	180882	221.2	813.6
2276	LYNCH	43 23.9 N	68 3.0 W	0000:00	190882	223.1	814.6
2277	LYNCH	43 23.4 N	68 2.0 W	0015:00	190882	228.6	815.5
2278	LYNCH	43 22.9 N	68 2.5 W	0025:00	190882	228.6	816.1
2279	LYNCH	43 22.8 N	68 2.7 W	0027:00	190882	226.7	816.2
2280	LYNCH	43 22.7 N	68 2.9 W	0030:00	190882	224.9	816.4
2281	LYNCH	43 21.8 N	68 4.2 W	0048:00	190882	219.4	817.8
2282	LYNCH	43 21.8 N	68 5.3 W	0100:00	190882	215.8	818.5
2283	LYNCH	43 22.2 N	68 5.4 W	0105:00	190882	215.8	819.0
2284	LYNCH	43 22.6 N	68 5.4 W	0110:00	190882	217.6	819.4
2285	LYNCH	43 23.0 N	68 5.4 W	0114:00	190882	219.4	819.7
2286	LYNCH	43 23.0 N	68 5.4 W	0115:00	190882	221.2	819.8
2287	LYNCH	43 23.1 N	68 5.4 W	0116:00	190882	219.4	819.9
2288	LYNCH	43 23.5 N	68 5.4 W	0120:00	190882	217.6	820.2
2289	LYNCH	43 23.9 N	68 5.5 W	0125:00	190882	213.9	820.7
2290	LYNCH	43 24.1 N	68 5.4 W	0129:00	190882	213.9	820.9
2291	LYNCH	43 24.2 N	68 5.4 W	0130:00	190882	210.3	821.0
2292	LYNCH	43 24.5 N	68 5.1 W	0135:00	190882	212.1	821.3
2293	LYNCH	43 24.6 N	68 4.6 W	0140:00	190882	215.8	821.7
2294	LYNCH	43 24.7 N	68 4.1 W	0145:00	190882	217.6	822.1
2295	LYNCH	43 24.7 N	68 3.0 W	0155:00	190882	224.9	822.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2296	LYNCH	43 24 7 N	68 2 6 W	0200.00	190882	228.6	823.2
2297	LYNCH	43 24 3 N	68 1 3 W	0215.00	190882	232.2	824.2
2298	LYNCH	43 23 7 N	68 3 W	0230.00	190882	237.7	825.1
2299	LYNCH	43 22 6 N	68 4 W	0245.00	190882	237.7	826.2
2300	LYNCH	43 21 5 N	68 5 W	0300.00	190882	235.9	827.3
2301	LYNCH	43 20 9 N	68 1 4 W	0315.00	190882	232.2	828.2
2302	LYNCH	43 21 7 N	68 2 5 W	0330.00	190882	228.6	829.4
2303	LYNCH	43 22 6 N	68 3 7 W	0345.00	190882	221.2	830.6
2304	LYNCH	43 22 9 N	68 4 1 W	0350.00	190882	221.2	831.1
2305	LYNCH	43 23 2 N	68 4 5 W	0355.00	190882	223.1	831.5
2306	LYNCH	43 23 3 N	68 4 7 W	0357.00	190882	221.2	831.7
2307	LYNCH	43 23 5 N	68 4 8 W	0359.00	190882	223.1	831.8
2308	LYNCH	43 23 5 N	68 4 9 W	0400.00	190882	221.2	831.9
2309	LYNCH	43 23 9 N	68 4 8 W	0403.00	190882	219.4	832.3
2310	LYNCH	43 24 0 N	68 4 7 W	0405.00	190882	217.6	832.4
2311	LYNCH	43 24 2 N	68 4 3 W	0410.00	190882	217.6	832.8
2312	LYNCH	43 24 2 N	68 4 1 W	0412.00	190882	219.4	832.9
2313	LYNCH	43 24 3 N	68 4 0 W	0413.00	190882	221.2	833.0
2314	LYNCH	43 24 3 N	68 4 0 W	0414.00	190882	219.4	833.0
2315	LYNCH	43 24 3 N	68 3 9 W	0415.00	190882	221.2	833.1
2316	LYNCH	43 24 8 N	68 2 6 W	0430.00	190882	226.7	834.1
2317	LYNCH	43 25 2 N	68 1 2 W	0445.00	190882	235.9	835.3
2318	LYNCH	43 25 7 N	67 59.6 W	0500.00	190882	241.4	836.5
2319	LYNCH	43 26 2 N	67 58.2 W	0515.00	190882	241.4	837.7
2320	LYNCH	43 26 7 N	67 56.7 W	0530.00	190882	245.0	838.8
2321	LYNCH	43 26 8 N	67 56.5 W	0532.00	190882	245.0	839.0
2322	LYNCH	43 26 8 N	67 56.4 W	0533.00	190882	246.8	839.1
2323	LYNCH	43 26 8 N	67 56.3 W	0534.00	190882	245.0	839.1
2324	LYNCH	43 26 9 N	67 56.2 W	0535.00	190882	245.0	839.2
2325	LYNCH	43 27 2 N	67 55.3 W	0545.00	190882	248.7	840.0
2326	LYNCH	43 27 4 N	67 54.3 W	0555.00	190882	248.7	840.7
2327	LYNCH	43 27 4 N	67 54.2 W	0556.00	190882	248.7	840.8
2328	LYNCH	43 27 4 N	67 54.1 W	0557.00	190882	250.5	840.9
2329	LYNCH	43 27 5 N	67 54.0 W	0558.00	190882	254.2	840.9
2330	LYNCH	43 27 5 N	67 53.8 W	0600.00	190882	252.3	841.1
2331	LYNCH	43 27 7 N	67 53.3 W	0605.00	190882	252.3	841.5
2332	LYNCH	43 28 0 N	67 52.4 W	0615.00	190882	259.6	842.2
2333	LYNCH	43 28 1 N	67 51.9 W	0620.00	190882	257.8	842.6
2334	LYNCH	43 28 3 N	67 51.4 W	0625.00	190882	252.3	843.0
2335	LYNCH	43 28 4 N	67 50.9 W	0630.00	190882	252.3	843.4
2336	LYNCH	43 28 7 N	67 50.0 W	0640.00	190882	248.7	844.1
2337	LYNCH	43 28 8 N	67 49.9 W	0641.00	190882	246.8	844.2
2338	LYNCH	43 28 8 N	67 49.9 W	0642.00	190882	235.9	844.2
2339	LYNCH	43 28 8 N	67 49.8 W	0643.00	190882	230.4	844.3
2340	LYNCH	43 28 9 N	67 49.7 W	0644.00	190882	245.0	844.4
2341	LYNCH	43 28 9 N	67 49.6 W	0645.00	190882	250.5	844.5
2342	LYNCH	43 29 1 N	67 49.2 W	0650.00	190882	248.7	844.8
2343	LYNCH	43 29 4 N	67 48.3 W	0700.00	190882	239.5	845.5
2344	LYNCH	43 29 7 N	67 46.9 W	0715.00	190882	230.4	846.6
2345	LYNCH	43 30 0 N	67 45.3 W	0730.00	190882	226.7	847.8
2346	LYNCH	43 30 6 N	67 42.2 W	0800.00	190882	226.7	850.1
2347	LYNCH	43 30 7 N	67 40.4 W	0815.00	190882	221.2	851.4
2348	LYNCH	43 30 7 N	67 39.9 W	0820.00	190882	219.4	851.8
2349	LYNCH	43 30 8 N	67 38.9 W	0830.00	190882	221.2	852.5
2350	LYNCH	43 30 8 N	67 37.2 W	0845.00	190882	217.6	853.7
2351	LYNCH	43 30 7 N	67 35.5 W	0900.00	190882	215.8	855.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2352	LYNCH	43 30.6 N	67 32.0 W	0930:00	190882	213.9	857.5
2353	LYNCH	43 30.5 N	67 30.3 W	0945:00	190882	213.9	858.8
2354	LYNCH	43 30.4 N	67 28.6 W	1000:00	190882	212.1	860.0
2355	LYNCH	43 31.4 N	67 26.4 W	1030:00	190882	212.1	861.8
2356	LYNCH	43 31.8 N	67 25.6 W	1042:00	190882	212.1	862.6
2357	LYNCH	43 32.3 N	67 24.8 W	1054:00	190882	212.1	863.3
2358	LYNCH	43 32.6 N	67 24.4 W	1115:00	190882	212.1	863.8
2359	LYNCH	43 32.1 N	67 24.1 W	1125:00	190882	215.8	864.3
2360	LYNCH	43 31.8 N	67 24.0 W	1130:00	190882	219.4	864.6
2361	LYNCH	43 31.6 N	67 23.9 W	1133:00	190882	219.4	864.8
2362	LYNCH	43 31.6 N	67 23.8 W	1134:00	190882	221.2	864.9
2363	LYNCH	43 31.5 N	67 23.8 W	1135:00	190882	219.4	865.0
2364	LYNCH	43 31.3 N	67 23.4 W	1140:00	190882	219.4	865.3
2365	LYNCH	43 31.1 N	67 23.0 W	1145:00	190882	215.8	865.7
2366	LYNCH	43 30.9 N	67 22.6 W	1150:00	190882	215.8	866.0
2367	LYNCH	43 30.5 N	67 21.8 W	1200:00	190882	212.1	866.7
2368	LYNCH	43 29.8 N	67 20.6 W	1215:00	190882	206.6	867.8
2369	LYNCH	43 29.8 N	67 20.4 W	1216:00	190882	204.8	867.9
2370	LYNCH	43 29.8 N	67 20.3 W	1217:00	190882	204.8	868.1
2371	LYNCH	43 29.9 N	67 20.0 W	1219:00	190882	206.5	868.3
2372	LYNCH	43 30.5 N	67 21.8 W	1200:00	190882	206.6	869.7
2373	LYNCH	43 29.9 N	67 19.5 W	1222:00	190882	204.8	871.5
2374	LYNCH	43 29.9 N	67 19.4 W	1223:00	190882	206.6	871.6
2375	LYNCH	43 29.9 N	67 19.1 W	1225:00	190882	208.4	871.8
2376	LYNCH	43 30.0 N	67 18.3 W	1230:00	190882	212.1	872.4
2377	LYNCH	43 30.3 N	67 17.1 W	1245:00	190882	208.4	873.3
2378	LYNCH	43 30.5 N	67 15.8 W	1300:00	190882	210.3	874.3
2379	LYNCH	43 30.8 N	67 15.1 W	1315:00	190882	212.1	874.8
2380	LYNCH	43 31.0 N	67 14.4 W	1330:00	190882	213.9	875.4
2381	LYNCH	43 31.0 N	67 13.8 W	1345:00	190882	212.1	875.8
2382	LYNCH	43 30.9 N	67 13.2 W	1400:00	190882	212.1	876.3
2383	LYNCH	43 30.9 N	67 12.5 W	1415:00	190882	212.1	876.8
2384	LYNCH	43 30.6 N	67 11.0 W	1430:00	190882	213.9	877.9
2385	LYNCH	43 29.9 N	67 8.2 W	1500:00	190882	219.4	880.1
2386	LYNCH	43 29.3 N	67 7.1 W	1516:00	190882	219.4	881.1
2387	LYNCH	43 29.2 N	67 7.0 W	1518:00	190882	215.8	881.2
2388	LYNCH	43 29.1 N	67 6.8 W	1520:00	190882	213.9	881.3
2389	LYNCH	43 28.9 N	67 6.4 W	1526:00	190882	213.9	881.7
2390	LYNCH	43 28.8 N	67 6.3 W	1527:00	190882	215.8	881.8
2391	LYNCH	43 28.7 N	67 6.1 W	1530:00	190882	215.8	882.0
2392	LYNCH	43 28.5 N	67 5.7 W	1535:00	190882	210.3	882.4
2393	LYNCH	43 28.4 N	67 5.6 W	1537:00	190882	208.4	882.5
2394	LYNCH	43 28.2 N	67 5.3 W	1540:00	190882	212.1	882.7
2395	LYNCH	43 28.1 N	67 5.1 W	1542:00	190882	213.9	882.9
2396	LYNCH	43 28.1 N	67 5.1 W	1543:00	190882	212.1	883.0
2397	LYNCH	43 28.0 N	67 5.0 W	1544:00	190882	215.8	883.0
2398	LYNCH	43 28.0 N	67 4.9 W	1545:00	190882	217.6	883.1
2399	LYNCH	43 27.9 N	67 4.8 W	1547:00	190882	215.8	883.2
2400	LYNCH	43 27.9 N	67 4.7 W	1548:00	190882	215.8	883.3
2401	LYNCH	43 27.8 N	67 4.6 W	1549:00	190882	213.9	883.4
2402	LYNCH	43 27.8 N	67 4.6 W	1550:00	190882	210.3	883.5
2403	LYNCH	43 27.7 N	67 4.4 W	1552:00	190882	208.4	883.6
2404	LYNCH	43 27.6 N	67 4.3 W	1553:00	190882	212.1	883.7
2405	LYNCH	43 27.6 N	67 4.3 W	1554:00	190882	212.1	883.8
2406	LYNCH	43 27.5 N	67 4.2 W	1555:00	190882	213.9	883.8
2407	LYNCH	43 27.5 N	67 4.1 W	1556:00	190882	212.1	883.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2408	LYNCH	43 27 3 N	67 3 8 W	1600:00	190882	213.9	884.2
2409	LYNCH	43 27 2 N	67 3 7 W	1602:00	190882	215.8	884.3
2410	LYNCH	43 27 2 N	67 3 6 W	1603:00	190882	217.6	884.4
2411	LYNCH	43 27 1 N	67 3 5 W	1605:00	190882	219.4	884.5
2412	LYNCH	43 26 9 N	67 3 3 W	1608:00	190882	221.2	884.7
2413	LYNCH	43 26 8 N	67 3 2 W	1610:00	190882	223.1	884.8
2414	LYNCH	43 26 8 N	67 3 1 W	1611:00	190882	221.2	884.9
2415	LYNCH	43 26 6 N	67 2 9 W	1615:00	190882	223.1	885.2
2416	LYNCH	43 26 6 N	67 2 8 W	1616:00	190882	221.2	885.6
2417	LYNCH	43 26 3 N	67 2 5 W	1621:00	190882	221.2	885.6
2418	LYNCH	43 26 3 N	67 2 4 W	1622:00	190882	217.6	885.6
2419	LYNCH	43 26 1 N	67 2 2 W	1625:00	190882	219.4	885.9
2420	LYNCH	43 26 1 N	67 2 1 W	1626:00	190882	217.6	885.9
2421	LYNCH	43 26 0 N	67 1 9 W	1628:00	190882	213.9	886.1
2422	LYNCH	43 25 8 N	67 1 6 W	1632:00	190882	213.9	886.4
2423	LYNCH	43 25 7 N	67 1 6 W	1633:00	190882	212.1	886.5
2424	LYNCH	43 25 6 N	67 1 4 W	1635:00	190882	213.9	886.6
2425	LYNCH	43 25 5 N	67 1 2 W	1638:00	190882	213.9	886.8
2426	LYNCH	43 25 4 N	67 1 0 W	1640:00	190882	215.8	887.0
2427	LYNCH	43 25 3 N	67 8 W	1642:00	190882	217.6	887.2
2428	LYNCH	43 25 2 N	67 8 W	1643:00	190882	215.8	887.2
2429	LYNCH	43 25 2 N	67 7 W	1644:00	190882	213.9	887.3
2430	LYNCH	43 25 1 N	67 6 W	1645:00	190882	212.1	887.4
2431	LYNCH	43 25 1 N	67 5 W	1646:00	190882	210.3	887.5
2432	LYNCH	43 25 0 N	67 5 W	1647:00	190882	199.3	887.5
2433	LYNCH	43 25 0 N	67 4 W	1648:00	190882	195.6	887.6
2434	LYNCH	43 24 9 N	67 3 W	1649:00	190882	199.3	887.7
2435	LYNCH	43 24 9 N	67 3 W	1650:00	190882	203.0	887.7
2436	LYNCH	43 24 8 N	67 1 W	1652:00	190882	204.8	887.9
2437	LYNCH	43 24 7 N	67 1 W	1653:00	190882	206.6	887.9
2438	LYNCH	43 24 6 N	66 59 9 W	1655:00	190882	204.8	888.1
2439	LYNCH	43 24 4 N	66 59 6 W	1700:00	190882	204.8	888.4
2440	LYNCH	43 24 2 N	66 59 6 W	1705:00	190882	201.1	888.6
2441	LYNCH	43 24 0 N	66 59 7 W	1710:00	190882	201.1	888.8
2442	LYNCH	43 23 9 N	66 59 7 W	1714:00	190882	201.1	888.9
2443	LYNCH	43 24 0 N	66 59 8 W	1715:00	190882	208.4	889.0
2444	LYNCH	43 24 1 N	66 59 9 W	1717:00	190882	206.6	889.1
2445	LYNCH	43 24 2 N	67 1 W	1720:00	190882	208.4	889.3
2446	LYNCH	43 24 5 N	67 4 W	1725:00	190882	210.3	889.7
2447	LYNCH	43 24 5 N	67 4 W	1726:00	190882	208.4	889.7
2448	LYNCH	43 24 6 N	67 5 W	1727:00	190882	206.6	889.8
2449	LYNCH	43 24 6 N	67 6 W	1728:00	190882	208.4	889.9
2450	LYNCH	43 24 7 N	67 6 W	1729:00	190882	204.8	889.9
2451	LYNCH	43 24 7 N	67 7 W	1730:00	190882	204.8	890.0
2452	LYNCH	43 24 8 N	67 8 W	1731:00	190882	210.3	890.1
2453	LYNCH	43 24 9 N	67 8 W	1732:00	190882	213.9	890.2
2454	LYNCH	43 24 9 N	67 9 W	1733:00	190882	217.6	890.3
2455	LYNCH	43 25 1 N	67 1 1 W	1735:00	190882	219.4	890.4
2456	LYNCH	43 25 2 N	67 1 2 W	1737:00	190882	219.4	890.6
2457	LYNCH	43 25 3 N	67 1 4 W	1740:00	190882	217.6	890.8
2458	LYNCH	43 25 5 N	67 1 6 W	1743:00	190882	215.8	891.0
2459	LYNCH	43 25 6 N	67 1 7 W	1745:00	190882	213.9	891.1
2460	LYNCH	43 25 7 N	67 1 9 W	1748:00	190882	212.1	891.3
2461	LYNCH	43 25 8 N	67 2 0 W	1750:00	190882	215.8	891.4
2462	LYNCH	43 26 0 N	67 2 4 W	1755:00	190882	217.6	891.8
2463	LYNCH	43 26 0 N	67 2 5 W	1756:00	190882	217.6	891.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2464	LYNCH	43 26.0 N	67 2.5 W	1757.00	190882	217.6	891.9
2465	LYNCH	43 26.0 N	67 2.6 W	1758.00	190882	219.4	891.9
2466	LYNCH	43 25.9 N	67 2.6 W	1800.00	190882	219.4	892.0
2467	LYNCH	43 25.7 N	67 2.7 W	1803.00	190882	217.6	892.2
2468	LYNCH	43 25.6 N	67 2.8 W	1805.00	190882	212.1	892.3
2469	LYNCH	43 25.6 N	67 2.8 W	1806.00	190882	215.8	892.4
2470	LYNCH	43 25.5 N	67 2.8 W	1807.00	190882	213.9	892.4
2471	LYNCH	43 25.3 N	67 2.6 W	1810.00	190882	206.6	892.7
2472	LYNCH	43 25.2 N	67 2.5 W	1812.00	190882	204.8	892.9
2473	LYNCH	43 24.9 N	67 2.3 W	1815.00	190882	213.9	893.1
2474	LYNCH	43 24.8 N	67 2.2 W	1817.00	190882	217.6	893.3
2475	LYNCH	43 24.8 N	67 2.0 W	1819.00	190882	213.9	893.4
2476	LYNCH	43 24.8 N	67 1.8 W	1820.00	190882	215.8	893.5
2477	LYNCH	43 24.7 N	67 1.2 W	1825.00	190882	219.4	894.0
2478	LYNCH	43 24.7 N	67 1.1 W	1826.00	190882	208.4	894.1
2479	LYNCH	43 24.7 N	67 1.0 W	1827.00	190882	184.7	894.2
2480	LYNCH	43 24.7 N	67 .8 W	1828.00	190882	213.9	894.3
2481	LYNCH	43 24.7 N	67 .7 W	1829.00	190882	210.3	894.4
2482	LYNCH	43 24.7 N	67 .6 W	1830.00	190882	204.8	894.4
2483	LYNCH	43 24.7 N	67 .5 W	1831.00	190882	206.6	894.5
2484	LYNCH	43 24.6 N	67 .2 W	1833.00	190882	204.8	894.7
2485	LYNCH	43 24.6 N	67 0.0 W	1835.00	190882	203.0	894.9
2486	LYNCH	43 24.6 N	66 59.7 W	1837.00	190882	203.0	895.1
2487	LYNCH	43 24.7 N	66 59.5 W	1840.00	190882	203.0	895.3
2488	LYNCH	43 24.8 N	66 59.3 W	1843.00	190882	206.6	895.5
2489	LYNCH	43 24.9 N	66 59.1 W	1845.00	190882	204.8	895.6
2490	LYNCH	43 25.1 N	66 58.8 W	1850.00	190882	206.6	895.9
2491	LYNCH	43 25.2 N	66 58.9 W	1852.00	190882	206.6	896.0
2492	LYNCH	43 25.2 N	66 59.0 W	1853.00	190882	203.0	896.1
2493	LYNCH	43 25.3 N	66 59.1 W	1855.00	190882	201.1	896.2
2494	LYNCH	43 25.5 N	66 59.4 W	1900.00	190882	203.0	896.5
2495	LYNCH	43 25.6 N	66 59.6 W	1903.00	190882	203.0	896.7
2496	LYNCH	43 25.7 N	66 59.7 W	1905.00	190882	204.8	896.8
2497	LYNCH	43 25.8 N	66 59.8 W	1906.00	190882	206.6	896.9
2498	LYNCH	43 25.8 N	66 59.8 W	1907.00	190882	204.8	897.0
2499	LYNCH	43 25.9 N	66 59.9 W	1908.00	190882	204.8	897.0
2500	LYNCH	43 26.0 N	67 0.0 W	1910.00	190882	206.6	897.2
2501	LYNCH	43 26.0 N	67 .1 W	1912.00	190882	208.4	897.3
2502	LYNCH	43 26.0 N	67 .2 W	1913.00	190882	208.4	897.3
2503	LYNCH	43 25.9 N	67 .4 W	1915.00	190882	206.6	897.4
2504	LYNCH	43 25.9 N	67 .4 W	1916.00	190882	204.8	897.5
2505	LYNCH	43 25.9 N	67 .5 W	1917.00	190882	206.6	897.6
2506	LYNCH	43 25.8 N	67 .5 W	1918.00	190882	206.6	897.6
2507	LYNCH	43 25.8 N	67 .6 W	1919.00	190882	204.8	897.7
2508	LYNCH	43 25.7 N	67 .6 W	1920.00	190882	204.8	897.8
2509	LYNCH	43 25.6 N	67 .7 W	1921.00	190882	210.3	897.9
2510	LYNCH	43 25.5 N	67 .7 W	1922.00	190882	212.1	897.9
2511	LYNCH	43 25.3 N	67 .8 W	1925.00	190882	215.8	898.2
2512	LYNCH	43 25.0 N	67 1.0 W	1930.00	190882	215.8	898.6
2513	LYNCH	43 24.9 N	67 1.0 W	1931.00	190882	217.6	898.6
2514	LYNCH	43 24.8 N	67 1.1 W	1932.00	190882	204.8	898.7
2515	LYNCH	43 24.7 N	67 1.1 W	1933.00	190882	182.9	898.8
2516	LYNCH	43 24.7 N	67 1.2 W	1934.00	190882	188.3	898.9
2517	LYNCH	43 24.6 N	67 1.2 W	1935.00	190882	221.2	899.0
2518	LYNCH	43 24.5 N	67 1.2 W	1936.00	190882	219.4	899.0
2519	LYNCH	43 24.2 N	67 1.4 W	1940.00	190882	215.8	899.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2520	LYNCH	43 23.8 N	67 1.5 W	1945:00	190882	213.9	899.7
2521	LYNCH	43 23.6 N	67 1.5 W	1948:00	190882	212.1	900.0
2522	LYNCH	43 23.6 N	67 1.3 W	1950:00	190882	213.9	900.1
2523	LYNCH	43 23.6 N	67 1.2 W	1951:00	190882	215.8	900.2
2524	LYNCH	43 23.6 N	67 1.1 W	1952:00	190882	215.8	900.2
2525	LYNCH	43 23.5 N	67 9 W	1955:00	190882	210.3	900.4
2526	LYNCH	43 23.5 N	67 8 W	1956:00	190882	206.6	900.5
2527	LYNCH	43 23.6 N	67 6 W	2000:00	190882	206.6	900.7
2528	LYNCH	43 24.0 N	67 5 W	2005:00	190882	206.6	901.1
2529	LYNCH	43 24.1 N	67 5 W	2007:00	190882	206.6	901.2
2530	LYNCH	43 24.2 N	67 5 W	2008:00	190882	206.6	901.3
2531	LYNCH	43 24.3 N	67 4 W	2010:00	190882	208.4	901.4
2532	LYNCH	43 24.5 N	67 4 W	2012:00	190882	208.4	901.6
2533	LYNCH	43 24.7 N	67 3 W	2015:00	190882	204.8	901.8
2534	LYNCH	43 24.8 N	67 3 W	2017:00	190882	199.3	901.9
2535	LYNCH	43 24.9 N	67 3 W	2018:00	190882	199.3	902.0
2536	LYNCH	43 25.0 N	67 3 W	2020:00	190882	203.0	902.1
2537	LYNCH	43 25.4 N	67 2 W	2025:00	190882	203.0	902.5
2538	LYNCH	43 25.7 N	67 1 W	2030:00	190882	204.8	902.8
2539	LYNCH	43 25.8 N	67 1 W	2031:00	190882	206.6	902.9
2540	LYNCH	43 25.9 N	67 2 W	2032:00	190882	206.6	903.0
2541	LYNCH	43 25.9 N	67 2 W	2033:00	190882	206.6	903.0
2542	LYNCH	43 25.9 N	67 4 W	2035:00	190882	204.8	903.1
2543	LYNCH	43 25.9 N	67 4 W	2037:00	190882	204.8	903.2
2544	LYNCH	43 25.9 N	67 8 W	2040:00	190882	201.1	903.4
2545	LYNCH	43 25.8 N	67 8 W	2041:00	190882	201.1	903.5
2546	LYNCH	43 25.8 N	67 9 W	2042:00	190882	206.6	903.5
2547	LYNCH	43 25.7 N	67 9 W	2043:00	190882	208.4	903.6
2548	LYNCH	43 25.6 N	67 1.0 W	2045:00	190882	212.1	903.7
2549	LYNCH	43 25.6 N	67 1.1 W	2046:00	190882	212.1	903.8
2550	LYNCH	43 25.5 N	67 1.1 W	2047:00	190882	212.1	903.8
2551	LYNCH	43 25.3 N	67 1.1 W	2050:00	190882	215.8	904.1
2552	LYNCH	43 24.9 N	67 1.0 W	2055:00	190882	217.6	904.5
2553	LYNCH	43 24.8 N	67 1.0 W	2056:00	190882	195.6	904.6
2554	LYNCH	43 24.7 N	67 1.0 W	2057:00	190882	193.8	904.6
2555	LYNCH	43 24.6 N	67 1.0 W	2058:00	190882	197.5	904.7
2556	LYNCH	43 24.6 N	67 9 W	2059:00	190882	204.8	904.8
2557	LYNCH	43 24.5 N	67 9 W	2100:00	190882	213.9	904.9
2558	LYNCH	43 24.1 N	67 9 W	2105:00	190882	210.3	905.3
2559	LYNCH	43 23.3 N	67 7 W	2115:00	190882	208.4	906.1
2560	LYNCH	43 23.2 N	67 9 W	2118:00	190882	208.4	906.2
2561	LYNCH	43 23.2 N	67 9 W	2119:00	190882	181.0	906.3
2562	LYNCH	43 23.2 N	67 1.0 W	2120:00	190882	164.6	906.3
2563	LYNCH	43 23.1 N	67 1.0 W	2121:00	190882	168.2	906.3
2564	LYNCH	43 23.1 N	67 1.1 W	2122:00	190882	184.7	906.4
2565	LYNCH	43 23.1 N	67 1.1 W	2123:00	190882	195.6	906.4
2566	LYNCH	43 23.0 N	67 1.2 W	2124:00	190882	193.8	906.5
2567	LYNCH	43 23.0 N	67 1.2 W	2125:00	190882	197.5	906.5
2568	LYNCH	43 23.1 N	67 1.3 W	2126:00	190882	193.8	906.6
2569	LYNCH	43 23.1 N	67 1.3 W	2127:00	190882	192.0	906.7
2570	LYNCH	43 23.2 N	67 1.4 W	2128:00	190882	192.0	906.8
2571	LYNCH	43 23.2 N	67 1.4 W	2129:00	190882	210.3	906.8
2572	LYNCH	43 23.3 N	67 1.5 W	2130:00	190882	210.3	906.9
2573	LYNCH	43 23.7 N	67 2.0 W	2140:00	190882	212.1	907.4
2574	LYNCH	43 23.9 N	67 2.2 W	2143:00	190882	213.9	907.7
2575	LYNCH	43 24.0 N	67 2.4 W	2145:00	190882	213.9	907.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2576	LYNCH	43 24 2 N	67 2 5 W	2150 00	190882	212.1	908.1
2577	LYNCH	43 24 3 N	67 2 5 W	2151 00	190882	213.9	908.2
2578	LYNCH	43 24 3 N	67 2 5 W	2152 00	190882	213.9	908.2
2579	LYNCH	43 24 5 N	67 2 6 W	2155 00	190882	212.1	908.4
2580	LYNCH	43 24 6 N	67 2 6 W	2156 00	190882	212.1	908.5
2581	LYNCH	43 24 6 N	67 2 6 W	2157 00	190882	213.9	908.5
2582	LYNCH	43 24 7 N	67 2 6 W	2158 00	190882	210.3	908.6
2583	LYNCH	43 24 7 N	67 2 5 W	2159 00	190882	212.1	908.7
2584	LYNCH	43 24 8 N	67 2 4 W	2200 00	190882	212.1	908.7
2585	LYNCH	43 24 8 N	67 2 3 W	2201 00	190882	215.8	908.8
2586	LYNCH	43 24 9 N	67 2 2 W	2203 00	190882	215.8	909.0
2587	LYNCH	43 25 0 N	67 2 1 W	2204 00	190882	212.1	909.1
2588	LYNCH	43 25 0 N	67 2 0 W	2205 00	190882	213.9	909.1
2589	LYNCH	43 25 1 N	67 1 9 W	2206 00	190882	215.8	909.2
2590	LYNCH	43 25 2 N	67 1 7 W	2208 00	190882	217.6	909.4
2591	LYNCH	43 25 3 N	67 1 6 W	2210 00	190882	217.6	909.5
2592	LYNCH	43 25 4 N	67 1 4 W	2212 00	190882	215.8	909.7
2593	LYNCH	43 25 5 N	67 1 2 W	2214 00	190882	212.1	909.8
2594	LYNCH	43 25 5 N	67 1 1 W	2215 00	190882	212.1	909.9
2595	LYNCH	43 25 6 N	67 1 1 W	2216 00	190882	213.9	910.0
2596	LYNCH	43 25 7 N	67 8 W	2219 00	190882	203.0	910.2
2597	LYNCH	43 25 7 N	67 7 W	2220 00	190882	203.0	910.3
2598	LYNCH	43 25 7 N	67 5 W	2222 00	190882	206.6	910.5
2599	LYNCH	43 25 6 N	67 4 W	2223 00	190882	204.8	910.5
2600	LYNCH	43 25 6 N	67 2 W	2225 00	190882	206.6	910.7
2601	LYNCH	43 25 5 N	67 0 W	2227 00	190882	203.0	910.8
2602	LYNCH	43 25 5 N	67 0 W	2228 00	190882	199.3	910.9
2603	LYNCH	43 25 4 N	66 59 9 W	2229 00	190882	199.3	911.0
2604	LYNCH	43 25 4 N	66 59 8 W	2230 00	190882	201.1	911.0
2605	LYNCH	43 25 3 N	66 59 8 W	2232 00	190882	199.3	911.1
2606	LYNCH	43 25 2 N	66 59 8 W	2233 00	190882	203.0	911.2
2607	LYNCH	43 25 2 N	66 59 8 W	2234 00	190882	190.2	911.3
2608	LYNCH	43 25 1 N	66 59 7 W	2235 00	190882	195.6	911.3
2609	LYNCH	43 25 0 N	66 59 7 W	2237 00	190882	201.1	911.4
2610	LYNCH	43 25 0 N	66 59 7 W	2238 00	190882	203.0	911.5
2611	LYNCH	43 24 9 N	66 59 7 W	2239 00	190882	201.1	911.5
2612	LYNCH	43 24 9 N	66 59 8 W	2240 00	190882	203.0	911.6
2613	LYNCH	43 24 9 N	67 2 W	2244 00	190882	201.1	911.9
2614	LYNCH	43 24 9 N	67 4 W	2245 00	190882	188.3	912.0
2615	LYNCH	43 24 9 N	67 5 W	2246 00	190882	184.7	912.1
2616	LYNCH	43 24 9 N	67 6 W	2247 00	190882	210.3	912.2
2617	LYNCH	43 24 9 N	67 7 W	2248 00	190882	210.3	912.3
2618	LYNCH	43 24 9 N	67 9 W	2250 00	190882	215.8	912.4
2619	LYNCH	43 24 9 N	67 1 0 W	2251 00	190882	215.8	912.5
2620	LYNCH	43 24 9 N	67 1 1 W	2252 00	190882	221.2	912.6
2621	LYNCH	43 24 9 N	67 1 2 W	2253 00	190882	221.2	912.7
2622	LYNCH	43 24 9 N	67 1 3 W	2254 00	190882	219.4	912.7
2623	LYNCH	43 25 0 N	67 1 5 W	2255 00	190882	219.4	912.8
2624	LYNCH	43 25 0 N	67 2 0 W	2300 00	190882	213.9	913.2
2625	LYNCH	43 25 0 N	67 2 1 W	2301 00	190882	215.8	913.3
2626	LYNCH	43 25 0 N	67 2 2 W	2302 00	190882	217.6	913.4
2627	LYNCH	43 25 0 N	67 2 3 W	2303 00	190882	215.8	913.4
2628	LYNCH	43 25 0 N	67 2 6 W	2305 00	190882	210.3	913.6
2629	LYNCH	43 25 0 N	67 2 8 W	2307 00	190882	203.0	913.8
2630	LYNCH	43 25 0 N	67 2 9 W	2308 00	190882	204.8	913.8
2631	LYNCH	43 25 0 N	67 3 0 W	2309 00	190882	204.8	913.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2632	LYNCH	43 25 0 N	67 3 1 W	2310:00	190882	203.0	914.0
2633	LYNCH	43 25 1 N	67 3 2 W	2312:00	190882	208.4	914.1
2634	LYNCH	43 25 3 N	67 3 4 W	2315:00	190882	210.3	914.3
2635	LYNCH	43 25 4 N	67 3 5 W	2317:00	190882	212.1	914.5
2636	LYNCH	43 25 5 N	67 3 6 W	2319:00	190882	221.2	914.6
2637	LYNCH	43 25 5 N	67 3 7 W	2320:00	190882	223.1	914.7
2638	LYNCH	43 25 8 N	67 3 3 W	2325:00	190882	223.1	915.1
2639	LYNCH	43 26 1 N	67 2 9 W	2330:00	190882	221.2	915.5
2640	LYNCH	43 26 2 N	67 2 8 W	2331:00	190882	221.2	915.6
2641	LYNCH	43 26 2 N	67 2 7 W	2332:00	190882	215.8	915.7
2642	LYNCH	43 26 3 N	67 2 7 W	2333:00	190882	219.4	915.8
2643	LYNCH	43 26 4 N	67 2 5 W	2335:00	190882	219.4	916.0
2644	LYNCH	43 26 5 N	67 2 2 W	2338:00	190882	212.1	916.2
2645	LYNCH	43 26 6 N	67 2 0 W	2340:00	190882	213.9	916.4
2646	LYNCH	43 26 6 N	67 1 9 W	2341:00	190882	215.8	916.4
2647	LYNCH	43 26 6 N	67 1 8 W	2342:00	190882	213.9	916.5
2648	LYNCH	43 26 6 N	67 1 6 W	2343:00	190882	212.1	916.6
2649	LYNCH	43 26 7 N	67 1 4 W	2345:00	190882	213.9	916.8
2650	LYNCH	43 26 8 N	67 1 1 W	2348:00	190882	213.9	917.0
2651	LYNCH	43 26 8 N	67 1 0 W	2349:00	190882	213.9	917.1
2652	LYNCH	43 26 8 N	67 9 W	2350:00	190882	215.8	917.2
2653	LYNCH	43 26 8 N	67 7 W	2352:00	190882	213.9	917.3
2654	LYNCH	43 26 9 N	67 5 W	2354:00	190882	212.1	917.5
2655	LYNCH	43 26 9 N	67 3 W	2355:00	190882	210.3	917.6
2656	LYNCH	43 26 9 N	67 2 W	2356:00	190882	204.8	917.7
2657	LYNCH	43 26 9 N	67 1 W	2357:00	190882	208.4	917.7
2658	LYNCH	43 27 0 N	66 59 8 W	0000:00	200882	204.8	918.0
2659	LYNCH	43 27 1 N	66 59 5 W	0003:00	200882	204.8	918.2
2660	LYNCH	43 27 1 N	66 59 4 W	0004:00	200882	203.0	918.3
2661	LYNCH	43 27 1 N	66 59 3 W	0005:00	200882	199.3	918.4
2662	LYNCH	43 27 1 N	66 59 1 W	0007:00	200882	201.1	918.5
2663	LYNCH	43 27 2 N	66 58 9 W	0008:00	200882	201.1	918.6
2664	LYNCH	43 27 2 N	66 58 7 W	0010:00	200882	199.3	918.8
2665	LYNCH	43 27 3 N	66 58 4 W	0013:00	200882	206.6	919.0
2666	LYNCH	43 27 3 N	66 58 2 W	0015:00	200882	206.6	919.2
2667	LYNCH	43 27 4 N	66 57 7 W	0020:00	200882	204.8	919.6
2668	LYNCH	43 27 5 N	66 57 1 W	0025:00	200882	203.0	920.0
2669	LYNCH	43 27 6 N	66 56 8 W	0028:00	200882	195.6	920.2
2670	LYNCH	43 27 6 N	66 56 7 W	0029:00	200882	193.8	920.3
2671	LYNCH	43 27 6 N	66 56 6 W	0030:00	200882	193.8	920.4
2672	LYNCH	43 27 6 N	66 56 4 W	0032:00	200882	192.0	920.5
2673	LYNCH	43 27 6 N	66 56 2 W	0034:00	200882	193.8	920.7
2674	LYNCH	43 27 7 N	66 56 1 W	0035:00	200882	192.0	920.8
2675	LYNCH	43 27 7 N	66 55 8 W	0038:00	200882	192.0	921.0
2676	LYNCH	43 27 7 N	66 55 6 W	0040:00	200882	192.0	921.1
2677	LYNCH	43 27 8 N	66 55 5 W	0041:00	200882	190.2	921.2
2678	LYNCH	43 27 9 N	66 55 4 W	0042:00	200882	192.0	921.3
2679	LYNCH	43 28 1 N	66 55 2 W	0045:00	200882	193.8	921.6
2680	LYNCH	43 28 2 N	66 55 2 W	0046:00	200882	193.8	921.7
2681	LYNCH	43 28 3 N	66 55 2 W	0048:00	200882	195.6	921.9
2682	LYNCH	43 28 4 N	66 55 2 W	0049:00	200882	195.6	921.9
2683	LYNCH	43 28 5 N	66 55 3 W	0050:00	200882	195.6	922.0
2684	LYNCH	43 28 8 N	66 55 3 W	0053:00	200882	193.8	922.3
2685	LYNCH	43 29 0 N	66 55 3 W	0055:00	200882	186.5	922.5
2686	LYNCH	43 29 1 N	66 55 3 W	0056:00	200882	182.9	922.6
2687	LYNCH	43 29 2 N	66 55 4 W	0057:00	200882	188.3	922.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2688	LYNCH	43 29 3 N	66 55 4 W	0058:00	200882	190.2	922.8
2689	LYNCH	43 29 5 N	66 55 5 W	0100:00	200882	190.2	923.0
2690	LYNCH	43 29 6 N	66 55 6 W	0101:00	200882	188.3	923.1
2691	LYNCH	43 29 7 N	66 55 7 W	0103:00	200882	192.0	923.3
2692	LYNCH	43 29 9 N	66 55 9 W	0105:00	200882	190.2	923.5
2693	LYNCH	43 30 0 N	66 56 2 W	0108:00	200882	188.3	923.8
2694	LYNCH	43 30 1 N	66 56 4 W	0110:00	200882	182.9	923.9
2695	LYNCH	43 30 1 N	66 56 5 W	0111:00	200882	179.2	924.0
2696	LYNCH	43 30 1 N	66 56 6 W	0112:00	200882	179.2	924.1
2697	LYNCH	43 30 2 N	66 56 6 W	0113:00	200882	181.0	924.1
2698	LYNCH	43 30 2 N	66 56 7 W	0114:00	200882	181.0	924.2
2699	LYNCH	43 30 2 N	66 56 8 W	0115:00	200882	179.2	924.3
2700	LYNCH	43 30 2 N	66 57 0 W	0117:00	200882	177.4	924.4
2701	LYNCH	43 30 3 N	66 57 1 W	0118:00	200882	177.4	924.5
2702	LYNCH	43 30 3 N	66 57 2 W	0119:00	200882	179.2	924.6
2703	LYNCH	43 30 3 N	66 57 3 W	0120:00	200882	175.5	924.6
2704	LYNCH	43 30 3 N	66 57 4 W	0121:00	200882	177.4	924.7
2705	LYNCH	43 30 4 N	66 57 8 W	0125:00	200882	184.7	925.0
2706	LYNCH	43 30 5 N	66 58 1 W	0128:00	200882	188.3	925.2
2707	LYNCH	43 30 5 N	66 58 3 W	0130:00	200882	188.3	925.4
2708	LYNCH	43 30 5 N	66 58 4 W	0131:00	200882	186.5	925.5
2709	LYNCH	43 30 6 N	66 58 7 W	0134:00	200882	193.8	925.7
2710	LYNCH	43 30 6 N	66 58 8 W	0135:00	200882	195.6	925.7
2711	LYNCH	43 30 6 N	66 58 9 W	0136:00	200882	193.8	925.8
2712	LYNCH	43 30 6 N	66 59 0 W	0137:00	200882	192.0	925.9
2713	LYNCH	43 30 7 N	66 59 2 W	0140:00	200882	199.3	926.1
2714	LYNCH	43 30 7 N	66 59 3 W	0141:00	200882	201.1	926.2
2715	LYNCH	43 30 8 N	66 59 7 W	0145:00	200882	204.8	926.4
2716	LYNCH	43 30 8 N	66 59 9 W	0147:00	200882	206.6	926.6
2717	LYNCH	43 30 9 N	67 2 2 W	0150:00	200882	206.6	926.8
2718	LYNCH	43 31 0 N	67 1 0 W	0200:00	200882	204.8	927.4
2719	LYNCH	43 31 1 N	67 1 6 W	0205:00	200882	204.8	927.8
2720	LYNCH	43 31 1 N	67 1 7 W	0206:00	200882	203.0	927.9
2721	LYNCH	43 31 1 N	67 2 2 W	0210:00	200882	204.8	928.3
2722	LYNCH	43 31 2 N	67 2 8 W	0215:00	200882	208.4	928.7
2723	LYNCH	43 31 2 N	67 3 3 W	0230:00	200882	212.1	929.1
2724	LYNCH	43 31 1 N	67 2 7 W	0240:00	200882	210.3	929.5
2725	LYNCH	43 31 1 N	67 2 3 W	0245:00	200882	208.4	929.8
2726	LYNCH	43 31 2 N	67 1 9 W	0250:00	200882	203.0	930.2
2727	LYNCH	43 31 2 N	67 1 7 W	0252:00	200882	203.0	930.3
2728	LYNCH	43 31 2 N	67 1 6 W	0253:00	200882	204.8	930.3
2729	LYNCH	43 31 2 N	67 1 4 W	0255:00	200882	203.0	930.5
2730	LYNCH	43 31 2 N	67 1 0 W	0300:00	200882	204.8	930.8
2731	LYNCH	43 31 2 N	67 2 2 W	0310:00	200882	206.6	931.4
2732	LYNCH	43 31 0 N	66 59 9 W	0315:00	200882	206.6	931.6
2733	LYNCH	43 30 9 N	66 59 9 W	0320:00	200882	204.8	931.8
2734	LYNCH	43 30 7 N	67 0 0 W	0325:00	200882	206.6	931.9
2735	LYNCH	43 30 6 N	67 3 3 W	0330:00	200882	208.4	932.2
2736	LYNCH	43 30 5 N	67 7 7 W	0335:00	200882	206.6	932.5
2737	LYNCH	43 30 4 N	67 7 7 W	0336:00	200882	206.6	932.5
2738	LYNCH	43 30 4 N	67 9 9 W	0338:00	200882	210.3	932.7
2739	LYNCH	43 30 3 N	67 1 0 W	0340:00	200882	210.3	932.8
2740	LYNCH	43 30 2 N	67 1 4 W	0345:00	200882	212.1	933.1
2741	LYNCH	43 30 0 N	67 1 6 W	0350:00	200882	213.9	933.3
2742	LYNCH	43 29 6 N	67 2 1 W	0400:00	200882	215.8	933.9
2743	LYNCH	43 29 4 N	67 2 3 W	0405:00	200882	215.8	934.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2744	LYNCH	43 29 0 N	67 2 8 W	0415:00	200882	219.4	934.6
2745	LYNCH	43 28 8 N	67 3 0 W	0420:00	200882	221.2	934.9
2746	LYNCH	43 28 5 N	67 3 2 W	0425:00	200882	221.2	935.2
2747	LYNCH	43 28 4 N	67 3 3 W	0427:00	200882	221.2	935.3
2748	LYNCH	43 28 4 N	67 3 3 W	0428:00	200882	219.4	935.4
2749	LYNCH	43 28 3 N	67 3 4 W	0429:00	200882	221.2	935.4
2750	LYNCH	43 28 3 N	67 3 4 W	0430:00	200882	217.6	935.5
2751	LYNCH	43 28 3 N	67 3 4 W	0431:00	200882	215.8	935.5
2752	LYNCH	43 28 2 N	67 3 5 W	0433:00	200882	213.9	935.6
2753	LYNCH	43 28 1 N	67 3 6 W	0435:00	200882	212.1	935.7
2754	LYNCH	43 28 0 N	67 3 7 W	0437:00	200882	210.3	935.8
2755	LYNCH	43 28 0 N	67 3 7 W	0438:00	200882	210.3	935.9
2756	LYNCH	43 27 9 N	67 3 8 W	0440:00	200882	212.1	936.0
2757	LYNCH	43 27 6 N	67 4 2 W	0449:00	200882	212.1	936.4
2758	LYNCH	43 27 6 N	67 4 3 W	0450:00	200882	213.9	936.4
2759	LYNCH	43 27 4 N	67 4 4 W	0454:00	200882	212.1	936.6
2760	LYNCH	43 27 4 N	67 4 5 W	0455:00	200882	212.1	936.7
2761	LYNCH	43 27 3 N	67 4 6 W	0457:00	200882	210.3	936.8
2762	LYNCH	43 27 3 N	67 4 6 W	0458:00	200882	210.3	936.8
2763	LYNCH	43 27 2 N	67 4 7 W	0459:00	200882	208.4	936.9
2764	LYNCH	43 27 2 N	67 4 7 W	0500:00	200882	204.8	936.9
2765	LYNCH	43 27 1 N	67 4 8 W	0502:00	200882	208.4	937.0
2766	LYNCH	43 27 0 N	67 4 8 W	0504:00	200882	208.4	937.1
2767	LYNCH	43 27 0 N	67 4 9 W	0505:00	200882	204.8	937.1
2768	LYNCH	43 27 0 N	67 4 9 W	0506:00	200882	203.0	937.2
2769	LYNCH	43 26 9 N	67 4 9 W	0507:00	200882	204.8	937.2
2770	LYNCH	43 26 9 N	67 4 9 W	0508:00	200882	206.6	937.3
2771	LYNCH	43 26 8 N	67 5 0 W	0510:00	200882	190.2	937.3
2772	LYNCH	43 26 8 N	67 5 0 W	0511:00	200882	190.2	937.4
2773	LYNCH	43 26 8 N	67 5 0 W	0511:00	200882	188.3	937.4
2774	LYNCH	43 26 7 N	67 5 0 W	0512:00	200882	184.7	937.5
2775	LYNCH	43 26 7 N	67 5 0 W	0513:00	200882	182.9	937.5
2776	LYNCH	43 26 6 N	67 5 1 W	0514:00	200882	186.5	937.5
2777	LYNCH	43 26 6 N	67 5 1 W	0515:00	200882	188.3	937.6
2778	LYNCH	43 26 5 N	67 5 1 W	0516:00	200882	190.2	937.6
2779	LYNCH	43 26 5 N	67 5 2 W	0517:00	200882	203.0	937.7
2780	LYNCH	43 26 4 N	67 5 3 W	0520:00	200882	203.0	937.8
2781	LYNCH	43 26 3 N	67 5 4 W	0521:00	200882	208.4	937.9
2782	LYNCH	43 26 3 N	67 5 4 W	0522:00	200882	210.3	938.0
2783	LYNCH	43 26 2 N	67 5 5 W	0523:00	200882	210.3	938.0
2784	LYNCH	43 26 1 N	67 5 5 W	0524:00	200882	217.6	938.1
2785	LYNCH	43 26 1 N	67 5 6 W	0525:00	200882	217.6	938.2
2786	LYNCH	43 26 0 N	67 5 6 W	0526:00	200882	213.9	938.2
2787	LYNCH	43 26 0 N	67 5 7 W	0527:00	200882	219.4	938.3
2788	LYNCH	43 25 9 N	67 5 7 W	0528:00	200882	217.6	938.4
2789	LYNCH	43 25 9 N	67 5 8 W	0529:00	200882	213.9	938.5
2790	LYNCH	43 25 8 N	67 5 8 W	0530:00	200882	215.8	938.5
2791	LYNCH	43 25 7 N	67 5 9 W	0531:00	200882	213.9	938.6
2792	LYNCH	43 25 6 N	67 5 9 W	0533:00	200882	212.1	938.7
2793	LYNCH	43 25 6 N	67 5 9 W	0534:00	200882	217.6	938.8
2794	LYNCH	43 25 5 N	67 6 0 W	0535:00	200882	223.1	938.8
2795	LYNCH	43 25 5 N	67 6 0 W	0536:00	200882	223.1	938.9
2796	LYNCH	43 25 4 N	67 6 1 W	0537:00	200882	223.1	939.0
2797	LYNCH	43 25 4 N	67 6 1 W	0538:00	200882	221.2	939.1
2798	LYNCH	43 25 3 N	67 6 1 W	0540:00	200882		
2799	LYNCH	43 25 3 N	67 6 1 W	0540:00	200882		

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2800	LYNCH	43 25.2 N	67 6.2 W	0541:00	200882	221.2	939.2
2801	LYNCH	43 25.2 N	67 6.2 W	0542:00	200882	224.9	939.2
2802	LYNCH	43 25.1 N	67 6.2 W	0543:00	200882	223.1	939.3
2803	LYNCH	43 25.1 N	67 6.3 W	0544:00	200882	221.2	939.4
2804	LYNCH	43 25.0 N	67 6.3 W	0545:00	200882	224.9	939.4
2805	LYNCH	43 24.9 N	67 6.3 W	0546:00	200882	219.4	939.5
2806	LYNCH	43 24.8 N	67 6.4 W	0548:00	200882	215.8	939.6
2807	LYNCH	43 24.7 N	67 6.5 W	0550:00	200882	215.8	939.7
2808	LYNCH	43 24.7 N	67 6.5 W	0551:00	200882	210.3	939.8
2809	LYNCH	43 24.6 N	67 6.5 W	0552:00	200882	208.4	939.8
2810	LYNCH	43 24.5 N	67 6.6 W	0555:00	200882	212.1	940.0
2811	LYNCH	43 24.4 N	67 6.7 W	0556:00	200882	212.1	940.1
2812	LYNCH	43 24.4 N	67 6.7 W	0557:00	200882	215.8	940.1
2813	LYNCH	43 24.2 N	67 6.8 W	0600:00	200882	215.8	940.3
2814	LYNCH	43 24.2 N	67 6.9 W	0601:00	200882	217.6	940.3
2815	LYNCH	43 24.2 N	67 7.0 W	0602:00	200882	215.8	940.4
2816	LYNCH	43 24.2 N	67 7.0 W	0603:00	200882	213.9	940.5
2817	LYNCH	43 24.2 N	67 7.2 W	0605:00	200882	213.9	940.6
2818	LYNCH	43 24.2 N	67 7.3 W	0606:00	200882	217.6	940.6
2819	LYNCH	43 24.2 N	67 7.4 W	0608:00	200882	217.6	940.8
2820	LYNCH	43 24.3 N	67 7.8 W	0612:00	200882	217.6	941.0
2821	LYNCH	43 24.5 N	67 8.1 W	0615:00	200882	215.8	941.3
2822	LYNCH	43 24.6 N	67 8.3 W	0617:00	200882	219.4	941.5
2823	LYNCH	43 24.7 N	67 8.3 W	0618:00	200882	219.4	941.6
2824	LYNCH	43 24.8 N	67 8.5 W	0620:00	200882	217.6	941.7
2825	LYNCH	43 24.8 N	67 8.6 W	0621:00	200882	217.6	941.8
2826	LYNCH	43 24.9 N	67 8.7 W	0623:00	200882	221.2	942.0
2827	LYNCH	43 25.0 N	67 8.8 W	0624:00	200882	223.1	942.0
2828	LYNCH	43 25.0 N	67 8.9 W	0625:00	200882	224.9	942.1
2829	LYNCH	43 25.1 N	67 9.1 W	0627:00	200882	221.2	942.3
2830	LYNCH	43 25.2 N	67 9.1 W	0628:00	200882	219.4	942.4
2831	LYNCH	43 25.2 N	67 9.2 W	0629:00	200882	212.1	942.4
2832	LYNCH	43 25.3 N	67 9.3 W	0630:00	200882	212.1	942.5
2833	LYNCH	43 25.3 N	67 9.4 W	0631:00	200882	204.8	942.6
2834	LYNCH	43 25.4 N	67 9.5 W	0632:00	200882	203.0	942.7
2835	LYNCH	43 25.4 N	67 9.5 W	0633:00	200882	204.8	942.7
2836	LYNCH	43 25.5 N	67 9.7 W	0635:00	200882	208.4	942.9
2837	LYNCH	43 25.6 N	67 9.8 W	0636:00	200882	206.6	943.0
2838	LYNCH	43 25.6 N	67 9.9 W	0637:00	200882	199.3	943.0
2839	LYNCH	43 25.7 N	67 9.9 W	0638:00	200882	201.1	943.1
2840	LYNCH	43 25.8 N	67 10.1 W	0640:00	200882	197.5	943.3
2841	LYNCH	43 25.8 N	67 10.2 W	0641:00	200882	197.5	943.3
2842	LYNCH	43 25.9 N	67 10.3 W	0642:00	200882	199.3	943.4
2843	LYNCH	43 25.9 N	67 10.3 W	0643:00	200882	201.1	943.5
2844	LYNCH	43 26.0 N	67 10.4 W	0644:00	200882	199.3	943.6
2845	LYNCH	43 26.0 N	67 10.5 W	0645:00	200882	199.3	943.6
2846	LYNCH	43 26.1 N	67 10.7 W	0647:00	200882	195.6	943.8
2847	LYNCH	43 26.1 N	67 10.7 W	0648:00	200882	190.2	943.9
2848	LYNCH	43 26.2 N	67 10.8 W	0649:00	200882	190.2	943.9
2849	LYNCH	43 26.2 N	67 10.9 W	0650:00	200882	186.5	944.0
2850	LYNCH	43 26.3 N	67 11.0 W	0651:00	200882	184.7	944.1
2851	LYNCH	43 26.3 N	67 11.1 W	0652:00	200882	186.5	944.1
2852	LYNCH	43 26.4 N	67 11.1 W	0653:00	200882	192.0	944.2
2853	LYNCH	43 26.5 N	67 11.3 W	0655:00	200882	201.1	944.4
2854	LYNCH	43 26.6 N	67 11.5 W	0657:00	200882	208.4	944.5
2855	LYNCH	43 26.6 N	67 11.5 W	0658:00	200882	212.1	944.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2856	LYNCH	43 26 7 N	67 11 7 W	0700:00	200882	210.3	944.7
2857	LYNCH	43 26 8 N	67 11 9 W	0703:00	200882	204.8	944.9
2858	LYNCH	43 26 9 N	67 12 0 W	0705:00	200882	204.8	945.1
2859	LYNCH	43 27 1 N	67 12 4 W	0710:00	200882	206.6	945.4
2860	LYNCH	43 27 3 N	67 12 6 W	0713:00	200882	203.0	945.6
2861	LYNCH	43 27 4 N	67 12 7 W	0715:00	200882	204.8	945.7
2862	LYNCH	43 27 5 N	67 13 0 W	0718:00	200882	204.8	945.9
2863	LYNCH	43 27 6 N	67 13 1 W	0720:00	200882	203.0	946.1
2864	LYNCH	43 27 8 N	67 13 4 W	0725:00	200882	203.0	946.4
2865	LYNCH	43 27 9 N	67 13 6 W	0727:00	200882	204.8	946.5
2866	LYNCH	43 28 0 N	67 13 8 W	0730:00	200882	206.6	946.7
2867	LYNCH	43 28 1 N	67 14 0 W	0733:00	200882	206.6	946.9
2868	LYNCH	43 28 2 N	67 14 2 W	0735:00	200882	204.8	947.1
2869	LYNCH	43 28 2 N	67 14 2 W	0736:00	200882	203.0	947.1
2870	LYNCH	43 28 3 N	67 14 5 W	0740:00	200882	204.8	947.4
2871	LYNCH	43 28 7 N	67 15 3 W	0750:00	200882	204.8	948.0
2872	LYNCH	43 28 8 N	67 15 6 W	0755:00	200882	203.0	948.3
2873	LYNCH	43 28 9 N	67 15 8 W	0757:00	200882	203.0	948.4
2874	LYNCH	43 28 9 N	67 15 9 W	0758:00	200882	204.8	948.5
2875	LYNCH	43 29 0 N	67 15 9 W	0759:00	200882	206.6	948.6
2876	LYNCH	43 29 0 N	67 16 0 W	0800:00	200882	206.6	948.6
2877	LYNCH	43 29 6 N	67 17 1 W	0815:00	200882	210.3	949.7
2878	LYNCH	43 30 0 N	67 17 9 W	0825:00	200882	210.3	950.3
2879	LYNCH	43 30 2 N	67 18 3 W	0830:00	200882	212.1	950.7
2880	LYNCH	43 30 4 N	67 18 7 W	0835:00	200882	210.3	951.0
2881	LYNCH	43 30 5 N	67 19 1 W	0840:00	200882	210.3	951.4
2882	LYNCH	43 30 7 N	67 19 5 W	0845:00	200882	212.1	951.7
2883	LYNCH	43 30 8 N	67 19 8 W	0850:00	200882	215.8	952.0
2884	LYNCH	43 30 9 N	67 20 0 W	0853:00	200882	215.8	952.1
2885	LYNCH	43 31 0 N	67 20 2 W	0855:00	200882	219.4	952.2
2886	LYNCH	43 31 1 N	67 20 5 W	0900:00	200882	219.4	952.5
2887	LYNCH	43 31 2 N	67 20 8 W	0905:00	200882	217.6	952.6
2888	LYNCH	43 31 3 N	67 21 2 W	0910:00	200882	215.8	953.1
2889	LYNCH	43 31 5 N	67 21 5 W	0915:00	200882	213.9	953.4
2890	LYNCH	43 31 6 N	67 21 9 W	0920:00	200882	213.9	953.6
2891	LYNCH	43 31 7 N	67 22 2 W	0925:00	200882	215.8	953.9
2892	LYNCH	43 31 8 N	67 22 6 W	0930:00	200882	219.4	954.2
2893	LYNCH	43 32 1 N	67 23 3 W	0940:00	200882	217.6	954.8
2894	LYNCH	43 32 3 N	67 24 1 W	0950:00	200882	213.9	955.4
2895	LYNCH	43 32 6 N	67 24 8 W	1000:00	200882	210.3	956.0
2896	LYNCH	43 33 6 N	67 26 9 W	1030:00	200882	210.3	957.8
2897	LYNCH	43 34 1 N	67 27 9 W	1045:00	200882	212.1	958.7
2898	LYNCH	43 35 4 N	67 29 1 W	1111:00	200882	212.1	960.3
2899	LYNCH	43 35 7 N	67 29 2 W	1115:00	200882	213.9	960.6
2900	LYNCH	43 37 1 N	67 28 9 W	1130:00	200882	213.9	962.0
2901	LYNCH	43 39 6 N	67 28 4 W	1200:00	200882	213.9	964.5
2902	LYNCH	43 40 0 N	67 27 7 W	1210:00	200882	213.9	965.1
2903	LYNCH	43 39 7 N	67 27 4 W	1215:00	200882	212.1	965.4
2904	LYNCH	43 39 5 N	67 27 1 W	1220:00	200882	210.3	965.8
2905	LYNCH	43 39 0 N	67 26 5 W	1230:00	200882	210.3	966.4
2906	LYNCH	43 38 6 N	67 26 3 W	1240:00	200882	210.3	966.9
2907	LYNCH	43 38 1 N	67 26 0 W	1250:00	200882	208.4	967.4
2908	LYNCH	43 37 7 N	67 25 8 W	1300:00	200882	210.3	967.8
2909	LYNCH	43 37 3 N	67 26 2 W	1315:00	200882	210.3	968.3
2910	LYNCH	43 37 0 N	67 26 7 W	1330:00	200882	212.1	968.8
2911	LYNCH	43 36 2 N	67 27 9 W	1400:00	200882	212.1	970.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2912	LYNCH	43 35.8 N	67 28.6 W	1415:00	200882	213.9	970.6
2913	LYNCH	43 35.3 N	67 29.2 W	1430:00	200882	215.8	971.3
2914	LYNCH	43 34.3 N	67 30.5 W	1500:00	200882	217.6	972.6
2915	LYNCH	43 34.0 N	67 31.0 W	1510:00	200882	219.4	973.1
2916	LYNCH	43 33.3 N	67 32.0 W	1530:00	200882	219.4	974.1
2917	LYNCH	43 32.2 N	67 33.5 W	1600:00	200882	219.4	975.7
2918	LYNCH	43 30.8 N	67 35.6 W	1630:00	200882	219.4	977.7
2919	LYNCH	43 29.4 N	67 37.6 W	1700:00	200882	219.4	979.7
2920	LYNCH	43 27.8 N	67 39.1 W	1730:00	200882	219.4	981.7
2921	LYNCH	43 27.5 N	67 39.4 W	1735:00	200882	219.4	982.1
2922	LYNCH	43 26.8 N	67 39.9 W	1745:00	200882	221.2	982.8
2923	LYNCH	43 26.5 N	67 40.2 W	1750:00	200882	223.1	983.2
2924	LYNCH	43 26.1 N	67 40.4 W	1755:00	200882	223.1	983.6
2925	LYNCH	43 25.9 N	67 40.6 W	1758:00	200882	224.9	983.8
2926	LYNCH	43 25.9 N	67 40.6 W	1759:00	200882	226.7	983.9
2927	LYNCH	43 25.8 N	67 40.7 W	1800:00	200882	228.6	984.0
2928	LYNCH	43 25.5 N	67 41.0 W	1805:00	200882	232.2	984.3
2929	LYNCH	43 25.2 N	67 41.2 W	1810:00	200882	234.0	984.7
2930	LYNCH	43 24.9 N	67 41.5 W	1815:00	200882	235.9	985.0
2931	LYNCH	43 24.6 N	67 41.7 W	1820:00	200882	239.5	985.4
2932	LYNCH	43 24.3 N	67 42.0 W	1825:00	200882	241.4	985.7
2933	LYNCH	43 24.0 N	67 42.2 W	1830:00	200882	243.2	986.1
2934	LYNCH	43 23.1 N	67 42.9 W	1845:00	200882	246.8	987.2
2935	LYNCH	43 22.7 N	67 43.1 W	1850:00	200882	248.7	987.5
2936	LYNCH	43 22.4 N	67 43.3 W	1855:00	200882	250.5	987.9
2937	LYNCH	43 22.1 N	67 43.5 W	1900:00	200882	256.0	988.2
2938	LYNCH	43 21.3 N	67 44.4 W	1915:00	200882	265.1	989.3
2939	LYNCH	43 21.0 N	67 44.6 W	1920:00	200882	265.1	989.6
2940	LYNCH	43 20.7 N	67 44.9 W	1925:00	200882	261.5	990.0
2941	LYNCH	43 20.4 N	67 45.2 W	1930:00	200882	259.6	990.3
2942	LYNCH	43 20.2 N	67 45.6 W	1935:00	200882	257.8	990.7
2943	LYNCH	43 19.9 N	67 45.9 W	1940:00	200882	254.2	991.0
2944	LYNCH	43 19.7 N	67 46.3 W	1945:00	200882	248.7	991.4
2945	LYNCH	43 19.5 N	67 46.6 W	1950:00	200882	245.0	991.7
2946	LYNCH	43 19.2 N	67 47.0 W	1955:00	200882	241.4	992.0
2947	LYNCH	43 19.0 N	67 47.3 W	2000:00	200882	239.5	992.4
2948	LYNCH	43 18.4 N	67 48.3 W	2015:00	200882	235.9	993.3
2949	LYNCH	43 18.6 N	67 48.5 W	2020:00	200882	226.7	993.6
2950	LYNCH	43 18.6 N	67 48.5 W	2021:00	200882	223.1	993.6
2951	LYNCH	43 18.6 N	67 48.5 W	2022:00	200882	223.1	993.6
2952	LYNCH	43 18.7 N	67 48.6 W	2023:00	200882	219.4	993.7
2953	LYNCH	43 18.7 N	67 48.6 W	2024:00	200882	217.6	993.7
2954	LYNCH	43 18.8 N	67 48.7 W	2025:00	200882	219.4	993.8
2955	LYNCH	43 18.8 N	67 48.7 W	2026:00	200882	219.4	993.8
2956	LYNCH	43 18.8 N	67 48.7 W	2027:00	200882	221.2	993.9
2957	LYNCH	43 18.9 N	67 48.8 W	2028:00	200882	223.1	993.9
2958	LYNCH	43 18.9 N	67 48.8 W	2030:00	200882	223.1	994.0
2959	LYNCH	43 19.0 N	67 48.9 W	2032:00	200882	224.9	994.1
2960	LYNCH	43 19.1 N	67 48.8 W	2033:00	200882	226.7	994.2
2961	LYNCH	43 19.1 N	67 48.7 W	2034:00	200882	223.1	994.3
2962	LYNCH	43 19.2 N	67 48.6 W	2035:00	200882	223.1	994.4
2963	LYNCH	43 19.3 N	67 48.5 W	2036:00	200882	219.4	994.5
2964	LYNCH	43 19.3 N	67 48.4 W	2037:00	200882	219.4	994.6
2965	LYNCH	43 19.4 N	67 48.3 W	2038:00	200882	221.2	994.7
2966	LYNCH	43 19.5 N	67 48.2 W	2039:00	200882	219.4	994.8
2967	LYNCH	43 19.5 N	67 48.1 W	2040:00	200882	224.9	994.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
2968	LYNCH	43 19 6 N	67 48 0 W	2041:00	200882	224.9	995.0
2969	LYNCH	43 19 7 N	67 47 9 W	2042:00	200882	223.1	995.1
2970	LYNCH	43 19 7 N	67 47 8 W	2043:00	200882	221.2	995.2
2971	LYNCH	43 19 8 N	67 47 7 W	2044:00	200882	224.9	995.3
2972	LYNCH	43 19 9 N	67 47 6 W	2045:00	200882	228.6	995.4
2973	LYNCH	43 20 0 N	67 47 5 W	2046:00	200882	219.4	995.5
2974	LYNCH	43 20 0 N	67 47 3 W	2047:00	200882	243.2	995.6
2975	LYNCH	43 20 1 N	67 47 2 W	2048:00	200882	243.2	995.7
2976	LYNCH	43 20 2 N	67 47 1 W	2049:00	200882	252.3	995.8
2977	LYNCH	43 20 2 N	67 47 0 W	2050:00	200882	250.5	995.9
2978	LYNCH	43 20 5 N	67 46 6 W	2054:00	200882	252.3	996.3
2979	LYNCH	43 20 6 N	67 46 5 W	2055:00	200882	257.8	996.4
2980	LYNCH	43 20 6 N	67 46 4 W	2056:00	200882	257.8	996.5
2981	LYNCH	43 20 7 N	67 46 3 W	2057:00	200882	256.0	996.6
2982	LYNCH	43 20 8 N	67 46 2 W	2058:00	200882	256.0	996.7
2983	LYNCH	43 20 9 N	67 46 0 W	2100:00	200882	259.6	996.9
2984	LYNCH	43 21 0 N	67 45 8 W	2102:00	200882	261.5	997.1
2985	LYNCH	43 21 1 N	67 45 7 W	2103:00	200882	259.6	997.2
2986	LYNCH	43 21 3 N	67 45 5 W	2105:00	200882	259.6	997.4
2987	LYNCH	43 21 4 N	67 45 2 W	2107:00	200882	257.8	997.7
2988	LYNCH	43 21 5 N	67 45 1 W	2108:00	200882	259.6	997.8
2989	LYNCH	43 21 6 N	67 44 9 W	2110:00	200882	261.5	998.0
2990	LYNCH	43 21 7 N	67 44 7 W	2112:00	200882	263.3	998.2
2991	LYNCH	43 21 8 N	67 44 6 W	2113:00	200882	263.3	998.3
2992	LYNCH	43 22 0 N	67 44 4 W	2115:00	200882	261.5	998.5
2993	LYNCH	43 22 1 N	67 44 1 W	2117:00	200882	259.6	998.7
2994	LYNCH	43 22 2 N	67 44 0 W	2118:00	200882	257.8	998.8
2995	LYNCH	43 22 3 N	67 43 8 W	2120:00	200882	257.8	999.0
2996	LYNCH	43 22 5 N	67 43 5 W	2123:00	200882	252.3	999.4
2997	LYNCH	43 22 7 N	67 43 3 W	2125:00	200882	248.7	999.6
2998	LYNCH	43 23 0 N	67 42 7 W	2130:00	200882	243.2	1000.1
2999	LYNCH	43 24 2 N	67 41 4 W	2145:00	200882	235.9	1001.6
3000	LYNCH	43 25 3 N	67 40 0 W	2200:00	200882	226.7	1003.1
3001	LYNCH	43 25 6 N	67 39 6 W	2205:00	200882	223.1	1003.5
3002	LYNCH	43 26 3 N	67 38 9 W	2215:00	200882	219.4	1004.4
3003	LYNCH	43 27 2 N	67 37 8 W	2230:00	200882	215.8	1005.6
3004	LYNCH	43 27 4 N	67 38 0 W	2235:00	200882	215.8	1005.8
3005	LYNCH	43 27 3 N	67 38 3 W	2245:00	200882	215.8	1006.1
3006	LYNCH	43 26 9 N	67 38 8 W	2300:00	200882	217.6	1006.6
3007	LYNCH	43 26 6 N	67 39 4 W	2315:00	200882	219.4	1007.1
3008	LYNCH	43 26 3 N	67 39 9 W	2330:00	200882	221.2	1007.6
3009	LYNCH	43 26 0 N	67 40 7 W	2345:00	200882	223.1	1008.2
3010	LYNCH	43 25 9 N	67 40 8 W	2347:00	200882	224.9	1008.3
3011	LYNCH	43 25 9 N	67 41 0 W	2350:00	200882	228.6	1008.5
3012	LYNCH	43 25 6 N	67 41 5 W	0000:00	210882	232.2	1008.9
3013	LYNCH	43 25 2 N	67 42 3 W	0015:00	210882	239.5	1009.7
3014	LYNCH	43 24 8 N	67 43 2 W	0030:00	210882	246.8	1010.4
3015	LYNCH	43 24 7 N	67 43 5 W	0035:00	210882	248.7	1010.7
3016	LYNCH	43 25 0 N	67 43 7 W	0040:00	210882	246.8	1011.0
3017	LYNCH	43 25 3 N	67 43 2 W	0045:00	210882	245.0	1011.5
3018	LYNCH	43 25 4 N	67 43 0 W	0047:00	210882	246.8	1011.7
3019	LYNCH	43 25 5 N	67 42 6 W	0050:00	210882	241.4	1011.9
3020	LYNCH	43 25 8 N	67 42 1 W	0055:00	210882	235.9	1012.4
3021	LYNCH	43 26 0 N	67 41 5 W	0100:00	210882	230.4	1012.9
3022	LYNCH	43 26 2 N	67 41 0 W	0105:00	210882	224.9	1013.3
3023	LYNCH	43 26 4 N	67 40 4 W	0110:00	210882	221.2	1013.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3024	LYNCH	43 26.7 N	67 39.9 W	0115.00	210882	221.2	1014.2
3025	LYNCH	43 27.0 N	67 39.0 W	0123.00	210882	219.4	1015.0
3026	LYNCH	43 27.3 N	67 38.2 W	0130.00	210882	217.6	1015.6
3027	LYNCH	43 27.8 N	67 37.1 W	0140.00	210882	215.8	1016.6
3028	LYNCH	43 28.1 N	67 36.5 W	0145.00	210882	217.6	1017.1
3029	LYNCH	43 28.8 N	67 34.8 W	0200.00	210882	217.6	1018.5
3030	LYNCH	43 29.9 N	67 33.8 W	0230.00	210882	217.6	1019.8
3031	LYNCH	43 29.4 N	67 35.1 W	0245.00	210882	215.8	1020.9
3032	LYNCH	43 29.3 N	67 35.4 W	0250.00	210882	215.8	1021.1
3033	LYNCH	43 29.0 N	67 35.9 W	0300.00	210882	217.6	1021.6
3034	LYNCH	43 28.3 N	67 37.5 W	0330.00	210882	217.6	1022.9
3035	LYNCH	43 28.0 N	67 38.2 W	0345.00	210882	219.4	1023.5
3036	LYNCH	43 27.6 N	67 39.0 W	0400.00	210882	219.4	1024.2
3037	LYNCH	43 27.3 N	67 39.8 W	0415.00	210882	221.2	1024.9
3038	LYNCH	43 26.8 N	67 40.9 W	0430.00	210882	224.9	1025.8
3039	LYNCH	43 26.6 N	67 41.3 W	0435.00	210882	226.7	1026.2
3040	LYNCH	43 26.5 N	67 41.7 W	0440.00	210882	230.4	1026.5
3041	LYNCH	43 26.3 N	67 42.1 W	0445.00	210882	235.9	1026.8
3042	LYNCH	43 26.1 N	67 42.5 W	0450.00	210882	239.5	1027.2
3043	LYNCH	43 26.0 N	67 42.9 W	0455.00	210882	245.0	1027.5
3044	LYNCH	43 25.8 N	67 43.3 W	0500.00	210882	243.2	1027.8
3045	LYNCH	43 25.3 N	67 44.8 W	0515.00	210882	245.0	1029.1
3046	LYNCH	43 25.2 N	67 45.0 W	0517.00	210882	246.8	1029.2
3047	LYNCH	43 25.1 N	67 45.1 W	0518.00	210882	248.7	1029.3
3048	LYNCH	43 25.1 N	67 45.2 W	0519.00	210882	245.0	1029.4
3049	LYNCH	43 24.9 N	67 45.7 W	0524.00	210882	245.0	1029.8
3050	LYNCH	43 24.9 N	67 45.8 W	0525.00	210882	246.8	1029.9
3051	LYNCH	43 24.9 N	67 45.9 W	0526.00	210882	243.2	1030.0
3052	LYNCH	43 24.8 N	67 46.0 W	0527.00	210882	237.7	1030.0
3053	LYNCH	43 24.8 N	67 46.1 W	0528.00	210882	237.7	1030.1
3054	LYNCH	43 24.7 N	67 46.2 W	0529.00	210882	239.5	1030.2
3055	LYNCH	43 24.7 N	67 46.3 W	0530.00	210882	252.3	1030.3
3056	LYNCH	43 24.7 N	67 46.4 W	0531.00	210882	257.8	1030.4
3057	LYNCH	43 24.6 N	67 46.5 W	0532.00	210882	254.2	1030.4
3058	LYNCH	43 24.6 N	67 46.6 W	0533.00	210882	252.3	1030.5
3059	LYNCH	43 24.5 N	67 46.8 W	0535.00	210882	250.5	1030.7
3060	LYNCH	43 24.5 N	67 46.9 W	0536.00	210882	248.7	1030.8
3061	LYNCH	43 24.4 N	67 47.4 W	0540.00	210882	246.8	1031.1
3062	LYNCH	43 24.3 N	67 47.7 W	0542.00	210882	248.7	1031.4
3063	LYNCH	43 24.2 N	67 47.9 W	0543.00	210882	239.5	1031.5
3064	LYNCH	43 24.2 N	67 48.0 W	0544.00	210882	224.9	1031.7
3065	LYNCH	43 24.1 N	67 48.2 W	0545.00	210882	235.9	1031.8
3066	LYNCH	43 24.1 N	67 48.3 W	0546.00	210882	232.2	1031.9
3067	LYNCH	43 24.0 N	67 48.5 W	0547.00	210882	237.7	1032.0
3068	LYNCH	43 24.0 N	67 48.6 W	0548.00	210882	230.4	1032.1
3069	LYNCH	43 23.9 N	67 48.7 W	0549.00	210882	237.7	1032.2
3070	LYNCH	43 23.9 N	67 49.0 W	0550.00	210882	239.5	1032.3
3071	LYNCH	43 23.9 N	67 49.0 W	0551.00	210882	239.5	1032.4
3072	LYNCH	43 23.8 N	67 49.3 W	0553.00	210882	245.0	1032.6
3073	LYNCH	43 23.7 N	67 49.4 W	0554.00	210882	243.2	1032.7
3074	LYNCH	43 23.7 N	67 49.5 W	0555.00	210882	245.0	1032.8
3075	LYNCH	43 23.7 N	67 49.7 W	0556.00	210882	245.0	1032.9
3076	LYNCH	43 23.6 N	67 49.8 W	0557.00	210882	246.8	1033.0
3077	LYNCH	43 23.6 N	67 49.9 W	0558.00	210882	245.0	1033.2
3078	LYNCH	43 23.5 N	67 50.2 W	0600.00	210882	243.2	1033.4
3079	LYNCH	43 23.3 N	67 50.9 W	0605.00	210882	241.4	1033.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3080	LYNCH	43 22 8 N	67 52 3 W	0615 00	210882	241.4	1035.0
3081	LYNCH	43 22 3 N	67 53 6 W	0625 00	210882	241.4	1036.1
3082	LYNCH	43 22 1 N	67 54 3 W	0630 00	210882	239.5	1036.7
3083	LYNCH	43 22 0 N	67 54 5 W	0632 00	210882	241.4	1036.8
3084	LYNCH	43 22 0 N	67 54 6 W	0633 00	210882	243.2	1036.9
3085	LYNCH	43 22 0 N	67 54 6 W	0634 00	210882	241.4	1036.9
3086	LYNCH	43 22 0 N	67 54 7 W	0635 00	210882	243.2	1037.0
3087	LYNCH	43 21 3 N	67 57 0 W	0700 00	210882	243.2	1038.8
3088	LYNCH	43 21 1 N	67 57 5 W	0705 00	210882	241.4	1039.2
3089	LYNCH	43 20 9 N	67 58 0 W	0710 00	210882	243.2	1039.6
3090	LYNCH	43 20 7 N	67 58 5 W	0715 00	210882	239.5	1040.0
3091	LYNCH	43 20 1 N	68 1 1 W	0730 00	210882	234.0	1041.3
3092	LYNCH	43 19 9 N	68 1 7 W	0735 00	210882	232.2	1041.8
3093	LYNCH	43 19 5 N	68 1 9 W	0745 00	210882	226.7	1042.7
3094	LYNCH	43 19 4 N	68 2 3 W	0749 00	210882	226.7	1043.1
3095	LYNCH	43 19 3 N	68 2 4 W	0750 00	210882	228.6	1043.2
3096	LYNCH	43 19 3 N	68 2 6 W	0751 00	210882	226.7	1043.3
3097	LYNCH	43 19 2 N	68 2 7 W	0752 00	210882	223.1	1043.4
3098	LYNCH	43 19 1 N	68 3 1 W	0755 00	210882	223.1	1043.7
3099	LYNCH	43 18 9 N	68 3 8 W	0800 00	210882	219.4	1044.3
3100	LYNCH	43 18 8 N	68 3 9 W	0801 00	210882	219.4	1044.4
3101	LYNCH	43 18 8 N	68 4 1 W	0802 00	210882	221.2	1044.5
3102	LYNCH	43 18 6 N	68 4 5 W	0805 00	210882	217.6	1044.9
3103	LYNCH	43 18 4 N	68 5 2 W	0810 00	210882	212.1	1045.4
3104	LYNCH	43 18 1 N	68 5 9 W	0815 00	210882	210.3	1046.0
3105	LYNCH	43 17 7 N	68 7 1 W	0825 00	210882	203.0	1047.0
3106	LYNCH	43 17 8 N	68 7 6 W	0830 00	210882	201.1	1047.3
3107	LYNCH	43 18 4 N	68 8 6 W	0845 00	210882	197.5	1048.2
3108	LYNCH	43 18 5 N	68 8 9 W	0850 00	210882	195.6	1048.5
3109	LYNCH	43 18 9 N	68 9 6 W	0900 00	210882	195.6	1049.2
3110	LYNCH	43 19 8 N	68 9 7 W	0915 00	210882	193.8	1050.0
3111	LYNCH	43 20 6 N	68 9 8 W	0930 00	210882	193.8	1050.9
3112	LYNCH	43 20 9 N	68 9 7 W	0935 00	210882	192.0	1051.2
3113	LYNCH	43 21 6 N	68 9 6 W	0945 00	210882	192.0	1051.8
3114	LYNCH	43 22 5 N	68 9 4 W	1000 00	210882	190.2	1052.8
3115	LYNCH	43 22 8 N	68 9 4 W	1005 00	210882	188.3	1053.1
3116	LYNCH	43 23 1 N	68 9 3 W	1010 00	210882	186.5	1053.4
3117	LYNCH	43 23 3 N	68 9 2 W	1013 00	210882	184.7	1053.6
3118	LYNCH	43 23 4 N	68 9 1 W	1015 00	210882	186.5	1053.7
3119	LYNCH	43 23 6 N	68 8 8 W	1020 00	210882	186.5	1054.0
3120	LYNCH	43 23 8 N	68 8 4 W	1025 00	210882	188.3	1054.3
3121	LYNCH	43 24 0 N	68 8 1 W	1030 00	210882	188.3	1054.7
3122	LYNCH	43 24 7 N	68 7 3 W	1045 00	210882	190.2	1055.6
3123	LYNCH	43 24 9 N	68 7 0 W	1050 00	210882	192.0	1055.9
3124	LYNCH	43 25 2 N	68 6 6 W	1055 00	210882	192.0	1056.2
3125	LYNCH	43 25 3 N	68 6 5 W	1057 00	210882	195.6	1056.4
3126	LYNCH	43 25 4 N	68 6 4 W	1059 00	210882	195.6	1056.5
3127	LYNCH	43 25 4 N	68 6 3 W	1100 00	210882	199.3	1056.6
3128	LYNCH	43 25 4 N	68 6 2 W	1101 00	210882	204.8	1056.7
3129	LYNCH	43 25 5 N	68 6 2 W	1102 00	210882	201.1	1056.7
3130	LYNCH	43 25 6 N	68 6 0 W	1105 00	210882	199.3	1056.9
3131	LYNCH	43 25 6 N	68 5 9 W	1106 00	210882	199.3	1056.9
3132	LYNCH	43 25 7 N	68 5 9 W	1107 00	210882	193.8	1057.0
3133	LYNCH	43 25 7 N	68 5 8 W	1108 00	210882	195.6	1057.1
3134	LYNCH	43 25 8 N	68 5 7 W	1110 00	210882	193.8	1057.2
3135	LYNCH	43 25 9 N	68 5 5 W	1113 00	210882	195.6	1057.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3136	LYNCH	43 26 0 N	68 5 4 W	1114.00	210882	197.5	1057.4
3137	LYNCH	43 26 0 N	68 5 4 W	1115.00	210882	197.5	1057.5
3138	LYNCH	43 26 1 N	68 5 2 W	1117.00	210882	195.6	1057.6
3139	LYNCH	43 26 1 N	68 5 2 W	1118.00	210882	195.6	1057.7
3140	LYNCH	43 26 2 N	68 5 0 W	1120.00	210882	197.5	1057.8
3141	LYNCH	43 26 3 N	68 4 9 W	1122.00	210882	197.5	1057.9
3142	LYNCH	43 26 3 N	68 4 8 W	1123.00	210882	195.6	1058.0
3143	LYNCH	43 26 4 N	68 4 7 W	1125.00	210882	197.5	1058.1
3144	LYNCH	43 26 5 N	68 4 5 W	1128.00	210882	192.0	1058.3
3145	LYNCH	43 26 6 N	68 4 4 W	1130.00	210882	193.8	1058.4
3146	LYNCH	43 26 6 N	68 4 3 W	1131.00	210882	195.6	1058.5
3147	LYNCH	43 26 9 N	68 4 1 W	1136.00	210882	195.6	1058.8
3148	LYNCH	43 27 0 N	68 4 0 W	1138.00	210882	193.8	1058.9
3149	LYNCH	43 27 1 N	68 3 9 W	1140.00	210882	193.8	1059.0
3150	LYNCH	43 27 1 N	68 3 8 W	1141.00	210882	195.6	1059.1
3151	LYNCH	43 27 2 N	68 3 8 W	1142.00	210882	195.6	1059.1
3152	LYNCH	43 27 3 N	68 3 7 W	1144.00	210882	192.0	1059.3
3153	LYNCH	43 27 3 N	68 3 6 W	1145.00	210882	192.0	1059.3
3154	LYNCH	43 27 3 N	68 3 5 W	1146.00	210882	193.8	1059.4
3155	LYNCH	43 27 4 N	68 3 5 W	1147.00	210882	193.8	1059.4
3156	LYNCH	43 27 4 N	68 3 4 W	1148.00	210882	192.0	1059.5
3157	LYNCH	43 27 5 N	68 3 4 W	1149.00	210882	193.8	1059.6
3158	LYNCH	43 27 5 N	68 3 3 W	1150.00	210882	195.6	1059.6
3159	LYNCH	43 27 6 N	68 3 3 W	1151.00	210882	199.3	1059.7
3160	LYNCH	43 27 6 N	68 3 2 W	1152.00	210882	195.6	1059.7
3161	LYNCH	43 27 7 N	68 3 2 W	1153.00	210882	199.3	1059.8
3162	LYNCH	43 27 7 N	68 3 1 W	1154.00	210882	201.1	1059.9
3163	LYNCH	43 28 0 N	68 2 8 W	1200.00	210882	201.1	1060.2
3164	LYNCH	43 28 4 N	68 2 3 W	1207.00	210882	201.1	1060.7
3165	LYNCH	43 28 4 N	68 2 3 W	1208.00	210882	204.8	1060.8
3166	LYNCH	43 28 6 N	68 2 0 W	1212.00	210882	204.8	1061.1
3167	LYNCH	43 28 7 N	68 1 9 W	1213.00	210882	208.4	1061.2
3168	LYNCH	43 28 7 N	68 1 9 W	1214.00	210882	208.4	1061.2
3169	LYNCH	43 28 8 N	68 1 8 W	1215.00	210882	210.3	1061.3
3170	LYNCH	43 29 0 N	68 1 6 W	1218.00	210882	210.3	1061.5
3171	LYNCH	43 29 1 N	68 1 5 W	1220.00	210882	212.1	1061.7
3172	LYNCH	43 29 2 N	68 1 3 W	1222.00	210882	210.3	1061.8
3173	LYNCH	43 29 3 N	68 1 2 W	1224.00	210882	208.4	1062.0
3174	LYNCH	43 29 3 N	68 1 1 W	1225.00	210882	213.9	1062.0
3175	LYNCH	43 29 4 N	68 1 0 W	1227.00	210882	213.9	1062.2
3176	LYNCH	43 29 5 N	68 9 W	1228.00	210882	210.3	1062.2
3177	LYNCH	43 29 5 N	68 9 W	1229.00	210882	208.4	1062.3
3178	LYNCH	43 29 6 N	68 8 W	1230.00	210882	210.3	1062.4
3179	LYNCH	43 29 7 N	68 7 W	1231.00	210882	212.1	1062.5
3180	LYNCH	43 29 9 N	68 5 W	1235.00	210882	215.8	1062.7
3181	LYNCH	43 29 9 N	68 5 W	1236.00	210882	213.9	1062.8
3182	LYNCH	43 30 1 N	68 3 W	1239.00	210882	213.9	1063.0
3183	LYNCH	43 30 2 N	68 2 W	1240.00	210882	212.1	1063.1
3184	LYNCH	43 30 2 N	68 2 W	1241.00	210882	213.9	1063.2
3185	LYNCH	43 30 6 N	67 59 8 W	1247.00	210882	213.9	1063.6
3186	LYNCH	43 30 6 N	67 59 8 W	1248.00	210882	212.1	1063.6
3187	LYNCH	43 30 7 N	67 59 7 W	1250.00	210882	215.8	1063.8
3188	LYNCH	43 30 8 N	67 59 6 W	1251.00	210882	215.8	1063.9
3189	LYNCH	43 30 9 N	67 59 5 W	1253.00	210882	217.6	1064.0
3190	LYNCH	43 31 0 N	67 59 4 W	1255.00	210882	217.6	1064.1
3191	LYNCH	43 31 3 N	67 59 1 W	1300.00	210882	215.8	1064.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3192	LYNCH	43 31 6 N	67 58 8 W	1305 00	210882	215.8	1064.9
3193	LYNCH	43 31 8 N	67 58 6 W	1308 00	210882	217.6	1065.1
3194	LYNCH	43 31 8 N	67 58 5 W	1309 00	210882	217.6	1065.2
3195	LYNCH	43 31 9 N	67 58 4 W	1310 00	210882	215.8	1065.3
3196	LYNCH	43 32 0 N	67 58 4 W	1311 00	210882	215.8	1065.3
3197	LYNCH	43 32 1 N	67 58 2 W	1313 00	210882	219.4	1065.5
3198	LYNCH	43 32 2 N	67 58 1 W	1315 00	210882	217.6	1065.6
3199	LYNCH	43 32 3 N	67 58 0 W	1316 00	210882	219.4	1065.7
3200	LYNCH	43 32 5 N	67 57 8 W	1320 00	210882	221.2	1066.0
3201	LYNCH	43 32 6 N	67 57 7 W	1321 00	210882	223.1	1066.1
3202	LYNCH	43 32 6 N	67 57 6 W	1322 00	210882	223.1	1066.2
3203	LYNCH	43 32 8 N	67 57 4 W	1325 00	210882	221.2	1066.4
3204	LYNCH	43 33 0 N	67 57 2 W	1328 00	210882	223.1	1066.6
3205	LYNCH	43 33 1 N	67 57 1 W	1330 00	210882	226.7	1066.8
3206	LYNCH	43 33 2 N	67 57 0 W	1331 00	210882	224.9	1066.9
3207	LYNCH	43 33 7 N	67 56 5 W	1338 00	210882	224.9	1067.5
3208	LYNCH	43 33 8 N	67 56 4 W	1340 00	210882	223.1	1067.7
3209	LYNCH	43 33 9 N	67 56 3 W	1341 00	210882	223.1	1067.8
3210	LYNCH	43 33 9 N	67 56 3 W	1342 00	210882	223.1	1067.8
3211	LYNCH	43 34 0 N	67 56 2 W	1343 00	210882	221.2	1067.9
3212	LYNCH	43 34 1 N	67 56 1 W	1344 00	210882	219.4	1068.0
3213	LYNCH	43 34 2 N	67 56 1 W	1345 00	210882	221.2	1068.1
3214	LYNCH	43 34 2 N	67 56 0 W	1346 00	210882	219.4	1068.2
3215	LYNCH	43 34 3 N	67 55 9 W	1347 00	210882	219.4	1068.3
3216	LYNCH	43 34 4 N	67 55 8 W	1348 00	210882	221.2	1068.4
3217	LYNCH	43 34 5 N	67 55 7 W	1350 00	210882	219.4	1068.5
3218	LYNCH	43 34 6 N	67 55 6 W	1352 00	210882	217.6	1068.7
3219	LYNCH	43 34 9 N	67 55 4 W	1355 00	210882	219.4	1069.0
3220	LYNCH	43 35 2 N	67 55 0 W	1400 00	210882	223.1	1069.4
3221	LYNCH	43 35 5 N	67 54 6 W	1405 00	210882	224.9	1069.8
3222	LYNCH	43 36 1 N	67 53 8 W	1415 00	210882	232.2	1070.6
3223	LYNCH	43 36 4 N	67 53 9 W	1420 00	210882	234.0	1071.0
3224	LYNCH	43 36 6 N	67 54 1 W	1425 00	210882	232.2	1071.2
3225	LYNCH	43 36 7 N	67 54 5 W	1430 00	210882	228.6	1071.6
3226	LYNCH	43 36 8 N	67 55 0 W	1435 00	210882	224.9	1071.9
3227	LYNCH	43 36 8 N	67 55 1 W	1436 00	210882	223.1	1072.0
3228	LYNCH	43 36 9 N	67 55 1 W	1437 00	210882	223.1	1072.0
3229	LYNCH	43 36 9 N	67 55 2 W	1438 00	210882	223.1	1072.1
3230	LYNCH	43 36 9 N	67 55 4 W	1440 00	210882	224.9	1072.2
3231	LYNCH	43 37 0 N	67 55 7 W	1443 00	210882	224.9	1072.4
3232	LYNCH	43 37 0 N	67 55 8 W	1444 00	210882	223.1	1072.5
3233	LYNCH	43 37 0 N	67 55 9 W	1445 00	210882	221.2	1072.6
3234	LYNCH	43 37 1 N	67 56 2 W	1449 00	210882	221.2	1072.8
3235	LYNCH	43 37 1 N	67 56 3 W	1450 00	210882	223.1	1072.9
3236	LYNCH	43 37 1 N	67 56 4 W	1451 00	210882	221.2	1073.0
3237	LYNCH	43 37 2 N	67 56 4 W	1452 00	210882	221.2	1073.0
3238	LYNCH	43 37 2 N	67 56 4 W	1453 00	210882	219.4	1073.1
3239	LYNCH	43 37 3 N	67 56 4 W	1454 00	210882	219.4	1073.2
3240	LYNCH	43 37 3 N	67 56 4 W	1455 00	210882	217.6	1073.2
3241	LYNCH	43 37 5 N	67 56 4 W	1457 00	210882	215.8	1073.3
3242	LYNCH	43 37 5 N	67 56 5 W	1458 00	210882	215.8	1073.4
3243	LYNCH	43 37 7 N	67 56 9 W	1500 00	210882	217.6	1073.5
3244	LYNCH	43 38 0 N	67 56 4 W	1505 00	210882	219.4	1073.8
3245	LYNCH	43 38 1 N	67 56 1 W	1508 00	210882	221.2	1074.1
3246	LYNCH	43 38 2 N	67 56 0 W	1509 00	210882	223.1	1074.2
3247	LYNCH	43 38 2 N	67 56 0 W	1510 00	210882	223.1	1074.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3248	LYNCH	43 38.4 N	67 55.7 W	1513.00	210882	224.9	1074.5
3249	LYNCH	43 38.4 N	67 55.6 W	1514.00	210882	226.7	1074.6
3250	LYNCH	43 38.5 N	67 55.5 W	1515.00	210882	223.1	1074.7
3251	LYNCH	43 38.6 N	67 55.3 W	1517.00	210882	224.9	1074.9
3252	LYNCH	43 38.7 N	67 55.0 W	1520.00	210882	226.7	1075.1
3253	LYNCH	43 38.7 N	67 54.9 W	1521.00	210882	228.6	1075.2
3254	LYNCH	43 38.9 N	67 54.5 W	1525.00	210882	228.6	1075.5
3255	LYNCH	43 39.0 N	67 54.3 W	1527.00	210882	226.7	1075.7
3256	LYNCH	43 39.0 N	67 54.2 W	1528.00	210882	228.6	1075.8
3257	LYNCH	43 39.1 N	67 54.0 W	1530.00	210882	228.6	1075.9
3258	LYNCH	43 39.3 N	67 53.5 W	1535.00	210882	232.2	1076.3
3259	LYNCH	43 39.5 N	67 53.0 W	1540.00	210882	232.2	1076.8
3260	LYNCH	43 39.6 N	67 52.7 W	1543.00	210882	232.2	1077.0
3261	LYNCH	43 39.7 N	67 52.6 W	1544.00	210882	234.0	1077.1
3262	LYNCH	43 39.7 N	67 52.5 W	1545.00	210882	232.2	1077.2
3263	LYNCH	43 39.8 N	67 52.2 W	1548.00	210882	232.2	1077.4
3264	LYNCH	43 39.9 N	67 52.1 W	1549.00	210882	230.4	1077.5
3265	LYNCH	43 39.9 N	67 52.0 W	1550.00	210882	234.0	1077.6
3266	LYNCH	43 40.1 N	67 51.5 W	1555.00	210882	228.6	1078.0
3267	LYNCH	43 40.3 N	67 51.0 W	1600.00	210882	226.7	1078.4
3268	LYNCH	43 40.3 N	67 50.9 W	1601.00	210882	226.7	1078.5
3269	LYNCH	43 40.4 N	67 50.7 W	1603.00	210882	230.4	1078.7
3270	LYNCH	43 40.5 N	67 50.5 W	1605.00	210882	226.7	1078.8
3271	LYNCH	43 40.6 N	67 50.1 W	1608.00	210882	223.1	1079.1
3272	LYNCH	43 40.7 N	67 50.0 W	1609.00	210882	221.2	1079.2
3273	LYNCH	43 40.7 N	67 49.9 W	1610.00	210882	223.1	1079.3
3274	LYNCH	43 40.9 N	67 49.4 W	1615.00	210882	223.1	1079.7
3275	LYNCH	43 40.8 N	67 49.0 W	1620.00	210882	223.1	1080.0
3276	LYNCH	43 40.6 N	67 48.7 W	1625.00	210882	223.1	1080.3
3277	LYNCH	43 40.6 N	67 48.6 W	1626.00	210882	224.9	1080.4
3278	LYNCH	43 40.4 N	67 48.5 W	1628.00	210882	224.9	1080.5
3279	LYNCH	43 40.3 N	67 48.5 W	1630.00	210882	226.7	1080.7
3280	LYNCH	43 40.1 N	67 48.3 W	1633.00	210882	226.7	1080.9
3281	LYNCH	43 40.0 N	67 48.3 W	1634.00	210882	228.6	1081.0
3282	LYNCH	43 39.9 N	67 48.3 W	1635.00	210882	230.4	1081.1
3283	LYNCH	43 39.7 N	67 48.1 W	1638.00	210882	230.4	1081.3
3284	LYNCH	43 39.6 N	67 48.1 W	1639.00	210882	226.7	1081.4
3285	LYNCH	43 39.6 N	67 48.1 W	1640.00	210882	235.9	1081.5
3286	LYNCH	43 39.5 N	67 48.0 W	1641.00	210882	237.7	1081.5
3287	LYNCH	43 39.3 N	67 48.0 W	1643.00	210882	237.7	1081.7
3288	LYNCH	43 39.3 N	67 47.9 W	1644.00	210882	235.9	1081.8
3289	LYNCH	43 39.2 N	67 47.9 W	1645.00	210882	237.7	1081.9
3290	LYNCH	43 39.1 N	67 47.8 W	1647.00	210882	239.5	1082.0
3291	LYNCH	43 39.0 N	67 47.8 W	1648.00	210882	239.5	1082.1
3292	LYNCH	43 38.8 N	67 47.7 W	1650.00	210882	235.9	1082.2
3293	LYNCH	43 38.7 N	67 47.6 W	1652.00	210882	235.9	1082.4
3294	LYNCH	43 38.6 N	67 47.5 W	1654.00	210882	237.7	1082.5
3295	LYNCH	43 38.6 N	67 47.4 W	1655.00	210882	235.9	1082.6
3296	LYNCH	43 38.5 N	67 47.3 W	1657.00	210882	235.9	1082.7
3297	LYNCH	43 38.3 N	67 47.1 W	1700.00	210882	234.0	1082.9
3298	LYNCH	43 38.0 N	67 46.7 W	1705.00	210882	232.2	1083.4
3299	LYNCH	43 36.7 N	67 45.2 W	1737.00	210882	226.7	1085.1
3300	LYNCH	43 36.6 N	67 44.8 W	1745.00	210882	226.7	1085.3
3301	LYNCH	43 36.9 N	67 44.6 W	1750.00	210882	224.9	1085.7
3302	LYNCH	43 37.8 N	67 44.2 W	1800.00	210882	224.9	1086.6
3303	LYNCH	43 39.0 N	67 43.9 W	1807.00	210882	224.9	1087.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3304	LYNCH	43 39 2 N	67 43 8 W	1808 00	210882	228 6	1088 0
3305	LYNCH	43 39 8 N	67 43 6 W	1812 00	210882	228 6	1088 7
3306	LYNCH	43 40 4 N	67 43 5 W	1815 00	210882	230 4	1089 2
3307	LYNCH	43 40 9 N	67 43 3 W	1818 00	210882	234 0	1089 8
3308	LYNCH	43 41 8 N	67 43 0 W	1830 00	210882	234 0	1090 7
3309	LYNCH	43 42 2 N	67 43 0 W	1840 00	210882	235 9	1091 1
3310	LYNCH	43 42 5 N	67 42 8 W	1900 00	210882	234 0	1091 4
3311	LYNCH	43 42 4 N	67 42 7 W	1905 00	210882	234 0	1091 5
3312	LYNCH	43 42 4 N	67 42 7 W	1908 00	210882	235 9	1091 5
3313	LYNCH	43 42 4 N	67 42 6 W	1909 00	210882	237 7	1091 5
3314	LYNCH	43 42 4 N	67 42 6 W	1910 00	210882	234 0	1091 5
3315	LYNCH	43 42 4 N	67 42 6 W	1912 00	210882	232 2	1091 5
3316	LYNCH	43 42 4 N	67 42 4 W	1930 00	210882	232 2	1091 8
3317	LYNCH	43 42 0 N	67 42 3 W	1945 00	210882	232 2	1092 1
3318	LYNCH	43 42 1 N	67 42 3 W	1957 00	210882	232 2	1092 2
3319	LYNCH	43 42 2 N	67 42 3 W	2000 00	210882	230 4	1092 3
3320	LYNCH	43 43 0 N	67 42 1 W	2005 00	210882	230 4	1093 1
3321	LYNCH	43 43 5 N	67 42 0 W	2008 00	210882	232 2	1093 6
3322	LYNCH	43 43 8 N	67 41 9 W	2010 00	210882	232 2	1094 0
3323	LYNCH	43 44 7 N	67 41 7 W	2015 00	210882	228 6	1094 8
3324	LYNCH	43 45 5 N	67 41 4 W	2020 00	210882	224 9	1095 6
3325	LYNCH	43 47 1 N	67 41 0 W	2030 00	210882	221 2	1097 3
3326	LYNCH	43 48 0 N	67 40 8 W	2035 00	210882	217 6	1098 2
3327	LYNCH	43 48 8 N	67 40 6 W	2040 00	210882	213 9	1099 1
3328	LYNCH	43 49 7 N	67 40 4 W	2045 00	210882	192 0	1099 9
3329	LYNCH	43 51 4 N	67 40 0 W	2055 00	210882	195 6	1101 7
3330	LYNCH	43 51 8 N	67 39 9 W	2057 00	210882	195 6	1102 0
3331	LYNCH	43 52 0 N	67 39 9 W	2058 00	210882	193 8	1102 2
3332	LYNCH	43 52 5 N	67 39 8 W	2101 00	210882	193 8	1102 7
3333	LYNCH	43 52 6 N	67 39 7 W	2102 00	210882	192 0	1102 9
3334	LYNCH	43 53 0 N	67 39 7 W	2104 00	210882	192 0	1103 2
3335	LYNCH	43 53 1 N	67 39 6 W	2105 00	210882	190 2	1103 4
3336	LYNCH	43 53 5 N	67 39 5 W	2107 00	210882	190 2	1103 8
3337	LYNCH	43 53 6 N	67 39 5 W	2108 00	210882	192 0	1103 9
3338	LYNCH	43 53 8 N	67 39 5 W	2109 00	210882	193 8	1104 1
3339	LYNCH	43 54 5 N	67 39 3 W	2113 00	210882	193 8	1104 8
3340	LYNCH	43 54 8 N	67 39 3 W	2115 00	210882	190 2	1105 1
3341	LYNCH	43 55 3 N	67 39 1 W	2118 00	210882	190 2	1105 6
3342	LYNCH	43 55 5 N	67 39 1 W	2119 00	210882	192 0	1105 8
3343	LYNCH	43 55 6 N	67 39 1 W	2120 00	210882	190 2	1105 9
3344	LYNCH	43 55 8 N	67 39 0 W	2121 00	210882	192 0	1106 1
3345	LYNCH	43 56 0 N	67 39 0 W	2122 00	210882	190 2	1106 3
3346	LYNCH	43 56 0 N	67 41 3 W	2023 00	210882	190 2	1116 4
3347	LYNCH	43 56 3 N	67 38 9 W	2124 00	210882	192 0	1126 9
3348	LYNCH	43 56 5 N	67 38 9 W	2125 00	210882	190 2	1127 1
3349	LYNCH	43 56 8 N	67 38 8 W	2127 00	210882	186 5	1127 4
3350	LYNCH	43 57 0 N	67 38 8 W	2128 00	210882	188 3	1127 6
3351	LYNCH	43 57 1 N	67 38 7 W	2129 00	210882	192 0	1127 8
3352	LYNCH	43 57 3 N	67 38 7 W	2130 00	210882	195 6	1127 9
3353	LYNCH	43 57 5 N	67 38 7 W	2131 00	210882	197 5	1128 1
3354	LYNCH	43 57 6 N	67 38 7 W	2132 00	210882	199 3	1128 3
3355	LYNCH	43 57 8 N	67 38 6 W	2133 00	210882	199 3	1128 4
3356	LYNCH	43 57 9 N	67 38 6 W	2134 00	210882	201 1	1128 6
3357	LYNCH	43 58 1 N	67 38 6 W	2135 00	210882	201 1	1128 7
3358	LYNCH	43 58 6 N	67 38 5 W	2138 00	210882	199 3	1129 2
3359	LYNCH	43 58 9 N	67 38 5 W	2140 00	210882	199 3	1129 5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
3360	LYNCH	43 59 2 N	67 38 5 W	2142 00	210882	201 1	1129 9
3361	LYNCH	43 59 4 N	67 38 4 W	2143 00	210882	201 1	1130 0
3362	LYNCH	43 59 7 N	67 38 4 W	2145 00	210882	199 3	1130 3
3363	LYNCH	44 1 N	67 38 3 W	2150 00	210882	199 3	1130 7
3364	LYNCH	44 0 N	67 38 5 W	2200 00	210882	199 3	1130 9
3365	LYNCH	43 59 9 N	67 38 5 W	2205 00	210882	197 5	1131 0
3366	LYNCH	43 59 8 N	67 38 6 W	2215 00	210882	199 3	1131 1
3367	LYNCH	43 59 6 N	67 38 6 W	2227 00	210882	199 3	1131 3
3368	LYNCH	43 59 5 N	67 38 6 W	2230 00	210882	201 1	1131 4
3369	LYNCH	43 59 3 N	67 38 6 W	2300 00	210882	201 1	1131 6
3370	LYNCH	43 59 1 N	67 38 6 W	2325 00	210882	201 1	1131 8
3371	LYNCH	43 59 2 N	67 37 9 W	2330 00	210882	195 6	1132 3
3372	LYNCH	43 59 2 N	67 37 5 W	2332 00	210882	195 6	1132 6
3373	LYNCH	43 59 2 N	67 36 8 W	2335 00	210882	206 6	1133 1
3374	LYNCH	43 59 3 N	67 36 6 W	2336 00	210882	210 3	1133 3
3375	LYNCH	43 59 3 N	67 36 3 W	2337 00	210882	208 4	1133 4
3376	LYNCH	43 59 3 N	67 36 1 W	2338 00	210882	206 6	1133 6
3377	LYNCH	43 59 3 N	67 35 6 W	2340 00	210882	204 8	1133 9
3378	LYNCH	43 59 3 N	67 35 4 W	2341 00	210882	201 1	1134 1
3379	LYNCH	43 59 4 N	67 35 2 W	2342 00	210882	201 1	1134 3
3380	LYNCH	43 59 4 N	67 34 5 W	2345 00	210882	206 6	1134 7
3381	LYNCH	43 59 4 N	67 33 8 W	2348 00	210882	215 8	1135 3
3382	LYNCH	43 59 5 N	67 33 6 W	2349 00	210882	208 4	1135 4
3383	LYNCH	43 59 5 N	67 33 3 W	2350 00	210882	203 0	1135 6
3384	LYNCH	43 59 5 N	67 33 1 W	2351 00	210882	201 1	1135 8
3385	LYNCH	43 59 5 N	67 32 9 W	2352 00	210882	199 3	1135 9
3386	LYNCH	43 59 5 N	67 32 4 W	2354 00	210882	199 3	1136 3
3387	LYNCH	43 59 5 N	67 32 2 W	2355 00	210882	201 1	1136 4
3388	LYNCH	43 59 5 N	67 31 9 W	2356 00	210882	201 1	1136 6
3389	LYNCH	43 59 6 N	67 31 7 W	2357 00	210882	204 8	1136 8
3390	LYNCH	43 59 6 N	67 31 0 W	0000 00	220882	206 6	1137 3
3391	LYNCH	43 59 6 N	67 30 5 W	0002 00	220882	206 6	1137 6
3392	LYNCH	43 59 7 N	67 29 8 W	0005 00	220882	203 0	1138 1
3393	LYNCH	43 59 7 N	67 29 6 W	0006 00	220882	201 1	1138 3
3394	LYNCH	43 59 8 N	67 28 6 W	0010 00	220882	193 8	1139 0
3395	LYNCH	43 59 9 N	67 27 6 W	0014 00	220882	188 3	1139 7
3396	LYNCH	43 59 9 N	67 27 4 W	0015 00	220882	186 5	1139 9
3397	LYNCH	44 0 N	67 27 3 W	0020 00	220882	186 5	1140 0
3398	LYNCH	44 0 N	67 27 3 W	0022 00	220882	184 7	1140 0
3399	LYNCH	44 0 N	67 27 1 W	0030 00	220882	184 7	1140 1
3400	LYNCH	43 59 9 N	67 26 8 W	0045 00	220882	184 7	1140 4
3401	LYNCH	43 59 8 N	67 26 9 W	0100 00	220882	186 5	1140 5
3402	LYNCH	43 59 4 N	67 26 9 W	0103 00	220882	186 5	1140 9
3403	LYNCH	43 59 3 N	67 27 0 W	0104 00	220882	188 3	1141 0
3404	LYNCH	43 59 2 N	67 27 0 W	0105 00	220882	190 2	1141 1
3405	LYNCH	43 59 0 N	67 27 0 W	0106 00	220882	192 0	1141 3
3406	LYNCH	43 58 9 N	67 27 0 W	0107 00	220882	188 3	1141 4
3407	LYNCH	43 58 8 N	67 27 0 W	0108 00	220882	181 0	1141 5
3408	LYNCH	43 58 7 N	67 27 0 W	0109 00	220882	175 5	1141 7
3409	LYNCH	43 58 5 N	67 27 0 W	0110 00	220882	153 6	1141 8
3410	LYNCH	43 58 4 N	67 27 0 W	0111 00	220882	139 0	1141 9
3411	LYNCH	43 58 3 N	67 27 1 W	0112 00	220882	162 7	1142 0
3412	LYNCH	43 58 2 N	67 27 1 W	0113 00	220882	171 9	1142 2
3413	LYNCH	43 58 0 N	67 27 1 W	0114 00	220882	181 0	1142 3
3414	LYNCH	43 57 9 N	67 27 1 W	0115 00	220882	184 7	1142 4
3415	LYNCH	43 57 7 N	67 27 1 W	0116 00	220882	184 7	1142 6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NM) ALONG TRACK
3416	LYNCH	43 57 6 N	67 27 1 W	0117:00	220882	186.5	1142.7
3417	LYNCH	43 57 4 N	67 27 1 W	0118:00	220882	190.2	1142.9
3418	LYNCH	43 57 2 N	67 27 1 W	0119:00	220882	192.0	1143.1
3419	LYNCH	43 57 1 N	67 27 1 W	0120:00	220882	188.3	1143.2
3420	LYNCH	43 56 9 N	67 27 1 W	0121:00	220882	213.9	1143.4
3421	LYNCH	43 56 7 N	67 27 1 W	0122:00	220882	192.0	1143.6
3422	LYNCH	43 56 6 N	67 27 1 W	0123:00	220882	195.6	1143.7
3423	LYNCH	43 56 4 N	67 27 1 W	0124:00	220882	188.3	1143.9
3424	LYNCH	43 56 2 N	67 27 1 W	0125:00	220882	186.5	1144.1
3425	LYNCH	43 56 1 N	67 27 1 W	0126:00	220882	188.3	1144.2
3426	LYNCH	43 55 9 N	67 27 1 W	0127:00	220882	179.2	1144.4
3427	LYNCH	43 55 7 N	67 27 1 W	0128:00	220882	192.0	1144.6
3428	LYNCH	43 55 6 N	67 27 1 W	0129:00	220882	190.2	1144.7
3429	LYNCH	43 55 4 N	67 27 1 W	0130:00	220882	193.8	1144.9
3430	LYNCH	43 55 2 N	67 27 1 W	0131:00	220882	192.0	1145.1
3431	LYNCH	43 55 1 N	67 27 1 W	0132:00	220882	203.0	1145.2
3432	LYNCH	43 54 9 N	67 27 1 W	0133:00	220882	208.4	1145.4
3433	LYNCH	43 54 7 N	67 27 1 W	0134:00	220882	206.6	1145.6
3434	LYNCH	43 54 6 N	67 27 1 W	0135:00	220882	210.3	1145.7
3435	LYNCH	43 54 4 N	67 27 1 W	0136:00	220882	213.9	1145.9
3436	LYNCH	43 54 2 N	67 27 1 W	0137:00	220882	221.2	1146.1
3437	LYNCH	43 54 1 N	67 27 0 W	0138:00	220882	203.0	1146.2
3438	LYNCH	43 53 9 N	67 27 0 W	0139:00	220882	199.3	1146.4
3439	LYNCH	43 53 7 N	67 27 0 W	0140:00	220882	201.1	1146.6
3440	LYNCH	43 53 6 N	67 27 0 W	0141:00	220882	215.8	1146.7
3441	LYNCH	43 53 4 N	67 27 0 W	0142:00	220882	215.8	1146.9
3442	LYNCH	43 53 2 N	67 27 0 W	0143:00	220882	219.4	1147.1
3443	LYNCH	43 53 1 N	67 27 0 W	0144:00	220882	217.6	1147.2
3444	LYNCH	43 52 9 N	67 27 0 W	0145:00	220882	217.6	1147.4
3445	LYNCH	43 52 4 N	67 27 0 W	0148:00	220882	215.8	1147.9
3446	LYNCH	43 52 3 N	67 27 0 W	0149:00	220882	204.8	1148.1
3447	LYNCH	43 52 1 N	67 27 0 W	0150:00	220882	212.1	1148.2
3448	LYNCH	43 51 9 N	67 27 0 W	0200:00	220882	213.9	1148.4
3449	LYNCH	43 51 8 N	67 27 3 W	0225:00	220882	213.9	1148.7
3450	LYNCH	43 51 7 N	67 27 5 W	0227:00	220882	213.9	1148.8
3451	LYNCH	43 51 7 N	67 27 7 W	0228:00	220882	212.1	1148.9
3452	LYNCH	43 51 7 N	67 27 9 W	0230:00	220882	208.4	1149.1
3453	LYNCH	43 51 7 N	67 28 1 W	0231:00	220882	210.3	1149.3
3454	LYNCH	43 51 7 N	67 28 8 W	0234:00	220882	208.4	1149.7
3455	LYNCH	43 51 7 N	67 29 0 W	0235:00	220882	208.4	1149.9
3456	LYNCH	43 51 7 N	67 29 2 W	0236:00	220882	210.3	1150.1
3457	LYNCH	43 51 8 N	67 29 7 W	0238:00	220882	210.3	1150.4
3458	LYNCH	43 51 8 N	67 29 9 W	0239:00	220882	208.4	1150.5
3459	LYNCH	43 51 8 N	67 30 1 W	0240:00	220882	213.9	1150.7
3460	LYNCH	43 51 8 N	67 30 3 W	0241:00	220882	215.8	1150.9
3461	LYNCH	43 51 8 N	67 30 5 W	0242:00	220882	215.8	1151.0
3462	LYNCH	43 51 8 N	67 30 8 W	0243:00	220882	212.1	1151.2
3463	LYNCH	43 51 8 N	67 31 0 W	0244:00	220882	215.8	1151.3
3464	LYNCH	43 51 8 N	67 31 2 W	0245:00	220882	217.6	1151.5
3465	LYNCH	43 51 8 N	67 31 4 W	0246:00	220882	213.9	1151.6
3466	LYNCH	43 51 8 N	67 31 6 W	0247:00	220882	210.3	1151.8
3467	LYNCH	43 51 8 N	67 32 1 W	0249:00	220882	215.8	1152.1
3468	LYNCH	43 51 8 N	67 32 3 W	0250:00	220882	204.8	1152.3
3469	LYNCH	43 51 8 N	67 32 5 W	0251:00	220882	195.6	1152.4
3470	LYNCH	43 51 9 N	67 32 9 W	0253:00	220882	193.8	1152.7
3471	LYNCH	43 51 9 N	67 33 3 W	0255:00	220882	193.8	1153.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3472	LYNCH	43 51.9 N	67 33.5 W	0256.00	220882	203.0	1153.2
3473	LYNCH	43 51.9 N	67 33.8 W	0257.00	220882	208.4	1153.3
3474	LYNCH	43 51.9 N	67 34.0 W	0258.00	220882	210.3	1153.5
3475	LYNCH	43 51.9 N	67 34.4 W	0300.00	220882	213.9	1153.8
3476	LYNCH	43 51.9 N	67 35.1 W	0303.00	220882	217.6	1154.3
3477	LYNCH	43 51.9 N	67 35.3 W	0304.00	220882	219.4	1154.5
3478	LYNCH	43 51.9 N	67 35.5 W	0305.00	220882	217.6	1154.6
3479	LYNCH	43 51.9 N	67 35.8 W	0306.00	220882	217.6	1154.8
3480	LYNCH	43 51.9 N	67 36.0 W	0307.00	220882	215.8	1154.9
3481	LYNCH	43 52.0 N	67 36.7 W	0310.00	220882	210.3	1155.4
3482	LYNCH	43 52.0 N	67 37.8 W	0315.00	220882	204.8	1156.3
3483	LYNCH	43 52.0 N	67 38.1 W	0320.00	220882	203.0	1156.5
3484	LYNCH	43 52.0 N	67 38.4 W	0325.00	220882	203.0	1156.7
3485	LYNCH	43 52.0 N	67 38.3 W	0335.00	220882	203.0	1156.8
3486	LYNCH	43 51.7 N	67 38.7 W	0352.00	220882	204.8	1157.1
3487	LYNCH	43 51.7 N	67 38.9 W	0353.00	220882	203.0	1157.2
3488	LYNCH	43 51.8 N	67 39.3 W	0355.00	220882	201.1	1157.5
3489	LYNCH	43 51.8 N	67 39.5 W	0356.00	220882	201.1	1157.6
3490	LYNCH	43 51.8 N	67 40.0 W	0359.00	220882	197.5	1158.0
3491	LYNCH	43 51.8 N	67 40.2 W	0400.00	220882	197.5	1158.2
3492	LYNCH	43 51.8 N	67 40.7 W	0402.00	220882	195.6	1158.5
3493	LYNCH	43 51.8 N	67 40.9 W	0403.00	220882	197.5	1158.7
3494	LYNCH	43 51.9 N	67 41.1 W	0404.00	220882	197.5	1158.8
3495	LYNCH	43 51.9 N	67 41.4 W	0405.00	220882	195.6	1159.0
3496	LYNCH	43 51.9 N	67 41.6 W	0406.00	220882	197.5	1159.2
3497	LYNCH	43 51.9 N	67 42.3 W	0409.00	220882	199.3	1159.7
3498	LYNCH	43 51.9 N	67 42.5 W	0410.00	220882	199.3	1159.9
3499	LYNCH	43 51.9 N	67 42.8 W	0411.00	220882	199.3	1160.0
3500	LYNCH	43 52.0 N	67 43.0 W	0412.00	220882	195.6	1160.2
3501	LYNCH	43 52.0 N	67 43.2 W	0413.00	220882	193.8	1160.4
3502	LYNCH	43 52.0 N	67 43.5 W	0414.00	220882	197.5	1160.5
3503	LYNCH	43 52.0 N	67 43.7 W	0415.00	220882	204.8	1160.7
3504	LYNCH	43 52.0 N	67 43.9 W	0416.00	220882	219.4	1160.9
3505	LYNCH	43 52.0 N	67 44.2 W	0417.00	220882	224.9	1161.0
3506	LYNCH	43 52.0 N	67 44.4 W	0418.00	220882	235.9	1161.2
3507	LYNCH	43 52.1 N	67 44.7 W	0419.00	220882	232.2	1161.4
3508	LYNCH	43 52.1 N	67 44.9 W	0420.00	220882	226.7	1161.6
3509	LYNCH	43 52.1 N	67 45.1 W	0421.00	220882	223.1	1161.7
3510	LYNCH	43 52.1 N	67 45.4 W	0422.00	220882	213.9	1161.9
3511	LYNCH	43 52.1 N	67 45.6 W	0423.00	220882	208.4	1162.1
3512	LYNCH	43 52.1 N	67 45.9 W	0424.00	220882	199.3	1162.3
3513	LYNCH	43 52.1 N	67 46.1 W	0425.00	220882	193.8	1162.4
3514	LYNCH	43 52.2 N	67 46.3 W	0426.00	220882	193.8	1162.6
3515	LYNCH	43 52.2 N	67 46.6 W	0427.00	220882	204.8	1162.8
3516	LYNCH	43 52.2 N	67 46.8 W	0428.00	220882	215.8	1163.0
3517	LYNCH	43 52.2 N	67 47.1 W	0429.00	220882	213.9	1163.1
3518	LYNCH	43 52.2 N	67 47.3 W	0430.00	220882	206.6	1163.3
3519	LYNCH	43 52.2 N	67 47.4 W	0431.00	220882	203.0	1163.4
3520	LYNCH	43 52.2 N	67 47.5 W	0432.00	220882	203.0	1163.4
3521	LYNCH	43 52.2 N	67 47.6 W	0433.00	220882	206.6	1163.5
3522	LYNCH	43 52.2 N	67 47.7 W	0434.00	220882	201.1	1163.6
3523	LYNCH	43 52.2 N	67 47.8 W	0435.00	220882	199.3	1163.6
3524	LYNCH	43 52.2 N	67 48.0 W	0437.00	220882	199.3	1163.8
3525	LYNCH	43 52.1 N	67 48.7 W	0445.00	220882	197.5	1164.3
3526	LYNCH	43 52.0 N	67 48.7 W	0455.00	220882	199.3	1164.4
3527	LYNCH	43 52.0 N	67 48.7 W	0457.00	220882	201.1	1164.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3528	LYNCH	43 52 0 N	67 48 7 W	0458 00	220882	203.0	1164.4
3529	LYNCH	43 52 0 N	67 48 7 W	0459 00	220882	204.8	1164.4
3530	LYNCH	43 52 0 N	67 48 7 W	0500 00	220882	204.8	1164.4
3531	LYNCH	43 52 0 N	67 48 7 W	0505 00	220882	206.6	1164.5
3532	LYNCH	43 51 9 N	67 48 6 W	0510 00	220882	208.4	1164.5
3533	LYNCH	43 51 9 N	67 48 6 W	0511 00	220882	206.6	1164.5
3534	LYNCH	43 51 9 N	67 48 6 W	0512 00	220882	203.0	1164.5
3535	LYNCH	43 51 9 N	67 48 6 W	0513 00	220882	199.3	1164.5
3536	LYNCH	43 51 9 N	67 48 6 W	0514 00	220882	197.5	1164.6
3537	LYNCH	43 51 8 N	67 48 6 W	0515 00	220882	197.5	1164.6
3538	LYNCH	43 51 8 N	67 48 6 W	0516 00	220882	195.6	1164.6
3539	LYNCH	43 51 7 N	67 48 7 W	0518 00	220882	192.0	1164.8
3540	LYNCH	43 51 5 N	67 49 0 W	0520 00	220882	188.3	1165.0
3541	LYNCH	43 51 4 N	67 49 1 W	0521 00	220882	186.5	1165.2
3542	LYNCH	43 51 3 N	67 49 3 W	0522 00	220882	181.0	1165.3
3543	LYNCH	43 51 2 N	67 49 4 W	0523 00	220882	173.7	1165.5
3544	LYNCH	43 51 1 N	67 49 5 W	0524 00	220882	170.1	1165.6
3545	LYNCH	43 51 0 N	67 49 6 W	0525 00	220882	173.7	1165.7
3546	LYNCH	43 50 9 N	67 49 8 W	0526 00	220882	182.9	1165.9
3547	LYNCH	43 50 8 N	67 49 9 W	0527 00	220882	190.2	1166.0
3548	LYNCH	43 50 7 N	67 50 0 W	0528 00	220882	190.2	1166.1
3549	LYNCH	43 50 6 N	67 50 2 W	0529 00	220882	192.0	1166.3
3550	LYNCH	43 50 5 N	67 50 3 W	0530 00	220882	192.0	1166.4
3551	LYNCH	43 50 4 N	67 50 4 W	0531 00	220882	190.2	1166.5
3552	LYNCH	43 50 3 N	67 50 6 W	0532 00	220882	188.3	1166.7
3553	LYNCH	43 50 2 N	67 50 7 W	0533 00	220882	192.0	1166.8
3554	LYNCH	43 50 1 N	67 50 8 W	0534 00	220882	186.5	1167.0
3555	LYNCH	43 50 0 N	67 50 9 W	0535 00	220882	188.3	1167.1
3556	LYNCH	43 49 9 N	67 51 1 W	0536 00	220882	195.6	1167.2
3557	LYNCH	43 49 8 N	67 51 2 W	0537 00	220882	197.5	1167.4
3558	LYNCH	43 49 7 N	67 51 4 W	0538 00	220882	197.5	1167.6
3559	LYNCH	43 49 6 N	67 51 6 W	0539 00	220882	199.3	1167.7
3560	LYNCH	43 49 4 N	67 51 8 W	0540 00	220882	181.0	1167.9
3561	LYNCH	43 49 3 N	67 52 0 W	0541 00	220882	181.0	1168.1
3562	LYNCH	43 49 2 N	67 52 1 W	0542 00	220882	184.7	1168.3
3563	LYNCH	43 49 1 N	67 52 3 W	0543 00	220882	182.9	1168.5
3564	LYNCH	43 48 9 N	67 52 5 W	0544 00	220882	188.3	1168.7
3565	LYNCH	43 48 8 N	67 52 7 W	0545 00	220882	186.5	1168.8
3566	LYNCH	43 48 8 N	67 53 2 W	0547 00	220882	184.7	1169.2
3567	LYNCH	43 48 7 N	67 53 6 W	0549 00	220882	181.0	1169.5
3568	LYNCH	43 48 7 N	67 53 8 W	0550 00	220882	177.4	1169.7
3569	LYNCH	43 48 7 N	67 54 3 W	0552 00	220882	170.1	1170.0
3570	LYNCH	43 48 6 N	67 54 5 W	0553 00	220882	168.2	1170.2
3571	LYNCH	43 48 6 N	67 54 7 W	0554 00	220882	168.2	1170.3
3572	LYNCH	43 48 6 N	67 55 0 W	0555 00	220882	164.6	1170.5
3573	LYNCH	43 48 6 N	67 55 2 W	0556 00	220882	160.9	1170.7
3574	LYNCH	43 48 6 N	67 55 4 W	0557 00	220882	159.1	1170.8
3575	LYNCH	43 48 5 N	67 56 1 W	0600 00	220882	148.1	1171.3
3576	LYNCH	43 48 4 N	67 56 3 W	0601 00	220882	146.3	1171.5
3577	LYNCH	43 48 3 N	67 56 5 W	0602 00	220882	146.3	1171.7
3578	LYNCH	43 48 3 N	67 56 8 W	0603 00	220882	148.1	1171.8
3579	LYNCH	43 48 2 N	67 57 0 W	0604 00	220882	149.9	1172.0
3580	LYNCH	43 48 1 N	67 57 2 W	0605 00	220882	151.8	1172.2
3581	LYNCH	43 48 0 N	67 57 4 W	0606 00	220882	148.1	1172.4
3582	LYNCH	43 47 9 N	67 57 5 W	0607 00	220882	149.9	1172.5
3583	LYNCH	43 47 7 N	67 57 6 W	0608 00	220882	149.9	1172.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3584	LYNCH	43 47 6 N	67 57 8 W	0609 00	220882	151.8	1172.9
3585	LYNCH	43 47 5 N	67 57 9 W	0610 00	220882	153.6	1173.0
3586	LYNCH	43 47 3 N	67 58 0 W	0611 00	220882	153.6	1173.2
3587	LYNCH	43 47 2 N	67 58 1 W	0612 00	220882	151.8	1173.3
3588	LYNCH	43 47 1 N	67 58 3 W	0613 00	220882	149.9	1173.5
3589	LYNCH	43 46 9 N	67 58 4 W	0614 00	220882	149.9	1173.7
3590	LYNCH	43 46 8 N	67 58 5 W	0615 00	220882	148.1	1173.8
3591	LYNCH	43 46 7 N	67 58 6 W	0616 00	220882	144.5	1174.0
3592	LYNCH	43 46 5 N	67 58 7 W	0617 00	220882	144.5	1174.1
3593	LYNCH	43 46 4 N	67 58 9 W	0618 00	220882	146.3	1174.3
3594	LYNCH	43 46 2 N	67 59 0 W	0619 00	220882	146.3	1174.5
3595	LYNCH	43 46 1 N	67 59 1 W	0620 00	220882	146.3	1174.6
3596	LYNCH	43 45 9 N	67 59 2 W	0621 00	220882	146.3	1174.8
3597	LYNCH	43 45 8 N	67 59 3 W	0622 00	220882	148.1	1175.0
3598	LYNCH	43 45 6 N	67 59 4 W	0623 00	220882	148.1	1175.2
3599	LYNCH	43 45 4 N	67 59 5 W	0624 00	220882	149.9	1175.4
3600	LYNCH	43 45 3 N	67 59 6 W	0625 00	220882	153.6	1175.6
3601	LYNCH	43 44 9 N	67 59 7 W	0627 00	220882	157.3	1175.9
3602	LYNCH	43 44 4 N	68 0 0 W	0630 00	220882	159.1	1176.5
3603	LYNCH	43 44 3 N	67 59 9 W	0645 00	220882	159.1	1176.6
3604	LYNCH	43 44 2 N	67 59 9 W	0700 00	220882	159.1	1176.7
3605	LYNCH	43 44 1 N	67 59 1 W	0705 00	220882	159.1	1176.7
3606	LYNCH	43 44 1 N	67 58 8 W	0707 00	220882	157.3	1177.3
3607	LYNCH	43 44 1 N	67 58 6 W	0708 00	220882	155.4	1177.5
3608	LYNCH	43 44 1 N	67 58 5 W	0709 00	220882	157.3	1177.6
3609	LYNCH	43 44 1 N	67 58 3 W	0710 00	220882	159.1	1177.7
3610	LYNCH	43 44 1 N	67 58 1 W	0711 00	220882	160.9	1177.9
3611	LYNCH	43 44 0 N	67 58 0 W	0712 00	220882	162.7	1178.0
3612	LYNCH	43 44 0 N	67 57 8 W	0713 00	220882	160.9	1178.1
3613	LYNCH	43 44 0 N	67 57 5 W	0715 00	220882	160.9	1178.2
3614	LYNCH	43 44 0 N	67 57 3 W	0716 00	220882	164.6	1178.4
3615	LYNCH	43 44 0 N	67 56 4 W	0720 00	220882	168.2	1178.6
3616	LYNCH	43 44 0 N	67 56 1 W	0721 00	220882	175.5	1179.3
3617	LYNCH	43 44 0 N	67 55 2 W	0725 00	220882	175.5	1179.4
3618	LYNCH	43 44 0 N	67 54 3 W	0729 00	220882	192.0	1180.1
3619	LYNCH	43 44 0 N	67 54 1 W	0730 00	220882	203.0	1180.7
3620	LYNCH	43 44 0 N	67 53 1 W	0734 00	220882	206.6	1180.9
3621	LYNCH	43 44 0 N	67 52 8 W	0735 00	220882	212.1	1181.6
3622	LYNCH	43 44 0 N	67 52 1 W	0738 00	220882	210.3	1181.8
3623	LYNCH	43 43 9 N	67 51 9 W	0739 00	220882	212.1	1182.3
3624	LYNCH	43 43 9 N	67 51 7 W	0740 00	220882	210.3	1182.5
3625	LYNCH	43 43 9 N	67 51 4 W	0741 00	220882	212.1	1182.7
3626	LYNCH	43 43 8 N	67 51 2 W	0742 00	220882	212.1	1182.8
3627	LYNCH	43 43 8 N	67 51 0 W	0743 00	220882	208.4	1183.0
3628	LYNCH	43 43 7 N	67 50 8 W	0744 00	220882	206.6	1183.1
3629	LYNCH	43 43 7 N	67 50 6 W	0745 00	220882	206.6	1183.3
3630	LYNCH	43 43 7 N	67 50 4 W	0746 00	220882	210.3	1183.5
3631	LYNCH	43 43 6 N	67 50 1 W	0747 00	220882	208.4	1183.6
3632	LYNCH	43 43 6 N	67 49 9 W	0748 00	220882	204.8	1184.0
3633	LYNCH	43 43 6 N	67 49 6 W	0749 00	220882	206.6	1184.2
3634	LYNCH	43 43 5 N	67 49 4 W	0750 00	220882	206.6	1184.3
3635	LYNCH	43 43 5 N	67 48 9 W	0752 00	220882	210.3	1184.7
3636	LYNCH	43 43 4 N	67 48 7 W	0753 00	220882	204.8	1184.9
3637	LYNCH	43 43 4 N	67 48 4 W	0754 00	220882	203.0	1185.1
3638	LYNCH	43 43 4 N	67 48 2 W	0755 00	220882	208.4	1185.2
3639	LYNCH	43 43 3 N	67 47 9 W	0756 00	220882	206.6	1185.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NM) ALONG TRACK
3640	LYNCH	43 43 3 N	67 47.7 W	0757.00	220882	210.3	1185.6
3641	LYNCH	43 43 3 N	67 47.5 W	0758.00	220882	217.6	1185.7
3642	LYNCH	43 43 3 N	67 47.4 W	0759.00	220882	217.6	1185.8
3643	LYNCH	43 43 3 N	67 47.2 W	0800.00	220882	219.4	1185.9
3644	LYNCH	43 43 4 N	67 47.4 W	0803.00	220882	217.6	1186.2
3645	LYNCH	43 43 5 N	67 47.5 W	0804.00	220882	215.8	1186.2
3646	LYNCH	43 43 5 N	67 47.6 W	0805.00	220882	212.1	1186.3
3647	LYNCH	43 43 5 N	67 48.0 W	0810.00	220882	212.1	1186.7
3648	LYNCH	43 43 9 N	67 48.2 W	0812.00	220882	210.3	1186.8
3649	LYNCH	43 43 9 N	67 48.2 W	0813.00	220882	208.4	1186.9
3650	LYNCH	43 44.0 N	67 48.3 W	0814.00	220882	208.4	1187.0
3651	LYNCH	43 44.0 N	67 48.4 W	0815.00	220882	206.6	1187.1
3652	LYNCH	43 44.1 N	67 49.0 W	0822.00	220882	206.6	1187.5
3653	LYNCH	43 44.0 N	67 49.0 W	0825.00	220882	204.8	1187.6
3654	LYNCH	43 43 9 N	67 49.0 W	0830.00	220882	206.6	1187.7
3655	LYNCH	43 43 9 N	67 49.0 W	0832.00	220882	204.8	1187.7
3656	LYNCH	43 43 9 N	67 49.0 W	0833.00	220882	204.8	1187.7
3657	LYNCH	43 43 8 N	67 49.0 W	0835.00	220882	208.4	1187.8
3658	LYNCH	43 43 8 N	67 49.0 W	0837.00	220882	206.6	1187.8
3659	LYNCH	43 43 6 N	67 48.6 W	0852.00	220882	206.6	1188.2
3660	LYNCH	43 43 5 N	67 48.3 W	0855.00	220882	203.0	1188.4
3661	LYNCH	43 43 5 N	67 48.2 W	0856.00	220882	203.0	1188.5
3662	LYNCH	43 43 5 N	67 48.1 W	0857.00	220882	204.8	1188.6
3663	LYNCH	43 43 4 N	67 48.0 W	0858.00	220882	206.6	1188.6
3664	LYNCH	43 43 4 N	67 47.9 W	0859.00	220882	206.6	1188.7
3665	LYNCH	43 43 4 N	67 47.8 W	0900.00	220882	208.4	1188.8
3666	LYNCH	43 43 4 N	67 47.6 W	0901.00	220882	210.3	1189.0
3667	LYNCH	43 43 4 N	67 47.3 W	0902.00	220882	215.8	1189.1
3668	LYNCH	43 43 3 N	67 47.1 W	0903.00	220882	219.4	1189.3
3669	LYNCH	43 43 3 N	67 46.6 W	0905.00	220882	221.2	1189.7
3670	LYNCH	43 43 3 N	67 46.1 W	0907.00	220882	224.9	1190.0
3671	LYNCH	43 43 1 N	67 44.2 W	0915.00	220882	224.9	1191.4
3672	LYNCH	43 43 2 N	67 43.3 W	0919.00	220882	226.7	1192.0
3673	LYNCH	43 43 2 N	67 43.1 W	0920.00	220882	230.4	1192.2
3674	LYNCH	43 43 3 N	67 42.7 W	0922.00	220882	232.2	1192.5
3675	LYNCH	43 43 4 N	67 42.0 W	0925.00	220882	230.4	1193.0
3676	LYNCH	43 43 5 N	67 40.9 W	0930.00	220882	228.6	1193.8
3677	LYNCH	43 43 7 N	67 40.1 W	0935.00	220882	230.4	1194.4
3678	LYNCH	43 43 9 N	67 39.3 W	0940.00	220882	226.7	1195.0
3679	LYNCH	43 44.1 N	67 38.5 W	0945.00	220882	228.6	1195.7
3680	LYNCH	43 43 9 N	67 38.4 W	1000.00	220882	226.7	1195.9
3681	LYNCH	43 43 6 N	67 37.0 W	1020.00	220882	226.7	1197.0
3682	LYNCH	43 43 5 N	67 35.7 W	1025.00	220882	230.4	1197.8
3683	LYNCH	43 43 5 N	67 34.5 W	1030.00	220882	224.9	1198.7
3684	LYNCH	43 43 6 N	67 31.0 W	1045.00	220882	221.2	1201.3
3685	LYNCH	43 43 8 N	67 28.5 W	1055.00	220882	217.6	1203.1
3686	LYNCH	43 43 8 N	67 28.3 W	1056.00	220882	215.8	1203.2
3687	LYNCH	43 43 9 N	67 27.3 W	1057.00	220882	210.3	1203.4
3688	LYNCH	43 43 9 N	67 27.1 W	1100.00	220882	206.6	1204.0
3689	LYNCH	43 43 2 N	67 26.1 W	1130.00	220882	208.4	1204.7
3690	LYNCH	43 43 2 N	67 25.2 W	1135.00	220882	204.8	1205.4
3691	LYNCH	43 43 2 N	67 25.2 W	1140.00	220882	197.5	1206.1
3692	LYNCH	43 43 2 N	67 24.6 W	1143.00	220882	193.8	1206.5
3693	LYNCH	43 43 2 N	67 24.2 W	1145.00	220882	193.8	1206.8
3694	LYNCH	43 43 3 N	67 22.4 W	1155.00	220882	190.2	1208.1
3695	LYNCH	43 43 4 N	67 21.5 W	1200.00	220882	188.3	1208.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3696	LYNCH	43 43.5 N	67 19.9 W	1205:00	220882	182.9	1209.9
3697	LYNCH	43 43.6 N	67 18.3 W	1210:00	220882	177.4	1211.0
3698	LYNCH	43 43.8 N	67 16.7 W	1215:00	220882	170.1	1212.2
3699	LYNCH	43 43.8 N	67 16.0 W	1220:00	220882	164.6	1212.7
3700	LYNCH	43 43.7 N	67 15.8 W	1230:00	220882	164.6	1212.9
3701	LYNCH	43 43.6 N	67 15.5 W	1245:00	220882	164.6	1213.1
3702	LYNCH	43 43.0 N	67 14.8 W	1300:00	220882	162.7	1213.9
3703	LYNCH	43 42.5 N	67 14.1 W	1305:00	220882	153.6	1214.6
3704	LYNCH	43 42.0 N	67 13.3 W	1310:00	220882	148.1	1215.4
3705	LYNCH	43 41.7 N	67 12.9 W	1313:00	220882	148.1	1215.8
3706	LYNCH	43 41.5 N	67 12.6 W	1315:00	220882	139.0	1216.1
3707	LYNCH	43 41.0 N	67 11.7 W	1320:00	220882	137.1	1217.0
3708	LYNCH	43 40.9 N	67 11.5 W	1321:00	220882	137.1	1217.1
3709	LYNCH	43 40.4 N	67 10.7 W	1325:00	220882	131.7	1217.8
3710	LYNCH	43 40.3 N	67 10.5 W	1326:00	220882	129.8	1218.0
3711	LYNCH	43 40.2 N	67 10.4 W	1327:00	220882	131.7	1218.2
3712	LYNCH	43 40.1 N	67 10.2 W	1328:00	220882	135.3	1218.3
3713	LYNCH	43 40.0 N	67 10.0 W	1329:00	220882	133.5	1218.5
3714	LYNCH	43 39.9 N	67 9.8 W	1330:00	220882	135.3	1218.7
3715	LYNCH	43 39.7 N	67 9.5 W	1332:00	220882	140.8	1219.0
3716	LYNCH	43 39.6 N	67 9.3 W	1333:00	220882	142.6	1219.2
3717	LYNCH	43 39.5 N	67 9.1 W	1334:00	220882	142.6	1219.3
3718	LYNCH	43 39.4 N	67 8.9 W	1335:00	220882	140.8	1219.5
3719	LYNCH	43 39.3 N	67 8.8 W	1336:00	220882	135.3	1219.6
3720	LYNCH	43 39.2 N	67 8.6 W	1337:00	220882	131.7	1219.8
3721	LYNCH	43 39.1 N	67 8.4 W	1338:00	220882	133.5	1220.0
3722	LYNCH	43 39.0 N	67 8.2 W	1339:00	220882	133.5	1220.1
3723	LYNCH	43 38.9 N	67 8.1 W	1340:00	220882	131.7	1220.3
3724	LYNCH	43 38.8 N	67 7.9 W	1341:00	220882	131.7	1220.4
3725	LYNCH	43 38.7 N	67 7.7 W	1342:00	220882	133.5	1220.6
3726	LYNCH	43 38.6 N	67 7.5 W	1343:00	220882	140.8	1220.8
3727	LYNCH	43 38.5 N	67 7.4 W	1344:00	220882	142.6	1220.9
3728	LYNCH	43 38.4 N	67 7.2 W	1345:00	220882	144.5	1221.1
3729	LYNCH	43 38.3 N	67 7.1 W	1346:00	220882	148.1	1221.2
3730	LYNCH	43 38.1 N	67 7.0 W	1347:00	220882	144.5	1221.4
3731	LYNCH	43 38.0 N	67 7.0 W	1348:00	220882	151.8	1221.5
3732	LYNCH	43 37.9 N	67 6.9 W	1349:00	220882	157.3	1221.7
3733	LYNCH	43 37.7 N	67 6.8 W	1350:00	220882	159.1	1221.8
3734	LYNCH	43 37.2 N	67 6.5 W	1354:00	220882	170.1	1222.4
3735	LYNCH	43 37.0 N	67 6.4 W	1355:00	220882	175.5	1222.6
3736	LYNCH	43 36.8 N	67 6.3 W	1357:00	220882	182.9	1222.9
3737	LYNCH	43 36.3 N	67 6.1 W	1400:00	220882	190.2	1223.3
3738	LYNCH	43 36.3 N	67 5.9 W	1405:00	220882	193.8	1223.4
3739	LYNCH	43 36.4 N	67 5.8 W	1415:00	220882	190.2	1223.6
3740	LYNCH	43 36.5 N	67 6.0 W	1430:00	220882	188.3	1223.9
3741	LYNCH	43 36.6 N	67 6.7 W	1433:00	220882	188.3	1224.3
3742	LYNCH	43 36.6 N	67 6.9 W	1434:00	220882	184.7	1224.5
3743	LYNCH	43 36.6 N	67 7.1 W	1435:00	220882	182.9	1224.6
3744	LYNCH	43 36.6 N	67 7.3 W	1436:00	220882	181.0	1224.8
3745	LYNCH	43 36.6 N	67 7.6 W	1437:00	220882	186.5	1225.0
3746	LYNCH	43 36.6 N	67 7.8 W	1438:00	220882	188.3	1225.1
3747	LYNCH	43 36.6 N	67 8.0 W	1439:00	220882	192.0	1225.3
3748	LYNCH	43 36.6 N	67 8.2 W	1440:00	220882	192.0	1225.4
3749	LYNCH	43 36.7 N	67 8.9 W	1443:00	220882	190.2	1225.9
3750	LYNCH	43 36.7 N	67 9.1 W	1444:00	220882	188.3	1226.1
3751	LYNCH	43 36.7 N	67 9.3 W	1445:00	220882	188.3	1226.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCDDR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3752	LYNCH	43 36 7 N	67 9 7 W	1447 00	220882	190.2	1226.5
3753	LYNCH	43 36 7 N	67 10 0 W	1448 00	220882	190.2	1226.7
3754	LYNCH	43 36 7 N	67 10 4 W	1450 00	220882	181.0	1227.0
3755	LYNCH	43 36 7 N	67 10 6 W	1451 00	220882	177.4	1227.2
3756	LYNCH	43 36 8 N	67 11 1 W	1453 00	220882	177.4	1227.5
3757	LYNCH	43 36 8 N	67 11 5 W	1455 00	220882	173.7	1227.8
3758	LYNCH	43 36 8 N	67 11 9 W	1457 00	220882	170.1	1228.1
3759	LYNCH	43 36 8 N	67 12 6 W	1500 00	220882	173.7	1228.6
3760	LYNCH	43 36 7 N	67 12 8 W	1501 00	220882	171.9	1228.8
3761	LYNCH	43 36 6 N	67 13 2 W	1503 00	220882	171.9	1229.1
3762	LYNCH	43 36 6 N	67 13 4 W	1504 00	220882	175.5	1229.2
3763	LYNCH	43 36 5 N	67 13 6 W	1505 00	220882	173.7	1229.4
3764	LYNCH	43 36 4 N	67 13 8 W	1506 00	220882	175.5	1229.6
3765	LYNCH	43 36 3 N	67 14 2 W	1508 00	220882	175.5	1229.9
3766	LYNCH	43 36 3 N	67 14 4 W	1509 00	220882	177.4	1230.0
3767	LYNCH	43 36 2 N	67 14 6 W	1510 00	220882	164.6	1230.2
3768	LYNCH	43 36 1 N	67 15 0 W	1512 00	220882	173.7	1230.5
3769	LYNCH	43 36 0 N	67 15 2 W	1513 00	220882	170.1	1230.7
3770	LYNCH	43 36 0 N	67 15 4 W	1514 00	220882	166.4	1230.8
3771	LYNCH	43 35 9 N	67 15 6 W	1515 00	220882	170.1	1231.0
3772	LYNCH	43 35 9 N	67 15 6 W	1516 00	220882	175.5	1231.1
3773	LYNCH	43 36 0 N	67 15 6 W	1521 00	220882	175.5	1231.1
3774	LYNCH	43 36 0 N	67 15 6 W	1525 00	220882	177.4	1231.1
3775	LYNCH	43 36 1 N	67 15 6 W	1526 00	220882	177.4	1231.1
3776	LYNCH	43 36 1 N	67 15 6 W	1528 00	220882	175.5	1231.2
3777	LYNCH	43 36 1 N	67 15 5 W	1530 00	220882	175.5	1231.2
3778	LYNCH	43 36 2 N	67 15 5 W	1535 00	220882	173.7	1231.3
3779	LYNCH	43 36 2 N	67 15 5 W	1540 00	220882	171.9	1231.3
3780	LYNCH	43 36 3 N	67 15 5 W	1541 00	220882	173.7	1231.3
3781	LYNCH	43 36 3 N	67 15 5 W	1542 00	220882	175.5	1231.3
3782	LYNCH	43 36 3 N	67 15 4 W	1545 00	220882	175.5	1231.4
3783	LYNCH	43 36 3 N	67 15 8 W	1547 00	220882	177.4	1231.7
3784	LYNCH	43 36 3 N	67 16 0 W	1548 00	220882	177.4	1231.9
3785	LYNCH	43 36 4 N	67 16 2 W	1549 00	220882	181.0	1232.0
3786	LYNCH	43 36 4 N	67 16 4 W	1550 00	220882	179.2	1232.1
3787	LYNCH	43 36 4 N	67 16 6 W	1551 00	220882	159.1	1232.3
3788	LYNCH	43 36 4 N	67 16 8 W	1552 00	220882	159.1	1232.4
3789	LYNCH	43 36 4 N	67 16 9 W	1553 00	220882	168.2	1232.6
3790	LYNCH	43 36 4 N	67 17 1 W	1554 00	220882	171.9	1232.7
3791	LYNCH	43 36 4 N	67 17 3 W	1555 00	220882	170.1	1232.8
3792	LYNCH	43 36 4 N	67 17 5 W	1556 00	220882	173.7	1233.0
3793	LYNCH	43 36 5 N	67 17 7 W	1557 00	220882	184.7	1233.1
3794	LYNCH	43 36 5 N	67 17 9 W	1558 00	220882	195.6	1233.3
3795	LYNCH	43 36 5 N	67 18 1 W	1559 00	220882	199.3	1233.4
3796	LYNCH	43 36 5 N	67 18 3 W	1600 00	220882	203.0	1233.5
3797	LYNCH	43 36 5 N	67 18 5 W	1601 00	220882	212.1	1233.7
3798	LYNCH	43 36 5 N	67 18 7 W	1602 00	220882	213.9	1233.9
3799	LYNCH	43 36 4 N	67 19 4 W	1605 00	220882	210.3	1234.3
3800	LYNCH	43 36 3 N	67 20 4 W	1610 00	220882	212.1	1235.1
3801	LYNCH	43 36 2 N	67 21 5 W	1615 00	220882	213.9	1235.9
3802	LYNCH	43 36 2 N	67 22 6 W	1620 00	220882	212.1	1236.7
3803	LYNCH	43 36 1 N	67 24 9 W	1630 00	220882	212.1	1238.3
3804	LYNCH	43 36 0 N	67 25 9 W	1645 00	220882	213.9	1239.1
3805	LYNCH	43 36 0 N	67 25 6 W	1700 00	220882	213.9	1239.3
3806	LYNCH	43 36 0 N	67 27 0 W	1715 00	220882	213.9	1240.3
3807	LYNCH	43 36 0 N	67 30 2 W	1730 00	220882	219.4	1242.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3808	LYNCH	43 36 0 N	67 31 7 W	1737:00	220882	221.2	1243.7
3809	LYNCH	43 35 9 N	67 33 4 W	1745:00	220882	224.9	1244.9
3810	LYNCH	43 35 9 N	67 35 5 W	1755:00	220882	230.4	1246.5
3811	LYNCH	43 35 9 N	67 36 6 W	1800:00	220882	230.4	1247.2
3812	LYNCH	43 35 9 N	67 37 7 W	1805:00	220882	234.0	1248.1
3813	LYNCH	43 35 9 N	67 38 2 W	1807:00	220882	237.7	1248.4
3814	LYNCH	43 35 7 N	67 38 1 W	1815:00	220882	235.9	1248.6
3815	LYNCH	43 35 4 N	67 38 0 W	1830:00	220882	232.2	1248.9
3816	LYNCH	43 35 3 N	67 38 3 W	1838:00	220882	232.2	1249.2
3817	LYNCH	43 35 3 N	67 38 8 W	1840:00	220882	235.9	1249.5
3818	LYNCH	43 35 3 N	67 39 5 W	1843:00	220882	241.4	1250.0
3819	LYNCH	43 35 3 N	67 39 9 W	1845:00	220882	239.5	1250.3
3820	LYNCH	43 35 3 N	67 40 1 W	1846:00	220882	241.4	1250.5
3821	LYNCH	43 35 4 N	67 40 9 W	1849:00	220882	241.4	1251.0
3822	LYNCH	43 35 4 N	67 41 1 W	1850:00	220882	212.1	1251.2
3823	LYNCH	43 35 4 N	67 41 3 W	1851:00	220882	230.4	1251.3
3824	LYNCH	43 35 4 N	67 41 6 W	1852:00	220882	241.4	1251.5
3825	LYNCH	43 35 4 N	67 41 8 W	1853:00	220882	252.3	1251.7
3826	LYNCH	43 35 4 N	67 42 1 W	1854:00	220882	250.5	1251.9
3827	LYNCH	43 35 4 N	67 42 3 W	1855:00	220882	256.0	1252.0
3828	LYNCH	43 35 4 N	67 42 5 W	1856:00	220882	235.9	1252.2
3829	LYNCH	43 35 5 N	67 42 8 W	1857:00	220882	237.7	1252.4
3830	LYNCH	43 35 5 N	67 43 0 W	1858:00	220882	239.5	1252.5
3831	LYNCH	43 35 5 N	67 43 3 W	1859:00	220882	235.9	1252.7
3832	LYNCH	43 35 5 N	67 43 5 W	1900:00	220882	235.9	1252.9
3833	LYNCH	43 35 5 N	67 43 7 W	1901:00	220882	232.2	1253.1
3834	LYNCH	43 35 5 N	67 44 0 W	1902:00	220882	230.4	1253.2
3835	LYNCH	43 35 6 N	67 44 2 W	1903:00	220882	230.4	1253.4
3836	LYNCH	43 35 6 N	67 44 7 W	1905:00	220882	228.6	1253.8
3837	LYNCH	43 35 7 N	67 45 9 W	1910:00	220882	228.6	1254.6
3838	LYNCH	43 35 8 N	67 47 1 W	1915:00	220882	228.6	1255.5
3839	LYNCH	43 36 0 N	67 48 3 W	1920:00	220882	232.2	1256.4
3840	LYNCH	43 36 1 N	67 49 0 W	1923:00	220882	235.9	1256.9
3841	LYNCH	43 36 1 N	67 49 0 W	1925:00	220882	237.7	1257.0
3842	LYNCH	43 36 0 N	67 49 0 W	1930:00	220882	237.7	1257.1
3843	LYNCH	43 35 6 N	67 48 9 W	1945:00	220882	237.7	1257.4
3844	LYNCH	43 35 3 N	67 48 9 W	2000:00	220882	235.9	1257.7
3845	LYNCH	43 35 3 N	67 49 3 W	2002:00	220882	234.0	1258.0
3846	LYNCH	43 35 3 N	67 49 7 W	2004:00	220882	237.7	1258.3
3847	LYNCH	43 35 3 N	67 49 9 W	2005:00	220882	237.7	1258.4
3848	LYNCH	43 35 2 N	67 50.4 W	2008:00	220882	235.9	1258.9
3849	LYNCH	43 35 2 N	67 50.8 W	2010:00	220882	239.5	1259.1
3850	LYNCH	43 35 2 N	67 51.4 W	2013:00	220882	239.5	1259.6
3851	LYNCH	43 35 2 N	67 51.8 W	2015:00	220882	241.4	1259.8
3852	LYNCH	43 35 2 N	67 52.0 W	2016:00	220882	241.4	1260.0
3853	LYNCH	43 35 2 N	67 52.3 W	2017:00	220882	237.7	1260.2
3854	LYNCH	43 35 2 N	67 52.5 W	2018:00	220882	232.2	1260.4
3855	LYNCH	43 35 3 N	67 53.0 W	2020:00	220882	232.2	1260.7
3856	LYNCH	43 35 3 N	67 53.2 W	2021:00	220882	228.6	1260.9
3857	LYNCH	43 35 3 N	67 54.2 W	2025:00	220882	228.6	1261.6
3858	LYNCH	43 35 4 N	67 55.4 W	2030:00	220882	221.2	1262.5
3859	LYNCH	43 35 4 N	67 55.6 W	2031:00	220882	221.2	1262.6
3860	LYNCH	43 35 5 N	67 55.8 W	2032:00	220882	219.4	1262.8
3861	LYNCH	43 35 5 N	67 56.4 W	2035:00	220882	215.8	1263.2
3862	LYNCH	43 35 6 N	67 56.6 W	2036:00	220882	210.3	1263.4
3863	LYNCH	43 35 6 N	67 56.8 W	2037:00	220882	210.3	1263.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3864	LYNCH	43 35.6 N	67 57.0 W	2038.00	220882	208.4	1263.7
3865	LYNCH	43 35.6 N	67 57.2 W	2039.00	220882	206.6	1263.8
3866	LYNCH	43 35.7 N	67 57.4 W	2040.00	220882	206.6	1264.0
3867	LYNCH	43 35.7 N	67 57.8 W	2042.00	220882	204.8	1264.3
3868	LYNCH	43 35.8 N	67 58.3 W	2044.00	220882	204.8	1264.6
3869	LYNCH	43 35.8 N	67 58.5 W	2045.00	220882	203.0	1264.7
3870	LYNCH	43 35.8 N	67 58.9 W	2047.00	220882	201.1	1265.0
3871	LYNCH	43 35.9 N	67 59.5 W	2050.00	220882	203.0	1265.5
3872	LYNCH	43 35.9 N	67 59.7 W	2051.00	220882	203.0	1265.6
3873	LYNCH	43 36.0 N	67 59.9 W	2052.00	220882	201.1	1265.7
3874	LYNCH	43 36.0 N	68 3.3 W	2100.00	220882	201.1	1266.0
3875	LYNCH	43 35.5 N	67 59.7 W	2117.00	220882	201.1	1266.7
3876	LYNCH	43 35.2 N	67 59.2 W	2120.00	220882	203.0	1267.2
3877	LYNCH	43 35.0 N	67 59.0 W	2121.00	220882	203.0	1267.4
3878	LYNCH	43 34.9 N	67 58.8 W	2122.00	220882	201.1	1267.5
3879	LYNCH	43 34.8 N	67 58.7 W	2123.00	220882	204.8	1267.7
3880	LYNCH	43 34.7 N	67 58.5 W	2124.00	220882	203.0	1267.9
3881	LYNCH	43 34.5 N	67 58.3 W	2125.00	220882	203.0	1268.1
3882	LYNCH	43 34.4 N	67 58.2 W	2126.00	220882	208.4	1268.2
3883	LYNCH	43 34.3 N	67 58.0 W	2127.00	220882	213.9	1268.4
3884	LYNCH	43 34.2 N	67 57.8 W	2128.00	220882	215.8	1268.6
3885	LYNCH	43 34.0 N	67 57.7 W	2129.00	220882	221.2	1268.7
3886	LYNCH	43 33.9 N	67 57.5 W	2130.00	220882	221.2	1268.9
3887	LYNCH	43 33.8 N	67 57.6 W	2131.00	220882	223.1	1269.1
3888	LYNCH	43 33.6 N	67 57.6 W	2132.00	220882	221.2	1269.2
3889	LYNCH	43 33.4 N	67 57.8 W	2134.00	220882	224.9	1269.5
3890	LYNCH	43 33.3 N	67 57.8 W	2135.00	220882	223.1	1269.6
3891	LYNCH	43 33.1 N	67 57.9 W	2136.00	220882	223.1	1269.7
3892	LYNCH	43 32.9 N	67 58.0 W	2138.00	220882	224.9	1270.0
3893	LYNCH	43 32.8 N	67 58.1 W	2139.00	220882	224.9	1270.1
3894	LYNCH	43 32.6 N	67 58.2 W	2140.00	220882	223.1	1270.3
3895	LYNCH	43 32.5 N	67 58.2 W	2141.00	220882	223.1	1270.4
3896	LYNCH	43 32.4 N	67 58.3 W	2142.00	220882	221.2	1270.6
3897	LYNCH	43 32.3 N	67 58.4 W	2143.00	220882	219.4	1270.7
3898	LYNCH	43 32.1 N	67 58.4 W	2144.00	220882	217.6	1270.8
3899	LYNCH	43 31.9 N	67 58.5 W	2145.00	220882	215.8	1271.0
3900	LYNCH	43 31.6 N	67 58.7 W	2146.00	220882	215.8	1271.1
3901	LYNCH	43 31.6 N	67 59.3 W	2149.00	220882	213.9	1271.6
3902	LYNCH	43 31.5 N	67 59.5 W	2150.00	220882	221.2	1271.8
3903	LYNCH	43 31.4 N	67 59.7 W	2151.00	220882	213.9	1272.0
3904	LYNCH	43 31.2 N	68 2.2 W	2154.00	220882	210.3	1272.5
3905	LYNCH	43 31.1 N	68 4.4 W	2155.00	220882	210.3	1272.6
3906	LYNCH	43 30.6 N	68 1.4 W	2200.00	220882	204.8	1273.5
3907	LYNCH	43 30.2 N	68 2.5 W	2205.00	220882	201.1	1274.4
3908	LYNCH	43 30.1 N	68 2.9 W	2207.00	220882	199.3	1274.7
3909	LYNCH	43 30.0 N	68 3.2 W	2208.00	220882	197.5	1274.9
3910	LYNCH	43 29.9 N	68 3.6 W	2210.00	220882	195.6	1275.2
3911	LYNCH	43 29.8 N	68 3.8 W	2211.00	220882	192.0	1275.4
3912	LYNCH	43 29.5 N	68 4.7 W	2215.00	220882	192.0	1276.1
3913	LYNCH	43 29.4 N	68 4.9 W	2216.00	220882	188.3	1276.3
3914	LYNCH	43 29.3 N	68 5.6 W	2219.00	220882	190.2	1276.8
3915	LYNCH	43 29.2 N	68 5.8 W	2220.00	220882	192.0	1276.9
3916	LYNCH	43 29.1 N	68 6.0 W	2221.00	220882	193.8	1277.1
3917	LYNCH	43 29.1 N	68 6.2 W	2222.00	220882	193.8	1277.3
3918	LYNCH	43 29.0 N	68 6.4 W	2223.00	220882	192.0	1277.4
3919	LYNCH	43 28.9 N	68 6.8 W	2225.00	220882	188.3	1277.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3920	LYNCH	43 28.6 N	68 7.9 W	2230:00	220882	186.5	1278.6
3921	LYNCH	43 28.6 N	68 8.1 W	2231:00	220882	186.5	1278.8
3922	LYNCH	43 28.5 N	68 8.3 W	2232:00	220882	184.7	1278.9
3923	LYNCH	43 28.5 N	68 8.7 W	2234:00	220882	182.9	1279.2
3924	LYNCH	43 28.4 N	68 8.9 W	2235:00	220882	182.9	1279.3
3925	LYNCH	43 28.4 N	68 9.3 W	2237:00	220882	181.0	1279.6
3926	LYNCH	43 28.3 N	68 9.5 W	2237:00	220882	181.0	1279.8
3927	LYNCH	43 28.3 N	68 9.6 W	2239:00	220882	182.9	1279.9
3928	LYNCH	43 28.2 N	68 9.8 W	2240:00	220882	182.9	1280.1
3929	LYNCH	43 28.2 N	68 10.0 W	2241:00	220882	182.9	1280.2
3930	LYNCH	43 28.2 N	68 10.2 W	2242:00	220882	177.4	1280.4
3931	LYNCH	43 28.1 N	68 10.6 W	2244:00	220882	177.4	1280.6
3932	LYNCH	43 28.1 N	68 10.8 W	2245:00	220882	175.5	1280.8
3933	LYNCH	43 28.2 N	68 10.3 W	2308:00	220882	175.5	1281.2
3934	LYNCH	43 28.2 N	68 10.1 W	2309:00	220882	179.2	1281.3
3935	LYNCH	43 28.2 N	68 9.9 W	2310:00	220882	188.3	1281.5
3936	LYNCH	43 28.2 N	68 9.7 W	2311:00	220882	182.9	1281.6
3937	LYNCH	43 28.2 N	68 9.5 W	2312:00	220882	181.0	1281.8
3938	LYNCH	43 28.2 N	68 8.8 W	2315:00	220882	182.9	1282.3
3939	LYNCH	43 28.2 N	68 7.5 W	2320:00	220882	192.0	1283.2
3940	LYNCH	43 28.2 N	68 7.2 W	2321:00	220882	188.3	1283.4
3941	LYNCH	43 28.1 N	68 6.2 W	2325:00	220882	188.3	1284.2
3942	LYNCH	43 28.1 N	68 4.9 W	2330:00	220882	190.2	1285.1
3943	LYNCH	43 28.1 N	68 4.6 W	2331:00	220882	192.0	1285.3
3944	LYNCH	43 28.1 N	68 4.4 W	2332:00	220882	188.3	1285.5
3945	LYNCH	43 28.1 N	68 4.1 W	2333:00	220882	195.6	1285.7
3946	LYNCH	43 28.1 N	68 3.9 W	2334:00	220882	193.8	1285.9
3947	LYNCH	43 28.1 N	68 3.6 W	2335:00	220882	193.8	1286.0
3948	LYNCH	43 28.1 N	68 3.3 W	2336:00	220882	197.5	1286.2
3949	LYNCH	43 28.1 N	68 3.1 W	2337:00	220882	197.5	1286.4
3950	LYNCH	43 28.0 N	68 2.3 W	2340:00	220882	206.6	1287.0
3951	LYNCH	43 28.0 N	68 2.0 W	2341:00	220882	206.6	1287.2
3952	LYNCH	43 28.0 N	68 1.8 W	2342:00	220882	208.4	1287.4
3953	LYNCH	43 28.0 N	68 1.5 W	2343:00	220882	210.3	1287.6
3954	LYNCH	43 28.0 N	68 1.3 W	2344:00	220882	215.8	1287.7
3955	LYNCH	43 28.0 N	68 1.0 W	2345:00	220882	217.6	1287.9
3956	LYNCH	43 28.0 N	68 9.9 W	2346:00	220882	215.8	1288.0
3957	LYNCH	43 28.0 N	68 7.7 W	2347:00	220882	223.1	1288.1
3958	LYNCH	43 28.0 N	68 6.6 W	2348:00	220882	224.9	1288.2
3959	LYNCH	43 27.9 N	68 4.4 W	2350:00	220882	226.7	1288.4
3960	LYNCH	43 27.9 N	68 0.0 W	2355:00	220882	228.6	1288.6
3961	LYNCH	43 27.8 N	67 59.9 W	0000:00	230882	228.6	1288.7
3962	LYNCH	43 27.9 N	67 59.8 W	0010:00	230882	228.6	1288.8
3963	LYNCH	43 27.9 N	67 59.4 W	0012:00	230882	230.4	1289.1
3964	LYNCH	43 27.9 N	67 58.9 W	0015:00	230882	232.2	1289.5
3965	LYNCH	43 27.9 N	67 58.4 W	0017:00	230882	234.0	1289.8
3966	LYNCH	43 27.9 N	67 58.2 W	0018:00	230882	235.9	1290.0
3967	LYNCH	43 27.9 N	67 57.7 W	0020:00	230882	239.5	1290.4
3968	LYNCH	43 28.0 N	67 56.5 W	0025:00	230882	243.2	1291.2
3969	LYNCH	43 28.0 N	67 55.5 W	0029:00	230882	246.8	1291.9
3970	LYNCH	43 28.0 N	67 55.3 W	0030:00	230882	250.5	1292.1
3971	LYNCH	43 28.0 N	67 55.1 W	0031:00	230882	252.3	1292.3
3972	LYNCH	43 28.0 N	67 54.8 W	0032:00	230882	256.0	1292.5
3973	LYNCH	43 28.1 N	67 54.1 W	0035:00	230882	256.0	1293.0
3974	LYNCH	43 28.1 N	67 53.8 W	0036:00	230882	267.0	1293.2
3975	LYNCH	43 28.1 N	67 53.6 W	0037:00	230882	257.8	1293.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
3976	LYNCH	43 28 1 N	67 53 3 W	0038:00	230882	246.8	1293.5
3977	LYNCH	43 28 1 N	67 52 8 W	0040:00	230882	252.3	1293.9
3978	LYNCH	43 28 2 N	67 52 3 W	0042:00	230882	257.8	1294.3
3979	LYNCH	43 28 2 N	67 52 1 W	0043:00	230882	257.8	1294.4
3980	LYNCH	43 28 2 N	67 51 8 W	0044:00	230882	256.0	1294.6
3981	LYNCH	43 28 2 N	67 51 6 W	0045:00	230882	252.3	1294.8
3982	LYNCH	43 28 2 N	67 51 4 W	0046:00	230882	250.5	1295.0
3983	LYNCH	43 28 2 N	67 50 5 W	0050:00	230882	248.7	1295.6
3984	LYNCH	43 28 1 N	67 49 5 W	0055:00	230882	248.7	1296.3
3985	LYNCH	43 28 1 N	67 49 3 W	0056:00	230882	245.0	1296.5
3986	LYNCH	43 28 1 N	67 49 1 W	0057:00	230882	241.4	1296.6
3987	LYNCH	43 28 1 N	67 48 4 W	0100:00	230882	237.7	1297.1
3988	LYNCH	43 28 2 N	67 47 7 W	0115:00	230882	235.9	1297.7
3989	LYNCH	43 28 3 N	67 47 5 W	0125:00	230882	234.0	1297.8
3990	LYNCH	43 28 4 N	67 46 8 W	0130:00	230882	232.2	1298.3
3991	LYNCH	43 28 5 N	67 44 1 W	0140:00	230882	230.4	1300.3
3992	LYNCH	43 28 6 N	67 42 7 W	0145:00	230882	226.7	1301.3
3993	LYNCH	43 28 6 N	67 39 3 W	0200:00	230882	217.6	1303.8
3994	LYNCH	43 28 6 N	67 38 5 W	0205:00	230882	215.8	1304.4
3995	LYNCH	43 28 5 N	67 37 9 W	0215:00	230882	215.8	1304.9
3996	LYNCH	43 28 7 N	67 37 7 W	0230:00	230882	215.8	1305.1
3997	LYNCH	43 28 5 N	67 34 9 W	0245:00	230882	217.6	1307.1
3998	LYNCH	43 28 3 N	67 32 4 W	0255:00	230882	217.6	1308.9
3999	LYNCH	43 28 2 N	67 31 7 W	0258:00	230882	215.8	1309.4
4000	LYNCH	43 28 2 N	67 31 2 W	0300:00	230882	213.9	1309.8
4001	LYNCH	43 28 1 N	67 30 8 W	0302:00	230882	210.3	1310.1
4002	LYNCH	43 28 0 N	67 30 3 W	0304:00	230882	210.3	1310.4
4003	LYNCH	43 28 0 N	67 30 1 W	0305:00	230882	208.4	1310.6
4004	LYNCH	43 28 0 N	67 29 9 W	0306:00	230882	206.6	1310.8
4005	LYNCH	43 27 9 N	67 29 5 W	0308:00	230882	210.3	1311.1
4006	LYNCH	43 27 8 N	67 29 3 W	0309:00	230882	208.4	1311.2
4007	LYNCH	43 27 8 N	67 29 1 W	0310:00	230882	208.4	1311.4
4008	LYNCH	43 27 7 N	67 28 6 W	0312:00	230882	210.3	1311.7
4009	LYNCH	43 27 6 N	67 28 2 W	0314:00	230882	206.6	1312.0
4010	LYNCH	43 27 6 N	67 28 0 W	0315:00	230882	204.8	1312.2
4011	LYNCH	43 27 7 N	67 27 8 W	0316:00	230882	208.4	1312.4
4012	LYNCH	43 27 9 N	67 26 9 W	0320:00	230882	208.4	1313.1
4013	LYNCH	43 28 1 N	67 26 8 W	0330:00	230882	210.3	1313.2
4014	LYNCH	43 28 2 N	67 26 6 W	0345:00	230882	210.3	1313.4
4015	LYNCH	43 28 2 N	67 25 6 W	0349:00	230882	212.1	1314.1
4016	LYNCH	43 28 2 N	67 25 1 W	0351:00	230882	210.3	1314.5
4017	LYNCH	43 28 3 N	67 24 4 W	0354:00	230882	210.3	1315.0
4018	LYNCH	43 28 3 N	67 24 1 W	0355:00	230882	212.1	1315.2
4019	LYNCH	43 28 3 N	67 23 6 W	0357:00	230892	213.9	1315.6
4020	LYNCH	43 28 3 N	67 23 4 W	0358:00	230882	212.1	1315.8
4021	LYNCH	43 28 3 N	67 23 1 W	0359:00	230882	201.1	1315.9
4022	LYNCH	43 28 3 N	67 22 9 W	0400:00	230882	203.0	1316.1
4023	LYNCH	43 28 3 N	67 22 6 W	0401:00	230882	201.1	1316.3
4024	LYNCH	43 28 3 N	67 22 4 W	0402:00	230882	197.5	1316.5
4025	LYNCH	43 28 3 N	67 22 1 W	0403:00	230882	182.9	1316.7
4026	LYNCH	43 28 3 N	67 21 9 W	0404:00	230882	190.2	1316.9
4027	LYNCH	43 28 3 N	67 21 6 W	0405:00	230882	193.8	1317.1
4028	LYNCH	43 28 3 N	67 21 3 W	0406:00	230882	195.6	1317.3
4029	LYNCH	43 28 3 N	67 21 1 W	0407:00	230882	184.7	1317.4
4030	LYNCH	43 28 3 N	67 20 8 W	0408:00	230882	184.5	1317.6
4031	LYNCH	43 28 3 N	67 20 6 W	0409:00	230882	184.7	1317.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4032	LYNCH	43 28.3 N	67 20.3 W	0410:00	230882	179.2	1318.0
4033	LYNCH	43 28.3 N	67 20.0 W	0411:00	230882	184.7	1318.2
4034	LYNCH	43 28.3 N	67 19.8 W	0412:00	230882	192.0	1318.4
4035	LYNCH	43 28.3 N	67 19.5 W	0413:00	230882	184.7	1318.6
4036	LYNCH	43 28.3 N	67 19.3 W	0414:00	230882	181.0	1318.8
4037	LYNCH	43 28.3 N	67 19.0 W	0415:00	230882	182.9	1318.9
4038	LYNCH	43 28.3 N	67 18.8 W	0416:00	230882	186.5	1319.1
4039	LYNCH	43 28.3 N	67 18.6 W	0417:00	230882	186.5	1319.2
4040	LYNCH	43 28.3 N	67 18.4 W	0418:00	230882	188.3	1319.4
4041	LYNCH	43 28.3 N	67 18.2 W	0419:00	230882	184.7	1319.5
4042	LYNCH	43 28.3 N	67 18.0 W	0420:00	230882	188.3	1319.7
4043	LYNCH	43 28.3 N	67 17.8 W	0421:00	230882	193.8	1319.8
4044	LYNCH	43 28.3 N	67 17.6 W	0422:00	230882	193.8	1319.9
4045	LYNCH	43 28.2 N	67 17.5 W	0423:00	230882	195.6	1320.1
4046	LYNCH	43 28.2 N	67 17.3 W	0424:00	230882	201.1	1320.2
4047	LYNCH	43 28.2 N	67 17.1 W	0425:00	230882	208.4	1320.4
4048	LYNCH	43 28.2 N	67 16.9 W	0426:00	230882	210.3	1320.5
4049	LYNCH	43 28.2 N	67 16.7 W	0427:00	230882	210.3	1320.6
4050	LYNCH	43 28.2 N	67 16.5 W	0428:00	230882	210.3	1320.8
4051	LYNCH	43 28.2 N	67 16.3 W	0429:00	230882	208.4	1320.9
4052	LYNCH	43 28.2 N	67 16.1 W	0430:00	230882	206.6	1321.1
4053	LYNCH	43 28.5 N	67 16.1 W	0436:00	230882	206.6	1321.4
4054	LYNCH	43 29.0 N	67 16.0 W	0445:00	230882	206.6	1321.8
4055	LYNCH	43 28.5 N	67 15.6 W	0452:00	230882	206.6	1322.3
4056	LYNCH	43 28.5 N	67 15.5 W	0453:00	230882	203.0	1322.5
4057	LYNCH	43 28.5 N	67 15.3 W	0454:00	230882	201.1	1322.6
4058	LYNCH	43 28.5 N	67 15.1 W	0455:00	230882	206.6	1322.7
4059	LYNCH	43 28.4 N	67 14.2 W	0500:00	230882	206.6	1323.4
4060	LYNCH	43 28.3 N	67 13.0 W	0505:00	230882	210.3	1324.3
4061	LYNCH	43 28.3 N	67 11.8 W	0510:00	230882	208.4	1325.1
4062	LYNCH	43 28.2 N	67 11.3 W	0512:00	230882	213.9	1325.5
4063	LYNCH	43 28.2 N	67 10.6 W	0515:00	230882	215.8	1326.0
4064	LYNCH	43 28.2 N	67 10.2 W	0517:00	230882	217.6	1326.3
4065	LYNCH	43 28.1 N	67 9.7 W	0519:00	230882	221.2	1326.7
4066	LYNCH	43 28.1 N	67 9.5 W	0520:00	230882	221.2	1326.8
4067	LYNCH	43 28.1 N	67 9.3 W	0521:00	230882	221.2	1327.0
4068	LYNCH	43 28.1 N	67 9.1 W	0522:00	230882	212.1	1327.1
4069	LYNCH	43 28.1 N	67 8.8 W	0523:00	230882	221.2	1327.3
4070	LYNCH	43 28.1 N	67 8.4 W	0525:00	230882	223.1	1327.6
4071	LYNCH	43 28.0 N	67 8.0 W	0527:00	230882	224.9	1327.9
4072	LYNCH	43 28.0 N	67 7.3 W	0530:00	230882	219.4	1328.4
4073	LYNCH	43 28.0 N	67 7.1 W	0531:00	230882	215.8	1328.6
4074	LYNCH	43 28.0 N	67 6.9 W	0532:00	230882	210.3	1328.7
4075	LYNCH	43 28.0 N	67 6.7 W	0533:00	230882	208.4	1328.8
4076	LYNCH	43 28.0 N	67 6.6 W	0534:00	230882	208.4	1329.0
4077	LYNCH	43 28.0 N	67 6.4 W	0535:00	230882	206.6	1329.1
4078	LYNCH	43 28.0 N	67 6.2 W	0536:00	230882	208.4	1329.2
4079	LYNCH	43 27.9 N	67 6.0 W	0537:00	230882	210.3	1329.4
4080	LYNCH	43 27.9 N	67 5.6 W	0539:00	230882	212.1	1329.6
4081	LYNCH	43 27.9 N	67 5.5 W	0540:00	230882	213.9	1329.8
4082	LYNCH	43 27.9 N	67 5.1 W	0542:00	230882	217.6	1330.0
4083	LYNCH	43 27.9 N	67 5.1 W	0543:00	230882	217.6	1330.1
4084	LYNCH	43 28.0 N	67 5.1 W	0545:00	230882	215.8	1330.1
4085	LYNCH	43 28.0 N	67 5.1 W	0550:00	230882	213.9	1330.2
4086	LYNCH	43 28.1 N	67 5.1 W	0555:00	230882	212.1	1330.3
4087	LYNCH	43 28.2 N	67 5.1 W	0558:00	230882	215.8	1330.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4088	LYNCH	43 28.2 N	67 51.1 W	0600:00	230882	213.9	1330.3
4089	LYNCH	43 28.2 N	67 45.4 W	0604:00	230882	215.8	1330.7
4090	LYNCH	43 28.1 N	67 43.3 W	0605:00	230882	210.3	1330.9
4091	LYNCH	43 28.1 N	67 41.1 W	0606:00	230882	212.1	1331.0
4092	LYNCH	43 28.1 N	67 39.9 W	0607:00	230882	212.1	1331.2
4093	LYNCH	43 28.1 N	67 37.7 W	0608:00	230882	210.3	1331.3
4094	LYNCH	43 28.1 N	67 36.6 W	0609:00	230882	203.0	1331.4
4095	LYNCH	43 28.1 N	67 34.4 W	0610:00	230882	210.3	1331.6
4096	LYNCH	43 28.0 N	67 32.0 W	0612:00	230882	219.4	1331.9
4097	LYNCH	43 28.0 N	67 28.8 W	0613:00	230882	223.1	1332.0
4098	LYNCH	43 28.0 N	67 24.4 W	0615:00	230882	223.1	1332.3
4099	LYNCH	43 28.0 N	67 22.2 W	0616:00	230882	223.1	1332.5
4100	LYNCH	43 28.0 N	67 19.9 W	0617:00	230882	221.2	1332.6
4101	LYNCH	43 27.9 N	67 17.4 W	0619:00	230882	217.6	1333.0
4102	LYNCH	43 27.9 N	67 15.2 W	0620:00	230882	215.8	1333.2
4103	LYNCH	43 27.9 N	67 12.7 W	0622:00	230882	208.4	1333.5
4104	LYNCH	43 27.8 N	67 10.5 W	0623:00	230882	212.1	1333.7
4105	LYNCH	43 27.8 N	67 08.0 W	0625:00	230882	212.1	1334.0
4106	LYNCH	43 27.8 N	66 59.5 W	0627:00	230882	210.3	1334.4
4107	LYNCH	43 27.7 N	66 59.0 W	0629:00	230882	203.0	1334.7
4108	LYNCH	43 27.7 N	66 58.8 W	0630:00	230882	201.1	1334.9
4109	LYNCH	43 27.7 N	66 58.3 W	0632:00	230882	203.0	1335.3
4110	LYNCH	43 27.7 N	66 58.1 W	0633:00	230882	206.6	1335.4
4111	LYNCH	43 27.7 N	66 57.6 W	0635:00	230882	204.8	1335.8
4112	LYNCH	43 27.8 N	66 56.9 W	0639:00	230882	199.3	1336.3
4113	LYNCH	43 27.8 N	66 56.6 W	0641:00	230882	197.5	1336.5
4114	LYNCH	43 27.8 N	66 56.4 W	0640:00	230882	192.0	1336.7
4115	LYNCH	43 27.8 N	66 56.2 W	0641:00	230882	192.0	1336.8
4116	LYNCH	43 27.8 N	66 55.9 W	0642:00	230882	193.8	1337.0
4117	LYNCH	43 27.8 N	66 55.7 W	0643:00	230882	192.0	1337.2
4118	LYNCH	43 27.8 N	66 55.4 W	0644:00	230882	190.2	1337.4
4119	LYNCH	43 27.8 N	66 55.2 W	0645:00	230882	193.8	1337.5
4120	LYNCH	43 27.8 N	66 55.1 W	0646:00	230882	195.6	1337.6
4121	LYNCH	43 27.8 N	66 54.9 W	0647:00	230882	199.3	1337.8
4122	LYNCH	43 27.9 N	66 54.5 W	0650:00	230882	199.3	1338.1
4123	LYNCH	43 27.9 N	66 53.9 W	0700:00	230882	199.3	1338.5
4124	LYNCH	43 27.3 N	66 53.7 W	0715:00	230882	197.5	1339.1
4125	LYNCH	43 26.9 N	66 53.7 W	0720:00	230882	199.3	1339.6
4126	LYNCH	43 26.7 N	66 53.7 W	0722:00	230882	199.3	1339.8
4127	LYNCH	43 26.6 N	66 53.7 W	0723:00	230882	197.5	1339.9
4128	LYNCH	43 26.5 N	66 53.7 W	0724:00	230882	197.5	1339.9
4129	LYNCH	43 26.4 N	66 53.7 W	0725:00	230882	195.6	1340.0
4130	LYNCH	43 26.3 N	66 53.7 W	0726:00	230882	193.8	1340.1
4131	LYNCH	43 26.2 N	66 53.7 W	0727:00	230882	192.0	1340.2
4132	LYNCH	43 26.1 N	66 53.7 W	0728:00	230882	195.6	1340.3
4133	LYNCH	43 26.0 N	66 53.7 W	0729:00	230882	195.6	1340.4
4134	LYNCH	43 25.9 N	66 53.7 W	0730:00	230882	199.3	1340.5
4135	LYNCH	43 25.7 N	66 53.7 W	0731:00	230882	197.5	1340.7
4136	LYNCH	43 24.9 N	66 53.7 W	0735:00	230882	204.8	1341.5
4137	LYNCH	43 24.2 N	66 53.8 W	0739:00	230882	204.6	1342.3
4138	LYNCH	43 24.0 N	66 53.8 W	0740:00	230882	204.8	1342.5
4139	LYNCH	43 23.8 N	66 53.8 W	0741:00	230882	204.8	1342.6
4140	LYNCH	43 23.6 N	66 53.8 W	0742:00	230882	197.5	1342.8
4141	LYNCH	43 23.0 N	66 53.8 W	0745:00	230882	197.5	1343.4
4142	LYNCH	43 22.9 N	66 53.8 W	0746:00	230882	195.6	1343.6
4143	LYNCH	43 22.7 N	66 53.8 W	0747:00	230882	201.1	1343.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4144	LYNCH	43 22.4 N	66 53.8 W	0749:00	230882	201.1	1344.0
4145	LYNCH	43 22.3 N	66 53.9 W	0750:00	230882	199.3	1344.2
4146	LYNCH	43 22.0 N	66 53.9 W	0752:00	230882	203.0	1344.5
4147	LYNCH	43 21.5 N	66 53.9 W	0755:00	230882	203.0	1344.9
4148	LYNCH	43 21.1 N	66 53.9 W	0758:00	230882	201.1	1345.4
4149	LYNCH	43 20.9 N	66 54.0 W	0759:00	230882	201.1	1345.5
4150	LYNCH	43 20.8 N	66 54.0 W	0800:00	230882	203.0	1345.7
4151	LYNCH	43 20.6 N	66 54.0 W	0801:00	230882	201.1	1345.8
4152	LYNCH	43 20.3 N	66 53.9 W	0810:00	230882	201.1	1346.2
4153	LYNCH	43 20.2 N	66 53.8 W	0815:00	230882	199.3	1346.2
4154	LYNCH	43 20.2 N	66 53.8 W	0820:00	230882	201.1	1346.3
4155	LYNCH	43 20.3 N	66 53.7 W	0825:00	230882	199.3	1346.3
4156	LYNCH	43 20.3 N	66 53.7 W	0826:00	230882	201.1	1346.3
4157	LYNCH	43 20.3 N	66 53.7 W	0830:00	230882	203.0	1346.4
4158	LYNCH	43 20.4 N	66 53.4 W	0845:00	230882	201.1	1346.6
4159	LYNCH	43 20.4 N	66 53.7 W	0850:00	230882	203.0	1346.8
4160	LYNCH	43 20.4 N	66 53.9 W	0851:00	230882	203.0	1346.9
4161	LYNCH	43 20.4 N	66 54.2 W	0853:00	230882	199.3	1347.2
4162	LYNCH	43 20.4 N	66 54.4 W	0854:00	230882	203.0	1347.3
4163	LYNCH	43 20.4 N	66 54.6 W	0855:00	230882	201.1	1347.4
4164	LYNCH	43 20.4 N	66 54.7 W	0856:00	230882	197.5	1347.6
4165	LYNCH	43 20.4 N	66 55.1 W	0858:00	230882	199.3	1347.8
4166	LYNCH	43 20.4 N	66 55.4 W	0900:00	230882	197.5	1348.0
4167	LYNCH	43 20.4 N	66 55.6 W	0903:00	230882	195.6	1348.2
4168	LYNCH	43 20.4 N	66 55.9 W	0905:00	230882	201.1	1348.4
4169	LYNCH	43 20.4 N	66 56.1 W	0907:00	230882	197.5	1348.6
4170	LYNCH	43 20.3 N	66 56.4 W	0904:00	230882	197.5	1348.8
4171	LYNCH	43 20.3 N	66 56.6 W	0905:00	230882	197.5	1348.9
4172	LYNCH	43 20.3 N	66 56.9 W	0906:00	230882	193.8	1349.1
4173	LYNCH	43 20.3 N	66 57.1 W	0907:00	230882	193.8	1349.3
4174	LYNCH	43 20.3 N	66 57.4 W	0908:00	230882	195.6	1349.5
4175	LYNCH	43 20.3 N	66 57.6 W	0909:00	230882	199.3	1349.7
4176	LYNCH	43 20.3 N	66 57.9 W	0910:00	230882	193.8	1349.8
4177	LYNCH	43 20.3 N	66 58.1 W	0911:00	230882	190.2	1350.0
4178	LYNCH	43 20.2 N	66 58.4 W	0912:00	230882	192.0	1350.2
4179	LYNCH	43 20.2 N	66 58.6 W	0913:00	230882	193.8	1350.4
4180	LYNCH	43 20.2 N	66 58.9 W	0914:00	230882	192.0	1350.6
4181	LYNCH	43 20.2 N	66 59.1 W	0915:00	230882	199.3	1350.7
4182	LYNCH	43 20.2 N	66 59.3 W	0916:00	230882	195.6	1350.9
4183	LYNCH	43 20.2 N	66 59.6 W	0917:00	230882	192.0	1351.1
4184	LYNCH	43 20.2 N	66 59.8 W	0918:00	230882	188.3	1351.3
4185	LYNCH	43 20.2 N	67 00.1 W	0919:00	230882	175.5	1351.4
4186	LYNCH	43 20.2 N	67 00.3 W	0920:00	230882	173.7	1351.6
4187	LYNCH	43 20.2 N	67 00.5 W	0921:00	230882	170.1	1351.8
4188	LYNCH	43 20.2 N	67 00.8 W	0922:00	230882	171.9	1352.0
4189	LYNCH	43 20.1 N	67 01.0 W	0923:00	230882	175.5	1352.1
4190	LYNCH	43 20.1 N	67 01.3 W	0924:00	230882	168.2	1352.3
4191	LYNCH	43 20.1 N	67 01.5 W	0925:00	230882	171.9	1352.5
4192	LYNCH	43 20.1 N	67 01.7 W	0926:00	230882	171.9	1352.7
4193	LYNCH	43 20.1 N	67 02.0 W	0927:00	230882	179.2	1352.8
4194	LYNCH	43 20.1 N	67 02.2 W	0928:00	230882	179.2	1353.0
4195	LYNCH	43 20.1 N	67 02.5 W	0929:00	230882	186.5	1353.2
4196	LYNCH	43 20.1 N	67 02.7 W	0930:00	230882	188.3	1353.4
4197	LYNCH	43 20.1 N	67 02.8 W	0931:00	230882	190.2	1353.4
4198	LYNCH	43 20.1 N	67 02.9 W	0932:00	230882	192.0	1353.5
4199	LYNCH	43 20.0 N	67 03.0 W	0933:00	230882	193.8	1353.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4200	LYNCH	43 20.0 N	67 3.1 W	0934:00	230882	193.8	1353.7
4201	LYNCH	43 20.0 N	67 3.3 W	0935:00	230882	192.0	1353.8
4202	LYNCH	43 20.0 N	67 3.4 W	0936:00	230882	193.8	1353.9
4203	LYNCH	43 19.9 N	67 3.5 W	0937:00	230882	201.1	1353.9
4204	LYNCH	43 19.9 N	67 3.6 W	0938:00	230882	195.6	1354.0
4205	LYNCH	43 19.9 N	67 3.7 W	0939:00	230882	182.9	1354.1
4206	LYNCH	43 19.9 N	67 3.8 W	0940:00	230882	193.8	1354.2
4207	LYNCH	43 19.8 N	67 3.9 W	0941:00	230882	192.0	1354.3
4208	LYNCH	43 19.8 N	67 4.0 W	0942:00	230882	195.6	1354.4
4209	LYNCH	43 19.8 N	67 4.2 W	0943:00	230882	197.5	1354.5
4210	LYNCH	43 19.8 N	67 4.3 W	0944:00	230882	201.1	1354.5
4211	LYNCH	43 19.7 N	67 4.4 W	0945:00	230882	208.4	1354.6
4212	LYNCH	43 19.7 N	67 4.5 W	0946:00	230882	206.6	1354.7
4213	LYNCH	43 19.7 N	67 4.6 W	0950:00	230882	204.8	1354.8
4214	LYNCH	43 19.7 N	67 4.5 W	0952:00	230882	206.6	1354.8
4215	LYNCH	43 19.6 N	67 4.5 W	0955:00	230882	206.6	1354.8
4216	LYNCH	43 19.6 N	67 4.5 W	0957:00	230882	210.3	1354.9
4217	LYNCH	43 19.6 N	67 4.4 W	1000:00	230882	208.4	1354.9
4218	LYNCH	43 19.6 N	67 4.4 W	1003:00	230882	206.6	1354.9
4219	LYNCH	43 19.6 N	67 4.3 W	1005:00	230882	206.6	1355.0
4220	LYNCH	43 19.6 N	67 4.2 W	1008:00	230882	206.6	1355.1
4221	LYNCH	43 19.6 N	67 4.1 W	1010:00	230882	204.8	1355.1
4222	LYNCH	43 19.6 N	67 4.0 W	1015:00	230882	201.1	1355.2
4223	LYNCH	43 19.6 N	67 4.0 W	1020:00	230882	199.3	1355.3
4224	LYNCH	43 19.5 N	67 3.9 W	1025:00	230882	199.3	1355.3
4225	LYNCH	43 19.5 N	67 3.9 W	1029:00	230882	203.0	1355.3
4226	LYNCH	43 19.5 N	67 3.9 W	1030:00	230882	203.0	1355.3
4227	LYNCH	43 19.5 N	67 3.4 W	1035:00	230882	199.3	1355.7
4228	LYNCH	43 19.5 N	67 3.5 W	1036:00	230882	197.5	1355.8
4229	LYNCH	43 19.5 N	67 3.6 W	1037:00	230882	193.8	1355.9
4230	LYNCH	43 19.5 N	67 3.8 W	1038:00	230882	184.7	1356.0
4231	LYNCH	43 19.5 N	67 3.9 W	1039:00	230882	175.5	1356.0
4232	LYNCH	43 19.6 N	67 4.0 W	1040:00	230882	199.3	1356.1
4233	LYNCH	43 19.6 N	67 4.1 W	1041:00	230882	199.3	1356.2
4234	LYNCH	43 19.6 N	67 4.2 W	1042:00	230882	201.1	1356.3
4235	LYNCH	43 19.6 N	67 4.4 W	1043:00	230882	206.6	1356.4
4236	LYNCH	43 19.6 N	67 4.5 W	1044:00	230882	208.4	1356.5
4237	LYNCH	43 19.6 N	67 4.6 W	1045:00	230882	204.8	1356.6
4238	LYNCH	43 19.6 N	67 4.8 W	1046:00	230882	203.0	1356.7
4239	LYNCH	43 19.6 N	67 5.1 W	1047:00	230882	203.0	1356.9
4240	LYNCH	43 19.6 N	67 5.3 W	1048:00	230882	210.3	1357.1
4241	LYNCH	43 19.7 N	67 5.5 W	1049:00	230882	206.6	1357.2
4242	LYNCH	43 19.7 N	67 5.8 W	1050:00	230882	208.4	1357.4
4243	LYNCH	43 19.7 N	67 6.0 W	1051:00	230882	213.9	1357.6
4244	LYNCH	43 19.7 N	67 6.2 W	1052:00	230882	212.1	1357.8
4245	LYNCH	43 19.7 N	67 6.5 W	1053:00	230882	215.8	1357.9
4246	LYNCH	43 19.7 N	67 6.7 W	1054:00	230882	223.1	1358.1
4247	LYNCH	43 19.7 N	67 6.9 W	1055:00	230882	224.9	1358.3
4248	LYNCH	43 19.7 N	67 7.2 W	1056:00	230882	238.6	1358.4
4249	LYNCH	43 19.8 N	67 7.4 W	1057:00	230882	232.2	1358.6
4250	LYNCH	43 19.8 N	67 7.9 W	1059:00	230882	237.7	1359.0
4251	LYNCH	43 19.8 N	67 8.1 W	1100:00	230882	241.4	1359.1
4252	LYNCH	43 19.8 N	67 8.3 W	1101:00	230882	237.7	1359.3
4253	LYNCH	43 19.8 N	67 8.5 W	1102:00	230882	239.5	1359.4
4254	LYNCH	43 19.8 N	67 8.7 W	1103:00	230882	237.7	1359.6
4255	LYNCH	43 19.8 N	67 9.0 W	1104:00	230882	235.9	1359.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4256	LYNCH	43 19.8 N	67 9.2 W	1105:00	230882	232.2	1359.9
4257	LYNCH	43 19.8 N	67 9.4 W	1106:00	230882	232.2	1360.1
4258	LYNCH	43 19.8 N	67 9.6 W	1107:00	230882	232.2	1360.2
4259	LYNCH	43 19.8 N	67 9.8 W	1108:00	230882	230.4	1360.4
4260	LYNCH	43 19.8 N	67 10.0 W	1109:00	230882	224.9	1360.5
4261	LYNCH	43 19.8 N	67 10.2 W	1110:00	230882	223.1	1360.7
4262	LYNCH	43 19.8 N	67 10.4 W	1111:00	230882	232.2	1360.8
4263	LYNCH	43 19.8 N	67 10.7 W	1112:00	230882	232.2	1361.0
4264	LYNCH	43 19.8 N	67 11.1 W	1114:00	230882	230.4	1361.3
4265	LYNCH	43 19.8 N	67 11.3 W	1115:00	230882	228.6	1361.4
4266	LYNCH	43 19.8 N	67 11.5 W	1116:00	230882	215.8	1361.6
4267	LYNCH	43 19.8 N	67 11.7 W	1117:00	230882	206.6	1361.7
4268	LYNCH	43 19.8 N	67 11.8 W	1118:00	230882	213.9	1361.8
4269	LYNCH	43 19.8 N	67 12.0 W	1119:00	230882	219.4	1362.0
4270	LYNCH	43 19.8 N	67 12.2 W	1120:00	230882	219.4	1362.1
4271	LYNCH	43 19.8 N	67 12.4 W	1121:00	230882	224.9	1362.2
4272	LYNCH	43 19.8 N	67 12.6 W	1122:00	230882	221.2	1362.4
4273	LYNCH	43 19.8 N	67 13.1 W	1125:00	230882	223.1	1362.8
4274	LYNCH	43 19.8 N	67 13.3 W	1126:00	230882	219.4	1362.9
4275	LYNCH	43 19.9 N	67 13.6 W	1128:00	230882	219.4	1363.2
4276	LYNCH	43 19.9 N	67 14.2 W	1131:00	230882	219.4	1363.5
4277	LYNCH	43 19.9 N	67 14.4 W	1132:00	230882	221.2	1363.7
4278	LYNCH	43 19.9 N	67 14.5 W	1133:00	230882	217.6	1363.8
4279	LYNCH	43 19.9 N	67 14.7 W	1134:00	230882	215.8	1363.9
4280	LYNCH	43 19.9 N	67 14.9 W	1135:00	230882	213.9	1364.1
4281	LYNCH	43 19.9 N	67 15.1 W	1136:00	230882	212.1	1364.2
4282	LYNCH	43 19.9 N	67 15.3 W	1137:00	230882	213.9	1364.3
4283	LYNCH	43 19.9 N	67 15.8 W	1140:00	230882	212.1	1364.7
4284	LYNCH	43 19.9 N	67 15.8 W	1142:00	230882	212.1	1364.8
4285	LYNCH	43 19.9 N	67 15.7 W	1145:00	230882	213.9	1364.8
4286	LYNCH	43 19.9 N	67 15.6 W	1150:00	230882	213.9	1364.9
4287	LYNCH	43 19.8 N	67 15.6 W	1152:00	230882	213.9	1364.9
4288	LYNCH	43 19.8 N	67 15.5 W	1155:00	230882	212.1	1365.0
4289	LYNCH	43 19.8 N	67 15.5 W	1156:00	230882	212.1	1365.0
4290	LYNCH	43 19.8 N	67 15.4 W	1200:00	230882	217.6	1365.0
4291	LYNCH	43 19.7 N	67 15.5 W	1202:00	230882	219.4	1365.1
4292	LYNCH	43 19.7 N	67 15.5 W	1203:00	230882	219.4	1365.2
4293	LYNCH	43 19.6 N	67 15.5 W	1204:00	230882	215.8	1365.2
4294	LYNCH	43 19.6 N	67 16.0 W	1205:00	230882	213.9	1365.4
4295	LYNCH	43 19.6 N	67 16.2 W	1206:00	230882	204.8	1365.6
4296	LYNCH	43 19.6 N	67 16.2 W	1207:00	230882	195.6	1365.7
4297	LYNCH	43 19.6 N	67 16.4 W	1208:00	230882	195.6	1365.9
4298	LYNCH	43 19.6 N	67 16.6 W	1209:00	230882	201.1	1366.1
4299	LYNCH	43 19.7 N	67 16.9 W	1210:00	230882	204.8	1366.2
4300	LYNCH	43 19.7 N	67 17.1 W	1211:00	230882	197.5	1366.4
4301	LYNCH	43 19.7 N	67 17.3 W	1212:00	230882	184.7	1366.6
4302	LYNCH	43 19.7 N	67 17.5 W	1213:00	230882	186.5	1366.7
4303	LYNCH	43 19.7 N	67 17.8 W	1214:00	230882	181.0	1366.9
4304	LYNCH	43 19.7 N	67 18.0 W	1215:00	230882	146.3	1367.1
4305	LYNCH	43 19.7 N	67 18.2 W	1216:00	230882	173.7	1367.2
4306	LYNCH	43 19.7 N	67 18.4 W	1217:00	230882	170.1	1367.4
4307	LYNCH	43 19.7 N	67 18.7 W	1218:00	230882	192.0	1367.5
4308	LYNCH	43 19.7 N	67 18.9 W	1219:00	230882	181.0	1367.7
4309	LYNCH	43 19.7 N	67 19.1 W	1220:00	230882	164.6	1367.9
4310	LYNCH	43 19.7 N	67 19.3 W	1221:00	230882	166.4	1368.0
4311	LYNCH	43 19.7 N	67 19.5 W	1222:00	230882	171.9	1368.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4312	LYNCH	43 19.6 N	67 19.8 W	1223:00	230882	195.6	1368.3
4313	LYNCH	43 19.6 N	67 20.0 W	1224:00	230882	197.5	1368.5
4314	LYNCH	43 19.6 N	67 20.2 W	1225:00	230882	201.1	1368.7
4315	LYNCH	43 19.6 N	67 20.4 W	1226:00	230882	181.0	1368.8
4316	LYNCH	43 19.6 N	67 20.6 W	1227:00	230882	181.0	1369.0
4317	LYNCH	43 19.6 N	67 20.9 W	1228:00	230882	184.7	1369.1
4318	LYNCH	43 19.6 N	67 21.1 W	1229:00	230882	204.8	1369.3
4319	LYNCH	43 19.6 N	67 21.3 W	1230:00	230882	201.1	1369.5
4320	LYNCH	43 19.6 N	67 21.5 W	1231:00	230882	206.6	1369.6
4321	LYNCH	43 19.6 N	67 21.7 W	1232:00	230882	193.8	1369.8
4322	LYNCH	43 19.6 N	67 22.0 W	1233:00	230882	190.2	1369.9
4323	LYNCH	43 19.6 N	67 22.2 W	1234:00	230882	188.3	1370.1
4324	LYNCH	43 19.6 N	67 22.4 W	1235:00	230882	190.2	1370.3
4325	LYNCH	43 19.6 N	67 22.6 W	1236:00	230882	184.7	1370.4
4326	LYNCH	43 19.6 N	67 22.8 W	1237:00	230882	162.7	1370.6
4327	LYNCH	43 19.6 N	67 23.1 W	1238:00	230882	166.4	1370.7
4328	LYNCH	43 19.6 N	67 23.3 W	1239:00	230882	162.7	1370.9
4329	LYNCH	43 19.6 N	67 23.5 W	1240:00	230882	157.3	1371.1
4330	LYNCH	43 19.6 N	67 23.7 W	1241:00	230882	164.6	1371.2
4331	LYNCH	43 19.6 N	67 23.9 W	1242:00	230882	184.7	1371.4
4332	LYNCH	43 19.6 N	67 24.2 W	1243:00	230882	192.0	1371.5
4333	LYNCH	43 19.6 N	67 24.4 W	1244:00	230882	190.2	1371.7
4334	LYNCH	43 19.6 N	67 24.6 W	1245:00	230882	164.6	1371.9
4335	LYNCH	43 19.6 N	67 24.7 W	1246:00	230882	162.7	1372.0
4336	LYNCH	43 19.6 N	67 24.9 W	1247:00	230882	188.3	1372.1
4337	LYNCH	43 19.6 N	67 25.0 W	1248:00	230882	190.2	1372.1
4338	LYNCH	43 19.6 N	67 25.1 W	1249:00	230882	190.2	1372.2
4339	LYNCH	43 19.6 N	67 25.2 W	1250:00	230882	193.8	1372.3
4340	LYNCH	43 19.6 N	67 25.4 W	1251:00	230882	195.6	1372.4
4341	LYNCH	43 19.6 N	67 25.5 W	1252:00	230882	193.8	1372.5
4342	LYNCH	43 19.7 N	67 25.6 W	1253:00	230882	192.0	1372.6
4343	LYNCH	43 19.7 N	67 25.7 W	1254:00	230882	184.7	1372.7
4344	LYNCH	43 19.7 N	67 25.9 W	1255:00	230882	186.5	1372.8
4345	LYNCH	43 19.7 N	67 26.0 W	1256:00	230882	182.9	1372.9
4346	LYNCH	43 19.7 N	67 26.1 W	1257:00	230882	184.7	1373.0
4347	LYNCH	43 19.7 N	67 26.2 W	1258:00	230882	186.5	1373.1
4348	LYNCH	43 19.7 N	67 26.4 W	1259:00	230882	188.3	1373.2
4349	LYNCH	43 19.7 N	67 26.5 W	1300:00	230882	192.0	1373.3
4350	LYNCH	43 19.7 N	67 26.5 W	1302:00	230882	193.8	1373.3
4351	LYNCH	43 19.8 N	67 26.4 W	1304:00	230882	195.6	1373.3
4352	LYNCH	43 19.8 N	67 26.4 W	1305:00	230882	193.8	1373.4
4353	LYNCH	43 19.8 N	67 26.4 W	1306:00	230882	193.8	1373.4
4354	LYNCH	43 19.8 N	67 26.4 W	1307:00	230882	193.8	1373.4
4355	LYNCH	43 19.8 N	67 26.3 W	1308:00	230882	195.6	1373.4
4356	LYNCH	43 19.8 N	67 26.3 W	1310:00	230882	193.8	1373.5
4357	LYNCH	43 19.9 N	67 26.2 W	1312:00	230882	190.2	1373.5
4358	LYNCH	43 19.9 N	67 26.2 W	1314:00	230882	192.0	1373.6
4359	LYNCH	43 19.9 N	67 26.2 W	1315:00	230882	192.0	1373.6
4360	LYNCH	43 19.9 N	67 26.2 W	1316:00	230882	193.8	1373.6
4361	LYNCH	43 19.8 N	67 26.1 W	1317:00	230882	193.8	1373.6
4362	LYNCH	43 19.8 N	67 26.1 W	1319:00	230882	195.6	1373.7
4363	LYNCH	43 19.8 N	67 26.3 W	1320:00	230882	193.8	1373.6
4364	LYNCH	43 19.8 N	67 26.5 W	1321:00	230882	184.7	1374.0
4365	LYNCH	43 19.9 N	67 26.8 W	1322:00	230882	182.9	1374.2
4366	LYNCH	43 19.9 N	67 27.0 W	1323:00	230882	150.2	1374.3
4367	LYNCH	43 19.9 N	67 27.2 W	1324:00	230882	166.5	1374.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4368	LYNCH	43 19.9 N	67 27.4 W	1325:00	230882	186.5	1374.6
4369	LYNCH	43 19.9 N	67 27.6 W	1326:00	230882	182.9	1374.8
4370	LYNCH	43 19.9 N	67 27.8 W	1327:00	230882	155.4	1375.0
4371	LYNCH	43 20.0 N	67 28.1 W	1328:00	230882	157.3	1375.1
4372	LYNCH	43 20.0 N	67 28.3 W	1329:00	230882	157.3	1375.3
4373	LYNCH	43 20.0 N	67 28.5 W	1330:00	230882	166.4	1375.4
4374	LYNCH	43 20.0 N	67 28.7 W	1331:00	230882	170.1	1375.6
4375	LYNCH	43 20.0 N	67 28.9 W	1332:00	230882	171.9	1375.8
4376	LYNCH	43 20.0 N	67 29.2 W	1333:00	230882	162.7	1375.9
4377	LYNCH	43 20.0 N	67 29.4 W	1334:00	230882	151.8	1376.1
4378	LYNCH	43 20.0 N	67 29.6 W	1335:00	230882	157.3	1376.2
4379	LYNCH	43 20.0 N	67 29.8 W	1336:00	230882	148.1	1376.4
4380	LYNCH	43 20.0 N	67 30.0 W	1337:00	230882	160.9	1376.6
4381	LYNCH	43 20.1 N	67 30.3 W	1338:00	230882	170.1	1376.7
4382	LYNCH	43 20.1 N	67 30.5 W	1339:00	230882	170.1	1376.9
4383	LYNCH	43 20.1 N	67 30.7 W	1340:00	230882	186.5	1377.0
4384	LYNCH	43 20.1 N	67 30.9 W	1341:00	230882	182.9	1377.2
4385	LYNCH	43 20.1 N	67 31.1 W	1342:00	230882	173.7	1377.4
4386	LYNCH	43 20.1 N	67 31.4 W	1343:00	230882	186.5	1377.5
4387	LYNCH	43 20.1 N	67 31.6 W	1344:00	230882	177.4	1377.7
4388	LYNCH	43 20.1 N	67 31.8 W	1345:00	230882	171.9	1377.8
4389	LYNCH	43 20.1 N	67 32.0 W	1346:00	230882	179.2	1378.0
4390	LYNCH	43 20.1 N	67 32.3 W	1347:00	230882	201.1	1378.2
4391	LYNCH	43 20.1 N	67 32.5 W	1348:00	230882	192.0	1378.4
4392	LYNCH	43 20.1 N	67 32.8 W	1349:00	230882	201.1	1378.5
4393	LYNCH	43 20.1 N	67 33.0 W	1350:00	230882	210.3	1378.7
4394	LYNCH	43 20.1 N	67 33.2 W	1351:00	230882	212.1	1378.9
4395	LYNCH	43 20.1 N	67 33.5 W	1352:00	230882	217.6	1379.1
4396	LYNCH	43 20.1 N	67 33.7 W	1353:00	230882	213.9	1379.2
4397	LYNCH	43 20.1 N	67 34.0 W	1354:00	230882	215.8	1379.4
4398	LYNCH	43 20.1 N	67 34.2 W	1355:00	230882	206.6	1379.6
4399	LYNCH	43 20.1 N	67 34.4 W	1356:00	230882	210.3	1379.8
4400	LYNCH	43 20.1 N	67 34.7 W	1357:00	230882	212.1	1379.9
4401	LYNCH	43 20.1 N	67 34.9 W	1358:00	230882	213.9	1380.1
4402	LYNCH	43 20.1 N	67 35.2 W	1359:00	230882	215.8	1380.3
4403	LYNCH	43 20.1 N	67 35.4 W	1400:00	230882	215.8	1380.5
4404	LYNCH	43 20.1 N	67 35.6 W	1401:00	230882	221.2	1380.6
4405	LYNCH	43 20.1 N	67 35.7 W	1402:00	230882	223.1	1380.7
4406	LYNCH	43 20.0 N	67 36.1 W	1404:00	230882	223.1	1381.0
4407	LYNCH	43 20.0 N	67 36.3 W	1405:00	230882	224.9	1381.1
4408	LYNCH	43 20.0 N	67 36.4 W	1406:00	230882	221.2	1381.2
4409	LYNCH	43 20.0 N	67 36.6 W	1407:00	230882	223.1	1381.3
4410	LYNCH	43 19.9 N	67 37.1 W	1410:00	230882	223.1	1381.7
4411	LYNCH	43 19.9 N	67 37.3 W	1411:00	230882	226.7	1381.9
4412	LYNCH	43 19.8 N	67 37.7 W	1413:00	230882	230.4	1382.1
4413	LYNCH	43 19.8 N	67 37.8 W	1414:00	230882	230.4	1382.2
4414	LYNCH	43 19.8 N	67 38.0 W	1415:00	230882	228.6	1382.4
4415	LYNCH	43 19.8 N	67 38.0 W	1417:00	230882	230.4	1382.4
4416	LYNCH	43 19.9 N	67 38.0 W	1420:00	230882	228.6	1382.5
4417	LYNCH	43 19.9 N	67 38.0 W	1422:00	230882	226.7	1382.5
4418	LYNCH	43 20.0 N	67 38.0 W	1425:00	230882	228.6	1382.6
4419	LYNCH	43 20.1 N	67 38.0 W	1430:00	230882	228.6	1382.6
4420	LYNCH	43 20.1 N	67 38.0 W	1431:00	230882	226.7	1382.7
4421	LYNCH	43 20.1 N	67 38.0 W	1432:00	230882	223.1	1382.7
4422	LYNCH	43 20.1 N	67 38.1 W	1433:00	230882	217.6	1382.7
4423	LYNCH	43 20.1 N	67 38.1 W	1434:00	230882	213.9	1382.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4424	LYNCH	43 20 1 N	67 38 2 W	1435:00	230882	213.9	1382.8
4425	LYNCH	43 20 0 N	67 38 2 W	1436:00	230882	217.6	1382.8
4426	LYNCH	43 20 0 N	67 38 2 W	1437:00	230882	223.1	1382.8
4427	LYNCH	43 20 0 N	67 38 3 W	1438:00	230882	228.6	1382.9
4428	LYNCH	43 20 0 N	67 38 3 W	1439:00	230882	230.4	1382.9
4429	LYNCH	43 20 0 N	67 38 6 W	1440:00	230882	235.9	1383.1
4430	LYNCH	43 20 0 N	67 38 8 W	1441:00	230882	234.0	1383.3
4431	LYNCH	43 20 0 N	67 39 8 W	1445:00	230882	239.5	1384.0
4432	LYNCH	43 20 0 N	67 40 3 W	1447:00	230882	241.4	1384.4
4433	LYNCH	43 20 1 N	67 41 1 W	1450:00	230882	241.4	1384.9
4434	LYNCH	43 20 1 N	67 41 6 W	1452:00	230882	239.5	1385.3
4435	LYNCH	43 20 1 N	67 42 3 W	1455:00	230882	245.0	1385.8
4436	LYNCH	43 20 2 N	67 42 8 W	1457:00	230882	248.7	1386.2
4437	LYNCH	43 20 2 N	67 43 6 W	1500:00	230882	257.8	1386.8
4438	LYNCH	43 20 2 N	67 43 9 W	1501:00	230882	261.5	1387.0
4439	LYNCH	43 20 2 N	67 44 4 W	1503:00	230882	261.5	1387.3
4440	LYNCH	43 20 2 N	67 44 9 W	1505:00	230882	259.6	1387.7
4441	LYNCH	43 20 2 N	67 45 1 W	1506:00	230882	259.6	1387.9
4442	LYNCH	43 20 2 N	67 45 6 W	1508:00	230882	256.0	1388.2
4443	LYNCH	43 20 2 N	67 45 9 W	1509:00	230882	254.2	1388.4
4444	LYNCH	43 20 2 N	67 46 1 W	1510:00	230882	256.0	1388.6
4445	LYNCH	43 20 2 N	67 46 6 W	1512:00	230882	252.3	1389.0
4446	LYNCH	43 20 2 N	67 46 9 W	1513:00	230882	252.3	1389.2
4447	LYNCH	43 20 2 N	67 47 1 W	1514:00	230882	248.7	1389.3
4448	LYNCH	43 20 2 N	67 47 4 W	1515:00	230882	243.2	1389.5
4449	LYNCH	43 20 2 N	67 47 5 W	1516:00	230882	232.2	1389.6
4450	LYNCH	43 20 1 N	67 47 7 W	1517:00	230882	215.8	1389.8
4451	LYNCH	43 20 1 N	67 47 8 W	1518:00	230882	215.8	1389.9
4452	LYNCH	43 20 1 N	67 48 0 W	1519:00	230882	234.0	1390.0
4453	LYNCH	43 20 1 N	67 48 1 W	1520:00	230882	235.9	1390.1
4454	LYNCH	43 20 0 N	67 48 6 W	1523:00	230882	235.9	1390.4
4455	LYNCH	43 20 0 N	67 48 7 W	1524:00	230882	230.4	1390.5
4456	LYNCH	43 19 9 N	67 48 9 W	1525:00	230882	232.2	1390.6
4457	LYNCH	43 19 9 N	67 49 0 W	1530:00	230882	232.2	1390.7
4458	LYNCH	43 19 9 N	67 49 0 W	1531:00	230882	232.2	1390.7
4459	LYNCH	43 20 0 N	67 49 0 W	1535:00	230882	235.9	1390.8
4460	LYNCH	43 20 1 N	67 48 9 W	1545:00	230882	235.9	1390.9
4461	LYNCH	43 19 9 N	67 49 0 W	1552:00	230882	235.9	1391.1
4462	LYNCH	43 19 8 N	67 49 1 W	1553:00	230882	237.7	1391.1
4463	LYNCH	43 19 8 N	67 49 1 W	1554:00	230882	230.4	1391.2
4464	LYNCH	43 19 7 N	67 49 1 W	1555:00	230882	226.7	1391.2
4465	LYNCH	43 19 6 N	67 49 1 W	1556:00	230882	223.1	1391.3
4466	LYNCH	43 19 6 N	67 49 2 W	1557:00	230882	230.4	1391.3
4467	LYNCH	43 19 6 N	67 49 4 W	1559:00	230882	232.2	1391.5
4468	LYNCH	43 19 6 N	67 49 7 W	1600:00	230882	230.4	1391.7
4469	LYNCH	43 19 6 N	67 49 9 W	1601:00	230882	228.6	1391.9
4470	LYNCH	43 19 6 N	67 50 1 W	1602:00	230882	226.7	1392.0
4471	LYNCH	43 19 6 N	67 50 4 W	1603:00	230882	221.2	1392.2
4472	LYNCH	43 19 7 N	67 50 6 W	1604:00	230882	221.2	1392.4
4473	LYNCH	43 19 7 N	67 50 8 W	1605:00	230882	223.1	1392.6
4474	LYNCH	43 19 7 N	67 51 1 W	1606:00	230882	221.2	1392.7
4475	LYNCH	43 19 7 N	67 51 3 W	1607:00	230882	221.2	1392.9
4476	LYNCH	43 19 7 N	67 51 5 W	1608:00	230882	226.7	1393.1
4477	LYNCH	43 19 7 N	67 51 7 W	1609:00	230882	228.6	1393.2
4478	LYNCH	43 19 7 N	67 52 0 W	1610:00	230882	230.4	1393.4
4479	LYNCH	43 19 7 N	67 52 2 W	1611:00	230882	232.2	1393.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4480	LYNCH	43 19.8 N	67 53.1 W	1615:00	230882	234.0	1394.2
4481	LYNCH	43 19.8 N	67 53.8 W	1618:00	230882	235.9	1394.7
4482	LYNCH	43 19.8 N	67 54.3 W	1620:00	230882	235.9	1395.1
4483	LYNCH	43 20.0 N	67 56.7 W	1630:00	230882	239.5	1396.8
4484	LYNCH	43 20.0 N	67 56.9 W	1631:00	230882	237.7	1397.0
4485	LYNCH	43 19.9 N	67 59.5 W	1645:00	230882	234.0	1398.9
4486	LYNCH	43 19.9 N	68 2.2 W	1650:00	230882	234.0	1399.4
4487	LYNCH	43 20.0 N	68 1.1 W	1700:00	230882	234.0	1399.5
4488	LYNCH	43 20.1 N	68 0.0 W	1705:00	230882	235.9	1399.6
4489	LYNCH	43 20.1 N	68 1.1 W	1710:00	230882	235.9	1399.7
4490	LYNCH	43 20.2 N	68 1.1 W	1715:00	230882	232.2	1400.4
4491	LYNCH	43 20.3 N	68 3.5 W	1725:00	230882	223.1	1402.1
4492	LYNCH	43 20.4 N	68 4.7 W	1730:00	230882	217.6	1403.0
4493	LYNCH	43 20.4 N	68 5.9 W	1735:00	230882	213.9	1403.9
4494	LYNCH	43 20.4 N	68 6.1 W	1740:00	230882	213.9	1404.1
4495	LYNCH	43 20.5 N	68 7.1 W	1740:00	230882	208.4	1404.8
4496	LYNCH	43 20.5 N	68 7.6 W	1742:00	230882	206.6	1405.1
4497	LYNCH	43 20.5 N	68 8.3 W	1745:00	230882	203.0	1405.6
4498	LYNCH	43 20.6 N	68 8.8 W	1747:00	230882	201.1	1406.0
4499	LYNCH	43 20.6 N	68 9.0 W	1748:00	230882	199.3	1406.2
4500	LYNCH	43 20.6 N	68 9.5 W	1750:00	230882	197.5	1406.5
4501	LYNCH	43 20.3 N	68 10.1 W	1755:00	230882	193.8	1407.1
4502	LYNCH	43 19.9 N	68 10.8 W	1800:00	230882	193.8	1407.6
4503	LYNCH	43 20.0 N	68 10.8 W	1815:00	230882	193.8	1407.7
4504	LYNCH	43 20.3 N	68 10.6 W	1822:00	230882	193.8	1408.0
4505	LYNCH	43 20.3 N	68 10.6 W	1823:00	230882	195.6	1408.1
4506	LYNCH	43 20.4 N	68 10.6 W	1824:00	230882	193.8	1408.1
4507	LYNCH	43 20.5 N	68 10.4 W	1825:00	230882	193.8	1408.3
4508	LYNCH	43 20.9 N	68 9.3 W	1830:00	230882	199.3	1409.2
4509	LYNCH	43 22.0 N	68 6.0 W	1845:00	230882	212.1	1411.8
4510	LYNCH	43 22.3 N	68 4.8 W	1850:00	230882	219.4	1412.8
4511	LYNCH	43 22.9 N	68 2.4 W	1900:00	230882	228.6	1414.6
4512	LYNCH	43 23.5 N	67 59.9 W	1910:00	230882	239.5	1416.5
4513	LYNCH	43 24.2 N	67 59.2 W	1915:00	230882	241.4	1417.4
4514	LYNCH	43 25.0 N	67 58.6 W	1920:00	230882	245.0	1418.3
4515	LYNCH	43 25.7 N	67 57.9 W	1925:00	230882	243.2	1419.2
4516	LYNCH	43 26.3 N	67 57.3 W	1929:00	230882	246.8	1419.9
4517	LYNCH	43 26.4 N	67 57.2 W	1930:00	230882	243.2	1420.0
4518	LYNCH	43 27.2 N	67 56.5 W	1935:00	230882	246.8	1420.9
4519	LYNCH	43 27.3 N	67 56.4 W	1936:00	230882	248.7	1421.1
4520	LYNCH	43 27.8 N	67 55.9 W	1939:00	230882	246.8	1421.7
4521	LYNCH	43 27.9 N	67 55.8 W	1940:00	230882	243.2	1421.9
4522	LYNCH	43 28.1 N	67 55.7 W	1941:00	230882	248.7	1422.0
4523	LYNCH	43 28.2 N	67 55.5 W	1942:00	230882	254.2	1422.2
4524	LYNCH	43 28.7 N	67 55.1 W	1945:00	230882	259.6	1422.8
4525	LYNCH	43 29.0 N	67 54.8 W	1947:00	230882	265.1	1423.2
4526	LYNCH	43 29.2 N	67 54.7 W	1948:00	230882	267.0	1423.3
4527	LYNCH	43 29.3 N	67 54.5 W	1949:00	230882	272.4	1423.5
4528	LYNCH	43 29.5 N	67 54.4 W	1950:00	230882	283.4	1423.7
4529	LYNCH	43 29.6 N	67 54.3 W	1951:00	230882	270.6	1423.9
4530	LYNCH	43 29.8 N	67 54.1 W	1952:00	230882	239.5	1424.1
4531	LYNCH	43 29.9 N	67 54.0 W	1953:00	230882	235.9	1424.3
4532	LYNCH	43 30.1 N	67 53.8 W	1954:00	230882	235.9	1424.4
4533	LYNCH	43 30.2 N	67 53.7 W	1955:00	230882	232.2	1424.6
4534	LYNCH	43 30.4 N	67 53.6 W	1956:00	230882	230.4	1424.8
4535	LYNCH	43 30.7 N	67 53.3 W	1958:00	230882	234.0	1425.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4536	LYNCH	43 30.8 N	67 53.1 W	1959:00	230882	245.0	1425.4
4537	LYNCH	43 31.0 N	67 53.0 W	2000:00	230882	246.8	1425.5
4538	LYNCH	43 31.0 N	67 53.0 W	2000:00	230882	246.8	1425.5
4539	LYNCH	43 31.0 N	67 53.0 W	2000:00	230882	250.5	1425.5
4540	LYNCH	43 31.0 N	67 53.0 W	2000:00	230882	250.5	1425.5
4541	LYNCH	43 31.8 N	67 52.4 W	2005:00	230882	250.5	1426.4
4542	LYNCH	43 31.9 N	67 52.2 W	2006:00	230882	252.3	1426.6
4543	LYNCH	43 32.1 N	67 52.1 W	2007:00	230882	248.7	1426.8
4544	LYNCH	43 32.2 N	67 52.0 W	2008:00	230882	250.5	1427.0
4545	LYNCH	43 32.4 N	67 51.8 W	2009:00	230882	248.7	1427.1
4546	LYNCH	43 32.5 N	67 51.7 W	2010:00	230882	235.9	1427.3
4547	LYNCH	43 32.7 N	67 51.6 W	2011:00	230882	230.4	1427.5
4548	LYNCH	43 32.8 N	67 51.4 W	2012:00	230882	234.0	1427.7
4549	LYNCH	43 33.0 N	67 51.3 W	2013:00	230882	246.8	1427.8
4550	LYNCH	43 33.1 N	67 51.2 W	2014:00	230882	243.2	1428.0
4551	LYNCH	43 33.3 N	67 51.1 W	2015:00	230882	241.4	1428.2
4552	LYNCH	43 33.4 N	67 50.9 W	2016:00	230882	243.2	1428.4
4553	LYNCH	43 33.6 N	67 50.8 W	2017:00	230882	230.4	1428.6
4554	LYNCH	43 33.7 N	67 50.7 W	2018:00	230882	241.4	1428.7
4555	LYNCH	43 33.9 N	67 50.5 W	2019:00	230882	235.9	1428.9
4556	LYNCH	43 34.0 N	67 50.4 W	2020:00	230882	241.4	1429.1
4557	LYNCH	43 34.2 N	67 50.3 W	2021:00	230882	230.4	1429.3
4558	LYNCH	43 34.3 N	67 50.1 W	2022:00	230882	226.7	1429.4
4559	LYNCH	43 34.5 N	67 50.0 W	2023:00	230882	224.9	1429.6
4560	LYNCH	43 34.6 N	67 49.9 W	2024:00	230882	237.7	1429.8
4561	LYNCH	43 34.8 N	67 49.8 W	2025:00	230882	237.7	1430.0
4562	LYNCH	43 34.9 N	67 49.6 W	2026:00	230882	239.5	1430.1
4563	LYNCH	43 35.5 N	67 49.1 W	2030:00	230882	235.9	1430.9
4564	LYNCH	43 35.6 N	67 49.0 W	2031:00	230882	232.2	1431.0
4565	LYNCH	43 36.2 N	67 48.5 W	2035:00	230882	232.2	1431.7
4566	LYNCH	43 37.7 N	67 47.2 W	2045:00	230882	232.2	1433.5
4567	LYNCH	43 38.0 N	67 46.9 W	2047:00	230882	230.4	1433.8
4568	LYNCH	43 38.3 N	67 46.6 W	2049:00	230882	232.2	1434.2
4569	LYNCH	43 38.4 N	67 46.5 W	2050:00	230882	230.4	1434.3
4570	LYNCH	43 38.7 N	67 46.2 W	2052:00	230882	228.6	1434.7
4571	LYNCH	43 39.0 N	67 46.0 W	2054:00	230882	228.6	1435.0
4572	LYNCH	43 39.2 N	67 45.9 W	2055:00	230882	230.4	1435.2
4573	LYNCH	43 39.5 N	67 45.6 W	2057:00	230882	230.4	1435.6
4574	LYNCH	43 39.9 N	67 45.2 W	2100:00	230882	232.2	1436.1
4575	LYNCH	43 40.7 N	67 44.5 W	2105:00	230882	230.4	1437.0
4576	LYNCH	43 41.5 N	67 43.8 W	2110:00	230882	232.2	1437.9
4577	LYNCH	43 42.6 N	67 42.9 W	2117:00	230882	235.9	1439.2
4578	LYNCH	43 43.0 N	67 42.5 W	2120:00	230882	234.0	1439.8
4579	LYNCH	43 43.8 N	67 41.8 W	2125:00	230882	230.4	1440.7
4580	LYNCH	43 44.6 N	67 41.1 W	2130:00	230882	228.6	1441.6
4581	LYNCH	43 43.5 N	67 42.0 W	2145:00	230882	230.4	1442.9
4582	LYNCH	43 43.1 N	67 42.2 W	2150:00	230882	230.4	1443.4
4583	LYNCH	43 42.7 N	67 42.5 W	2155:00	230882	230.4	1443.8
4584	LYNCH	43 42.3 N	67 42.8 W	2200:00	230882	232.2	1444.3
4585	LYNCH	43 41.9 N	67 43.2 W	2205:00	230882	232.2	1444.8
4586	LYNCH	43 41.7 N	67 43.3 W	2207:00	230882	234.0	1445.0
4587	LYNCH	43 38.9 N	67 45.8 W	2239:00	230882	226.7	1448.3
4588	LYNCH	43 38.4 N	67 46.2 W	2244:00	230882	228.6	1448.9
4589	LYNCH	43 37.6 N	67 46.9 W	2253:00	230882	228.6	1449.8
4590	LYNCH	43 37.4 N	67 47.0 W	2255:00	230882	226.7	1450.1
4591	LYNCH	43 36.9 N	67 47.4 W	2300:00	230882	228.6	1450.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4592	LYNCH	43 36.4 N	67 47.8 W	2305:00	230882	228.6	1451.1
4593	LYNCH	43 35.5 N	67 48.7 W	2315:00	230882	230.4	1452.3
4594	LYNCH	43 35.2 N	67 48.9 W	2318:00	230882	232.2	1452.6
4595	LYNCH	43 35.0 N	67 49.1 W	2320:00	230882	232.2	1452.8
4596	LYNCH	43 34.8 N	67 49.2 W	2322:00	230882	234.0	1453.0
4597	LYNCH	43 34.8 N	67 49.3 W	2323:00	230882	235.9	1453.2
4598	LYNCH	43 34.6 N	67 49.5 W	2325:00	230882	235.9	1453.4
4599	LYNCH	43 34.5 N	67 49.6 W	2326:00	230882	232.2	1453.5
4600	LYNCH	43 34.4 N	67 49.7 W	2327:00	230882	237.7	1453.6
4601	LYNCH	43 34.3 N	67 49.7 W	2328:00	230882	246.8	1453.7
4602	LYNCH	43 34.2 N	67 49.8 W	2329:00	230882	237.7	1453.8
4603	LYNCH	43 34.1 N	67 49.9 W	2330:00	230882	250.5	1453.9
4604	LYNCH	43 34.0 N	67 50.0 W	2331:00	230882	243.2	1454.0
4605	LYNCH	43 33.9 N	67 50.1 W	2332:00	230882	243.2	1454.2
4606	LYNCH	43 33.7 N	67 50.3 W	2334:00	230882	245.0	1454.4
4607	LYNCH	43 33.7 N	67 50.4 W	2335:00	230882	248.7	1454.5
4608	LYNCH	43 33.6 N	67 50.5 W	2336:00	230882	245.0	1454.6
4609	LYNCH	43 33.5 N	67 50.6 W	2337:00	230882	245.0	1454.7
4610	LYNCH	43 33.3 N	67 50.8 W	2339:00	230882	243.2	1455.0
4611	LYNCH	43 33.2 N	67 50.9 W	2340:00	230882	241.4	1455.1
4612	LYNCH	43 33.1 N	67 51.0 W	2341:00	230882	243.2	1455.2
4613	LYNCH	43 33.0 N	67 51.1 W	2342:00	230882	245.0	1455.3
4614	LYNCH	43 32.9 N	67 51.2 W	2343:00	230882	246.8	1455.5
4615	LYNCH	43 32.8 N	67 51.3 W	2344:00	230882	237.7	1455.6
4616	LYNCH	43 32.8 N	67 51.5 W	2345:00	230882	238.6	1455.7
4617	LYNCH	43 32.7 N	67 51.6 W	2346:00	230882	234.0	1455.8
4618	LYNCH	43 32.6 N	67 51.7 W	2347:00	230882	232.2	1455.9
4619	LYNCH	43 32.5 N	67 51.8 W	2348:00	230882	241.4	1456.0
4620	LYNCH	43 32.4 N	67 51.9 W	2349:00	230882	248.7	1456.2
4621	LYNCH	43 32.3 N	67 52.0 W	2350:00	230882	246.8	1456.3
4622	LYNCH	43 32.2 N	67 52.1 W	2351:00	230882	245.0	1456.4
4623	LYNCH	43 32.1 N	67 52.2 W	2352:00	230882	248.7	1456.5
4624	LYNCH	43 32.0 N	67 52.3 W	2353:00	230882	250.5	1456.6
4625	LYNCH	43 31.9 N	67 52.4 W	2354:00	230882	248.7	1456.7
4626	LYNCH	43 31.9 N	67 52.5 W	2355:00	230882	246.8	1456.9
4627	LYNCH	43 31.8 N	67 52.6 W	2356:00	230882	248.7	1457.0
4628	LYNCH	43 31.7 N	67 52.7 W	2357:00	230882	248.7	1457.1
4629	LYNCH	43 31.5 N	67 52.9 W	2359:00	230882	243.2	1457.3
4630	LYNCH	43 31.4 N	67 53.0 W	0000:00	240882	243.2	1457.4
4631	LYNCH	43 31.3 N	67 53.1 W	0001:00	240882	246.8	1457.5
4632	LYNCH	43 31.3 N	67 53.2 W	0002:00	240882	245.0	1457.7
4633	LYNCH	43 31.2 N	67 53.3 W	0003:00	240882	243.2	1457.8
4634	LYNCH	43 31.1 N	67 53.6 W	0005:00	240882	245.0	1458.0
4635	LYNCH	43 30.9 N	67 53.8 W	0007:00	240882	239.5	1458.3
4636	LYNCH	43 30.8 N	67 53.9 W	0008:00	240882	237.7	1458.4
4637	LYNCH	43 30.8 N	67 54.0 W	0009:00	240882	237.7	1458.5
4638	LYNCH	43 30.7 N	67 54.1 W	0010:00	240882	234.0	1458.6
4639	LYNCH	43 30.6 N	67 54.2 W	0011:00	240882	226.7	1458.9
4640	LYNCH	43 30.4 N	67 54.5 W	0014:00	240882	224.9	1459.0
4641	LYNCH	43 30.3 N	67 54.8 W	0016:00	240882	226.7	1459.1
4642	LYNCH	43 30.3 N	67 55.1 W	0019:00	240882	226.7	1459.5
4643	LYNCH	43 30.1 N	67 55.2 W	0020:00	240882	230.4	1459.6
4644	LYNCH	43 29.8 N	67 55.5 W	0023:00	240882	235.9	1459.9
4645	LYNCH	43 29.7 N	67 55.8 W	0025:00	240882	243.2	1460.1
4646	LYNCH	43 29.6 N	67 55.9 W	0026:00	240882		1460.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4648	LYNCH	43 29 5 N	67 56 0 W	0027:00	240882	246.8	1460.3
4649	LYNCH	43 29 4 N	67 56 1 W	0028:00	240882	252.3	1460.4
4650	LYNCH	43 29 4 N	67 56 2 W	0029:00	240882	250.5	1460.5
4651	LYNCH	43 29 3 N	67 56 3 W	0030:00	240882	246.8	1460.6
4652	LYNCH	43 29 2 N	67 56 4 W	0031:00	240882	245.0	1460.7
4653	LYNCH	43 29 0 N	67 56 9 W	0035:00	240882	243.2	1461.2
4654	LYNCH	43 28 6 N	67 57 5 W	0040:00	240882	239.5	1461.7
4655	LYNCH	43 28 3 N	67 58 1 W	0045:00	240882	239.5	1462.3
4656	LYNCH	43 27 9 N	67 58 6 W	0050:00	240882	235.9	1462.8
4657	LYNCH	43 27 6 N	67 59 2 W	0055:00	240882	234.0	1463.4
4658	LYNCH	43 27 2 N	67 59 8 W	0100:00	240882	232.2	1463.9
4659	LYNCH	43 26 9 N	68 5 W	0105:00	240882	234.0	1464.5
4660	LYNCH	43 26 5 N	68 1 1 W	0110:00	240882	232.2	1465.1
4661	LYNCH	43 26 2 N	68 1 6 W	0114:00	240882	230.4	1465.6
4662	LYNCH	43 25 5 N	68 2 9 W	0124:00	240882	223.1	1466.7
4663	LYNCH	43 25 5 N	68 3 1 W	0125:00	240882	221.2	1466.9
4664	LYNCH	43 25 4 N	68 3 2 W	0126:00	240882	221.2	1467.0
4665	LYNCH	43 25 3 N	68 3 3 W	0127:00	240882	223.1	1467.1
4666	LYNCH	43 25 2 N	68 3 4 W	0128:00	240882	219.4	1467.2
4667	LYNCH	43 25 1 N	68 3 7 W	0130:00	240882	217.6	1467.4
4668	LYNCH	43 24 9 N	68 4 1 W	0133:00	240882	217.6	1467.8
4669	LYNCH	43 24 8 N	68 4 2 W	0134:00	240882	219.4	1467.9
4670	LYNCH	43 24 8 N	68 4 3 W	0135:00	240882	215.8	1468.0
4671	LYNCH	43 24 7 N	68 4 4 W	0136:00	240882	215.8	1468.1
4672	LYNCH	43 24 7 N	68 4 5 W	0137:00	240882	213.9	1468.2
4673	LYNCH	43 24 5 N	68 4 9 W	0140:00	240882	212.1	1468.5
4674	LYNCH	43 24 3 N	68 5 1 W	0142:00	240882	212.1	1468.7
4675	LYNCH	43 24 3 N	68 5 2 W	0143:00	240882	212.1	1468.8
4676	LYNCH	43 24 2 N	68 5 3 W	0144:00	240882	210.3	1468.9
4677	LYNCH	43 24 2 N	68 5 5 W	0145:00	240882	210.3	1469.0
4678	LYNCH	43 23 2 N	68 7 2 W	0200:00	240882	203.0	1470.6
4679	LYNCH	43 22 4 N	68 9 0 W	0215:00	240882	195.6	1472.1
4680	LYNCH	43 21 9 N	68 9 5 W	0220:00	240882	193.8	1472.6
4681	LYNCH	43 21 9 N	68 10 1 W	0225:00	240882	192.0	1473.1
4682	LYNCH	43 21 6 N	68 10 7 W	0230:00	240882	190.2	1473.6
4683	LYNCH	43 21 5 N	68 10 7 W	0231:00	240882	192.0	1473.7
4684	LYNCH	43 21 4 N	68 10 8 W	0232:00	240882	190.2	1473.8
4685	LYNCH	43 21 2 N	68 10 8 W	0235:00	240882	188.3	1474.1
4686	LYNCH	43 21 0 N	68 10 9 W	0237:00	240882	190.2	1474.2
4687	LYNCH	43 20 9 N	68 10 9 W	0238:00	240882	193.8	1474.3
4688	LYNCH	43 20 8 N	68 10 9 W	0239:00	240882	193.8	1474.4
4689	LYNCH	43 20 7 N	68 11 0 W	0240:00	240882	192.0	1474.5
4691	LYNCH	43 20 6 N	68 11 0 W	0242:00	240882	193.8	1474.6
4692	LYNCH	43 20 5 N	68 11 0 W	0243:00	240882	195.6	1474.7
4693	LYNCH	43 18 8 N	68 11 0 W	0300:00	240882	192.0	1474.8
4694	LYNCH	43 18 7 N	68 11 1 W	0302:00	240882	193.8	1476.5
4695	LYNCH	43 18 7 N	68 11 2 W	0303:00	240882	195.6	1476.6
4696	LYNCH	43 18 6 N	68 11 3 W	0304:00	240882	193.8	1476.7
4697	LYNCH	43 18 6 N	68 11 3 W	0305:00	240882	193.8	1476.8
4698	LYNCH	43 18 4 N	68 11 7 W	0310:00	240882	192.0	1477.1
4699	LYNCH	43 18 3 N	68 11 9 W	0313:00	240882	190.2	1477.3
4700	LYNCH	43 18 2 N	68 12 0 W	0315:00	240882	190.2	1477.4
4701	LYNCH	43 19 0 N	68 11 7 W	0320:00	240882	192.0	1478.2
4702	LYNCH	43 19 7 N	68 11 4 W	0325:00	240882	193.8	1478.9
4703	LYNCH	43 20 3 N	68 11 0 W	0330:00	240882	192.0	1479.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4704	LYNCH	43 20.9 N	68 11.0 W	0335:00	240882	192.0	1480.2
4705	LYNCH	43 21.4 N	68 11.0 W	0340:00	240882	190.2	1480.8
4706	LYNCH	43 21.8 N	68 11.0 W	0343:00	240882	188.3	1481.1
4707	LYNCH	43 21.9 N	68 11.0 W	0344:00	240882	188.3	1481.2
4708	LYNCH	43 22.0 N	68 11.0 W	0345:00	240882	188.3	1481.3
4709	LYNCH	43 22.0 N	68 11.1 W	0348:00	240882	186.5	1481.4
4710	LYNCH	43 22.0 N	68 11.1 W	0349:00	240882	184.7	1481.4
4711	LYNCH	43 22.0 N	68 11.2 W	0350:00	240882	184.7	1481.4
4712	LYNCH	43 22.0 N	68 11.2 W	0351:00	240882	182.9	1481.5
4713	LYNCH	43 22.0 N	68 11.2 W	0352:00	240882	182.9	1481.5
4714	LYNCH	43 21.9 N	68 11.3 W	0353:00	240882	184.7	1481.5
4715	LYNCH	43 21.9 N	68 11.3 W	0355:00	240882	186.5	1481.6
4716	LYNCH	43 21.9 N	68 11.5 W	0400:00	240882	186.5	1481.7
4717	LYNCH	43 21.9 N	68 11.3 W	0401:00	240882	186.5	1481.8
4718	LYNCH	43 21.9 N	68 11.1 W	0402:00	240882	188.3	1482.0
4719	LYNCH	43 22.0 N	68 10.7 W	0405:00	240882	190.2	1482.3
4720	LYNCH	43 22.0 N	68 10.5 W	0406:00	240882	193.8	1482.4
4721	LYNCH	43 22.1 N	68 10.4 W	0407:00	240882	192.0	1482.6
4722	LYNCH	43 22.2 N	68 9.9 W	0410:00	240882	192.0	1482.9
4723	LYNCH	43 22.3 N	68 9.1 W	0415:00	240882	195.6	1483.5
4724	LYNCH	43 22.4 N	68 8.3 W	0420:00	240882	201.1	1484.1
4725	LYNCH	43 22.6 N	68 7.5 W	0425:00	240882	206.6	1484.7
4726	LYNCH	43 22.6 N	68 7.3 W	0426:00	240882	210.3	1484.8
4727	LYNCH	43 22.6 N	68 7.2 W	0427:00	240882	210.3	1484.9
4728	LYNCH	43 22.7 N	68 6.7 W	0430:00	240882	213.9	1485.3
4729	LYNCH	43 23.1 N	68 4.4 W	0445:00	240882	219.4	1487.0
4730	LYNCH	43 23.2 N	68 3.6 W	0450:00	240882	221.2	1487.6
4731	LYNCH	43 23.4 N	68 2.9 W	0455:00	240882	224.9	1488.1
4732	LYNCH	43 23.4 N	68 2.6 W	0457:00	240882	226.7	1488.4
4733	LYNCH	43 23.4 N	68 2.4 W	0458:00	240882	230.4	1488.5
4734	LYNCH	43 23.5 N	68 2.3 W	0459:00	240882	228.6	1488.6
4735	LYNCH	43 23.5 N	68 2.1 W	0500:00	240882	228.6	1488.7
4736	LYNCH	43 23.7 N	68 1.3 W	0505:00	240882	232.2	1489.3
4737	LYNCH	43 23.8 N	68 0.6 W	0510:00	240882	235.9	1489.9
4738	LYNCH	43 24.0 N	67 59.8 W	0515:00	240882	237.7	1490.5
4739	LYNCH	43 24.1 N	67 59.0 W	0520:00	240882	241.4	1491.1
4740	LYNCH	43 24.2 N	67 58.1 W	0525:00	240882	245.0	1491.7
4741	LYNCH	43 24.3 N	67 57.3 W	0530:00	240882	246.8	1492.3
4742	LYNCH	43 24.4 N	67 56.5 W	0535:00	240882	250.5	1492.9
4743	LYNCH	43 24.4 N	67 55.8 W	0540:00	240882	250.5	1493.4
4744	LYNCH	43 24.5 N	67 55.0 W	0545:00	240882	250.5	1494.0
4745	LYNCH	43 24.5 N	67 54.4 W	0549:00	240882	252.3	1494.4
4746	LYNCH	43 24.5 N	67 54.2 W	0550:00	240882	250.5	1494.5
4747	LYNCH	43 24.5 N	67 54.1 W	0551:00	240882	250.5	1494.7
4748	LYNCH	43 24.5 N	67 53.8 W	0553:00	240882	246.8	1494.9
4749	LYNCH	43 24.5 N	67 53.6 W	0554:00	240882	248.7	1495.0
4750	LYNCH	43 24.6 N	67 53.5 W	0555:00	240882	246.8	1495.1
4751	LYNCH	43 24.6 N	67 53.3 W	0556:00	240882	248.7	1495.2
4752	LYNCH	43 24.6 N	67 53.0 W	0558:00	240882	243.2	1495.4
4753	LYNCH	43 24.6 N	67 52.9 W	0559:00	240882	239.5	1495.5
4754	LYNCH	43 24.6 N	67 52.7 W	0600:00	240882	237.7	1495.7
4755	LYNCH	43 24.6 N	67 52.5 W	0601:00	240882	239.5	1495.8
4756	LYNCH	43 24.6 N	67 52.4 W	0602:00	240882	239.5	1495.9
4757	LYNCH	43 24.6 N	67 52.2 W	0603:00	240882	237.7	1496.0
4758	LYNCH	43 24.6 N	67 52.0 W	0604:00	240882	239.5	1496.1
4759	LYNCH	43 24.6 N	67 51.9 W	0605:00	240882	237.7	1496.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4760	LYNCH	43 24 6 N	67 51 7 W	0606:00	240882	235.9	1496.4
4761	LYNCH	43 24 6 N	67 51 5 W	0607:00	240882	235.9	1496.5
4762	LYNCH	43 24 6 N	67 51 4 W	0608:00	240882	232.2	1496.6
4763	LYNCH	43 24 6 N	67 51 2 W	0609:00	240882	230.4	1496.7
4764	LYNCH	43 24 6 N	67 51 1 W	0610:00	240882	234.0	1496.9
4765	LYNCH	43 24 6 N	67 50 9 W	0611:00	240882	234.0	1497.0
4766	LYNCH	43 24 6 N	67 50 7 W	0612:00	240882	235.9	1497.1
4767	LYNCH	43 24 6 N	67 50 6 W	0613:00	240882	234.0	1497.2
4768	LYNCH	43 24 6 N	67 50 4 W	0614:00	240882	237.7	1497.3
4769	LYNCH	43 24 6 N	67 50 2 W	0615:00	240882	237.7	1497.5
4770	LYNCH	43 24 6 N	67 50 1 W	0616:00	240882	237.7	1497.6
4771	LYNCH	43 24 6 N	67 49 9 W	0617:00	240882	239.5	1497.7
4772	LYNCH	43 24 6 N	67 49 7 W	0618:00	240882	239.5	1497.8
4773	LYNCH	43 24 7 N	67 49 4 W	0620:00	240882	241.4	1498.1
4774	LYNCH	43 24 7 N	67 48 7 W	0624:00	240882	237.7	1498.5
4775	LYNCH	43 24 7 N	67 48 6 W	0625:00	240882	237.7	1498.7
4776	LYNCH	43 24 7 N	67 48 4 W	0626:00	240882	241.4	1498.8
4777	LYNCH	43 24 7 N	67 48 2 W	0627:00	240882	239.5	1498.9
4778	LYNCH	43 24 7 N	67 48 1 W	0628:00	240882	223.1	1499.0
4779	LYNCH	43 24 7 N	67 47 9 W	0629:00	240882	232.2	1499.1
4780	LYNCH	43 24 7 N	67 47 8 W	0630:00	240882	245.0	1499.3
4781	LYNCH	43 24 7 N	67 47 6 W	0631:00	240882	243.2	1499.4
4782	LYNCH	43 24 7 N	67 47 3 W	0633:00	240882	246.8	1499.6
4783	LYNCH	43 24 7 N	67 47 1 W	0634:00	240882	252.3	1499.7
4784	LYNCH	43 24 7 N	67 46 9 W	0635:00	240882	250.5	1499.9
4785	LYNCH	43 24 7 N	67 46 8 W	0636:00	240882	254.2	1500.0
4786	LYNCH	43 24 7 N	67 46 6 W	0637:00	240882	259.6	1500.1
4787	LYNCH	43 24 7 N	67 46 5 W	0638:00	240882	254.2	1500.2
4788	LYNCH	43 24 7 N	67 46 3 W	0639:00	240882	248.7	1500.3
4789	LYNCH	43 24 7 N	67 46 2 W	0640:00	240882	250.5	1500.4
4790	LYNCH	43 24 7 N	67 46 0 W	0641:00	240882	252.3	1500.5
4791	LYNCH	43 24 7 N	67 45 9 W	0642:00	240882	254.2	1500.6
4792	LYNCH	43 24 7 N	67 45 7 W	0643:00	240882	254.2	1500.7
4793	LYNCH	43 24 7 N	67 45 6 W	0644:00	240882	259.6	1500.8
4794	LYNCH	43 24 7 N	67 45 4 W	0645:00	240882	261.5	1501.0
4795	LYNCH	43 24 7 N	67 45 3 W	0646:00	240882	259.6	1501.1
4796	LYNCH	43 24 7 N	67 45 0 W	0648:00	240882	256.0	1501.3
4797	LYNCH	43 24 7 N	67 44 7 W	0650:00	240882	252.3	1501.5
4798	LYNCH	43 24 7 N	67 44 5 W	0651:00	240882	250.5	1501.6
4799	LYNCH	43 24 7 N	67 44 4 W	0652:00	240882	250.5	1501.7
4800	LYNCH	43 24 7 N	67 43 9 W	0655:00	240882	250.5	1502.0
4801	LYNCH	43 24 7 N	67 43 5 W	0658:00	240882	250.5	1502.3
4802	LYNCH	43 24 7 N	67 43 2 W	0700:00	240882	246.8	1502.6
4803	LYNCH	43 24 6 N	67 43 1 W	0710:00	240882	237.7	1503.7
4804	LYNCH	43 24 6 N	67 40 8 W	0715:00	240882	234.0	1504.3
4805	LYNCH	43 24 7 N	67 40 0 W	0720:00	240882	232.2	1504.9
4806	LYNCH	43 24 7 N	67 39 2 W	0725:00	240882	230.4	1505.5
4807	LYNCH	43 24 8 N	67 38 4 W	0730:00	240882	228.6	1506.1
4808	LYNCH	43 24 8 N	67 38 1 W	0732:00	240882	226.7	1506.3
4809	LYNCH	43 24 9 N	67 37 6 W	0735:00	240882	224.9	1506.6
4810	LYNCH	43 25 0 N	67 36 1 W	0745:00	240882	223.1	1507.8
4811	LYNCH	43 25 0 N	67 35 7 W	0747:00	240882	223.1	1508.0
4812	LYNCH	43 25 0 N	67 35 6 W	0748:00	240882	224.9	1508.1
4813	LYNCH	43 25 0 N	67 35 4 W	0749:00	240882	223.1	1508.2
4814	LYNCH	43 25 0 N	67 35 3 W	0750:00	240882	223.1	1508.4
4815	LYNCH	43 25 1 N	67 34 5 W	0755:00	240882	221.2	1508.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4816	LYNCH	43 25 1 N	67 33.7 W	0800:00	240882	221.2	1509.5
4817	LYNCH	43 25 1 N	67 32.9 W	0805:00	240882	219.4	1510.1
4818	LYNCH	43 25 1 N	67 32.8 W	0806:00	240882	219.4	1510.2
4819	LYNCH	43 25 1 N	67 32.4 W	0808:00	240882	217.6	1510.4
4820	LYNCH	43 25 1 N	67 32.1 W	0810:00	240882	215.8	1510.6
4821	LYNCH	43 25 1 N	67 31.5 W	0814:00	240882	215.8	1511.1
4822	LYNCH	43 25 2 N	67 31.4 W	0815:00	240882	212.1	1511.2
4823	LYNCH	43 25 2 N	67 31.2 W	0816:00	240882	204.8	1511.3
4824	LYNCH	43 25 2 N	67 31.0 W	0817:00	240882	203.0	1511.4
4825	LYNCH	43 25 2 N	67 30.9 W	0818:00	240882	203.0	1511.5
4826	LYNCH	43 25 2 N	67 30.7 W	0819:00	240882	186.5	1511.7
4827	LYNCH	43 25 2 N	67 30.6 W	0820:00	240882	197.5	1511.8
4828	LYNCH	43 25 2 N	67 30.4 W	0821:00	240882	204.8	1511.9
4829	LYNCH	43 25 2 N	67 30.3 W	0822:00	240882	204.8	1512.0
4830	LYNCH	43 25 2 N	67 30.1 W	0823:00	240882	208.4	1512.1
4831	LYNCH	43 25 2 N	67 29.9 W	0824:00	240882	208.4	1512.2
4832	LYNCH	43 25 2 N	67 29.8 W	0825:00	240882	206.6	1512.3
4833	LYNCH	43 25 2 N	67 29.6 W	0826:00	240882	204.8	1512.5
4834	LYNCH	43 25 2 N	67 29.3 W	0828:00	240882	204.8	1512.7
4835	LYNCH	43 25 2 N	67 29.0 W	0830:00	240882	201.1	1512.9
4836	LYNCH	43 25 2 N	67 28.7 W	0832:00	240882	195.6	1513.2
4837	LYNCH	43 25 2 N	67 28.5 W	0833:00	240882	195.6	1513.3
4838	LYNCH	43 25 2 N	67 28.2 W	0835:00	240882	201.1	1513.5
4839	LYNCH	43 25 2 N	67 27.8 W	0837:00	240882	203.0	1513.8
4840	LYNCH	43 25 2 N	67 27.3 W	0840:00	240882	199.3	1513.9
4841	LYNCH	43 25 2 N	67 27.1 W	0841:00	240882	190.2	1514.3
4842	LYNCH	43 25 2 N	67 27.0 W	0842:00	240882	193.8	1514.4
4843	LYNCH	43 25 2 N	67 26.8 W	0843:00	240882	199.3	1514.5
4844	LYNCH	43 25 2 N	67 26.6 W	0844:00	240882	192.0	1514.6
4845	LYNCH	43 25 2 N	67 26.5 W	0845:00	240882	197.5	1514.8
4846	LYNCH	43 25 3 N	67 26.3 W	0846:00	240882	195.6	1514.9
4847	LYNCH	43 25 3 N	67 26.1 W	0847:00	240882	192.0	1515.0
4848	LYNCH	43 25 3 N	67 25.9 W	0848:00	240882	190.2	1515.1
4849	LYNCH	43 25 3 N	67 25.8 W	0849:00	240882	195.6	1515.3
4850	LYNCH	43 25 3 N	67 25.6 W	0850:00	240882	197.5	1515.4
4851	LYNCH	43 25 3 N	67 25.4 W	0851:00	240882	195.6	1515.5
4852	LYNCH	43 25 3 N	67 25.3 W	0852:00	240882	186.5	1515.6
4853	LYNCH	43 25 3 N	67 25.1 W	0853:00	240882	182.9	1515.7
4854	LYNCH	43 25 3 N	67 24.9 W	0854:00	240882	177.4	1515.9
4855	LYNCH	43 25 3 N	67 24.6 W	0855:00	240882	181.0	1516.0
4856	LYNCH	43 25 3 N	67 24.4 W	0856:00	240882	184.7	1516.1
4857	LYNCH	43 25 3 N	67 24.2 W	0857:00	240882	188.3	1516.2
4858	LYNCH	43 25 3 N	67 24.1 W	0858:00	240882	190.2	1516.4
4859	LYNCH	43 25 3 N	67 23.9 W	0859:00	240882	192.0	1516.5
4860	LYNCH	43 25 3 N	67 23.7 W	0900:00	240882	197.5	1516.6
4861	LYNCH	43 25 3 N	67 23.6 W	0901:00	240882	197.5	1516.7
4862	LYNCH	43 25 3 N	67 23.4 W	0902:00	240882	197.5	1516.9
4863	LYNCH	43 25 3 N	67 23.2 W	0903:00	240882	201.1	1517.0
4864	LYNCH	43 25 3 N	67 22.9 W	0904:00	240882	201.1	1517.1
4865	LYNCH	43 25 3 N	67 22.8 W	0905:00	240882	201.1	1517.3
4866	LYNCH	43 25 3 N	67 22.6 W	0906:00	240882	197.5	1517.4
4867	LYNCH	43 25 3 N	67 22.4 W	0907:00	240882	197.5	1517.6
4868	LYNCH	43 25 3 N	67 22.3 W	0908:00	240882	195.6	1517.7
4869	LYNCH	43 25 3 N	67 22.3 W	0910:00	240882	195.6	1517.8
4870	LYNCH	43 25 3 N	67 21.8 W	0913:00	240882	197.5	1518.2
4871	LYNCH	43 25 3 N	67 21.8 W	0913:00	240882	197.5	1518.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4872	LYNCH	43 25.4 N	67 21.5 W	0915:00	240882	197.5	1518.4
4873	LYNCH	43 25.4 N	67 20.6 W	0920:00	240882	199.3	1519.0
4874	LYNCH	43 25.4 N	67 20.5 W	0921:00	240882	201.1	1519.1
4875	LYNCH	43 25.4 N	67 20.3 W	0922:00	240882	203.0	1519.2
4876	LYNCH	43 25.4 N	67 20.1 W	0923:00	240882	199.3	1519.3
4877	LYNCH	43 25.4 N	67 19.8 W	0925:00	240882	201.1	1519.6
4878	LYNCH	43 25.4 N	67 19.0 W	0930:00	240882	201.1	1520.2
4879	LYNCH	43 25.4 N	67 18.2 W	0935:00	240882	203.0	1520.8
4880	LYNCH	43 25.4 N	67 17.3 W	0940:00	240882	203.0	1521.4
4881	LYNCH	43 25.4 N	67 17.0 W	0942:00	240882	204.8	1521.6
4882	LYNCH	43 25.4 N	67 16.8 W	0943:00	240882	203.0	1521.7
4883	LYNCH	43 25.4 N	67 16.7 W	0944:00	240882	201.1	1521.9
4884	LYNCH	43 25.4 N	67 16.5 W	0945:00	240882	204.8	1522.0
4885	LYNCH	43 25.3 N	67 16.3 W	0946:00	240882	201.1	1522.1
4886	LYNCH	43 25.3 N	67 16.2 W	0947:00	240882	201.1	1522.2
4887	LYNCH	43 25.3 N	67 16.0 W	0948:00	240882	203.0	1522.4
4888	LYNCH	43 25.3 N	67 15.8 W	0949:00	240882	203.0	1522.5
4889	LYNCH	43 25.3 N	67 15.7 W	0950:00	240882	199.3	1522.6
4890	LYNCH	43 25.3 N	67 15.5 W	0951:00	240882	199.3	1522.7
4891	LYNCH	43 25.3 N	67 15.3 W	0952:00	240882	201.1	1522.8
4892	LYNCH	43 25.3 N	67 15.0 W	0954:00	240882	201.1	1523.1
4893	LYNCH	43 25.3 N	67 14.8 W	0955:00	240882	199.3	1523.2
4894	LYNCH	43 25.3 N	67 14.7 W	0956:00	240882	201.1	1523.3
4895	LYNCH	43 25.3 N	67 14.5 W	0957:00	240882	199.3	1523.4
4896	LYNCH	43 25.3 N	67 14.2 W	0959:00	240882	193.8	1523.7
4897	LYNCH	43 25.3 N	67 14.0 W	1000:00	240882	193.8	1523.8
4898	LYNCH	43 25.3 N	67 13.8 W	1001:00	240882	192.0	1523.9
4899	LYNCH	43 25.3 N	67 13.7 W	1002:00	240882	193.8	1524.1
4900	LYNCH	43 25.4 N	67 13.5 W	1003:00	240882	193.8	1524.2
4901	LYNCH	43 25.4 N	67 13.3 W	1004:00	240882	195.6	1524.3
4902	LYNCH	43 25.4 N	67 13.2 W	1005:00	240882	199.3	1524.4
4903	LYNCH	43 25.4 N	67 12.8 W	1007:00	240882	188.3	1524.7
4904	LYNCH	43 25.4 N	67 12.7 W	1008:00	240882	184.7	1524.8
4905	LYNCH	43 25.5 N	67 12.5 W	1009:00	240882	186.5	1524.9
4906	LYNCH	43 25.5 N	67 12.3 W	1010:00	240882	188.3	1525.0
4907	LYNCH	43 25.5 N	67 12.2 W	1011:00	240882	197.5	1525.2
4908	LYNCH	43 25.5 N	67 12.0 W	1012:00	240882	197.5	1525.3
4909	LYNCH	43 25.5 N	67 11.8 W	1013:00	240882	201.1	1525.4
4910	LYNCH	43 25.5 N	67 11.7 W	1014:00	240882	197.5	1525.5
4911	LYNCH	43 25.6 N	67 11.5 W	1015:00	240882	197.5	1525.6
4912	LYNCH	43 25.6 N	67 11.3 W	1016:00	240882	199.3	1525.8
4913	LYNCH	43 25.6 N	67 11.2 W	1017:00	240882	195.6	1525.9
4914	LYNCH	43 25.6 N	67 11.0 W	1018:00	240882	201.1	1526.0
4915	LYNCH	43 25.6 N	67 10.8 W	1019:00	240882	201.1	1526.1
4916	LYNCH	43 25.6 N	67 10.7 W	1020:00	240882	201.1	1526.3
4917	LYNCH	43 25.7 N	67 10.5 W	1021:00	240882	203.0	1526.4
4918	LYNCH	43 25.7 N	67 10.3 W	1022:00	240882	204.8	1526.5
4919	LYNCH	43 25.7 N	67 10.2 W	1023:00	240882	208.4	1526.6
4920	LYNCH	43 25.7 N	67 10.0 W	1024:00	240882	206.6	1526.7
4921	LYNCH	43 25.7 N	67 9.8 W	1025:00	240882	193.8	1526.9
4922	LYNCH	43 25.7 N	67 9.7 W	1026:00	240882	201.1	1527.0
4923	LYNCH	43 25.8 N	67 9.5 W	1027:00	240882	201.1	1527.1
4924	LYNCH	43 25.8 N	67 9.3 W	1028:00	240882	208.4	1527.2
4925	LYNCH	43 25.8 N	67 9.2 W	1029:00	240882	210.3	1527.3
4926	LYNCH	43 25.8 N	67 9.0 W	1030:00	240882	215.8	1527.5
4927	LYNCH	43 25.8 N	67 8.8 W	1031:00	240882	213.9	1527.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4928	LYNCH	43 25.9 N	67 8.7 W	1032:00	240882	213.9	1527.7
4929	LYNCH	43 25.9 N	67 8.5 W	1033:00	240882	210.3	1527.8
4930	LYNCH	43 25.9 N	67 8.4 W	1034:00	240882	210.3	1527.9
4931	LYNCH	43 25.9 N	67 8.2 W	1035:00	240882	203.0	1528.1
4932	LYNCH	43 26.0 N	67 8.0 W	1036:00	240882	203.0	1528.2
4933	LYNCH	43 26.0 N	67 7.9 W	1037:00	240882	208.4	1528.3
4934	LYNCH	43 26.0 N	67 7.7 W	1038:00	240882	210.3	1528.4
4935	LYNCH	43 26.0 N	67 7.6 W	1039:00	240882	210.3	1528.5
4936	LYNCH	43 26.1 N	67 7.4 W	1040:00	240882	208.4	1528.7
4937	LYNCH	43 26.1 N	67 7.9 W	1043:00	240882	206.6	1529.0
4938	LYNCH	43 26.2 N	67 6.8 W	1044:00	240882	208.4	1529.1
4939	LYNCH	43 26.2 N	67 6.6 W	1045:00	240882	204.8	1529.3
4940	LYNCH	43 26.2 N	67 6.4 W	1046:00	240882	197.5	1529.4
4941	LYNCH	43 26.3 N	67 6.3 W	1047:00	240882	206.6	1529.5
4942	LYNCH	43 26.3 N	67 6.1 W	1048:00	240882	203.0	1529.6
4943	LYNCH	43 26.3 N	67 6.0 W	1049:00	240882	215.8	1529.7
4944	LYNCH	43 26.3 N	67 5.8 W	1050:00	240882	215.8	1529.9
4945	LYNCH	43 26.4 N	67 5.6 W	1051:00	240882	210.3	1530.0
4946	LYNCH	43 26.4 N	67 5.5 W	1052:00	240882	212.1	1530.1
4947	LYNCH	43 26.4 N	67 5.3 W	1053:00	240882	208.4	1530.2
4948	LYNCH	43 26.4 N	67 5.2 W	1054:00	240882	206.6	1530.3
4949	LYNCH	43 26.5 N	67 5.0 W	1055:00	240882	206.6	1530.5
4950	LYNCH	43 26.5 N	67 4.9 W	1056:00	240882	217.6	1530.6
4951	LYNCH	43 26.5 N	67 4.7 W	1057:00	240882	221.2	1530.7
4952	LYNCH	43 26.6 N	67 4.2 W	1100:00	240882	223.1	1531.0
4953	LYNCH	43 26.6 N	67 4.0 W	1101:00	240882	223.1	1531.2
4954	LYNCH	43 26.6 N	67 3.9 W	1102:00	240882	221.2	1531.3
4955	LYNCH	43 26.7 N	67 3.4 W	1104:00	240882	221.2	1531.5
4956	LYNCH	43 26.7 N	67 3.4 W	1105:00	240882	223.1	1531.7
4957	LYNCH	43 26.7 N	67 3.2 W	1106:00	240882	221.2	1531.8
4958	LYNCH	43 26.8 N	67 3.0 W	1107:00	240882	221.2	1531.9
4959	LYNCH	43 26.8 N	67 2.9 W	1108:00	240882	221.2	1532.0
4960	LYNCH	43 26.8 N	67 2.7 W	1109:00	240882	215.8	1532.2
4961	LYNCH	43 26.8 N	67 2.5 W	1110:00	240882	213.9	1532.3
4962	LYNCH	43 26.9 N	67 2.4 W	1111:00	240882	212.1	1532.4
4963	LYNCH	43 26.9 N	67 2.2 W	1112:00	240882	212.1	1532.5
4964	LYNCH	43 26.9 N	67 2.0 W	1113:00	240882	213.9	1532.7
4965	LYNCH	43 26.9 N	67 1.9 W	1114:00	240882	210.3	1532.8
4966	LYNCH	43 27.0 N	67 1.7 W	1115:00	240882	213.9	1532.9
4967	LYNCH	43 27.0 N	67 1.5 W	1116:00	240882	213.9	1533.0
4968	LYNCH	43 27.0 N	67 1.4 W	1117:00	240882	215.8	1533.1
4969	LYNCH	43 27.0 N	67 1.2 W	1118:00	240882	213.9	1533.3
4970	LYNCH	43 27.0 N	67 1.0 W	1119:00	240882	215.8	1533.4
4971	LYNCH	43 27.1 N	67 9 W	1120:00	240882	213.9	1533.5
4972	LYNCH	43 27.1 N	67 7 W	1121:00	240882	212.1	1533.6
4973	LYNCH	43 27.1 N	67 5 W	1122:00	240882	212.1	1533.8
4974	LYNCH	43 27.1 N	67 4 W	1123:00	240882	208.4	1533.9
4975	LYNCH	43 27.2 N	67 2 W	1124:00	240882	206.6	1534.0
4976	LYNCH	43 27.2 N	67 0 W	1125:00	240882	203.0	1534.1
4977	LYNCH	43 27.2 N	66 59.9 W	1126:00	240882	203.0	1534.3
4978	LYNCH	43 27.2 N	66 59.7 W	1127:00	240882	204.8	1534.4
4979	LYNCH	43 27.3 N	66 59.5 W	1128:00	240882	203.0	1534.5
4980	LYNCH	43 27.3 N	66 59.4 W	1129:00	240882	195.6	1534.6
4981	LYNCH	43 27.3 N	66 59.2 W	1130:00	240882	199.3	1534.7
4982	LYNCH	43 27.3 N	66 59.1 W	1131:00	240882	199.3	1534.9
4983	LYNCH	43 27.3 N	66 58.9 W	1132:00	240882	197.5	1535.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
4984	LYNCH	43 27 4 N	66 58 8 W	1133 00	240882	197.5	1535.1
4985	LYNCH	43 27 4 N	66 58 6 W	1134 00	240882	201.1	1535.2
4986	LYNCH	43 27 4 N	66 58 5 W	1135 00	240882	204.8	1535.3
4987	LYNCH	43 27 4 N	66 58 2 W	1137 00	240882	204.8	1535.5
4988	LYNCH	43 27 4 N	66 58 0 W	1138 00	240882	201.1	1535.6
4989	LYNCH	43 27 5 N	66 57 9 W	1139 00	240882	201.1	1535.7
4990	LYNCH	43 27 5 N	66 57 7 W	1140 00	240882	203.0	1535.8
4991	LYNCH	43 27 5 N	66 57 4 W	1142 00	240882	201.1	1536.0
4992	LYNCH	43 27 5 N	66 57 3 W	1143 00	240882	195.6	1536.1
4993	LYNCH	43 27 5 N	66 57 1 W	1144 00	240882	193.8	1536.3
4994	LYNCH	43 27 6 N	66 57 0 W	1145 00	240882	192.0	1536.4
4995	LYNCH	43 27 6 N	66 56 9 W	1146 00	240882	190.2	1536.5
4996	LYNCH	43 27 6 N	66 56 6 W	1148 00	240882	192.0	1536.7
4997	LYNCH	43 27 6 N	66 56 4 W	1149 00	240882	190.2	1536.8
4998	LYNCH	43 27 6 N	66 56 3 W	1150 00	240882	186.5	1536.9
4999	LYNCH	43 27 7 N	66 56 1 W	1151 00	240882	188.3	1537.0
5000	LYNCH	43 27 7 N	66 56 0 W	1152 00	240882	188.3	1537.1
5001	LYNCH	43 27 7 N	66 55 8 W	1153 00	240882	190.2	1537.2
5002	LYNCH	43 27 7 N	66 55 7 W	1154 00	240882	192.0	1537.3
5003	LYNCH	43 27 7 N	66 55 5 W	1155 00	240882	193.8	1537.4
5004	LYNCH	43 27 7 N	66 55 4 W	1156 00	240882	193.8	1537.5
5005	LYNCH	43 27 8 N	66 55 2 W	1157 00	240882	195.6	1537.7
5006	LYNCH	43 27 8 N	66 54 8 W	1200 00	240882	197.5	1538.0
5007	LYNCH	43 27 4 N	66 54 5 W	1205 00	240882	197.5	1538.4
5008	LYNCH	43 27 3 N	66 54 4 W	1207 00	240882	195.6	1538.6
5009	LYNCH	43 27 1 N	66 54 3 W	1209 00	240882	192.0	1538.8
5010	LYNCH	43 27 0 N	66 54 4 W	1210 00	240882	192.0	1538.8
5011	LYNCH	43 26 8 N	66 54 5 W	1213 00	240882	190.2	1539.1
5012	LYNCH	43 26 7 N	66 54 5 W	1214 00	240882	190.2	1539.2
5013	LYNCH	43 26 6 N	66 54 6 W	1215 00	240882	193.8	1539.3
5014	LYNCH	43 26 4 N	66 54 7 W	1217 00	240882	192.0	1539.5
5015	LYNCH	43 26 3 N	66 54 7 W	1218 00	240882	192.0	1539.6
5016	LYNCH	43 26 2 N	66 54 8 W	1220 00	240882	195.6	1539.8
5017	LYNCH	43 26 0 N	66 54 9 W	1222 00	240882	197.5	1539.9
5018	LYNCH	43 25 8 N	66 55 0 W	1224 00	240882	197.5	1540.1
5019	LYNCH	43 25 7 N	66 55 0 W	1225 00	240882	199.3	1540.2
5020	LYNCH	43 25 6 N	66 55 1 W	1227 00	240882	201.1	1540.4
5021	LYNCH	43 25 5 N	66 55 1 W	1228 00	240882	197.5	1540.5
5022	LYNCH	43 25 4 N	66 55 2 W	1229 00	240882	197.5	1540.6
5023	LYNCH	43 25 3 N	66 55 2 W	1230 00	240882	203.0	1540.8
5024	LYNCH	43 25 2 N	66 55 3 W	1231 00	240882	199.3	1541.0
5025	LYNCH	43 25 1 N	66 55 3 W	1232 00	240882	199.3	1541.0
5026	LYNCH	43 25 0 N	66 55 3 W	1233 00	240882	197.5	1541.1
5027	LYNCH	43 24 9 N	66 55 3 W	1234 00	240882	197.5	1541.2
5028	LYNCH	43 24 9 N	66 55 4 W	1235 00	240882	199.3	1541.2
5029	LYNCH	43 24 8 N	66 55 4 W	1236 00	240882	193.8	1541.3
5030	LYNCH	43 24 7 N	66 55 5 W	1237 00	240882	190.2	1541.4
5031	LYNCH	43 24 6 N	66 55 5 W	1238 00	240882	195.6	1541.6
5032	LYNCH	43 24 4 N	66 55 6 W	1240 00	240882	197.5	1541.7
5033	LYNCH	43 24 3 N	66 55 6 W	1241 00	240882	197.5	1542.1
5034	LYNCH	43 24 0 N	66 55 8 W	1245 00	240882	195.6	1542.2
5035	LYNCH	43 23 9 N	66 55 8 W	1246 00	240882	195.6	1542.3
5036	LYNCH	43 23 8 N	66 55 8 W	1247 00	240882	197.5	1542.5
5037	LYNCH	43 23 5 N	66 55 9 W	1250 00	240882	195.6	1543.0
5038	LYNCH	43 23 1 N	66 56 1 W	1255 00	240882	195.6	1543.1
5039	LYNCH	43 23 0 N	66 56 2 W	1256 00	240882	195.6	1543.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5040	LYNCH	43 22.9 N	66 56.2 W	1257:00	240882	197.5	1543.2
5041	LYNCH	43 22.8 N	66 56.2 W	1258:00	240882	197.5	1543.3
5042	LYNCH	43 22.7 N	66 56.3 W	1259:00	240882	195.6	1543.4
5043	LYNCH	43 22.6 N	66 56.3 W	1300:00	240882	195.6	1543.5
5044	LYNCH	43 22.4 N	66 56.4 W	1303:00	240882	195.6	1543.7
5045	LYNCH	43 22.3 N	66 56.4 W	1304:00	240882	197.5	1543.8
5046	LYNCH	43 22.2 N	66 56.4 W	1305:00	240882	197.5	1543.9
5047	LYNCH	43 22.1 N	66 56.5 W	1306:00	240882	195.6	1544.0
5048	LYNCH	43 21.7 N	66 56.6 W	1311:00	240882	195.6	1544.4
5049	LYNCH	43 21.6 N	66 56.6 W	1312:00	240882	193.8	1544.5
5050	LYNCH	43 21.4 N	66 56.7 W	1315:00	240882	197.5	1544.7
5051	LYNCH	43 21.3 N	66 56.7 W	1316:00	240882	197.5	1544.8
5052	LYNCH	43 21.0 N	66 56.8 W	1320:00	240882	199.3	1545.1
5053	LYNCH	43 20.8 N	66 56.9 W	1322:00	240882	195.6	1545.3
5054	LYNCH	43 20.6 N	66 57.0 W	1325:00	240882	195.6	1545.5
5055	LYNCH	43 20.4 N	66 57.0 W	1327:00	240882	192.0	1545.7
5056	LYNCH	43 20.4 N	66 57.1 W	1328:00	240882	193.8	1545.8
5057	LYNCH	43 20.3 N	66 57.1 W	1329:00	240882	199.3	1545.9
5058	LYNCH	43 20.2 N	66 57.1 W	1330:00	240882	193.8	1546.0
5059	LYNCH	43 20.1 N	66 57.1 W	1331:00	240882	203.0	1546.0
5060	LYNCH	43 20.1 N	66 57.2 W	1332:00	240882	199.3	1546.1
5061	LYNCH	43 20.0 N	66 57.2 W	1333:00	240882	201.1	1546.2
5062	LYNCH	43 19.9 N	66 57.3 W	1334:00	240882	201.1	1546.3
5063	LYNCH	43 19.9 N	66 57.3 W	1335:00	240882	201.1	1546.3
5064	LYNCH	43 19.8 N	66 57.4 W	1336:00	240882	203.0	1546.4
5065	LYNCH	43 19.7 N	66 57.4 W	1337:00	240882	203.0	1546.5
5066	LYNCH	43 19.6 N	66 57.4 W	1338:00	240882	199.3	1546.6
5067	LYNCH	43 19.6 N	66 57.5 W	1339:00	240882	201.1	1546.6
5068	LYNCH	43 19.5 N	66 57.5 W	1340:00	240882	199.3	1546.7
5069	LYNCH	43 19.4 N	66 57.6 W	1341:00	240882	199.3	1546.8
5070	LYNCH	43 19.4 N	66 57.6 W	1342:00	240882	204.8	1546.9
5071	LYNCH	43 19.3 N	66 57.7 W	1343:00	240882	203.0	1547.0
5072	LYNCH	43 19.2 N	66 57.7 W	1344:00	240882	199.3	1547.0
5073	LYNCH	43 19.2 N	66 57.8 W	1345:00	240882	201.1	1547.1
5074	LYNCH	43 19.0 N	66 57.8 W	1347:00	240882	203.0	1547.3
5075	LYNCH	43 18.9 N	66 57.9 W	1348:00	240882	203.0	1547.3
5076	LYNCH	43 18.9 N	66 57.9 W	1349:00	240882	199.3	1547.4
5077	LYNCH	43 18.8 N	66 58.0 W	1350:00	240882	197.5	1547.5
5078	LYNCH	43 18.7 N	66 58.1 W	1352:00	240882	195.6	1547.6
5079	LYNCH	43 18.5 N	66 58.2 W	1355:00	240882	199.3	1547.9
5080	LYNCH	43 18.3 N	66 58.3 W	1357:00	240882	197.5	1548.0
5081	LYNCH	43 18.2 N	66 58.3 W	1358:00	240882	197.5	1548.1
5082	LYNCH	43 18.1 N	66 58.4 W	1400:00	240882	197.5	1548.3
5083	LYNCH	43 18.0 N	66 58.4 W	1401:00	240882	195.6	1548.4
5084	LYNCH	43 17.8 N	66 58.5 W	1403:00	240882	192.0	1548.6
5085	LYNCH	43 17.7 N	66 58.6 W	1404:00	240882	188.3	1548.7
5086	LYNCH	43 17.6 N	66 58.6 W	1405:00	240882	186.5	1548.8
5087	LYNCH	43 17.5 N	66 58.7 W	1406:00	240882	184.7	1548.9
5088	LYNCH	43 17.4 N	66 58.7 W	1407:00	240882	181.0	1548.9
5089	LYNCH	43 17.3 N	66 58.8 W	1409:00	240882	173.7	1549.1
5090	LYNCH	43 17.2 N	66 58.8 W	1410:00	240882	171.9	1549.2
5091	LYNCH	43 17.1 N	66 58.9 W	1411:00	240882	170.1	1549.3
5092	LYNCH	43 17.0 N	66 58.9 W	1412:00	240882	168.2	1549.4
5093	LYNCH	43 16.9 N	66 59.0 W	1413:00	240882	168.2	1549.5
5094	LYNCH	43 16.8 N	66 59.0 W	1414:00	240882	162.7	1549.6
5095	LYNCH	43 16.7 N	66 59.1 W	1415:00	240882	148.1	1549.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5096	LYNCH	43 16.6 N	66 59.1 W	1416:00	240882	170.1	1549.8
5097	LYNCH	43 16.5 N	66 59.1 W	1417:00	240882	170.1	1549.9
5098	LYNCH	43 16.4 N	66 59.2 W	1418:00	240882	173.7	1550.0
5099	LYNCH	43 16.2 N	66 59.3 W	1420:00	240882	179.2	1550.2
5100	LYNCH	43 15.8 N	66 59.5 W	1425:00	240882	177.4	1550.7
5101	LYNCH	43 15.7 N	66 59.5 W	1426:00	240882	179.2	1550.8
5102	LYNCH	43 15.5 N	66 59.6 W	1428:00	240882	175.5	1551.0
5103	LYNCH	43 15.3 N	66 59.7 W	1430:00	240882	175.5	1551.2
5104	LYNCH	43 15.2 N	66 59.8 W	1431:00	240882	175.5	1551.3
5105	LYNCH	43 15.2 N	66 59.8 W	1432:00	240882	177.4	1551.4
5106	LYNCH	43 14.9 N	67 0.0 W	1435:00	240882	182.9	1551.6
5107	LYNCH	43 14.8 N	67 0.1 W	1437:00	240882	184.7	1551.8
5108	LYNCH	43 14.7 N	67 0.2 W	1438:00	240882	181.0	1551.9
5109	LYNCH	43 14.6 N	67 0.3 W	1440:00	240882	177.4	1552.1
5110	LYNCH	43 14.4 N	67 0.4 W	1442:00	240882	175.5	1552.2
5111	LYNCH	43 14.3 N	67 0.4 W	1443:00	240882	175.5	1552.3
5112	LYNCH	43 14.2 N	67 0.6 W	1445:00	240882	177.4	1552.5
5113	LYNCH	43 14.1 N	67 0.7 W	1447:00	240882	182.9	1552.6
5114	LYNCH	43 14.0 N	67 0.7 W	1448:00	240882	182.9	1552.7
5115	LYNCH	43 13.8 N	67 0.8 W	1450:00	240882	179.2	1552.9
5116	LYNCH	43 13.6 N	67 1.0 W	1453:00	240882	175.5	1553.2
5117	LYNCH	43 13.5 N	67 1.1 W	1455:00	240882	175.5	1553.3
5118	LYNCH	43 13.4 N	67 1.2 W	1456:00	240882	177.4	1553.4
5119	LYNCH	43 13.1 N	67 1.4 W	1500:00	240882	181.0	1553.7
5120	LYNCH	43 13.0 N	67 1.5 W	1502:00	240882	182.9	1553.9
5121	LYNCH	43 12.9 N	67 1.6 W	1503:00	240882	184.7	1554.0
5122	LYNCH	43 12.8 N	67 1.7 W	1505:00	240882	184.7	1554.1
5123	LYNCH	43 12.7 N	67 1.7 W	1506:00	240882	182.9	1554.2
5124	LYNCH	43 12.4 N	67 1.9 W	1510:00	240882	182.9	1554.6
5125	LYNCH	43 12.3 N	67 2.0 W	1511:00	240882	184.7	1554.6
5126	LYNCH	43 12.2 N	67 2.1 W	1513:00	240882	186.5	1554.8
5127	LYNCH	43 12.1 N	67 2.2 W	1515:00	240882	186.5	1554.9
5128	LYNCH	43 11.9 N	67 2.3 W	1517:00	240882	184.7	1555.1
5129	LYNCH	43 11.7 N	67 2.5 W	1520:00	240882	186.5	1555.3
5130	LYNCH	43 11.6 N	67 2.6 W	1522:00	240882	188.3	1555.5
5131	LYNCH	43 11.4 N	67 2.7 W	1525:00	240882	188.3	1555.7
5132	LYNCH	43 11.2 N	67 2.8 W	1527:00	240882	188.3	1555.9
5133	LYNCH	43 11.1 N	67 2.9 W	1528:00	240882	186.5	1556.0
5134	LYNCH	43 11.0 N	67 3.0 W	1529:00	240882	186.5	1556.1
5135	LYNCH	43 10.3 N	67 3.5 W	1540:00	240882	184.7	1556.9
5136	LYNCH	43 10.0 N	67 3.8 W	1545:00	240882	179.2	1557.3
5137	LYNCH	43 9.6 N	67 4.1 W	1550:00	240882	175.5	1557.7
5138	LYNCH	43 8.9 N	67 4.6 W	1600:00	240882	175.5	1558.5
5139	LYNCH	43 8.7 N	67 4.9 W	1605:00	240882	175.5	1558.8
5140	LYNCH	43 8.6 N	67 5.0 W	1607:00	240882	173.7	1559.0
5141	LYNCH	43 8.4 N	67 5.1 W	1610:00	240882	175.5	1559.1
5142	LYNCH	43 8.7 N	67 4.9 W	1605:00	240882	177.4	1559.4
5143	LYNCH	43 8.0 N	67 5.6 W	1620:00	240882	175.5	1560.3
5144	LYNCH	43 7.7 N	67 5.9 W	1625:00	240882	170.1	1560.6
5145	LYNCH	43 7.6 N	67 6.0 W	1628:00	240882	168.2	1560.8
5146	LYNCH	43 7.5 N	67 6.1 W	1629:00	240882	164.6	1560.9
5147	LYNCH	43 7.4 N	67 6.1 W	1630:00	240882	162.7	1560.9
5148	LYNCH	43 7.4 N	67 6.2 W	1632:00	240882	160.9	1561.0
5149	LYNCH	43 7.3 N	67 6.2 W	1635:00	240882	162.7	1561.1
5150	LYNCH	43 7.2 N	67 6.1 W	1637:00	240882	160.9	1561.2
5151	LYNCH	43 7.2 N	67 6.1 W	1637:00	240882	160.9	1561.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5152	LYNCH	43 7 2 N	67 6 1 W	1638:00	240882	159.1	1561.2
5153	LYNCH	43 7 1 N	67 6 1 W	1640:00	240882	164.6	1561.3
5154	LYNCH	43 7 1 N	67 5 8 W	1643:00	240882	170.1	1561.5
5155	LYNCH	43 7 2 N	67 5 6 W	1645:00	240882	168.2	1561.7
5156	LYNCH	43 7 3 N	67 5 0 W	1650:00	240882	173.7	1562.2
5157	LYNCH	43 7 3 N	67 4 3 W	1655:00	240882	173.7	1562.6
5158	LYNCH	43 7 4 N	67 3 9 W	1658:00	240882	170.1	1562.9
5159	LYNCH	43 7 4 N	67 3 7 W	1700:00	240882	170.1	1563.1
5160	LYNCH	43 7 5 N	67 3 6 W	1701:00	240882	173.7	1563.2
5161	LYNCH	43 7 5 N	67 3 2 W	1704:00	240882	171.9	1563.5
5162	LYNCH	43 7 5 N	67 3 0 W	1705:00	240882	171.9	1563.6
5163	LYNCH	43 7 6 N	67 2 8 W	1707:00	240882	170.1	1563.8
5164	LYNCH	43 7 6 N	67 2 7 W	1708:00	240882	171.9	1563.9
5165	LYNCH	43 7 6 N	67 2 5 W	1709:00	240882	170.1	1564.0
5166	LYNCH	43 7 6 N	67 2 4 W	1710:00	240882	168.2	1564.1
5167	LYNCH	43 7 6 N	67 2 3 W	1711:00	240882	170.1	1564.2
5168	LYNCH	43 7 7 N	67 2 0 W	1713:00	240882	171.9	1564.3
5169	LYNCH	43 7 7 N	67 1 9 W	1714:00	240882	168.2	1564.4
5170	LYNCH	43 7 7 N	67 1 4 W	1718:00	240882	168.2	1564.8
5171	LYNCH	43 7 8 N	67 1 1 W	1720:00	240882	166.4	1565.0
5172	LYNCH	43 7 8 N	67 9 W	1722:00	240882	164.6	1565.2
5173	LYNCH	43 7 9 N	67 8 W	1724:00	240882	164.6	1565.3
5174	LYNCH	43 8 0 N	67 9 W	1725:00	240882	166.4	1565.4
5175	LYNCH	43 8 0 N	67 1 0 W	1727:00	240882	170.1	1565.6
5176	LYNCH	43 8 3 N	67 1 1 W	1728:00	240882	168.2	1565.7
5177	LYNCH	43 8 4 N	67 1 1 W	1729:00	240882	170.1	1565.8
5178	LYNCH	43 8 5 N	67 1 2 W	1730:00	240882	170.1	1565.9
5179	LYNCH	43 8 5 N	67 1 3 W	1731:00	240882	171.9	1566.0
5180	LYNCH	43 8 6 N	67 1 4 W	1732:00	240882	171.9	1566.1
5181	LYNCH	43 8 9 N	67 1 6 W	1735:00	240882	173.7	1566.4
5182	LYNCH	43 9 0 N	67 1 6 W	1736:00	240882	175.5	1566.5
5183	LYNCH	43 9 1 N	67 1 7 W	1737:00	240882	173.7	1566.6
5184	LYNCH	43 9 4 N	67 1 9 W	1740:00	240882	173.7	1567.0
5185	LYNCH	43 9 8 N	67 2 3 W	1745:00	240882	175.5	1567.5
5186	LYNCH	43 10 0 N	67 2 4 W	1747:00	240882	179.2	1567.7
5187	LYNCH	43 10 1 N	67 2 5 W	1748:00	240882	181.0	1567.8
5188	LYNCH	43 10 3 N	67 2 6 W	1750:00	240882	182.9	1568.0
5189	LYNCH	43 10 5 N	67 2 7 W	1752:00	240882	184.7	1568.2
5190	LYNCH	43 10 7 N	67 2 9 W	1754:00	240882	184.7	1568.4
5191	LYNCH	43 10 7 N	67 3 0 W	1755:00	240882	186.5	1568.5
5192	LYNCH	43 10 8 N	67 3 0 W	1756:00	240882	188.3	1568.6
5193	LYNCH	43 10 9 N	67 3 1 W	1757:00	240882	184.7	1568.7
5194	LYNCH	43 11 0 N	67 3 2 W	1758:00	240882	186.5	1568.8
5195	LYNCH	43 11 1 N	67 3 2 W	1759:00	240882	188.3	1568.9
5196	LYNCH	43 11 2 N	67 3 3 W	1800:00	240882	188.3	1569.1
5197	LYNCH	43 11 4 N	67 3 4 W	1802:00	240882	182.9	1569.2
5198	LYNCH	43 11 5 N	67 3 5 W	1803:00	240882	182.9	1569.3
5199	LYNCH	43 11 6 N	67 3 6 W	1805:00	240882	188.3	1569.5
5200	LYNCH	43 11 7 N	67 3 7 W	1806:00	240882	186.5	1569.6
5201	LYNCH	43 11 8 N	67 3 7 W	1807:00	240882	184.7	1569.7
5202	LYNCH	43 11 9 N	67 3 8 W	1808:00	240882	184.7	1569.8
5203	LYNCH	43 12 0 N	67 3 8 W	1809:00	240882	188.3	1569.9
5204	LYNCH	43 12 1 N	67 3 9 W	1810:00	240882	190.2	1570.0
5205	LYNCH	43 12 2 N	67 4 0 W	1812:00	240882	190.2	1570.2
5206	LYNCH	43 12 3 N	67 4 1 W	1813:00	240882	192.0	1570.3
5207	LYNCH	43 12 5 N	67 4 2 W	1815:00	240882	193.8	1570.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5208	LYNCH	43 12 6 N	67 4 3 W	1816:00	240882	195.6	1570.6
5209	LYNCH	43 12 7 N	67 4 3 W	1817:00	240882	195.6	1570.7
5210	LYNCH	43 12 8 N	67 4 4 W	1818:00	240882	193.8	1570.8
5211	LYNCH	43 12 9 N	67 4 5 W	1820:00	240882	195.6	1571.0
5212	LYNCH	43 13 0 N	67 4 6 W	1821:00	240882	197.5	1571.1
5213	LYNCH	43 13 1 N	67 4 6 W	1822:00	240882	192.0	1571.2
5214	LYNCH	43 13 2 N	67 4 7 W	1823:00	240882	188.3	1571.3
5215	LYNCH	43 13 3 N	67 4 7 W	1824:00	240882	184.7	1571.4
5216	LYNCH	43 13 4 N	67 4 8 W	1825:00	240882	186.5	1571.5
5217	LYNCH	43 13 5 N	67 4 9 W	1826:00	240882	186.5	1571.6
5218	LYNCH	43 13 5 N	67 4 9 W	1827:00	240882	184.7	1571.7
5219	LYNCH	43 13 6 N	67 5 0 W	1828:00	240882	184.7	1571.8
5220	LYNCH	43 13 6 N	67 5 0 W	1829:00	240882	181.0	1571.9
5221	LYNCH	43 13 8 N	67 5 1 W	1830:00	240882	192.0	1572.0
5222	LYNCH	43 13 9 N	67 5 2 W	1832:00	240882	193.8	1572.1
5223	LYNCH	43 14 1 N	67 5 4 W	1834:00	240882	195.6	1572.3
5224	LYNCH	43 14 2 N	67 5 4 W	1835:00	240882	201.1	1572.4
5225	LYNCH	43 14 2 N	67 5 5 W	1836:00	240882	203.0	1572.5
5226	LYNCH	43 14 4 N	67 5 6 W	1838:00	240882	201.1	1572.7
5227	LYNCH	43 14 5 N	67 5 7 W	1840:00	240882	203.0	1572.8
5228	LYNCH	43 14 6 N	67 5 8 W	1841:00	240882	206.6	1572.9
5229	LYNCH	43 14 7 N	67 5 9 W	1842:00	240882	206.6	1573.0
5230	LYNCH	43 14 8 N	67 5 9 W	1843:00	240882	208.4	1573.1
5231	LYNCH	43 14 8 N	67 6 0 W	1844:00	240882	210.3	1573.2
5232	LYNCH	43 14 9 N	67 6 1 W	1845:00	240882	208.4	1573.3
5233	LYNCH	43 15 0 N	67 6 1 W	1846:00	240882	206.6	1573.3
5234	LYNCH	43 15 0 N	67 6 2 W	1847:00	240882	204.8	1573.4
5235	LYNCH	43 15 1 N	67 6 2 W	1848:00	240882	208.4	1573.5
5236	LYNCH	43 15 2 N	67 6 3 W	1849:00	240882	210.3	1573.6
5237	LYNCH	43 15 3 N	67 6 4 W	1850:00	240882	210.3	1573.7
5238	LYNCH	43 15 4 N	67 6 5 W	1852:00	240882	208.4	1573.9
5239	LYNCH	43 15 6 N	67 6 6 W	1854:00	240882	213.9	1574.0
5240	LYNCH	43 15 6 N	67 6 7 W	1855:00	240882	217.6	1574.1
5241	LYNCH	43 15 7 N	67 6 7 W	1856:00	240882	215.8	1574.2
5242	LYNCH	43 15 9 N	67 6 9 W	1859:00	240882	217.6	1574.5
5243	LYNCH	43 16 0 N	67 7 0 W	1900:00	240882	213.9	1574.6
5244	LYNCH	43 16 1 N	67 7 1 W	1901:00	240882	201.1	1574.6
5245	LYNCH	43 16 1 N	67 7 1 W	1902:00	240882	197.5	1574.7
5246	LYNCH	43 16 2 N	67 7 2 W	1903:00	240882	195.6	1574.8
5247	LYNCH	43 16 3 N	67 7 3 W	1904:00	240882	208.4	1574.9
5248	LYNCH	43 16 3 N	67 7 3 W	1905:00	240882	223.1	1575.0
5249	LYNCH	43 16 4 N	67 7 4 W	1906:00	240882	224.9	1575.1
5250	LYNCH	43 16 5 N	67 7 5 W	1907:00	240882	224.9	1575.1
5251	LYNCH	43 16 7 N	67 7 7 W	1910:00	240882	221.2	1575.4
5252	LYNCH	43 17 0 N	67 8 0 W	1915:00	240882	219.4	1575.8
5253	LYNCH	43 17 1 N	67 8 1 W	1916:00	240882	219.4	1575.9
5254	LYNCH	43 17 2 N	67 8 2 W	1918:00	240882	223.1	1576.0
5255	LYNCH	43 17 3 N	67 8 3 W	1919:00	240882	224.9	1576.1
5256	LYNCH	43 17 3 N	67 8 3 W	1920:00	240882	224.9	1576.2
5257	LYNCH	43 17 4 N	67 8 4 W	1921:00	240882	226.7	1576.3
5258	LYNCH	43 17 5 N	67 8 5 W	1922:00	240882	223.1	1576.4
5259	LYNCH	43 17 5 N	67 8 5 W	1923:00	240882	228.6	1576.5
5260	LYNCH	43 17 6 N	67 8 6 W	1924:00	240882	234.0	1576.5
5261	LYNCH	43 17 7 N	67 8 7 W	1925:00	240882	224.9	1576.6
5262	LYNCH	43 17 7 N	67 8 7 W	1926:00	240882	223.1	1576.7
5263	LYNCH	43 17 8 N	67 8 8 W	1927:00	240882	235.9	1576.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5264	LYNCH	43 17.9 N	67 8.9 W	1928:00	240882	234.0	1576.9
5265	LYNCH	43 18.0 N	67 9.0 W	1930:00	240882	234.0	1577.0
5266	LYNCH	43 18.1 N	67 9.1 W	1931:00	240882	235.9	1577.1
5267	LYNCH	43 18.1 N	67 9.1 W	1932:00	240882	237.7	1577.2
5268	LYNCH	43 18.3 N	67 9.3 W	1934:00	240882	232.2	1577.4
5269	LYNCH	43 18.3 N	67 9.3 W	1935:00	240882	232.2	1577.4
5270	LYNCH	43 18.4 N	67 9.4 W	1936:00	240882	228.6	1577.5
5271	LYNCH	43 18.5 N	67 9.4 W	1937:00	240882	226.7	1577.6
5272	LYNCH	43 18.5 N	67 9.5 W	1938:00	240882	221.2	1577.7
5273	LYNCH	43 18.6 N	67 9.6 W	1939:00	240882	219.4	1577.8
5274	LYNCH	43 18.7 N	67 9.6 W	1940:00	240882	219.4	1577.8
5275	LYNCH	43 18.8 N	67 9.8 W	1942:00	240882	228.6	1578.0
5276	LYNCH	43 18.9 N	67 9.8 W	1943:00	240882	230.4	1578.1
5277	LYNCH	43 18.9 N	67 9.9 W	1944:00	240882	230.4	1578.2
5278	LYNCH	43 19.0 N	67 9.9 W	1945:00	240882	228.6	1578.3
5279	LYNCH	43 19.3 N	67 10.3 W	1950:00	240882	235.9	1578.7
5280	LYNCH	43 19.4 N	67 10.3 W	1951:00	240882	235.9	1578.7
5281	LYNCH	43 19.5 N	67 10.4 W	1952:00	240882	237.7	1578.8
5282	LYNCH	43 19.5 N	67 10.5 W	1953:00	240882	243.2	1578.9
5283	LYNCH	43 19.6 N	67 10.5 W	1954:00	240882	230.4	1579.0
5284	LYNCH	43 19.7 N	67 10.6 W	1955:00	240882	234.0	1579.1
5285	LYNCH	43 19.7 N	67 10.6 W	1956:00	240882	235.9	1579.1
5286	LYNCH	43 20.0 N	67 10.9 W	2000:00	240882	234.0	1579.5
5287	LYNCH	43 20.4 N	67 11.2 W	2005:00	240882	234.0	1579.9
5288	LYNCH	43 20.5 N	67 11.3 W	2007:00	240882	234.0	1580.1
5289	LYNCH	43 20.7 N	67 11.5 W	2010:00	240882	228.6	1580.3
5290	LYNCH	43 20.8 N	67 11.5 W	2011:00	240882	226.7	1580.4
5291	LYNCH	43 20.9 N	67 11.6 W	2012:00	240882	224.9	1580.5
5292	LYNCH	43 21.0 N	67 11.6 W	2013:00	240882	221.2	1580.6
5293	LYNCH	43 21.1 N	67 11.7 W	2014:00	240882	221.2	1580.6
5294	LYNCH	43 21.2 N	67 11.7 W	2015:00	240882	221.2	1580.7
5295	LYNCH	43 21.3 N	67 11.9 W	2017:00	240882	217.6	1580.9
5296	LYNCH	43 21.3 N	67 11.9 W	2018:00	240882	215.8	1581.0
5297	LYNCH	43 21.4 N	67 12.0 W	2019:00	240882	213.9	1581.1
5298	LYNCH	43 21.5 N	67 12.0 W	2020:00	240882	212.1	1581.1
5299	LYNCH	43 21.5 N	67 12.1 W	2021:00	240882	210.3	1581.2
5300	LYNCH	43 21.6 N	67 12.1 W	2022:00	240882	206.6	1581.3
5301	LYNCH	43 21.7 N	67 12.2 W	2023:00	240882	206.6	1581.4
5302	LYNCH	43 21.8 N	67 12.3 W	2024:00	240882	197.5	1581.5
5303	LYNCH	43 21.8 N	67 12.3 W	2025:00	240882	195.6	1581.6
5304	LYNCH	43 21.9 N	67 12.4 W	2026:00	240882	190.2	1581.7
5305	LYNCH	43 22.0 N	67 12.4 W	2027:00	240882	193.8	1581.7
5306	LYNCH	43 22.1 N	67 12.5 W	2028:00	240882	195.6	1581.8
5307	LYNCH	43 22.1 N	67 12.5 W	2029:00	240882	195.6	1581.9
5308	LYNCH	43 22.2 N	67 12.6 W	2030:00	240882	193.8	1582.0
5309	LYNCH	43 22.3 N	67 12.7 W	2032:00	240882	193.8	1582.2
5310	LYNCH	43 22.4 N	67 12.8 W	2033:00	240882	193.8	1582.2
5311	LYNCH	43 22.5 N	67 12.9 W	2034:00	240882	192.0	1582.3
5312	LYNCH	43 22.6 N	67 12.9 W	2035:00	240882	192.0	1582.4
5313	LYNCH	43 22.7 N	67 13.1 W	2037:00	240882	186.5	1582.6
5314	LYNCH	43 22.8 N	67 13.1 W	2038:00	240882	195.6	1582.7
5315	LYNCH	43 22.8 N	67 13.2 W	2039:00	240882	184.5	1582.8
5316	LYNCH	43 22.9 N	67 13.3 W	2040:00	240882	184.7	1582.8
5317	LYNCH	43 23.0 N	67 13.3 W	2041:00	240882	184.7	1582.9
5318	LYNCH	43 23.0 N	67 13.4 W	2042:00	240882	182.9	1583.0
5319	LYNCH	43 23.1 N	67 13.5 W	2043:00	240882	182.9	1583.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5320	LYNCH	43 23.2 N	67 13.5 W	2044.00	240882	181.0	1583.2
5321	LYNCH	43 23.3 N	67 13.6 W	2045.00	240882	179.2	1583.3
5322	LYNCH	43 23.5 N	67 13.9 W	2049.00	240882	179.2	1583.6
5323	LYNCH	43 23.6 N	67 13.9 W	2050.00	240882	175.5	1583.7
5324	LYNCH	43 23.7 N	67 14.0 W	2051.00	240882	177.4	1583.8
5325	LYNCH	43 23.7 N	67 14.1 W	2052.00	240882	173.7	1583.9
5326	LYNCH	43 23.8 N	67 14.1 W	2053.00	240882	177.4	1583.9
5327	LYNCH	43 23.9 N	67 14.2 W	2054.00	240882	173.7	1584.0
5328	LYNCH	43 24.0 N	67 14.3 W	2055.00	240882	175.5	1584.1
5329	LYNCH	43 24.1 N	67 14.4 W	2057.00	240882	168.2	1584.3
5330	LYNCH	43 24.2 N	67 14.5 W	2058.00	240882	166.4	1584.4
5331	LYNCH	43 24.2 N	67 14.5 W	2059.00	240882	162.7	1584.5
5332	LYNCH	43 24.3 N	67 14.6 W	2100.00	240882	162.7	1584.5
5333	LYNCH	43 24.4 N	67 14.7 W	2101.00	240882	166.4	1584.6
5334	LYNCH	43 24.5 N	67 14.8 W	2103.00	240882	179.2	1584.8
5335	LYNCH	43 24.7 N	67 14.9 W	2105.00	240882	171.9	1585.0
5336	LYNCH	43 24.6 N	67 14.9 W	2104.00	240882	175.5	1585.0
5337	LYNCH	43 24.7 N	67 14.9 W	2105.00	240882	186.5	1585.1
5338	LYNCH	43 24.7 N	67 15.0 W	2106.00	240882	192.0	1585.2
5339	LYNCH	43 24.8 N	67 15.0 W	2107.00	240882	193.8	1585.3
5340	LYNCH	43 25.0 N	67 15.2 W	2110.00	240882	195.6	1585.5
5341	LYNCH	43 25.1 N	67 15.4 W	2112.00	240882	197.5	1585.7
5342	LYNCH	43 25.2 N	67 15.4 W	2113.00	240882	197.5	1585.8
5343	LYNCH	43 25.3 N	67 15.5 W	2115.00	240882	201.1	1585.9
5344	LYNCH	43 25.4 N	67 15.5 W	2116.00	240882	203.0	1586.0
5345	LYNCH	43 25.4 N	67 15.6 W	2116.00	240882	203.0	1586.1
5346	LYNCH	43 25.7 N	67 15.9 W	2120.00	240882	203.0	1586.4
5347	LYNCH	43 25.9 N	67 16.1 W	2123.00	240882	203.0	1586.6
5348	LYNCH	43 26.1 N	67 16.2 W	2125.00	240882	199.3	1586.8
5349	LYNCH	43 26.1 N	67 16.2 W	2126.00	240882	201.1	1586.9
5350	LYNCH	43 26.3 N	67 16.4 W	2128.00	240882	199.3	1587.1
5351	LYNCH	43 26.3 N	67 16.4 W	2129.00	240882	199.3	1587.1
5352	LYNCH	43 26.4 N	67 16.5 W	2130.00	240882	201.1	1587.2
5353	LYNCH	43 26.5 N	67 16.6 W	2131.00	240882	203.0	1587.3
5354	LYNCH	43 26.5 N	67 16.6 W	2132.00	240882	201.1	1587.4
5355	LYNCH	43 26.8 N	67 16.8 W	2135.00	240882	203.0	1587.6
5356	LYNCH	43 26.8 N	67 16.8 W	2136.00	240882	203.0	1587.7
5357	LYNCH	43 26.9 N	67 16.9 W	2137.00	240882	204.8	1587.8
5358	LYNCH	43 27.0 N	67 17.0 W	2138.00	240882	206.6	1587.9
5359	LYNCH	43 27.0 N	67 17.0 W	2139.00	240882	204.8	1588.0
5360	LYNCH	43 27.1 N	67 17.1 W	2140.00	240882	204.8	1588.0
5361	LYNCH	43 27.1 N	67 17.2 W	2143.00	240882	206.6	1588.3
5362	LYNCH	43 27.5 N	67 17.3 W	2145.00	240882	204.8	1588.4
5363	LYNCH	43 27.6 N	67 17.5 W	2147.00	240882	204.8	1588.6
5364	LYNCH	43 27.7 N	67 17.6 W	2149.00	240882	199.3	1588.8
5365	LYNCH	43 27.8 N	67 17.6 W	2150.00	240882	199.3	1588.8
5366	LYNCH	43 27.9 N	67 17.7 W	2151.00	240882	195.6	1588.9
5367	LYNCH	43 27.9 N	67 17.7 W	2152.00	240882	193.8	1589.0
5368	LYNCH	43 28.2 N	67 17.9 W	2155.00	240882	192.0	1589.3
5369	LYNCH	43 28.2 N	67 18.0 W	2156.00	240882	188.3	1589.3
5370	LYNCH	43 28.3 N	67 18.0 W	2157.00	240882	190.2	1589.4
5371	LYNCH	43 28.4 N	67 18.1 W	2158.00	240882	195.6	1589.5
5372	LYNCH	43 28.4 N	67 18.1 W	2159.00	240882	195.6	1589.6
5373	LYNCH	43 28.5 N	67 18.2 W	2200.00	240882	195.6	1589.7
5374	LYNCH	43 28.5 N	67 18.2 W	2201.00	240882	193.8	1589.7
5375	LYNCH	43 28.7 N	67 18.3 W	2203.00	240882	193.8	1589.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5376	LYNCH	43 28.8 N	67 18.4 W	2205:00	240882	192.0	1590.0
5377	LYNCH	43 28.9 N	67 18.4 W	2206:00	240882	195.6	1590.1
5378	LYNCH	43 29.0 N	67 18.5 W	2207:00	240882	197.5	1590.2
5379	LYNCH	43 29.0 N	67 18.5 W	2208:00	240882	195.6	1590.2
5380	LYNCH	43 29.1 N	67 18.6 W	2209:00	240882	193.8	1590.3
5381	LYNCH	43 29.2 N	67 18.6 W	2210:00	240882	188.3	1590.4
5382	LYNCH	43 29.2 N	67 18.6 W	2211:00	240882	193.8	1590.5
5383	LYNCH	43 29.3 N	67 18.7 W	2212:00	240882	199.3	1590.5
5384	LYNCH	43 29.4 N	67 18.7 W	2213:00	240882	208.4	1590.6
5385	LYNCH	43 29.5 N	67 18.8 W	2215:00	240882	210.3	1590.8
5386	LYNCH	43 29.6 N	67 18.8 W	2216:00	240882	212.1	1590.8
5387	LYNCH	43 29.6 N	67 18.9 W	2217:00	240882	212.1	1590.9
5388	LYNCH	43 29.8 N	67 19.0 W	2220:00	240882	210.3	1591.1
5389	LYNCH	43 30.0 N	67 19.1 W	2223:00	240882	208.4	1591.3
5390	LYNCH	43 30.2 N	67 19.2 W	2225:00	240882	208.4	1591.5
5391	LYNCH	43 30.5 N	67 19.4 W	2230:00	240882	210.3	1591.8
5392	LYNCH	43 30.8 N	67 19.6 W	2235:00	240882	212.1	1592.2
5393	LYNCH	43 31.0 N	67 19.7 W	2238:00	240882	215.8	1592.4
5394	LYNCH	43 31.2 N	67 19.8 W	2240:00	240882	217.6	1592.6
5395	LYNCH	43 31.2 N	67 19.8 W	2241:00	240882	219.4	1592.6
5396	LYNCH	43 31.5 N	67 20.0 W	2245:00	240882	219.4	1592.9
5397	LYNCH	43 31.6 N	67 20.0 W	2246:00	240882	221.2	1593.0
5398	LYNCH	43 31.8 N	67 20.2 W	2250:00	240882	221.2	1593.3
5399	LYNCH	43 32.0 N	67 20.3 W	2252:00	240882	223.1	1593.4
5400	LYNCH	43 32.0 N	67 20.3 W	2253:00	240882	223.1	1593.5
5401	LYNCH	43 32.2 N	67 20.4 W	2255:00	240882	226.7	1593.7
5402	LYNCH	43 32.2 N	67 20.4 W	2256:00	240882	226.7	1593.7
5403	LYNCH	43 32.3 N	67 20.5 W	2257:00	240882	224.9	1593.8
5404	LYNCH	43 32.5 N	67 20.6 W	2300:00	240882	226.7	1594.0
5405	LYNCH	43 32.9 N	67 20.8 W	2305:00	240882	224.9	1594.4
5406	LYNCH	43 33.2 N	67 21.0 W	2310:00	240882	226.7	1594.8
5407	LYNCH	43 33.6 N	67 21.2 W	2315:00	240882	226.7	1595.2
5408	LYNCH	43 33.9 N	67 21.4 W	2320:00	240882	224.9	1595.5
5409	LYNCH	43 34.3 N	67 21.6 W	2325:00	240882	223.1	1595.9
5410	LYNCH	43 34.6 N	67 21.8 W	2330:00	240882	219.4	1596.3
5411	LYNCH	43 35.7 N	67 22.4 W	2345:00	240882	212.1	1597.4
5412	LYNCH	43 36.7 N	67 23.1 W	0000:00	250882	210.3	1598.6
5413	LYNCH	43 37.1 N	67 23.4 W	0005:00	250882	208.4	1599.0
5414	LYNCH	43 37.5 N	67 23.6 W	0010:00	250882	208.4	1599.4
5415	LYNCH	43 37.8 N	67 23.9 W	0015:00	250882	210.3	1599.9
5416	LYNCH	43 39.0 N	67 24.7 W	0030:00	250882	206.6	1601.2
5417	LYNCH	43 40.1 N	67 25.4 W	0045:00	250882	204.8	1602.4
5418	LYNCH	43 40.8 N	67 25.9 W	0055:00	250882	201.1	1603.2
5419	LYNCH	43 41.2 N	67 26.1 W	0100:00	250882	201.1	1603.6
5420	LYNCH	43 41.7 N	67 26.4 W	0105:00	250882	203.0	1604.1
5421	LYNCH	43 42.1 N	67 26.7 W	0110:00	250882	203.0	1604.6
5422	LYNCH	43 42.3 N	67 26.8 W	0112:00	250882	204.8	1604.8
5423	LYNCH	43 42.5 N	67 26.9 W	0114:00	250882	206.6	1605.0
5424	LYNCH	43 42.6 N	67 26.9 W	0115:00	250882	210.3	1605.1
5425	LYNCH	43 42.6 N	67 27.0 W	0116:00	250882	212.1	1605.2
5426	LYNCH	43 43.0 N	67 27.2 W	0120:00	250882	212.1	1605.6
5427	LYNCH	43 43.1 N	67 27.3 W	0121:00	250882	210.3	1605.7
5428	LYNCH	43 43.2 N	67 27.3 W	0122:00	250882	208.4	1605.8
5429	LYNCH	43 43.5 N	67 27.5 W	0125:00	250882	208.4	1606.1
5430	LYNCH	43 43.9 N	67 27.8 W	0130:00	250882	208.4	1606.6
5431	LYNCH	43 44.3 N	67 28.0 W	0134:00	250882	210.3	1607.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5432	LYNCH	43 44.5 N	67 28.1 W	0136:00	250882	210.3	1607.2
5433	LYNCH	43 44.6 N	67 28.3 W	0138:00	250882	212.1	1607.4
5434	LYNCH	43 44.7 N	67 28.3 W	0139:00	250882	215.8	1607.5
5435	LYNCH	43 44.8 N	67 28.4 W	0140:00	250882	213.9	1607.6
5436	LYNCH	43 45.3 N	67 28.6 W	0145:00	250882	217.6	1608.1
5437	LYNCH	43 45.8 N	67 28.9 W	0150:00	250882	219.4	1608.6
5438	LYNCH	43 46.2 N	67 29.2 W	0155:00	250882	221.2	1609.1
5439	LYNCH	43 46.5 N	67 29.4 W	0158:00	250882	223.1	1609.4
5440	LYNCH	43 46.7 N	67 29.5 W	0200:00	250882	223.1	1609.6
5441	LYNCH	43 46.8 N	67 29.6 W	0201:00	250882	224.9	1609.7
5442	LYNCH	43 46.9 N	67 29.6 W	0202:00	250882	221.2	1609.8
5443	LYNCH	43 47.2 N	67 29.8 W	0205:00	250882	217.6	1610.1
5444	LYNCH	43 47.3 N	67 29.9 W	0207:00	250882	215.8	1610.3
5445	LYNCH	43 47.6 N	67 30.1 W	0210:00	250882	213.9	1610.6
5446	LYNCH	43 48.2 N	67 30.4 W	0215:00	250882	212.1	1611.2
5447	LYNCH	43 48.8 N	67 30.7 W	0220:00	250882	212.1	1611.9
5448	LYNCH	43 49.0 N	67 30.8 W	0222:00	250882	208.4	1612.1
5449	LYNCH	43 49.3 N	67 30.9 W	0225:00	250882	208.4	1612.5
5450	LYNCH	43 49.5 N	67 31.0 W	0226:00	250882	212.1	1612.6
5451	LYNCH	43 49.6 N	67 31.0 W	0227:00	250882	212.1	1612.7
5452	LYNCH	43 49.9 N	67 31.2 W	0230:00	250882	212.1	1613.1
5453	LYNCH	43 50.0 N	67 31.2 W	0231:00	250882	210.3	1613.2
5454	LYNCH	43 50.1 N	67 31.3 W	0232:00	250882	210.3	1613.3
5455	LYNCH	43 50.2 N	67 31.3 W	0233:00	250882	208.4	1613.4
5456	LYNCH	43 50.4 N	67 31.4 W	0235:00	250882	212.1	1613.6
5457	LYNCH	43 50.5 N	67 31.5 W	0236:00	250882	212.1	1613.7
5458	LYNCH	43 50.6 N	67 31.5 W	0237:00	250882	210.3	1613.8
5459	LYNCH	43 50.7 N	67 31.6 W	0238:00	250882	210.3	1613.9
5460	LYNCH	43 50.9 N	67 31.7 W	0240:00	250882	213.9	1614.1
5461	LYNCH	43 51.1 N	67 31.8 W	0242:00	250882	217.6	1614.3
5462	LYNCH	43 51.2 N	67 31.8 W	0243:00	250882	217.6	1614.4
5463	LYNCH	43 51.3 N	67 31.9 W	0244:00	250882	215.8	1614.5
5464	LYNCH	43 51.4 N	67 31.9 W	0245:00	250882	213.9	1614.6
5465	LYNCH	43 51.8 N	67 32.2 W	0250:00	250882	213.9	1615.1
5466	LYNCH	43 52.3 N	67 32.4 W	0255:00	250882	195.6	1615.6
5467	LYNCH	43 52.8 N	67 32.7 W	0300:00	250882	195.6	1616.1
5468	LYNCH	43 52.9 N	67 32.8 W	0301:00	250882	193.8	1616.3
5469	LYNCH	43 53.4 N	67 33.0 W	0306:00	250882	193.8	1616.8
5470	LYNCH	43 53.5 N	67 33.1 W	0307:00	250882	195.6	1616.9
5471	LYNCH	43 53.8 N	67 33.2 W	0309:00	250882	195.6	1617.2
5472	LYNCH	43 53.9 N	67 33.3 W	0310:00	250882	201.1	1617.3
5473	LYNCH	43 54.0 N	67 33.3 W	0311:00	250882	199.3	1617.4
5474	LYNCH	43 54.1 N	67 33.4 W	0312:00	250882	204.8	1617.5
5475	LYNCH	43 54.4 N	67 33.5 W	0315:00	250882	204.8	1617.9
5476	LYNCH	43 54.5 N	67 33.6 W	0316:00	250882	206.6	1618.0
5477	LYNCH	43 54.7 N	67 33.7 W	0318:00	250882	206.6	1618.2
5478	LYNCH	43 54.8 N	67 33.8 W	0319:00	250882	208.4	1618.3
5479	LYNCH	43 54.9 N	67 33.8 W	0320:00	250882	212.1	1618.4
5480	LYNCH	43 55.0 N	67 33.9 W	0321:00	250882	213.9	1618.5
5481	LYNCH	43 55.1 N	67 33.9 W	0322:00	250882	215.8	1618.7
5482	LYNCH	43 55.3 N	67 34.0 W	0323:00	250882	215.8	1618.8
5483	LYNCH	43 55.4 N	67 34.1 W	0324:00	250882	219.4	1618.9
5484	LYNCH	43 55.5 N	67 34.1 W	0325:00	250882	219.4	1619.0
5485	LYNCH	43 55.8 N	67 34.3 W	0328:00	250882	212.1	1619.3
5486	LYNCH	43 55.9 N	67 34.3 W	0329:00	250882	213.9	1619.5
5487	LYNCH	43 56.0 N	67 34.4 W	0330:00	250882	210.3	1619.6


AD-A136 092 ENVIRONMENTAL VARIABILITY OF THE JORDAN BASIN GULF OF
MAINE AUGUST 1982 N. (U) NAVAL OCEAN RESEARCH AND
DEVELOPMENT ACTIVITY NSTL STATION MS.

3/3

B A WATROUS ET AL. NOV 83 NORDA-TN-243

NL

FILMED
3-86
RHC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5488	LYNCH	43 56.1 N	67 34.5 W	0331.00	250882	208.4	1619.7
5489	LYNCH	43 56.5 N	67 34.7 W	0335.00	250882	204.8	1620.1
5490	LYNCH	43 56.9 N	67 35.0 W	0340.00	250882	203.0	1620.6
5491	LYNCH	43 57.4 N	67 35.3 W	0345.00	250882	204.8	1621.1
5492	LYNCH	43 57.6 N	67 35.5 W	0347.00	250882	204.8	1621.3
5493	LYNCH	43 57.9 N	67 35.7 W	0350.00	250882	203.0	1621.6
5494	LYNCH	43 58.8 N	67 36.3 W	0400.00	250882	203.0	1622.7
5495	LYNCH	43 59.3 N	67 36.7 W	0405.00	250882	206.6	1623.2
5496	LYNCH	43 59.4 N	67 36.8 W	0406.00	250882	210.3	1623.3
5497	LYNCH	43 59.5 N	67 36.8 W	0407.00	250882	213.9	1623.4
5498	LYNCH	43 59.6 N	67 37.0 W	0409.00	250882	208.4	1623.7
5499	LYNCH	43 59.7 N	67 37.1 W	0410.00	250882	206.6	1623.8
5500	LYNCH	43 59.8 N	67 37.1 W	0411.00	250882	204.8	1623.9
5501	LYNCH	44 00.0 N	67 37.2 W	0412.00	250882	195.6	1624.0
5502	LYNCH	44 00.0 N	67 37.3 W	0413.00	250882	201.1	1624.1
5503	LYNCH	44 01.1 N	67 37.4 W	0414.00	250882	203.0	1624.2
5504	LYNCH	44 02.2 N	67 37.4 W	0415.00	250882	204.8	1624.3
5505	LYNCH	44 04.4 N	67 37.6 W	0417.00	250882	199.3	1624.5
5506	LYNCH	44 06.6 N	67 37.8 W	0419.00	250882	193.8	1624.7
5507	LYNCH	44 07.7 N	67 37.8 W	0420.00	250882	192.0	1624.9
5508	LYNCH	44 08.8 N	67 37.9 W	0421.00	250882	190.2	1625.0
5509	LYNCH	44 09.9 N	67 38.0 W	0422.00	250882	188.3	1625.1
5510	LYNCH	44 10.0 N	67 38.1 W	0423.00	250882	190.2	1625.2
5511	LYNCH	44 10.0 N	67 38.1 W	0424.00	250882	193.8	1625.3
5512	LYNCH	44 11.1 N	67 38.2 W	0425.00	250882	193.8	1625.4
5513	LYNCH	44 13.3 N	67 38.4 W	0427.00	250882	190.2	1625.6
5514	LYNCH	44 14.4 N	67 38.4 W	0428.00	250882	188.3	1625.7
5515	LYNCH	44 15.5 N	67 38.5 W	0429.00	250882	193.8	1625.8
5516	LYNCH	44 16.6 N	67 38.6 W	0430.00	250882	193.8	1625.9
5517	LYNCH	44 18.8 N	67 38.8 W	0432.00	250882	197.5	1626.2
5518	LYNCH	44 19.9 N	67 38.9 W	0433.00	250882	197.5	1626.3
5519	LYNCH	44 19.9 N	67 39.0 W	0434.00	250882	199.3	1626.4
5520	LYNCH	44 20.0 N	67 39.1 W	0435.00	250882	199.3	1626.5
5521	LYNCH	44 21.1 N	67 39.2 W	0436.00	250882	201.1	1626.6
5522	LYNCH	44 22.2 N	67 39.3 W	0437.00	250882	197.5	1626.7
5523	LYNCH	44 23.3 N	67 39.3 W	0438.00	250882	206.6	1626.8
5524	LYNCH	44 24.4 N	67 39.4 W	0439.00	250882	206.6	1626.9
5525	LYNCH	44 25.5 N	67 39.5 W	0440.00	250882	204.8	1627.0
5526	LYNCH	44 26.6 N	67 39.6 W	0441.00	250882	199.3	1627.1
5527	LYNCH	44 26.6 N	67 39.7 W	0442.00	250882	197.5	1627.3
5528	LYNCH	44 29.9 N	67 40.0 W	0445.00	250882	192.0	1627.6
5529	LYNCH	44 31.1 N	67 40.2 W	0447.00	250882	190.2	1627.8
5530	LYNCH	44 32.2 N	67 40.4 W	0449.00	250882	192.0	1628.0
5531	LYNCH	44 33.3 N	67 40.5 W	0450.00	250882	184.7	1628.1
5532	LYNCH	44 34.4 N	67 40.6 W	0451.00	250882	153.6	1628.2
5533	LYNCH	44 35.5 N	67 40.7 W	0452.00	250882	144.5	1628.4
5534	LYNCH	44 36.6 N	67 40.7 W	0453.00	250882	140.8	1628.5
5535	LYNCH	44 37.7 N	67 40.8 W	0454.00	250882	157.3	1628.6
5536	LYNCH	44 38.8 N	67 40.9 W	0455.00	250882	142.6	1628.7
5537	LYNCH	44 39.9 N	67 41.0 W	0456.00	250882	142.6	1628.8
5538	LYNCH	44 39.9 N	67 41.1 W	0457.00	250882	146.3	1628.9
5539	LYNCH	44 40.0 N	67 41.2 W	0458.00	250882	146.3	1629.0
5540	LYNCH	44 41.1 N	67 41.3 W	0459.00	250882	142.6	1629.1
5541	LYNCH	44 42.2 N	67 41.4 W	0500.00	250882	139.0	1629.2
5542	LYNCH	44 43.3 N	67 41.5 W	0501.00	250882	139.0	1629.3
5543	LYNCH	44 44.4 N	67 41.6 W	0502.00	250882	140.8	1629.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5344	LYNCH	44 4 4 N	67 41.7 W	0503:00	250882	149.9	1629.5
5345	LYNCH	44 4 5 N	67 41.8 W	0504:00	250882	151.8	1629.6
5346	LYNCH	44 4 6 N	67 41.9 W	0505:00	250882	142.6	1629.7
5347	LYNCH	44 4 7 N	67 42.0 W	0506:00	250882	193.8	1629.8
5348	LYNCH	44 4 7 N	67 42.1 W	0507:00	250882	195.6	1629.9
5349	LYNCH	44 4 8 N	67 42.1 W	0508:00	250882	182.9	1630.0
5350	LYNCH	44 4 9 N	67 42.2 W	0509:00	250882	173.7	1630.1
5351	LYNCH	44 5 0 N	67 42.3 W	0510:00	250882	170.1	1630.2
5352	LYNCH	44 5 0 N	67 42.4 W	0511:00	250882	175.5	1630.3
5353	LYNCH	44 5 1 N	67 42.5 W	0512:00	250882	188.3	1630.4
5354	LYNCH	44 5 2 N	67 42.6 W	0513:00	250882	182.9	1630.5
5355	LYNCH	44 5 3 N	67 42.7 W	0514:00	250882	160.9	1630.6
5356	LYNCH	44 5 3 N	67 42.8 W	0515:00	250882	128.0	1630.7
5357	LYNCH	44 5 4 N	67 42.9 W	0516:00	250882	139.0	1630.8
5358	LYNCH	44 5 5 N	67 43.0 W	0517:00	250882	142.6	1630.9
5359	LYNCH	44 5 6 N	67 43.1 W	0518:00	250882	122.5	1631.0
5360	LYNCH	44 5 6 N	67 43.2 W	0519:00	250882	135.3	1631.1
5361	LYNCH	44 5 7 N	67 43.3 W	0520:00	250882	139.0	1631.2
5362	LYNCH	44 5 8 N	67 43.4 W	0521:00	250882	135.3	1631.3
5363	LYNCH	44 5 9 N	67 43.5 W	0522:00	250882	124.3	1631.4
5364	LYNCH	44 5 9 N	67 43.6 W	0523:00	250882	107.9	1631.5
5365	LYNCH	44 6 0 N	67 43.6 W	0524:00	250882	157.3	1631.6
5366	LYNCH	44 6 1 N	67 43.7 W	0525:00	250882	128.0	1631.7
5367	LYNCH	44 6 2 N	67 43.8 W	0526:00	250882	128.0	1631.8
5368	LYNCH	44 6 2 N	67 43.9 W	0527:00	250882	160.9	1632.0
5369	LYNCH	44 6 3 N	67 44.0 W	0528:00	250882	148.1	1632.1
5370	LYNCH	44 6 4 N	67 44.1 W	0529:00	250882	111.5	1632.2
5371	LYNCH	44 6 5 N	67 44.2 W	0530:00	250882	124.3	1632.3
5372	LYNCH	44 6 5 N	67 44.3 W	0531:00	250882	142.6	1632.4
5373	LYNCH	44 6 6 N	67 44.4 W	0532:00	250882	162.7	1632.5
5374	LYNCH	44 6 7 N	67 44.5 W	0533:00	250882	149.9	1632.6
5375	LYNCH	44 6 8 N	67 44.6 W	0534:00	250882	155.4	1632.7
5376	LYNCH	44 6 8 N	67 44.7 W	0535:00	250882	149.9	1632.8
5377	LYNCH	44 6 9 N	67 44.8 W	0536:00	250882	148.1	1632.9
5378	LYNCH	44 7 0 N	67 44.9 W	0537:00	250882	155.4	1633.0
5379	LYNCH	44 7 1 N	67 45.0 W	0538:00	250882	155.4	1633.1
5380	LYNCH	44 7 1 N	67 45.1 W	0539:00	250882	160.9	1633.2
5381	LYNCH	44 7 2 N	67 45.2 W	0540:00	250882	139.0	1633.3
5382	LYNCH	44 7 3 N	67 45.3 W	0541:00	250882	166.4	1633.4
5383	LYNCH	44 7 4 N	67 45.4 W	0542:00	250882	153.6	1633.5
5384	LYNCH	44 7 4 N	67 45.5 W	0543:00	250882	170.1	1633.6
5385	LYNCH	44 7 5 N	67 45.6 W	0544:00	250882	173.7	1633.7
5386	LYNCH	44 7 6 N	67 45.7 W	0545:00	250882	179.2	1633.8
5387	LYNCH	44 7 6 N	67 45.7 W	0546:00	250882	177.4	1633.8
5388	LYNCH	44 7 6 N	67 45.7 W	0547:00	250882	175.5	1633.8
5389	LYNCH	44 7 6 N	67 45.7 W	0548:00	250882	166.4	1633.8
5390	LYNCH	44 7 6 N	67 45.7 W	0549:00	250882	179.2	1633.8
5391	LYNCH	44 7 6 N	67 45.7 W	0550:00	250882	159.1	1633.8
5392	LYNCH	44 7 6 N	67 45.7 W	0551:00	250882	151.8	1633.9
5393	LYNCH	44 7 6 N	67 45.7 W	0552:00	250882	133.5	1633.9
5394	LYNCH	44 7 6 N	67 45.6 W	0553:00	250882	131.7	1633.9
5395	LYNCH	44 7 6 N	67 45.6 W	0554:00	250882	128.0	1633.9
5396	LYNCH	44 7 6 N	67 45.6 W	0555:00	250882	139.0	1633.9
5397	LYNCH	44 7 6 N	67 45.6 W	0556:00	250882	148.1	1633.9
5398	LYNCH	44 7 6 N	67 45.6 W	0557:00	250882	137.1	1633.9
5399	LYNCH	44 7 6 N	67 45.6 W	0558:00	250882	153.6	1633.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5600	LYNCH	44 7.6 N	67 45.6 W	0559:00	250882	139.0	1633.9
5601	LYNCH	44 7.6 N	67 45.6 W	0600:00	250882	170.1	1633.9
5602	LYNCH	44 7.5 N	67 45.6 W	0601:00	250882	168.2	1634.0
5603	LYNCH	44 7.4 N	67 45.6 W	0602:00	250882	157.3	1634.1
5604	LYNCH	44 7.3 N	67 45.7 W	0603:00	250882	153.6	1634.2
5605	LYNCH	44 7.2 N	67 45.7 W	0604:00	250882	146.3	1634.3
5606	LYNCH	44 7.1 N	67 45.7 W	0605:00	250882	149.9	1634.4
5607	LYNCH	44 7.0 N	67 45.7 W	0606:00	250882	137.1	1634.5
5608	LYNCH	44 6.9 N	67 45.7 W	0607:00	250882	133.5	1634.6
5609	LYNCH	44 6.8 N	67 45.7 W	0608:00	250882	135.3	1634.7
5610	LYNCH	44 6.7 N	67 45.7 W	0609:00	250882	137.1	1634.8
5611	LYNCH	44 6.6 N	67 45.7 W	0610:00	250882	139.0	1634.9
5612	LYNCH	44 6.5 N	67 45.7 W	0611:00	250882	137.1	1635.0
5613	LYNCH	44 6.4 N	67 45.7 W	0612:00	250882	129.8	1635.1
5614	LYNCH	44 6.3 N	67 45.7 W	0613:00	250882	128.0	1635.2
5615	LYNCH	44 6.2 N	67 45.7 W	0614:00	250882	126.2	1635.3
5616	LYNCH	44 6.1 N	67 45.7 W	0615:00	250882	126.2	1635.4
5617	LYNCH	44 5.9 N	67 45.7 W	0617:00	250882	128.0	1635.6
5618	LYNCH	44 5.8 N	67 45.7 W	0618:00	250882	120.7	1635.7
5619	LYNCH	44 5.8 N	67 45.7 W	0619:00	250882	128.0	1635.7
5620	LYNCH	44 5.7 N	67 45.7 W	0620:00	250882	133.5	1635.8
5621	LYNCH	44 5.6 N	67 45.7 W	0621:00	250882	137.1	1635.9
5622	LYNCH	44 5.5 N	67 45.7 W	0622:00	250882	139.0	1636.0
5623	LYNCH	44 5.4 N	67 45.7 W	0623:00	250882	146.3	1636.1
5624	LYNCH	44 5.3 N	67 45.7 W	0624:00	250882	146.3	1636.2
5625	LYNCH	44 5.2 N	67 45.7 W	0625:00	250882	144.5	1636.3
5626	LYNCH	44 5.1 N	67 45.7 W	0626:00	250882	135.3	1636.4
5627	LYNCH	44 5.1 N	67 45.7 W	0627:00	250882	146.3	1636.4
5628	LYNCH	44 5.0 N	67 45.7 W	0628:00	250882	133.5	1636.5
5629	LYNCH	44 4.9 N	67 45.7 W	0629:00	250882	133.5	1636.6
5630	LYNCH	44 4.8 N	67 45.7 W	0630:00	250882	139.0	1636.7
5631	LYNCH	44 4.7 N	67 45.7 W	0631:00	250882	137.1	1636.8
5632	LYNCH	44 4.6 N	67 45.7 W	0632:00	250882	135.3	1636.9
5633	LYNCH	44 4.5 N	67 45.7 W	0633:00	250882	135.3	1637.0
5634	LYNCH	44 4.4 N	67 45.6 W	0634:00	250882	139.0	1637.1
5635	LYNCH	44 4.3 N	67 45.6 W	0635:00	250882	142.6	1637.2
5636	LYNCH	44 4.2 N	67 45.6 W	0636:00	250882	146.3	1637.3
5637	LYNCH	44 4.1 N	67 45.6 W	0637:00	250882	142.6	1637.4
5638	LYNCH	44 4.1 N	67 45.6 W	0638:00	250882	133.5	1637.4
5639	LYNCH	44 4.0 N	67 45.6 W	0639:00	250882	135.3	1637.5
5640	LYNCH	44 3.9 N	67 45.6 W	0640:00	250882	135.3	1637.6
5641	LYNCH	44 3.8 N	67 45.6 W	0641:00	250882	122.5	1637.7
5642	LYNCH	44 3.7 N	67 45.5 W	0642:00	250882	140.8	1637.8
5643	LYNCH	44 3.6 N	67 45.5 W	0643:00	250882	144.5	1637.9
5644	LYNCH	44 3.5 N	67 45.5 W	0644:00	250882	159.1	1638.0
5645	LYNCH	44 3.4 N	67 45.5 W	0645:00	250882	140.8	1638.1
5646	LYNCH	44 3.3 N	67 45.5 W	0646:00	250882	142.6	1638.2
5647	LYNCH	44 3.2 N	67 45.5 W	0647:00	250882	148.1	1638.3
5648	LYNCH	44 3.0 N	67 45.4 W	0649:00	250882	148.1	1638.5
5649	LYNCH	44 2.9 N	67 45.4 W	0650:00	250882	149.9	1638.6
5650	LYNCH	44 2.8 N	67 45.4 W	0651:00	250882	142.6	1638.7
5651	LYNCH	44 2.7 N	67 45.4 W	0652:00	250882	137.1	1638.8
5652	LYNCH	44 2.7 N	67 45.4 W	0653:00	250882	142.6	1638.9
5653	LYNCH	44 2.6 N	67 45.4 W	0654:00	250882	151.8	1638.9
5654	LYNCH	44 2.5 N	67 45.4 W	0655:00	250882	149.9	1639.0
5655	LYNCH	44 2.4 N	67 45.4 W	0656:00	250882	153.6	1639.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5656	LYNCH	44 2 3 N	67 45 3 W	0657:00	250882	151.8	1639.2
5657	LYNCH	44 2 2 N	67 45 3 W	0658:00	250882	151.8	1639.3
5658	LYNCH	44 2 1 N	67 45 3 W	0659:00	250882	155.4	1639.4
5659	LYNCH	44 2 0 N	67 45 3 W	0700:00	250882	144.5	1639.5
5660	LYNCH	44 1 9 N	67 45 3 W	0701:00	250882	155.4	1639.6
5661	LYNCH	44 1 8 N	67 45 3 W	0702:00	250882	164.6	1639.7
5662	LYNCH	44 1 7 N	67 45 3 W	0703:00	250882	153.6	1639.8
5663	LYNCH	44 1 6 N	67 45 2 W	0704:00	250882	153.6	1639.9
5664	LYNCH	44 1 5 N	67 45 2 W	0705:00	250882	149.9	1640.0
5665	LYNCH	44 1 4 N	67 45 2 W	0706:00	250882	155.4	1640.1
5666	LYNCH	44 1 3 N	67 45 2 W	0707:00	250882	160.9	1640.2
5667	LYNCH	44 1 2 N	67 45 2 W	0708:00	250882	171.9	1640.3
5668	LYNCH	44 1 1 N	67 45 2 W	0709:00	250882	151.8	1640.4
5669	LYNCH	44 1 0 N	67 45 2 W	0710:00	250882	155.4	1640.5
5670	LYNCH	44 9 N	67 45 1 W	0711:00	250882	157.3	1640.6
5671	LYNCH	44 8 N	67 45 1 W	0712:00	250882	159.1	1640.7
5672	LYNCH	44 7 N	67 45 1 W	0713:00	250882	151.8	1640.8
5673	LYNCH	44 6 N	67 45 1 W	0714:00	250882	157.3	1640.9
5674	LYNCH	44 5 N	67 45 1 W	0715:00	250882	186.5	1641.0
5675	LYNCH	44 4 N	67 45 1 W	0716:00	250882	210.3	1641.1
5676	LYNCH	44 3 N	67 45 1 W	0717:00	250882	175.5	1641.2
5677	LYNCH	44 2 N	67 45 0 W	0718:00	250882	164.6	1641.3
5678	LYNCH	44 1 N	67 45 0 W	0719:00	250882	171.9	1641.4
5679	LYNCH	44 0 0 N	67 45 0 W	0720:00	250882	173.7	1641.5
5680	LYNCH	43 59 9 N	67 45 0 W	0721:00	250882	182.9	1641.6
5681	LYNCH	43 59 8 N	67 45 0 W	0722:00	250882	188.3	1641.7
5682	LYNCH	43 59 7 N	67 45 0 W	0723:00	250882	190.2	1641.8
5683	LYNCH	43 59 6 N	67 44 9 W	0724:00	250882	192.0	1641.9
5684	LYNCH	43 59 5 N	67 44 9 W	0725:00	250882	192.0	1642.0
5685	LYNCH	43 59 4 N	67 44 9 W	0726:00	250882	193.8	1642.1
5686	LYNCH	43 59 3 N	67 44 9 W	0727:00	250882	195.6	1642.2
5687	LYNCH	43 59 2 N	67 44 9 W	0728:00	250882	199.3	1642.3
5688	LYNCH	43 59 1 N	67 44 9 W	0729:00	250882	208.4	1642.4
5689	LYNCH	43 59 0 N	67 44 9 W	0730:00	250882	186.5	1642.5
5690	LYNCH	43 58 9 N	67 44 8 W	0731:00	250882	188.3	1642.6
5691	LYNCH	43 58 8 N	67 44 8 W	0732:00	250882	192.0	1642.7
5692	LYNCH	43 58 7 N	67 44 8 W	0733:00	250882	193.8	1642.8
5693	LYNCH	43 58 6 N	67 44 8 W	0734:00	250882	186.5	1642.9
5694	LYNCH	43 58 5 N	67 44 9 W	0735:00	250882	192.0	1643.0
5695	LYNCH	43 58 4 N	67 45 0 W	0736:00	250882	182.9	1643.1
5696	LYNCH	43 58 3 N	67 45 0 W	0737:00	250882	179.2	1643.2
5697	LYNCH	43 58 2 N	67 45 1 W	0738:00	250882	184.7	1643.3
5698	LYNCH	43 58 1 N	67 45 2 W	0739:00	250882	186.5	1643.4
5699	LYNCH	43 58 0 N	67 45 2 W	0740:00	250882	184.7	1643.5
5700	LYNCH	43 57 9 N	67 45 3 W	0741:00	250882	179.2	1643.6
5701	LYNCH	43 57 8 N	67 45 4 W	0742:00	250882	179.2	1643.7
5702	LYNCH	43 57 7 N	67 45 5 W	0743:00	250882	166.4	1643.8
5703	LYNCH	43 57 6 N	67 45 6 W	0744:00	250882	175.5	1643.9
5704	LYNCH	43 57 5 N	67 45 7 W	0745:00	250882	177.4	1644.0
5705	LYNCH	43 57 4 N	67 46 0 W	0746:00	250882	179.2	1644.1
5706	LYNCH	43 57 3 N	67 46 1 W	0747:00	250882	181.0	1644.2
5707	LYNCH	43 57 2 N	67 46 2 W	0748:00	250882	186.5	1644.3
5708	LYNCH	43 57 1 N	67 46 3 W	0749:00	250882	184.7	1644.4
5709	LYNCH	43 57 0 N	67 46 4 W	0750:00	250882	186.5	1644.5
5710	LYNCH	43 56 59 N	67 46 5 W	0751:00	250882	188.3	1644.6
5711	LYNCH	43 56 58 N	67 46 6 W	0752:00	250882	188.3	1644.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
5712	LYNCH	43 57.5 N	67 46.7 W	0753:00	250882	188.3	1644.7
5713	LYNCH	43 57.5 N	67 46.8 W	0754:00	250882	192.0	1644.8
5714	LYNCH	43 57.4 N	67 46.9 W	0755:00	250882	188.3	1644.8
5715	LYNCH	43 57.4 N	67 47.0 W	0756:00	250882	181.0	1644.9
5716	LYNCH	43 57.3 N	67 47.1 W	0757:00	250882	184.7	1645.0
5717	LYNCH	43 57.3 N	67 47.2 W	0758:00	250882	182.9	1645.1
5718	LYNCH	43 57.2 N	67 47.3 W	0759:00	250882	184.7	1645.2
5719	LYNCH	43 57.2 N	67 47.4 W	0800:00	250882	182.9	1645.3
5720	LYNCH	43 57.1 N	67 47.4 W	0801:00	250882	184.7	1645.4
5721	LYNCH	43 57.1 N	67 47.3 W	0802:00	250882	184.7	1645.4
5722	LYNCH	43 57.0 N	67 47.3 W	0803:00	250882	182.9	1645.5
5723	LYNCH	43 56.9 N	67 47.2 W	0804:00	250882	184.7	1645.6
5724	LYNCH	43 56.8 N	67 47.2 W	0805:00	250882	186.5	1645.7
5725	LYNCH	43 56.8 N	67 47.1 W	0806:00	250882	171.9	1645.8
5726	LYNCH	43 56.7 N	67 47.1 W	0807:00	250882	162.7	1645.8
5727	LYNCH	43 56.6 N	67 47.0 W	0808:00	250882	177.4	1645.9
5728	LYNCH	43 56.5 N	67 47.0 W	0809:00	250882	171.9	1646.0
5729	LYNCH	43 56.5 N	67 46.9 W	0810:00	250882	184.7	1646.1
5730	LYNCH	43 56.4 N	67 46.9 W	0811:00	250882	181.0	1646.2
5731	LYNCH	43 56.3 N	67 46.8 W	0812:00	250882	177.4	1646.2
5732	LYNCH	43 56.2 N	67 46.8 W	0813:00	250882	177.4	1646.3
5733	LYNCH	43 56.2 N	67 46.7 W	0814:00	250882	173.7	1646.4
5734	LYNCH	43 56.1 N	67 46.7 W	0815:00	250882	177.4	1646.5
5735	LYNCH	43 56.0 N	67 46.6 W	0816:00	250882	182.9	1646.6
5736	LYNCH	43 56.0 N	67 46.5 W	0817:00	250882	173.7	1646.7
5737	LYNCH	43 55.9 N	67 46.4 W	0818:00	250882	177.4	1646.8
5738	LYNCH	43 55.8 N	67 46.3 W	0819:00	250882	179.2	1646.9
5739	LYNCH	43 55.7 N	67 46.2 W	0820:00	250882	192.0	1647.0
5740	LYNCH	43 55.7 N	67 46.1 W	0821:00	250882	184.7	1647.1
5741	LYNCH	43 55.6 N	67 46.0 W	0822:00	250882	192.0	1647.2
5742	LYNCH	43 55.5 N	67 46.0 W	0823:00	250882	188.3	1647.3
5743	LYNCH	43 55.4 N	67 45.9 W	0824:00	250882	199.3	1647.4
5744	LYNCH	43 55.4 N	67 45.8 W	0825:00	250882	204.8	1647.5
5745	LYNCH	43 55.3 N	67 45.7 W	0826:00	250882	210.3	1647.6
5746	LYNCH	43 55.2 N	67 45.6 W	0827:00	250882	208.4	1647.7
5747	LYNCH	43 55.1 N	67 45.5 W	0828:00	250882	197.5	1647.8
5748	LYNCH	43 55.1 N	67 45.4 W	0829:00	250882	201.1	1647.9
5749	LYNCH	43 55.0 N	67 45.3 W	0830:00	250882	210.3	1648.0
5750	LYNCH	43 54.9 N	67 45.3 W	0831:00	250882	208.4	1648.1
5751	LYNCH	43 54.8 N	67 45.2 W	0832:00	250882	210.3	1648.2
5752	LYNCH	43 54.7 N	67 45.2 W	0833:00	250882	212.1	1648.3
5753	LYNCH	43 54.6 N	67 45.2 W	0834:00	250882	221.2	1648.4
5754	LYNCH	43 54.5 N	67 45.2 W	0835:00	250882	215.8	1648.5
5755	LYNCH	43 54.4 N	67 45.1 W	0836:00	250882	210.3	1648.5
5756	LYNCH	43 54.3 N	67 45.1 W	0837:00	250882	210.3	1648.6
5757	LYNCH	43 54.1 N	67 45.0 W	0840:00	250882	212.1	1648.9
5758	LYNCH	43 53.6 N	67 44.9 W	0845:00	250882	213.9	1649.4
5759	LYNCH	43 53.3 N	67 44.9 W	0848:00	250882	219.4	1649.7
5760	LYNCH	43 53.2 N	67 44.9 W	0849:00	250882	221.2	1649.8
5761	LYNCH	43 53.0 N	67 44.9 W	0851:00	250882	221.2	1650.0
5762	LYNCH	43 52.7 N	67 45.0 W	0853:00	250882	224.9	1650.3
5763	LYNCH	43 52.6 N	67 45.0 W	0854:00	250882	226.7	1650.4
5764	LYNCH	43 52.5 N	67 45.0 W	0855:00	250882	224.9	1650.5
5765	LYNCH	43 52.4 N	67 45.0 W	0856:00	250882	224.9	1650.6
5766	LYNCH	43 52.1 N	67 45.0 W	0859:00	250882	226.7	1650.9
5767	LYNCH	43 52.0 N	67 45.0 W	0900:00	250882	228.6	1651.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5768	LYNCH	43 51.9 N	67 45.0 W	0901:00	250882	230.4	1651.1
5769	LYNCH	43 51.8 N	67 45.0 W	0902:00	250882	226.7	1651.2
5770	LYNCH	43 51.7 N	67 45.0 W	0903:00	250882	224.9	1651.3
5771	LYNCH	43 51.5 N	67 45.0 W	0905:00	250882	224.9	1651.5
5772	LYNCH	43 51.4 N	67 45.0 W	0906:00	250882	226.7	1651.6
5773	LYNCH	43 51.3 N	67 45.0 W	0907:00	250882	223.1	1651.7
5774	LYNCH	43 51.1 N	67 45.1 W	0909:00	250882	221.2	1651.9
5775	LYNCH	43 51.0 N	67 45.1 W	0910:00	250882	221.2	1652.0
5776	LYNCH	43 50.5 N	67 45.1 W	0915:00	250882	223.1	1652.6
5777	LYNCH	43 49.9 N	67 45.1 W	0920:00	250882	223.1	1653.1
5778	LYNCH	43 49.8 N	67 45.1 W	0921:00	250882	223.1	1653.2
5779	LYNCH	43 49.4 N	67 45.2 W	0925:00	250882	224.9	1653.6
5780	LYNCH	43 48.9 N	67 45.2 W	0930:00	250882	226.7	1654.1
5781	LYNCH	43 48.4 N	67 45.1 W	0935:00	250882	224.9	1654.7
5782	LYNCH	43 47.8 N	67 45.1 W	0940:00	250882	224.9	1655.2
5783	LYNCH	43 47.3 N	67 45.0 W	0945:00	250882	226.7	1655.8
5784	LYNCH	43 46.7 N	67 45.0 W	0950:00	250882	226.7	1656.3
5785	LYNCH	43 46.2 N	67 44.9 W	0955:00	250882	224.9	1656.9
5786	LYNCH	43 45.6 N	67 44.9 W	1000:00	250882	224.9	1657.4
5787	LYNCH	43 45.1 N	67 44.9 W	1005:00	250882	226.7	1657.9
5788	LYNCH	43 44.1 N	67 45.0 W	1015:00	250882	226.7	1658.9
5789	LYNCH	43 43.6 N	67 45.0 W	1020:00	250882	224.9	1659.4
5790	LYNCH	43 43.1 N	67 45.1 W	1025:00	250882	226.7	1659.9
5791	LYNCH	43 42.6 N	67 45.1 W	1030:00	250882	226.7	1660.4
5792	LYNCH	43 41.9 N	67 45.1 W	1037:00	250882	226.7	1661.1
5793	LYNCH	43 41.8 N	67 45.1 W	1038:00	250882	223.1	1661.2
5794	LYNCH	43 41.7 N	67 45.1 W	1039:00	250882	221.2	1661.4
5795	LYNCH	43 41.6 N	67 45.1 W	1040:00	250882	219.4	1661.5
5796	LYNCH	43 41.4 N	67 45.1 W	1042:00	250882	219.4	1661.7
5797	LYNCH	43 41.3 N	67 45.1 W	1043:00	250882	221.2	1661.8
5798	LYNCH	43 41.2 N	67 45.1 W	1044:00	250882	221.2	1661.9
5799	LYNCH	43 41.1 N	67 45.2 W	1045:00	250882	232.2	1662.0
5800	LYNCH	43 40.9 N	67 45.2 W	1046:00	250882	232.2	1662.1
5801	LYNCH	43 40.8 N	67 45.2 W	1047:00	250882	234.0	1662.2
5802	LYNCH	43 40.7 N	67 45.2 W	1048:00	250882	232.2	1662.3
5803	LYNCH	43 40.5 N	67 45.2 W	1050:00	250882	230.4	1662.5
5804	LYNCH	43 40.0 N	67 45.2 W	1055:00	250882	232.2	1663.0
5805	LYNCH	43 39.5 N	67 45.2 W	1100:00	250882	230.4	1663.5
5806	LYNCH	43 39.3 N	67 45.2 W	1102:00	250882	228.6	1663.7
5807	LYNCH	43 39.2 N	67 45.2 W	1103:00	250882	228.6	1663.9
5808	LYNCH	43 39.1 N	67 45.2 W	1104:00	250882	224.9	1664.0
5809	LYNCH	43 39.0 N	67 45.2 W	1105:00	250882	228.6	1664.1
5810	LYNCH	43 38.7 N	67 45.2 W	1107:00	250882	224.9	1664.3
5811	LYNCH	43 38.4 N	67 45.1 W	1110:00	250882	226.7	1664.6
5812	LYNCH	43 37.9 N	67 45.1 W	1115:00	250882	223.1	1665.2
5813	LYNCH	43 37.0 N	67 45.0 W	1123:00	250882	223.1	1666.1
5814	LYNCH	43 36.8 N	67 45.0 W	1125:00	250882	224.9	1666.3
5815	LYNCH	43 36.2 N	67 45.0 W	1130:00	250882	224.9	1666.8
5816	LYNCH	43 35.7 N	67 45.0 W	1135:00	250882	228.6	1667.4
5817	LYNCH	43 35.3 N	67 45.0 W	1138:00	250882	230.4	1667.7
5818	LYNCH	43 35.2 N	67 45.0 W	1139:00	250882	234.0	1667.8
5819	LYNCH	43 35.1 N	67 45.0 W	1140:00	250882	221.2	1667.9
5820	LYNCH	43 35.0 N	67 45.0 W	1141:00	250882	228.6	1668.0
5821	LYNCH	43 34.9 N	67 45.0 W	1142:00	250882	246.8	1668.1
5822	LYNCH	43 34.8 N	67 45.0 W	1143:00	250882	243.2	1668.3
5823	LYNCH	43 34.7 N	67 45.0 W	1144:00	250882	237.7	1668.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
5824	LYNCH	43 34.6 N	67 44.9 W	1145:00	250882	228.6	1668.5
5825	LYNCH	43 34.4 N	67 44.9 W	1146:00	250882	221.2	1668.6
5826	LYNCH	43 34.3 N	67 44.9 W	1147:00	250882	234.0	1668.7
5827	LYNCH	43 34.2 N	67 44.9 W	1148:00	250882	232.2	1668.8
5828	LYNCH	43 34.1 N	67 44.9 W	1149:00	250882	230.5	1668.9
5829	LYNCH	43 34.0 N	67 44.9 W	1150:00	250882	246.8	1669.0
5830	LYNCH	43 33.9 N	67 44.9 W	1151:00	250882	248.7	1669.1
5831	LYNCH	43 33.8 N	67 44.9 W	1152:00	250882	230.5	1669.2
5832	LYNCH	43 33.7 N	67 44.9 W	1153:00	250882	243.2	1669.4
5833	LYNCH	43 33.6 N	67 44.9 W	1154:00	250882	239.5	1669.5
5834	LYNCH	43 33.5 N	67 44.9 W	1155:00	250882	237.7	1669.6
5835	LYNCH	43 33.3 N	67 44.9 W	1156:00	250882	235.9	1669.7
5836	LYNCH	43 32.9 N	67 44.9 W	1200:00	250882	232.2	1670.1
5837	LYNCH	43 32.7 N	67 44.9 W	1202:00	250882	232.2	1670.3
5838	LYNCH	43 32.4 N	67 44.9 W	1205:00	250882	232.2	1670.7
5839	LYNCH	43 32.2 N	67 44.9 W	1207:00	250882	230.4	1670.9
5840	LYNCH	43 31.8 N	67 44.9 W	1210:00	250882	230.4	1671.2
5841	LYNCH	43 31.3 N	67 44.9 W	1215:00	250882	228.6	1671.7
5842	LYNCH	43 30.8 N	67 44.9 W	1220:00	250882	228.6	1672.3
5843	LYNCH	43 30.2 N	67 44.9 W	1225:00	250882	226.7	1672.8
5844	LYNCH	43 29.8 N	67 44.9 W	1229:00	250882	226.7	1673.2
5845	LYNCH	43 29.7 N	67 44.9 W	1230:00	250882	228.6	1673.3
5846	LYNCH	43 29.5 N	67 44.9 W	1232:00	250882	228.6	1673.5
5847	LYNCH	43 29.2 N	67 44.9 W	1235:00	250882	228.6	1673.8
5848	LYNCH	43 28.7 N	67 45.0 W	1240:00	250882	230.4	1674.3
5849	LYNCH	43 28.3 N	67 45.0 W	1245:00	250882	232.2	1674.8
5850	LYNCH	43 27.8 N	67 45.0 W	1250:00	250882	234.0	1675.3
5851	LYNCH	43 26.8 N	67 45.1 W	1300:00	250882	237.7	1676.2
5852	LYNCH	43 25.9 N	67 45.1 W	1310:00	250882	239.5	1677.2
5853	LYNCH	43 25.8 N	67 45.1 W	1311:00	250882	237.7	1677.3
5854	LYNCH	43 25.7 N	67 45.1 W	1312:00	250882	239.5	1677.4
5855	LYNCH	43 25.6 N	67 45.1 W	1313:00	250882	241.4	1677.4
5856	LYNCH	43 25.5 N	67 45.1 W	1314:00	250882	241.4	1677.5
5857	LYNCH	43 25.4 N	67 45.2 W	1315:00	250882	243.2	1677.6
5858	LYNCH	43 25.2 N	67 45.2 W	1317:00	250882	245.0	1677.8
5859	LYNCH	43 25.1 N	67 45.2 W	1318:00	250882	245.0	1677.9
5860	LYNCH	43 25.0 N	67 45.2 W	1319:00	250882	248.7	1678.0
5861	LYNCH	43 24.9 N	67 45.2 W	1320:00	250882	254.2	1678.1
5862	LYNCH	43 24.7 N	67 45.2 W	1322:00	250882	256.0	1678.3
5863	LYNCH	43 24.0 N	67 45.2 W	1330:00	250882	259.6	1679.0
5864	LYNCH	43 23.6 N	67 45.2 W	1335:00	250882	259.6	1679.5
5865	LYNCH	43 23.1 N	67 45.3 W	1340:00	250882	263.3	1679.9
5866	LYNCH	43 22.7 N	67 45.3 W	1345:00	250882	263.3	1680.4
5867	LYNCH	43 22.2 N	67 45.3 W	1350:00	250882	263.3	1680.8
5868	LYNCH	43 21.8 N	67 45.4 W	1355:00	250882	259.6	1681.3
5869	LYNCH	43 21.3 N	67 45.4 W	1400:00	250882	257.8	1681.7
5870	LYNCH	43 20.9 N	67 45.4 W	1405:00	250882	259.6	1682.2
5871	LYNCH	43 20.4 N	67 45.4 W	1410:00	250882	259.6	1682.6
5872	LYNCH	43 20.0 N	67 45.5 W	1415:00	250882	252.3	1683.1
5873	LYNCH	43 19.9 N	67 45.5 W	1416:00	250882	250.5	1683.2
5874	LYNCH	43 19.7 N	67 45.5 W	1418:00	250882	246.8	1683.4
5875	LYNCH	43 19.6 N	67 45.5 W	1419:00	250882	250.5	1683.4
5876	LYNCH	43 19.5 N	67 45.5 W	1420:00	250882	250.5	1683.5
5877	LYNCH	43 19.3 N	67 45.5 W	1422:00	250882	252.3	1683.7
5878	LYNCH	43 19.1 N	67 45.5 W	1425:00	250882	248.7	1684.0
5879	LYNCH	43 19.0 N	67 45.5 W	1426:00	250882	246.8	1684.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5880	LYNCH	43 18 9 N	67 45 5 W	1427 00	250882	248.7	1684.2
5881	LYNCH	43 18 6 N	67 45 5 W	1430 00	250882	246.8	1684.4
5882	LYNCH	43 18 5 N	67 45 5 W	1431 00	250882	245.0	1684.5
5883	LYNCH	43 18 4 N	67 45 5 W	1432 00	250882	232.2	1684.6
5884	LYNCH	43 18 4 N	67 45 5 W	1433 00	250882	241.4	1684.7
5885	LYNCH	43 18 4 N	67 45 5 W	1434 00	250882	246.8	1684.8
5886	LYNCH	43 18 2 N	67 45 5 W	1435 00	250882	248.7	1684.8
5887	LYNCH	43 18 0 N	67 45 6 W	1438 00	250882	248.7	1685.1
5888	LYNCH	43 17 8 N	67 45 6 W	1440 00	250882	246.8	1685.2
5889	LYNCH	43 17 4 N	67 45 6 W	1445 00	250882	245.0	1685.6
5890	LYNCH	43 17 3 N	67 45 6 W	1446 00	250882	230.4	1685.7
5891	LYNCH	43 17 2 N	67 45 6 W	1447 00	250882	226.7	1685.8
5892	LYNCH	43 17 2 N	67 45 6 W	1448 00	250882	235.9	1685.9
5893	LYNCH	43 17 1 N	67 45 6 W	1449 00	250882	230.4	1686.0
5894	LYNCH	43 17 0 N	67 45 6 W	1450 00	250882	224.9	1686.0
5895	LYNCH	43 16 9 N	67 45 6 W	1451 00	250882	212.1	1686.1
5896	LYNCH	43 16 8 N	67 45 6 W	1452 00	250882	213.9	1686.2
5897	LYNCH	43 16 8 N	67 45 7 W	1453 00	250882	226.7	1686.3
5898	LYNCH	43 16 7 N	67 45 7 W	1454 00	250882	228.6	1686.4
5899	LYNCH	43 16 6 N	67 45 7 W	1455 00	250882	224.9	1686.4
5900	LYNCH	43 16 3 N	67 45 7 W	1459 00	250882	224.9	1686.8
5901	LYNCH	43 16 2 N	67 45 7 W	1500 00	250882	228.6	1686.8
5902	LYNCH	43 16 1 N	67 45 7 W	1501 00	250882	230.4	1686.9
5903	LYNCH	43 16 1 N	67 45 7 W	1502 00	250882	228.6	1687.0
5904	LYNCH	43 16 0 N	67 45 7 W	1503 00	250882	230.4	1687.1
5905	LYNCH	43 15 9 N	67 45 7 W	1504 00	250882	232.2	1687.1
5906	LYNCH	43 15 9 N	67 45 7 W	1505 00	250882	230.4	1687.2
5907	LYNCH	43 15 8 N	67 45 7 W	1506 00	250882	232.2	1687.3
5908	LYNCH	43 15 5 N	67 45 7 W	1510 00	250882	230.4	1687.5
5909	LYNCH	43 15 4 N	67 45 7 W	1512 00	250882	226.7	1687.7
5910	LYNCH	43 15 3 N	67 45 7 W	1513 00	250882	228.6	1687.8
5911	LYNCH	43 15 2 N	67 45 6 W	1515 00	250882	226.7	1687.9
5912	LYNCH	43 15 1 N	67 45 6 W	1516 00	250882	226.7	1688.0
5913	LYNCH	43 14 8 N	67 45 6 W	1520 00	250882	223.1	1688.2
5914	LYNCH	43 14 5 N	67 45 6 W	1525 00	250882	223.1	1688.6
5915	LYNCH	43 14 2 N	67 45 6 W	1529 00	250882	221.2	1688.9
5916	LYNCH	43 14.1 N	67 45 6 W	1530 00	250882	221.2	1688.9
5917	LYNCH	43 13 8 N	67 45 6 W	1534 00	250882	221.2	1689.2
5918	LYNCH	43 13 8 N	67 45 6 W	1535 00	250882	219.4	1689.3
5919	LYNCH	43 13 7 N	67 45 6 W	1536 00	250882	215.8	1689.4
5920	LYNCH	43 13 4 N	67 45 6 W	1540 00	250882	213.9	1689.6
5921	LYNCH	43 13 3 N	67 45 6 W	1541 00	250882	212.1	1689.7
5922	LYNCH	43 13 3 N	67 45 6 W	1542 00	250882	212.1	1689.8
5923	LYNCH	43 13 1 N	67 45 5 W	1545 00	250882	210.3	1690.0
5924	LYNCH	43 13 0 N	67 45 5 W	1546 00	250882	208.4	1690.1
5925	LYNCH	43 12 9 N	67 45 5 W	1547 00	250882	206.6	1690.1
5926	LYNCH	43 12 7 N	67 45 5 W	1550 00	250882	206.6	1690.3
5927	LYNCH	43 12 6 N	67 45 5 W	1552 00	250882	204.8	1690.5
5928	LYNCH	43 12 5 N	67 45 5 W	1553 00	250882	204.8	1690.6
5929	LYNCH	43 12 4 N	67 45 5 W	1554 00	250882	204.8	1690.6
5930	LYNCH	43 12 3 N	67 45 5 W	1556 00	250882	204.8	1690.8
5931	LYNCH	43 12 0 N	67 45 5 W	1600 00	250882	201.1	1691.0
5932	LYNCH	43 11 8 N	67 45 5 W	1602 00	250882	201.1	1691.2
5933	LYNCH	43 11 6 N	67 45 4 W	1605 00	250882	197.5	1691.4
5934	LYNCH	43 11 5 N	67 45 4 W	1606 00	250882	193.8	1691.5
5935	LYNCH	43 11 3 N	67 45 3 W	1609 00	250882	193.8	1691.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
5936	LYNCH	43 11.2 N	67 45.3 W	1610:00	250882	190.2	1691.8
5937	LYNCH	43 11.2 N	67 45.3 W	1611:00	250882	186.5	1691.9
5938	LYNCH	43 11.1 N	67 45.3 W	1612:00	250882	186.5	1692.0
5939	LYNCH	43 11.0 N	67 45.3 W	1613:00	250882	188.3	1692.1
5940	LYNCH	43 10.9 N	67 45.3 W	1614:00	250882	184.7	1692.1
5941	LYNCH	43 10.9 N	67 45.2 W	1615:00	250882	186.5	1692.2
5942	LYNCH	43 10.8 N	67 45.2 W	1616:00	250882	181.0	1692.3
5943	LYNCH	43 10.7 N	67 45.2 W	1617:00	250882	179.2	1692.4
5944	LYNCH	43 10.6 N	67 45.2 W	1618:00	250882	181.0	1692.4
5945	LYNCH	43 10.5 N	67 45.2 W	1619:00	250882	173.5	1692.5
5946	LYNCH	43 10.5 N	67 45.2 W	1620:00	250882	177.4	1692.6
5947	LYNCH	43 10.4 N	67 45.1 W	1621:00	250882	173.5	1692.7
5948	LYNCH	43 10.3 N	67 45.1 W	1622:00	250882	177.4	1692.8
5949	LYNCH	43 10.2 N	67 45.1 W	1623:00	250882	181.0	1692.8
5950	LYNCH	43 10.2 N	67 45.1 W	1624:00	250882	179.2	1692.9
5951	LYNCH	43 10.1 N	67 45.1 W	1625:00	250882	173.5	1693.0
5952	LYNCH	43 10.0 N	67 45.1 W	1626:00	250882	173.7	1693.1
5953	LYNCH	43 9.9 N	67 45.0 W	1627:00	250882	177.4	1693.1
5954	LYNCH	43 9.9 N	67 45.0 W	1628:00	250882	173.7	1693.2
5955	LYNCH	43 9.8 N	67 45.0 W	1629:00	250882	173.7	1693.3
5956	LYNCH	43 9.7 N	67 45.0 W	1630:00	250882	173.7	1693.4
5957	LYNCH	43 9.6 N	67 45.0 W	1631:00	250882	171.9	1693.4
5958	LYNCH	43 9.3 N	67 44.9 W	1635:00	250882	173.5	1693.7
5959	LYNCH	43 9.2 N	67 44.9 W	1637:00	250882	177.4	1693.9
5960	LYNCH	43 9.1 N	67 44.8 W	1638:00	250882	179.2	1694.0
5961	LYNCH	43 9.0 N	67 44.8 W	1640:00	250882	179.2	1694.1
5962	LYNCH	43 8.6 N	67 44.7 W	1645:00	250882	179.2	1694.5
5963	LYNCH	43 8.6 N	67 44.7 W	1645:00	250882	179.2	1694.5
5964	LYNCH	43 8.5 N	67 44.7 W	1646:00	250882	177.4	1694.6
5965	LYNCH	43 8.3 N	67 44.6 W	1649:00	250882	179.2	1694.8
5966	LYNCH	43 8.2 N	67 44.6 W	1650:00	250882	177.4	1694.9
5967	LYNCH	43 8.0 N	67 44.5 W	1651:00	250882	177.4	1694.9
5968	LYNCH	43 8.0 N	67 44.5 W	1653:00	250882	175.5	1695.1
5969	LYNCH	43 7.9 N	67 44.5 W	1655:00	250882	181.0	1695.2
5970	LYNCH	43 7.8 N	67 44.5 W	1656:00	250882	175.5	1695.3
5971	LYNCH	43 7.6 N	67 44.4 W	1658:00	250882	175.5	1695.5
5972	LYNCH	43 7.6 N	67 44.4 W	1659:00	250882	179.2	1695.5
5973	LYNCH	43 7.5 N	67 44.4 W	1700:00	250882	182.9	1695.6
5974	LYNCH	43 7.4 N	67 44.4 W	1701:00	250882	181.0	1695.7
5975	LYNCH	43 7.3 N	67 44.4 W	1702:00	250882	184.7	1695.8
5976	LYNCH	43 7.1 N	67 44.4 W	1705:00	250882	184.7	1696.1
5977	LYNCH	43 6.9 N	67 44.5 W	1707:00	250882	188.3	1696.2
5978	LYNCH	43 6.8 N	67 44.5 W	1708:00	250882	190.2	1696.3
5979	LYNCH	43 6.7 N	67 44.5 W	1709:00	250882	190.2	1696.4
5980	LYNCH	43 6.6 N	67 44.5 W	1710:00	250882	188.3	1696.5
5981	LYNCH	43 6.5 N	67 44.5 W	1711:00	250882	193.8	1696.6
5982	LYNCH	43 6.5 N	67 44.5 W	1712:00	250882	193.6	1696.7
5983	LYNCH	43 6.4 N	67 44.5 W	1713:00	250882	184.7	1696.7
5984	LYNCH	43 6.3 N	67 44.5 W	1714:00	250882	182.9	1696.8
5985	LYNCH	43 6.2 N	67 44.6 W	1715:00	250882	182.9	1696.9
5986	LYNCH	43 6.1 N	67 44.6 W	1716:00	250882	179.2	1697.0
5987	LYNCH	43 6.0 N	67 44.6 W	1717:00	250882	182.9	1697.1
5988	LYNCH	43 5.9 N	67 44.6 W	1718:00	250882	186.5	1697.2
5989	LYNCH	43 5.9 N	67 44.6 W	1719:00	250882	188.3	1697.3
5990	LYNCH	43 5.8 N	67 44.6 W	1720:00	250882	186.5	1697.4
5991	LYNCH	43 5.7 N	67 44.6 W	1721:00	250882	186.5	1697.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM1) ALONG TRACK
5992	LYNCH	43 5 6 N	67 44.6 W	1722:00	250882	188.3	1697.5
5993	LYNCH	43 5 5 N	67 44.6 W	1723:00	250882	184.7	1697.6
5994	LYNCH	43 5 4 N	67 44.6 W	1724:00	250882	184.7	1697.7
5995	LYNCH	43 5 3 N	67 44.7 W	1725:00	250882	181.0	1697.8
5996	LYNCH	43 5 2 N	67 44.7 W	1727:00	250882	173.7	1698.0
5997	LYNCH	43 5 1 N	67 44.7 W	1728:00	250882	168.2	1698.1
5998	LYNCH	43 5 0 N	67 44.7 W	1729:00	250882	162.7	1698.1
5999	LYNCH	43 4 9 N	67 44.7 W	1730:00	250882	157.3	1698.2
6000	LYNCH	43 4 8 N	67 44.7 W	1731:00	250882	157.3	1698.3
6001	LYNCH	43 4 7 N	67 44.7 W	1732:00	250882	155.4	1698.4
6002	LYNCH	43 4 7 N	67 44.7 W	1733:00	250882	153.6	1698.5
6003	LYNCH	43 4 6 N	67 44.8 W	1734:00	250882	148.1	1698.6
6004	LYNCH	43 4 5 N	67 44.8 W	1735:00	250882	148.1	1698.6
6005	LYNCH	43 4 4 N	67 44.8 W	1736:00	250882	146.3	1698.7
6006	LYNCH	43 4 3 N	67 44.8 W	1737:00	250882	144.5	1698.8
6007	LYNCH	43 4 2 N	67 44.8 W	1738:00	250882	140.8	1698.9
6008	LYNCH	43 4 2 N	67 44.8 W	1739:00	250882	137.1	1699.0
6009	LYNCH	43 4 1 N	67 44.8 W	1740:00	250882	137.1	1699.1
6010	LYNCH	43 4 0 N	67 44.8 W	1741:00	250882	139.0	1699.1
6011	LYNCH	43 3 8 N	67 44.9 W	1743:00	250882	142.6	1699.3
6012	LYNCH	43 3 7 N	67 44.9 W	1744:00	250882	144.5	1699.4
6013	LYNCH	43 3 7 N	67 44.9 W	1745:00	250882	151.8	1699.5
6014	LYNCH	43 3 6 N	67 44.9 W	1746:00	250882	164.6	1699.6
6015	LYNCH	43 3 5 N	67 44.9 W	1747:00	250882	170.1	1699.7
6016	LYNCH	43 3 4 N	67 44.9 W	1748:00	250882	177.4	1699.7
6017	LYNCH	43 3 3 N	67 45.0 W	1749:00	250882	179.2	1699.8
6018	LYNCH	43 3 2 N	67 45.0 W	1750:00	250882	184.7	1699.9
6019	LYNCH	43 3 1 N	67 45.0 W	1752:00	250882	188.3	1700.1
6020	LYNCH	43 3 0 N	67 45.0 W	1753:00	250882	188.3	1700.2
6021	LYNCH	43 2 9 N	67 45.0 W	1754:00	250882	186.5	1700.2
6022	LYNCH	43 2 8 N	67 45.0 W	1755:00	250882	186.5	1700.3
6023	LYNCH	43 2 7 N	67 45.1 W	1757:00	250882	186.5	1700.5
6024	LYNCH	43 2 6 N	67 45.1 W	1758:00	250882	188.3	1700.6
6025	LYNCH	43 2 5 N	67 45.1 W	1759:00	250882	188.3	1700.7
6026	LYNCH	43 2 4 N	67 45.1 W	1800:00	250882	188.3	1700.7
6027	LYNCH	43 2 3 N	67 45.1 W	1801:00	250882	190.2	1700.8
6028	LYNCH	43 2 2 N	67 45.1 W	1802:00	250882	195.6	1700.9
6029	LYNCH	43 2 1 N	67 45.1 W	1803:00	250882	184.7	1701.0
6030	LYNCH	43 2 0 N	67 45.1 W	1804:00	250882	184.7	1701.1
6031	LYNCH	43 1 9 N	67 45.1 W	1805:00	250882	182.9	1701.2
6032	LYNCH	43 1 9 N	67 45.1 W	1806:00	250882	177.4	1701.3
6033	LYNCH	43 1 8 N	67 45.1 W	1807:00	250882	173.7	1701.4
6034	LYNCH	43 1 7 N	67 45.1 W	1808:00	250882	173.7	1701.5
6035	LYNCH	43 1 6 N	67 45.1 W	1809:00	250882	168.2	1701.6
6036	LYNCH	43 1 5 N	67 45.1 W	1810:00	250882	171.9	1701.6
6037	LYNCH	43 1 5 N	67 45.2 W	1811:00	250882	170.1	1701.7
6038	LYNCH	43 1 5 N	67 45.2 W	1812:00	250882	168.2	1701.7
6039	LYNCH	43 1 5 N	67 45.3 W	1813:00	250882	162.7	1701.8
6040	LYNCH	43 1 5 N	67 45.3 W	1814:00	250882	157.3	1701.8
6041	LYNCH	43 1 5 N	67 45.4 W	1815:00	250882	157.3	1701.9
6042	LYNCH	43 1 6 N	67 45.4 W	1816:00	250882	170.1	1701.9
6043	LYNCH	43 1 7 N	67 45.4 W	1817:00	250882	175.5	1702.0
6044	LYNCH	43 1 7 N	67 45.4 W	1818:00	250882	177.4	1702.1
6045	LYNCH	43 1 8 N	67 45.4 W	1819:00	250882	181.0	1702.2
6046	LYNCH	43 1 9 N	67 45.4 W	1820:00	250882	179.2	1702.2
6047	LYNCH	43 2 0 N	67 45.4 W	1821:00	250882	182.9	1702.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM1) ALONG TRACK
6048	LYNCH	43 2 0 N	67 45.4 W	1822:00	250882	182.9	1702.4
6049	LYNCH	43 2 1 N	67 45.4 W	1823:00	250882	186.5	1702.5
6050	LYNCH	43 2 2 N	67 45.5 W	1824:00	250882	192.0	1702.5
6051	LYNCH	43 2 5 N	67 45.5 W	1828:00	250882	188.3	1702.8
6052	LYNCH	43 2 5 N	67 45.5 W	1828:00	250882	188.3	1702.8
6053	LYNCH	43 2 6 N	67 45.5 W	1830:00	250882	192.0	1703.0
6054	LYNCH	43 2 7 N	67 45.5 W	1831:00	250882	206.6	1703.1
6055	LYNCH	43 2 8 N	67 45.5 W	1832:00	250882	204.8	1703.2
6056	LYNCH	43 2 9 N	67 45.5 W	1833:00	250882	192.0	1703.2
6057	LYNCH	43 2 9 N	67 45.5 W	1834:00	250882	188.3	1703.3
6058	LYNCH	43 3 0 N	67 45.5 W	1835:00	250882	184.5	1703.4
6059	LYNCH	43 3 1 N	67 45.5 W	1836:00	250882	182.9	1703.5
6060	LYNCH	43 3 2 N	67 45.5 W	1837:00	250882	179.2	1703.5
6061	LYNCH	43 3 2 N	67 45.5 W	1838:00	250882	173.7	1703.6
6062	LYNCH	43 3 3 N	67 45.5 W	1839:00	250882	170.1	1703.7
6063	LYNCH	43 3 4 N	67 45.6 W	1840:00	250882	148.2	1703.8
6064	LYNCH	43 3 5 N	67 45.6 W	1841:00	250882	148.2	1703.8
6065	LYNCH	43 3 5 N	67 45.6 W	1842:00	250882	171.9	1703.9
6066	LYNCH	43 3 6 N	67 45.6 W	1843:00	250882	171.9	1704.0
6067	LYNCH	43 3 7 N	67 45.6 W	1844:00	250882	170.1	1704.1
6068	LYNCH	43 3 8 N	67 45.6 W	1845:00	250882	170.1	1704.1
6069	LYNCH	43 3 9 N	67 45.6 W	1847:00	250882	146.4	1704.3
6070	LYNCH	43 4 1 N	67 45.6 W	1849:00	250882	144.6	1704.5
6071	LYNCH	43 4 2 N	67 45.6 W	1850:00	250882	162.7	1704.6
6072	LYNCH	43 4 4 N	67 45.6 W	1851:00	250882	157.3	1704.7
6073	LYNCH	43 4 5 N	67 45.7 W	1852:00	250882	151.8	1704.8
6074	LYNCH	43 4 6 N	67 45.7 W	1853:00	250882	153.6	1705.0
6075	LYNCH	43 4 7 N	67 45.7 W	1854:00	250882	144.5	1705.1
6076	LYNCH	43 4 8 N	67 45.7 W	1855:00	250882	146.3	1705.2
6077	LYNCH	43 4 9 N	67 45.7 W	1856:00	250882	148.1	1705.3
6078	LYNCH	43 5 1 N	67 45.7 W	1857:00	250882	144.5	1705.4
6079	LYNCH	43 5 2 N	67 45.8 W	1858:00	250882	149.9	1705.5
6080	LYNCH	43 5 3 N	67 45.8 W	1859:00	250882	173.7	1705.7
6081	LYNCH	43 5 4 N	67 45.8 W	1900:00	250882	173.7	1705.8
6082	LYNCH	43 5 4 N	67 45.7 W	1901:00	250882	164.6	1705.8
6083	LYNCH	43 5 5 N	67 45.6 W	1902:00	250882	162.7	1705.9
6084	LYNCH	43 5 5 N	67 45.6 W	1903:00	250882	171.9	1706.0
6085	LYNCH	43 5 5 N	67 45.5 W	1904:00	250882	181.0	1706.0
6086	LYNCH	43 5 4 N	67 45.5 W	1905:00	250882	186.5	1706.1
6087	LYNCH	43 5 3 N	67 45.5 W	1906:00	250882	162.7	1706.2
6088	LYNCH	43 5 3 N	67 45.5 W	1907:00	250882	140.9	1706.2
6089	LYNCH	43 5 2 N	67 45.5 W	1908:00	250882	151.8	1706.3
6090	LYNCH	43 5 1 N	67 45.5 W	1909:00	250882	149.9	1706.4
6091	LYNCH	43 5 0 N	67 45.5 W	1910:00	250882	149.9	1706.5
6092	LYNCH	43 5 0 N	67 45.5 W	1911:00	250882	149.9	1706.5
6093	LYNCH	43 4 9 N	67 45.6 W	1912:00	250882	151.8	1706.6
6094	LYNCH	43 4 8 N	67 45.6 W	1913:00	250882	151.8	1706.7
6095	LYNCH	43 4 7 N	67 45.6 W	1914:00	250882	149.9	1706.8
6096	LYNCH	43 4 7 N	67 45.6 W	1915:00	250882	153.6	1706.9
6097	LYNCH	43 4 6 N	67 45.6 W	1916:00	250882	153.6	1706.9
6098	LYNCH	43 4 5 N	67 45.6 W	1917:00	250882	151.8	1707.0
6099	LYNCH	43 4 4 N	67 45.6 W	1918:00	250882	155.4	1707.1
6100	LYNCH	43 4 4 N	67 45.6 W	1919:00	250882	159.1	1707.2
6101	LYNCH	43 4 3 N	67 45.6 W	1920:00	250882	164.6	1707.2
6102	LYNCH	43 4 1 N	67 45.6 W	1922:00	250882	164.6	1707.4
6103	LYNCH	43 4 1 N	67 45.6 W	1923:00	250882	166.4	1707.5

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6104	LYNCH	43 4 0 N	67 45.6 W	1924:00	250882	173.7	1707.5
6105	LYNCH	43 3 9 N	67 45.6 W	1925:00	250882	170.1	1707.6
6106	LYNCH	43 3 8 N	67 45.7 W	1927:00	250882	170.1	1707.8
6107	LYNCH	43 3 7 N	67 45.7 W	1928:00	250882	168.2	1707.8
6108	LYNCH	43 3 6 N	67 45.7 W	1929:00	250882	170.1	1707.9
6109	LYNCH	43 3 5 N	67 45.7 W	1930:00	250882	166.4	1708.0
6110	LYNCH	43 3 5 N	67 45.7 W	1931:00	250882	164.6	1708.1
6111	LYNCH	43 3 4 N	67 45.7 W	1932:00	250882	166.4	1708.1
6112	LYNCH	43 3 3 N	67 45.7 W	1933:00	250882	175.5	1708.2
6113	LYNCH	43 3 2 N	67 45.7 W	1934:00	250882	182.9	1708.3
6114	LYNCH	43 3 2 N	67 45.6 W	1935:00	250882	188.3	1708.4
6115	LYNCH	43 3 1 N	67 45.6 W	1936:00	250882	190.2	1708.5
6116	LYNCH	43 3 0 N	67 45.5 W	1937:00	250882	188.3	1708.5
6117	LYNCH	43 2 9 N	67 45.5 W	1938:00	250882	197.5	1708.6
6118	LYNCH	43 2 9 N	67 45.5 W	1939:00	250882	208.4	1708.7
6119	LYNCH	43 2 8 N	67 45.4 W	1940:00	250882	192.0	1708.8
6120	LYNCH	43 2 7 N	67 45.4 W	1941:00	250882	190.2	1708.9
6121	LYNCH	43 2 6 N	67 45.3 W	1942:00	250882	188.3	1708.9
6122	LYNCH	43 2 5 N	67 45.3 W	1944:00	250882	188.3	1709.1
6123	LYNCH	43 2 4 N	67 45.2 W	1945:00	250882	190.2	1709.2
6124	LYNCH	43 2 3 N	67 45.2 W	1946:00	250882	190.2	1709.3
6125	LYNCH	43 2 3 N	67 45.1 W	1947:00	250882	184.7	1709.3
6126	LYNCH	43 2 2 N	67 45.1 W	1948:00	250882	184.7	1709.4
6127	LYNCH	43 2 1 N	67 45.0 W	1949:00	250882	182.9	1709.5
6128	LYNCH	43 2 0 N	67 45.0 W	1950:00	250882	182.9	1709.6
6129	LYNCH	43 2 0 N	67 45.0 W	1951:00	250882	179.2	1709.7
6130	LYNCH	43 1 9 N	67 44.9 W	1952:00	250882	177.4	1709.7
6131	LYNCH	43 1 8 N	67 44.9 W	1953:00	250882	175.5	1709.8
6132	LYNCH	43 1 7 N	67 44.8 W	1954:00	250882	179.2	1709.9
6133	LYNCH	43 1 7 N	67 44.8 W	1955:00	250882	179.2	1710.0
6134	LYNCH	43 1 6 N	67 44.8 W	1956:00	250882	179.2	1710.1
6135	LYNCH	43 1 5 N	67 44.7 W	1957:00	250882	179.2	1710.1
6136	LYNCH	43 1 4 N	67 44.7 W	1958:00	250882	181.0	1710.2
6137	LYNCH	43 1 4 N	67 44.6 W	1959:00	250882	181.0	1710.3
6138	LYNCH	43 1 3 N	67 44.6 W	2000:00	250882	179.2	1710.4
6139	LYNCH	43 1 2 N	67 44.5 W	2001:00	250882	177.4	1710.5
6140	LYNCH	43 1 0 N	67 44.4 W	2003:00	250882	175.5	1710.7
6141	LYNCH	43 9 N	67 44.3 W	2005:00	250882	175.5	1710.8
6142	LYNCH	43 7 N	67 44.2 W	2007:00	250882	173.7	1710.9
6143	LYNCH	43 6 N	67 44.2 W	2008:00	250882	168.2	1711.1
6144	LYNCH	43 4 N	67 44.1 W	2010:00	250882	168.2	1711.3
6145	LYNCH	43 3 N	67 44.0 W	2011:00	250882	164.6	1711.4
6146	LYNCH	43 2 N	67 43.9 W	2013:00	250882	162.7	1711.6
6147	LYNCH	43 0 N	67 43.8 W	2015:00	250882	160.9	1711.8
6148	LYNCH	42 59 9 N	67 43.8 W	2016:00	250882	159.1	1711.9
6149	LYNCH	42 59 6 N	67 43.6 W	2020:00	250882	159.1	1712.3
6150	LYNCH	42 59 4 N	67 43.5 W	2022:00	250882	164.6	1712.4
6151	LYNCH	42 59 3 N	67 43.4 W	2023:00	250882	164.6	1712.5
6152	LYNCH	42 59 2 N	67 43.4 W	2024:00	250882	168.2	1712.6
6153	LYNCH	42 59 1 N	67 43.3 W	2025:00	250882	166.4	1712.7
6154	LYNCH	42 59 0 N	67 43.2 W	2027:00	250882	168.2	1712.9
6155	LYNCH	42 58 8 N	67 43.1 W	2029:00	250882	170.1	1713.1
6156	LYNCH	42 58 7 N	67 43.1 W	2030:00	250882	171.9	1713.2
6157	LYNCH	42 58 6 N	67 43.1 W	2031:00	250882	173.7	1713.3
6158	LYNCH	42 58 5 N	67 43.0 W	2032:00	250882	175.5	1713.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM)	ALONG TRACK
6160	LYNCH	42 58.5 N	67 43.0 W	2033:00	250882	173.7	1713.5	
6161	LYNCH	42 58.4 N	67 43.0 W	2034:00	250882	171.9	1713.5	
6162	LYNCH	42 58.3 N	67 43.0 W	2035:00	250882	173.7	1713.6	
6163	LYNCH	42 58.2 N	67 42.9 W	2036:00	250882	173.7	1713.7	
6164	LYNCH	42 58.1 N	67 42.9 W	2037:00	250882	179.2	1713.8	
6165	LYNCH	42 58.0 N	67 42.9 W	2038:00	250882	179.2	1713.9	
6166	LYNCH	42 58.0 N	67 42.9 W	2039:00	250882	182.9	1714.0	
6167	LYNCH	42 57.9 N	67 42.8 W	2040:00	250882	181.0	1714.1	
6168	LYNCH	42 57.5 N	67 42.7 W	2044:00	250882	179.2	1714.4	
6169	LYNCH	42 57.5 N	67 42.7 W	2045:00	250882	175.5	1714.5	
6170	LYNCH	42 57.4 N	67 42.7 W	2046:00	250882	173.7	1714.6	
6171	LYNCH	42 57.3 N	67 42.6 W	2047:00	250882	166.4	1714.7	
6172	LYNCH	42 57.2 N	67 42.6 W	2048:00	250882	168.2	1714.7	
6173	LYNCH	42 57.1 N	67 42.6 W	2049:00	250882	171.9	1714.8	
6174	LYNCH	42 57.0 N	67 42.6 W	2050:00	250882	175.5	1714.9	
6175	LYNCH	42 57.0 N	67 42.5 W	2051:00	250882	181.0	1715.0	
6176	LYNCH	42 56.9 N	67 42.5 W	2052:00	250882	186.5	1715.1	
6177	LYNCH	42 56.6 N	67 42.4 W	2055:00	250882	193.8	1715.3	
6178	LYNCH	42 56.5 N	67 42.4 W	2056:00	250882	193.8	1715.4	
6179	LYNCH	42 56.5 N	67 42.4 W	2057:00	250882	193.8	1715.5	
6180	LYNCH	42 56.4 N	67 42.4 W	2058:00	250882	192.0	1715.6	
6181	LYNCH	42 56.3 N	67 42.3 W	2059:00	250882	190.2	1715.7	
6182	LYNCH	42 56.2 N	67 42.3 W	2100:00	250882	192.0	1715.8	
6183	LYNCH	42 56.1 N	67 42.3 W	2101:00	250882	190.2	1715.9	
6184	LYNCH	42 56.0 N	67 42.2 W	2102:00	250882	190.2	1715.9	
6185	LYNCH	42 55.8 N	67 42.2 W	2105:00	250882	197.5	1716.2	
6186	LYNCH	42 55.6 N	67 42.1 W	2107:00	250882	203.0	1716.4	
6187	LYNCH	42 55.5 N	67 42.1 W	2108:00	250882	193.8	1716.5	
6188	LYNCH	42 55.4 N	67 42.1 W	2109:00	250882	192.0	1716.6	
6189	LYNCH	42 55.3 N	67 42.0 W	2110:00	250882	192.0	1716.7	
6190	LYNCH	42 55.1 N	67 42.0 W	2112:00	250882	186.5	1716.9	
6191	LYNCH	42 54.9 N	67 41.9 W	2114:00	250882	188.3	1717.1	
6192	LYNCH	42 54.9 N	67 41.9 W	2115:00	250882	193.8	1717.1	
6193	LYNCH	42 54.8 N	67 41.9 W	2116:00	250882	199.3	1717.2	
6194	LYNCH	42 54.7 N	67 41.8 W	2117:00	250882	197.5	1717.3	
6195	LYNCH	42 54.6 N	67 41.8 W	2118:00	250882	197.5	1717.4	
6196	LYNCH	42 54.5 N	67 41.8 W	2119:00	250882	201.1	1717.5	
6197	LYNCH	42 54.4 N	67 41.8 W	2120:00	250882	206.6	1717.6	
6198	LYNCH	42 54.3 N	67 41.7 W	2121:00	250882	204.8	1717.7	
6199	LYNCH	42 54.2 N	67 41.7 W	2122:00	250882	203.0	1717.8	
6200	LYNCH	42 54.1 N	67 41.7 W	2123:00	250882	195.6	1717.9	
6201	LYNCH	42 54.0 N	67 41.7 W	2124:00	250882	203.0	1718.0	
6202	LYNCH	42 54.0 N	67 41.6 W	2125:00	250882	208.4	1718.1	
6203	LYNCH	42 53.9 N	67 41.6 W	2126:00	250882	212.1	1718.2	
6204	LYNCH	42 53.8 N	67 41.6 W	2127:00	250882	212.1	1718.3	
6205	LYNCH	42 53.6 N	67 41.5 W	2129:00	250882	210.3	1718.4	
6206	LYNCH	42 53.5 N	67 41.5 W	2130:00	250882	213.9	1718.5	
6207	LYNCH	42 53.4 N	67 41.5 W	2131:00	250882	215.8	1718.6	
6208	LYNCH	42 53.1 N	67 41.3 W	2135:00	250882	215.8	1719.0	
6209	LYNCH	42 52.7 N	67 41.2 W	2139:00	250882	219.4	1719.3	
6210	LYNCH	42 52.6 N	67 41.1 W	2140:00	250882	221.2	1719.4	
6211	LYNCH	42 52.5 N	67 41.1 W	2141:00	250882	221.2	1719.5	
6212	LYNCH	42 52.5 N	67 41.1 W	2142:00	250882	217.6	1719.6	
6213	LYNCH	42 52.2 N	67 40.9 W	2145:00	250882	215.8	1719.9	
6214	LYNCH	42 51.9 N	67 40.8 W	2149:00	250882	213.9	1720.3	
6215	LYNCH	42 51.8 N	67 40.8 W	2150:00	250882	215.8	1720.3	

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6216	LYNCH	42 51 7 N	67 40 7 W	2151:00	250882	208.4	1720.4
6217	LYNCH	42 51 6 N	67 40 7 W	2152:00	250882	206.6	1720.5
6218	LYNCH	42 51 5 N	67 40 7 W	2153:00	250882	206.6	1720.6
6219	LYNCH	42 51 3 N	67 40 6 W	2155:00	250882	217.6	1720.8
6220	LYNCH	42 51 2 N	67 40 5 W	2156:00	250882	221.2	1720.9
6221	LYNCH	42 51 2 N	67 40 5 W	2157:00	250882	215.8	1721.0
6222	LYNCH	42 51 1 N	67 40 5 W	2158:00	250882	208.4	1721.1
6223	LYNCH	42 51 0 N	67 40 4 W	2159:00	250882	212.1	1721.2
6224	LYNCH	42 50 9 N	67 40 4 W	2200:00	250882	210.3	1721.2
6225	LYNCH	42 50 8 N	67 40 4 W	2201:00	250882	210.3	1721.3
6226	LYNCH	42 50 7 N	67 40 3 W	2202:00	250882	201.1	1721.4
6227	LYNCH	42 50 6 N	67 40 3 W	2203:00	250882	201.1	1721.5
6228	LYNCH	42 50 5 N	67 40 2 W	2205:00	250882	204.8	1721.7
6229	LYNCH	42 50 0 N	67 40 1 W	2210:00	250882	213.9	1722.2
6230	LYNCH	42 49 9 N	67 40 0 W	2211:00	250882	215.8	1722.3
6231	LYNCH	42 49 8 N	67 40 0 W	2212:00	250882	219.4	1722.4
6232	LYNCH	42 49 7 N	67 40 0 W	2213:00	250882	221.2	1722.5
6233	LYNCH	42 49 6 N	67 39 9 W	2214:00	250882	230.4	1722.6
6234	LYNCH	42 49 6 N	67 39 9 W	2215:00	250882	232.2	1722.6
6235	LYNCH	42 49 2 N	67 39 8 W	2219:00	250882	223.1	1723.0
6236	LYNCH	42 49 1 N	67 39 7 W	2220:00	250882	221.2	1723.1
6237	LYNCH	42 48 7 N	67 39 6 W	2225:00	250882	219.4	1723.6
6238	LYNCH	42 48 6 N	67 39 5 W	2226:00	250882	212.1	1723.7
6239	LYNCH	42 48 5 N	67 39 5 W	2227:00	250882	208.4	1723.8
6240	LYNCH	42 48 4 N	67 39 5 W	2228:00	250882	210.3	1723.9
6241	LYNCH	42 48 3 N	67 39 4 W	2229:00	250882	212.1	1724.0
6242	LYNCH	42 48 2 N	67 39 4 W	2230:00	250882	219.4	1724.0
6243	LYNCH	42 48 1 N	67 39 4 W	2231:00	250882	221.2	1724.1
6244	LYNCH	42 47 9 N	67 39 3 W	2234:00	250882	221.2	1724.4
6245	LYNCH	42 47 8 N	67 39 2 W	2235:00	250882	219.4	1724.5
6246	LYNCH	42 47 7 N	67 39 2 W	2236:00	250882	217.6	1724.6
6247	LYNCH	42 47 6 N	67 39 1 W	2237:00	250882	213.9	1724.7
6248	LYNCH	42 47 5 N	67 39 1 W	2238:00	250882	204.8	1724.7
6249	LYNCH	42 47 5 N	67 39 1 W	2239:00	250882	208.4	1724.8
6250	LYNCH	42 47 4 N	67 39 0 W	2240:00	250882	206.6	1724.9
6251	LYNCH	42 47 3 N	67 39 0 W	2241:00	250882	203.0	1725.0
6252	LYNCH	42 47 2 N	67 39 0 W	2242:00	250882	199.3	1725.1
6253	LYNCH	42 47 1 N	67 38 9 W	2243:00	250882	195.6	1725.2
6254	LYNCH	42 47 0 N	67 38 9 W	2244:00	250882	195.6	1725.3
6255	LYNCH	42 47 0 N	67 38 8 W	2245:00	250882	197.5	1725.4
6256	LYNCH	42 46 9 N	67 38 8 W	2246:00	250882	199.3	1725.4
6257	LYNCH	42 46 8 N	67 38 8 W	2247:00	250882	197.5	1725.5
6258	LYNCH	42 46 7 N	67 38 7 W	2248:00	250882	193.8	1725.6
6259	LYNCH	42 46 6 N	67 38 7 W	2249:00	250882	192.0	1725.7
6260	LYNCH	42 46 5 N	67 38 6 W	2250:00	250882	190.2	1725.8
6261	LYNCH	42 46 5 N	67 38 6 W	2251:00	250882	173.7	1725.9
6262	LYNCH	42 46 4 N	67 38 6 W	2252:00	250882	175.5	1726.0
6263	LYNCH	42 46 3 N	67 38 6 W	2253:00	250882	179.2	1726.1
6264	LYNCH	42 46 2 N	67 38 5 W	2254:00	250882	177.4	1726.1
6265	LYNCH	42 46 1 N	67 38 5 W	2255:00	250882	173.7	1726.2
6266	LYNCH	42 46 0 N	67 38 4 W	2256:00	250882	171.9	1726.3
6267	LYNCH	42 45 9 N	67 38 4 W	2258:00	250882	181.0	1726.5
6268	LYNCH	42 45 8 N	67 38 3 W	2259:00	250882	182.9	1726.6
6269	LYNCH	42 45 7 N	67 38 3 W	2300:00	250882	184.7	1726.7
6270	LYNCH	42 45 5 N	67 38 2 W	2303:00	250882	186.5	1726.9
6271	LYNCH	42 45 4 N	67 38 2 W	2304:00	250882	184.7	1727.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6272	LYNCH	42 45.3 N	67 38.1 W	2305:00	250882	181.0	1727.1
6273	LYNCH	42 45.2 N	67 38.1 W	2306:00	250882	190.2	1727.2
6274	LYNCH	42 45.1 N	67 38.0 W	2307:00	250882	195.6	1727.3
6275	LYNCH	42 45.1 N	67 38.0 W	2308:00	250882	193.8	1727.3
6276	LYNCH	42 45.0 N	67 38.0 W	2309:00	250882	192.0	1727.4
6277	LYNCH	42 44.9 N	67 37.9 W	2310:00	250882	195.6	1727.5
6278	LYNCH	42 44.7 N	67 37.9 W	2312:00	250882	195.6	1727.7
6279	LYNCH	42 44.7 N	67 37.8 W	2313:00	250882	192.0	1727.8
6280	LYNCH	42 44.6 N	67 37.8 W	2314:00	250882	190.2	1727.9
6281	LYNCH	42 44.5 N	67 37.7 W	2315:00	250882	188.3	1727.9
6282	LYNCH	42 44.4 N	67 37.7 W	2316:00	250882	182.9	1728.0
6283	LYNCH	42 44.3 N	67 37.7 W	2317:00	250882	182.9	1728.1
6284	LYNCH	42 44.3 N	67 37.6 W	2318:00	250882	181.0	1728.2
6285	LYNCH	42 44.2 N	67 37.6 W	2319:00	250882	182.9	1728.3
6286	LYNCH	42 44.1 N	67 37.6 W	2320:00	250882	182.9	1728.4
6287	LYNCH	42 44.0 N	67 37.5 W	2321:00	250882	182.9	1728.4
6288	LYNCH	42 43.9 N	67 37.5 W	2322:00	250882	186.5	1728.5
6289	LYNCH	42 43.9 N	67 37.5 W	2323:00	250882	188.3	1728.6
6290	LYNCH	42 43.7 N	67 37.4 W	2324:00	250882	188.3	1728.7
6291	LYNCH	42 43.7 N	67 37.4 W	2325:00	250882	190.2	1728.8
6292	LYNCH	42 43.6 N	67 37.3 W	2326:00	250882	188.3	1728.9
6293	LYNCH	42 43.5 N	67 37.3 W	2327:00	250882	192.0	1729.0
6294	LYNCH	42 43.5 N	67 37.3 W	2328:00	250882	190.2	1729.0
6295	LYNCH	42 43.4 N	67 37.2 W	2329:00	250882	193.8	1729.1
6296	LYNCH	42 43.3 N	67 37.2 W	2330:00	250882	193.8	1729.2
6297	LYNCH	42 43.2 N	67 37.2 W	2331:00	250882	192.0	1729.3
6298	LYNCH	42 43.1 N	67 37.1 W	2332:00	250882	192.0	1729.4
6299	LYNCH	42 43.1 N	67 37.1 W	2333:00	250882	190.2	1729.5
6300	LYNCH	42 43.0 N	67 37.0 W	2334:00	250882	188.3	1729.6
6301	LYNCH	42 42.9 N	67 37.0 W	2335:00	250882	184.7	1729.6
6302	LYNCH	42 42.8 N	67 36.9 W	2336:00	250882	184.7	1729.7
6303	LYNCH	42 42.7 N	67 36.8 W	2338:00	250882	179.2	1729.9
6304	LYNCH	42 42.5 N	67 36.7 W	2340:00	250882	181.0	1730.1
6305	LYNCH	42 42.3 N	67 36.6 W	2343:00	250882	177.4	1730.3
6306	LYNCH	42 42.2 N	67 36.5 W	2344:00	250882	179.2	1730.4
6307	LYNCH	42 42.1 N	67 36.5 W	2345:00	250882	177.4	1730.5
6308	LYNCH	42 41.9 N	67 36.4 W	2347:00	250882	177.4	1730.7
6309	LYNCH	42 41.8 N	67 36.3 W	2349:00	250882	175.5	1730.9
6310	LYNCH	42 41.7 N	67 36.3 W	2350:00	250882	177.4	1730.9
6311	LYNCH	42 41.5 N	67 36.2 W	2352:00	250882	173.7	1731.1
6312	LYNCH	42 41.5 N	67 36.1 W	2353:00	250882	173.7	1731.2
6313	LYNCH	42 41.4 N	67 36.1 W	2354:00	250882	171.9	1731.3
6314	LYNCH	42 41.3 N	67 36.0 W	2355:00	250882	168.2	1731.4
6315	LYNCH	42 41.1 N	67 35.9 W	2358:00	250882	168.2	1731.6
6316	LYNCH	42 41.0 N	67 35.8 W	2359:00	250882	164.6	1731.7
6317	LYNCH	42 40.9 N	67 35.8 W	0000:00	260882	168.2	1731.8
6318	LYNCH	42 40.8 N	67 35.8 W	0001:00	260882	166.4	1731.9
6319	LYNCH	42 40.7 N	67 35.7 W	0002:00	260882	170.1	1732.0
6320	LYNCH	42 40.6 N	67 35.7 W	0003:00	260882	168.2	1732.1
6321	LYNCH	42 40.5 N	67 35.6 W	0004:00	260882	170.1	1732.2
6322	LYNCH	42 40.5 N	67 35.6 W	0005:00	260882	171.9	1732.3
6323	LYNCH	42 40.4 N	67 35.6 W	0006:00	260882	175.5	1732.4
6324	LYNCH	42 40.3 N	67 35.5 W	0007:00	260882	173.7	1732.5
6325	LYNCH	42 40.2 N	67 35.5 W	0008:00	260882	175.5	1732.6
6326	LYNCH	42 40.1 N	67 35.4 W	0009:00	260882	179.2	1732.7
6327	LYNCH	42 40.0 N	67 35.4 W	0010:00	260882	179.2	1732.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6328	LYNCH	42 39 9 N	67 35 4 W	0011:00	260882	184.7	1732.9
6329	LYNCH	42 39 8 N	67 35 3 W	0012:00	260882	190.2	1733.0
6330	LYNCH	42 39 7 N	67 35 3 W	0013:00	260882	195.6	1733.0
6331	LYNCH	42 39 6 N	67 35 2 W	0014:00	260882	201.1	1733.1
6332	LYNCH	42 39 6 N	67 35 2 W	0015:00	260882	206.6	1733.2
6333	LYNCH	42 39 5 N	67 35 2 W	0016:00	260882	203.0	1733.3
6334	LYNCH	42 39 4 N	67 35 1 W	0017:00	260882	203.0	1733.4
6335	LYNCH	42 39 3 N	67 35 1 W	0018:00	260882	203.0	1733.5
6336	LYNCH	42 39 1 N	67 35 0 W	0020:00	260882	201.1	1733.7
6337	LYNCH	42 39 0 N	67 35 0 W	0021:00	260882	203.0	1733.8
6338	LYNCH	42 38 9 N	67 34 9 W	0022:00	260882	204.8	1733.9
6339	LYNCH	42 38 8 N	67 34 9 W	0023:00	260882	201.1	1734.0
6340	LYNCH	42 38 7 N	67 34 8 W	0024:00	260882	201.1	1734.1
6341	LYNCH	42 38 6 N	67 34 8 W	0025:00	260882	203.0	1734.2
6342	LYNCH	42 38 6 N	67 34 8 W	0026:00	260882	203.0	1734.3
6343	LYNCH	42 38 5 N	67 34 7 W	0027:00	260882	201.1	1734.4
6344	LYNCH	42 38 4 N	67 34 7 W	0028:00	260882	203.0	1734.5
6345	LYNCH	42 38 2 N	67 34 6 W	0030:00	260882	204.8	1734.7
6346	LYNCH	42 38 0 N	67 34 5 W	0032:00	260882	206.6	1734.9
6347	LYNCH	42 37 8 N	67 34 4 W	0034:00	260882	210.3	1735.1
6348	LYNCH	42 37 7 N	67 34 3 W	0035:00	260882	210.3	1735.2
6349	LYNCH	42 37 5 N	67 34 2 W	0037:00	260882	204.8	1735.4
6350	LYNCH	42 37 4 N	67 34 1 W	0038:00	260882	203.0	1735.5
6351	LYNCH	42 37 3 N	67 34 1 W	0039:00	260882	204.8	1735.6
6352	LYNCH	42 37 2 N	67 34 0 W	0040:00	260882	204.8	1735.8
6353	LYNCH	42 37 0 N	67 33 9 W	0042:00	260882	208.4	1736.0
6354	LYNCH	42 36 7 N	67 33 7 W	0045:00	260882	208.4	1736.3
6355	LYNCH	42 36 2 N	67 33 4 W	0050:00	260882	208.4	1736.8
6356	LYNCH	42 35 9 N	67 33 2 W	0053:00	260882	206.6	1737.2
6357	LYNCH	42 35 7 N	67 33 1 W	0055:00	260882	208.4	1737.4
6358	LYNCH	42 35 6 N	67 33 0 W	0056:00	260882	210.3	1737.5
6359	LYNCH	42 35 5 N	67 33 0 W	0057:00	260882	210.3	1737.6
6360	LYNCH	42 35 4 N	67 32 9 W	0058:00	260882	206.6	1737.7
6361	LYNCH	42 35 2 N	67 32 8 W	0100:00	260882	204.8	1737.9
6362	LYNCH	42 35 0 N	67 32 7 W	0102:00	260882	208.4	1738.2
6363	LYNCH	42 34 9 N	67 32 6 W	0103:00	260882	204.8	1738.3
6364	LYNCH	42 34 8 N	67 32 5 W	0104:00	260882	204.8	1738.4
6365	LYNCH	42 34 7 N	67 32 5 W	0105:00	260882	206.6	1738.5
6366	LYNCH	42 34 6 N	67 32 4 W	0106:00	260882	203.0	1738.6
6367	LYNCH	42 34 5 N	67 32 3 W	0107:00	260882	206.6	1738.7
6368	LYNCH	42 34 4 N	67 32 3 W	0108:00	260882	210.3	1738.8
6369	LYNCH	42 34 3 N	67 32 2 W	0109:00	260882	213.9	1738.9
6370	LYNCH	42 34 2 N	67 32 1 W	0110:00	260882	215.8	1739.1
6371	LYNCH	42 34 0 N	67 32 0 W	0112:00	260882	223.1	1739.3
6372	LYNCH	42 33 9 N	67 31 9 W	0113:00	260882	226.7	1739.4
6373	LYNCH	42 33 8 N	67 31 9 W	0114:00	260882	224.9	1739.5
6374	LYNCH	42 33 7 N	67 31 8 W	0115:00	260882	223.1	1739.6
6375	LYNCH	42 33 6 N	67 31 7 W	0116:00	260882	221.2	1739.7
6376	LYNCH	42 33 5 N	67 31 7 W	0117:00	260882	221.2	1739.8
6377	LYNCH	42 33 4 N	67 31 6 W	0118:00	260882	221.2	1739.9
6378	LYNCH	42 33 2 N	67 31 5 W	0120:00	260882	219.4	1740.2
6379	LYNCH	42 33 0 N	67 31 3 W	0122:00	260882	215.8	1740.4
6380	LYNCH	42 32 9 N	67 31 3 W	0123:00	260882	201.1	1740.5
6381	LYNCH	42 32 8 N	67 31 2 W	0124:00	260882	179.2	1740.6
6382	LYNCH	42 32 7 N	67 31 1 W	0125:00	260882	177.4	1740.7
6383	LYNCH	42 32 6 N	67 31 1 W	0126:00	260882	190.2	1740.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6384	LYNCH	42 32.5 N	67 31.0 W	0127:00	260882	195.6	1740.9
6385	LYNCH	42 32.4 N	67 30.9 W	0128:00	260882	223.1	1741.1
6386	LYNCH	42 32.3 N	67 30.9 W	0129:00	260882	237.7	1741.2
6387	LYNCH	42 32.2 N	67 30.8 W	0130:00	260882	250.5	1741.3
6388	LYNCH	42 32.0 N	67 30.7 W	0132:00	260882	259.6	1741.5
6389	LYNCH	42 31.9 N	67 30.6 W	0133:00	260882	265.1	1741.6
6390	LYNCH	42 31.8 N	67 30.5 W	0134:00	260882	268.8	1741.8
6391	LYNCH	42 31.7 N	67 30.4 W	0135:00	260882	270.6	1741.9
6392	LYNCH	42 31.6 N	67 30.4 W	0136:00	260882	267.0	1742.0
6393	LYNCH	42 31.5 N	67 30.3 W	0137:00	260882	267.0	1742.1
6394	LYNCH	42 31.1 N	67 30.1 W	0140:00	260882	272.4	1742.5
6395	LYNCH	42 30.6 N	67 29.7 W	0145:00	260882	277.9	1743.1
6396	LYNCH	42 30.5 N	67 29.2 W	0148:00	260882	279.8	1743.5
6397	LYNCH	42 30.4 N	67 28.9 W	0150:00	260882	283.4	1743.7
6398	LYNCH	42 30.3 N	67 28.0 W	0155:00	260882	287.1	1744.3
6400	LYNCH	42 30.1 N	67 27.2 W	0200:00	260882	292.6	1745.0
6401	LYNCH	42 30.1 N	67 26.4 W	0205:00	260882	296.2	1745.5
6402	LYNCH	42 30.2 N	67 25.7 W	0210:00	260882	298.0	1746.1
6403	LYNCH	42 30.2 N	67 24.9 W	0215:00	260882	299.9	1746.7
6404	LYNCH	42 30.3 N	67 24.0 W	0220:00	260882	303.5	1747.3
6405	LYNCH	42 30.3 N	67 23.2 W	0225:00	260882	305.4	1748.0
6406	LYNCH	42 30.4 N	67 22.3 W	0230:00	260882	309.0	1748.6
6407	LYNCH	42 30.5 N	67 21.6 W	0235:00	260882	310.8	1749.2
6408	LYNCH	42 30.5 N	67 20.8 W	0240:00	260882	310.8	1749.7
6409	LYNCH	42 30.6 N	67 20.1 W	0245:00	260882	312.7	1750.3
6410	LYNCH	42 30.7 N	67 19.3 W	0250:00	260882	314.5	1750.8
6411	LYNCH	42 30.7 N	67 18.6 W	0255:00	260882	316.3	1751.4
6412	LYNCH	42 30.8 N	67 17.8 W	0300:00	260882	318.2	1752.0
6413	LYNCH	42 31.0 N	67 17.0 W	0305:00	260882	318.2	1752.5
6414	LYNCH	42 31.3 N	67 15.5 W	0315:00	260882	318.2	1753.7
6415	LYNCH	42 31.7 N	67 13.1 W	0330:00	260882	318.2	1755.5
6416	LYNCH	42 32.2 N	67 10.8 W	0345:00	260882	314.5	1757.3
6417	LYNCH	42 32.3 N	67 10.0 W	0350:00	260882	314.5	1757.9
6418	LYNCH	42 32.5 N	67 9.3 W	0355:00	260882	312.7	1758.5
6419	LYNCH	42 32.6 N	67 8.5 W	0400:00	260882	312.7	1759.0
6420	LYNCH	42 33.0 N	67 6.7 W	0415:00	260882	309.0	1760.5
6421	LYNCH	42 33.4 N	67 4.8 W	0430:00	260882	303.5	1761.9
6422	LYNCH	42 33.5 N	67 2.1 W	0445:00	260882	303.5	1763.9
6423	LYNCH	42 33.5 N	66 59.4 W	0500:00	260882	301.7	1765.9
6424	LYNCH	42 33.5 N	66 57.1 W	0515:00	260882	290.7	1767.6
6425	LYNCH	42 33.4 N	66 54.8 W	0530:00	260882	281.6	1769.2
6426	LYNCH	42 33.4 N	66 54.6 W	0531:00	260882	274.3	1769.4
6427	LYNCH	42 33.4 N	66 54.5 W	0532:00	260882	272.4	1769.5
6428	LYNCH	42 33.4 N	66 54.3 W	0533:00	260882	272.4	1769.6
6429	LYNCH	42 33.4 N	66 54.0 W	0535:00	260882	270.6	1769.8
6430	LYNCH	42 33.4 N	66 53.7 W	0537:00	260882	267.0	1770.1
6431	LYNCH	42 33.4 N	66 53.2 W	0540:00	260882	268.8	1770.4
6432	LYNCH	42 33.4 N	66 53.1 W	0541:00	260882	263.3	1770.5
6433	LYNCH	42 33.4 N	66 52.9 W	0542:00	260882	261.5	1770.6
6434	LYNCH	42 33.4 N	66 52.4 W	0545:00	260882	254.2	1771.0
6435	LYNCH	42 33.3 N	66 52.3 W	0546:00	260882	252.3	1771.1
6436	LYNCH	42 33.3 N	66 52.1 W	0547:00	260882	250.5	1771.2
6437	LYNCH	42 33.3 N	66 52.0 W	0548:00	260882	246.8	1771.3
6438	LYNCH	42 33.3 N	66 51.8 W	0549:00	260882	245.0	1771.4
6439	LYNCH	42 33.3 N	66 51.7 W	0550:00	260882	243.2	1771.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6440	LYNCH	42 33.3 N	66 51.5 W	0551:00	260882	239.5	1771.7
6441	LYNCH	42 33.3 N	66 51.4 W	0552:00	260882	241.4	1771.8
6442	LYNCH	42 33.3 N	66 51.2 W	0553:00	260882	239.5	1771.9
6443	LYNCH	42 33.3 N	66 51.0 W	0554:00	260882	237.7	1772.0
6444	LYNCH	42 33.3 N	66 50.9 W	0555:00	260882	235.9	1772.1
6445	LYNCH	42 33.3 N	66 50.7 W	0556:00	260882	234.0	1772.2
6446	LYNCH	42 33.3 N	66 50.6 W	0557:00	260882	235.9	1772.4
6447	LYNCH	42 33.3 N	66 50.4 W	0558:00	260882	234.0	1772.5
6448	LYNCH	42 33.3 N	66 50.1 W	0600:00	260882	234.0	1772.7
6449	LYNCH	42 33.4 N	66 49.3 W	0605:00	260882	237.7	1773.3
6450	LYNCH	42 33.4 N	66 48.8 W	0608:00	260882	239.5	1773.7
6451	LYNCH	42 33.4 N	66 48.5 W	0610:00	260882	239.5	1773.9
6452	LYNCH	42 33.4 N	66 47.9 W	0614:00	260882	239.5	1774.4
6453	LYNCH	42 33.5 N	66 47.7 W	0615:00	260882	237.7	1774.5
6454	LYNCH	42 33.5 N	66 47.5 W	0616:00	260882	235.9	1774.6
6455	LYNCH	42 33.5 N	66 47.4 W	0617:00	260882	234.0	1774.7
6456	LYNCH	42 33.5 N	66 47.2 W	0618:00	260882	234.0	1774.8
6457	LYNCH	42 33.5 N	66 46.9 W	0620:00	260882	235.9	1775.1
6458	LYNCH	42 33.5 N	66 46.3 W	0624:00	260882	235.9	1775.5
6459	LYNCH	42 33.6 N	66 46.1 W	0625:00	260882	234.0	1775.7
6460	LYNCH	42 33.6 N	66 45.3 W	0630:00	260882	235.9	1776.3
6461	LYNCH	42 33.7 N	66 44.5 W	0635:00	260882	234.0	1776.8
6462	LYNCH	42 33.7 N	66 43.8 W	0640:00	260882	232.2	1777.4
6463	LYNCH	42 33.8 N	66 43.0 W	0645:00	260882	230.4	1778.0
6464	LYNCH	42 33.8 N	66 42.7 W	0647:00	260882	230.4	1778.2
6465	LYNCH	42 33.9 N	66 42.4 W	0649:00	260882	226.7	1778.4
6466	LYNCH	42 33.9 N	66 42.2 W	0650:00	260882	224.9	1778.5
6467	LYNCH	42 33.9 N	66 41.8 W	0653:00	260882	223.1	1778.9
6468	LYNCH	42 33.9 N	66 41.5 W	0655:00	260882	221.2	1779.1
6469	LYNCH	42 34.0 N	66 41.0 W	0658:00	260882	221.2	1779.4
6470	LYNCH	42 34.0 N	66 40.7 W	0700:00	260882	219.4	1779.7
6471	LYNCH	42 34.2 N	66 39.9 W	0705:00	260882	215.8	1780.3
6472	LYNCH	42 34.3 N	66 39.6 W	0707:00	260882	213.9	1780.5
6473	LYNCH	42 34.3 N	66 39.4 W	0708:00	260882	212.1	1780.7
6474	LYNCH	42 34.4 N	66 39.1 W	0709:00	260882	212.1	1780.8
6475	LYNCH	42 34.4 N	66 39.3 W	0710:00	260882	210.3	1780.9
6476	LYNCH	42 34.4 N	66 38.9 W	0711:00	260882	210.3	1781.0
6477	LYNCH	42 34.6 N	66 38.5 W	0714:00	260882	206.6	1781.4
6478	LYNCH	42 34.6 N	66 38.3 W	0715:00	260882	206.6	1781.5
6479	LYNCH	42 34.7 N	66 37.8 W	0718:00	260882	201.1	1781.9
6480	LYNCH	42 34.8 N	66 37.5 W	0720:00	260882	199.3	1782.2
6481	LYNCH	42 34.8 N	66 37.3 W	0721:00	260882	197.5	1782.3
6482	LYNCH	42 34.9 N	66 37.2 W	0722:00	260882	199.3	1782.4
6483	LYNCH	42 34.9 N	66 37.0 W	0723:00	260882	195.6	1782.5
6484	LYNCH	42 35.0 N	66 36.7 W	0725:00	260882	192.0	1782.8
6485	LYNCH	42 35.0 N	66 36.5 W	0727:00	260882	192.0	1782.9
6486	LYNCH	42 35.0 N	66 36.4 W	0728:00	260882	188.3	1783.0
6487	LYNCH	42 35.0 N	66 36.2 W	0730:00	260882	188.3	1783.1
6488	LYNCH	42 34.9 N	66 36.1 W	0731:00	260882	188.3	1783.2
6489	LYNCH	42 34.7 N	66 35.7 W	0735:00	260882	192.0	1783.6
6490	LYNCH	42 34.5 N	66 35.2 W	0740:00	260882	201.1	1784.1
6491	LYNCH	42 34.4 N	66 35.0 W	0742:00	260882	201.1	1784.2
6492	LYNCH	42 34.2 N	66 34.7 W	0745:00	260882	203.0	1784.5
6493	LYNCH	42 33.9 N	66 34.2 W	0750:00	260882	208.4	1785.0
6494	LYNCH	42 33.8 N	66 33.9 W	0753:00	260882	212.1	1785.2
6495	LYNCH	42 33.7 N	66 33.7 W	0755:00	260882	213.9	1785.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
6496	LYNCH	42 33.4 N	66 33.2 W	0800:00	260882	219.4	1785.9
6497	LYNCH	42 33.1 N	66 32.7 W	0805:00	260882	223.1	1786.3
6498	LYNCH	42 32.8 N	66 32.2 W	0810:00	260882	226.7	1786.8
6499	LYNCH	42 32.5 N	66 31.7 W	0815:00	260882	230.4	1787.3
6500	LYNCH	42 32.2 N	66 31.3 W	0820:00	260882	233.9	1787.7
6501	LYNCH	42 31.9 N	66 30.8 W	0825:00	260882	239.5	1788.2
6502	LYNCH	42 31.6 N	66 30.3 W	0830:00	260882	243.2	1788.7
6503	LYNCH	42 31.3 N	66 29.8 W	0835:00	260882	246.8	1789.2
6504	LYNCH	42 31.0 N	66 29.3 W	0840:00	260882	243.2	1789.6
6505	LYNCH	42 30.7 N	66 28.8 W	0845:00	260882	235.9	1790.1
6506	LYNCH	42 30.3 N	66 28.3 W	0850:00	260882	246.8	1790.6
6507	LYNCH	42 29.6 N	66 26.6 W	0905:00	260882	246.8	1792.1
6508	LYNCH	42 29.4 N	66 25.9 W	0910:00	260882	250.5	1792.6
6509	LYNCH	42 29.3 N	66 25.2 W	0915:00	260882	248.7	1793.2
6510	LYNCH	42 29.0 N	66 23.8 W	0925:00	260882	248.7	1794.2
6511	LYNCH	42 28.8 N	66 22.3 W	0930:00	260882	245.0	1794.8
6512	LYNCH	42 28.7 N	66 22.3 W	0935:00	260882	241.4	1795.6
6513	LYNCH	42 28.7 N	66 21.9 W	0937:00	260882	241.4	1795.6
6514	LYNCH	42 28.7 N	66 21.4 W	0940:00	260882	241.4	1796.0
6515	LYNCH	42 28.6 N	66 20.6 W	0945:00	260882	243.2	1796.6
6516	LYNCH	42 28.6 N	66 19.8 W	0950:00	260882	241.4	1797.2
6517	LYNCH	42 28.6 N	66 19.4 W	0952:00	260882	241.4	1797.5
6518	LYNCH	42 28.5 N	66 17.6 W	1003:00	260882	237.7	1798.8
6519	LYNCH	42 28.5 N	66 17.3 W	1005:00	260882	237.7	1799.1
6520	LYNCH	42 28.5 N	66 16.4 W	1010:00	260882	235.9	1799.7
6521	LYNCH	42 28.4 N	66 15.6 W	1015:00	260882	234.0	1800.3
6522	LYNCH	42 28.4 N	66 15.0 W	1019:00	260882	232.2	1800.8
6523	LYNCH	42 28.4 N	66 14.8 W	1020:00	260882	232.2	1800.9
6524	LYNCH	42 28.4 N	66 14.7 W	1021:00	260882	234.0	1801.0
6525	LYNCH	42 28.4 N	66 14.5 W	1022:00	260882	232.2	1801.1
6526	LYNCH	42 28.4 N	66 14.1 W	1025:00	260882	232.2	1801.5
6527	LYNCH	42 28.4 N	66 13.6 W	1028:00	260882	228.6	1801.8
6528	LYNCH	42 28.4 N	66 13.5 W	1029:00	260882	230.4	1801.9
6529	LYNCH	42 28.4 N	66 13.3 W	1030:00	260882	230.4	1802.0
6530	LYNCH	42 28.4 N	66 13.1 W	1031:00	260882	228.6	1802.1
6531	LYNCH	42 28.5 N	66 11.6 W	1040:00	260882	228.6	1803.3
6532	LYNCH	42 28.5 N	66 11.1 W	1043:00	260882	230.4	1803.6
6533	LYNCH	42 28.6 N	66 10.3 W	1048:00	260882	230.4	1804.2
6534	LYNCH	42 28.6 N	66 10.0 W	1050:00	260882	228.6	1804.5
6535	LYNCH	42 28.7 N	66 9.1 W	1055:00	260882	226.7	1805.1
6536	LYNCH	42 28.7 N	66 8.3 W	1100:00	260882	226.7	1805.7
6537	LYNCH	42 28.9 N	66 7.5 W	1105:00	260882	223.1	1806.3
6538	LYNCH	42 29.1 N	66 6.7 W	1110:00	260882	221.2	1806.9
6539	LYNCH	42 29.3 N	66 6.0 W	1115:00	260882	219.4	1807.6
6540	LYNCH	42 29.5 N	66 5.2 W	1120:00	260882	213.9	1808.2
6541	LYNCH	42 29.7 N	66 4.4 W	1125:00	260882	208.4	1808.8
6542	LYNCH	42 29.8 N	66 4.1 W	1127:00	260882	204.8	1809.0
6543	LYNCH	42 29.8 N	66 3.9 W	1128:00	260882	203.0	1809.1
6544	LYNCH	42 29.9 N	66 3.6 W	1130:00	260882	199.3	1809.4
6545	LYNCH	42 30.1 N	66 2.7 W	1135:00	260882	190.2	1810.0
6546	LYNCH	42 30.2 N	66 1.9 W	1140:00	260882	179.2	1810.7
6547	LYNCH	42 30.4 N	66 1.0 W	1145:00	260882	164.6	1811.4
6548	LYNCH	42 30.5 N	66 1.1 W	1150:00	260882	151.8	1812.0
6549	LYNCH	42 30.6 N	65 59.6 W	1153:00	260882	146.3	1812.4
6550	LYNCH	42 30.7 N	65 59.3 W	1155:00	260882	135.3	1812.7
6551	LYNCH	42 30.7 N	65 59.1 W	1156:00	260882	129.8	1812.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6552	LYNCH	42 30.8 N	65 58.4 W	1200:00	260882	129.8	1813.3
6553	LYNCH	42 30.9 N	65 57.9 W	1203:00	260882	129.8	1813.7
6554	LYNCH	42 30.9 N	65 57.5 W	1205:00	260882	128.0	1814.0
6555	LYNCH	42 31.0 N	65 56.7 W	1210:00	260882	120.7	1814.6
6556	LYNCH	42 31.2 N	65 55.8 W	1215:00	260882	119.2	1815.3
6557	LYNCH	42 31.2 N	65 55.3 W	1218:00	260882	109.7	1815.7
6558	LYNCH	42 31.3 N	65 54.9 W	1220:00	260882	106.1	1815.9
6559	LYNCH	42 31.4 N	65 54.1 W	1225:00	260882	100.6	1816.6
6560	LYNCH	42 31.5 N	65 53.2 W	1230:00	260882	98.7	1817.2
6561	LYNCH	42 31.6 N	65 52.3 W	1235:00	260882	93.3	1817.9
6562	LYNCH	42 31.7 N	65 51.5 W	1240:00	260882	87.8	1818.5
6563	LYNCH	42 31.8 N	65 50.6 W	1245:00	260882	84.1	1819.2
6564	LYNCH	42 31.8 N	65 49.7 W	1250:00	260882	82.3	1819.8
6565	LYNCH	42 32.0 N	65 48.0 W	1300:00	260882	82.3	1821.1
6566	LYNCH	42 32.1 N	65 47.1 W	1305:00	260882	80.5	1821.7
6567	LYNCH	42 32.2 N	65 46.3 W	1310:00	260882	82.3	1822.4
6568	LYNCH	42 32.3 N	65 45.4 W	1315:00	260882	84.1	1823.0
6569	LYNCH	42 32.5 N	65 42.8 W	1330:00	260882	84.1	1825.0
6570	LYNCH	42 32.5 N	65 41.0 W	1340:00	260882	84.1	1826.3
6571	LYNCH	42 32.5 N	65 40.1 W	1345:00	260882	85.9	1826.9
6572	LYNCH	42 32.5 N	65 39.2 W	1350:00	260882	85.9	1827.6
6573	LYNCH	42 32.5 N	65 38.3 W	1355:00	260882	87.8	1828.3
6574	LYNCH	42 32.5 N	65 37.4 W	1400:00	260882	87.8	1828.9
6575	LYNCH	42 32.5 N	65 35.7 W	1410:00	260882	87.8	1830.2
6576	LYNCH	42 32.5 N	65 34.8 W	1415:00	260882	89.6	1830.8
6577	LYNCH	42 32.5 N	65 33.9 W	1420:00	260882	89.6	1831.5
6578	LYNCH	42 32.5 N	65 33.1 W	1425:00	260882	87.8	1832.1
6579	LYNCH	42 32.5 N	65 32.2 W	1430:00	260882	89.6	1832.8
6580	LYNCH	42 32.2 N	65 32.5 W	1440:00	260882	89.6	1833.1
6581	LYNCH	42 32.1 N	65 32.7 W	1445:00	260882	91.4	1833.3
6582	LYNCH	42 31.9 N	65 32.8 W	1450:00	260882	91.4	1833.5
6583	LYNCH	42 31.8 N	65 33.0 W	1455:00	260882	89.6	1833.7
6584	LYNCH	42 31.6 N	65 33.1 W	1500:00	260882	89.6	1833.9
6585	LYNCH	42 31.5 N	65 34.4 W	1515:00	260882	89.6	1834.8
6586	LYNCH	42 31.4 N	65 35.6 W	1530:00	260882	87.8	1835.7
6587	LYNCH	42 31.4 N	65 36.9 W	1545:00	260882	85.9	1836.7
6588	LYNCH	42 31.4 N	65 38.1 W	1600:00	260882	87.8	1837.6
6589	LYNCH	42 31.4 N	65 39.4 W	1615:00	260882	87.8	1838.5
6590	LYNCH	42 31.3 N	65 40.7 W	1630:00	260882	84.1	1839.5
6591	LYNCH	42 31.4 N	65 42.7 W	1645:00	260882	84.1	1841.0
6592	LYNCH	42 31.5 N	65 44.7 W	1700:00	260882	82.3	1842.4
6593	LYNCH	42 31.6 N	65 46.7 W	1715:00	260882	82.3	1844.0
6594	LYNCH	42 31.6 N	65 48.8 W	1730:00	260882	82.3	1845.5
6595	LYNCH	42 31.7 N	65 49.6 W	1735:00	260882	84.1	1846.0
6596	LYNCH	42 31.7 N	65 50.3 W	1740:00	260882	84.1	1846.6
6597	LYNCH	42 31.8 N	65 51.1 W	1745:00	260882	85.9	1847.2
6598	LYNCH	42 31.9 N	65 51.9 W	1750:00	260882	89.6	1847.7
6599	LYNCH	42 31.9 N	65 52.6 W	1755:00	260882	93.3	1848.3
6600	LYNCH	42 32.0 N	65 53.4 W	1800:00	260882	96.9	1848.9
6601	LYNCH	42 32.1 N	65 54.2 W	1805:00	260882	102.4	1849.5
6602	LYNCH	42 32.1 N	65 55.0 W	1810:00	260882	104.2	1850.0
6603	LYNCH	42 32.2 N	65 55.7 W	1815:00	260882	107.9	1850.6
6604	LYNCH	42 32.2 N	65 56.5 W	1820:00	260882	111.5	1851.2
6605	LYNCH	42 32.3 N	65 57.3 W	1825:00	260882	117.0	1851.8
6606	LYNCH	42 32.3 N	65 58.1 W	1830:00	260882	120.7	1852.4
6607	LYNCH	42 32.4 N	65 58.9 W	1835:00	260882	124.3	1852.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
6608	LYNCH	42 32.4 N	65 59.7 W	1840:00	260882	128.0	1853.5
6609	LYNCH	42 32.4 N	66 0 0 W	1842:00	260882	128.0	1853.8
6610	LYNCH	42 32.4 N	66 1 1 W	1843:00	260882	124.3	1853.9
6611	LYNCH	42 32.4 N	66 3 3 W	1844:00	260882	124.3	1854.0
6612	LYNCH	42 32.5 N	66 4 4 W	1845:00	260882	128.0	1854.1
6613	LYNCH	42 32.5 N	66 8 8 W	1847:00	260882	131.7	1854.3
6614	LYNCH	42 32.5 N	66 1 1 W	1849:00	260882	135.3	1854.6
6615	LYNCH	42 32.5 N	66 1 2 W	1850:00	260882	137.1	1854.7
6616	LYNCH	42 32.6 N	66 2 0 W	1855:00	260882	144.5	1855.3
6617	LYNCH	42 32.6 N	66 2 8 W	1900:00	260882	148.1	1855.8
6618	LYNCH	42 32.6 N	66 3 0 W	1901:00	260882	148.1	1856.0
6619	LYNCH	42 32.6 N	66 3 1 W	1902:00	260882	149.9	1856.1
6620	LYNCH	42 32.7 N	66 3 6 W	1903:00	260882	151.8	1856.4
6621	LYNCH	42 32.8 N	66 4 4 W	1910:00	260882	155.4	1857.0
6622	LYNCH	42 32.9 N	66 5 2 W	1915:00	260882	162.7	1857.6
6623	LYNCH	42 33.0 N	66 5 7 W	1918:00	260882	164.6	1858.0
6624	LYNCH	42 33.0 N	66 6 0 W	1920:00	260882	166.4	1858.2
6625	LYNCH	42 33.1 N	66 6 8 W	1928:00	260882	171.9	1858.8
6626	LYNCH	42 33.2 N	66 7 6 W	1930:00	260882	177.4	1859.4
6627	LYNCH	42 33.3 N	66 8 4 W	1935:00	260882	181.0	1860.0
6628	LYNCH	42 33.4 N	66 9 2 W	1940:00	260882	184.7	1860.6
6629	LYNCH	42 33.5 N	66 10 0 W	1945:00	260882	188.3	1861.2
6630	LYNCH	42 33.5 N	66 10 8 W	1950:00	260882	186.5	1861.8
6631	LYNCH	42 33.6 N	66 11 4 W	1954:00	260882	186.5	1862.3
6632	LYNCH	42 33.6 N	66 11 6 W	1955:00	260882	188.3	1862.4
6633	LYNCH	42 33.7 N	66 12 4 W	2000:00	260882	186.5	1863.0
6634	LYNCH	42 33.6 N	66 13 3 W	2007:00	260882	186.5	1863.6
6635	LYNCH	42 33.6 N	66 13 4 W	2008:00	260882	188.3	1863.7
6636	LYNCH	42 33.6 N	66 13 6 W	2010:00	260882	190.2	1863.9
6637	LYNCH	42 33.5 N	66 14 3 W	2019:00	260882	195.6	1864.4
6638	LYNCH	42 33.4 N	66 14 9 W	2020:00	260882	195.6	1864.8
6639	LYNCH	42 33.4 N	66 15 2 W	2023:00	260882	197.5	1865.1
6640	LYNCH	42 33.4 N	66 15 4 W	2024:00	260882	199.3	1865.2
6641	LYNCH	42 33.4 N	66 15 5 W	2025:00	260882	195.6	1865.3
6642	LYNCH	42 33.3 N	66 16 1 W	2030:00	260882	197.5	1865.7
6643	LYNCH	42 33.3 N	66 16 2 W	2031:00	260882	199.3	1865.8
6644	LYNCH	42 33.3 N	66 16 3 W	2032:00	260882	199.3	1865.9
6645	LYNCH	42 33.3 N	66 16 5 W	2033:00	260882	201.1	1866.0
6646	LYNCH	42 33.3 N	66 16 7 W	2035:00	260882	199.3	1866.2
6647	LYNCH	42 33.2 N	66 17 3 W	2040:00	260882	197.5	1866.7
6648	LYNCH	42 33.2 N	66 17 7 W	2043:00	260882	197.5	1866.9
6649	LYNCH	42 33.2 N	66 18 0 W	2045:00	260882	199.3	1867.1
6650	LYNCH	42 33.1 N	66 18 4 W	2049:00	260882	197.5	1867.5
6651	LYNCH	42 33.1 N	66 18 6 W	2050:00	260882	197.5	1867.6
6652	LYNCH	42 33.1 N	66 19 1 W	2054:00	260882	195.6	1867.9
6653	LYNCH	42 33.1 N	66 19 2 W	2055:00	260882	195.6	1868.0
6654	LYNCH	42 33.0 N	66 19 4 W	2057:00	260882	197.5	1868.2
6655	LYNCH	42 33.0 N	66 19 6 W	2058:00	260882	195.6	1868.3
6656	LYNCH	42 33.0 N	66 19 8 W	2100:00	260882	197.5	1868.5
6657	LYNCH	42 32.9 N	66 20 4 W	2105:00	260882	199.3	1869.0
6658	LYNCH	42 32.9 N	66 20 8 W	2108:00	260882	199.3	1869.2
6659	LYNCH	42 32.9 N	66 20 9 W	2109:00	260882	201.1	1869.3
6660	LYNCH	42 32.8 N	66 21 4 W	2113:00	260882	201.1	1869.7
6661	LYNCH	42 32.8 N	66 21 7 W	2115:00	260882	203.0	1869.9
6662	LYNCH	42 32.7 N	66 22 9 W	2125:00	260882	203.0	1870.8
6663	LYNCH	42 32.6 N	66 23 5 W	2130:00	260882	206.6	1871.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6664	LYNCH	42 32.6 N	66 23.6 W	2131:00	260882	208.4	1871.3
6665	LYNCH	42 32.6 N	66 23.9 W	2133:00	260882	206.6	1871.5
6666	LYNCH	42 32.6 N	66 24.0 W	2134:00	260882	210.3	1871.6
6667	LYNCH	42 32.6 N	66 24.1 W	2135:00	260882	208.4	1871.7
6668	LYNCH	42 32.5 N	66 24.7 W	2140:00	260882	210.3	1872.2
6669	LYNCH	42 32.5 N	66 25.4 W	2145:00	260882	213.9	1872.6
6670	LYNCH	42 32.4 N	66 26.0 W	2150:00	260882	213.9	1873.1
6671	LYNCH	42 32.4 N	66 26.5 W	2155:00	260882	217.6	1873.5
6672	LYNCH	42 32.3 N	66 27.2 W	2200:00	260882	221.2	1874.0
6673	LYNCH	42 32.2 N	66 27.7 W	2205:00	260882	224.9	1874.4
6674	LYNCH	42 32.1 N	66 28.3 W	2210:00	260882	230.4	1874.8
6675	LYNCH	42 32.1 N	66 28.5 W	2212:00	260882	232.2	1875.0
6676	LYNCH	42 32.1 N	66 28.8 W	2215:00	260882	234.0	1875.2
6677	LYNCH	42 32.0 N	66 29.3 W	2220:00	260882	235.9	1875.6
6678	LYNCH	42 31.9 N	66 29.9 W	2225:00	260882	239.5	1876.0
6679	LYNCH	42 31.8 N	66 30.4 W	2230:00	260882	241.4	1876.4
6680	LYNCH	42 31.5 N	66 29.8 W	2235:00	260882	245.0	1876.9
6681	LYNCH	42 31.2 N	66 29.2 W	2240:00	260882	246.8	1877.4
6682	LYNCH	42 31.0 N	66 28.6 W	2243:00	260882	245.0	1877.8
6683	LYNCH	42 30.9 N	66 28.6 W	2245:00	260882	245.0	1878.0
6684	LYNCH	42 30.7 N	66 28.3 W	2248:00	260882	245.0	1878.3
6685	LYNCH	42 30.6 N	66 28.1 W	2250:00	260882	243.2	1878.5
6686	LYNCH	42 30.5 N	66 27.8 W	2252:00	260882	241.4	1878.7
6687	LYNCH	42 30.4 N	66 27.7 W	2253:00	260882	241.4	1878.8
6688	LYNCH	42 30.2 N	66 27.4 W	2256:00	260882	243.2	1879.1
6689	LYNCH	42 30.0 N	66 26.9 W	2300:00	260882	243.2	1879.5
6690	LYNCH	42 29.7 N	66 26.3 W	2305:00	260882	243.2	1880.1
6691	LYNCH	42 29.4 N	66 25.6 W	2310:00	260882	245.0	1880.7
6692	LYNCH	42 29.1 N	66 25.0 W	2315:00	260882	248.7	1881.2
6693	LYNCH	42 28.8 N	66 24.4 W	2320:00	260882	248.7	1881.8
6694	LYNCH	42 28.6 N	66 24.0 W	2323:00	260882	246.8	1882.1
6695	LYNCH	42 28.5 N	66 23.7 W	2325:00	260882	245.0	1882.3
6696	LYNCH	42 28.4 N	66 23.6 W	2326:00	260882	246.8	1882.4
6697	LYNCH	42 28.4 N	66 23.5 W	2327:00	260882	245.0	1882.5
6698	LYNCH	42 28.2 N	66 23.1 W	2330:00	260882	243.2	1882.9
6699	LYNCH	42 27.9 N	66 22.5 W	2335:00	260882	246.8	1883.4
6700	LYNCH	42 28.1 N	66 22.9 W	2332:00	260882	245.0	1883.1
6701	LYNCH	42 27.9 N	66 23.0 W	2331:00	260882	243.2	1883.0
6702	LYNCH	42 27.5 N	66 21.9 W	2340:00	260882	245.0	1884.0
6703	LYNCH	42 27.2 N	66 21.3 W	2345:00	260882	243.2	1884.5
6704	LYNCH	42 27.0 N	66 20.9 W	2348:00	260882	245.0	1884.9
6705	LYNCH	42 26.7 N	66 20.3 W	2353:00	260882	245.0	1885.4
6706	LYNCH	42 26.6 N	66 20.2 W	2354:00	260882	243.2	1885.5
6707	LYNCH	42 26.5 N	66 20.1 W	2355:00	260882	245.0	1885.6
6708	LYNCH	42 26.5 N	66 20.0 W	2356:00	260882	241.4	1885.8
6709	LYNCH	42 26.4 N	66 19.9 W	2357:00	260882	243.2	1885.9
6710	LYNCH	42 26.2 N	66 19.5 W	0000:00	270882	241.4	1886.2
6711	LYNCH	42 25.8 N	66 18.5 W	0007:00	270882	241.4	1887.0
6712	LYNCH	42 25.7 N	66 18.4 W	0008:00	270882	239.5	1887.2
6713	LYNCH	42 25.6 N	66 18.3 W	0009:00	270882	241.4	1887.3
6714	LYNCH	42 25.6 N	66 18.1 W	0010:00	270882	241.4	1887.4
6715	LYNCH	42 25.4 N	66 17.7 W	0013:00	270882	237.7	1887.7
6716	LYNCH	42 25.3 N	66 17.6 W	0014:00	270882	239.5	1887.9
6717	LYNCH	42 25.3 N	66 17.4 W	0015:00	270882	239.5	1888.0
6718	LYNCH	42 25.2 N	66 17.3 W	0016:00	270882	237.7	1888.1
6719	LYNCH	42 25.1 N	67 35.0 W	0020:00	260882	239.5	1947.0

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
6720	LYNCH	42 38.9 N	67 34.9 W	0022:00	260882	237.7	1947.2
6721	LYNCH	42 38.7 N	67 34.8 W	0023:00	260882	239.5	1947.5
6722	LYNCH	42 38.2 N	67 34.6 W	0030:00	260882	237.7	1948.0
6723	LYNCH	42 37.2 N	67 34.0 W	0040:00	260882	235.9	1949.1
6724	LYNCH	42 36.4 N	67 33.5 W	0048:00	260882	235.9	1949.9
6725	LYNCH	42 36.2 N	67 33.4 W	0050:00	260882	237.7	1950.1
6726	LYNCH	42 36.1 N	67 33.3 W	0051:00	260882	239.5	1950.3
6727	LYNCH	42 35.7 N	67 33.1 W	0055:00	260882	237.7	1950.7
6728	LYNCH	42 35.2 N	67 32.8 W	0100:00	260882	239.5	1951.2
6729	LYNCH	42 34.7 N	67 32.5 W	0103:00	260882	241.4	1951.8
6730	LYNCH	42 34.2 N	67 32.1 W	0110:00	260882	241.4	1952.4
6731	LYNCH	42 34.1 N	67 32.1 W	0111:00	260882	239.5	1952.5
6732	LYNCH	42 33.7 N	67 31.8 W	0115:00	260882	239.5	1952.9
6733	LYNCH	42 33.3 N	67 31.5 W	0119:00	260882	241.4	1953.4
6734	LYNCH	42 33.2 N	67 31.5 W	0120:00	260882	243.2	1953.5
6735	LYNCH	42 32.9 N	67 31.3 W	0123:00	260882	245.0	1953.8
6736	LYNCH	42 32.8 N	67 31.2 W	0124:00	260882	243.2	1953.9
6737	LYNCH	42 32.7 N	67 31.1 W	0125:00	260882	246.8	1954.0
6738	LYNCH	42 32.5 N	67 31.0 W	0127:00	260882	248.7	1954.4
6739	LYNCH	42 32.4 N	67 30.9 W	0128:00	260882	248.7	1954.5
6740	LYNCH	42 32.2 N	67 30.8 W	0130:00	260882	246.8	1954.6
6741	LYNCH	42 32.3 N	67 30.7 W	0131:00	260882	248.7	1954.7
6742	LYNCH	42 32.1 N	67 30.7 W	0132:00	260882	250.5	1954.8
6743	LYNCH	42 31.9 N	67 30.6 W	0133:00	260882	250.5	1954.9
6744	LYNCH	42 31.8 N	67 30.5 W	0134:00	260882	248.7	1955.1
6745	LYNCH	42 31.7 N	67 30.4 W	0135:00	260882	250.5	1955.2
6746	LYNCH	42 31.6 N	67 30.4 W	0136:00	260882	239.5	1955.3
6747	LYNCH	42 31.1 N	66 6.9 W	0137:00	270882	256.0	2018.1
6748	LYNCH	42 19.1 N	66 6.8 W	0138:00	270882	252.3	2018.3
6749	LYNCH	42 19.0 N	66 6.8 W	0139:00	270882	256.0	2018.4
6750	LYNCH	42 18.9 N	66 6.5 W	0140:00	270882	256.0	2018.5
6751	LYNCH	42 18.8 N	66 6.3 W	0141:00	270882	254.2	2018.7
6752	LYNCH	42 18.7 N	66 6.2 W	0142:00	270882	256.0	2018.8
6753	LYNCH	42 18.7 N	66 6.0 W	0143:00	270882	257.8	2018.9
6754	LYNCH	42 18.6 N	66 5.9 W	0144:00	270882	259.6	2019.1
6755	LYNCH	42 18.5 N	66 5.7 W	0145:00	270882	259.6	2019.2
6756	LYNCH	42 18.4 N	66 5.6 W	0146:00	270882	257.8	2019.3
6757	LYNCH	42 18.3 N	66 5.4 W	0147:00	270882	259.6	2019.5
6758	LYNCH	42 18.3 N	66 5.3 W	0148:00	270882	256.0	2019.6
6759	LYNCH	42 18.0 N	66 4.8 W	0151:00	270882	256.0	2020.0
6760	LYNCH	42 17.9 N	66 4.7 W	0152:00	270882	254.2	2020.2
6761	LYNCH	42 17.8 N	66 4.4 W	0154:00	270882	254.2	2020.4
6762	LYNCH	42 17.7 N	66 4.2 W	0155:00	270882	252.3	2020.6
6763	LYNCH	42 17.5 N	66 3.9 W	0157:00	270882	252.3	2020.8
6764	LYNCH	42 17.5 N	66 3.8 W	0158:00	270882	250.5	2021.0
6765	LYNCH	42 17.3 N	66 3.5 W	0200:00	270882	248.7	2021.3
6766	LYNCH	42 16.9 N	66 2.8 W	0205:00	270882	245.0	2021.9
6767	LYNCH	42 16.5 N	66 2.1 W	0210:00	270882	241.4	2022.6
6768	LYNCH	42 16.1 N	66 1.4 W	0215:00	270882	237.7	2023.2
6769	LYNCH	42 15.6 N	66 8 W	0220:00	270882	234.0	2023.9
6770	LYNCH	42 15.2 N	66 1 W	0225:00	270882	232.2	2024.5
6771	LYNCH	42 14.8 N	65 59.4 W	0230:00	270882	228.6	2025.2
6772	LYNCH	42 14.4 N	65 58.8 W	0235:00	270882	224.9	2025.8
6773	LYNCH	42 14.0 N	65 58.3 W	0240:00	270882	221.2	2026.3
6774	LYNCH	42 13.6 N	65 57.7 W	0245:00	270882	219.4	2026.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6776	LYNCH	42 12.4 N	65 56.1 W	0300:00	270882	219.4	2028.6
6777	LYNCH	42 12.0 N	65 55.5 W	0305:00	270882	221.2	2029.2
6778	LYNCH	42 11.9 N	65 55.3 W	0307:00	270882	221.2	2029.4
6779	LYNCH	42 11.8 N	65 55.2 W	0308:00	270882	224.9	2029.5
6780	LYNCH	42 11.7 N	65 55.0 W	0310:00	270882	224.9	2029.7
6781	LYNCH	42 11.3 N	65 54.4 W	0315:00	270882	228.6	2030.3
6782	LYNCH	42 10.9 N	65 53.8 W	0320:00	270882	232.2	2030.8
6783	LYNCH	42 10.8 N	65 53.6 W	0322:00	270882	232.2	2031.1
6784	LYNCH	42 10.6 N	65 53.3 W	0325:00	270882	234.0	2031.4
6785	LYNCH	42 10.3 N	65 52.9 W	0328:00	270882	235.9	2031.7
6786	LYNCH	42 10.2 N	65 52.7 W	0330:00	270882	237.7	2032.0
6787	LYNCH	42 9.5 N	65 51.7 W	0340:00	270882	237.7	2033.0
6788	LYNCH	42 9.4 N	65 51.6 W	0341:00	270882	239.5	2033.1
6789	LYNCH	42 9.4 N	65 51.5 W	0342:00	270882	239.5	2033.2
6790	LYNCH	42 9.3 N	65 51.4 W	0343:00	270882	243.2	2033.3
6791	LYNCH	42 9.2 N	65 51.3 W	0344:00	270882	241.4	2033.4
6792	LYNCH	42 9.2 N	65 51.2 W	0345:00	270882	239.5	2033.5
6793	LYNCH	42 8.9 N	65 50.9 W	0348:00	270882	239.5	2033.8
6794	LYNCH	42 8.8 N	65 50.7 W	0350:00	270882	241.4	2034.0
6795	LYNCH	42 8.2 N	65 49.8 W	0359:00	270882	241.4	2034.9
6796	LYNCH	42 8.1 N	65 49.7 W	0400:00	270882	243.2	2035.0
6797	LYNCH	42 7.8 N	65 49.3 W	0404:00	270882	243.2	2035.4
6798	LYNCH	42 7.8 N	65 49.2 W	0405:00	270882	241.4	2035.5
6799	LYNCH	42 7.4 N	65 48.6 W	0411:00	270882	241.4	2036.1
6800	LYNCH	42 7.3 N	65 48.5 W	0412:00	270882	243.2	2036.2
6801	LYNCH	42 7.3 N	65 48.4 W	0413:00	270882	241.4	2036.3
6802	LYNCH	42 7.0 N	65 48.1 W	0417:00	270882	241.4	2036.6
6803	LYNCH	42 7.0 N	65 48.0 W	0418:00	270882	243.2	2036.7
6804	LYNCH	42 6.9 N	65 47.9 W	0419:00	270882	241.4	2036.8
6805	LYNCH	42 6.5 N	65 47.3 W	0425:00	270882	241.4	2037.4
6806	LYNCH	42 6.2 N	65 46.8 W	0430:00	270882	243.2	2037.9
6807	LYNCH	42 6.2 N	65 46.7 W	0431:00	270882	241.4	2038.0
6808	LYNCH	42 6.1 N	65 46.6 W	0432:00	270882	243.2	2038.1
6809	LYNCH	42 6.0 N	65 46.4 W	0434:00	270882	243.2	2038.2
6810	LYNCH	42 6.0 N	65 46.3 W	0435:00	270882	241.4	2038.3
6811	LYNCH	42 5.8 N	65 45.9 W	0440:00	270882	241.4	2038.7
6812	LYNCH	42 5.7 N	65 45.6 W	0443:00	270882	243.2	2039.0
6813	LYNCH	42 5.6 N	65 45.5 W	0444:00	270882	241.4	2039.0
6814	LYNCH	42 5.6 N	65 45.4 W	0445:00	270882	241.4	2039.1
6815	LYNCH	42 5.5 N	65 45.1 W	0448:00	270882	239.5	2039.4
6816	LYNCH	42 5.2 N	65 44.6 W	0453:00	270882	239.5	2039.8
6817	LYNCH	42 5.2 N	65 44.5 W	0454:00	270882	237.7	2039.8
6818	LYNCH	42 5.2 N	65 44.4 W	0455:00	270882	239.5	2039.9
6819	LYNCH	42 5.0 N	65 44.0 W	0500:00	270882	237.7	2040.3
6820	LYNCH	42 4.9 N	65 43.9 W	0501:00	270882	235.9	2040.4
6821	LYNCH	42 4.7 N	65 43.5 W	0505:00	270882	237.7	2040.7
6822	LYNCH	42 4.5 N	65 42.9 W	0510:00	270882	235.9	2041.2
6823	LYNCH	42 4.3 N	65 42.3 W	0515:00	270882	237.7	2041.7
6824	LYNCH	42 4.2 N	65 42.2 W	0516:00	270882	237.7	2041.9
6825	LYNCH	42 4.2 N	65 42.1 W	0517:00	270882	234.0	2042.0
6826	LYNCH	42 3.9 N	65 41.3 W	0523:00	270882	234.0	2042.6
6827	LYNCH	42 3.8 N	65 41.1 W	0525:00	270882	237.7	2042.8
6828	LYNCH	42 3.7 N	65 41.0 W	0526:00	270882	234.0	2042.9
6829	LYNCH	42 3.7 N	65 40.9 W	0527:00	270882	235.9	2043.0
6830	LYNCH	42 3.6 N	65 40.6 W	0529:00	270882	237.7	2043.2
6831	LYNCH	42 3.5 N	65 40.5 W	0530:00	270882	235.9	2043.3

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6832	LYNCH	42 3 4 N	65 40 3 W	0532:00	270882	235.9	2043.5
6833	LYNCH	42 3 4 N	65 40 2 W	0533:00	270882	237.7	2043.6
6834	LYNCH	42 3 3 N	65 40 1 W	0534:00	270882	239.5	2043.6
6835	LYNCH	42 3 3 N	65 40 0 W	0535:00	270882	237.7	2043.7
6836	LYNCH	42 3 2 N	65 39 9 W	0536:00	270882	237.7	2043.8
6837	LYNCH	42 3 2 N	65 39 8 W	0537:00	270882	239.5	2043.9
6838	LYNCH	42 3 1 N	65 39 7 W	0538:00	270882	243.2	2044.0
6839	LYNCH	42 3 1 N	65 39 6 W	0539:00	270882	245.0	2044.1
6840	LYNCH	42 3 0 N	65 39 5 W	0540:00	270882	243.2	2044.2
6841	LYNCH	42 3 0 N	65 39 4 W	0541:00	270882	241.4	2044.3
6842	LYNCH	42 2 9 N	65 39 3 W	0542:00	270882	235.9	2044.3
6843	LYNCH	42 2 9 N	65 39 2 W	0543:00	270882	232.2	2044.4
6844	LYNCH	42 2 8 N	65 39 1 W	0544:00	270882	228.6	2044.5
6845	LYNCH	42 2 8 N	65 39 0 W	0545:00	270882	223.1	2044.6
6846	LYNCH	42 2 8 N	65 38 9 W	0546:00	270882	221.2	2044.7
6847	LYNCH	42 2 7 N	65 38 8 W	0547:00	270882	213.9	2044.8
6848	LYNCH	42 2 7 N	65 38 7 W	0548:00	270882	210.3	2044.9
6849	LYNCH	42 2 6 N	65 38 6 W	0549:00	270882	212.1	2045.0
6850	LYNCH	42 2 6 N	65 38 5 W	0550:00	270882	215.8	2045.0
6851	LYNCH	42 2 5 N	65 38 4 W	0551:00	270882	213.9	2045.1
6852	LYNCH	42 2 5 N	65 38 3 W	0552:00	270882	213.9	2045.2
6853	LYNCH	42 2 4 N	65 38 2 W	0553:00	270882	237.7	2045.3
6854	LYNCH	42 2 4 N	65 38 1 W	0554:00	270882	241.4	2045.4
6855	LYNCH	42 2 3 N	65 38 0 W	0555:00	270882	248.7	2045.5
6856	LYNCH	42 2 3 N	65 37 9 W	0556:00	270882	257.8	2045.6
6857	LYNCH	42 2 2 N	65 37 8 W	0557:00	270882	267.0	2045.7
6858	LYNCH	42 2 2 N	65 37 7 W	0558:00	270882	276.1	2045.7
6859	LYNCH	42 2 1 N	65 37 6 W	0559:00	270882	279.8	2045.8
6860	LYNCH	42 2 1 N	65 37 5 W	0600:00	270882	287.1	2045.9
6861	LYNCH	42 2 1 N	65 37 4 W	0601:00	270882	305.4	2046.0
6862	LYNCH	42 2 0 N	65 37 3 W	0602:00	270882	320.0	2046.1
6863	LYNCH	42 2 0 N	65 37 1 W	0603:00	270882	327.3	2046.2
6864	LYNCH	42 1 9 N	65 37 0 W	0604:00	270882	338.3	2046.3
6865	LYNCH	42 1 9 N	65 36 9 W	0605:00	270882	341.9	2046.4
6866	LYNCH	42 1 8 N	65 36 8 W	0606:00	270882	369.4	2046.5
6867	LYNCH	42 1 8 N	65 36 7 W	0607:00	270882	395.0	2046.6
6868	LYNCH	42 1 7 N	65 36 5 W	0608:00	270882	407.8	2046.7
6869	LYNCH	42 1 7 N	65 36 4 W	0609:00	270882	420.6	2046.8
6870	LYNCH	42 1 7 N	65 36 3 W	0610:00	270882	438.8	2046.9
6871	LYNCH	42 1 6 N	65 36 2 W	0611:00	270882	466.3	2047.0
6872	LYNCH	42 1 6 N	65 36 1 W	0612:00	270882	491.9	2047.1
6873	LYNCH	42 1 5 N	65 35 9 W	0613:00	270882	523.0	2047.2
6874	LYNCH	42 1 5 N	65 35 8 W	0614:00	270882	557.7	2047.3
6875	LYNCH	42 1 4 N	65 35 7 W	0615:00	270882	588.8	2047.4
6876	LYNCH	42 1 4 N	65 35 6 W	0616:00	270882	618.0	2047.5
6877	LYNCH	42 1 3 N	65 35 5 W	0617:00	270882	652.8	2047.6
6878	LYNCH	42 1 3 N	65 35 3 W	0618:00	270882	665.6	2047.7
6879	LYNCH	42 1 2 N	65 35 2 W	0619:00	270882	674.7	2047.8
6880	LYNCH	42 1 2 N	65 35 1 W	0620:00	270882	691.2	2047.9
6881	LYNCH	42 1 2 N	65 35 0 W	0621:00	270882	705.8	2048.0
6882	LYNCH	42 1 3 N	65 34 9 W	0622:00	270882	724.1	2048.1
6883	LYNCH	42 1 3 N	65 34 9 W	0623:00	270882	740.5	2048.1
6884	LYNCH	42 1 3 N	65 34 8 W	0624:00	270882	768.0	2048.2
6885	LYNCH	42 1 4 N	65 34 7 W	0625:00	270882	797.2	2048.3
6886	LYNCH	42 1 4 N	65 34 6 W	0626:00	270882	800.9	2048.3
6887	LYNCH	42 1 4 N	65 34 5 W	0627:00	270882	778.9	2048.4

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
6883	LYNCH	42 1 4 N	65 34 5 W	0628:00	270882	758.8	2048.5
6889	LYNCH	42 1 5 N	65 34 4 W	0629:00	270882	744.2	2048.5
6890	LYNCH	42 1 5 N	65 34 3 W	0630:00	270882	736.9	2048.6
6891	LYNCH	42 1 6 N	65 34 3 W	0631:00	270882	731.4	2048.7
6892	LYNCH	42 1 7 N	65 34 3 W	0632:00	270882	729.6	2048.8
6893	LYNCH	42 1 8 N	65 34 3 W	0633:00	270882	713.1	2048.9
6894	LYNCH	42 1 9 N	65 34 3 W	0634:00	270882	702.1	2049.0
6895	LYNCH	42 2 0 N	65 34 3 W	0635:00	270882	714.9	2049.1
6896	LYNCH	42 2 1 N	65 34 3 W	0636:00	270882	731.4	2049.1
6897	LYNCH	42 2 2 N	65 34 3 W	0637:00	270882	709.5	2049.2
6898	LYNCH	42 2 2 N	65 34 2 W	0638:00	270882	694.8	2049.3
6899	LYNCH	42 2 3 N	65 34 2 W	0639:00	270882	698.5	2049.4
6900	LYNCH	42 2 4 N	65 34 2 W	0640:00	270882	691.2	2049.5
6901	LYNCH	42 2 5 N	65 34 2 W	0641:00	270882	687.5	2049.6
6902	LYNCH	42 2 6 N	65 34 2 W	0642:00	270882	680.2	2049.7
6903	LYNCH	42 2 7 N	65 34 2 W	0643:00	270882	636.3	2049.8
6904	LYNCH	42 2 8 N	65 34 2 W	0644:00	270882	592.4	2049.9
6905	LYNCH	42 2 9 N	65 34 2 W	0645:00	270882	594.0	2050.0
6906	LYNCH	42 3 0 N	65 34 2 W	0646:00	270882	512.0	2050.1
6907	LYNCH	42 3 1 N	65 34 2 W	0647:00	270882	499.2	2050.2
6908	LYNCH	42 3 2 N	65 34 2 W	0648:00	270882	506.5	2050.3
6909	LYNCH	42 3 3 N	65 34 1 W	0649:00	270882	521.1	2050.4
6910	LYNCH	42 3 4 N	65 34 1 W	0650:00	270882	548.6	2050.5
6911	LYNCH	42 3 5 N	65 34 1 W	0651:00	270882	594.3	2050.5
6912	LYNCH	42 3 6 N	65 34 1 W	0652:00	270882	640.0	2050.6
6913	LYNCH	42 3 6 N	65 34 1 W	0653:00	270882	682.0	2050.7
6914	LYNCH	42 3 7 N	65 34 1 W	0654:00	270882	698.5	2050.8
6915	LYNCH	42 3 8 N	65 34 1 W	0655:00	270882	718.6	2050.9
6916	LYNCH	42 3 9 N	65 34 1 W	0656:00	270882	727.7	2051.0
6917	LYNCH	42 4 0 N	65 34 0 W	0657:00	270882	714.8	2051.1
6918	LYNCH	42 4 1 N	65 34 0 W	0658:00	270882	714.9	2051.2
6919	LYNCH	42 4 2 N	65 34 0 W	0659:00	270882	722.3	2051.3
6920	LYNCH	42 5 3 N	65 33 8 W	0710:00	270882	650.9	2052.4
6921	LYNCH	42 5 3 N	65 33 7 W	0711:00	270882	650.9	2052.5
6922	LYNCH	42 5 4 N	65 33 7 W	0712:00	270882	612.5	2052.6
6923	LYNCH	42 5 5 N	65 33 7 W	0713:00	270882	576.0	2052.6
6924	LYNCH	42 5 6 N	65 33 6 W	0714:00	270882	543.1	2052.7
6925	LYNCH	42 5 7 N	65 33 7 W	0715:00	270882	512.0	2052.8
6926	LYNCH	42 5 8 N	65 33 6 W	0716:00	270882	457.1	2052.9
6927	LYNCH	42 5 9 N	65 33 6 W	0717:00	270882	431.5	2053.0
6928	LYNCH	42 6 0 N	65 33 6 W	0718:00	270882	415.1	2053.1
6929	LYNCH	42 6 1 N	65 33 6 W	0719:00	270882	400.4	2053.2
6930	LYNCH	42 6 2 N	65 33 5 W	0720:00	270882	387.6	2053.3
6931	LYNCH	42 6 3 N	65 33 5 W	0721:00	270882	385.8	2053.4
6932	LYNCH	42 6 4 N	65 33 5 W	0722:00	270882	385.8	2053.5
6933	LYNCH	42 6 5 N	65 33 5 W	0723:00	270882	384.0	2053.6
6934	LYNCH	42 6 6 N	65 33 4 W	0724:00	270882	384.0	2053.7
6935	LYNCH	42 6 7 N	65 33 4 W	0725:00	270882	374.8	2053.8
6936	LYNCH	42 6 8 N	65 33 4 W	0726:00	270882	367.5	2053.9
6937	LYNCH	42 6 9 N	65 33 4 W	0727:00	270882	349.2	2054.0
6938	LYNCH	42 7 0 N	65 33 3 W	0728:00	270882	351.1	2054.1
6939	LYNCH	42 7 1 N	65 33 3 W	0729:00	270882	345.6	2054.2
6940	LYNCH	42 7 2 N	65 33 3 W	0730:00	270882	341.9	2054.3
6941	LYNCH	42 7 2 N	65 33 3 W	0731:00	270882	338.3	2054.4
6942	LYNCH	42 7 3 N	65 33 3 W	0732:00	270882	336.4	2054.5
6943	LYNCH	42 7 4 N	65 33 2 W	0733:00	270882	327.3	2054.6

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM1) ALONG TRACK
6944	LYNCH	42 7 5 N	65 33.2 W	0734:00	270882	316.3	2054.7
6945	LYNCH	42 7 6 N	65 33.2 W	0735:00	270882	290.7	2054.8
6946	LYNCH	42 7 7 N	65 33.2 W	0736:00	270882	268.8	2054.9
6947	LYNCH	42 7 8 N	65 33.1 W	0737:00	270882	248.7	2055.0
6948	LYNCH	42 7 9 N	65 33.1 W	0738:00	270882	201.1	2055.1
6949	LYNCH	42 8 0 N	65 33.1 W	0739:00	270882	168.2	2055.2
6950	LYNCH	42 8 1 N	65 33.1 W	0740:00	270882	153.6	2055.3
6951	LYNCH	42 8 3 N	65 33.0 W	0742:00	270882	149.9	2055.4
6952	LYNCH	42 8 4 N	65 33.0 W	0743:00	270882	148.1	2055.5
6953	LYNCH	42 8 6 N	65 33.0 W	0745:00	270882	140.8	2055.7
6954	LYNCH	42 8 7 N	65 32.9 W	0746:00	270882	137.1	2055.8
6955	LYNCH	42 9 1 N	65 32.8 W	0750:00	270882	128.0	2056.2
6956	LYNCH	42 9 3 N	65 32.8 W	0753:00	270882	124.3	2056.5
6957	LYNCH	42 9 5 N	65 32.7 W	0755:00	270882	120.7	2056.7
6958	LYNCH	42 9 6 N	65 32.7 W	0756:00	270882	118.9	2056.8
6959	LYNCH	42 10 0 N	65 32.6 W	0800:00	270882	117.0	2057.2
6960	LYNCH	42 10 1 N	65 32.6 W	0801:00	270882	117.0	2057.3
6961	LYNCH	42 10 4 N	65 32.4 W	0805:00	270882	115.2	2057.6
6962	LYNCH	42 10 9 N	65 32.2 W	0810:00	270882	113.4	2058.1
6963	LYNCH	42 11 3 N	65 32.1 W	0815:00	270882	113.4	2058.6
6964	LYNCH	42 11 7 N	65 31.9 W	0820:00	270882	111.5	2059.0
6965	LYNCH	42 12 6 N	65 31.5 W	0830:00	270882	111.5	2059.9
6966	LYNCH	42 13 4 N	65 31.2 W	0840:00	270882	109.7	2060.7
6967	LYNCH	42 13 8 N	65 31.0 W	0845:00	270882	107.9	2061.1
6968	LYNCH	42 14 9 N	65 30.5 W	0900:00	270882	107.9	2062.3
6969	LYNCH	42 16 2 N	65 29.9 W	0915:00	270882	106.1	2063.7
6970	LYNCH	42 16 6 N	65 29.7 W	0920:00	270882	104.2	2064.2
6971	LYNCH	42 17 5 N	65 29.3 W	0930:00	270882	104.2	2065.1
6972	LYNCH	42 18 7 N	65 29.1 W	0945:00	270882	102.4	2066.2
6973	LYNCH	42 19 8 N	65 28.8 W	1000:00	270882	102.4	2067.4
6974	LYNCH	42 21 0 N	65 28.6 W	1015:00	270882	100.6	2068.6
6975	LYNCH	42 22 1 N	65 28.3 W	1030:00	270882	100.6	2069.7
6976	LYNCH	42 23 0 N	65 28.3 W	1045:00	270882	96.9	2070.7
6977	LYNCH	42 23 3 N	65 29.0 W	1050:00	270882	95.1	2071.0
6978	LYNCH	42 23 4 N	65 29.0 W	1051:00	270882	95.1	2071.1
6979	LYNCH	42 23 5 N	65 29.1 W	1054:00	270882	93.3	2071.3
6980	LYNCH	42 23 6 N	65 29.1 W	1055:00	270882	93.3	2071.4
6981	LYNCH	42 23 9 N	65 29.3 W	1100:00	270882	91.4	2071.7
6982	LYNCH	42 24 7 N	65 29.8 W	1115:00	270882	91.4	2072.6
6983	LYNCH	42 25 5 N	65 30.3 W	1130:00	270882	93.3	2073.4
6984	LYNCH	42 26 3 N	65 30.8 W	1145:00	270882	95.1	2074.3
6985	LYNCH	42 27 1 N	65 31.3 W	1200:00	270882	93.3	2075.2
6986	LYNCH	42 28 1 N	65 32.0 W	1215:00	270882	93.3	2076.3
6987	LYNCH	42 29 1 N	65 32.8 W	1230:00	270882	91.4	2077.4
6988	LYNCH	42 31 0 N	65 34.3 W	1300:00	270882	89.6	2079.7
6989	LYNCH	42 32 0 N	65 35.0 W	1315:00	270882	89.6	2080.8
6990	LYNCH	42 33 0 N	65 35.7 W	1330:00	270882	85.9	2081.9
6991	LYNCH	42 33 9 N	65 36.5 W	1345:00	270882	85.9	2083.0
6992	LYNCH	42 34 9 N	65 37.2 W	1400:00	270882	85.9	2084.1
6993	LYNCH	42 33 9 N	65 36.1 W	1415:00	270882	85.9	2085.4
6994	LYNCH	42 32 9 N	65 35.1 W	1430:00	270882	87.8	2086.7
6995	LYNCH	42 31 3 N	65 33.8 W	1445:00	270882	89.6	2088.6
6996	LYNCH	42 29 6 N	65 32.5 W	1500:00	270882	91.4	2090.5
6997	LYNCH	42 27 9 N	65 31.4 W	1515:00	270882	93.3	2092.3
6998	LYNCH	42 26 8 N	65 30.7 W	1525:00	270882	93.3	2093.6
6999	LYNCH	42 26 7 N	65 30.7 W	1526:00	270882	95.1	2093.7

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
7000	LYNCH	42 26.2 N	65 30.4 W	1530:00	270882	95.1	2094.2
7001	LYNCH	42 25.6 N	65 30.0 W	1535:00	270882	95.1	2094.9
7002	LYNCH	42 25.0 N	65 30.0 W	1540:00	270882	93.3	2095.4
7003	LYNCH	42 24.6 N	65 30.5 W	1545:00	270882	91.4	2096.0
7004	LYNCH	42 24.2 N	65 31.0 W	1550:00	270882	89.6	2096.5
7005	LYNCH	42 23.8 N	65 31.5 W	1555:00	270882	89.6	2097.1
7006	LYNCH	42 23.4 N	65 32.0 W	1600:00	270882	87.8	2097.6
7007	LYNCH	42 22.3 N	65 34.0 W	1615:00	270882	91.4	2099.5
7008	LYNCH	42 21.9 N	65 34.6 W	1620:00	270882	93.3	2100.1
7009	LYNCH	42 21.5 N	65 35.3 W	1625:00	270882	93.3	2100.7
7010	LYNCH	42 21.1 N	65 35.9 W	1630:00	270882	95.1	2101.3
7011	LYNCH	42 20.8 N	65 36.7 W	1635:00	270882	96.9	2102.0
7012	LYNCH	42 20.7 N	65 36.9 W	1636:00	270882	95.1	2102.1
7013	LYNCH	42 20.6 N	65 37.2 W	1638:00	270882	95.1	2102.4
7014	LYNCH	42 20.5 N	65 37.5 W	1640:00	270882	96.9	2102.7
7015	LYNCH	42 20.2 N	65 38.3 W	1645:00	270882	96.9	2103.3
7016	LYNCH	42 19.8 N	65 39.1 W	1650:00	270882	98.7	2104.0
7017	LYNCH	42 19.7 N	65 39.4 W	1652:00	270882	98.7	2104.3
7018	LYNCH	42 19.5 N	65 39.9 W	1655:00	270882	100.6	2104.7
7019	LYNCH	42 19.5 N	65 40.1 W	1656:00	270882	100.6	2104.8
7020	LYNCH	42 19.4 N	65 40.2 W	1657:00	270882	98.7	2105.0
7021	LYNCH	42 19.3 N	65 40.4 W	1658:00	270882	100.6	2105.1
7022	LYNCH	42 19.3 N	65 40.5 W	1659:00	270882	100.6	2105.2
7023	LYNCH	42 19.2 N	65 40.7 W	1700:00	270882	100.6	2105.4
7024	LYNCH	42 19.1 N	65 41.0 W	1702:00	270882	102.4	2105.6
7025	LYNCH	42 19.0 N	65 41.2 W	1703:00	270882	100.6	2105.8
7026	LYNCH	42 19.0 N	65 41.4 W	1704:00	270882	104.2	2105.9
7027	LYNCH	42 18.7 N	65 42.0 W	1708:00	270882	104.2	2106.4
7028	LYNCH	42 18.7 N	65 42.2 W	1709:00	270882	106.1	2106.6
7029	LYNCH	42 18.6 N	65 42.3 W	1710:00	270882	107.9	2106.7
7030	LYNCH	42 18.5 N	65 42.7 W	1712:00	270882	111.5	2107.0
7031	LYNCH	42 18.4 N	65 43.2 W	1715:00	270882	115.2	2107.4
7032	LYNCH	42 18.3 N	65 43.3 W	1716:00	270882	115.2	2107.5
7033	LYNCH	42 18.2 N	65 43.5 W	1717:00	270882	113.4	2107.6
7034	LYNCH	42 18.1 N	65 43.8 W	1719:00	270882	111.5	2107.9
7035	LYNCH	42 18.1 N	65 44.0 W	1720:00	270882	113.4	2108.0
7036	LYNCH	42 18.0 N	65 44.3 W	1722:00	270882	118.9	2108.3
7037	LYNCH	42 17.9 N	65 44.5 W	1723:00	270882	140.8	2108.4
7038	LYNCH	42 17.8 N	65 44.6 W	1724:00	270882	173.7	2108.6
7039	LYNCH	42 17.8 N	65 44.8 W	1725:00	270882	186.5	2108.7
7040	LYNCH	42 17.7 N	65 44.9 W	1726:00	270882	193.8	2108.8
7041	LYNCH	42 17.7 N	65 45.1 W	1727:00	270882	197.5	2109.0
7042	LYNCH	42 17.5 N	65 45.6 W	1730:00	270882	204.8	2109.4
7043	LYNCH	42 17.4 N	65 45.7 W	1731:00	270882	206.6	2109.5
7044	LYNCH	42 17.4 N	65 45.9 W	1732:00	270882	208.4	2109.6
7045	LYNCH	42 17.2 N	65 46.3 W	1735:00	270882	210.3	2109.9
7046	LYNCH	42 17.1 N	65 46.5 W	1737:00	270882	210.3	2110.2
7047	LYNCH	42 16.9 N	65 46.9 W	1740:00	270882	208.4	2110.5
7048	LYNCH	42 16.7 N	65 47.5 W	1744:00	270882	206.6	2111.0
7049	LYNCH	42 16.7 N	65 47.6 W	1745:00	270882	204.8	2111.1
7050	LYNCH	42 16.5 N	65 47.9 W	1747:00	270882	206.6	2111.3
7051	LYNCH	42 16.4 N	65 48.3 W	1750:00	270882	208.4	2111.6
7052	LYNCH	42 16.3 N	65 48.4 W	1751:00	270882	208.4	2111.7
7053	LYNCH	42 16.1 N	65 48.9 W	1755:00	270882	210.3	2112.2
7054	LYNCH	42 16.0 N	65 49.1 W	1756:00	270882	212.1	2112.3
7055	LYNCH	42 15.8 N	65 49.6 W	1800:00	270882	213.9	2112.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
7056	LYNCH	42 15.7 N	65 49.8 W	1802:00	270882	213.9	2113.0
7057	LYNCH	42 15.6 N	65 50.0 W	1803:00	270882	210.3	2113.1
7058	LYNCH	42 15.5 N	65 50.1 W	1804:00	270882	215.8	2113.2
7059	LYNCH	42 15.3 N	65 50.4 W	1807:00	270882	215.8	2113.6
7060	LYNCH	42 15.1 N	65 50.8 W	1810:00	270882	217.6	2113.9
7061	LYNCH	42 14.8 N	65 51.4 W	1815:00	270882	221.2	2114.5
7062	LYNCH	42 14.5 N	65 51.8 W	1818:00	270882	224.9	2114.8
7063	LYNCH	42 14.4 N	65 52.0 W	1820:00	270882	226.7	2115.0
7064	LYNCH	42 14.1 N	65 52.6 W	1825:00	270882	232.2	2115.6
7065	LYNCH	42 13.8 N	65 53.1 W	1829:00	270882	232.2	2116.1
7066	LYNCH	42 13.7 N	65 53.2 W	1830:00	270882	234.0	2116.2
7067	LYNCH	42 13.6 N	65 53.3 W	1831:00	270882	232.2	2116.3
7068	LYNCH	42 13.5 N	65 53.5 W	1833:00	270882	232.2	2116.5
7069	LYNCH	42 13.4 N	65 53.6 W	1834:00	270882	230.4	2116.6
7070	LYNCH	42 13.3 N	65 53.8 W	1835:00	270882	232.2	2116.7
7071	LYNCH	42 12.9 N	65 54.3 W	1840:00	270882	230.4	2117.3
7072	LYNCH	42 12.7 N	65 54.5 W	1842:00	270882	228.6	2117.6
7073	LYNCH	42 12.6 N	65 54.6 W	1843:00	270882	226.7	2117.7
7074	LYNCH	42 12.5 N	65 54.7 W	1844:00	270882	224.9	2117.8
7075	LYNCH	42 12.5 N	65 54.9 W	1845:00	270882	228.6	2117.9
7076	LYNCH	42 12.4 N	65 55.0 W	1846:00	270882	226.7	2118.0
7077	LYNCH	42 12.2 N	65 55.2 W	1848:00	270882	224.9	2118.3
7078	LYNCH	42 12.1 N	65 55.3 W	1849:00	270882	223.1	2118.4
7079	LYNCH	42 11.9 N	65 55.6 W	1852:00	270882	223.1	2118.7
7080	LYNCH	42 11.8 N	65 55.7 W	1853:00	270882	221.2	2118.8
7081	LYNCH	42 11.5 N	65 56.2 W	1857:00	270882	221.2	2119.3
7082	LYNCH	42 11.4 N	65 56.3 W	1858:00	270882	219.4	2119.4
7083	LYNCH	42 11.3 N	65 56.4 W	1859:00	270882	219.4	2119.5
7084	LYNCH	42 11.2 N	65 56.5 W	1900:00	270882	215.8	2119.7
7085	LYNCH	42 11.1 N	65 56.6 W	1901:00	270882	215.8	2119.8
7086	LYNCH	42 11.0 N	65 56.7 W	1902:00	270882	217.6	2119.9
7087	LYNCH	42 11.0 N	65 56.8 W	1903:00	270882	215.8	2120.0
7088	LYNCH	42 10.6 N	65 57.4 W	1908:00	270882	215.8	2120.6
7089	LYNCH	42 10.5 N	65 57.5 W	1909:00	270882	213.9	2120.7
7090	LYNCH	42 10.4 N	65 57.6 W	1910:00	270882	215.8	2120.8
7091	LYNCH	42 10.2 N	65 57.8 W	1912:00	270882	215.8	2121.0
7092	LYNCH	42 10.2 N	65 57.9 W	1913:00	270882	217.6	2121.1
7093	LYNCH	42 10.1 N	65 58.0 W	1914:00	270882	217.6	2121.3
7094	LYNCH	42 10.0 N	65 58.2 W	1915:00	270882	215.8	2121.4
7095	LYNCH	42 9.9 N	65 58.3 W	1916:00	270882	217.6	2121.5
7096	LYNCH	42 9.8 N	65 58.4 W	1917:00	270882	219.4	2121.6
7097	LYNCH	42 9.8 N	65 58.5 W	1918:00	270882	217.6	2121.7
7098	LYNCH	42 9.4 N	65 59.0 W	1923:00	270882	217.6	2122.3
7099	LYNCH	42 9.2 N	65 59.3 W	1925:00	270882	215.8	2122.5
7100	LYNCH	42 9.1 N	65 59.4 W	1926:00	270882	217.6	2122.6
7101	LYNCH	42 9.0 N	65 59.5 W	1927:00	270882	219.4	2122.7
7102	LYNCH	42 8.8 N	65 59.6 W	1928:00	270882	217.6	2122.9
7103	LYNCH	42 8.8 N	65 59.8 W	1930:00	270882	217.6	2123.1
7104	LYNCH	42 8.6 N	66 1.1 W	1933:00	270882	217.6	2123.4
7105	LYNCH	42 8.5 N	66 2.2 W	1934:00	270882	215.8	2123.5
7106	LYNCH	42 8.4 N	66 3.3 W	1935:00	270882	217.6	2123.6
7107	LYNCH	42 8.4 N	66 4.4 W	1936:00	270882	215.8	2123.7
7108	LYNCH	42 8.2 N	66 6.6 W	1938:00	270882	215.8	2123.9
7109	LYNCH	42 8.1 N	66 7.7 W	1939:00	270882	213.9	2124.0
7110	LYNCH	42 8.1 N	66 8.8 W	1940:00	270882	212.1	2124.1
7111	LYNCH	42 8.0 N	66 9.9 W	1941:00	270882	212.1	2124.2

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
7112	LYNCH	42 7 9 N	66 1 0 W	1942:00	270882	210.3	2124.3
7113	LYNCH	42 7 8 N	66 1 2 W	1944:00	270882	204.8	2124.5
7114	LYNCH	42 7 7 N	66 1 3 W	1945:00	270882	204.8	2124.6
7115	LYNCH	42 7 6 N	66 1 4 W	1947:00	270882	203.0	2124.8
7116	LYNCH	42 7 5 N	66 1 5 W	1948:00	270882	201.1	2124.9
7117	LYNCH	42 7 3 N	66 1 7 W	1950:00	270882	199.3	2125.1
7118	LYNCH	42 7 3 N	66 1 8 W	1951:00	270882	199.3	2125.2
7119	LYNCH	42 7 2 N	66 1 9 W	1952:00	270882	201.1	2125.3
7120	LYNCH	42 7 1 N	66 2 0 W	1953:00	270882	197.5	2125.4
7121	LYNCH	42 7 0 N	66 2 1 W	1954:00	270882	197.5	2125.5
7122	LYNCH	42 7 0 N	66 2 2 W	1955:00	270882	195.6	2125.7
7123	LYNCH	42 6 9 N	66 2 3 W	1956:00	270882	193.8	2125.8
7124	LYNCH	42 6 8 N	66 2 4 W	1957:00	270882	190.2	2125.9
7125	LYNCH	42 6 7 N	66 2 6 W	1959:00	270882	182.9	2126.1
7126	LYNCH	42 6 6 N	66 2 7 W	2000:00	270882	177.4	2126.2
7127	LYNCH	42 6 6 N	66 2 8 W	2001:00	270882	175.5	2126.3
7128	LYNCH	42 6 5 N	66 2 9 W	2002:00	270882	171.9	2126.4
7129	LYNCH	42 6 4 N	66 3 3 W	2005:00	270882	162.7	2126.7
7130	LYNCH	42 6 3 N	66 3 4 W	2006:00	270882	160.9	2126.8
7131	LYNCH	42 6 3 N	66 3 5 W	2007:00	270882	157.3	2126.9
7132	LYNCH	42 6 2 N	66 3 8 W	2009:00	270882	151.8	2127.0
7133	LYNCH	42 6 1 N	66 3 9 W	2010:00	270882	148.1	2127.1
7134	LYNCH	42 6 1 N	66 4 0 W	2011:00	270882	144.5	2127.2
7135	LYNCH	42 6 0 N	66 4 2 W	2013:00	270882	137.1	2127.4
7136	LYNCH	42 5 9 N	66 4 3 W	2014:00	270882	135.3	2127.5
7137	LYNCH	42 5 9 N	66 4 5 W	2015:00	270882	133.5	2127.6
7138	LYNCH	42 5 9 N	66 4 6 W	2016:00	270882	129.8	2127.7
7139	LYNCH	42 5 8 N	66 4 7 W	2017:00	270882	128.0	2127.8
7140	LYNCH	42 5 8 N	66 4 8 W	2018:00	270882	122.5	2127.9
7141	LYNCH	42 5 7 N	66 4 9 W	2019:00	270882	122.5	2128.0
7142	LYNCH	42 5 7 N	66 5 0 W	2020:00	270882	118.9	2128.1
7143	LYNCH	42 5 6 N	66 5 2 W	2021:00	270882	96.9	2128.2
7144	LYNCH	42 5 6 N	66 5 3 W	2022:00	270882	91.4	2128.3
7145	LYNCH	42 5 3 N	66 5 9 W	2027:00	270882	91.4	2128.8
7146	LYNCH	42 5 2 N	66 6 2 W	2030:00	270882	89.6	2129.1
7147	LYNCH	42 5 0 N	66 6 4 W	2032:00	270882	87.8	2129.3
7148	LYNCH	42 4 0 N	66 7 8 W	2045:00	270882	87.8	2130.8
7149	LYNCH	42 3 2 N	66 8 2 W	2050:00	270882	89.6	2131.7
7150	LYNCH	42 1 5 N	66 9 1 W	2100:00	270882	89.6	2133.5
7151	LYNCH	42 2 6 N	66 6 4 W	2120:00	270882	89.6	2135.8
7152	LYNCH	42 2 9 N	66 5 8 W	2125:00	270882	91.4	2136.3
7153	LYNCH	42 3 2 N	66 5 1 W	2130:00	270882	91.4	2136.9
7154	LYNCH	42 3 4 N	66 4 4 W	2133:00	270882	89.6	2137.5
7155	LYNCH	42 3 7 N	66 3 5 W	2137:00	270882	89.6	2138.2
7156	LYNCH	42 3 8 N	66 3 3 W	2138:00	270882	93.3	2138.4
7157	LYNCH	42 3 9 N	66 3 1 W	2139:00	270882	100.6	2138.6
7158	LYNCH	42 3 9 N	66 2 8 W	2140:00	270882	106.1	2138.7
7159	LYNCH	42 4 2 N	66 2 2 W	2143:00	270882	135.3	2139.3
7160	LYNCH	42 4 2 N	66 1 9 W	2144:00	270882	140.8	2139.5
7161	LYNCH	42 4 3 N	66 1 7 W	2145:00	270882	142.6	2139.7
7162	LYNCH	42 4 4 N	66 1 5 W	2146:00	270882	148.1	2139.8
7163	LYNCH	42 4 4 N	66 1 2 W	2147:00	270882	153.6	2140.0
7164	LYNCH	42 4 5 N	66 1 0 W	2148:00	270882	153.6	2140.2
7165	LYNCH	42 4 6 N	66 8 W	2149:00	270882	155.4	2140.4
7166	LYNCH	42 4 7 N	66 6 W	2150:00	270882	160.9	2140.6
7167	LYNCH	42 4 7 N	66 3 W	2151:00	270882	166.4	2140.8

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM1) ALONG TRACK
7168	LYNCH	42 4.8 N	66 1 W	2152:00	270882	171.9	2140.9
7169	LYNCH	42 5.0 N	65 59.7 W	2154:00	270882	179.2	2141.3
7170	LYNCH	42 5.0 N	65 59.4 W	2155:00	270882	182.9	2141.5
7171	LYNCH	42 5.1 N	65 59.2 W	2156:00	270882	186.5	2141.7
7172	LYNCH	42 5.2 N	65 59.0 W	2157:00	270882	192.0	2141.9
7173	LYNCH	42 5.3 N	65 58.8 W	2158:00	270882	193.8	2142.0
7174	LYNCH	42 5.3 N	65 58.5 W	2159:00	270882	195.6	2142.2
7175	LYNCH	42 5.4 N	65 58.3 W	2200:00	270882	197.5	2142.4
7176	LYNCH	42 5.4 N	65 58.1 W	2201:00	270882	199.3	2142.6
7177	LYNCH	42 5.4 N	65 57.8 W	2202:00	270882	203.0	2142.8
7178	LYNCH	42 5.4 N	65 57.6 W	2203:00	270882	203.0	2143.0
7179	LYNCH	42 5.4 N	65 57.3 W	2204:00	270882	204.8	2143.2
7180	LYNCH	42 5.5 N	65 57.1 W	2205:00	270882	212.1	2143.3
7181	LYNCH	42 5.5 N	65 56.8 W	2206:00	270882	217.6	2143.5
7182	LYNCH	42 5.5 N	65 56.6 W	2207:00	270882	219.4	2143.7
7183	LYNCH	42 5.5 N	65 56.3 W	2208:00	270882	224.9	2143.9
7184	LYNCH	42 5.5 N	65 56.1 W	2209:00	270882	226.7	2144.1
7185	LYNCH	42 5.5 N	65 55.8 W	2210:00	270882	230.4	2144.3
7186	LYNCH	42 5.5 N	65 55.6 W	2211:00	270882	234.0	2144.5
7187	LYNCH	42 5.5 N	65 55.3 W	2212:00	270882	235.9	2144.6
7188	LYNCH	42 5.5 N	65 55.1 W	2213:00	270882	235.9	2144.8
7189	LYNCH	42 5.5 N	65 54.8 W	2214:00	270882	235.9	2145.0
7190	LYNCH	42 5.6 N	65 54.6 W	2215:00	270882	237.7	2145.2
7191	LYNCH	42 5.6 N	65 54.3 W	2216:00	270882	243.2	2145.4
7192	LYNCH	42 5.6 N	65 54.1 W	2217:00	270882	241.4	2145.6
7193	LYNCH	42 5.6 N	65 53.8 W	2218:00	270882	245.0	2145.8
7194	LYNCH	42 5.6 N	65 53.6 W	2219:00	270882	246.8	2145.9
7195	LYNCH	42 5.6 N	65 53.3 W	2220:00	270882	248.7	2146.1
7196	LYNCH	42 5.6 N	65 52.3 W	2224:00	270882	254.2	2146.9
7197	LYNCH	42 5.7 N	65 52.1 W	2225:00	270882	254.2	2147.1
7198	LYNCH	42 5.7 N	65 51.8 W	2226:00	270882	256.0	2147.2
7199	LYNCH	42 5.7 N	65 51.6 W	2227:00	270882	254.2	2147.4
7200	LYNCH	42 5.7 N	65 51.3 W	2228:00	270882	248.7	2147.6
7201	LYNCH	42 5.7 N	65 51.1 W	2229:00	270882	245.0	2147.8
7202	LYNCH	42 5.7 N	65 50.8 W	2230:00	270882	241.4	2148.0
7203	LYNCH	42 5.7 N	65 50.6 W	2231:00	270882	245.0	2148.2
7204	LYNCH	42 5.7 N	65 50.3 W	2232:00	270882	245.0	2148.3
7205	LYNCH	42 5.7 N	65 50.1 W	2233:00	270882	241.4	2148.5
7206	LYNCH	42 5.7 N	65 49.9 W	2234:00	270882	237.7	2148.7
7207	LYNCH	42 5.7 N	65 49.6 W	2235:00	270882	239.5	2148.9
7208	LYNCH	42 5.7 N	65 49.4 W	2236:00	270882	237.7	2149.0
7209	LYNCH	42 5.7 N	65 49.2 W	2237:00	270882	239.5	2149.2
7210	LYNCH	42 5.7 N	65 48.9 W	2238:00	270882	241.4	2149.4
7211	LYNCH	42 5.7 N	65 48.7 W	2239:00	270882	243.2	2149.6
7212	LYNCH	42 5.6 N	65 48.2 W	2241:00	270882	243.2	2149.9
7213	LYNCH	42 5.6 N	65 48.0 W	2242:00	270882	241.4	2150.1
7214	LYNCH	42 5.6 N	65 47.3 W	2245:00	270882	241.4	2150.6
7215	LYNCH	42 5.6 N	65 47.0 W	2246:00	270882	243.2	2150.8
7216	LYNCH	42 5.6 N	65 46.3 W	2249:00	270882	243.2	2151.3
7217	LYNCH	42 5.6 N	65 46.1 W	2250:00	270882	241.4	2151.5
7218	LYNCH	42 5.5 N	65 45.3 W	2254:00	270882	241.4	2152.1
7219	LYNCH	42 5.5 N	65 45.1 W	2255:00	270882	239.5	2152.3
7220	LYNCH	42 5.5 N	65 44.9 W	2256:00	270882	237.7	2152.4
7221	LYNCH	42 5.4 N	65 44.6 W	2257:00	270882	239.5	2152.6
7222	LYNCH	42 5.4 N	65 44.4 W	2258:00	270882	239.5	2152.7
7223	LYNCH	42 5.4 N	65 44.2 W	2259:00	270882	245.0	2152.9

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
7224	LYNCH	42 5 4 N	65 44 0 W	2300 00	270882	246.8	2153.0
7225	LYNCH	42 5 3 N	65 43 4 W	2305 00	270882	246.8	2153.5
7226	LYNCH	42 5 3 N	65 43 3 W	2308 00	270882	246.8	2153.6
7227	LYNCH	42 5 3 N	65 43 3 W	2310 00	270882	248.7	2153.6
7228	LYNCH	42 5 3 N	65 43 2 W	2314 00	270882	248.7	2153.7
7229	LYNCH	42 5 3 N	65 43 2 W	2315 00	270882	250.5	2153.7
7230	LYNCH	42 5 3 N	65 43 1 W	2316 00	270882	250.5	2153.7
7231	LYNCH	42 5 3 N	65 43 1 W	2317 00	270882	252.3	2153.7
7232	LYNCH	42 5 4 N	65 43 0 W	2323 00	270882	252.3	2153.9
7233	LYNCH	42 5 5 N	65 43 0 W	2324 00	270882	254.2	2153.9
7234	LYNCH	42 5 5 N	65 43 0 W	2325 00	270882	256.0	2153.9
7235	LYNCH	42 5 6 N	65 43 1 W	2326 00	270882	257.8	2154.1
7236	LYNCH	42 5 7 N	65 43 3 W	2327 00	270882	256.0	2154.2
7237	LYNCH	42 5 7 N	65 43 4 W	2328 00	270882	254.2	2154.3
7238	LYNCH	42 5 8 N	65 43 6 W	2329 00	270882	252.3	2154.5
7239	LYNCH	42 5 9 N	65 43 7 W	2330 00	270882	252.3	2154.6
7240	LYNCH	42 6 0 N	65 43 9 W	2331 00	270882	252.3	2154.7
7241	LYNCH	42 6 1 N	65 44 0 W	2332 00	270882	250.5	2154.9
7242	LYNCH	42 6 2 N	65 44 2 W	2333 00	270882	246.8	2155.1
7243	LYNCH	42 6 3 N	65 44 4 W	2334 00	270882	250.5	2155.2
7244	LYNCH	42 6 4 N	65 44 5 W	2335 00	270882	248.7	2155.4
7245	LYNCH	42 6 5 N	65 44 7 W	2336 00	270882	246.8	2155.5
7246	LYNCH	42 6 6 N	65 44 9 W	2337 00	270882	245.0	2155.7
7247	LYNCH	42 6 5 N	65 53 5 W	2442 00	270882	245.0	2163.2
7248	LYNCH	42 10 8 N	65 54 0 W	2445 00	270882	243.2	2163.7
7249	LYNCH	42 11 6 N	65 56 1 W	2455 00	270882	243.2	2165.4
7250	LYNCH	42 8 9 N	65 48 7 W	0000 00	280882	241.4	2171.5
7251	LYNCH	42 9 0 N	65 48 9 W	0001 00	280882	241.4	2171.7
7252	LYNCH	42 9 1 N	65 49 1 W	0002 00	280882	241.4	2171.8
7253	LYNCH	42 9 3 N	65 49 6 W	0003 00	280882	241.4	2172.3
7254	LYNCH	42 9 3 N	65 49 8 W	0007 00	280882	243.2	2172.5
7255	LYNCH	42 9 2 N	65 49 9 W	0008 00	280882	241.4	2172.6
7256	LYNCH	42 9 2 N	65 50 0 W	0009 00	280882	241.4	2172.6
7257	LYNCH	42 9 2 N	65 50 2 W	0010 00	280882	243.2	2172.7
7258	LYNCH	42 9 2 N	65 50 3 W	0011 00	280882	241.4	2172.8
7259	LYNCH	42 9 2 N	65 50 4 W	0012 00	280882	239.5	2172.9
7260	LYNCH	42 9 1 N	65 50 5 W	0013 00	280882	241.4	2173.0
7261	LYNCH	42 9 1 N	65 50 7 W	0015 00	280882	241.4	2173.1
7262	LYNCH	42 9 1 N	65 50 7 W	0016 00	280882	239.5	2173.2
7263	LYNCH	42 9 1 N	65 50 6 W	0020 00	280882	239.5	2173.2
7264	LYNCH	42 9 1 N	65 50 5 W	0021 00	280882	241.4	2173.3
7265	LYNCH	42 9 2 N	65 50 6 W	0023 00	280882	239.5	2173.4
7266	LYNCH	42 9 2 N	65 50 7 W	0024 00	280882	241.4	2173.4
7267	LYNCH	42 9 4 N	65 50 9 W	0026 00	280882	241.4	2173.6
7268	LYNCH	42 9 6 N	65 51 3 W	0030 00	280882	239.5	2174.0
7269	LYNCH	42 9 7 N	65 51 5 W	0031 00	280882	239.5	2174.2
7270	LYNCH	42 10 0 N	65 52 2 W	0035 00	280882	237.7	2174.8
7271	LYNCH	42 10 4 N	65 53 1 W	0040 00	280882	235.9	2175.6
7272	LYNCH	42 10 6 N	65 53 7 W	0043 00	280882	232.2	2176.1
7273	LYNCH	42 10 7 N	65 53 9 W	0044 00	280882	232.2	2176.2
7274	LYNCH	42 10 8 N	65 54 0 W	0045 00	280882	230.4	2176.4
7275	LYNCH	42 10 8 N	65 54 2 W	0046 00	280882	230.4	2176.5
7276	LYNCH	42 10 9 N	65 54 4 W	0047 00	280882	226.7	2176.7
7277	LYNCH	42 11 2 N	65 55 0 W	0050 00	280882	224.9	2177.2
7278	LYNCH	42 11 5 N	65 55 9 W	0054 00	280882	223.1	2177.9
7279	LYNCH	42 11 6 N	65 56 1 W	0055 00	280882	221.2	2178.1

PROJECT - GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NM) ALONG TRACK
7280	LYNCH	42 11.7 N	65 56.3 W	0056.00	280882	219.4	2178.3
7281	LYNCH	42 12.0 N	65 57.2 W	0100.00	280882	217.6	2179.0
7282	LYNCH	42 12.2 N	65 57.8 W	0105.00	280882	217.6	2179.5
7283	LYNCH	42 12.2 N	65 57.9 W	0106.00	280882	215.8	2179.6
7284	LYNCH	42 12.3 N	65 58.2 W	0108.00	280882	217.6	2179.8
7285	LYNCH	42 12.4 N	65 58.6 W	0111.00	280882	219.4	2180.1
7286	LYNCH	42 12.4 N	65 58.7 W	0112.00	280882	221.2	2180.2
7287	LYNCH	42 12.7 N	65 59.6 W	0125.00	280882	221.2	2180.9
7288	LYNCH	42 12.6 N	65 59.6 W	0130.00	280882	221.2	2181.0
7289	LYNCH	42 13.1 N	66 0.0 W	0133.00	280882	223.1	2181.4
7290	LYNCH	42 13.2 N	66 0.3 W	0135.00	280882	224.9	2181.7
7291	LYNCH	42 13.4 N	66 0.5 W	0137.00	280882	226.7	2181.9
7292	LYNCH	42 13.5 N	66 0.7 W	0138.00	280882	228.6	2182.1
7293	LYNCH	42 13.8 N	66 1.1 W	0141.00	280882	228.6	2182.5
7294	LYNCH	42 13.9 N	66 1.3 W	0143.00	280882	232.2	2182.7
7295	LYNCH	42 14.3 N	66 1.9 W	0147.00	280882	234.0	2183.3
7296	LYNCH	42 14.5 N	66 2.3 W	0149.00	280882	237.7	2183.6
7297	LYNCH	42 14.6 N	66 2.5 W	0150.00	280882	239.5	2183.8
7298	LYNCH	42 14.8 N	66 2.8 W	0152.00	280882	239.5	2184.1
7299	LYNCH	42 14.9 N	66 3.0 W	0153.00	280882	241.4	2184.3
7300	LYNCH	42 15.0 N	66 3.2 W	0154.00	280882	241.4	2184.4
7301	LYNCH	42 15.1 N	66 3.3 W	0155.00	280882	241.4	2184.6
7302	LYNCH	42 15.2 N	66 3.5 W	0156.00	280882	243.2	2184.8
7303	LYNCH	42 15.3 N	66 3.7 W	0157.00	280882	245.0	2184.9
7304	LYNCH	42 16.2 N	66 5.1 W	0205.00	280882	252.3	2186.3
7305	LYNCH	42 16.3 N	66 5.3 W	0206.00	280882	254.2	2186.5
7306	LYNCH	42 16.4 N	66 5.5 W	0207.00	280882	256.0	2186.7
7307	LYNCH	42 16.5 N	66 5.7 W	0208.00	280882	257.8	2186.9
7308	LYNCH	42 16.6 N	66 5.9 W	0209.00	280882	256.0	2187.0
7309	LYNCH	42 16.7 N	66 6.1 W	0210.00	280882	257.8	2187.2
7310	LYNCH	42 17.1 N	66 6.6 W	0213.00	280882	256.0	2187.7
7311	LYNCH	42 17.2 N	66 6.8 W	0214.00	280882	259.6	2187.9
7312	LYNCH	42 17.3 N	66 7.0 W	0215.00	280882	257.8	2188.1
7313	LYNCH	42 17.4 N	66 7.2 W	0216.00	280882	261.5	2188.3
7314	LYNCH	42 17.6 N	66 7.5 W	0218.00	280882	257.8	2188.6
7315	LYNCH	42 17.7 N	66 7.6 W	0219.00	280882	257.8	2188.7
7316	LYNCH	42 17.8 N	66 7.8 W	0220.00	280882	256.0	2188.9
7317	LYNCH	42 17.9 N	66 8.0 W	0221.00	280882	254.2	2189.0
7318	LYNCH	42 18.1 N	66 8.3 W	0223.00	280882	252.3	2189.3
7319	LYNCH	42 18.5 N	66 8.9 W	0227.00	280882	252.3	2190.0
7320	LYNCH	42 18.6 N	66 9.1 W	0228.00	280882	250.5	2190.1
7321	LYNCH	42 18.7 N	66 9.2 W	0229.00	280882	248.7	2190.3
7322	LYNCH	42 18.8 N	66 9.4 W	0230.00	280882	245.0	2190.4
7323	LYNCH	42 19.1 N	66 9.9 W	0233.00	280882	241.4	2191.0
7324	LYNCH	42 19.3 N	66 10.1 W	0234.00	280882	239.5	2191.1
7325	LYNCH	42 19.6 N	66 10.7 W	0237.00	280882	237.7	2191.6
7326	LYNCH	42 19.8 N	66 11.0 W	0239.00	280882	235.9	2192.0
7327	LYNCH	42 20.0 N	66 11.4 W	0241.00	280882	234.0	2192.3
7328	LYNCH	42 20.5 N	66 12.1 W	0245.00	280882	223.1	2193.0
7329	LYNCH	42 20.7 N	66 12.5 W	0247.00	280882	230.4	2193.4
7330	LYNCH	42 20.9 N	66 13.0 W	0250.00	280882	230.4	2193.9
7331	LYNCH	42 21.4 N	66 14.0 W	0255.00	280882	228.6	2194.7
7332	LYNCH	42 21.8 N	66 14.9 W	0300.00	280882	230.4	2195.5
7333	LYNCH	42 21.9 N	66 15.1 W	0305.00	280882	230.4	2195.7
7334	LYNCH	42 21.9 N	66 15.1 W	0306.00	280882	232.2	2195.7
7335	LYNCH	42 21.9 N	66 15.1 W	0307.00	280882	230.4	2195.7

PROJECT -- GULF OF MAINE

POSITION NUMBER	PLATFORM	LATITUDE	LONGITUDE	TIME	DATE	UNCORR. DEPTH (M)	DISTANCE (NMI) ALONG TRACK
7336	LYNCH	42 21 9 N	66 15.0 W	0310.00	280882	228.6	2195.7
7337	LYNCH	42 22.0 N	66 15.0 W	0312.00	280882	230.4	2195.8
7338	LYNCH	42 22.0 N	66 14.9 W	0314.00	280882	228.6	2195.8
7339	LYNCH	42 22.0 N	66 14.9 W	0315.00	280882	230.4	2195.8

APPENDIX D:
NAVIGATION DATA

THE FOLLOWING NAV POSITIONS ARE PLOTTED ON A 31.5 X 26.5 IN. MERCATOR
BASE CHART, SCALE = .11051 IN. PER MERIDIONAL PART.

LYNCH	43	43	3N	67	42	5W	1240	11	882	LRC
LYNCH	43	43	3N	67	42	5W	1250	11	882	LRC
LYNCH	43	43	5N	67	42	7W	1255	11	882	LRC
LYNCH	43	43	7N	67	43	2W	1300	11	882	LRC
LYNCH	43	44	0N	67	43	6W	1305	11	882	LRC
LYNCH	43	44	3N	67	44	0W	1310	11	882	LRC
LYNCH	43	44	5N	67	44	5W	1315	11	882	LRC
LYNCH	43	44	3N	67	44	7W	1320	11	882	LRC
LYNCH	43	43	6N	67	44	7W	1325	11	882	LRC
LYNCH	43	42	9N	67	44	6W	1330	11	882	LRC
LYNCH	43	42	1N	67	44	6W	1335	11	882	LRC
LYNCH	43	41	9N	67	44	0W	1340	11	882	LRC
LYNCH	43	42	6N	67	43	2W	1345	11	882	LRC
LYNCH	43	43	2N	67	42	4W	1350	11	882	LRC
LYNCH	43	43	8N	67	41	5W	1355	11	882	LRC
LYNCH	43	44	6N	67	40	7W	1400	11	882	LRC
LYNCH	43	44	2N	67	40	4W	1405	11	882	LRC
LYNCH	43	43	4N	67	40	3W	1410	11	882	LRC
LYNCH	43	42	6N	67	40	3W	1415	11	882	LRC
LYNCH	43	42	4N	67	41	2W	1425	11	882	LRC
LYNCH	43	43	0N	67	42	1W	1430	11	882	LRC
LYNCH	43	43	7N	67	43	0W	1435	11	882	LRC
LYNCH	43	43	9N	67	43	4W	1500	11	882	LRC
LYNCH	43	44	4N	67	43	0W	1535	11	882	LRC
LYNCH	43	44	5N	67	43	0W	1546	11	882	LRC
LYNCH	43	44	0N	67	42	5W	1555	11	882	LRC
LYNCH	43	43	5N	67	42	3W	1600	11	882	LRC
LYNCH	43	43	1N	67	42	0W	1615	11	882	LRC
LYNCH	43	43	3N	67	41	9W	1630	11	882	LRC
LYNCH	43	43	4N	67	41	6W	1645	11	882	LRC
LYNCH	43	43	5N	67	41	5W	1650	11	882	LRC
LYNCH	43	43	2N	67	41	9W	1655	11	882	LRC
LYNCH	43	42	9N	67	42	4W	1700	11	882	LRC
LYNCH	43	42	6N	67	43	0W	1705	11	882	LRC
LYNCH	43	42	6N	67	42	7W	1730	11	882	LRC
LYNCH	43	42	8N	67	42	5W	1749	11	882	LRC
LYNCH	43	42	7N	67	44	8W	1800	11	882	LRC
LYNCH	43	42	3N	67	48	2W	1815	11	882	LRC
LYNCH	43	41	7N	67	51	4W	1830	11	882	LRC
LYNCH	43	41	0N	67	54	6W	1845	11	882	LRC
LYNCH	43	40	5N	67	57	8W	1900	11	882	LRC
LYNCH	43	40	3N	67	58	9W	1905	11	882	LRC
LYNCH	43	40	1N	67	59	5W	1910	11	882	LRC
LYNCH	43	40	0N	67	59	8W	1916	11	882	LRC
LYNCH	43	40	0N	67	59	6W	1930	11	882	LRC
LYNCH	43	39	9N	67	59	4W	1945	11	882	LRC
LYNCH	43	40	0N	67	59	3W	1952	11	882	LRC
LYNCH	43	39	9N	67	59	2W	2000	11	882	LRC
LYNCH	43	39	9N	67	59	2W	2009	11	882	LRC
LYNCH	43	39	9N	67	59	1W	2016	11	882	LRC
LYNCH	43	38	3N	67	56	8W	2030	11	882	LRC
LYNCH	43	36	4N	67	54	1W	2045	11	882	LRC
LYNCH	43	30	4N	67	46	2W	2130	11	882	LRC
LYNCH	43	29	9N	67	45	4W	2135	11	882	LRC

LYNCH	43.	29.	5N	67.	45.	3W	2200	11	882	LRC
LYNCH	43.	29.	5N	67.	45.	3W	2209	11	882	LRC
LYNCH	43.	29.	4N	67.	45.	4W	2215	11	882	LRC
LYNCH	43.	29.	2N	67.	45.	4W	2230	11	882	LRC
LYNCH	43.	29.	1N	67.	45.	4W	2239	11	882	LRC
LYNCH	43.	29.	0N	67.	45.	4W	2247	11	882	LRC
LYNCH	43.	29.	0N	67.	42.	5W	2300	11	882	LRC
LYNCH	43.	29.	0N	67.	39.	0W	2315	11	882	LRC
LYNCH	43.	29.	3N	67.	35.	5W	2330	11	882	LRC
LYNCH	43.	29.	7N	67.	31.	3W	2345	11	882	LRC
LYNCH	43.	30.	0N	67.	28.	3W	2400	11	882	LRC
LYNCH	43.	30.	1N	67.	25.	2W	15	12	882	LRC
LYNCH	43.	30.	1N	67.	25.	0W	16	12	882	LRC
LYNCH	43.	30.	0N	67.	24.	6W	30	12	882	LRC
LYNCH	43.	30.	0N	67.	24.	5W	38	12	882	SAT
LYNCH	43.	29.	9N	67.	24.	5W	53	12	882	LRC
LYNCH	43.	30.	0N	67.	24.	4W	115	12	882	LRC
LYNCH	43.	30.	0N	67.	24.	3W	126	12	882	LRC
LYNCH	43.	23.	0N	67.	17.	7W	215	12	882	LRC
LYNCH	43.	20.	9N	67.	15.	6W	230	12	882	LRC
LYNCH	43.	16.	8N	67.	11.	9W	300	12	882	LRC
LYNCH	43.	15.	3N	67.	10.	6W	311	12	882	SAT
LYNCH	43.	10.	8N	67.	6.	7W	345	12	882	LRC
LYNCH	43.	8.	8N	67.	5.	1W	359	12	882	SAT
LYNCH	43.	8.	6N	67.	4.	9W	400	12	882	LRC
LYNCH	43.	6.	8N	67.	3.	5W	412	12	882	LRC
LYNCH	43.	4.	3N	67.	1.	5W	430	12	882	LRC
LYNCH	43.		2N	66.	58.	2W	500	12	882	LRC
LYNCH	42.	55.	8N	66.	55.	0W	530	12	882	LRC
LYNCH	42.	53.	7N	66.	53.	5W	544	12	882	SAT
LYNCH	42.	51.	4N	66.	51.	9W	600	12	882	LRC
LYNCH	42.	47.	1N	66.	48.	9W	630	12	882	LRC
LYNCH	42.	45.	0N	66.	47.	7W	644	12	882	SAT
LYNCH	42.	43.	0N	66.	45.	3W	700	12	882	LRC
LYNCH	42.	37.	0N	66.	40.	0W	740	12	882	LRC
LYNCH	42.	34.	6N	66.	38.	1W	800	12	882	LRC
LYNCH	42.	32.	2N	66.	36.	3W	815	12	882	LRC
LYNCH	42.	29.	9N	66.	34.	7W	830	12	882	LRC
LYNCH	42.	25.	4N	66.	31.	7W	900	12	882	LRC
LYNCH	42.	23.	3N	66.	29.	8W	915	12	882	LRC
LYNCH	42.	21.	2N	66.	28.	0W	930	12	882	LRC
LYNCH	42.	17.	0N	66.	23.	9W	1000	12	882	LRC
LYNCH	42.	12.	6N	66.	19.	1W	1030	12	882	LRC
LYNCH	42.	7.	5N	66.	14.	7W	1100	12	882	LRC
LYNCH	42.	2.	0N	66.	11.	4W	1130	12	882	LRC
LYNCH	41.	57.	1N	66.	6.	3W	1200	12	882	LRC
LYNCH	41.	54.	7N	66.	3.	7W	1215	12	882	LRC
LYNCH	41.	52.	4N	66.	1.	4W	1230	12	882	LRC
LYNCH	41.	47.	5N	65.	56.	9W	1300	12	882	LRC
LYNCH	41.	44.	9N	65.	51.	2W	1330	12	882	LRC
LYNCH	41.	43.	5N	65.	44.	2W	1400	12	882	LRC
LYNCH	41.	42.	5N	65.	37.	4W	1430	12	882	LRC
LYNCH	41.	41.	8N	65.	29.	9W	1500	12	882	LRC
LYNCH	41.	41.	4N	65.	26.	1W	1515	12	882	LRC

LYNCH	41	40	2N	65	15	5W	1600	12	882	LRC
LYNCH	41	40	2N	65	11	9W	1615	12	882	LRC
LYNCH	41	40	2N	65	11	2W	1620	12	882	LRC
LYNCH	41	40	2N	65	10	3W	1630	12	882	LRC
LYNCH	41	40	2N	65	10	1W	1645	12	882	LRC
LYNCH	41	40	4N	65	10	2W	1700	12	882	LRC
LYNCH	41	40	4N	65	10	3W	1715	12	882	LRC
LYNCH	41	40	5N	65	10	9W	1730	12	882	LRC
LYNCH	41	40	5N	65	11	8W	1745	12	882	LRC
LYNCH	41	40	6N	65	12	7W	1800	12	882	LRC
LYNCH	41	40	6N	65	13	3W	1808	12	882	LRC
LYNCH	41	41	0N	65	15	7W	1830	12	882	LRC
LYNCH	41	41	7N	65	19	6W	1900	12	882	LRC
LYNCH	41	42	3N	65	22	1W	1920	12	882	LRC
LYNCH	41	42	6N	65	23	0W	1930	12	882	LRC
LYNCH	41	42	9N	65	23	9W	1939	12	882	LRC
LYNCH	41	43	1N	65	24	6W	1945	12	882	LRC
LYNCH	41	43	4N	65	25	4W	1950	12	882	LRC
LYNCH	41	44	0N	65	27	5W	2002	12	882	LRC
LYNCH	41	44	7N	65	27	2W	2010	12	882	LRC
LYNCH	41	44	9N	65	26	6W	2030	12	882	LRC
LYNCH	41	45	2N	65	25	5W	2050	12	882	LRC
LYNCH	41	45	1N	65	23	2W	2130	12	882	LRC
LYNCH	41	45	0N	65	22	3W	2145	12	882	LRC
LYNCH	41	44	5N	65	22	0W	2200	12	882	LRC
LYNCH	41	43	7N	65	21	8W	2230	12	882	LRC
LYNCH	41	43	4N	65	21	8W	2300	12	882	LRC
LYNCH	41	42	4N	65	20	4W	2343	12	882	SAT
LYNCH	41	41	7N	65	19	8W	2400	12	882	LRC
LYNCH	41	40	6N	65	18	6W	30	13	882	LRC
LYNCH	41	39	3N	65	17	9W	100	13	882	LRC
LYNCH	41	37	9N	65	17	3W	130	13	882	LRC
LYNCH	41	37	8N	65	17	2W	134	13	882	SAT
LYNCH	41	36	6N	65	16	8W	205	13	882	LRC
LYNCH	41	35	8N	65	16	4W	230	13	882	LRC
LYNCH	41	34	8N	65	15	6W	300	13	882	LRC
LYNCH	41	33	9N	65	14	8W	321	13	882	SAT
LYNCH	41	33	4N	65	14	6W	330	13	882	LRC
LYNCH	41	31	6N	65	13	1W	406	13	882	SAT
LYNCH	41	31	4N	65	13	1W	410	13	882	LRC
LYNCH	41	30	3N	65	12	2W	430	13	882	LRC
LYNCH	41	28	6N	65	11	3W	500	13	882	LRC
LYNCH	41	26	8N	65	10	2W	530	13	882	LRC
LYNCH	41	25	0N	65	9	3W	600	13	882	LRC
LYNCH	41	23	9N	65	8	7W	620	13	882	SAT
LYNCH	41	23	2N	65	8	3W	630	13	882	LRC
LYNCH	41	21	3N	65	7	6W	700	13	882	LRC
LYNCH	41	20	4N	65	7	2W	715	13	882	LRC
LYNCH	41	19	6N	65	6	8W	730	13	882	LRC
LYNCH	41	19	0N	65	6	4W	750	13	882	SAT
LYNCH	41	18	4N	65	6	0W	800	13	882	LRC
LYNCH	41	16	9N	65	5	4W	835	13	882	LRC
LYNCH	41	15	9N	65	4	3W	900	13	882	LRC
LYNCH	41	15	7N	65	4	3W	906	13	882	SAT

LYNCH	41.	14. 7N	65.	3. 4W	930	13	882	LRC
LYNCH	41.	14. 4N	65.	3. 3W	938	13	882	SAT
LYNCH	41.	13. 5N	65.	3. 0W	1000	13	882	LRC
LYNCH	41.	12. 1N	65.	3. 8W	1030	13	882	LRC
LYNCH	41.	11. 3N	65.	5. 0W	1052	13	882	SAT
LYNCH	41.	10. 9N	65.	5. 3W	1100	13	882	LRC
LYNCH	41.	10. 4N	65.	7. 9W	1130	13	882	LRC
LYNCH	41.	10. 6N	65.	10. 7W	1200	13	882	LRC
LYNCH	41.	11. 0N	65.	12. 2W	1215	13	882	LRC
LYNCH	41.	11. 5N	65.	12. 5W	1223	13	882	LRC
LYNCH	41.	14. 3N	65.	12. 8W	1300	13	882	LRC
LYNCH	41.	16. 6N	65.	12. 3W	1330	13	882	LRC
LYNCH	41.	18. 7N	65.	11. 2W	1400	13	882	LRC
LYNCH	41.	21. 0N	65.	10. 0W	1430	13	882	LRC
LYNCH	41.	23. 5N	65.	8. 6W	1500	13	882	LRC
LYNCH	41.	23. 8N	65.	9. 2W	1510	13	882	LRC
LYNCH	41.	23. 5N	65.	9. 2W	1520	13	882	LRC
LYNCH	41.	21. 8N	65.	9. 8W	1550	13	882	LRC
LYNCH	41.	21. 2N	65.	9. 9W	1600	13	882	LRC
LYNCH	41.	20. 5N	65.	10. 0W	1615	13	882	LRC
LYNCH	41.	19. 7N	65.	10. 2W	1630	13	882	LRC
LYNCH	41.	19. 1N	65.	10. 4W	1645	13	882	LRC
LYNCH	41.	18. 4N	65.	10. 5W	1700	13	882	LRC
LYNCH	41.	17. 6N	65.	10. 6W	1715	13	882	LRC
LYNCH	41.	16. 9N	65.	10. 7W	1730	13	882	LRC
LYNCH	41.	16. 2N	65.	10. 8W	1745	13	882	LRC
LYNCH	41.	15. 4N	65.	10. 7W	1800	13	882	LRC
LYNCH	41.	13. 8N	65.	10. 7W	1830	13	882	LRC
LYNCH	41.	12. 4N	65.	10. 5W	1900	13	882	LRC
LYNCH	41.	10. 9N	65.	10. 3W	1930	13	882	LRC
LYNCH	41.	9. 5N	65.	9. 8W	2000	13	882	LRC
LYNCH	41.	8. 9N	65.	9. 6W	2015	13	882	LRC
LYNCH	41.	8. 4N	65.	8. 7W	2030	13	882	LRC
LYNCH	41.	8. 6N	65.	7. 3W	2043	13	882	LRC
LYNCH	41.	9. 8N	65.	5. 9W	2100	13	882	LRC
LYNCH	41.	12. 5N	65.	5. 1W	2130	13	882	LRC
LYNCH	41.	14. 7N	65.	4. 6W	2155	13	882	LRC
LYNCH	41.	16. 5N	65.	6. 1W	2225	13	882	LRC
LYNCH	41.	16. 8N	65.	6. 3W	2231	13	882	LRC
LYNCH	41.	18. 0N	65.	7. 4W	2300	13	882	LRC
LYNCH	41.	19. 0N	65.	8. 8W	2330	13	882	LRC
LYNCH	41.	20. 0N	65.	10. 6W	2400	13	882	LRC
LYNCH	41.	21. 4N	65.	12. 9W	40	14	882	LRC
LYNCH	41.	22. 1N	65.	14. 1W	100	14	882	LRC
LYNCH	41.	23. 3N	65.	16. 2W	130	14	882	LRC
LYNCH	41.	25. 1N	65.	17. 2W	200	14	882	LRC
LYNCH	41.	27. 1N	65.	17. 7W	230	14	882	LRC
LYNCH	41.	29. 1N	65.	18. 1W	300	14	882	LRC
LYNCH	41.	31. 2N	65.	18. 1W	330	14	882	LRC
LYNCH	41.	33. 5N	65.	17. 9W	400	14	882	LRC
LYNCH	41.	34. 8N	65.	18. 7W	430	14	882	LRC
LYNCH	41.	35. 7N	65.	18. 6W	445	14	882	LRC
LYNCH	41.	35. 8N	65.	16. 8W	500	14	882	LRC
LYNCH	41.	36. 0N	65.	13. 6W	530	14	882	LRC

LYNCH	41.	36. 3N	65.	10. 4W	600	14	882	LRC
LYNCH	41.	36. 5N	65.	7. 1W	630	14	882	LRC
LYNCH	41.	36. 7N	65.	3. 5W	700	14	882	LRC
LYNCH	41.	36. 4N	65.	1. 7W	715	14	882	LRC
LYNCH	41.	34. 2N	65.	0. 0W	800	14	882	LRC
LYNCH	41.	33. 5N	64.	59. 7W	830	14	882	LRC
LYNCH	41.	29. 9N	65.	2. 0W	930	14	882	LRC
LYNCH	41.	28. 4N	65.	4. 0W	1000	14	882	LRC
LYNCH	41.	26. 2N	65.	6. 2W	1035	14	882	LRC
LYNCH	41.	24. 6N	65.	8. 0W	1100	14	882	LRC
LYNCH	41.	23. 1N	65.	9. 8W	1130	14	882	LRC
LYNCH	41.	21. 7N	65.	11. 6W	1200	14	882	LRC
LYNCH	41.	20. 2N	65.	13. 6W	1230	14	882	LRC
LYNCH	41.	18. 8N	65.	15. 7W	1300	14	882	LRC
LYNCH	41.	18. 0N	65.	15. 6W	1315	14	882	LRC
LYNCH	41.	17. 8N	65.	14. 5W	1330	14	882	LRC
LYNCH	41.	17. 5N	65.	12. 3W	1400	14	882	LRC
LYNCH	41.	17. 2N	65.	10. 2W	1430	14	882	LRC
LYNCH	41.	17. 0N	65.	8. 1W	1500	14	882	LRC
LYNCH	41.	17. 0N	65.	6. 6W	1525	14	882	LRC
LYNCH	41.	17. 1N	65.	4. 6W	1600	14	882	LRC
LYNCH	41.	17. 4N	65.	2. 9W	1630	14	882	LRC
LYNCH	41.	17. 6N	65.	9W	1700	14	882	LRC
LYNCH	41.	18. 0N	64.	59. 0W	1730	14	882	LRC
LYNCH	41.	18. 5N	64.	59. 1W	1740	14	882	LRC
LYNCH	41.	18. 8N	65.	1. 0W	1800	14	882	LRC
LYNCH	41.	19. 4N	65.	4. 0W	1830	14	882	LRC
LYNCH	41.	20. 2N	65.	4. 9W	1845	14	882	LRC
LYNCH	41.	21. 4N	65.	5. 1W	1900	14	882	LRC
LYNCH	41.	24. 1N	65.	5. 1W	1930	14	882	LRC
LYNCH	41.	24. 6N	65.	4. 5W	1945	14	882	LRC
LYNCH	41.	24. 1N	65.	3. 8W	2000	14	882	LRC
LYNCH	41.	23. 2N	65.	2. 7W	2030	14	882	LRC
LYNCH	41.	22. 1N	65.	1. 5W	2100	14	882	LRC
LYNCH	41.	21. 1N	65.	8W	2130	14	882	LRC
LYNCH	41.	20. 2N	65.	9W	2200	14	882	LRC
LYNCH	41.	19. 6N	65.	9W	2230	14	882	LRC
LYNCH	41.	19. 5N	65.	1. 0W	2234	14	882	LRC
LYNCH	41.	19. 5N	65.	1. 3W	2246	14	882	LRC
LYNCH	41.	19. 6N	65.	1. 4W	2249	14	882	LRC
LYNCH	41.	20. 0N	65.	1. 8W	2300	14	882	LRC
LYNCH	41.	20. 2N	65.	2. 0W	2307	14	882	LRC
LYNCH	41.	20. 7N	65.	2. 2W	2319	14	882	LRC
LYNCH	41.	22. 5N	65.	1. 3W	2350	14	882	LRC
LYNCH	41.	22. 9N	65.	1. 0W	2400	14	882	LRC
LYNCH	41.	23. 0N	65.	9W	2	15	882	LRC
LYNCH	41.	23. 3N	65.	1. 0W	15	15	882	LRC
LYNCH	41.	23. 6N	65.	9W	30	15	882	LRC
LYNCH	41.	24. 2N	65.	1. 2W	100	15	882	LRC
LYNCH	41.	24. 8N	65.	1. 8W	130	15	882	LRC
LYNCH	41.	25. 0N	65.	2. 0W	138	15	882	LRC
LYNCH	41.	25. 7N	65.	2. 3W	200	15	882	LRC
LYNCH	41.	26. 7N	65.	3. 1W	227	15	882	LRC
LYNCH	41.	28. 5N	65.	4. 2W	300	15	882	LRC

LYNCH	41.	29.	7N	65.	4.	7W	315	15	882	LRC
LYNCH	41.	31.	2N	65.	5.	2W	331	15	882	LRC
LYNCH	41.	32.	2N	65.	5.	5W	342	15	882	LRC
LYNCH	41.	33.	8N	65.	6.	0W	355	15	882	LRC
LYNCH	41.	34.	2N	65.	6.	1W	400	15	882	LRC
LYNCH	41.	35.	0N	65.	6.	4W	410	15	882	LRC
LYNCH	41.	36.	9N	65.	6.	9W	433	15	882	LRC
LYNCH	41.	37.	7N	65.	7.	1W	439	15	882	LRC
LYNCH	41.	39.	7N	65.	7.	3W	500	15	882	LRC
LYNCH	41.	41.	9N	65.	7.	7W	530	15	882	LRC
LYNCH	41.	44.	1N	65.	7.	4W	600	15	882	LRC
LYNCH	41.	45.	8N	65.	7.	7W	630	15	882	LRC
LYNCH	41.	47.	3N	65.	7.	7W	700	15	882	LRC
LYNCH	41.	47.	8N	65.	8.	5W	730	15	882	LRC
LYNCH	41.	48.	2N	65.	9.	7W	800	15	882	LRC
LYNCH	41.	49.	3N	65.	11.	1W	835	15	882	LRC
LYNCH	41.	50.	4N	65.	12.	2W	900	15	882	LRC
LYNCH	41.	51.	7N	65.	13.	7W	930	15	882	LRC
LYNCH	41.	53.	0N	65.	15.	3W	1000	15	882	LRC
LYNCH	41.	54.	7N	65.	16.	3W	1030	15	882	LRC
LYNCH	41.	56.	4N	65.	17.	2W	1100	15	882	LRC
LYNCH	41.	58.	4N	65.	18.	0W	1130	15	882	LRC
LYNCH	41.	59.	5N	65.	18.	2W	1145	15	882	LRC
LYNCH	42.	0.	0N	65.	17.	7W	1200	15	882	LRC
LYNCH	41.	59.	9N	65.	17.	7W	1202	15	882	LRC
LYNCH	41.	59.	7N	65.	17.	8W	1210	15	882	LRC
LYNCH	41.	59.	6N	65.	17.	2W	1223	15	882	LRC
LYNCH	42.	1.	8N	65.	16.	9W	1300	15	882	LRC
LYNCH	42.	3.	6N	65.	16.	3W	1330	15	882	LRC
LYNCH	42.	5.	3N	65.	15.	8W	1400	15	882	LRC
LYNCH	42.	6.	8N	65.	14.	9W	1430	15	882	LRC
LYNCH	42.	8.	0N	65.	14.	0W	1500	15	882	LRC
LYNCH	42.	9.	1N	65.	13.	5W	1530	15	882	LRC
LYNCH	42.	10.	0N	65.	13.	2W	1600	15	882	LRC
LYNCH	42.	10.	9N	65.	13.	0W	1615	15	882	LRC
LYNCH	42.	10.	7N	65.	13.	5W	1623	15	882	LRC
LYNCH	42.	10.	5N	65.	14.	0W	1630	15	882	LRC
LYNCH	42.	8.	7N	65.	16.	3W	1700	15	882	LRC
LYNCH	42.	7.	3N	65.	19.	0W	1730	15	882	LRC
LYNCH	42.	6.	5N	65.	20.	3W	1745	15	882	LRC
LYNCH	42.	6.	0N	65.	21.	1W	1800	15	882	LRC
LYNCH	42.	4.	5N	65.	23.	4W	1830	15	882	LRC
LYNCH	42.	2.	7N	65.	25.	6W	1900	15	882	LRC
LYNCH	42.	.	8N	65.	28.	1W	1930	15	882	LRC
LYNCH	41.	59.	9N	65.	29.	4W	1945	15	882	LRC
LYNCH	41.	59.	0N	65.	30.	6W	2000	15	882	LRC
LYNCH	41.	59.	9N	65.	32.	2W	2025	15	882	LRC
LYNCH	42.	.	9N	65.	31.	1W	2045	15	882	LRC
LYNCH	42.	2.	4N	65.	27.	4W	2115	15	882	LRC
LYNCH	42.	4.	4N	65.	26.	2W	2200	15	882	LRC
LYNCH	42.	4.	8N	65.	25.	4W	2207	15	882	LRC
LYNCH	42.	5.	2N	65.	26.	6W	2230	15	882	LRC
LYNCH	42.	3.	6N	65.	28.	9W	2300	15	882	LRC
LYNCH	42.	2.	2N	65.	31.	2W	2330	15	882	LRC

LYNCH	42.	. 6N	65.	33. 7W	2400	15	882	LRC
LYNCH	42.	0. 0N	65.	34. 5W	12	16	882	LRC
LYNCH	42.	0. 0N	65.	35. 4W	22	16	882	LRC
LYNCH	42.	. 5N	65.	36. 3W	30	16	882	LRC
LYNCH	42.	2. 1N	65.	38. 9W	100	16	882	LRC
LYNCH	42.	2. 9N	65.	40. 1W	115	16	882	LRC
LYNCH	42.	3. 6N	65.	40. 9W	130	16	882	LRC
LYNCH	42.	4. 7N	65.	42. 4W	200	16	882	LRC
LYNCH	42.	5. 4N	65.	43. 6W	230	16	882	LRC
LYNCH	42.	5. 6N	65.	44. 9W	300	16	882	LRC
LYNCH	42.	5. 7N	65.	45. 6W	315	16	882	LRC
LYNCH	42.	5. 7N	65.	46. 1W	330	16	882	LRC
LYNCH	42.	5. 8N	65.	47. 1W	400	16	882	LRC
LYNCH	42.	6. 5N	65.	47. 9W	430	16	882	LRC
LYNCH	42.	7. 2N	65.	48. 7W	500	16	882	LRC
LYNCH	42.	7. 8N	65.	49. 9W	530	16	882	LRC
LYNCH	42.	8. 4N	65.	51. 5W	600	16	882	LRC
LYNCH	42.	9. 1N	65.	53. 3W	630	16	882	LRC
LYNCH	42.	9. 9N	65.	55. 2W	700	16	882	LRC
LYNCH	42.	10. 9N	65.	57. 4W	730	16	882	LRC
LYNCH	42.	12. 7N	65.	59. 6W	800	16	882	LRC
LYNCH	42.	13. 7N	66.	1. 9W	830	16	882	LRC
LYNCH	42.	14. 5N	66.	3. 1W	845	16	882	LRC
LYNCH	42.	15. 5N	66.	4. 6W	900	16	882	LRC
LYNCH	42.	18. 4N	66.	8. 1W	1000	16	882	LRC
LYNCH	42.	17. 2N	66.	10. 8W	1030	16	882	LRC
LYNCH	42.	17. 8N	66.	12. 4W	1100	16	882	LRC
LYNCH	42.	19. 4N	66.	13. 2W	1130	16	882	LRC
LYNCH	42.	20. 9N	66.	13. 7W	1200	16	882	LRC
LYNCH	42.	21. 8N	66.	13. 9W	1215	16	882	LRC
LYNCH	42.	22. 2N	66.	14. 5W	1225	16	882	LRC
LYNCH	42.	22. 9N	66.	16. 1W	1245	16	882	LRC
LYNCH	42.	23. 4N	66.	17. 2W	1300	16	882	LRC
LYNCH	42.	23. 9N	66.	18. 5W	1315	16	882	LRC
LYNCH	42.	24. 4N	66.	19. 7W	1330	16	882	LRC
LYNCH	42.	25. 0N	66.	20. 9W	1345	16	882	LRC
LYNCH	42.	25. 6N	66.	22. 1W	1400	16	882	LRC
LYNCH	42.	26. 3N	66.	23. 2W	1415	16	882	LRC
LYNCH	42.	26. 9N	66.	24. 2W	1430	16	882	LRC
LYNCH	42.	28. 3N	66.	26. 2W	1500	16	882	LRC
LYNCH	42.	29. 4N	66.	27. 5W	1525	16	882	LRC
LYNCH	42.	30. 4N	66.	29. 6W	1600	16	882	LRC
LYNCH	42.	30. 6N	66.	30. 6W	1615	16	882	LRC
LYNCH	42.	30. 8N	66.	31. 7W	1630	16	882	LRC
LYNCH	42.	31. 1N	66.	32. 7W	1645	16	882	LRC
LYNCH	42.	31. 4N	66.	33. 7W	1700	16	882	LRC
LYNCH	42.	31. 8N	66.	34. 7W	1715	16	882	LRC
LYNCH	42.	32. 0N	66.	35. 6W	1730	16	882	LRC
LYNCH	42.	32. 3N	66.	36. 6W	1745	16	882	LRC
LYNCH	42.	32. 8N	66.	37. 3W	1800	16	882	LRC
LYNCH	42.	33. 5N	66.	37. 9W	1815	16	882	LRC
LYNCH	42.	33. 6N	66.	38. 4W	1820	16	882	LRC
LYNCH	42.	33. 5N	66.	39. 5W	1830	16	882	LRC
LYNCH	42.	33. 5N	66.	41. 3W	1845	16	882	LRC

LYNCH	42.	33.	5N	66.	41.	9W	1850	16	882	LRC
LYNCH	42.	33.	5N	66.	42.	9W	1900	16	882	LRC
LYNCH	42.	33.	8N	66.	46.	0W	1930	16	882	LRC
LYNCH	42.	33.	7N	66.	47.	6W	1945	16	882	LRC
LYNCH	42.	33.	6N	66.	49.	2W	2000	16	882	LRC
LYNCH	42.	33.	4N	66.	52.	6W	2030	16	882	LRC
LYNCH	42.	33.	4N	66.	55.	5W	2055	16	882	LRC
LYNCH	42.	33.	2N	66.	58.	9W	2125	16	882	LRC
LYNCH	42.	32.	6N	67.	2.	2W	2200	16	882	LRC
LYNCH	42.	31.	9N	67.	5.	2W	2230	16	882	LRC
LYNCH	42.	31.	1N	67.	7.	9W	2300	16	882	LRC
LYNCH	42.	31.	0N	67.	8.	8W	2310	16	882	LRC
LYNCH	42.	30.	8N	67.	10.	2W	2325	16	882	LRC
LYNCH	42.	30.	7N	67.	11.	2W	2336	16	882	LRC
LYNCH	42.	30.	6N	67.	12.	1W	2345	16	882	LRC
LYNCH	42.	30.	5N	67.	13.	5W	2400	16	882	LRC
LYNCH	42.	30.	4N	67.	15.	2W	30	17	882	LRC
LYNCH	42.	30.	4N	67.	15.	9W	100	17	882	LRC
LYNCH	42.	30.	3N	67.	16.	5W	132	17	882	LRC
LYNCH	42.	30.	3N	67.	16.	8W	145	17	882	LRC
LYNCH	42.	31.	5N	67.	18.	1W	200	17	882	LRC
LYNCH	42.	32.	5N	67.	18.	9W	208	17	882	LRC
LYNCH	42.	33.	2N	67.	19.	6W	215	17	882	LRC
LYNCH	42.	34.	9N	67.	21.	5W	233	17	882	LRC
LYNCH	42.	35.	6N	67.	22.	0W	240	17	882	LRC
LYNCH	42.	36.	7N	67.	22.	7W	250	17	882	LRC
LYNCH	42.	37.	3N	67.	23.	0W	255	17	882	LRC
LYNCH	42.	38.	0N	67.	23.	0W	300	17	882	LRC
LYNCH	42.	38.	9N	67.	22.	7W	305	17	882	LRC
LYNCH	42.	39.	1N	67.	22.	5W	308	17	882	LRC
LYNCH	42.	39.	2N	67.	22.	5W	309	17	882	LRC
LYNCH	42.	40.	1N	67.	22.	9W	316	17	882	LRC
LYNCH	42.	42.	0N	67.	23.	2W	330	17	882	LRC
LYNCH	42.	44.	2N	67.	23.	5W	345	17	882	LRC
LYNCH	42.	46.	5N	67.	23.	8W	400	17	882	LRC
LYNCH	42.	48.	7N	67.	24.	2W	415	17	882	LRC
LYNCH	42.	50.	9N	67.	24.	8W	430	17	882	LRC
LYNCH	42.	55.	3N	67.	26.	0W	500	17	882	LRC
LYNCH	42.	57.	2N	67.	26.	7W	515	17	882	LRC
LYNCH	42.	59.	1N	67.	27.	7W	530	17	882	LRC
LYNCH	43.	3.	2N	67.	29.	4W	600	17	882	LRC
LYNCH	43.	5.	5N	67.	30.	2W	615	17	882	LRC
LYNCH	43.	7.	5N	67.	30.	9W	630	17	882	LRC
LYNCH	43.	9.	6N	67.	31.	6W	645	17	882	LRC
LYNCH	43.	11.	8N	67.	32.	1W	700	17	882	LRC
LYNCH	43.	13.	8N	67.	32.	5W	715	17	882	LRC
LYNCH	43.	16.	1N	67.	33.	0W	730	17	882	LRC
LYNCH	43.	18.	2N	67.	33.	5W	745	17	882	LRC
LYNCH	43.	20.	4N	67.	34.	2W	800	17	882	LRC
LYNCH	43.	24.	8N	67.	35.	8W	830	17	882	LRC
LYNCH	43.	29.	3N	67.	37.	1W	900	17	882	LRC
LYNCH	43.	33.	9N	67.	38.	3W	930	17	882	LRC
LYNCH	43.	36.	0N	67.	39.	0W	945	17	882	LRC
LYNCH	43.	38.	3N	67.	40.	2W	1000	17	882	LRC
LYNCH	43.	40.	6N	67.	41.	2W	1015	17	882	LRC

LYNCH	43.	43.	0N	67.	42.	0W	1030	17	882	LRC
LYNCH	43.	45.	3N	67.	42.	7W	1045	17	882	LRC
LYNCH	43.	47.	6N	67.	41.	6W	1100	17	882	LRC
LYNCH	43.	49.	9N	67.	40.	2W	1115	17	882	LRC
LYNCH	43.	52.	1N	67.	38.	8W	1130	17	882	LRC
LYNCH	43.	53.	7N	67.	37.	8W	1145	17	882	LRC
LYNCH	43.	54.	7N	67.	37.	2W	1200	17	882	LRC
LYNCH	43.	55.	2N	67.	36.	9W	1207	17	882	LRC
LYNCH	43.	56.	2N	67.	36.	2W	1230	17	882	LRC
LYNCH	43.	56.	5N	67.	35.	9W	1235	17	882	LRC
LYNCH	43.	57.	8N	67.	34.	3W	1300	17	882	LRC
LYNCH	43.	58.	6N	67.	33.	3W	1315	17	882	LRC
LYNCH	43.	59.	2N	67.	33.	0W	1326	17	882	LRC
LYNCH	43.	59.	3N	67.	34.	0W	1345	17	882	LRC
LYNCH	43.	59.	4N	67.	34.	9W	1400	17	882	LRC
LYNCH	43.	59.	4N	67.	35.	8W	1415	17	882	LRC
LYNCH	43.	59.	1N	67.	35.	2W	1428	17	882	LRC
LYNCH	43.	59.	0N	67.	32.	1W	1500	17	882	LRC
LYNCH	43.	58.	7N	67.	30.	6W	1515	17	882	LRC
LYNCH	43.	59.	2N	67.	30.	4W	1526	17	882	LRC
LYNCH	43.	59.	0N	67.	32.	7W	1600	17	882	LRC
LYNCH	43.	58.	8N	67.	34.	9W	1630	17	882	LRC
LYNCH	43.	58.	8N	67.	35.	2W	1634	17	882	LRC
LYNCH	43.	58.	2N	67.	35.	7W	1645	17	882	LRC
LYNCH	43.	57.	5N	67.	36.	5W	1700	17	882	LRC
LYNCH	43.	56.	7N	67.	37.	2W	1715	17	882	LRC
LYNCH	43.	56.	0N	67.	37.	8W	1730	17	882	LRC
LYNCH	43.	54.	7N	67.	39.	2W	1800	17	882	LRC
LYNCH	43.	54.	0N	67.	39.	8W	1815	17	882	LRC
LYNCH	43.	53.	1N	67.	40.	7W	1830	17	882	LRC
LYNCH	43.	52.	3N	67.	41.	5W	1845	17	882	LRC
LYNCH	43.	51.	5N	67.	42.	2W	1900	17	882	LRC
LYNCH	43.	50.	9N	67.	42.	6W	1910	17	882	LRC
LYNCH	43.	49.	9N	67.	43.	6W	1930	17	882	LRC
LYNCH	43.	49.	7N	67.	44.	2W	1937	17	882	LRC
LYNCH	43.	49.	7N	67.	45.	4W	1953	17	882	LRC
LYNCH	43.	50.	3N	67.	46.	3W	2009	17	882	LRC
LYNCH	43.	51.	8N	67.	46.	2W	2028	17	882	LRC
LYNCH	43.	52.	1N	67.	46.	2W	2032	17	882	LRC
LYNCH	43.	53.	3N	67.	44.	7W	2050	17	882	LRC
LYNCH	43.	53.	5N	67.	44.	2W	2054	17	882	LRC
LYNCH	43.	53.	7N	67.	41.	8W	2115	17	882	LRC
LYNCH	43.	53.	7N	67.	41.	3W	2120	17	882	LRC
LYNCH	43.	52.	7N	67.	39.	1W	2146	17	882	LRC
LYNCH	43.	52.	4N	67.	39.	0W	2151	17	882	LRC
LYNCH	43.	51.	3N	67.	38.	8W	2211	17	882	LRC
LYNCH	43.	50.	4N	67.	37.	9W	2230	17	882	LRC
LYNCH	43.	49.	1N	67.	36.	4W	2300	17	882	LRC
LYNCH	43.	47.	8N	67.	35.	0W	2330	17	882	LRC
LYNCH	43.	47.	2N	67.	34.	3W	2345	17	882	LRC
LYNCH	43.	46.	6N	67.	33.	5W	2400	17	882	LRC
LYNCH	43.	45.	5N	67.	31.	9W	30	18	882	LRC
LYNCH	43.	44.	5N	67.	30.	4W	100	18	882	LRC
LYNCH	43.	43.	9N	67.	29.	7W	115	18	882	LRC
LYNCH	43.	43.	3N	67.	29.	0W	130	18	882	LRC

LYNCH	43.	42.	0N	67.	28.	0W	200	18	882	LRC
LYNCH	43.	40.	3N	67.	26.	8W	230	18	882	LRC
LYNCH	43.	39.	4N	67.	26.	8W	245	18	882	LRC
LYNCH	43.	38.	3N	67.	25.	6W	300	18	882	LRC
LYNCH	43.	37.	3N	67.	25.	1W	315	18	882	LRC
LYNCH	43.	36.	4N	67.	24.	8W	330	18	882	LRC
LYNCH	43.	35.	5N	67.	24.	7W	345	18	882	LRC
LYNCH	43.	34.	9N	67.	24.	8W	355	18	882	LRC
LYNCH	43.	34.	2N	67.	24.	9W	405	18	882	LRC
LYNCH	43.	34.	0N	67.	24.	8W	408	18	882	LRC
LYNCH	43.	33.	6N	67.	24.	3W	415	18	882	LRC
LYNCH	43.	33.	7N	67.	24.	0W	420	18	882	LRC
LYNCH	43.	33.	8N	67.	24.	0W	422	18	882	LRC
LYNCH	43.	34.	1N	67.	24.	5W	432	18	882	LRC
LYNCH	43.	34.	4N	67.	25.	0W	442	18	882	LRC
LYNCH	43.	34.	0N	67.	24.	9W	455	18	882	LRC
LYNCH	43.	33.	8N	67.	23.	8W	505	18	882	LRC
LYNCH	43.	33.	7N	67.	22.	6W	515	18	882	LRC
LYNCH	43.	33.	9N	67.	22.	5W	522	18	882	LRC
LYNCH	43.	33.	3N	67.	22.	8W	532	18	882	LRC
LYNCH	43.	32.	8N	67.	23.	2W	542	18	882	LRC
LYNCH	43.	32.	4N	67.	22.	9W	549	18	882	LRC
LYNCH	43.	32.	5N	67.	22.	6W	554	18	882	LRC
LYNCH	43.	33.	2N	67.	22.	5W	604	18	882	LRC
LYNCH	43.	33.	8N	67.	22.	5W	614	18	882	LRC
LYNCH	43.	33.	2N	67.	22.	9W	630	18	882	LRC
LYNCH	43.	32.	6N	67.	22.	2W	640	18	882	LRC
LYNCH	43.	31.	9N	67.	21.	4W	650	18	882	LRC
LYNCH	43.	31.	9N	67.	20.	9W	705	18	882	LRC
LYNCH	43.	31.	8N	67.	21.	8W	715	18	882	LRC
LYNCH	43.	31.	6N	67.	22.	7W	725	18	882	LRC
LYNCH	43.	31.	0N	67.	22.	1W	743	18	882	LRC
LYNCH	43.	31.	5N	67.	21.	4W	753	18	882	LRC
LYNCH	43.	32.	0N	67.	20.	6W	803	18	882	LRC
LYNCH	43.	32.	6N	67.	20.	8W	815	18	882	LRC
LYNCH	43.	32.	5N	67.	22.	5W	830	18	882	LRC
LYNCH	43.	32.	4N	67.	24.	0W	845	18	882	LRC
LYNCH	43.	32.	3N	67.	25.	6W	900	18	882	LRC
LYNCH	43.	32.	1N	67.	27.	0W	915	18	882	LRC
LYNCH	43.	31.	9N	67.	28.	5W	930	18	882	LRC
LYNCH	43.	31.	7N	67.	29.	9W	945	18	882	LRC
LYNCH	43.	31.	2N	67.	31.	0W	1000	18	882	LRC
LYNCH	43.	30.	5N	67.	32.	0W	1015	18	882	LRC
LYNCH	43.	29.	8N	67.	32.	7W	1030	18	882	LRC
LYNCH	43.	29.	2N	67.	33.	5W	1045	18	882	LRC
LYNCH	43.	28.	6N	67.	34.	6W	1100	18	882	LRC
LYNCH	43.	28.	1N	67.	35.	8W	1115	18	882	LRC
LYNCH	43.	27.	5N	67.	36.	7W	1130	18	882	LRC
LYNCH	43.	26.	8N	67.	37.	5W	1145	18	882	LRC
LYNCH	43.	26.	1N	67.	38.	4W	1200	18	882	LRC
LYNCH	43.	25.	3N	67.	39.	3W	1215	18	882	LRC
LYNCH	43.	24.	6N	67.	40.	2W	1230	18	882	LRC
LYNCH	43.	23.	8N	67.	41.	2W	1245	18	882	LRC
LYNCH	43.	23.	1N	67.	42.	2W	1300	18	882	LRC

LYNCH	43.	22.	3N	67.	43.	3W	1315	18	882	LRC
LYNCH	43.	21.	5N	67.	44.	4W	1330	18	882	LRC
LYNCH	43.	20.	8N	67.	45.	4W	1345	18	882	LRC
LYNCH	43.	20.	0N	67.	46.	5W	1400	18	882	LRC
LYNCH	43.	18.	3N	67.	48.	4W	1430	18	882	LRC
LYNCH	43.	17.	7N	67.	49.	1W	1440	18	882	LRC
LYNCH	43.	18.	0N	67.	49.	7W	1450	18	882	LRC
LYNCH	43.	18.	5N	67.	49.	2W	1500	18	882	LRC
LYNCH	43.	19.	5N	67.	48.	4W	1515	18	882	LRC
LYNCH	43.	20.	4N	67.	47.	7W	1530	18	882	LRC
LYNCH	43.	21.	7N	67.	46.	5W	1550	18	882	LRC
LYNCH	43.	22.	0N	67.	45.	9W	1600	18	882	LRC
LYNCH	43.	22.	9N	67.	45.	0W	1615	18	882	LRC
LYNCH	43.	23.	8N	67.	44.	1W	1630	18	882	LRC
LYNCH	43.	24.	6N	67.	43.	2W	1645	18	882	LRC
LYNCH	43.	25.	1N	67.	42.	6W	1653	18	882	LRC
LYNCH	43.	25.	5N	67.	42.	8W	1700	18	882	LRC
LYNCH	43.	25.	5N	67.	43.	1W	1702	18	882	LRC
LYNCH	43.	25.	5N	67.	44.	2W	1715	18	882	LRC
LYNCH	43.	25.	4N	67.	45.	7W	1730	18	882	LRC
LYNCH	43.	25.	2N	67.	47.	3W	1745	18	882	LRC
LYNCH	43.	25.	1N	67.	48.	8W	1800	18	882	LRC
LYNCH	43.	24.	8N	67.	51.	9W	1830	18	882	LRC
LYNCH	43.	24.	6N	67.	53.	3W	1845	18	882	LRC
LYNCH	43.	24.	5N	67.	54.	8W	1900	18	882	LRC
LYNCH	43.	24.	3N	67.	56.	3W	1915	18	882	LRC
LYNCH	43.	24.	1N	67.	57.	7W	1930	18	882	LRC
LYNCH	43.	24.	0N	67.	59.	1W	1945	18	882	LRC
LYNCH	43.	23.	8N	68.		5W	2000	18	882	LRC
LYNCH	43.	23.	7N	68.	1.	9W	2015	18	882	LRC
LYNCH	43.	23.	6N	68.	2.	8W	2020	18	882	LRC
LYNCH	43.	23.	1N	68.	3.	4W	2035	18	882	LRC
LYNCH	43.	21.	7N	68.	3.	2W	2051	18	882	LRC
LYNCH	43.	21.	6N	68.	3.	1W	2052	18	882	LRC
LYNCH	43.	21.	5N	68.	3.	5W	2058	18	882	LRC
LYNCH	43.	21.	7N	68.	3.	9W	2105	18	882	LRC
LYNCH	43.	22.	0N	68.	3.	9W	2110	18	882	LRC
LYNCH	43.	22.	7N	68.	2.	6W	2125	18	882	LRC
LYNCH	43.	23.	0N	68.	2.	2W	2130	18	882	LRC
LYNCH	43.	23.	0N	68.	1.	7W	2135	18	882	LRC
LYNCH	43.	22.	9N	68.	1.	4W	2138	18	882	LRC
LYNCH	43.	22.	6N	68.	1.	1W	2142	18	882	LRC
LYNCH	43.	22.	4N	68.		8W	2146	18	882	LRC
LYNCH	43.	22.	1N	68.		7W	2150	18	882	LRC
LYNCH	43.	22.	0N	68.		9W	2153	18	882	LRC
LYNCH	43.	22.	1N	68.	1.	5W	2200	18	882	LRC
LYNCH	43.	22.	3N	68.	1.	9W	2205	18	882	LRC
LYNCH	43.	22.	3N	68.	4.	0W	2226	18	882	LRC
LYNCH	43.	22.	6N	68.	4.	3W	2233	18	882	LRC
LYNCH	43.	22.	8N	68.	4.	1W	2236	18	882	LRC
LYNCH	43.	22.	9N	68.	3.	5W	2242	18	882	LRC
LYNCH	43.	21.	8N	68.	2.	0W	2302	18	882	LRC
LYNCH	43.	21.	4N	68.	1.	9W	2308	18	882	LRC
LYNCH	43.	21.	2N	68.	2.	0W	2310	18	882	LRC
LYNCH	43.	21.	1N	68.	2.	4W	2315	18	882	LRC

LYNCH	43.	21.	1N	68.	3.	0W	2320	18	882	LRC
LYNCH	43.	21.	3N	68.	2.	3W	2326	18	882	LRC
LYNCH	43.	23.	0N	68.	3.	4W	2346	18	882	LRC
LYNCH	43.	23.	3N	68.	3.	4W	2350	18	882	LRC
LYNCH	43.	23.	6N	68.	3.	4W	2355	18	882	LRC
LYNCH	43.	23.	9N	68.	3.	0W	2400	18	882	LRC
LYNCH	43.	23.	9N	68.	2.	7W	3	19	882	LRC
LYNCH	43.	23.	8N	68.	2.	4W	6	19	882	LRC
LYNCH	43.	23.	8N	68.	2.	4W	7	19	882	LRC
LYNCH	43.	23.	6N	68.	2.	2W	10	19	882	LRC
LYNCH	43.	23.	5N	68.	2.	0W	13	19	882	LRC
LYNCH	43.	23.	0N	68.	2.	0W	20	19	882	LRC
LYNCH	43.	22.	9N	68.	2.	3W	23	19	882	LRC
LYNCH	43.	22.	9N	68.	2.	5W	25	19	882	LRC
LYNCH	43.	22.	8N	68.	2.	7W	27	19	882	LRC
LYNCH	43.	22.	8N	68.	2.	8W	28	19	882	LRC
LYNCH	43.	21.	7N	68.	4.	3W	49	19	882	LRC
LYNCH	43.	21.	6N	68.	4.	7W	53	19	882	LRC
LYNCH	43.	21.	6N	68.	4.	9W	55	19	882	LRC
LYNCH	43.	21.	8N	68.	5.	3W	100	19	882	LRC
LYNCH	43.	22.	0N	68.	5.	4W	102	19	882	LRC
LYNCH	43.	22.	2N	68.	5.	4W	104	19	882	LRC
LYNCH	43.	22.	3N	68.	5.	4W	106	19	882	LRC
LYNCH	43.	23.	2N	68.	5.	4W	117	19	882	LRC
LYNCH	43.	23.	9N	68.	5.	5W	125	19	882	LRC
LYNCH	43.	24.	1N	68.	5.	4W	128	19	882	LRC
LYNCH	43.	24.	2N	68.	5.	4W	130	19	882	LRC
LYNCH	43.	24.	4N	68.	5.	3W	132	19	882	LRC
LYNCH	43.	24.	5N	68.	5.	1W	135	19	882	LRC
LYNCH	43.	24.	6N	68.	4.	9W	137	19	882	LRC
LYNCH	43.	24.	7N	68.	3.	3W	153	19	882	LRC
LYNCH	43.	24.	7N	68.	2.	8W	157	19	882	LRC
LYNCH	43.	24.	7N	68.	2.	6W	200	19	882	LRC
LYNCH	43.	24.	7N	68.	2.	5W	201	19	882	LRC
LYNCH	43.	24.	5N	68.	1.	9W	208	19	882	LRC
LYNCH	43.	24.	3N	68.	1.	3W	215	19	882	LRC
LYNCH	43.	24.	1N	68.	.	9W	220	19	882	LRC
LYNCH	43.	24.	0N	68.	.	5W	225	19	882	LRC
LYNCH	43.	23.	7N	68.	.	3W	230	19	882	LRC
LYNCH	43.	23.	0N	68.	.	4W	240	19	882	LRC
LYNCH	43.	21.	5N	68.	.	5W	300	19	882	LRC
LYNCH	43.	21.	4N	68.	.	6W	303	19	882	LRC
LYNCH	43.	21.	2N	68.	.	6W	305	19	882	LRC
LYNCH	43.	21.	0N	68.	.	7W	308	19	882	LRC
LYNCH	43.	20.	9N	68.	.	9W	310	19	882	LRC
LYNCH	43.	20.	9N	68.	1.	4W	315	19	882	LRC
LYNCH	43.	21.	0N	68.	1.	5W	317	19	882	LRC
LYNCH	43.	21.	1N	68.	1.	7W	320	19	882	LRC
LYNCH	43.	22.	6N	68.	3.	7W	345	19	882	LRC
LYNCH	43.	23.	4N	68.	4.	8W	358	19	882	LRC
LYNCH	43.	23.	5N	68.	4.	9W	400	19	882	LRC
LYNCH	43.	24.	0N	68.	4.	8W	404	19	882	LRC
LYNCH	43.	24.	9N	68.	2.	2W	435	19	882	LRC
LYNCH	43.	25.	7N	67.	59.	6W	500	19	882	LRC

LYNCH	43.	26.	7N	67.	56.	7W	530	19	882	LRC
LYNCH	43.	27.	2N	67.	55.	3W	545	19	882	LRC
LYNCH	43.	27.	5N	67.	53.	8W	600	19	882	LRC
LYNCH	43.	28.	0N	67.	52.	4W	615	19	882	LRC
LYNCH	43.	28.	4N	67.	50.	9W	630	19	882	LRC
LYNCH	43.	28.	9N	67.	49.	6W	645	19	882	LRC
LYNCH	43.	29.	4N	67.	48.	3W	700	19	882	LRC
LYNCH	43.	29.	7N	67.	46.	9W	715	19	882	LRC
LYNCH	43.	30.	0N	67.	45.	3W	730	19	882	LRC
LYNCH	43.	30.	4N	67.	43.	8W	745	19	882	LRC
LYNCH	43.	30.	6N	67.	42.	2W	800	19	882	LRC
LYNCH	43.	30.	7N	67.	40.	4W	815	19	882	LRC
LYNCH	43.	30.	8N	67.	38.	9W	830	19	882	LRC
LYNCH	43.	30.	8N	67.	36.	9W	848	19	882	LRC
LYNCH	43.	30.	7N	67.	35.	5W	900	19	882	LRC
LYNCH	43.	30.	6N	67.	33.	7W	915	19	882	LRC
LYNCH	43.	30.	6N	67.	32.	0W	930	19	882	LRC
LYNCH	43.	30.	4N	67.	29.	7W	950	19	882	LRC
LYNCH	43.	30.	4N	67.	28.	6W	1000	19	882	LRC
LYNCH	43.	30.	4N	67.	28.	1W	1005	19	882	LRC
LYNCH	43.	32.	5N	67.	24.	4W	1100	19	882	LRC
LYNCH	43.	32.	6N	67.	24.	4W	1115	19	882	LRC
LYNCH	43.	31.	8N	67.	24.	0W	1130	19	882	LRC
LYNCH	43.	31.	5N	67.	23.	8W	1135	19	882	LRC
LYNCH	43.	31.	1N	67.	23.	0W	1145	19	882	LRC
LYNCH	43.	30.	5N	67.	21.	8W	1200	19	882	LRC
LYNCH	43.	29.	8N	67.	20.	6W	1215	19	882	LRC
LYNCH	43.	30.	0N	67.	18.	3W	1230	19	882	LRC
LYNCH	43.	30.	5N	67.	15.	8W	1300	19	882	LRC
LYNCH	43.	31.	0N	67.	14.	4W	1330	19	882	LRC
LYNCH	43.	31.	0N	67.	13.	2W	1400	19	882	LRC
LYNCH	43.	31.	0N	67.	13.	0W	1406	19	882	LRC
LYNCH	43.	31.	0N	67.	12.	8W	1410	19	882	LRC
LYNCH	43.	30.	9N	67.	12.	5W	1415	19	802	LRC
LYNCH	43.	30.	7N	67.	12.	1W	1420	19	882	LRC
LYNCH	43.	30.	6N	67.	11.	0W	1430	19	882	LRC
LYNCH	43.	30.	4N	67.	9.	5W	1445	19	882	LRC
LYNCH	43.	29.	9N	67.	8.	2W	1500	19	882	LRC
LYNCH	43.	29.	3N	67.	7.	2W	1515	19	882	LRC
LYNCH	43.	28.	7N	67.	6.	1W	1530	19	882	LRC
LYNCH	43.	27.	3N	67.	3.	8W	1600	19	882	LRC
LYNCH	43.	26.	6N	67.	2.	9W	1615	19	882	LRC
LYNCH	43.	25.	9N	67.	1.	8W	1630	19	882	LRC
LYNCH	43.	25.	1N	67.		6W	1645	19	882	LRC
LYNCH	43.	24.	4N	66.	59.	6W	1700	19	882	LRC
LYNCH	43.	23.	9N	66.	59.	7W	1714	19	882	LRC
LYNCH	43.	24.	7N	67.		7W	1730	19	882	LRC
LYNCH	43.	25.	0N	67.	1.	0W	1734	19	882	LRC
LYNCH	43.	25.	8N	67.	2.	0W	1750	19	882	LRC
LYNCH	43.	25.	9N	67.	2.	2W	1752	19	882	LRC
LYNCH	43.	26.	0N	67.	2.	6W	1758	19	882	LRC
LYNCH	43.	25.	5N	67.	2.	8W	1807	19	882	LRC
LYNCH	43.	24.	8N	67.	2.	2W	1817	19	882	LRC
LYNCH	43.	24.	6N	66.	59.	6W	1838	19	882	LRC

LYNCH	43.	25.	1N	66.	58.	8W	1850	19	882	LRC
LYNCH	43.	25.	5N	66.	59.	4W	1900	19	882	LRC
LYNCH	43.	25.	7N	66.	59.	7W	1905	19	882	LRC
LYNCH	43.	26.	0N	67.	0.	0W	1910	19	882	LRC
LYNCH	43.	25.	9N	67.		5W	1917	19	882	LRC
LYNCH	43.	24.	0N	67.	1.	5W	1943	19	882	LRC
LYNCH	43.	23.	6N	67.	1.	5W	1948	19	882	LRC
LYNCH	43.	23.	5N	67.		6W	1958	19	882	LRC
LYNCH	43.	24.	9N	67.		3W	2018	19	882	LRC
LYNCH	43.	25.	7N	67.		1W	2030	19	882	LRC
LYNCH	43.	25.	9N	67.		3W	2034	19	882	LRC
LYNCH	43.	25.	9N	67.		8W	2040	19	882	LRC
LYNCH	43.	25.	5N	67.	1.	1W	2047	19	882	LRC
LYNCH	43.	23.	6N	67.		8W	2111	19	882	LRC
LYNCH	43.	23.	3N	67.		7W	2115	19	882	LRC
LYNCH	43.	23.	0N	67.	1.	2W	2125	19	882	LRC
LYNCH	43.	23.	3N	67.	1.	5W	2130	19	882	LRC
LYNCH	43.	23.	5N	67.	1.	8W	2135	19	882	LRC
LYNCH	43.	23.	7N	67.	2.	0W	2140	19	882	LRC
LYNCH	43.	24.	0N	67.	2.	4W	2145	19	882	LRC
LYNCH	43.	24.	1N	67.	2.	5W	2148	19	882	LRC
LYNCH	43.	24.	7N	67.	2.	6W	2158	19	882	LRC
LYNCH	43.	25.	7N	67.		8W	2219	19	882	LRC
LYNCH	43.	25.	6N	67.		2W	2225	19	882	LRC
LYNCH	43.	25.	4N	66.	59.	8W	2230	19	882	LRC
LYNCH	43.	24.	9N	66.	59.	7W	2239	19	882	LRC
LYNCH	43.	25.	0N	67.	3.	1W	2310	19	882	LRC
LYNCH	43.	25.	5N	67.	3.	7W	2320	19	882	LRC
LYNCH	43.	26.	1N	67.	2.	9W	2330	19	882	LRC
LYNCH	43.	26.	5N	67.	2.	4W	2336	19	882	LRC
LYNCH	43.	27.	0N	66.	59.	8W	2400	19	882	LRC
LYNCH	43.	27.	6N	66.	56.	6W	30	20	882	LRC
LYNCH	43.	27.	7N	66.	55.	6W	40	20	882	LRC
LYNCH	43.	28.	1N	66.	55.	2W	45	20	882	LRC
LYNCH	43.	28.	5N	66.	55.	2W	50	20	882	LRC
LYNCH	43.	29.	0N	66.	55.	3W	55	20	882	LRC
LYNCH	43.	29.	5N	66.	55.	5W	100	20	882	LRC
LYNCH	43.	29.	9N	66.	55.	9W	105	20	882	LRC
LYNCH	43.	30.	1N	66.	56.	4W	110	20	882	LRC
LYNCH	43.	30.	2N	66.	56.	8W	115	20	882	LRC
LYNCH	43.	30.	5N	66.	58.	3W	130	20	882	LRC
LYNCH	43.	30.	8N	66.	59.	7W	145	20	882	LRC
LYNCH	43.	31.	0N	67.		7W	155	20	882	LRC
LYNCH	43.	31.	0N	67.	1.	0W	200	20	882	LRC
LYNCH	43.	31.	2N	67.	2.	8W	215	20	882	LRC
LYNCH	43.	31.	3N	67.	3.	0W	225	20	882	LRC
LYNCH	43.	31.	2N	67.	3.	3W	230	20	882	LRC
LYNCH	43.	31.	1N	67.	3.	1W	235	20	882	LRC
LYNCH	43.	31.	1N	67.	2.	7W	240	20	882	LRC
LYNCH	43.	31.	2N	67.	1.	0W	300	20	882	LRC
LYNCH	43.	31.	2N	67.		5W	305	20	882	LRC
LYNCH	43.	31.	2N	67.		2W	310	20	882	LRC
LYNCH	43.	31.	0N	66.	59.	9W	315	20	882	LRC
LYNCH	43.	30.	8N	66.	59.	9W	323	20	882	LRC

LYNCH	43.	30.	6N	67.	3W	330	20	882	LRC
LYNCH	43.	30.	2N	67.	1. 4W	345	20	882	LRC
LYNCH	43.	29.	6N	67.	2. 1W	400	20	882	LRC
LYNCH	43.	29.	0N	67.	2. 8W	415	20	882	LRC
LYNCH	43.	28.	3N	67.	3. 4W	430	20	882	LRC
LYNCH	43.	27.	2N	67.	4. 7W	500	20	882	LRC
LYNCH	43.	26.	6N	67.	5. 1W	515	20	882	LRC
LYNCH	43.	25.	8N	67.	5. 8W	530	20	882	LRC
LYNCH	43.	24.	2N	67.	6. 8W	600	20	882	LRC
LYNCH	43.	24.	2N	67.	7. 6W	610	20	882	LRC
LYNCH	43.	24.	5N	67.	8. 1W	615	20	882	LRC
LYNCH	43.	25.	3N	67.	9. 3W	630	20	882	LRC
LYNCH	43.	26.	0N	67.	10. 5W	645	20	882	LRC
LYNCH	43.	26.	7N	67.	11. 7W	700	20	882	LRC
LYNCH	43.	28.	0N	67.	13. 8W	730	20	882	LRC
LYNCH	43.	29.	0N	67.	16. 0W	800	20	882	LRC
LYNCH	43.	30.	2N	67.	18. 3W	830	20	882	LRC
LYNCH	43.	30.	7N	67.	19. 5W	845	20	882	LRC
LYNCH	43.	31.	1N	67.	20. 5W	900	20	882	LRC
LYNCH	43.	31.	8N	67.	22. 6W	930	20	882	LRC
LYNCH	43.	32.	6N	67.	24. 8W	1000	20	882	LRC
LYNCH	43.	33.	6N	67.	26. 9W	1030	20	882	LRC
LYNCH	43.	34.	6N	67.	29. 0W	1100	20	882	LRC
LYNCH	43.	35.	7N	67.	29. 2W	1115	20	882	LRC
LYNCH	43.	37.	1N	67.	28. 9W	1130	20	882	LRC
LYNCH	43.	38.	3N	67.	28. 6W	1145	20	882	LRC
LYNCH	43.	39.	6N	67.	28. 4W	1200	20	882	LRC
LYNCH	43.	40.	0N	67.	27. 8W	1209	20	882	LRC
LYNCH	43.	39.	0N	67.	26. 5W	1230	20	882	LRC
LYNCH	43.	37.	7N	67.	25. 8W	1300	20	882	LRC
LYNCH	43.	37.	6N	67.	25. 8W	1304	20	882	LRC
LYNCH	43.	37.	0N	67.	26. 7W	1330	20	882	LRC
LYNCH	43.	36.	2N	67.	27. 9W	1400	20	882	LRC
LYNCH	43.	35.	3N	67.	29. 2W	1430	20	882	LRC
LYNCH	43.	34.	3N	67.	30. 5W	1500	20	882	LRC
LYNCH	43.	33.	3N	67.	32. 0W	1530	20	882	LRC
LYNCH	43.	32.	2N	67.	33. 5W	1600	20	882	LRC
LYNCH	43.	30.	8N	67.	35. 6W	1630	20	882	LRC
LYNCH	43.	29.	4N	67.	37. 6W	1700	20	882	LRC
LYNCH	43.	27.	8N	67.	39. 1W	1730	20	882	LRC
LYNCH	43.	25.	8N	67.	40. 7W	1800	20	882	LRC
LYNCH	43.	24.	0N	67.	42. 2W	1830	20	882	LRC
LYNCH	43.	22.	1N	67.	43. 5W	1900	20	882	LRC
LYNCH	43.	20.	4N	67.	45. 2W	1930	20	882	LRC
LYNCH	43.	19.	0N	67.	47. 3W	2000	20	882	LRC
LYNCH	43.	18.	4N	67.	48. 3W	2015	20	882	LRC
LYNCH	43.	19.	0N	67.	48. 9W	2032	20	882	LRC
LYNCH	43.	20.	9N	67.	46. 0W	2100	20	882	LRC
LYNCH	43.	23.	0N	67.	42. 7W	2130	20	882	LRC
LYNCH	43.	25.	3N	67.	40. 0W	2200	20	882	LRC
LYNCH	43.	27.	2N	67.	37. 8W	2230	20	882	LRC
LYNCH	43.	27.	5N	67.	38. 2W	2239	20	882	LRC
LYNCH	43.	27.	3N	67.	38. 3W	2245	20	882	LRC
LYNCH	43.	26.	9N	67.	38. 8W	2300	20	882	LRC

LYNCH	43.	26.	6N	67.	39.	4W	2315	20	882	LRC
LYNCH	43.	26.	3N	67.	39.	9W	2330	20	882	LRC
LYNCH	43.	26.	0N	67.	40.	7W	2345	20	882	LRC
LYNCH	43.	25.	6N	67.	41.	5W	2400	20	882	LRC
LYNCH	43.	25.	2N	67.	42.	3W	15	21	882	LRC
LYNCH	43.	24.	8N	67.	43.	2W	30	21	882	LRC
LYNCH	43.	24.	7N	67.	43.	5W	35	21	882	LRC
LYNCH	43.	25.	0N	67.	43.	7W	40	21	882	LRC
LYNCH	43.	25.	3N	67.	43.	2W	45	21	882	LRC
LYNCH	43.	26.	0N	67.	41.	5W	100	21	882	LRC
LYNCH	43.	27.	3N	67.	38.	2W	130	21	882	LRC
LYNCH	43.	28.	1N	67.	36.	5W	145	21	882	LRC
LYNCH	43.	28.	8N	67.	34.	8W	200	21	882	LRC
LYNCH	43.	29.	6N	67.	33.	2W	215	21	882	LRC
LYNCH	43.	29.	9N	67.	33.	1W	220	21	882	LRC
LYNCH	43.	30.	0N	67.	33.	5W	225	21	882	LRC
LYNCH	43.	29.	9N	67.	33.	8W	230	21	882	LRC
LYNCH	43.	29.	4N	67.	35.	1W	245	21	882	LRC
LYNCH	43.	29.	0N	67.	35.	9W	300	21	882	LRC
LYNCH	43.	28.	7N	67.	36.	7W	315	21	882	LRC
LYNCH	43.	28.	3N	67.	37.	5W	330	21	882	LRC
LYNCH	43.	28.	0N	67.	38.	2W	345	21	882	LRC
LYNCH	43.	27.	8N	67.	38.	7W	355	21	882	LRC
LYNCH	43.	27.	6N	67.	39.	0W	400	21	882	LRC
LYNCH	43.	27.	5N	67.	39.	5W	410	21	882	LRC
LYNCH	43.	27.	3N	67.	39.	8W	415	21	882	LRC
LYNCH	43.	26.	8N	67.	40.	9W	430	21	882	LRC
LYNCH	43.	25.	8N	67.	43.	3W	500	21	882	LRC
LYNCH	43.	25.	0N	67.	45.	5W	522	21	882	LRC
LYNCH	43.	24.	4N	67.	47.	2W	539	21	882	LRC
LYNCH	43.	24.	1N	67.	48.	2W	545	21	882	LRC
LYNCH	43.	23.	5N	67.	50.	2W	600	21	882	LRC
LYNCH	43.	22.	1N	67.	54.	3W	630	21	882	LRC
LYNCH	43.	21.	9N	67.	54.	9W	637	21	882	LRC
LYNCH	43.	21.	8N	67.	56.	0W	648	21	882	LRC
LYNCH	43.	21.	3N	67.	57.	0W	700	21	882	LRC
LYNCH	43.	20.	8N	67.	58.	3W	713	21	882	LRC
LYNCH	43.	20.	1N	68.		1W	730	21	882	LRC
LYNCH	43.	19.	2N	68.	2.	8W	753	21	882	LRC
LYNCH	43.	18.	9N	68.	3.	8W	800	21	882	LRC
LYNCH	43.	18.	1N	68.	5.	9W	815	21	882	LRC
LYNCH	43.	17.	7N	68.	7.	0W	824	21	882	LRC
LYNCH	43.	17.	8N	68.	7.	6W	830	21	882	LRC
LYNCH	43.	18.	9N	68.	9.	6W	900	21	882	LRC
LYNCH	43.	20.	6N	68.	9.	8W	930	21	882	LRC
LYNCH	43.	22.	5N	68.	9.	4W	1000	21	882	LRC
LYNCH	43.	23.	1N	68.	9.	3W	1010	21	882	LRC
LYNCH	43.	23.	4N	68.	9.	1W	1015	21	882	LRC
LYNCH	43.	24.	0N	68.	8.	1W	1030	21	882	LRC
LYNCH	43.	24.	7N	68.	7.	3W	1045	21	882	LRC
LYNCH	43.	25.	4N	68.	6.	3W	1100	21	882	LRC
LYNCH	43.	26.	6N	68.	4.	4W	1130	21	882	LRC
LYNCH	43.	28.	0N	68.	2.	8W	1200	21	882	LRC
LYNCH	43.	29.	6N	68.		8W	1230	21	882	LRC

LYNCH	43.	31.	3N	67.	59.	1W	1300	21	882	LRC
LYNCH	43.	33.	1N	67.	57.	1W	1330	21	882	LRC
LYNCH	43.	35.	2N	67.	55.	0W	1400	21	882	LRC
LYNCH	43.	36.	1N	67.	53.	8W	1415	21	882	LRC
LYNCH	43.	36.	6N	67.	53.	9W	1423	21	882	LRC
LYNCH	43.	37.	1N	67.	56.	4W	1451	21	882	LRC
LYNCH	43.	37.	9N	67.	56.	5W	1504	21	882	LRC
LYNCH	43.	38.	5N	67.	55.	5W	1515	21	882	LRC
LYNCH	43.	39.	1N	67.	54.	0W	1530	21	882	LRC
LYNCH	43.	40.	3N	67.	51.	0W	1600	21	882	LRC
LYNCH	43.	40.	9N	67.	49.	4W	1615	21	882	LRC
LYNCH	43.	40.	7N	67.	48.	7W	1624	21	882	LRC
LYNCH	43.	38.	7N	67.	47.	6W	1652	21	882	LRC
LYNCH	43.	38.	3N	67.	47.	1W	1700	21	882	LRC
LYNCH	43.	37.	6N	67.	46.	1W	1712	21	882	LRC
LYNCH	43.	36.	9N	67.	45.	4W	1730	21	882	LRC
LYNCH	43.	36.	6N	67.	45.	1W	1740	21	882	LRC
LYNCH	43.	36.	6N	67.	44.	7W	1747	21	882	LRC
LYNCH	43.	37.	8N	67.	44.	2W	1800	21	882	LRC
LYNCH	43.	41.	2N	67.	43.	2W	1820	21	882	LRC
LYNCH	43.	41.	6N	67.	43.	0W	1825	21	882	LRC
LYNCH	43.	41.	8N	67.	43.	0W	1830	21	882	LRC
LYNCH	43.	42.	5N	67.	42.	9W	1850	21	882	LRC
LYNCH	43.	42.	4N	67.	42.	5W	1919	21	882	LRC
LYNCH	43.	41.	9N	67.	42.	3W	1948	21	882	LRC
LYNCH	43.	42.	2N	67.	42.	3W	2000	21	882	LRC
LYNCH	43.	47.	1N	67.	41.	0W	2030	21	882	LRC
LYNCH	43.	52.	3N	67.	39.	8W	2100	21	882	LRC
LYNCH	43.	57.	3N	67.	38.	7W	2130	21	882	LRC
LYNCH	43.	59.	7N	67.	38.	4W	2145	21	882	LRC
LYNCH	44.		1N	67.	38.	3W	2149	21	882	LRC
LYNCH	44.	0.	0N	67.	38.	5W	2200	21	882	LRC
LYNCH	43.	59.	5N	67.	38.	6W	2230	21	882	LRC
LYNCH	43.	59.	3N	67.	38.	6W	2300	21	882	LRC
LYNCH	43.	59.	1N	67.	38.	6W	2327	21	882	LRC
LYNCH	43.	59.	4N	67.	34.	5W	2345	21	882	LRC
LYNCH	43.	59.	6N	67.	31.	0W	2400	21	882	LRC
LYNCH	43.	59.	9N	67.	27.	4W	15	22	882	LRC
LYNCH	44.	0.	0N	67.	27.	3W	18	22	882	LRC
LYNCH	44.	0.	0N	67.	27.	3W	20	22	882	LRC
LYNCH	44.	0.	0N	67.	27.	1W	30	22	882	LRC
LYNCH	44.	0.	0N	67.	27.	0W	35	22	882	LRC
LYNCH	43.	59.	9N	67.	26.	8W	45	22	882	LRC
LYNCH	43.	59.	9N	67.	26.	9W	53	22	882	LRC
LYNCH	43.	59.	8N	67.	26.	9W	100	22	882	LRC
LYNCH	43.	57.	9N	67.	27.	1W	115	22	882	LRC
LYNCH	43.	55.	4N	67.	27.	1W	130	22	882	LRC
LYNCH	43.	52.	9N	67.	27.	0W	145	22	882	LRC
LYNCH	43.	52.	1N	67.	27.	0W	150	22	882	LRC
LYNCH	43.	51.	9N	67.	27.	0W	200	22	882	LRC
LYNCH	43.	51.	8N	67.	26.	9W	215	22	882	LRC
LYNCH	43.	51.	8N	67.	26.	8W	221	22	882	LRC
LYNCH	43.	51.	7N	67.	27.	9W	230	22	882	LRC
LYNCH	43.	51.	8N	67.	31.	2W	245	22	882	LRC

LYNCH	43.	51.	9N	67.	34.	4W	300	22	882	LRC
LYNCH	43.	52.	0N	67.	37.	8W	315	22	882	LRC
LYNCH	43.	52.	0N	67.	38.	4W	325	22	882	LRC
LYNCH	43.	52.	0N	67.	38.	4W	330	22	882	LRC
LYNCH	43.	51.	9N	67.	38.	3W	340	22	882	LRC
LYNCH	43.	51.	8N	67.	38.	3W	345	22	882	LRC
LYNCH	43.	51.	7N	67.	38.	2W	349	22	882	LRC
LYNCH	43.	51.	8N	67.	40.	2W	400	22	882	LRC
LYNCH	43.	52.	0N	67.	43.	7W	415	22	882	LRC
LYNCH	43.	52.	2N	67.	47.	3W	430	22	882	LRC
LYNCH	43.	52.	1N	67.	48.	7W	445	22	882	LRC
LYNCH	43.	52.	0N	67.	48.	7W	500	22	882	LRC
LYNCH	43.	51.	9N	67.	48.	6W	513	22	882	LRC
LYNCH	43.	51.	8N	67.	48.	6W	517	22	882	LRC
LYNCH	43.	49.	8N	67.	51.	2W	537	22	882	LRC
LYNCH	43.	48.	8N	67.	52.	7W	545	22	882	LRC
LYNCH	43.	48.	5N	67.	56.	1W	600	22	882	LRC
LYNCH	43.	48.	0N	67.	57.	4W	606	22	882	LRC
LYNCH	43.	46.	8N	67.	58.	5W	615	22	882	LRC
LYNCH	43.	46.	1N	67.	59.	1W	620	22	882	LRC
LYNCH	43.	44.	4N	68.	0.	0W	630	22	882	LRC
LYNCH	43.	44.	3N	67.	59.	9W	645	22	882	LRC
LYNCH	43.	44.	2N	67.	59.	9W	653	22	882	LRC
LYNCH	43.	44.	2N	67.	59.	9W	700	22	882	LRC
LYNCH	43.	44.	0N	67.	57.	5W	715	22	882	LRC
LYNCH	43.	44.	0N	67.	54.	1W	730	22	882	LRC
LYNCH	43.	44.	0N	67.	52.	3W	737	22	882	LRC
LYNCH	43.	43.	7N	67.	50.	6W	745	22	882	LRC
LYNCH	43.	43.	3N	67.	47.	7W	757	22	882	LRC
LYNCH	43.	43.	3N	67.	47.	2W	800	22	882	LRC
LYNCH	43.	44.	0N	67.	48.	4W	815	22	882	LRC
LYNCH	43.	44.	1N	67.	48.	9W	817	22	882	LRC
LYNCH	43.	44.	1N	67.	49.	0W	822	22	882	LRC
LYNCH	43.	43.	9N	67.	49.	0W	830	22	882	LRC
LYNCH	43.	43.	7N	67.	49.	0W	844	22	882	LRC
LYNCH	43.	43.	6N	67.	48.	8W	850	22	882	LRC
LYNCH	43.	43.	4N	67.	47.	8W	900	22	882	LRC
LYNCH	43.	43.	1N	67.	44.	2W	915	22	882	LRC
LYNCH	43.	43.	5N	67.	40.	9W	930	22	882	LRC
LYNCH	43.	44.	1N	67.	38.	5W	945	22	882	LRC
LYNCH	43.	43.	9N	67.	38.	4W	1000	22	882	LRC
LYNCH	43.	43.	8N	67.	38.	4W	1004	22	882	LRC
LYNCH	43.	43.	8N	67.	38.	3W	1010	22	882	LRC
LYNCH	43.	43.	6N	67.	38.	2W	1015	22	882	LRC
LYNCH	43.	43.	5N	67.	34.	5W	1030	22	882	LRC
LYNCH	43.	43.	6N	67.	31.	0W	1045	22	882	LRC
LYNCH	43.	43.	9N	67.	27.	3W	1100	22	882	LRC
LYNCH	43.	43.	4N	67.	27.	5W	1115	22	882	LRC
LYNCH	43.	43.	3N	67.	27.	4W	1124	22	882	LRC
LYNCH	43.	43.	2N	67.	27.	3W	1129	22	882	LRC
LYNCH	43.	43.	2N	67.	24.	2W	1145	22	832	LRC
LYNCH	43.	43.	4N	67.	21.	5W	1200	22	882	LRC
LYNCH	43.	43.	8N	67.	16.	1W	1217	22	882	LRC
LYNCH	43.	43.	7N	67.	15.	8W	1230	22	882	LRC

LYNCH	43	43. 6N	67	15. 5W	1242	22	882	LRC
LYNCH	43	43. 6N	67	15. 5W	1245	22	882	LRC
LYNCH	43	43. 4N	67	15. 5W	1254	22	882	LRC
LYNCH	43	43. 4N	67	15. 4W	1256	22	882	LRC
LYNCH	43	41. 5N	67	12. 6W	1315	22	882	LRC
LYNCH	43	39. 9N	67	9. 8W	1330	22	882	LRC
LYNCH	43	38. 4N	67	7. 2W	1345	22	882	LRC
LYNCH	43	36. 2N	67	6. 0W	1401	22	882	LRC
LYNCH	43	36. 5N	67	5. 6W	1425	22	882	LRC
LYNCH	43	36. 5N	67	5. 6W	1428	22	882	LRC
LYNCH	43	36. 7N	67	9. 3W	1445	22	882	LRC
LYNCH	43	36. 8N	67	12. 6W	1500	22	882	LRC
LYNCH	43	35. 9N	67	15. 6W	1515	22	882	LRC
LYNCH	43	36. 3N	67	15. 5W	1544	22	882	LRC
LYNCH	43	36. 3N	67	15. 4W	1545	22	882	LRC
LYNCH	43	36. 5N	67	18. 3W	1600	22	882	LRC
LYNCH	43	36. 2N	67	21. 5W	1615	22	882	LRC
LYNCH	43	36. 1N	67	24. 9W	1630	22	882	LRC
LYNCH	43	36. 0N	67	26. 1W	1635	22	882	LRC
LYNCH	43	36. 0N	67	25. 6W	1702	22	882	LRC
LYNCH	43	36. 0N	67	25. 5W	1706	22	882	LRC
LYNCH	43	36. 0N	67	27. 0W	1715	22	882	LRC
LYNCH	43	36. 0N	67	30. 2W	1730	22	882	LRC
LYNCH	43	35. 9N	67	33. 4W	1745	22	882	LRC
LYNCH	43	35. 9N	67	36. 6W	1800	22	882	LRC
LYNCH	43	35. 9N	67	38. 2W	1807	22	882	LRC
LYNCH	43	35. 4N	67	38. 0W	1831	22	882	LRC
LYNCH	43	35. 3N	67	37. 9W	1836	22	882	LRC
LYNCH	43	35. 3N	67	39. 9W	1845	22	882	LRC
LYNCH	43	35. 5N	67	43. 5W	1900	22	882	LRC
LYNCH	43	35. 8N	67	47. 1W	1915	22	882	LRC
LYNCH	43	36. 1N	67	49. 0W	1923	22	882	LRC
LYNCH	43	35. 4N	67	48. 9W	1956	22	882	LRC
LYNCH	43	35. 3N	67	48. 9W	2000	22	882	LRC
LYNCH	43	35. 2N	67	51. 8W	2015	22	882	LRC
LYNCH	43	35. 4N	67	55. 4W	2030	22	882	LRC
LYNCH	43	36. 0N	68	3W	2054	22	882	LRC
LYNCH	43	36. 0N	68	2W	2110	22	882	LRC
LYNCH	43	35. 9N	68	2W	2114	22	882	LRC
LYNCH	43	33. 9N	67	57. 5W	2130	22	882	LRC
LYNCH	43	32. 0N	67	58. 5W	2145	22	882	LRC
LYNCH	43	30. 6N	68	1. 4W	2200	22	882	LRC
LYNCH	43	29. 5N	68	4. 7W	2215	22	882	LRC
LYNCH	43	28. 6N	68	7. 9W	2230	22	882	LRC
LYNCH	43	28. 0N	68	11. 2W	2247	22	882	LRC
LYNCH	43	28. 2N	68	11. 1W	2302	22	882	LRC
LYNCH	43	28. 2N	68	11. 0W	2305	22	882	LRC
LYNCH	43	28. 2N	68	8. 8W	2315	22	882	LRC
LYNCH	43	28. 1N	68	4. 9W	2330	22	882	LRC
LYNCH	43	28. 0N	68	1. 0W	2345	22	882	LRC
LYNCH	43	27. 9N	68	1W	2352	22	882	LRC
LYNCH	43	27. 8N	67	59. 8W	6	23	882	LRC
LYNCH	43	27. 9N	67	59. 8W	10	23	882	LRC
LYNCH	43	27. 9N	67	58. 9W	15	23	882	LRC
LYNCH	43	28. 0N	67	55. 3W	30	23	882	LRC

LYNCH	43.	28.	2N	67	51.	6W	45	23	882	LRC
LYNCH	43.	28.	1N	67	47.	8W	103	23	882	LRC
LYNCH	43.	28.	3N	67.	47.	6W	122	23	882	LRC
LYNCH	43.	28.	3N	67	47.	5W	126	23	882	LRC
LYNCH	43.	28.	4N	67.	46.	8W	130	23	882	LRC
LYNCH	43.	28.	6N	67.	42.	7W	145	23	882	LRC
LYNCH	43.	28.	8N	67.	39.	3W	200	23	882	LRC
LYNCH	43.	28.	5N	67.	38.	0W	208	23	882	LRC
LYNCH	43.	28.	6N	67.	37.	7W	226	23	882	LRC
LYNCH	43.	28.	7N	67.	37.	7W	230	23	882	LRC
LYNCH	43.	28.	5N	67.	34.	9W	245	23	882	LRC
LYNCH	43.	28.	2N	67.	31.	2W	300	23	882	LRC
LYNCH	43.	27.	6N	67.	28.	0W	315	23	882	LRC
LYNCH	43.	27.	9N	67.	26.	9W	320	23	882	LRC
LYNCH	43.	28.	2N	67.	26.	7W	338	23	882	LRC
LYNCH	43.	28.	2N	67.	26.	7W	341	23	882	LRC
LYNCH	43.	28.	2N	67.	26.	6W	345	23	882	LRC
LYNCH	43.	28.	3N	67.	22.	9W	400	23	882	LRC
LYNCH	43.	28.	3N	67.	19.	0W	415	23	882	LRC
LYNCH	43.	28.	2N	67.	16.	1W	430	23	882	LRC
LYNCH	43.	29.	0N	67.	16.	0W	446	23	882	LRC
LYNCH	43.	28.	5N	67.	16.	0W	450	23	882	LRC
LYNCH	43.	28.	4N	67.	14.	2W	500	23	882	LRC
LYNCH	43.	28.	2N	67.	10.	6W	515	23	882	LRC
LYNCH	43.	28.	0N	67.	7.	3W	530	23	882	LRC
LYNCH	43.	27.	9N	67.	5.	1W	542	23	882	LRC
LYNCH	43.	28.	2N	67.	5.	1W	558	23	882	LRC
LYNCH	43.	28.	2N	67.	5.	1W	601	23	882	LRC
LYNCH	43.	28.	0N	67.	2.	4W	615	23	882	LRC
LYNCH	43.	27.	7N	66.	58.	8W	630	23	882	LRC
LYNCH	43.	27.	8N	66.	55.	2W	645	23	882	LRC
LYNCH	43.	27.	9N	66.	54.	0W	653	23	882	LRC
LYNCH	43.	27.	9N	66.	53.	7W	709	23	882	LRC
LYNCH	43.	25.	9N	66.	53.	7W	730	23	882	LRC
LYNCH	43.	23.	0N	66.	53.	8W	745	23	882	LRC
LYNCH	43.	20.	3N	66.	54.	0W	803	23	882	LRC
LYNCH	43.	20.	2N	66.	53.	8W	819	23	882	LRC
LYNCH	43.	20.	3N	66.	53.	7W	830	23	882	LRC
LYNCH	43.	20.	4N	66.	53.	5W	838	23	882	LRC
LYNCH	43.	20.	4N	66.	53.	4W	848	23	882	LRC
LYNCH	43.	20.	4N	66.	55.	4W	900	23	882	LRC
LYNCH	43.	20.	2N	66.	59.	1W	915	23	882	LRC
LYNCH	43.	20.	1N	67.	2.	7W	930	23	882	LRC
LYNCH	43.	19.	7N	67.	4.	6W	947	23	882	LRC
LYNCH	43.	19.	6N	67.	4.	4W	1002	23	882	LRC
LYNCH	43.	19.	6N	67.	4.	0W	1012	23	882	LRC
LYNCH	43.	19.	5N	67.	3.	9W	1030	23	882	LRC
LYNCH	43.	19.	5N	67.	3.	4W	1035	23	882	LRC
LYNCH	43.	19.	6N	67.	4.	6W	1045	23	882	LRC
LYNCH	43.	17.	8N	67.	8.	1W	1100	23	882	LRC
LYNCH	43.	19.	8N	67.	11.	3W	1115	23	882	LRC
LYNCH	43.	19.	9N	67.	15.	8W	1140	23	882	LRC
LYNCH	43.	19.	8N	67.	15.	4W	1200	23	882	LRC
LYNCH	43.	19.	6N	67.	15.	5W	1204	23	882	LRC

LYNCH	43	19. 7N	67.	18. 0W	1215	23	882	LRC
LYNCH	43	19. 6N	67.	21. 3W	1230	23	882	LRC
LYNCH	43	19. 6N	67.	24. 6W	1245	23	882	LRC
LYNCH	43	19. 7N	67.	26. 5W	1300	23	882	LRC
LYNCH	43	19. 9N	67.	26. 2W	1314	23	882	LRC
LYNCH	43	19. 8N	67.	26. 1W	1319	23	882	LRC
LYNCH	43	20. 0N	67.	28. 5W	1330	23	882	LRC
LYNCH	43	20. 1N	67.	31. 8W	1345	23	882	LRC
LYNCH	43	20. 1N	67.	35. 4W	1400	23	882	LRC
LYNCH	43	19. 8N	67.	38. 0W	1415	23	882	LRC
LYNCH	43	20. 1N	67.	38. 0W	1431	23	882	LRC
LYNCH	43	20. 0N	67.	38. 3W	1439	23	882	LRC
LYNCH	43	20. 0N	67.	39. 8W	1445	23	882	LRC
LYNCH	43	20. 2N	67.	43. 6W	1500	23	882	LRC
LYNCH	43	20. 2N	67.	47. 4W	1515	23	882	LRC
LYNCH	43	19. 9N	67.	49. 0W	1526	23	882	LRC
LYNCH	43	20. 1N	67.	48. 9W	1547	23	882	LRC
LYNCH	43	19. 6N	67.	49. 2W	1558	23	882	LRC
LYNCH	43	19. 8N	67.	54. 3W	1620	23	882	LRC
LYNCH	43	20. 0N	67.	56. 7W	1630	23	882	LRC
LYNCH	43	19. 9N	68.	2W	1649	23	882	LRC
LYNCH	43	20. 1N	68.	0. 0W	1704	23	882	LRC
LYNCH	43	20. 1N	68.	1W	1710	23	882	LRC
LYNCH	43	20. 2N	68.	1. 1W	1715	23	882	LRC
LYNCH	43	20. 6N	68.	9. 5W	1750	23	882	LRC
LYNCH	43	19. 8N	68.	11. 0W	1802	23	882	LRC
LYNCH	43	20. 1N	68.	10. 7W	1819	23	882	LRC
LYNCH	43	20. 4N	68.	10. 6W	1824	23	882	LRC
LYNCH	43	22. 0N	68.	6. 0W	1845	23	882	LRC
LYNCH	43	22. 9N	68.	2. 4W	1900	23	882	LRC
LYNCH	43	23. 5N	67.	59. 9W	1910	23	882	LRC
LYNCH	43	26. 4N	67.	57. 2W	1930	23	882	LRC
LYNCH	43	31. 0N	67.	53. 0W	2000	23	882	LRC
LYNCH	43	35. 5N	67.	49. 1W	2030	23	882	LRC
LYNCH	43	39. 9N	67.	45. 2W	2100	23	882	LRC
LYNCH	43	44. 6N	67.	41. 1W	2130	23	882	LRC
LYNCH	43	42. 3N	67.	42. 8W	2200	23	882	LRC
LYNCH	43	39. 7N	67.	45. 1W	2230	23	882	LRC
LYNCH	43	36. 9N	67.	47. 4W	2300	23	882	LRC
LYNCH	43	34. 1N	67.	49. 9W	2330	23	882	LRC
LYNCH	43	31. 4N	67.	53. 0W	2400	23	882	LRC
LYNCH	43	29. 3N	67.	56. 3W	30	24	882	LRC
LYNCH	43	27. 2N	67.	59. 8W	100	24	882	LRC
LYNCH	43	25. 1N	68.	3. 7W	130	24	882	LRC
LYNCH	43	23. 2N	68.	7. 2W	200	24	882	LRC
LYNCH	43	21. 6N	68.	10. 7W	230	24	882	LRC
LYNCH	43	20. 3N	68.	11. 1W	245	24	882	LRC
LYNCH	43	18. 8N	68.	11. 0W	300	24	882	LRC
LYNCH	43	18. 2N	68.	12. 0W	315	24	882	LRC
LYNCH	43	19. 0N	68.	11. 7W	320	24	882	LRC
LYNCH	43	20. 3N	68.	11. 0W	330	24	882	LRC
LYNCH	43	22. 0N	68.	11. 0W	345	24	882	LRC
LYNCH	43	21. 9N	68.	11. 5W	400	24	882	LRC
LYNCH	43	21. 9N	68.	11. 3W	401	24	882	LRC
LYNCH	43	22. 3N	68.	9. 1W	415	24	882	LRC

LYNCH	43.	22. 7N	68.	6. 7W	430	24	882	LRC
LYNCH	43.	23. 5N	68.	2. 1W	500	24	882	LRC
LYNCH	43.	24. 0N	67.	59. 8W	515	24	882	LRC
LYNCH	43.	24. 3N	67.	57. 3W	530	24	882	LRC
LYNCH	43.	24. 6N	67.	52. 7W	600	24	882	LRC
LYNCH	43.	24. 7N	67.	46. 6W	637	24	882	LRC
LYNCH	43.	24. 7N	67.	43. 2W	700	24	882	LRC
LYNCH	43.	24. 6N	67.	40. 8W	715	24	882	LRC
LYNCH	43.	24. 8N	67.	38. 4W	730	24	882	LRC
LYNCH	43.	25. 1N	67.	33. 7W	800	24	882	LRC
LYNCH	43.	25. 2N	67.	29. 0W	830	24	882	LRC
LYNCH	43.	25. 3N	67.	23. 9W	900	24	882	LRC
LYNCH	43.	25. 4N	67.	19. 0W	930	24	882	LRC
LYNCH	43.	25. 3N	67.	14. 0W	1000	24	882	LRC
LYNCH	43.	25. 8N	67.	9. 0W	1030	24	882	LRC
LYNCH	43.	26. 6N	67.	4. 2W	1100	24	882	LRC
LYNCH	43.	27. 3N	66.	59. 2W	1130	24	882	LRC
LYNCH	43.	27. 8N	66.	54. 8W	1200	24	882	LRC
LYNCH	43.	27. 2N	66.	54. 3W	1208	24	882	LRC
LYNCH	43.	25. 3N	66.	55. 2W	1230	24	882	LRC
LYNCH	43.	22. 6N	66.	56. 3W	1300	24	882	LRC
LYNCH	43.	20. 2N	66.	57. 1W	1330	24	882	LRC
LYNCH	43.	18. 1N	66.	58. 4W	1400	24	882	LRC
LYNCH	43.	15. 3N	66.	59. 7W	1430	24	882	LRC
LYNCH	43.	13. 1N	67.	1. 4W	1500	24	882	LRC
LYNCH	43.	11. 0N	67.	3. 0W	1530	24	882	LRC
LYNCH	43.	8. 9N	67.	4. 6W	1600	24	882	LRC
LYNCH	43.	7. 4N	67.	6. 2W	1632	24	882	LRC
LYNCH	43.	7. 1N	67.	6. 1W	1641	24	882	LRC
LYNCH	43.	7. 8N	67.	1. 0W	1721	24	882	LRC
LYNCH	43.	7. 9N	67.	8W	1724	24	882	LRC
LYNCH	43.	11. 2N	67.	3. 3W	1800	24	882	LRC
LYNCH	43.	13. 8N	67.	5. 1W	1830	24	882	LRC
LYNCH	43.	16. 0N	67.	7. 0W	1900	24	882	LRC
LYNCH	43.	18. 0N	67.	9. 0W	1930	24	882	LRC
LYNCH	43.	20. 0N	67.	10. 9W	2000	24	882	LRC
LYNCH	43.	22. 2N	67.	12. 6W	2030	24	882	LRC
LYNCH	43.	24. 3N	67.	14. 6W	2100	24	882	LRC
LYNCH	43.	26. 4N	67.	16. 5W	2130	24	882	LRC
LYNCH	43.	28. 5N	67.	18. 2W	2200	24	882	LRC
LYNCH	43.	30. 5N	67.	19. 4W	2230	24	882	LRC
LYNCH	43.	32. 5N	67.	20. 6W	2300	24	882	LRC
LYNCH	43.	34. 6N	67.	21. 8W	2330	24	882	LRC
LYNCH	43.	36. 7N	67.	23. 1W	2400	24	882	LRC
LYNCH	43.	38. 6N	67.	24. 4W	25	25	882	LRC
LYNCH	43.	39. 0N	67.	24. 7W	30	25	882	LRC
LYNCH	43.	41. 2N	67.	26. 1W	100	25	882	LRC
LYNCH	43.	43. 9N	67.	27. 8W	130	25	882	LRC
LYNCH	43.	46. 7N	67.	29. 5W	200	25	882	LRC
LYNCH	43.	47. 6N	67.	30. 1W	210	25	882	LRC
LYNCH	43.	49. 0N	67.	30. 8W	222	25	882	LRC
LYNCH	43.	49. 9N	67.	31. 2W	230	25	882	LRC
LYNCH	43.	52. 8N	67.	32. 7W	300	25	882	LRC
LYNCH	43.	56. 0N	67.	34. 4W	330	25	882	LRC

LYNCH	43.	58. 8N	67.	36. 3W	400	25	882	LRC
LYNCH	44.	1. 6N	67.	38. 6W	430	25	882	LRC
LYNCH	44.	4. 2N	67.	41. 4W	500	25	882	LRC
LYNCH	44.	6. 6N	67.	44. 4W	532	25	882	LRC
LYNCH	44.	7. 6N	67.	45. 7W	545	25	882	LRC
LYNCH	44.	7. 6N	67.	45. 6W	600	25	882	LRC
LYNCH	44.	7. 0N	67.	45. 7W	606	25	882	LRC
LYNCH	44.	6. 1N	67.	45. 7W	615	25	882	LRC
LYNCH	44.	4. 8N	67.	45. 7W	630	25	882	LRC
LYNCH	44.	2. 0N	67.	45. 3W	700	25	882	LRC
LYNCH	43.	58. 6N	67.	44. 8W	735	25	882	LRC
LYNCH	43.	57. 9N	67.	45. 9W	745	25	882	LRC
LYNCH	43.	57. 2N	67.	47. 4W	800	25	882	LRC
LYNCH	43.	56. 1N	67.	46. 7W	815	25	882	LRC
LYNCH	43.	55. 0N	67.	45. 3W	830	25	882	LRC
LYNCH	43.	53. 6N	67.	44. 9W	845	25	882	LRC
LYNCH	43.	52. 0N	67.	45. 0W	900	25	882	LRC
LYNCH	43.	48. 9N	67.	45. 2W	930	25	882	LRC
LYNCH	43.	45. 6N	67.	44. 9W	1000	25	882	LRC
LYNCH	43.	42. 6N	67.	45. 1W	1030	25	882	LRC
LYNCH	43.	39. 5N	67.	45. 2W	1100	25	882	LRC
LYNCH	43.	36. 2N	67.	45. 0W	1130	25	882	LRC
LYNCH	43.	32. 9N	67.	44. 9W	1200	25	882	LRC
LYNCH	43.	29. 7N	67.	44. 9W	1230	25	882	LRC
LYNCH	43.	26. 8N	67.	45. 1W	1300	25	882	LRC
LYNCH	43.	24. 0N	67.	45. 2W	1330	25	882	LRC
LYNCH	43.	21. 3N	67.	45. 4W	1400	25	882	LRC
LYNCH	43.	18. 6N	67.	45. 5W	1430	25	882	LRC
LYNCH	43.	16. 2N	67.	45. 7W	1500	25	882	LRC
LYNCH	43.	14. 1N	67.	45. 6W	1530	25	882	LRC
LYNCH	43.	12. 0N	67.	45. 5W	1600	25	882	LRC
LYNCH	43.	9. 7N	67.	45. 0W	1630	25	882	LRC
LYNCH	43.	7. 5N	67.	44. 4W	1700	25	882	LRC
LYNCH	43.	4. 9N	67.	44. 7W	1730	25	882	LRC
LYNCH	43.	2. 4N	67.	45. 1W	1800	25	882	LRC
LYNCH	43.	1. 5N	67.	45. 1W	1810	25	882	LRC
LYNCH	43.	1. 5N	67.	45. 4W	1815	25	882	LRC
LYNCH	43.	4. 0N	67.	45. 6W	1848	25	882	LRC
LYNCH	43.	5. 4N	67.	45. 8W	1900	25	882	LRC
LYNCH	43.	5. 5N	67.	45. 5W	1904	25	882	LRC
LYNCH	43.	3. 3N	67.	45. 7W	1933	25	882	LRC
LYNCH	43.	1. 3N	67.	44. 6W	2000	25	882	LRC
LYNCH	42.	58. 7N	67.	43. 1W	2030	25	882	LRC
LYNCH	42.	56. 2N	67.	42. 3W	2100	25	882	LRC
LYNCH	42.	53. 5N	67.	41. 5W	2130	25	882	LRC
LYNCH	42.	50. 9N	67.	40. 4W	2200	25	882	LRC
LYNCH	42.	48. 2N	67.	39. 4W	2230	25	882	LRC
LYNCH	42.	45. 7N	67.	38. 3W	2300	25	882	LRC
LYNCH	42.	43. 3N	67.	37. 2W	2330	25	882	LRC
LYNCH	42.	40. 9N	67.	35. 8W	2400	25	882	LRC
LYNCH	42.	38. 2N	67.	34. 6W	30	26	882	LRC
LYNCH	42.	35. 2N	67.	32. 8W	100	26	882	LRC
LYNCH	42.	32. 2N	67.	30. 8W	130	26	882	LRC
LYNCH	42.	30. 6N	67.	29. 7W	145	26	882	LRC

LYNCH	42.	30.	1N	67.	27.	2W	200	26	882	LRC
LYNCH	42.	30.	2N	67.	24.	9W	215	26	882	LRC
LYNCH	42.	30.	4N	67.	22.	3W	230	26	882	LRC
LYNCH	42.	30.	8N	67.	17.	8W	300	26	882	LRC
LYNCH	42.	31.	7N	67.	13.	1W	330	26	882	LRC
LYNCH	42.	32.	6N	67.	8.	5W	400	26	882	LRC
LYNCH	42.	33.	4N	67.	4.	8W	430	26	882	LRC
LYNCH	42.	33.	5N	66.	59.	4W	500	26	882	LRC
LYNCH	42.	33.	4N	66.	54.	8W	530	26	882	LRC
LYNCH	42.	33.	3N	66.	50.	1W	600	26	882	LRC
LYNCH	42.	33.	6N	66.	45.	3W	630	26	882	LRC
LYNCH	42.	34.	0N	66.	40.	7W	700	26	882	LRC
LYNCH	42.	35.	0N	66.	36.	7W	725	26	882	LRC
LYNCH	42.	35.	0N	66.	36.	2W	730	26	882	LRC
LYNCH	42.	34.	2N	66.	34.	7W	745	26	882	LRC
LYNCH	42.	33.	4N	66.	33.	2W	800	26	882	LRC
LYNCH	42.	31.	6N	66.	30.	3W	830	26	882	LRC
LYNCH	42.	29.	7N	66.	27.	3W	900	26	882	LRC
LYNCH	42.	28.	8N	66.	23.	1W	930	26	882	LRC
LYNCH	42.	28.	5N	66.	17.	6W	1003	26	882	LRC
LYNCH	42.	28.	4N	66.	15.	3W	1017	26	882	LRC
LYNCH	42.	28.	4N	66.	13.	3W	1030	26	882	LRC
LYNCH	42.	28.	7N	66.	8.	3W	1100	26	882	LRC
LYNCH	42.	29.	9N	66.	3.	6W	1130	26	882	LRC
LYNCH	42.	30.	8N	65.	58.	4W	1200	26	882	LRC
LYNCH	42.	31.	5N	65.	53.	2W	1230	26	882	LRC
LYNCH	42.	32.	0N	65.	48.	0W	1300	26	882	LRC
LYNCH	42.	32.	5N	65.	42.	8W	1330	26	882	LRC
LYNCH	42.	32.	5N	65.	37.	4W	1400	26	882	LRC
LYNCH	42.	32.	5N	65.	32.	2W	1430	26	882	LRC
LYNCH	42.	31.	6N	65.	33.	1W	1500	26	882	LRC
LYNCH	42.	31.	4N	65.	35.	6W	1530	26	882	LRC
LYNCH	42.	31.	4N	65.	38.	1W	1600	26	882	LRC
LYNCH	42.	31.	3N	65.	40.	7W	1630	26	882	LRC
LYNCH	42.	31.	5N	65.	44.	7W	1700	26	882	LRC
LYNCH	42.	31.	6N	65.	48.	8W	1730	26	882	LRC
LYNCH	42.	32.	0N	65.	53.	4W	1800	26	882	LRC
LYNCH	42.	32.	3N	65.	58.	1W	1830	26	882	LRC
LYNCH	42.	32.	6N	66.	2.	8W	1900	26	882	LRC
LYNCH	42.	33.	2N	66.	7.	6W	1930	26	882	LRC
LYNCH	42.	33.	7N	66.	12.	4W	2000	26	882	LRC
LYNCH	42.	33.	3N	66.	16.	1W	2030	26	882	LRC
LYNCH	42.	33.	0N	66.	19.	8W	2100	26	882	LRC
LYNCH	42.	32.	6N	66.	23.	5W	2130	26	882	LRC
LYNCH	42.	32.	3N	66.	27.	2W	2200	26	882	LRC
LYNCH	42.	31.	8N	66.	30.	4W	2230	26	882	LRC
LYNCH	42.	30.	0N	66.	26.	9W	2300	26	882	LRC
LYNCH	42.	28.	2N	66.	23.	1W	2330	26	882	LRC
LYNCH	42.	26.	2N	66.	19.	5W	2400	26	882	LRC
LYNCH	42.	24.	3N	66.	15.	4W	30	27	882	LRC
LYNCH	42.	22.	3N	66.	11.	4W	100	27	882	LRC
LYNCH	42.	19.	7N	66.	8.	0W	130	27	882	LRC
LYNCH	42.	17.	3N	66.	3.	5W	200	27	882	LRC
LYNCH	42.	14.	8N	65.	59.	4W	230	27	882	LRC
LYNCH	42.	12.	4N	65.	56.	1W	300	27	882	LRC

LYNCH	42.	10.	2N	65	52.	7W	330	27	882	LRC
LYNCH	42.	8.	1N	65.	49.	7W	400	27	882	LRC
LYNCH	42.	6.	2N	65.	46.	8W	430	27	882	LRC
LYNCH	42.	4.	7N	65.	43.	4W	506	27	882	LRC
LYNCH	42.	3.	5N	65.	40.	5W	530	27	882	LRC
LYNCH	42.	2.	1N	65.	37.	5W	600	27	882	LRC
LYNCH	42.	1.	2N	65.	35.	1W	620	27	882	LRC
LYNCH	42.	1.	5N	65.	34.	3W	630	27	882	LRC
LYNCH	42.	2.	9N	65.	34.	2W	645	27	882	LRC
LYNCH	42.	4.	3N	65.	34.	0W	700	27	882	LRC
LYNCH	42.	10.	0N	65.	32.	6W	800	27	882	LRC
LYNCH	42.	12.	7N	65.	31.	5W	831	27	882	LRC
LYNCH	42.	14.	9N	65.	30.	5W	900	27	882	LRC
LYNCH	42.	17.	5N	65.	29.	3W	930	27	882	LRC
LYNCH	42.	22.	1N	65.	28.	3W	1030	27	882	LRC
LYNCH	42.	23.	9N	65.	29.	3W	1100	27	882	LRC
LYNCH	42.	27.	1N	65.	31.	3W	1200	27	882	LRC
LYNCH	42.	31.	0N	65.	34.	3W	1300	27	882	LRC
LYNCH	42.	34.	9N	65.	37.	2W	1400	27	882	LRC
LYNCH	42.	32.	8N	65.	35.	0W	1431	27	882	LRC
LYNCH	42.	29.	6N	65.	32.	5W	1500	27	882	LRC
LYNCH	42.	26.	2N	65.	30.	4W	1530	27	882	LRC
LYNCH	42.	25.	2N	65.	29.	8W	1538	27	882	LRC
LYNCH	42.	23.	4N	65.	32.	0W	1600	27	882	LRC
LYNCH	42.	21.	1N	65.	35.	9W	1630	27	882	LRC
LYNCH	42.	19.	2N	65.	40.	7W	1700	27	882	LRC
LYNCH	42.	17.	5N	65.	45.	6W	1730	27	882	LRC
LYNCH	42.	15.	8N	65.	49.	6W	1800	27	882	LRC
LYNCH	42.	13.	7N	65.	53.	2W	1830	27	882	LRC
LYNCH	42.	11.	2N	65.	56.	5W	1900	27	882	LRC
LYNCH	42.	8.	8N	65.	59.	8W	1930	27	882	LRC
LYNCH	42.	6.	6N	66.	2.	7W	2000	27	882	LRC
LYNCH	42.	5.	2N	66.	6.	2W	2030	27	882	LRC
LYNCH	42.	4.	0N	66.	7.	8W	2045	27	882	LDR
LYNCH	42.	1.	5N	66.	9.	1W	2100	27	882	DR
LYNCH	42.	3.	2N	66.	5.	1W	2130	27	882	DR
LYNCH	42.	5.	4N	65.	58.	3W	2200	27	882	LRC
LYNCH	42.	5.	7N	65.	50.	8W	2230	27	882	LRC
LYNCH	42.	5.	6N	65.	46.	1W	2250	27	882	LRC
LYNCH	42.	5.	3N	65.	43.	4W	2303	27	882	LRC
LYNCH	42.	5.	3N	65.	43.	3W	2308	27	882	LRC
LYNCH	42.	5.	3N	65.	43.	1W	2318	27	882	LRC
LYNCH	42.	5.	5N	65.	43.	0W	2325	27	882	LRC
LYNCH	42.	5.	9N	65.	43.	7W	2330	27	882	LRC
LYNCH	42.	7.	4N	65.	46.	2W	2345	27	882	LRC
LYNCH	42.	8.	9N	65.	48.	7W	2400	27	882	LRC
LYNCH	42.	9.	3N	65.	49.	6W	5	28	882	LRC
LYNCH	42.	9.	1N	65.	50.	7W	15	28	882	LRC
LYNCH	42.	9.	1N	65.	50.	6W	19	28	882	LRC
LYNCH	42.	9.	1N	65.	50.	5W	22	28	882	LRC
LYNCH	42.	9.	6N	65.	51.	3W	30	28	882	LRC
LYNCH	42.	11.	0N	65.	54.	6W	48	28	882	LRC
LYNCH	42.	12.	0N	65.	57.	2W	100	28	882	LRC
LYNCH	42.	12.	7N	65.	59.	8W	121	28	882	LRC

LYNCH	42.	12.	7N	65.	59.	6W	125	28	882	LRC
LYNCH	42.	12.	7N	65.	59.	5W	129	28	882	LRC
LYNCH	42.	14.	1N	66.	1.	6W	145	28	882	LRC
LYNCH	42.	15.	6N	66.	4.	2W	200	28	882	LRC
LYNCH	42.	17.	3N	66.	7.	0W	215	28	882	LRC
LYNCH	42.	18.	8N	66.	9.	4W	230	28	882	LRC
LYNCH	42.	20.	5N	66.	12.	1W	245	28	882	LRC
LYNCH	42.	21.	9N	66.	15.	1W	301	28	882	LRC
LYNCH	42.	21.	9N	66.	15.	1W	307	28	882	LRC
LYNCH	42.	22.	0N	66.	14.	9W	316	28	882	LRC
LYNCH	42.	22.	1N	66.	14.	8W	320	28	882	LRC

APPENDIX E:

METEOROLOGICAL DATA

Weather Data Log

Experiment NRL Cruise 712-82 Vessel USNS LYNCH Page 1

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
11	08	82	0400	42 28	68 24	240	10	245	5	245	6	0.5	Fog
			0600	42 46	68 14	240	10	245	5	245	5	2	
			0800	43 03	68 05	250	12	250	2	200	4	5	
			1000	43 20	67 55	280	10	280	3	220	5	6	
			1200	43 37	67 46	300	10	300	3	220	5	7	
			1400	43 45	67 41	280	10	280	3	230	5	9	
			1600	43 44	67 42	265	12	270	2	225	4	10	
			1800	43 43	67 45	260	10	270	1	225	4	10	
			2000	43 40	67 59	240	10	240	2	220	4	10	
			2200	43 30	67 45	230	8	230	1	210	4	10	
12	08	82	0000	43 30	67 28	230	14	230	3	210	6	9	
			0200	43 25	67 20	230	14	230	3	210	6	9	
			0400	43 09	67 05	200	10	200	1	210	5	10	
			0600	42 51	66 52	200	10	200	1	210	5	8	
			0800	42 35	66 38	LT AIRS		-	0	200	3	3-5	
			1000	42 17	66 24	015	10	015	1	170	3	5	

Weather Data Log

NRL CRUISE 712 82

Experiment

USNS LYNCH

Vessel

Page 2

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
12	08	82	1200	41 57	66 06	077	12	077	3	045	6	8	
			1400	41 44	65 44	095	12	095	4	060	6	8	
			1600	41 40	65 16	115	15	110	3	095	6	6	
			1800	41 41	65 13	095	13	110	3	095	6	5	
			2000	41 44	65 27	050	13	050	1	080	3	2	
			2200	41 44	65 22	150	16	150	1	075	3	2	
13	08	82	0000	41 42	65 20	160	18	150	2	080	3	2	
			0200	41 37	65 17	160	18	150	3	190	3	2	
			0400	41 32	65 13	190	15	190	1	190	4	6	
			0600	41 25	65 09	180	8	190	1	210	4	5	
			0800	41 18	65 06	190	14	190	1	200	3	3	
			1000	41 13	65 03	160	10	160	2	170	5	6	
			1200	41 11	65 11	175	10	175	2	190	5	6	
			1400	41 19	65 11	190	10	190	3	190	6	5	
			1600	41 21	65 10	220	8	190	3	190	6	7	
			1800	41 15	65 11	220	8	190	3	190	6	7	

Weather Data Log

Experiment

NRL CRUISE 712-82

Vessel

USNS LYNCH

Page

3

DAY	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
		Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
13 08 82	2000	41 10	65 10	205	10	205	2	190	5	7	
	2200	41 15	65 05	115	7	215	1	190	4	8	
14 08 82	0000	41 20	65 11	270	12	270	2	190	5	0.5	Fog
	0200	41 25	65 17	270	12	270	2	200	5	1	Fog
	0400	41 33	65 18	280	17	270	2	200	5	4	
	0600	41 36	65 10	310	17	290	2	200	5	4	
	0800	41 34	65 00	300	10	300	2	200	5	7	
	1000	41 28	65 04	280	13	280	2	200	5	8	
	1200	41 22	65 12	270	10	270	2	250	5	10	
	1400	41 17	65 12	250	10	250	2	250	5	10	
	1600	41 17	65 05	290	6	260	2	260	5	10	
	1800	41 19	65 01	270	8	260	2	260	5	10	
	2000	41 24	65 04	250	8	250	2	250	3	10	
	2200	41 20	65 01	240	8	240	2	250	3	10	
15 08 82	0000	41 23	65 01	220	5	220	1	250	3	10	
	0200	41 26	65 02	240	6	240	1	250	3	8	

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 4

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
15	08	82	0400	41 34	65 06	250	8	240	1	250	3	8	
			0600	41 44	65 07	225	8	230	1	250	3	9	
			0800	41 48	65 10	LT AIRS		RIPPLED		-	1	9	
			1000	41 53	65 15	LT AIRS		RIPPLED		220	2	9	
			1200	42 00	65 18	LT AIRS		RIPPLED		230	4	9	
			1400	42 05	65 16	LT AIRS		RIPPLED		240	4	9	
			1600	42 10	65 13	255	11	255	1	270	4	8	
			1800	42 06	65 21	260	8	260	1	260	4	3	
			2000	41 59	65 31	LT AIRS		RIPPLED		-	2	7	
			2200	42 04	65 26	260	7	260	1	250	3	5	
16	08	82	0000	42 01	65 34	230	8	230	1	250	3	5	Clear
			0200	42 05	65 42	LT AIRS		RIPPLED		240	3	5	Clear
			0400	42 06	65 47	235	6	RIPPLED		240	3	8	
			0600	42 08	65 52	240	6	RIPPLED		240	3	7	
			0800	42 13	66 00	LT AIRS		RIPPLED		220	3	7	
			1000	42 18	66 08	230	8	230	1	220	2	8	

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 5

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
16	08	82	1200	42 21	66 14	260	8	260	1	245	4	10	
			1400	42 26	66 22	250	6	250	1	205	4	10	
			1600	42 30	66 30	305	8	RIPPLES		250	1	10	
			1800	42 33	66 37	LT AIRS		SMOOTH				10	Clear
			2000	42 34	66 49	240	8	RIPPLES				10	
			2200	42 33	67 02	220	12	RIPPLES				8	
17	08	82	0000	42 31	67 14	LT AIRS		RIPPLES		240	3	8	Clear
			0200	42 31	67 18	LT AIRS		RIPPLES		240	3	8	Clear
			0400	42 47	67 24	210	15	210	1	240	3	10	
			0600	43 03	67 29	220	15	215	2	240	3	10	
			0800	42 30	67 34	205	13	205	2	220	3	7	
			1000	43 38	67 40	200	10	200	1	220	3	7	
			1200	43 55	67 37	210	15	210	3	210	5	4	
			1400	43 59	67 35	210	15	210	3	210	5	4	
			1600	43 59	67 33	220	18	220	3	220	5	4	
			1800	43 55	67 39	220	18	220	4	220	6	4	

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 6

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
17	08	82	2000	43 50	67 46	215	12	295	3	210	5	2-3	
			2200	43 52	67 39	250	15	250	3	210	6	3	
18	08	82	0000	43 47	67 34	260	18	260	4	210	8	3	
			0200	43 42	67 28	245	15	245	1	210	8	3	
			0400	43 35	67 25	235	12	235	2	210	8	3	
			0600	43 33	67 22	235	10	235	2	210	6	3	
			0800	43 32	67 21	LT AIRS		230	1	210	4	6	
			1000	43 31	67 31	020	14	RIPPLES		200	4	7	
			1200	43 26	67 38	020	14	020	3	010	4	7	
			1400	43 20	67 46	015	6	020	2	000	3	7	
			1600	43 22	67 46	320	5	000	2	000	3	10	
			1800	42 35	67 49	LT AIRS		RIPPLES		015	3	10	
			2000	43 25	68 00	LT AIRS		RIPPLES		LOW	-	10	
			2200	43 22	68 01	LT AIRS		RIPPLES		LOW	-	10	
19	08	82	0000	43 24	68 03	LT AIRS		RIPPLES		LOW		10	Clear
			0200	43 25	68 03	LT AIRS		RIPPLES		LOW		12	Clear

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 7

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
19	08	82	0400	43 24	68 05	260	10	260	2		LOW	10	
			0600	43 28	67 54	265	10	260	2		LOW	10	
			0800	43 31	67 42	240	8	240	2		LOW	12	
			1000	43 30	67 29	230	7	230	2		LOW	12	
			1200	43 30	67 22	235	11	235	2	270	3	12	
			1400	43 31	67 13	240	10	240	2	220	3	12	
			1600	43 27	67 04	210	10	210	1	270	3	10	
			1800	43 26	67 03	135	8	220	1	260	3	8	
			2000	43 24	67 01	230	8	230	1	250	3	1/3	Fog Patches
			2200	43 25	67 02	215	13	215	3	250	4	2	
20	08	82	0000	43 27	67 00	215	20	215	5	190	6	5	Clear
			0200	43 31	67 01	210	20	210	5	200	6	7	Clear
			0400	43 30	67 02	220	20	215	5	200	6	7	
			0600	43 24	67 07	220	21	220	6	200	7	6	
			0800	43 29	67 16	220	22	220	6	200	7	5	
			1000	43 33	67 25	220	19	220	6	190	6-8	6	

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 8

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
20	08	82	1200	43 40	67 28	225	20	225	5	230	7	6	
			1400	43 36	67 28	230	20	230	4	230	6	6	
			1600	43 32	67 34	240	20	240	4	230	6	6	
			1800	43 26	67 41	235	18	235	4	230	6	6	
			2000	43 19	67 47	230	19	230	5	230	7	5	
			2200	43 25	67 40	220	20	220	5	230	7	4	
21	08	82	0000	43 26	67 41	245	18	245	4	230	6	5	
			0200	43 29	67 35	285	12	285	4	270	6	5	
			0400	43 28	67 39	330	8	330	4	270	6	5	
			0600	43 23	67 50	355	10	340	4	270	6	9	
			0800	43 19	68 04	345	15	345	4	300	4-6	10	
			1000	43 22	68 09	345	16	345	3	310	4	10	
			1200	43 28	68 03	345	12	345	3	310	4	10	
			1400	43 35	67 55	315	12	315	3	325	4	10	
			1600	43 40	67 51	300	9	310	3	320	4	10	
			1800	43 38	67 44	310	8	310	2	320	4	10	

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 9

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
21	08	82	2000	43 42	67 42	250	12	250	1-2		LOW	12+	
			2200	44 00	67 39	240	10	240	2		LOW	12+	
22	08	82	0000	44 00	67 31	320	10	320	2	290	4	10	Clear
			0200	43 52	67 27	340	15	340	3	330	5	10	Clear
			0400	43 52	67 40	330	15	330	3	310	4	10	Clear
			0600	43 49	67 56	305	15	305	2	305	4	10	Clear
			0800	43 43	67 47	325	10	325	2	300	4	12+	
			1000	43 44	67 38	320	10	320	2	300	4	12+	
			1200	43 43	67 21	330	10	330	3	320	4	12	
			1400	43 36	67 06	330	10	330	3	310	4	12	
			1600	43 36	67 18	275	12	275	4	275	4	10	
			1800	43 36	67 37	275	12	275	3	275	3	10	
			2000	43 35	67 49	240	12	240	3	260	3	12+	
			2200	43 31	68 01	230	10	230	2	260	3	12+	
23	08	82	0000	43 28	68 00	250	10	250	2	260	3	12	Clear
			0200	43 29	67 39	250	10	250	2	260	3	12	Clear

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 10

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
23	08	82	0400	43 28	67 23	200	8	200	1	220	2	10	Clear
			0600	43 28	67 05	190	6	200	1	220	2	10	Clear
			0800	43 21	66 54	170	10	170	1		LOW	10	
			1000	43 20	67 04	180	10	180	2		LOW	9	
			1200	43 20	67 15	205	10	205	2	170	4	9	
			1400	43 20	67 35	195	10	195	2	200	4	9	
			1600	43 20	67 50	175	10	175	2	200	4	10	
			1800	43 20	68 11	170	15	170	2	200	4	10	
			2000	43 31	67 53	155	16	155	3	190	4	9	
			2200	43 42	67 43	155	16	155	3	190	4	9	
24	08	82	0000	43 31	67 53	175	16	175	4	160	5	7	
			0200	43 23	68 07	175	16	175	4	160	5	7	
			0400	43 22	68 11	200	18	200	4	170	5	4	
			0600	43 25	67 53	200	18	200	4	180	6	4	
			0800	43 25	67 34	205	17	205	4	200	5	5	
			1000	43 25	67 14	185	14	185	3	200	5	3	

Weather Data Log

Experiment NRL CRUISE 712-82 / Vessel USNS LYNCH Page 11

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
24	08	82	1200	43 28	66 55	165	17	165	4	150	5	3	
			1400	43 18	66 58	175	15	175	5	170	7	6	
			1600	43 09	67 05	150	14	175	2	180	7	6	
			1800	43 11	67 03	150	15	160	2	200	8	6	
			2000	43 20	67 11	180	7	RIPPLES		200	6	4	
			2200	43 28	67 18	LT	AIRS	RIPPLES		200	3	1/3	Fog
25	08	82	0000	43 37	67 23	LT	AIRS	RIPPLES		210	4	1/10	Fog
			0200	43 47	67 30	LT	AIRS	RIPPLES		210	4	1/10	Fog
			0400	43 59	67 36	310	10	RIPPLES		210	4	1/10	Fog
			0600	44 08	67 46	305	10	305	1	305	4	4	Fog
			0800	43 57	67 47	180	7	RIPPLES		340	3	2-3	
			1000	43 46	67 45	180	7	RIPPLES		340	3	2-3	
			1200	43 33	67 45	180	12	180	1	180	6	3	
			1400	43 21	67 45	160	14	160	2	165	6	6	
			1600	43 12	67 46	150	15	165	2	165	6	4	
			1800	43 02	67 45	145	15	150	2	160	6	3	

Weather Data Log

Experiment NRL CRUISE 712-82 Vessel USNS LYNCH Page 12

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
25	08	82	2000	43 01	67 45	130	25	130	5	160	7	2	
			2200	42 51	67 40	140	25-30	140	5	140	5-8	3	
26	08	82	0000	42 41	67 36	260	18	260	5	260	8	5	Clear
			0200	42 30	67 27	260	18	260	5	260	8	7	Clear
			0400	42 33	67 09	250	32	260	5	260	9	10	Clear
			0600	42 33	66 50	265	30	260	6	260	10	8	
			0800	42 33	66 33	270	27	270	10	260	7	8	
			1000	42 28	66 18	290	35	290	12	260	7	6	
			1200	42 31	65 58	305	30	305	10	280	18	8	Clear
			1400	42 33	65 37	305	30	305	10	285	18	8	Clear
			1600	42 31	65 38	300	25	300	10	280	18	8	Clear
			1800	42 32	25 53	300	18	300	9	280	16	8	Clear
			2000	42 34	66 12	295	14	295	7	270	10	12+	Clear
			2200	42 32	66 27	270	13	270	4	270	8	12+	Clear
27	08	82	0000	42 26	66 19	260	12	260	3	270	6	12	Clear
			0200	42 17	66 04	260	12	260	3	260	5	12	Clear

Weather Data Log

Experiment

NRL CRUISE 712-82

Vessel

USNS LYNCH

Page 13

DAY	MONTH	YEAR	TIME Zulu	POSITION		WIND		SEA		SWELL		VIS (nm)	REMARKS (e.g. rain, fog, etc.)
				Lat (°N)	Long (°W)	DIR	SP (kts)	DIR	HT (ft)	DIR	HT (ft)		
27	08	82	0400	42 08	65 50	250	10	255	3	255	5	10	Clear
			0600	42 02	65 38	280	10	255	3	255	4	10	Clear
			0800	42 10	65 33	220	12	220	1-3	240	3	12	
			1000	42 20	65 29	210	11	210	1	240	3	11	
			1200	42 27	65 31	220	10	220	2	210	4	10	
			1400	42 35	65 37	230	10	230	3	210	4	10	
			1600	42 23	65 32	205	10	210	2	210	4	10	
			1800	42 16	65 50	210	10	210	2	210	4	10	
			2000	42 07	66 03	225	10	225	2	030	3	10	
			2200	42 05	65 58	200	12	200	1	040	3	12	
28	08	82	0000	42 09	65 49	220	14	220	2	200	4	12	
			0200	42 16	66 04	220	15	220	3	200	4	12	

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NORDA Technical Note 243	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Environmental Variability of the Jordan Basin, Gulf of Maine		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Benjamin A. Watrous, Jr. Roger J. VanWyckhouse Joseph V. Soileau		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Ocean Research and Development Activity Ocean Science and Technology Laboratory NSTL, MS 39529		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62759N
11. CONTROLLING OFFICE NAME AND ADDRESS Same		12. REPORT DATE November 1983
		13. NUMBER OF PAGES 270
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution Unlimited Approved for Public Release		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Gulf of Maine Jordan Basin XBT STD sound speed variability navigation weather environmental data		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Environmental data collected in support of NRL Cruise 712-82 in the Gulf of Maine are presented and discussed. Digital listings of all usable XBT, STD, navigation, bathymetry, weather, and sound speed data are provided. Also provided is a brief analysis of the sound speed variability in the Jordan Basin.		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

END

FILMED

1-84

DTIC