

AD-A138 730

RESEARCH INTO THE THERMAL DECOMPOSITION OF SELECTED
ENERGETIC MATERIAL CA.. (U) FRANK J SEILER RESEARCH LAB
UNITED STATES AIR FORCE ACADEMY C... S R BOSCO ET AL.
DEC 83 FJSRL-TR-83-0018

1/1


UNCLASSIFIED

F/G 19/1

NL



				END
				DATE
				FILED
				4 84
				DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

②



ADA138730



FRANK J. SEILER RESEARCH LABORATORY

FJSRL TECHNICAL REPORT 83-0018

DECEMBER 1983

FINAL REPORT ON RESEARCH INTO THE THERMAL
DECOMPOSITION OF SELECTED ENERGETIC MATERIAL
CANDIDATES (PROJECT ORDER ATL-2-094)

SALVATORE R. BOSCO

R. CAMERON DOREY

DTIC
SELECTED
MAR 06 1984
S D E

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

PROJECT 2303

AIR FORCE SYSTEMS COMMAND

UNITED STATES AIR FORCE

DTIC FILE COPY

84 03 06 102


FJSRL-TR-0018


This document was prepared by the Energetic Materials Division, Directorate of Chemical Sciences, Frank J. Seiler Research Laboratory, United States Air Force Academy, Colorado. The research was conducted under Project Work Unit Number 2303-F3-05, "Chemical Structure/Bonding Decomposition Relationship". Captain R. Cameron Dorey, III was the Project Scientist in charge of the work.

When U. S. Government drawings, specifications or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Inquiries concerning the technical content of this document should be addressed to the Frank J. Seiler Research Laboratory (AFSC), FJSRL/NC, USAF Academy, Colorado Springs, CO 80840. Phone (303) 472-2655.

This technical report has been reviewed and is approved for publication.


SALVATORE R. BOSCO, Major, USAF
Task Director


CHESTER J. DYMEK, JR., Lt Col, USAF
Director of Chemical Sciences


THEODORE T. SAITO, Lt Colonel, USAF
Commander

Copies of this report should not be returned unless return is required by security consideration, contractual obligations, or notice on a specific document.

Printed in the United States of America. Qualified requestors may obtain additional copies from the Defense Documentation Center. All others should apply to: National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for Public Release Distribution Unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE				
4. PERFORMING ORGANIZATION REPORT NUMBER(S) FJSRL-TR-83-0018			5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION Frank J. Seiler Research Lab (AFSC)		6b. OFFICE SYMBOL (If applicable) FJSRL/XO	7a. NAME OF MONITORING ORGANIZATION	
6c. ADDRESS (City, State and ZIP Code) USAF Academy Colorado Springs, Colorado 80840			7b. ADDRESS (City, State and ZIP Code)	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Frank J. Seiler Research Lab (AFSC)		8b. OFFICE SYMBOL (If applicable) FJSRL/XO	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State and ZIP Code) USAF Academy Colorado Springs, Colorado 80840			10. SOURCE OF FUNDING NOS.	
11. TITLE (Include Security Classification) Final Report on Research into the Thermal Decomposition of Selected Energetic Material Candidates (U)			PROGRAM ELEMENT NO. 2303	PROJECT NO. F3
12. PERSONAL AUTHOR(S) Salvatore R. Bosco, R. Cameron Dorey			TASK NO. 05	WORK UNIT NO.
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM 1 Oct 81 to 30 Sep 82	14. DATE OF REPORT (Yr., Mo., Day) December 1983	
15. PAGE COUNT 18				
16. SUPPLEMENTARY NOTATION				
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB. GR.	ESR, Free Radicals, EPR, Thermal Decomposition Energetic Materials	
0704	1901	2102		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The thermal decomposition of current and future energetic materials has been studied by electron paramagnetic resonance spectroscopy. The results of this study indicate that certain of these materials exhibit radical spectra when they decompose while others do not; in some cases, there is no evidence for decomposition at up to 250°C.				
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☒ DTIC USERS ☐			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a. NAME OF RESPONSIBLE INDIVIDUAL Salvatore R. Bosco			22b. TELEPHONE NUMBER (Include Area Code) (303) 259-3120	22c. OFFICE SYMBOL FJSRL/XO

DD FORM 1473, 83 APR

EDITION OF 1 JAN 73 IS OBSOLETE.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

FJSRL-TR-83-0018

FINAL REPORT ON RESEARCH INTO THE THERMAL DECOMPOSITION OF
SELECTED ENERGETIC MATERIAL CANDIDATES (PROJECT ORDER ATL-2-094)

By

Salvatore R. Bosco

R. Cameron Dorey

DECEMBER 1983

Approved for public release; distribution unlimited

Directorate of Chemical Sciences
Frank J. Seiler Research Laboratory
Air Force Systems Command
United States Air Force Academy
Colorado Springs, Colorado 80840

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist _____	
A-1	



ABSTRACT

The thermal decomposition of current and future energetic materials has been studied by electron paramagnetic resonance spectroscopy. The results of this study indicate that certain of these materials exhibit radical spectra when they decompose while others do not; in some cases, there is no evidence for decomposition at up to 250° C.

PREFACE

The work described in this report was performed in Work Unit 2303-F3-05 in the Frank J. Seiler Research Laboratory, USAF Academy, Colorado. The work was performed under Project Order ATL-2-094 from the High Explosives Research and Development Laboratory, Air Force Armament Testing Laboratory, Eglin AFB, Florida, under the supervision of Thomas Floyd.

TABLE OF CONTENTS

	<u>PAGE</u>
ABSTRACT	i
PREFACE	ii
FIGURES	iv
INTRODUCTION	1
EXPERIMENTAL	2
CURRENT INVENTORY MATERIALS	2
OTHER MATERIALS OF INTEREST	3
DISCUSSION	5
CONCLUSIONS	6
LIST OF ABBREVIATIONS	7
REFERENCES	8

FIGURES

1. Observed ESR spectrum of military grade TNT at 240°C.
2. Observed ESR spectrum of tetryl at 150°C.

INTRODUCTION

As the demands of the Armed Forces on ordnance increase, the materials which make up the explosives in the ordnance must improve. Many energetic materials due to their nature are inherently thermally unstable, and are not suitable for use in high-performance (extreme conditions) applications. Also, due to the development of "smart" (and expensive) ordnance, there is a premium on efficiency of the filling used. If plasticizers and binders can be developed which are energetic in their own right, they are more useful than those which are relatively inert.

When some energetic materials decompose thermally, they form free radicals-transient molecular fragments with unpaired electrons. The best characterized case so far is TNT (1)^a, although researchers have found free radical formation through irradiation of other explosives with spin trap agents (2) or of solid samples of explosives (3). Electron paramagnetic resonance (EPR) techniques are used to detect and characterize these free radicals in low concentrations in the presence of large amounts of similarly structured precursors and products.

At FJSRL, we have been investigating current and proposed future energetic materials for free radical formation at high temperatures. If free-radical intermediates are found, this will give a clue to the mechanism of thermal degradation. The materials in the present survey were supplied by AFATL to represent current military grade materials and items under development as energetic plasticizers and polymers.

The EPR system with heated sample have been described elsewhere (4). Since most materials in the study absorbed too much microwave energy to be

^aChemical abbreviations used are found at the end of this report.

studied in conventional round tubes, they were placed in flattened tubes which had minimum cross section parallel to the magnetic field lines. Samples were heated to a maximum of 250°C if decomposition did not occur before this point. Materials which did not yield a measurable signal were combined with TNT in a separate experiment to demonstrate any synergistic effect. Recrystallized TNT itself gave a characteristic 21 line spectrum at about 230-240°C within 30 minutes.

EXPERIMENTAL

CURRENT INVENTORY MATERIALS

1. Military grade TNT (2,4,6-trinitrotoluene). An EPR spectrum, identical to that for recrystallized TNT was found (Fig 1). Onset of a weak spectrum began at about 100°C, however, all of the spectral lines were not distinguished until the temperature was raised to about 180°C. The spectrum was transformed to a single broad line after heating at 260°C for about two hours as does recrystallized TNT.

2. Comp-D2 is a wax used in TNT formulations as a binder. A broad weak triplet signal was observed superimposed on a broad singlet. The singlet appeared to be due to polymeric material. These spectra were taken at 150°C.

3. RDX recrystallized from DMSO. This is a proposed purification of RDX for economic reasons. The material decomposed at high temperature similar to standard military grade and recrystallized RDX. Any additional impurities left by this process do not seem to affect the thermal properties, as measured by EPR. The strongest signals were observed at 200°C after about 37 minutes of heating.

4. Tetryl. A weak spectrum characteristic of free NO_2 was seen at 150°C (Fig 2). No other signal or visible decomposition appeared after prolonged heating at that temperature and the temperature was not increased due to the explosive hazard.

5. Nitrocellulose. A weak NO_2 spectrum appearing below 150°C increased in intensity with time. However, no visible evidence (discoloration) of decomposition was seen from the sample.

6. Triaminoguanidine Nitrate (TAGN). No deterioration was visible at lower temperatures, but the material detonated after heating at 230°C for less than one hour. At this point the sample had not melted.

7. Nitroguanidine (NQ) mixed with TNT. Formation of the characteristic TNT spectrum was accelerated (appearance within 4 min at 180°C) although a second spectrum from nitroguanidine itself could be observed. This follows the pattern of many TNT "sensitizers".

OTHER MATERIALS OF INTEREST

1. Dimethylnitramine (DMNA) is a segment of both the RDX and HMX molecules. DMNA sublimed below 150°C without formation of any detectable spectrum. When heated with TNT, the TNT spectrum appeared faster than from pure TNT. No signals analogous to those from RDX-TNT mixtures (5) appeared.

2. Diethylene trinitramine (DETN). Nitropiperidine. Both of these materials melted below 120°C and discolored. No EPR signal was seen from the DETN sample. The nitropiperidine gave a weak polymeric signal at 190°C after about two hours.

3. Di(ethylene)trinitramine (DINA). Discolored about 120°C and showed no EPR signal.




Figure 1. Observed spectrum of military grade TNT after heating at 260°C for 90 min.




Figure 2. Observed spectrum of tetryl after heating at 150°C for 17 min.

4. Glycidyl azide polymer (GAP). A viscous yellow liquid at room temperature which discolored rapidly above 120°C, but gave no EPR signal even when heated up to 180°C.

5. Diazoethane nitramine. No change in the material was observed up to 180°C and no EPR signal could be detected.

6. Tripicrylmelamine (TPM). No physical changes in a neat sample were noted up to 250°C and no EPR signal was observed. When a 50/50 mixture of TPM and TNT was run, the characteristic TNT EPR spectrum was accelerated, appearing after about 3 minutes at 168°C.

7. Dinitropropylvinyl ether polymer (DNPVEP), Dichloromethyl diethylenetrinitramine (DCTNN), Alkyl (ethyl nitrate) nitramines (NENAs). All of these boiled at very low temperatures (below 150°C). At the boiling points no visible decomposition or EPR signal was observed except for n-pentyl NENA which displayed a weak triplet signal which could not be characterized.

DISCUSSION

Most materials failed to show any EPR spectrum, even when visible decomposition occurred rapidly. One possible explanation is a non-radical decomposition. This might occur in some species, particularly the nitrates. An alternative explanation is instrumental insensitivity, due to the high polarity (and thus dielectric constant) of the materials. If this is the case, it might be an insurmountable problem. What is needed is an inert high-temperature (250°C) solvent for those materials which decompose visibly. So far, we have not been able to find such a solvent, and the instability of most organic materials at high temperatures makes the search difficult. TNT itself is a very poor solvent, since any material we have combined with it accelerates TNT decomposition, usually masking any

other possible EPR signal. This may occur either by impeding hydrogen-bonding between TNT molecules, or by a charge-transfer mechanism from a decomposing solute molecule to TNT. Either case leads to a less stable composition than either of the pure substances.

In the case of the low-boiling energetic plasticizers, they should be tested in formulations with compatible materials, since this is how they will be used. Enough of the plasticizer might be entrapped to yield useful information at higher temperatures.

CONCLUSIONS

The results of this study indicate that, with the exception of tetryl none of the new materials displayed any evidence of thermal decomposition similar to TNT. Several of the materials tested acted as sensitizers and may have potential value as such. None of the new materials appeared to be suitable at higher temperatures. Until a high boiling solvent which will not generate an EPR signal masking any sample signal can be found, we recommend no further work be pursued on these compounds.

LIST OF ABBREVIATIONS

DCTNN	dichloromethyl diethylenetrinitramine
DETN	diethylene trinitramine
DINA	di(ethylenenitrate) nitramine
DMNA	dimethylnitramine
DMSO	dimethyl sulfoxide
DNPVEP	dinitropropylvinyl ether polymer
EPR	electron paramagnetic resonance
GAP	glycidyl azide polymer
HMX	cyclotetramethylene tetranitramine
NENA	ethyl nitrate nitramine
NQ	nitroguanidine
RDX	cyclo-1,3,5-trimethylene 2,4,6-trinitramine
TAGN	triaminoguanidine nitrate
TNT	trinitrotoluene
TPM	tripicrylmelamine

REFERENCES

1. FJSRL TR-81-0002, April 1981. "The Thermochemical Decomposition of TNT: Radical Identification and Theoretical Studies". L.P. Davis, A.G. Turner, W.R. Carper, J.S. Wilkes, R.C. Dorey, H.L. Pugh, K.E. Siegenthaler.
2. "Electron Spin Resonance Studies of Free Radicals in Energetic Materials" Naval Research Annual Summary Report on Contract No. N00014-76-WR-60094 Project No. NR 092-556, 1 Nov 1978. W.B. Moniz, A.D. Britt.
3. "Thermal Decomposition of RDX Below the Melting Point", Proc 7th Symposium (International) on Detonation, 16-19 June 1981. H.L. Pugh, L.P. Davis, J.S. Wilkes, W.R. Carper, R.C. Dorey.
4. "Thermochemical Decomposition of Explosives I. TNT Kinetic Parameters Determined from ESR Investigations". Thermochemica Acta 32 (1979) 1-18. R.M. Guidry, L.P. Davis.
5. "Thermal Decomposition of RDX Below the Melting Point", *ibid.*