

REPORT NO. NADC-83041-60

12



FUEL FIRE TESTING OF THE QUICK-DONNING ANTI-EXPOSURE SUIT CWU-60/P QUICK-DONNING, ANTI-EXPOSURE COVERALL

AD A140152

George H. Kydd & Gregory K. Askew
Aircraft and Crew Systems Technology Directorate
NAVAL AIR DEVELOPMENT CENTER
Warminster, Pennsylvania 18974

FEBRUARY 1983

FINAL REPORT
AIRTASK NO. A531531A/001D/4W0606SL00
P.E. 64264N

Approved for Public Release: Distribution Unlimited

Prepared For
NAVAL AIR SYSTEMS COMMAND
Department of the Navy
Washington, DC 20361

DTIC
ELECTE
APR 13 1984
S D D

84 04 12 012

NOTICES

REPORT NUMBERING SYSTEM – The numbering of technical project reports issued by the Naval Air Development Center is arranged for specific identification purposes. Each number consists of the Center acronym, the calendar year in which the number was assigned, the sequence number of the report within the specific calendar year, and the official 2-digit correspondence code of the Command Office or the Functional Directorate responsible for the report. For example: Report No. NADC-78015-20 indicates the fifteenth Center report for the year 1978, and prepared by the Systems Directorate. The numerical codes are as follows:


CODE	OFFICE OR DIRECTORATE
00	Commander, Naval Air Development Center
01	Technical Director, Naval Air Development Center
02	Comptroller
10	Directorate Command Projects
20	Systems Directorate
30	Sensors & Avionics Technology Directorate
40	Communication & Navigation Technology Directorate
50	Software Computer Directorate
60	Aircraft & Crew Systems Technology Directorate
70	Planning Assessment Resources
80	Engineering Support Group

PRODUCT ENDORSEMENT – The discussion or instructions concerning commercial products herein do not constitute an endorsement by the Government nor do they convey or imply the license or right to use such products.

APPROVED BY


J. J. GALLAGHER
CAPT, MSC, USN

DATE:



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NADC-83041-60	2. GOVT ACCESSION NO. AD-A14 0152	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Fuel Fire Testing of the Quick-Donning Anti-Exposure Suit (CWU-60/P Quick-Donning, Anti-Exposure Coverall)		5. TYPE OF REPORT & PERIOD COVERED Final Report
7. AUTHOR(s) George H. Kydd Gregory K. Askew		6. PERFORMING ORG. REPORT NUMBER
8. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Air Development Center Aircraft & Crew Systems Technology Directorate Warminster, PA 18974		9. CONTRACT OR GRANT NUMBER(s)
10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AIRTASK NO. A531531A/001D/4W0606SL00 P.E. 64264N		11. CONTROLLING OFFICE NAME AND ADDRESS Naval Air Systems Command Department of the Navy Washington, DC 20361
12. REPORT DATE February 1983		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Q-D, Quick-Donning, Anti-Exposure		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Three specimens of Quick-Donning Anti-Exposure Suits were tested at the Fuel Fire Test Facility in three second exposures using JP-4 jet engine fuel. One was a commercial suit designated, Imperial, a chemically expanded neoprene with nylon laminates on the inner and outer surfaces; one was a nitrogen blown neoprene with a sharkskin on the outer surface; and the third was also nitrogen expanded neoprene, the outer face having a Nomex laminate. The Imperial Suit supported combustion very well and had to be extinguished. The sharkskin self extinguished except for two suits that tended to flame, one at the crotch and one under the arm. The Nomex Clad Neoprene was little affected by the fire.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 68 IS OBSOLETE

S/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

	PAGE NO.
List of Figures	ii
Introduction	1
Method	1
Results	1
Discussion	2
Appendix A — Movie Coverage — Quick Donning Suits	A-1

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A/1	



LIST OF FIGURES

FIGURE		PAGE NO.
1	Nomex Clad Neoprene, Front, before	4
2	Nomex Clad Neoprene, Front, after	5
3	Nomex Clad Neoprene, Back, before	6
4	Nomex Clad Neoprene, Back, after	7
5	Nomex Clad Neoprene, Side, before	8
6	Nomex Clad Neoprene, Side, after	9
7	Imperial Suit, Front, before	10
8	Imperial Suit, Front, after	11
9	Imperial Suit, Back, before	12
10	Imperial Suit, Back, after	13
11	Imperial Suit, Side, before	14
12	Imperial Suit, Side, after	15
13	Sharkskin, Front, before	16
14	Sharkskin, Front, after	17
15	Sharkskin, Back, before	18
16	Sharkskin, Back, after	19
17	Sharkskin, Side, before	20
18	Sharkskin, Side, after	21

APPENDIX A

MOVIE COVERAGE – QUICK DONNING SUITS

QDCG2203066	Burning intensely at the back. Fire begins to envelope non-burning areas (front) and had to be extinguished.
QDCG2207069	Blazing intensely at the back; with some scattered flames in the front. Again it had to be extinguished.
QDCG2207072	Burning only at the feet. Not a good fire.
QDSG2203067	Only smoke from the rear.
QDSG2207070	Burning from the rear, but it extinguished itself by the time it came to rest.
QDSG2211073	Some flaming; self-extinguishing (S.E.)
QDBR2204068	Burning intensely at the back. The fire S.E. except at the crotch where it had to be extinguished.
QDBR2207071	Burning intensely (with black smoke obscuring the view). Fire was put out.
QDBR2211075	Extensive burning with persistence under right arm and crotch, not threatening. Other areas S.E.

INTRODUCTION

The requirement for survival in cold water was recently demonstrated by an incident in the North Pacific when a crew onboard an anti-submarine aircraft (VP) was forced to ditch. Survival in such circumstances is dependent upon the maintenance of body temperature and preventing heat losses to the surroundings. Missions over cold water are not uncommon in the VP community and the principal means of survival for crewmen who have to ditch is the Quick-Donning Anti-Exposure Suit (QD). The suit is constructed of 3/16 in. gas-blown neoprene and it is constructed to fit over the other clothing a crewman may be wearing. As the name implies, it is designed to be put on rapidly, as it may have to be in an emergency. Since ditching could occur in conditions of fire onboard, or in the water, it is required that the QD be resistant to flames. The first series of tests consisted of three specimens of each of three types that were exposed for three seconds.

METHOD

The assemblies were tested at the NADC Fuel Fire Test Facility which employs a rotary crane to carry the dressed manikin over the fire pit, through the flames. The fuel was JP-4 and the rotation of the crane was adjusted so that the manikin was over the pit for three seconds. The fire pit is a concrete rectangle constructed to contain water to about eight inches. The surface is divided by a grid of aluminum angle that contains 12 cells, each of which has a fuel nozzle at the floor of the fire pit. Fuel is pumped through the nozzles and is allowed to float to the top of the water and spread within the cell. In this way an even distribution of fuel is obtained. At the proper time the fuel is ignited by four air-propane igniters located around the perimeter of the pit; the fire is allowed to develop and the crane is started.

The fire pit is enclosed on three sides by a high steel fence which sets back about 15 feet on each side. The cameras, mentioned below are placed to view through ports cut through the fence. The fourth side of the pit is shielded by a concrete block wall, behind which operations are controlled. The TV cameraman is also behind this wall so that he can view the manikin as it rounds the wall from the pit. In these tests photography was enhanced by use of a longer focal length lens (50 mm) on one movie camera, making it possible to view the manikin close-up as it came over the edge of the fire pit. A second movie camera was equipped with a 10 mm lens. The intensity of the fire was obtained from a calorimeter that was positioned alongside the left thigh of the manikin looking forward. The manikins were dressed in winter flying outfits that included Nomex long underwear, a flight suit, winter trousers and jacket. Three varieties of quick-don exposure suits were tested: the Imperial Suit which is chemically expanded neoprene with nylon laminates on the inner and outer surfaces; a nitrogen blown neoprene with sharkskin texture on the outer surface and a nylon laminate on the inner surface; and the third which was also of nitrogen blown neoprene but which had an outer face of Nomex laminate and an inner face of nylon laminate.

RESULTS

The results of the movie footage are given for each specimen in Appendix A and are summarized below:

Imperial Suits. Two of the three were burning fiercely at the back as they emerged. The fire grew in intensity and threatened to involve the front and had to be extinguished. The third specimen experienced a less intense fire in the pit and, therefore, did not burn.

Nomex-Clad Suits. These three suits survived well although two showed some flaming at the end of the run in both instances. The flames self-extinguished in a few seconds after exiting the pit flames.

Sharkskin Suits. These gas expanded neoprene suits were characterized by some flaming. One specimen burned at the crotch and had to be put out; while another burned under the right arm and was put out. Otherwise, they tended to self-extinguish.

Front, back and side views of the manikin are shown for each of the suits before and after the exposure requiring six photographs for each.

Nomex-Clad Suit. Figures 1-6. There was little change. One suit had brownish streaks in front, but they were mainly unaffected.

Imperial Suit. Figures 7-12. There was a progression of color changes from red, to brown, to buff, to charring (black). The backs showed most discoloration with the two suits that burned most: The front was just beginning to be discolored but was still orange, or in the other case, it was burned to buff but with most areas still orange.

Sharkskin Suit. Figures 13-18. Burned areas in these suits showed areas of small irregular cracks with the release of the carbonaceous material that would rub off on the hands.

None of the manikin surface sensors were activated. The minimum temperature 120° F.

DISCUSSION

Although the samples were small, one got the impression from the tests of the Imperial Suit that the material will support combustion such that even a small fire could develop into an engulfing one (At this point, results from a vertical flame test that would test this hypothesis are not available). Because of this characteristic one should be extremely cautious in not exposing the material to increases in temperature certainly when it is worn but also in storage.

In comparison, the Sharkskin while burning somewhat, did not present the threat of a spreading fire that the Imperial Suit did. The two areas that burned on two suits separately were the crotch and the armpit which may be expected to have limited radiation of heat and thus, may get hotter. These areas also contain seams and junctures and there is the possibility that the adhesive material may be flammable in these circumstances. This particular burning also presents the possibility of separate treatment such as being covered with a non-flammable covering material.

The Q.D. and Fire Exposure. The scenario on which the fuel fire test is based is one in which a crewman has to escape from burning fuel on a carrier deck. The duration of the test is therefore based on the amount of time required to move from the site of the fire to a safe place and traditionally this has been three seconds, the time used in the present tests. It would appear that the Q.D. may not fit the basic scenario for the following reasons:

1. The coverall would never be worn on the deck of a carrier, therefore, escaping from burning fuel on the carrier deck would not be a contingency.
2. The Q.D. Coverall is worn in a ditching operation and an extensive fire such as that used here, on a ditched aircraft, is a remote possibility.

The more likely situation would be a wet coverall exposed to burning material including fuel on a water surface which would expose the coverall and its wearer to much less heat than that used in the present tests. This being the case, the Q.D. Coverall passes this test and is considered safe for use in the fleet.

Conclusion:

The Sharkskin and the Nomex Clad Q.D. Coverall are considered sufficiently flame resistant to be used in the Fleet. The Imperial Coverall, as indicated by these tests, would be a fire hazard for the crewman in an emergency situation and care should be taken in ordinary handling and storage in the vicinity of open fires.



Figure 1. Nomex Clad Sharkskin, Front, before

NADC-83041-60



Figure 2. Nomex Clad Sharkskin, Front, after

NADC-83041-60




Figure 3. Nomex Clad Sharkskin, Back, before

NADC-83041-60



Figure 4. Nomex Clad Sharkskin, Back, after

NADC-83041-60



Figure 5. Nomex Clad Sharkskin, Side, before



Figure 6. Nomex Clad Sharkskin, Side, after

NADC-83041-60



Figure 7. Imperial Suit, Front, before

NADC-83041-60



Figure 8. Imperial Suit, Front, after

NADC-83041-60



Figure 9. Imperial Suit, Back, before

NADC-83041-60



Figure 10. Imperial Suit, Back, after

NADC-83041-60



Figure 11. Imperial Suit, Side, before

NADC-83041-60



Figure 12. Imperial Suit, Side, after

NADC-83041-60



Figure 13. Sharkskin, Front, before

NADC-83041-60



Figure 14. Sharkskin, Front, after

NADC-83041-60




Figure 15. Sharkskin, Back, before

NADC-83041-60



Figure 16. Sharkskin, Back, after

RIADC-83041-60



Figure 17. Sharkshin, Side, before




Figure 18. Sharkskin, Side, after

NADC-83041-60

DISTRIBUTION LIST (Cont'd)

	No. of Copies
Canadian Forces Medical Liaison Officer. Canadian Defense Liaison Staff, 2450 Massachusetts Avenue, NW Washington, DC 20008	1
Canadian Airline Pilot's Association, Maj. J. Slutendam (Ret). 1300 Steeles Avenue East, Brampton, Ontario L6T 1A2, Canada	1
NAVAIRDEVCEN (Code 8133)	3

DISTRIBUTION LIST (Cont'd)

	No. of Copies
Librarian, Engineering Research Division IIT Research Institute, 10 West 35th Street, Chicago, IL 60616	1
Editor, CONSERVATIONIST MAGAZINE Department of Environmental Conservation, 50 Wolf Road Albany, NY 12233	1
Librarian, School of Textiles Library Nelson Hall, Box 5006, North Carolina State University Raleigh, NC 27650	1
Harry Diamond Laboratories, Scientific & Technical Information Offices 2800 Powder Mill Road, Adelphia, MD 20783	1
FAA Civil Aeromedical Institute, ATTN: Library Box 25082, Oklahoma City, OK 73125	1
Department of Defense, R.A.N. Research Laboratory. P.O. Box 706, Darlinghurst, N.S.W. 2010, Australia	1
Canadian Society of Aviation Medicine, c/o Academy of Medicine, Toronto, ATTN: Ms. Carmen King. 288 Bloor Street West, Toronto, Ontario M5S 1V8, Canada	1
Commanding Officer, School of Opnl. & Aerospace Medicine. DCIEM, P.O. Box 2000, 1133 Sheppard Avenue West Downsview, Ontario M3M 3B9, Canada	1
Dr. E. Hendler, Naval Air Development Center. Code 60B1, Warminster, PA 18974	1
National Defense Headquarters, ATTN: DPM 101 Colonel By Drive, Ottawa, Ontario K1A 0K2, Canada	1
Colonel STanley C. Knapp, United States Central Command CCSG MacDill AFB, FL 33608	1
Staff Officer, Aerospace Medicine. RAF Staff, British Embassy, 3100 Massachusetts Avenue, NW Washington, DC 20008	1
Commanding Officer, 404 Maritime Training Squadron Canadian Forces Base, Greenwood, ATTN: Aeromedical Training Unit WO P Handy or Capt. S. Olsen, Greenwood, NS bop 1NO Canada	1

DISTRIBUTION LIST (Cont'd)

	No. of Copies
Technical Writer & Fire Protection Engineer. J. J. Henry Company, Inc., Suite 838, 2341 Jefferson Davis Highway Arlington, VA 22202	1
Chairman, Department of Textiles & Consume Economics. College of Human Ecology, University of Maryland College Park, MD 20742	1
The Librarian, CSIRO. Division of Textile Physics, 338 Blaxland Road Ryde, N.S.W., Australia 2112	1
Dr. A. Bendak, Professor Associate. National Research Centre, Textile Research Labs Dokki, Cairo, Egypt	1
Research & Development Section, Memphis Fire Department. 79 South Flicker, Memphis, TN 38104	
Manager, Thermal Garments Division. Diving Unlimited International, 1148 Delevan Drive San Diego, CA 92123	1
Manager, Industrial & Fire Safety. Code DS-3, NASA Headquarters, Washington, DC 20546	1
Director, School of Textile Engineering. Georgia Institute of Technology, Atlanta, GA 30332	1
Sirrine Library. 111 Sirrine Hall, College of Ind. Management & Textile Science Clemson University, Clemson, SC 29631	1
Chairman, Textile Sciences Department. Southeastern Massachusetts University, North Dartmouth, MA 02747	1
Brookhaven National Laboratory. Safety & Environmental Protection Division, Building 50 ATTN: Fire Protection Group, Upton, NY 11973	1
Chief, Protective Equipment Section. Control Technology Research Branch Division of Physical Sciences & Engineering National Institute for Occupational Safety & Health 4676 Columbia Parkway, Cincinnati, OH 45226	1

DISTRIBUTION LIST (Cont'd)

	No. of Copies
Division of Aerospace Pathology Washington, DC	1
United States Air Force, Flight Test Center Technical Library, Stop 238, Edwards AFB, CA 93523	1
United States Air Force, Armament Development & Test Center Technical Library, Eglin AFB, FL 32542	1
United States Air Force, Institute of Technology (AFIT/LDE), Bldg. 640, Area B, Wright-Patterson AFB, OH 45433	1
United States Air Force, School of Aerospace Medicine Aerospace Medical Division, Aeromedical Library/TSK-4 Brooks AFB, TX 78235	1
Director of Professional Services, Office of the Surgeon General Department of the Air Force, Washington, DC 20314	1
United States Air Force, CAPT Linda Darrien Wright-Patterson	
United States Air Force, Artic Aeromedical Laboratory Librarian, APO Seattle, WA	1
Air Force Aerospace Medical Research Laboratory Human Engineering Division ATTN: Technical Librarian, Wright-Patterson AFB, OH 45433	1
MISC.	
Federal Aviation Administration, Civil Aeromedical Institute Oklahoma City, OK 73125	1
Commandant, United States Coast Guard (G-OSR-4), Washington, DC 20590	1
Librarian, Roger Milliken Textile Library Institute of Textile Technology, P.O. Box 391 Charlottesville, VA 22902	1
Director, Stores & Clothing Research & Development Establishment Ministry of Defense, Flagstaff Road, Colchester CO2 7SS, Essex, England	1
Librarian Assistant, Institute of Safety & Systems Management Library, SSM 105, University of Southern California Los Angeles, CA 90007	1

DISTRIBUTION LIST (Cont'd)

	No. of Copies
Commanding Officer, Naval Biodynamics Laboratory. P.O. Box 29407, New Orleans, LA 70189	1
United States Navy, Naval Weapons Center. Technical Library Division, Code 2333, China Lake, CA 93555	
United States Navy, Naval Aerospace Medical Institute Library Bldg. 1953, Code 012, Pensacola, FL 32508	2
United States Navy, Naval Submarine Medical Research Laboratory. Medical Library, Naval Submarine Base, Box 900, Groton, CT 06340	2
CAPT J. R. Sheetz, CPS Rm. 736 Crystal City, Washington, DC 20360	
United States Navy, Liaison Officer Federal Aviation Administration, (Medical Library HQ-600) 800 Independence Ave., SW. Washington, DC 20591	2
Commander, Naval Air Development Center. ATTN: Code 6022 (Mr. Brindle), Warminster, PA 18974	

AIR FORCE

6570 AMRL/DAL Library Wright-Patterson AFB, OJ 45433	1
Headquarters, United States Air Force Directorate of Operations, (AFRSTA), DCS/R&D Washington, DC 20330	1
United States Air Force, School of Aerospace Medicine (TSK-4, Library), Brooks Air Force Base, TX 78362	1
Air University Library, Maxwell Air Force Base Montgomery, AL 36112	1
Air Force Systems Command, (SCBB) Andrews Air Force Base, Washington, DC 20334	1
United States Air Force, Flight Test Center (FTDT), Edwards, AFB, CA 93523	1
Headquarters, TAC/SGPA Langley Air Force Base, Hampton, VA 23665	1

DISTRIBUTION LIST (Cont'd)

	No. of Copies
Chief of Naval Material, Department of the Navy	2
Washington, DC 20360	
(1 for MAT 04F)	
(1 for MAT 08T24D)	
Director, Naval Research Laboratory	1
Code 6130: DDW, Washington, DC 20375	
Commander, Naval Supply Systems Command	1
(SUP 09B), Department of the Navy, Washington, DC 20376	
Commanding Officer, Naval Explosive Ordinance Disposal Facility	1
Code 50, Indian Head, MD 20640	
Commanding Officer, Naval Medical Research Institute	1
National Naval Medical Center, (Heat Stress Division)	
Bethesda, MD 20014	
Director, Naval Biosciences Laboratory	1
Naval Supply Center, Bldg. 844, Oakland, CA 94625	
Naval Air Systems Command, Technical Library (AIR 9500)	1
Rm. 275 Jefferson Plaza II, Department of the Navy	
Washington, DC 20361	
United States Navy, Naval Research Laboratory Library	1
Code 1433, Washington, DC 20375	
United States Navy, Naval Air Development Center	1
Technical Information Division, Technical Support Department	
Warminster, PA 18974	
Naval Air Development Center, Human Factors Engineering Division	1
Aircraft & Crew Systems Technology Directorate	
Warminster, PA 18974	
United States Navy, Naval Research Laboratory Library	1
Shock & Vibration Information Center, Code 8404	
Washington, DC 20375	
Office of Naval Research, Director of Biological & Medical Sciences Division	1
800 N. Quincy Street, Arlington, VA 22217	
Commanding Officer, Naval Medical Research & Development Command	1
National Naval Medical Center, Bethesda, MD 20014	

DISTRIBUTION LIST (Cont'd.)

	No. of Copies
National Library of Medicine	1
Bethesda, MD 20014	
Under Secretary of Defense for Research & Engineering	1
Attn: Military Assistant for Medical & Life Sciences, Washington, DC 20301	
Uniformed Services University of the Health Sciences	1
Bethesda, MD 20014	
NAVY	
Commander, Naval Air Systems Command (OOD4)	7
Naval Air Systems Command Headquarters, Washington, DC 20361	
(2 for retention)	
(1 for AIR 310H)	
(2 for AIR 531, 5311)	
(1 for AIR 53433A)	
(1 for AIR 53432)	
Commander, Naval Air Test Center	2
Aircrew Systems Branch, Patuxent River, MD 20670	
Chief of Naval Research	1
(Code 440), 800 North Quincy St., Arlington, VA 22217	
Commander, Naval Supply Systems Command	3
Naval Supply Systems Command Headquarters, Washington, DC 20376	
(1 for Sup 04X)	
(1 for Code 91)	
(1 for Sup 0431F)	
Chief of Naval Operations	1
(OP-987H), Navy Department, Washington, DC 20350	
Commander, Naval Sea Systems Command	1
Code 0342, Naval Sea Systems Command Headquarters, Washington, DC 20362	
Commanding Officer, Naval Submarine Medical Research Laboratory	1
P.O. Box 900, Naval Base, Groton, CT 06320	
Commander, Naval Safety Center	2
Naval Air Station, Norfolk, VA 23511	
(1 for Code 055)	
(1 for Code 40)	
Commanding Officer, Naval Construction Battalion Center	1
Code 1573, Port Hueneme, CA 93043	

DISTRIBUTION LIST (Cont'd.)

	No. of Copies
United States Army, Foreign Science & Technology Center Attn: DRXST-IS1, 220 7th Street, NE, Charlottesville, VA 22901	1
Commander, United States Army, Training & Doctrine Command Attn: ATCD, Fort Monroe, VA 23651	2
Commander, United States Army, Training & Doctrine Command Attn: Surgeon, Fort Monroe, VA 23651	1
United States Army, Research & Technology Labs, Structures Laboratory Library NASA Langley Research Center, Mail Stop 266, Hampton, VA 23665	1
Commander, United States Army, Natick Research & Development Laboratories Attn: Technical Librarian, Natick, MA 01760	1
Commander, United States Army, Transportation School Attn: ATSP-TD-ST, Fort Eustis, VA 23604	1
Commander, United States Army, Troop Support & Aviation Material Readiness Command Attn: DRSTS-W, St. Louis, MO 63102	1
Commander, United States Army, Aviation Research & Development Command Attn: DRDAV-E, 4300 Goodfellow Blvd., St. Louis, MO 63166	1
Director, United States Army, Human Engineering Laboratory Attn: Technical Library, Aberdeen Proving Ground, MD 21005	1
Commander, United States Army, Aviation Research & Development Command Attn: Library, 4300 Goodfellow Blvd., St. Louis, MO 63166	1
Commandant, United States Army, Academy of Health Sciences Attn: Library, Fort Sam Houston, TX 78234	1
Commander, United States Army, Airmobility Laboratory Attn: Library, Fort Eustis, VA 23604	1
Air University Library (AUL/LSE), Maxwell Air Force Base, AL 36112	1

DEFENSE

Director, Defense Technical Information Center Building 5, Cameron Station, Alexandria, VA 22314	12
---	----

DISTRIBUTION LIST (Cont'd.)

	No. of Copies
United States Army, Research & Technology Laboratory	
Aeromechanics Laboratory	1
Ames Research Center, M/S 215-1, Moffet Field, CA 94035	
Sixth United States Army	1
Attn: SMA, Presidio of San Francisco, San Francisco, CA 94129	
United States Army, Ordnance Center & School	1
Library, Bldg. 3071, Attn: ATSL-DOSL, Aberdeen Proving Ground, MD 20015	
United States Army, Environmental Hygiene Agency	1
Library, Bldg. E2100, Aberdeen Proving Ground, MD 21010	
Technical Library, Chemical Systems Laboratory	1
Aberdeen Proving Ground, MD 21010	
United States Army, Material Systems Analysis Agency	1
Attn: Reports Distribution, Aberdeen Proving Ground, MD 21005	
Commander, United States Army	1
Medical Research Institute of Chemical Defense, Aberdeen Proving Ground, MD 21010	
Director, Ballistic Research Laboratory	2
Attn: DRDAR-TSB-S (STINFO), Aberdeen Proving Ground, MD 21005	
United States Army, Research & Development Technical Support Activity	1
Fort Monmouth, NJ 07703	
United States Army, Avionics Research & Development Activity	1
Attn: DAVAA-O, Fort Monmouth, NJ 07703	
United States Army, White Sands Missile Range	1
Technical Library Division, White Sands Missile Range, NM 88002	
Chief, Benet Weapons Laboratory, LCWSL, USA ARRADCOM	1
Attn: DRDAR-LCB-TL, Watervliet Arsenal, Watervliet, NY 12189	
United States Army, Research & Technology Labs	1
Propulsion Laboratory MS 77-5, NASA Lewis Research Center, Cleveland, OH 44135	
United States Army, Field Artillery School	1
Library, Snow Hall, Room 16, Fort Sill, OK 73503	
United States Army, Army Dugway Proving Ground	1
Technical Library, Bldg. 5330, Dugway, UT 84002	
United States Army, Material Development & Readiness Command	1
Attn: DRCSSG, 5001 Eisenhower Avenue, Alexandria, VA 22333	

DISTRIBUTION LIST

REPORT NO. NADC-83041-60

ARMY

	No. of Copies
United States Army, Armament & Development Command (DRDAR-CLJ-1/Tech. Library) Aberdeen Proving Ground, MD 12005	2
United States Army, Medical Research & Development Command Walter Reed Army Medical Center, 6825 16th Street NW, (MEDDH-SI) Washington, DC 20012	1
Commanding Officer, United States Army, Research Institute of Environmental Medicine (MEDRI-CE), Natick, MA 01760	2
Director, Army Armament Research & Development Command PLASTEC (Library: DRDAR-LCA-OK), Dover, NJ 07801	1
Commander, United States Army, Natick Research & Development Command (DRDNA-TRL), Natick, MA 01760	1
Commander, United States Army, Natick Research & Development Command (DRDNA-VCC), Natick, MA 01760	1
Commander, United States Army, Research Institute of Environmental Medicine (SGRD-UE-PH), United States Army, Natick Research & Development Command, Natick, MA 01760	1
Commanding General, United States Army, Material Development & Readiness Command (DRCDE-DS-T), 5001 Eisenhower Avenue, Alexandria, VA 22333	1
Commander, United States Army, Medical Research & Development Command Attn: SGRD-RMS/Ms. Madigan, Fort Detrick, Frederick, MD 21701	5
Redstone Scientific Information Center, United States Army Missile Research & Development Command Attn: DRDMI-TBD, Redstone Arsenal, AL 35809	1
United States Army, Yuma Proving Ground Technical Library, Yuma, AZ 85634	1
United States Army, Aviation Engineering Flight Activity Attn: DAVTE-M (Technical Library), Edwards Air Force Base, CA 93523	1
Headquarters, United States Army, Combat Developments Experimentation Command Technical Library, Box 22, Fort Ord, CA 93941	1