

AD-A141 532

QUASI-STEADY STATE MULTI-PLASMA CLOUD CONFIGURATION IN

1/0

THE IONOSPHERE(U) NAVAL RESEARCH LAB WASHINGTON DC

J CHEN ET AL. 20 APR 84 NRL-MR-5302 SBI-AD-E000 565

UNCLASSIFIED

F/G 20/9

NL


END

DATE

FILED

7 84

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

NRI Memorandum Report 5302

(2)

Quasi-Steady State Multi-Plasma Cloud Configuration in the Ionosphere

J. CHEN AND P. SATYANARAYANA

*Science Applications, Inc.
McLean, VA 22102*

S. L. OSSAKOW

Plasma Physics Division

April 20, 1984

This research was supported by the Defense Nuclear Agency under Subtask S99QMXBC,
work unit 00102, work unit title "Plasma Structure Evolution,"
and by the Office of Naval Research.

DTIC FILE COPY



DTIC
ELECTE
MAY 21 1984
S D D

NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited.

84 05 21 033

AD-A141 532

AD-A141 639

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				
1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b RESTRICTIVE MARKINGS		
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION AVAILABILITY OF REPORT		
2b DECLASSIFICATION/DOWNGRADING SCHEDULE		Approved for public release; distribution unlimited.		
4 PERFORMING ORGANIZATION REPORT NUMBER(S) NRL Memorandum Report 5302		5 MONITORING ORGANIZATION REPORT NUMBER(S)		
6a NAME OF PERFORMING ORGANIZATION Naval Research Laboratory	6b OFFICE SYMBOL If applicable: Code 4780	7a NAME OF MONITORING ORGANIZATION		
6c ADDRESS (City, State and ZIP Code) Washington, DC 20375		7b ADDRESS (City, State and ZIP Code)		
8a NAME OF FUNDING SPONSORING ORGANIZATION DNA and ONR	8b OFFICE SYMBOL If applicable:	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c ADDRESS (City, State and ZIP Code) Washington, DC 20305 Arlington, VA 22217		10 SOURCE OF FUNDING NOS		
11 TITLE (Include Security Classification) (See Page ii)		PROGRAM ELEMENT NO 62715H	PROJECT NO RR033-02-44	TASK NO 47-0889-04 47-0883-04
12 PERSONAL AUTHOR(S) J. Chen,* P. Satyanarayana,* and S. L. Ossakow				
13a TYPE OF REPORT Interim	13b TIME COVERED FROM 10/83 TO 10/84	14 DATE OF REPORT (Yr., Mo., Day) April 20, 1984	15 PAGE COUNT 39	
16 SUPPLEMENTARY NOTATION *Science Applications, Inc., McLean, VA 22102 (Continues)				
17 COSATI CODES		18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB GR	Plasma clouds Steady state theory	
			F region ionosphere	
19 ABSTRACT (Continue on reverse if necessary and identify by block number)				
The morphology of a finite array of plasma density enhancements (multi-plasma clouds) in the ionosphere is studied in order to determine the condition under which the system undergoes a quasi-steady state $E \times B$ drift. In such a system, the polarization induced self-electric field inside all the plasma clouds must be essentially equal and uniform. The method of image dipoles previously developed for multi-equatorial spread F bubbles is used to calculate the instantaneous electric field exactly. It is found that, even for small separation distances for which the inter-cloud interaction is significant, the electric field inside the clouds can remain essentially uniform for typical ionospheric plasma cloud parameters so that the multiple plasma clouds drift in unison without changing their geometrical shapes. This constitutes a quasi-steady state configuration. The implications on the behavior of late-time plasma cloud striations are discussed.				
20 DISTRIBUTION AVAILABILITY OF ABSTRACT UNCLASSIFIED UNLIMITED ☒ SAME AS RPT ☐ OFC USERS ☐		21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a NAME OF RESPONSIBLE INDIVIDUAL S. L. OSSAKOW		22b TELEPHONE NUMBER Include Area Code (202) 767-2723	22c OFFICE SYMBOL Code 4700	

DD FORM 1473, 83 APR

EDITION OF 1 JAN 73 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE

11. TITLE (Include Security Classification)

QUASI-STEADY STATE MULTI-PLASMA CLOUD CONFIGURATION IN THE IONOSPHERE

16. SUPPLEMENTARY NOTATION (Continued)

This research was supported by the Defense Nuclear Agency under Subtask S99QMXBC, work unit 00102, work unit title "Plasma Structure Evolution," and by the Office of Naval Research.

CONTENTS

1. INTRODUCTION	1
2. THEORETICAL FORMULATION	5
3. QUASI-STEADY STATE MULTI-CLOUD CONFIGURATION RESULTS	9
4. SUMMARY AND DISCUSSION	15
ACKNOWLEDGMENTS	16
REFERENCES	25

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
and/or	
Dist	Serial
A/1	



QUASI-STEADY STATE MULTI-PLASMA CLOUD CONFIGURATION IN THE IONOSPHERE

1. INTRODUCTION

It has been observed that kilometer-scale size structures can persist in both barium and nuclear cloud striation phenomena (J. Fedder, W. Chesnut and L. Wittwer, 1980, private communication). Beyond a certain point (late times) after the release of such plasma clouds, the bifurcation of clouds appears to stop and there is a tendency for the striations to drift in unison for as long as they can be seen. In addition, the survival for hours of the kilometer scale structures has been evidenced by propagation studies (Prettie et al., 1977). This observed behavior of ionospheric plasma clouds is often referred to as the "freezing" phenomenon.

Recently, some studies have attempted to understand the apparent observed cessation of the bifurcation process at a scale length of kilometers. Modelling the plasma cloud and ionosphere as a single two-dimensional layer perpendicular to the ambient geomagnetic field (B_0) including cross-field diffusion due to electron-ion collisions, McDonald et al. (1981) carried out theoretical and numerical simulation studies. They produced a "U" shaped curve representing the minimum striation scale size (a structure's stability against further bifurcation) as a function of the ratio of the integrated Pedersen conductivity of the plasma cloud to the background ionosphere. However, classical electron diffusivity ($\sim 1 \text{ m}^2/\text{sec}$) produced minimum scale sizes of the order of 10 to 30 m. Consequently, anomalous diffusion ($\sim 100 \text{ m}^2/\text{sec}$) had to be invoked in order to obtain "freeze-up" of kilometer scale sizes. The work of Ossakow et al. (1981) proposed that including a second level for the background ionosphere (see, for example, Scannapieco et al., 1976) would allow image striations

Manuscript approved January 24, 1984.

to build up and allow the conductivity in a striation to be amplified. This in turn would allow for larger conductivity ratios than if one had just one cloud level, which in turn, could result in kilometer minimum scale sizes by extrapolating the U shaped curve of McDonald et al. (1981) to higher conductivity ratios.

The above studies have sought the possible mechanisms that may be responsible for the apparent cessation of bifurcation associated with the $\underline{E} \times \underline{B}$ gradient drift instability. However, there is another necessary ingredient for the freezing phenomenon. After bifurcation has stopped, the multiple striation fingers appear to undergo a quasi-steady state $\underline{E} \times \underline{B}$ drift across the magnetic field $\underline{B}_0$. It is the latter issue of quasi-steady state solutions that we will address in this paper.

Dungey (1958) and later Perkins et al. (1973) showed that the coupled set of equations for density n and potential ϕ describing the dynamics of plasma clouds have no steady state solutions if the cloud, as described by n , has a finite size (with the gradient of n) in the two dimensions perpendicular to the magnetic field $\underline{B}_0$. An exception to this rule is a "waterbag" plasma cloud with a piecewise constant density profile with constant densities n_1 and n_2 inside and outside the plasma cloud, respectively (e.g., elliptic, circular cylindrical, slab plasma clouds). Linson (1972) solved the potential (ϕ) equation using methods such as those found in Smythe (1950). In this approach, the continuity equation for n is automatically satisfied. In this configuration, the induced electric field is constant inside the single waterbag plasma cloud and is anti-parallel to the external (zeroth order) electric field. Thus, the total field inside is reduced. A method similar to that of Linson's was adopted by Ossakow and Chaturvedi (1978) to study the morphology of rising equatorial spread F

bubbles. In this case, the induced electric field is again constant inside the single waterbag plasma bubble but is parallel to the external field so that the total electric field inside is enhanced.

In a previous paper by Chen et al. (1983), hereafter referred to as Paper I, a nontrivial extension of the single bubble model of Ossakow and Chaturvedi (1978) was carried out to study a multi-bubble system. In Paper I, the method of image dipoles was developed to solve the potential equation analytically. In the presence of neighboring bubbles, it was found that the induced electric field inside the multiple waterbag bubbles is not constant and has components perpendicular as well as parallel to the external (zeroth order) electric field. This implies that the bubble contours would deform in the subsequent induced $\underline{E} \times \underline{B}$ drift motion and that no steady-state solution exists.

In Paper I, it was noted that the analytical solution obtained for bubbles (plasma density depletions) was also applicable to multiple clouds (plasma density enhancements) such as one might encounter in plasma cloud striation fingers. It was also shown that the interaction of the neighboring bubbles and clouds is substantial for $x_0/a \lesssim 3$ (where $2x_0$ is the center-to-center distance between two cylindrical bubbles and a is the radius of the cylinder). In particular, for the multi-bubble case, the induced $\underline{E} \times \underline{B}$ drift velocity is reduced by more than 20% to 40% as x_0/a is decreased from 3 to 1.5. At the same time, a horizontal drift of as much as 50% of the vertical drift (with equatorial F region geometry in mind) is produced and the drift velocity within bubbles can vary by 20% to 40%. This nonuniformity in the field and in the induced $\underline{E} \times \underline{B}$ drift is reduced as x_0/a increases. However, even for $x_0/a \gtrsim 5$, the nonuniformity is still in the range of a few percent.

In the case of the multi-finger configuration, observations (see, for example, Davis et al., 1974) indicate that the late-time striation fingers typically have x_0/a in the range of 1.5 to 2.5. Thus, one important observational constraint on any possible quasi-steady state solution is that the electric field inside each cloud must be uniform even for separation distances x_0/a of 1.5 to 2.5, i.e., even in the regime where the inter-cloud electrical interaction is significant. It was already observed in Paper I that the nonuniformity in the multi-cloud configuration was less pronounced than in the multi-bubble configuration for the same separation distance. In this paper, we will show quantitatively that quasi-steady state solutions do exist for multiple plasma cloud striations even at small separation distances.

In section 2, we briefly review the theoretical formulation of two-cloud and multi-cloud configurations. In section 3, we present the detailed results of the above configurations. In Section 4 we give the summary and discussion.

2. THEORETICAL FORMULATION

In this paper, we consider the instantaneous electric field of a system consisting of a finite number of electrically interacting plasma density enhancements ("fingers") imbedded in a uniform background plasma and neutral gas. Neutral wind effects are not included. In Figure 1, two interacting clouds are shown schematically along with the coordinate system and the external electric and geomagnetic fields. The clouds ("fingers") are modeled by cylinders with circular cross-sections of radius a , and the center-to-center separation distance is $2x_0$. The axes of the cylinders are aligned with the earth's magnetic field ($B_0 \hat{z}$) which is assumed to be uniform. The clouds are immersed in a uniform ambient electric field E_0 as indicated in Figure 1. For the present paper, we adopt the basic theoretical formulation of Paper I, utilizing the dielectric analogy to obtain the polarization induced electric field of the multi-finger system. We give below a brief summary of the relevant theoretical results as applied to F-region ionospheric plasma clouds and refer the reader to Paper I for a more comprehensive treatment and a list of references.

The basic equation describing the instantaneous polarization induced electric field, say, at $t = 0$, is

$$\nabla \cdot (\sigma \underline{E}) = 0 \quad (1)$$

where

$$\sigma \equiv v_{in} \frac{nec}{B\Omega_1} \quad (2)$$

is the Pedersen conductivity for an F region plasma cloud. Equation (1) is equivalent to conservation of the cross-field plasma current arising from ion and electron drifts. The electric field $\underline{E}$ which drives the current consists of the uniform external field $\underline{E}_0$ and the polarization induced self-field. The electric field $\underline{E}$ satisfies the conditions across the cloud boundaries

$$\begin{aligned}(\sigma \underline{E})_{\perp} &= \text{continuous} \\ (\underline{E})_{\parallel} &= \text{continuous}\end{aligned}\tag{3}$$

and at infinity ($x, y \rightarrow \infty$)

$$\underline{E} \rightarrow \underline{E}_0.\tag{4}$$

The symbols $\parallel$ and $\perp$ refer to the directions parallel and perpendicular to the boundary surfaces, respectively. The above dielectric analogy was noted by Longmire (1970) and Perkins et al. (1973).

In Paper I, we developed the method of image dipoles to solve equation (1) exactly, subject to the conditions (3) and (4). In the interest of keeping the paper self-contained, we repeat the salient results (equations (17), (18), (22) and (23) of Paper I). For the two-cloud system, the total electric field outside the cylindrical clouds has components

$$E_x = -E_0 + \sum_{n=0}^{\infty} 2P_n[f(x + x_n, y) + f(x - x_n, y)],\tag{5}$$

and

$$E_y = \sum_{n=0}^{\infty} 2P_n [h(x + x_n, y) + h(x - x_n, y)], \quad (6)$$

The total electric field $\underline{E}^*$ inside the cloud centered at $x = x_0$ has the components

$$E_x^* = \frac{2}{1+K} [-E_0 + \sum_{n=0}^{\infty} 2P_n f(x + x_n, y)], \quad (7)$$

and

$$E_y^* = \frac{2}{1+K} \sum_{n=0}^{\infty} 2P_n h(x + x_n, y), \quad (8)$$

where the functions f and h are defined as

$$f(x, y) \equiv \frac{x^2 - y^2}{(x^2 + y^2)^2},$$

and

$$h(x, y) \equiv \frac{2xy}{(x^2 + y^2)^2}.$$

For $n \neq 0$, we have

$$P_n \equiv - \left(\frac{1-K}{1+K} \right) \frac{a^2}{b_n^2} P_{n-1},$$

$$b_n \equiv x_0 + x_{n-1}$$

and

$$x_n \equiv x_0 - \frac{a^2}{x_0 + x_{n-1}}.$$

For $n = 0$, we have $x_n = x_0$ and $P_n = P_0$ where

$$P_0 \equiv \frac{1}{2} \left(\frac{1-K}{1+K} \right) a^2 E_0. \quad (9)$$

Here,

$$K \equiv \frac{\sigma_1}{\sigma_2} \quad (10)$$

where σ_1 and σ_2 are the Pedersen conductivities inside and outside the clouds, respectively. In reality, the collision frequency ν_{in} and the number density n vary along the magnetic field so that the conductivity ratio K should be redefined in terms of flux-tube integrated quantities. For the cylindrical cloud centered at $x = -x_0$, the inside field is obtained by replacing x_n with $-x_n$ in the functions f and h . For a $N > 3$ system, a parallel calculation based on the same theoretical formulation yields series expressions similar to equations (5) through (8). Because they are extremely cumbersome and give no new insight, we will show only the results of the two and three cloud systems in this paper. Also, we will present detailed results only for $N = 2$ and $N = 3$ cases since Paper I has shown that $N > 5$ systems exhibit no significant quantitative or qualitative differences from the $N = 3$ case.

3. QUASI-STEADY STATE MULTI-CLOUD CONFIGURATION RESULTS

Equations (5) through (8) and the corresponding equations for a three-cloud system describe the electric field in the frame moving with the velocity $c\mathbf{E}_0 \times \mathbf{B}_0/B^2$ relative to the earth. As a result of the polarization electric field, the plasma clouds undergo induced $\mathbf{E} \times \mathbf{B}$ drift motion with respect to the undisturbed ionosphere. If we define

$$\hat{\mathbf{E}} \equiv \mathbf{E}^* - \mathbf{E}_0, \quad (11)$$

then the relative drift velocity is

$$\mathbf{V} = c \frac{\hat{\mathbf{E}} \times \mathbf{B}_0}{B_0^2}. \quad (12)$$

Here, $\mathbf{E}_0 = -E_0 \hat{\mathbf{x}}$. In particular, the $\mathbf{E} \times \mathbf{B}$ drift velocity $\mathbf{V}_1$ of a single isolated cloud is given by

$$V_1 = - \left(\frac{1-K}{1+K} \right) \frac{cE_0}{B_0}, \quad (13)$$

For plasma clouds, $K > 1$ and $\mathbf{V}_1$ is downward toward the earth (in an equatorial ionospheric configuration). This equation also shows that the plasma elements inside an isolated cloud drift uniformly, maintaining its geometrical shape. Thus, it is a steady-state configuration. Figure 2 shows the field lines corresponding to $\hat{\mathbf{E}}$ given by equation (11). Inside the cloud, the field and hence the $\hat{\mathbf{E}} \times \mathbf{B}$ drift are uniform while the field outside the cloud is that of a dipole $\mathbf{P}_0$ (equation (9)) located at the center of the circle.

In Figures 3(a), (b) and (c), we show a two-cloud configuration with the separation distance $x_0/a = 1.25$ for three values of the conductivity ratio K . This separation distance is smaller than the typical multi-finger situation where x_0/a is roughly 1.5 to 2.5 (see, for example, Davis et al., 1974). In fact, for $x_0/a < 1.25$, it may be observationally difficult to identify the adjoining clouds as separate. This separation distance is shown in order to maximize the effect of the inter-cloud interaction. Moreover, the $K = 3$ case is shown primarily because this value corresponds to the maximum inter-cloud influence for a given x_0/a . This can be seen by noting that each term in the series in equations (7) and (8) contains a power of the factor $(1-K)/(1+K)^2$. For $K > 1$, the absolute value of this quantity has a maximum at $K = 3$. Thus, Figure 3(a) represents the largest nonuniformity in the inside electric field for $x_0/a = 1.25$. As K increases, the nonuniformity decreases as shown by Figures 3(b) and (c). As a general remark, K is taken to be of the order of 10 for artificial barium clouds and is taken to be of the order of 100 or greater for nuclear clouds.

In Table 1, we show the numerical values of the two-cloud $\underline{E}_0 \times \underline{B}_0$ direction drift velocity V (equation (12)) normalized to cE_0/B_0 , along with the values of $V_s \equiv -(1-K)/(1+K)$, the normalized drift velocity (see equation (13)) of an isolated cloud. For $x_0/a = 1.25$, the $K = 3$ case exhibits a variation in V of up to 30% inside the clouds. This variation (i.e., nonuniformity) decreases as K increases. For $K = 10$, the variation is roughly 10% and for $K = 100$, it is 1%. In addition, V approaches the single-cloud value V_s as K increases. Thus, we conclude that, even for a small separation distance of $x_0/a = 1.25$, $K = 100$ is nearly indistinguishable from the single-cloud case. It is of importance

TABLE 1. NORMALIZED $(\underline{E}_o \times \underline{B}_o)_y$ DRIFT VELOCITIES FOR A TWO-PLASMA CLOUD SYSTEM. $V_s = - (1-K)/(1+K)$ IS THE INDUCED DRIFT VELOCITY FOR THE SINGLE CLOUD CASE

x_o/a	K	A	B	C	V_s
1.25	3	0.3699	0.4548	0.4772	0.5000
	10	0.7316	0.7889	0.8035	0.8181
	100	0.9682	0.9762	0.9782	0.9802
1.5	3	0.4321	0.4701	0.4833	0.5000
	10	0.7755	0.7995	0.8077	0.8181
	100	0.9744	0.9777	0.9788	0.9802
2.0	3	0.4722	0.4844	0.4900	0.5000
	10	0.8016	0.8089	0.8122	0.8181
	100	0.9780	0.9790	0.9794	0.9802

to note from Figures 3(a), (b) and (c) that the outside field is significantly distorted from the single-cloud dipolar field and that the distortion does not change appreciably as K is increased. This implies that the intrinsic inter-cloud interaction is not weakened as K is increased and that only the inside field is affected.

Figures 4(a), (b) and (c) and Figures 5(a), (b) and (c) show two-cloud systems with $x_0/a = 1.5$ and $x_0/a = 2.0$, respectively. Again, three values $K = 3, 10$ and 100 are shown for each value of x_0/a . As x_0/a increases, the inter-cloud interaction decreases. As a result, the inside field is nearly uniform even for $K = 3$. In particular, for $x_0/a = 2.0$ which is a typical separation distance between striations in late times, Table 1 shows that $K = 10$ case has a field variation of roughly 1% and the $K = 100$ case has a variation of 0.1% inside the clouds. In addition, the deviation of the drift velocity from that of the single-cloud case is roughly 1% or less. Such a system of multi-clouds would $\underline{E} \times \underline{B}$ drift in unison while each cloud would maintain its geometrical shape.

Similar behavior is true for the three-cloud and larger N -cloud systems. In particular, Figures 6, 7 and 8 show three-cloud systems with $x_0/a = 1.25, 1.5$ and 2.0 , respectively. For each value of x_0/a , three values of K are shown, viz. $K = 3, 10$ and 100 . In general, the field inside the outer clouds tends to be slightly more nonuniform in magnitude than that in the central cloud. On the other hand, the field in the central cloud tends to be slightly weaker than that in the outer clouds so that the outer clouds drift downward somewhat faster than the central clouds. However, the slight nonuniformity and inequality both decrease with increasing K and vice versa.

Table 2 shows that, for $x_0/a = 1.25$, the variation in the outer cloud decreases from 35% for $K = 3$ to 12% for $K = 10$ and to 1.3% for $K = 100$ while the variation in the central cloud ranges from 19% for $K = 3$ to 6% for $K = 10$ and to 0.1% for $K = 100$. As x_0/a increases, the nonuniformity throughout all the clouds decreases. At $x_0/a = 2.0$, the variation in the field is typically less than 1% for $K = 10$ and $K = 100$. Figures 7(a), (b) and (c) and Figures 8(a), (b) and (c) show the above behavior. Again, as K increases, the drift velocity V inside each cloud approaches that of an isolated cloud, V_s .

We conclude that multi-finger quasi-steady solutions do exist even for small separation distances if K is made sufficiently large. In particular, for $x_0/a = 2.0$, multi-fingers with $K = 10$ and $K = 100$ both constitute quasi-steady state configurations for all practical purposes. Observationally, these systems would be seen to drift across the magnetic field in unison without changing their cross-sectional shapes.

The reason for the quasi-steady state behavior is easy to understand by examining equations (7) and (8). The electric field which determines the relative $\underline{E} \times \underline{B}$ drift motion of the clouds is given by equation (11). Therefore,

$$\hat{E}_x = - \left(\frac{1-K}{1+K} \right) E_0 + \frac{2}{1+K} \sum_{n=0}^{\infty} 2P_n f(x + x_n, y)$$

From the expressions of P_n and P_0 (equation (9)), we see that P_n and P_0 are not sensitive to K for large K since the factor $(1-K)/(1+K)$ is nearly equal to -1 . However, the factor $2/(1+K)$ multiplying the series in the above expression and in equation (8) is nearly equal to $2/K$ so that the contributions from the neighboring clouds are reduced by a factor of K^{-1} .

and, for $K \rightarrow \infty$, $\underline{\hat{E}}_{\underline{x}}$ approaches the single-cloud value $-E_0(1-K)/(1+K)$ with $\underline{\hat{E}}_{\underline{y}} \rightarrow 0$. Physically, the cloud with a large K is analogous to a dielectric with a large dielectric constant (see Paper I). Note also that the outside field (equations (5) and (6)) depends only on $(1-K)/(1+K)$. As a result, the outside field is not sensitive to K for large K as has been demonstrated by Figures 3 through 8.

TABLE 2. NORMALIZED $(\underline{E}_0 \times \underline{B}_0)_y$ DRIFT VELOCITIES FOR A THREE PLASMA CLOUD SYSTEM. $V_s = - (1-K)/(1+K)$ IS THE INDUCED DRIFT VELOCITY FOR THE SINGLE CLOUD CASE.

x_0/a	K	A	B	C	D	E	V_s
1.25	3	0.4069	0.3419	0.3450	0.4405	0.4678	0.5000
	10	0.7560	0.7104	0.7116	0.7781	0.7905	0.8181
	100	0.9715	0.9703	0.9651	0.9746	0.9772	0.9802
1.5	3	0.4391	0.4137	0.4183	0.4612	0.4769	0.5000
	10	0.7395	0.7631	0.7655	0.7932	0.8034	0.8181
	100	0.9750	0.9727	0.9730	0.9768	0.9782	0.9802
2.0	3	0.4673	0.4604	0.4650	0.4792	0.4861	0.5000
	10	0.7981	0.7939	0.7965	0.8053	0.8096	0.8181
	100	0.9775	0.9770	0.9773	0.9784	0.9790	0.9802

4. SUMMARY AND DISCUSSION

In this paper, we have described the morphology of two-plasma cloud and three-plasma cloud configurations, embedded in an F region ionosphere, in detail using the techniques developed in Paper I. The results are applicable to larger N-plasma cloud systems to a good approximation. The primary objective of this paper is to demonstrate the existence of quasi-steady state multi-plasma cloud configurations in which the electric field inside all the clouds is essentially uniform and equal so that such systems would be seen to drift in unison across the magnetic field while maintaining the overall geometrical shapes.

We have shown that the influence of neighboring clouds on the electric field inside the clouds decreases as K^{-1} for any x_0/a so that the cloud interior is effectively "shielded" from the inter-cloud interactions. Thus, if there is an array of cylindrical clouds with circular cross-sections, each one of which has uniform polarization induced electric field in the absence of neighboring clouds, then the electric field inside each cloud approaches the uniform field of an isolated cloud in the limit as $K \rightarrow \infty$ for any $x_0/a > 1$.

In particular, for $K = 10$, a typical value for barium clouds, the nonuniformity in the magnitude of the drift velocity is approximately 10% for $x_0/a = 1.25$. The drift velocity is also reduced from V_g by approximately 10%. As x_0/a is increased to 2.0, the nonuniformity is reduced to approximately 0.1% and the magnitude of V is also reduced from V_g by a small fraction of 1% (see Tables 1 and 2). Thus, for high-K multi-plasma clouds, deviations from complete uniformity (i.e. an exact steady state configuration) are practically imperceptible.

It has been conjectured (N. Zabusky and E. Overman, 1983, private communication) that one can obtain steady-state solutions for multi-cloud systems by adjusting the contour of each cloud. One cross-section suggested is an ellipse. However, the underlying reason for the quasi-steady state solutions obtained in this paper is the K^{-1} "shielding" effect exhibited by high- K clouds. In fact, since isolated elliptic cross-sections are known (1978) to correspond to steady state configurations (Ossakow and Chaturvedi, 1978), we expect an array of clouds with the same elliptic cross-sections to undergo quasi-steady state $\underline{E} \times \underline{B}$ drift motion if the Pedersen conductivity ratio K is large.

It is not too far-fetched to use a cylindrical waterbag model for evolving plasma clouds and their associated striations. Linson (1972) has shown that evolving (steepening) barium clouds tend to obey a cylindrical rather than a sheet-like model. Also, the results from numerical simulations of steepening equatorial spread F bubbles (with distributed density) show that, at late times, they are best modeled by cylindrical waterbag models (see Ossakow and Chaturvedi, 1978; Ossakow et al., 1979). In the real plasma cloud and attendant striation phenomena, there are continuous plasma density profiles, which subsequently steepen on their backside. As they steepen, at late times, they look like waterbags, except in a thin shell. Thus, the approximation of circular cross sections with piecewise constant density profiles for plasma cloud striation fingers is expected to be applicable in the nonlinear regimes (late times).

ACKNOWLEDGMENT

This research was supported by the Defence Nuclear Agency and the Office of Naval Research.




Fig. 1 A schematic drawing of two plasma density enhancements ("clouds") and the coordinate system. The clouds have circular cross-sections of radius a and are infinite in extent along the z direction.

ONE CLOUD




Fig. 2 The field line configuration of $\vec{E}$ (equation (11)) for an isolated cloud. $\vec{E}$ is uniform inside the cloud and dipolar outside. The cloud drifts according to equation (12).




Fig. 3 The configuration of the electric field $\vec{E}$ (equation (11)) in a two-cloud system with $x_0/a = 1.25$ for (a) $K = 3$, (b) $K = 10$ and (c) $K = 100$.




Fig. 4 The configuration of the electric field $\vec{E}$ (equation (11)) in a two-cloud system with $x_0/a = 1.5$ for (a) $K = 3$, (b) $K = 10$ and (c) $K = 100$.





Fig. 5 The configuration of the electric field $\vec{E}$ (equation (11)) in a two-cloud system with $x_0/a = 2.0$ for (a) $K = 3$, (b) $K = 10$ and (c) $K = 100$.





Fig. 6 The configuration of the electric field $\vec{E}$ (equation (11)) in a three-cloud system with $x_0/a = 1.25$ for (a) $K = 3$, (b) $K = 10$ and (c) $K = 100$.





Fig. 7 The configuration of the electric field $\vec{E}$ (equation (11)) in a three-cloud system with $x_0/a = 1.5$ for (a) $K = 3$, (b) $K = 10$ and (c) $K = 100$.





Fig. 8 The configuration of the electric field $\vec{E}$ (equation (11)) in a three-cloud system with $x_0/a = 2.0$ for (a) $K = 3$, (b) $K = 10$ and (c) $K = 100$.

REFERENCES

- Chen, J., P. Satyanarayana, and S.L. Ossakow, The morphology of a multi-bubble system in the ionosphere, J. Geophys. Res., 88, 5528, 1983.
- Davis, T.N., G.J. Romick, E.M. Wescott, R.A. Jeffries, D.M. Kerr, and H.M. Peek, Observations of the development of striations in large barium ion clouds, Planet. Space Sci., 22, 67, 1974.
- Dungey, J.W., Cosmic Electrodynamics, p. 161, Cambridge University Press, Cambridge, 1958.
- Linson, L.M., "Analysis of Barium Clouds - Semi-Annual Technical Report," RADC-TR-72-103, Vol. I, Avco-Everett Res. Lab., Everett, MA, January, 1972. (AD-900-017L)
- Longmire, C.L., On the motion of artificial ion clouds, Rep., LANC-N-11, Los Alamos Nucl. Corp., Los Alamos, NM, 1970.
- McDonald, B.E., S.L. Ossakow, S.T. Zalesak, and N.J. Zabusky, Scale sizes and lifetimes of F region plasma cloud striations as determined by the condition of marginal stability, J. Geophys. Res., 86, 5775, 1981.
- Ossakow, S.L. and P.K. Chaturvedi, Morphological studies of rising equatorial spread F bubbles, J. Geophys. Res., 83, 2085, 1978.
- Ossakow, S.L., S.T. Zalesak, B.E. McDonald, and P.K. Chaturvedi, Nonlinear equatorial spread F: Dependence on altitude of the F peak and bottomside background electron density gradient scale length, J. Geophys. Res., 84, 17, 1979.
- Ossakow, S.L., S.T. Zalesak, and M.J. Keskinen, "A Plausible Hypothesis for Striation Freezing in Ionospheric Plasma Clouds, Memo Rep. 4597, Naval Res. Lab., Washington, D.C., Aug. 1981. (AD-A103 027)

Perkins, F.W., N.J. Zabusky, and J.H. Doles III, Deformation and striation of plasma clouds in the ionosphere, 1, J. Geophys. Res., 78, 697, 1973.

Prettie, C., A. Johnson, J. Marshall, T. Grizinski, and R. Swanson, Project STRESS Satellite Communication Test Results", Tech. Rep. 77-158, Air Force Avionics Lab., Wright-Patterson AFB, Ohio, July 1977. (AD-A043-873)

Scannapieco, A.J., S.L. Ossakow, S.R. Goldman, and J.M. Pierre, Plasma cloud late-time striation spectra, J. Geophys. Res., 81, 6037, 1976.

Smythe, W.R., Static and Dynamic Electricity, 2nd ed., p. 95, McGraw-Hill, New York, 1950.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE
COMM, CMD, CONT 7 INTELL
WASHINGTON, D.C. 20301

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, D.C. 20301
O1CY ATTN C-650
O1CY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA. 22209
O1CY ATTN NUCLEAR MONITORING RESEARCH
O1CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER
1860 WIEHLE AVENUE
RESTON, VA. 22090
O1CY ATTN CODE R410
O1CY ATTN CODE R812

DEFENSE TECHNICAL INFORMATION CENTER
CAMERON STATION
ALEXANDRIA, VA. 22314
O2CY

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
O1CY ATTN STVL
O4CY ATTN TITL
O1CY ATTN DDST
O3CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
O1CY ATTN FCPR

DEFENSE NUCLEAR AGENCY
SAO/DNA
BUILDING 20676
KIRTLAND AFB, NM 87115
O1CY D.C. THORNBURG

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
O1CY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF
WASHINGTON, D.C. 20301
O1CY ATTN J-3 WWMCCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
O1CY ATTN JLTW-2
O1CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN FCPRL

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
O1CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301
O1CY ATTN STRATEGIC & SPACE SYSTEMS (OS)

WWMCCS SYSTEM ENGINEERING ORG
WASHINGTON, D.C. 20305
O1CY ATTN R. CRAWFORD

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
O1CY ATTN DELAS-EO F. NILES

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P.O. BOX 1500
HUNTSVILLE, AL 35807
01CY ATTN ATC-T MELVIN T. CAPPS
01CY ATTN ATC-O W. DAVIES
01CY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DACS-BMT J. SHEA

CHIEF C-E- SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 1B269
WASHINGTON, D.C. 20310
01CY ATTN C- E-SERVICES DIVISION

COMMANDER
FRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
01CY ATTN DRSEL-NL-RD H. BENNET
01CY ATTN DRSEL-PL-ENV H. BOMKE
01CY ATTN J.E. QUIGLEY

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613
01CY ATTN CCC-EMEO GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
01CY ATTN DRXST-SD

COMMANDER
U.S. ARMY MATERIAL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DRCLDC J.A. BENDER

COMMANDER
U.S. ARMY NUCLEAR AND CHEMICAL AGENCY
7500 BACKLICK ROAD
BLDG 2073
SPRINGFIELD, VA 22150
01CY ATTN LIBRARY

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MD 21005
01CY ATTN TECH LIBRARY EDWARD BAICY

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
01CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
01CY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN ATAA-SA
01CY ATTN TCC/F. PAYAN JR.
01CY ATTN ATTA-TAC LTC J. HESSE

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360
01CY ATTN NAVALEX 034 T. HUGHES
01CY ATTN PME 117
01CY ATTN PME 117-T
01CY ATTN CODE 5011

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
01CY ATTN MR. DUBBIN STIC 12
01CY ATTN NISC-50
01CY ATTN CODE 5404 J. GALET

COMMANDER
NAVAL OCCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
01CY ATTN J. FERGUSON

NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375

01CY ATTN CODE 4700 S. L. Ossakow
26 CYS IF UNCLASS. 1 CY IF CLASS)
01CY ATTN CODE 4701 I Vitkovitsky
01CY ATTN CODE 4780 J. Huba (100
CYS IF UNCLASS, 1 CY IF CLASS)
01CY ATTN CODE 7500
01CY ATTN CODE 7550
01CY ATTN CODE 7580
01CY ATTN CODE 7551
01CY ATTN CODE 7555
01CY ATTN CODE 4730 E. MCLEAN
01CY ATTN CODE 4108
01CY ATTN CODE 4730 B. RIPIN
20CY ATTN CODE 2628

COMMANDER
NAVAL SEA SYSTEMS COMMAND
WASHINGTON, D.C. 20362
01CY ATTN CAPT R. PITKIN

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
01CY ATTN CAPT J.H. BURTON

OFFICER-IN-CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
01CY ATTN CODE F31

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376
01CY ATTN NSP-2141
01CY ATTN NSSP-2722 FRED WIMBERLY

COMMANDER
NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN, VA 22448
01CY ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH
ARLINGTON, VA 22217
01CY ATTN CODE 465
01CY ATTN CODE 461
01CY ATTN CODE 402
01CY ATTN CODE 420
01CY ATTN CODE 421

COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPD
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN XPDQQ
01CY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MA 01731
01CY ATTN OPR HAROLD GARDNER
01CY ATTN LKB KENNETH S.W. CHAMPION
01CY ATTN OPR ALVA T. STAIR
01CY ATTN PHD JURGEN BUCHAU
01CY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY
KIRTLAND AFT, NM 87117
01CY ATTN SUL
01CY ATTN CA ARTHUR H. GUENTHER
01CY ATTN NTYCE ILT. G. KRAJEI

AFTAC
PATRICK AFB, FL 32925
01CY ATTN TF/MAJ WILEY
01CY ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
01CY ATTN AAD WADE HUNT
01CY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF
RESEARCH, DEVELOPMENT, & ACQ
DEPARTMENT OF THE AIR FORCE
WASHINGTON, D.C. 20330
01CY ATTN AFRDQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
01CY ATTN J. DEAS

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YSEA
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01732
01CY ATTN YSEA

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/DC
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
O1CY ATTN DCKC MAJ J.C. CLARK

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
O1CY ATTN NICD LIBRARY
O1CY ATTN ETD P B. BALLARD

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13441
O1CY ATTN DOC LIBRARY/TS LD
O1CY ATTN OCSE V. COYNE

SAMSO/SZ
POST OFFICE BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
O1CY ATTN SZJ

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NB 68113
O1CY ATTN ADWATE MAJ BRUCE BAUER
O1CY ATTN NRT
O1CY ATTN DOK CHIEF SCIENTIST

SAMSO/SK
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
O1CY ATTN SKA (SPACE COMM SYSTEMS)
M. CLAVIN

SAMSO/MN
NORTON AFB, CA 92409
(MINUTEMAN)
O1CY ATTN MN NL

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSCOM AFB, MA 01731
O1CY ATTN ZEP A. LORENTZEN

DEPARTMENT OF ENERGY
LIBRARY ROOM G-042
WASHINGTON, D.C. 20545
O1CY ATTN DOC CON FOR A. LABOWITZ

DEPARTMENT OF ENERGY
ALBUQUERQUE OPERATIONS OFFICE
P.O. BOX 5400
ALBUQUERQUE, NM 87115
O1CY ATTN DOC CON FOR D. SHERWOOD

EG&G, INC.
LOS ALAMOS DIVISION
P.O. BOX 809
LOS ALAMOS, NM 85544
O1CY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN DOC CON FOR TECH INFO DEPT
O1CY ATTN DOC CON FOR L-389 R. OTT
O1CY ATTN DOC CON FOR L-31 R. HAGER
O1CY ATTN DOC CON FOR L-46 F. SEWARD

LOS ALAMOS NATIONAL LABORATORY
P.O. BOX 1663
LOS ALAMOS, NM 87545
O1CY ATTN DOC CON FOR J. WOLCOTT
O1CY ATTN DOC CON FOR R.F. TASCHEK
O1CY ATTN DOC CON FOR E. JONES
O1CY ATTN DOC CON FOR J. MALIK
O1CY ATTN DOC CON FOR R. JEFFRIES
O1CY ATTN DOC CON FOR J. ZINN
O1CY ATTN DOC CON FOR P. KEATON
O1CY ATTN DOC CON FOR D. WESTERVELT
O1CY ATTN D. SAPPENFIELD

SANDIA LABORATORIES
P.O. BOX 5800
ALBUQUERQUE, NM 87115
O1CY ATTN DOC CON FOR W. BROWN
O1CY ATTN DOC CON FOR A. THORNBROUGH
O1CY ATTN DOC CON FOR T. WRIGHT
O1CY ATTN DOC CON FOR D. DARLGREN
O1CY ATTN DOC CON FOR 3141
O1CY ATTN DOC CON FOR SPACE PROJECT DIV

SANDIA LABORATORIES
LIVERMORE LABORATORY
P.O. BOX 969
LIVERMORE, CA 94550
O1CY ATTN DOC CON FOR B. MURPHEY
O1CY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION
DEPARTMENT OF ENERGY
WASHINGTON, D.C. 20545
O1CY ATTN DOC CON DR. YO SONG

OTHER GOVERNMENT

DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
WASHINGTON, D.C. 20234
O1CY (ALL CORRES: ATTN SEC OFFICER FOR)

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO ADMIN
BOULDER, CO 80303
O1CY ATTN A. JEAN (UNCLASS ONLY)
O1CY ATTN W. UTLAUT
O1CY ATTN D. CROMBIE
O1CY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN
ENVIRONMENTAL RESEARCH LABORATORIES
DEPARTMENT OF COMMERCE
BOULDER, CO 80302
O1CY ATTN R. GRUBB
O1CY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION
P.O. BOX 92957
LOS ANGELES, CA 90009
O1CY ATTN I. GARFUNKEL
O1CY ATTN T. SALMI
O1CY ATTN V. JOSEPHSON
O1CY ATTN S. BOWER
O1CY ATTN D. OLSEN

ANALYTICAL SYSTEMS ENGINEERING CORP
5 OLD CONCORD ROAD
BURLINGTON, MA 01803
O1CY ATTN RADIO SCIENCES

AUSTIN RESEARCH ASSOC., INC.
1901 RUTLAND DRIVE
AUSTIN, TX 78758
O1CY ATTN L. SLOAN
O1CY ATTN R. THOMPSON

BERKELEY RESEARCH ASSOCIATES, INC.
P.O. BOX 983
BERKELEY, CA 94701
O1CY ATTN J. WORKMAN
O1CY ATTN C. PRETTIE
O1CY ATTN S. BRECHT

BOEING COMPANY, THE
P.O. BOX 3707
SEATTLE, WA 98124
O1CY ATTN G. KEISTER
O1CY ATTN D. MURRAY
O1CY ATTN G. HALL
O1CY ATTN J. KENNEY

CHARLES STARK DRAPER LABORATORY, INC.
555 TECHNOLOGY SQUARE
CAMBRIDGE, MA 02139
O1CY ATTN D.B. COX
O1CY ATTN J.P. GILMORE

COMSAT LABORATORIES
LINTHICUM ROAD
CLARKSBURG, MD 20734
O1CY ATTN G. HYDE

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
O1CY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC.
BOX 1359
RICHARDSON, TX 75080
O1CY ATTN H. LOGSTON
O1CY ATTN SECURITY (PAUL PHILLIPS)

EOS TECHNOLOGIES, INC.
606 Wilshire Blvd.
Santa Monica, Calif 90401
O1CY ATTN C.B. GABBARD

ESL, INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
O1CY ATTN J. ROBERTS
O1CY ATTN JAMES MARSHALL

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
GODDARD BLVD KING OF PRUSSIA
P.O. BOX 8555
PHILADELPHIA, PA 19101
O1CY ATTN M.H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY
P.O. BOX 1122
SYRACUSE, NY 13201
O1CY ATTN F. REIBERT

GENERAL ELECTRIC TECH SERVICES CO., INC.
HMES
COURT STREET
SYRACUSE, NY 13201
O1CY ATTN G. MILLMAN

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701
(ALL CLASS ATTN: SECURITY OFFICER)
O1CY ATTN T.N. DAVIS (UNCLASS ONLY)
O1CY ATTN TECHNICAL LIBRARY
O1CY ATTN NEAL BROWN (UNCLASS ONLY)

GTE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
77 A STREET
NEEDHAM, MA 02194
O1CY ATTN DICK STEINHOF

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
O1CY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF
107 COBLE HALL
150 DAVENPORT HOUSE
CHAMPAIGN, IL 61820
(ALL CORRES ATTN DAN MCCLELLAND)
O1CY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
1801 NO. BEAUREGARD STREET
ALEXANDRIA, VA 22311
O1CY ATTN J.M. AEIN
O1CY ATTN ERNEST BAUER
O1CY ATTN HANS WOLFARD
O1CY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
O1CY ATTN TECHNICAL LIBRARY

JAYCOR
11011 TORREYANA ROAD
P.O. BOX 85154
SAN DIEGO, CA 92138
O1CY ATTN J.L. SPERLING

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
O1CY ATTN DOCUMENT LIBRARIAN
O1CY ATTN THOMAS POTEMRA
O1CY ATTN JOHN DASSOULAS

KAMAN SCIENCES CORP
P.O. BOX 7463
COLORADO SPRINGS, CO 80933
O1CY ATTN T. MEAGHER

KAMAN TEMPO-CENTER FOR ADVANCED STUDIES
816 STATE STREET (P.O. DRAWER QQ)
SANTA BARBARA, CA 93102
O1CY ATTN DASIAAC
O1CY ATTN WARREN S. KNAPP
O1CY ATTN WILLIAM MCNAMARA
O1CY ATTN B. GAMBILL

LINKABIT CORP
10453 ROSELLE
SAN DIEGO, CA 92121
O1CY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC
P.O. BOX 504
SUNNYVALE, CA 94088
O1CY ATTN DEPT 60-12
O1CY ATTN D.R. CHURCHILL

LOCKHEED MISSILES & SPACE CO., INC.
3251 HANOVER STREET
PALO ALTO, CA 94304
O1CY ATTN MARTIN WALT DEPT 52-12
O1CY ATTN W.L. IMHOF DEPT 52-12
O1CY ATTN RICHARD G. JOHNSON DEPT 52-12
O1CY ATTN J.B. CLADIS DEPT 52-12

MARTIN MARIETTA CORP
ORLANDO DIVISION
P.O. BOX 5837
ORLANDO, FL 32805
O1CY ATTN R. HEFFNER

M.I.T. LINCOLN LABORATORY
P.O. BOX 73
LEXINGTON, MA 02173
O1CY ATTN DAVID M. TOWLE
O1CY ATTN L. LOUGHLIN
O1CY ATTN D. CLARK

MCDONNELL DOUGLAS CORPORATION
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647
O1CY ATTN N. HARRIS
O1CY ATTN J. MOULE
O1CY ATTN GEORGE MROZ
O1CY ATTN W. OLSON
O1CY ATTN R.W. HALPRIN
O1CY ATTN TECHNICAL LIBRARY SERVICES

MISSION RESEARCH CORPORATION
735 STATE STREET
SANTA BARBARA, CA 93101
O1CY ATTN P. FISCHER
O1CY ATTN W.F. CREVIER
O1CY ATTN STEVEN L. GUTSCHE
O1CY ATTN R. BOGUSCH
O1CY ATTN R. HENDRICK
O1CY ATTN RALPH KILB
O1CY ATTN DAVE SOWLE
O1CY ATTN F. FAJEN
O1CY ATTN M. SCHEIBE
O1CY ATTN CONRAD L. LONGMIRE
O1CY ATTN B. WHITE

MISSION RESEARCH CORP.
1720 RANDOLPH ROAD, S.E.
ALBUQUERQUE, NEW MEXICO 87106
O1CY R. STELLINGWERF
O1CY M. ALME
O1CY L. WRIGHT

MITRE CORPORATION, THE
P.O. BOX 208
BEDFORD, MA 01730
O1CY ATTN JOHN MORGANSTERN
O1CY ATTN G. HARDING
O1CY ATTN C.E. CALLAHAN

MITRE CORP
WESTGATE RESEARCH PARK
1820 DOLLY MADISON BLVD
MCLEAN, VA 22101
O1CY ATTN W. HALL
O1CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP
12340 SANTA MONICA BLVD.
LOS ANGELES, CA 90025
O1CY ATTN E.C. FIELD, JR.

PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
318 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASS TO THIS ADDRESS)
O1CY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC.
4 ARROW DRIVE
WOBURN, MA 01801
O1CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC.
P.O. BOX 3027
BELLEVUE, WA 98009
O1CY ATTN E.J. FREMOW

PHYSICAL DYNAMICS, INC.
P.O. BOX 10367
OAKLAND, CA 94610
ATTN A. THOMSON

R & D ASSOCIATES
P.O. BOX 9695
MARINA DEL REY, CA 90291
O1CY ATTN FORREST GILMORE
O1CY ATTN WILLIAM B. WRIGHT, JR.
O1CY ATTN ROBERT F. LELEVIER
O1CY ATTN WILLIAM J. KARZAS
O1CY ATTN H. ORY
O1CY ATTN C. MACDONALD
O1CY ATTN R. TURCO
O1CY ATTN L. DeRAND
O1CY ATTN W. TSAI

RAND CORPORATION, THE
1700 MAIN STREET
SANTA MONICA, CA 90406
O1CY ATTN CULLEN CRAIN
O1CY ATTN ED BEDROZIAN

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
O1CY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE
330 WEST 42nd STREET
NEW YORK, NY 10036
O1CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
1150 PROSPECT PLAZA
LA JOLLA, CA 92037

01CY ATTN LEWIS M. LINSON
01CY ATTN DANIEL A. HAMLIN
01CY ATTN E. PRIEMAN
01CY ATTN E.A. STRAKER
01CY ATTN CURTIS A. SMITH
01CY ATTN JACK MCDUGALL

SCIENCE APPLICATIONS, INC
1710 GOODRIDGE DR.
MCLEAN, VA 22102
ATTN: J. COCKAYNE

SRI INTERNATIONAL
333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025
01CY ATTN DONALD NEILSON
01CY ATTN ALAN BURNS
01CY ATTN G. SMITH
01CY ATTN R. TSUNODA
01CY ATTN DAVID A. JOHNSON
01CY ATTN WALTER G. CHESNUT
01CY ATTN CHARLES L. RINO
01CY ATTN WALTER JAYE
01CY ATTN J. VICKREY
01CY ATTN RAY L. LEADABRAND
01CY ATTN G. CARPENTER
01CY ATTN G. PRICE
01CY ATTN R. LIVINGSTON
01CY ATTN V. GONZALES
01CY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
01CY ATTN W.P. BOQUIST

TOYON RESEARCH CO.
P.O. Box 6890
SANTA BARBARA, CA 93111
01CY ATTN JOHN ISE, JR.
01CY ATTN JOEL GARBARINO

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
01CY ATTN R. K. PLEBUCH
01CY ATTN S. ALTSCHULER
01CY ATTN D. DEE
01CY ATTN D/ STOCKWELL
SNTF/1575

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MASS 01803
01CY ATTN W. REIDY
01CY ATTN J. CARPENTER
01CY ATTN C. HUMPHREY

IONOSPHERIC MODELING DISTRIBUTION LIST
(UNCLASSIFIED ONLY)

PLEASE DISTRIBUTE ONE COPY TO EACH OF THE FOLLOWING PEOPLE (UNLESS OTHERWISE NOTED)

NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375
Dr. P. MANGE - CODE 4101
Dr. P. GOODMAN - CODE 4180

A.F. GEOPHYSICS LABORATORY
L.G. HANSCOM FIELD
BEDFORD, MA 01730

DR. T. ELKINS
DR. W. SWIDER
MRS. R. SAGALYN
DR. J.M. FORBES
DR. T.J. KENESHEA
DR. W. BURKE
DR. H. CARLSON
DR. J. JASPERSE

BOSTON UNIVERSITY
DEPARTMENT OF ASTRONOMY
BOSTON, MA 02215
DR. J. AARONS

CORNELL UNIVERSITY
ITHACA, NY 14850
DR. W.E. SWARTZ
DR. D. FARLEY
DR. M. KELLEY

HARVARD UNIVERSITY
HARVARD SQUARE
CAMBRIDGE, MA 02138
DR. M.B. McELROY
DR. R. LINDZEN

INSTITUTE FOR DEFENSE ANALYSIS
400 ARMY/NAVY DRIVE
ARLINGTON, VA 22202
DR. E. BAUER

MASSACHUSETTS INSTITUTE OF
TECHNOLOGY
PLASMA FUSION CENTER
LIBRARY, NW16-262
CAMBRIDGE, MA 02139

NASA
GODDARD SPACE FLIGHT CENTER
GREENBELT, MD 20771
DR. K. MAEDA
DR. S. CURTIS
DR. M. DUBIN
DR. N. MAYNARD - CODE 696

COMMANDER
NAVAL AIR SYSTEMS COMMAND
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20360
DR. T. CZUBA

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
MR. R. ROSE - CODE 5321

NOAA
DIRECTOR OF SPACE AND
ENVIRONMENTAL LABORATORY
BOULDER, CO 80302
DR. A. GLENN JEAN
DR. G.W. ADAMS
DR. D.N. ANDERSON
DR. K. DAVIES
DR. R.F. DONNELLY

OFFICE OF NAVAL RESEARCH
800 NORTH QUINCY STREET
ARLINGTON, VA 22217
DR. G. JOINER

PENNSYLVANIA STATE UNIVERSITY
UNIVERSITY PARK, PA 16802
DR. J.S. NISBET
DR. P.R. ROHRBAUGH
DR. L.A. CARPENTER
DR. M. LEE
DR. R. DIVANY
DR. P. BENNETT
DR. F. KLEVANS

SCIENCE APPLICATIONS, INC.
1150 PROSPECT PLAZA
LA JOLLA, CA 92037
DR. D.A. HAMLIN
DR. E. FRIEMAN

STANFORD UNIVERSITY
STANFORD, CA 94305
DR. P.M. BANKS

U.S. ARMY ABERDEEN RESEARCH
AND DEVELOPMENT CENTER
BALLISTIC RESEARCH LABORATORY
ABERDEEN, MD
DR. J. HEIMERL

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701
DR. L.E. LEE

UNIVERSITY OF CALIFORNIA,
BERKELEY
BERKELEY, CA 94720
DR. M. HUDSON

UNIVERSITY OF CALIFORNIA
LOS ALAMOS SCIENTIFIC LABORATORY
J-10, MS-664
LOS ALAMOS, NM 87545
DR. M. PONGRATZ
DR. D. SIMONS
DR. G. BARASCH
DR. L. DUNCAN
DR. P. BERNHARDT
DR. S.P. GARY

UNIVERSITY OF MARYLAND
COLLEGE PARK, MD 20740
DR. K. PAPADOPOULOS
DR. E. OTT

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
DR. R. GREENWALD
DR. C. MENG

UNIVERSITY OF PITTSBURGH
PITTSBURGH, PA 15213
DR. N. ZABUSKY
DR. M. BIONDI
DR. E. OVERMAN

UNIVERSITY OF TEXAS
AT DALLAS
CENTER FOR RESEARCH SCIENCES
P.O. BOX 688
RICHARDSON, TX 75080
DR. R. HEELIS
DR. W. HANSON
DR. J.P. McCLURE

UTAH STATE UNIVERSITY
4TH AND 8TH STREETS
LOGAN, UTAH 84322
DR. R. HARRIS
DR. K. BAKER
DR. R. SCHUNK
DR. J. ST.-MAURICE

PHYSICAL RESEARCH LABORATORY
PLASMA PHYSICS PROGRAMME
AHMEDABAD 380 009
INDIA
P.J. PATHAK, LIBRARIAN

LABORATORY FOR PLASMA AND
FUSION ENERGY STUDIES
UNIVERSITY OF MARYLAND
COLLEGE PARK, MD 20742
JHAN VARYAN HELLMAN,
REFERENCE LIBRARIAN

**EN
DATE
ILME**