


AD-A142 720 MODIFIED 5-POINT AND 9-POINT SCHEMES FOR THE SOLUTION 1/1
OF THE VORTICITY- T..(U) PENNSYLVANIA STATE UNIV
UNIVERSITY PARK APPLIED RESEARCH LAB.. S ABDALLAH
UNCLASSIFIED 06 FEB 84 ARL/PSU/TM-84-28 N00024-79-C-6043 F/G 12/1 NL

END
DATE
FURNISHED
8 84
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

AD-A142 720

MODIFIED 5-POINT AND 9-POINT SCHEMES
FOR THE SOLUTION OF THE VORTICITY-
TRANSPORT EQUATION WITH CROSS
DERIVATIVES

S. Abdallah

Technical Memorandum
File No. TM 84-28
6 February 1984
Contract N00024-79-C-6043

Copy No. 15

MODIFIED 5-POINT AND 9-POINT SCHEMES
FOR THE SOLUTION OF THE VORTICITY-
TRANSPORT EQUATION WITH CROSS
DERIVATIVES

S. Abdallah

Technical Memorandum
File No. TM 84-28
6 February 1984
Contract N00024-79-C-6043

Copy No. 15

The Pennsylvania State University
Intercollege Research Programs and Facilities
APPLIED RESEARCH LABORATORY
Post Office Box 30
State College, PA 16804

Approved for Public Release
Distribution Unlimited

NAVY DEPARTMENT

NAVAL SEA SYSTEMS COMMAND

DTIC
ELECTE
S JUL 5 1984 D
B

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER TM 84-28	2. GOVT ACCESSION NO. ADA142720	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) MODIFIED 5-POINT AND 9-POINT SCHEMES FOR THE SOLUTION OF VORTICITY-TRANSPORT EQUATION WITH CROSS DERIVATIVES		5. TYPE OF REPORT & PERIOD COVERED Technical Memorandum
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) S. Abdallah		8. CONTRACT OR GRANT NUMBER(s) N00024-79-C-6043
9. PERFORMING ORGANIZATION NAME AND ADDRESS Applied Research Laboratory Post Office Box 30 State College, PA 16804		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Sea Systems Command, Code 63R31 Department of the Navy Washington, DC 20362		12. REPORT DATE 6 February 1984
		13. NUMBER OF PAGES 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release. Distribution unlimited. Per NAVSEA - 14 June 1984.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) vorticity-transport equation diffusion-convection equation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The method of Ref. [1] is modified to include cross derivatives in the vorticity-transport equation. Two modified versions of the 5-point and 9-point schemes are derived for elliptic and parabolic type partial differential equations.		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

From: S. Abdallah

Subject: Modified 5-Point and 9-Point Schemes for the Solution of *THE*
Vorticity-Transport Equation with Cross Derivatives

References: See p. 8

Abstract: The method of Ref. [1] is modified to include cross derivatives in the vorticity-transport equation. Two modified versions of the 5-point and 9-point schemes are derived for elliptic and parabolic type partial differential equations.



Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

INTRODUCTION

Cross derivatives are generated in the vorticity-transport equation when it is transformed to non-orthogonal coordinates. The presence of cross derivatives in the equation cause some difficulties in the method of Ref. [1]. More specifically, they arise in the integration of the vorticity diffusion form over the control volumes. These difficulties are eliminated by modifying the diffusion form of the equation and the integrating factor K. This treatment is suitable for both elliptic and parabolic type partial differential equations. Details of the derivation are given in the following sections.

ANALYSIS

The vorticity-transport equation in non-orthogonal coordinates can be written in the following form:

$$\bar{a}\omega_{xx} + \bar{b}\omega_{xy} + \bar{c}\omega_{yy} - \bar{d}\omega_x - \bar{e}\omega_y = 0, \quad (1)$$

where ω is the vorticity, $\bar{a}$, $\bar{b}$, $\bar{c}$, $\bar{d}$ and $\bar{e}$ are functions of x and y . For both elliptic and parabolic partial differential equations, $\bar{b}^2 - 4\bar{a}\bar{c} < 0$.

Direct application of the method of Ref. [1] to Eq. (1) yields the following diffusion form:

$$(K\omega_x)_x + (Kc\omega_y)_y + Kb\omega_{xy} = 0, \quad (2)$$

where

$$K = -\frac{d}{a}x - \frac{e}{c}y, \quad a \text{ and } c \neq 0. \quad (2a)$$

a , b , c , d and e are the linearized values of the coefficients $\bar{a}$, $\bar{b}$, $\bar{c}$, $\bar{d}$ and $\bar{e}$ respectively.

The integration of the third term in Eq. (2) over the control volume of Fig. 1 does not yield a suitable form for the 5-point and 9-point schemes [1].

The diffusion form, Eq. (2), is modified to eliminate the integration difficulties encountered in the cross derivatives term.

The first and second order derivatives with respect to x are combined together in one term using the integrating factor in the x -direction.

$$\text{Exp} \left(\frac{d}{a}x \right) \left[\text{Exp} \left(-\frac{d}{a}x \right) a\omega_x \right]_x + b\omega_{xy} + c\omega_{yy} - e\omega_y = 0. \quad (3a)$$

Equation (3a) is rewritten as

$$\text{Exp} \left(\frac{d}{a} x \right) \left[\text{Exp} \left(- \frac{d}{a} x \right) (a\omega_x + b\omega_y) \right]_x + \frac{d}{a} b\omega_y + c\omega_{yy} - e\omega_y = 0 \quad (3b)$$

The last three terms in Eq. (3b) are combined together in one term using the integrating factor in the y-direction.

$$\begin{aligned} & \text{Exp} \left(\frac{d}{a} x \right) \left[\text{Exp} \left(- \frac{d}{a} x \right) (a\omega_x + b\omega_y) \right]_x + \\ & \text{Exp} \left(\frac{ea - db}{ac} y \right) \left[\text{Exp} \left(- \frac{ea - db}{ac} y \right) c\omega_y \right]_y = 0 \quad (3c) \end{aligned}$$

By multiplying and dividing the first term in Eq. (3c) by $\text{Exp} \left(- \frac{ea - db}{ac} y \right)$ and the second term by $\text{Exp} \left(- \frac{d}{a} x \right)$, one obtains

$$\left[K(a\omega_x + b\omega_y) \right]_x + [Kc\omega_y]_y = 0 \quad (4)$$

where

$$K = - \frac{d}{a} x - \frac{ea - db}{ac} y \quad (4a)$$

The modified diffusion form, Eq. (4), is then integrated over the control volume shown in Fig. 1 to obtain Eq. (5).

$$\begin{aligned} & \int_{y = -\Delta y/2}^{y = \Delta y/2} K(a\omega_x + b\omega_y) \Big|_{x = \Delta x/2}^{x = -\Delta x/2} dy - \int_{y = -\Delta y/2}^{y = \Delta y/2} K(a\omega_x + b\omega_y) \Big|_{x = -\Delta x/2}^{x = \Delta x/2} dy \\ & + \int_{x = -\Delta x/2}^{x = \Delta x/2} Kc\omega_y \Big|_{y = \Delta y/2}^{y = -\Delta y/2} dx - \int_{x = -\Delta x/2}^{x = \Delta x/2} Kc\omega_y \Big|_{y = -\Delta y/2}^{y = \Delta y/2} dx = 0 \quad (5) \end{aligned}$$

The Modified 5-Point Scheme

The vorticity derivatives ω_x and ω_y at $x = \pm \Delta x/2$ and $y = \pm \Delta y/2$ are approximated using central finite difference equations. The vorticity derivatives ω_y at $x = \pm \Delta x/2$ are approximated as follows:

$$\left. \omega_y \right|_{\Delta x/2} = (\omega_{i+1,j+1} + \omega_{i,j+1} - \omega_{i+1,j-1} - \omega_{i,j-1}) / 4 \Delta y \quad (6a)$$

$$\left. \omega_y \right|_{-\Delta x/2} = (\omega_{i,j+1} + \omega_{i-1,j+1} - \omega_{i,j-1} - \omega_{i-1,j-1}) / 4 \Delta y \quad (6b)$$

Upon substitution into the integrated form of Eq. (4), i.e., Eq. (5), one obtains

$$\begin{aligned} & (B\omega)_{i+1,j} + (B\omega)_{i-1,j} + (B\omega)_{i,j+1} + (B\omega)_{i,j-1} + (B\omega)_{i+1,j+1} \\ & + (B\omega)_{i+1,j-1} + (B\omega)_{i-1,j+1} + (B\omega)_{i-1,j-1} = (B\omega)_{i,j} \end{aligned} \quad (7)$$

where

$$B_{i+1,j} = a [\text{Exp}(-p - q) - \text{Exp}(-p + q)] / (2\Delta x^2 q) \quad (7a)$$

$$\begin{aligned} B_{i,j+1} &= c [\text{Exp}(-p - q) - \text{Exp}(p - q)] / (2\Delta y^2 p) \\ &+ b [\text{Exp}(-p) - \text{Exp}(p)] [\text{Exp}(-q) - \text{Exp}(q)] / (8\Delta x \Delta y q) \end{aligned} \quad (7b)$$

$$B_{i+1,j+1} = b [\text{Exp}(-p - q) - \text{Exp}(-p + q)] / (8\Delta x \Delta y q) \quad (7c)$$

$$\begin{aligned} B_{i,j} &= a [\text{Exp}(-p) + \text{Exp}(p)] [\text{Exp}(-q) - \text{Exp}(q)] / (2\Delta x^2 q) \\ &+ c [\text{Exp}(-q) + \text{Exp}(q)] [\text{Exp}(-p) - \text{Exp}(p)] / (2\Delta y^2 p) \end{aligned} \quad (7d)$$

6 February 1984
SA:lhz

$$p = \frac{d\Delta x}{2a} \quad (7e)$$

$$q = \frac{(ea - db)\Delta y}{2ac} \quad (7f)$$

The rest of the coefficients in the above Eq. (7) can be obtained by permutations of (7a) through (7f).

The Modified 9-Point Scheme

The vorticity flux components ω_x and ω_y are approximated on the control volume surfaces using first order polynomials in x and y [1]. Also, the vorticity derivatives ω_y at $x = \pm \Delta x/2$ are approximated using Eqs. (6a) and (6b). Upon substitution in the integrated form, Eq. (5), we obtain the following equation:

$$\begin{aligned} & (A\omega)_{i+1,j} + (A\omega)_{i-1,j} + (A\omega)_{i,j+1} + (A\omega)_{i,j-1} + (A\omega)_{i+1,j+1} \\ & + (A\omega)_{i+1,j-1} + (A\omega)_{i-1,j+1} + (A\omega)_{i-1,j-1} = (A\omega)_{i,j} \end{aligned} \quad (8)$$

where

$$A_{i+1,j} = a \exp(-p) \frac{g(q)}{\Delta x^2} + 2c \cosh(q) \frac{f(p)}{\Delta y^2} \quad (8a)$$

$$A_{i,j+1} = c \exp(-q) \frac{g(p)}{\Delta y^2} + 2a \cosh(p) \frac{f(q)}{\Delta x^2} +$$

$$b [\exp(-p) - \exp(p)] [\exp(-q) - \exp(q)] / (8\Delta x \Delta y q) \quad (8b)$$

6 February 1984
SA:1hz

$$- A_{i+1,j+1} = a \operatorname{Exp}(-p) \frac{f(q)}{\Delta x^2} + c \operatorname{Exp}(-q) \frac{f(p)}{\Delta y^2} \quad (8c)$$

$$- b [\operatorname{Exp}(-p-q) - \operatorname{Exp}(-p+q)] / (8\Delta x \Delta y q)$$

$$A_{i,j} = 2 [\cosh(q) \frac{g(p)}{\Delta y^2} + \cosh(p) \frac{g(q)}{\Delta x^2}] \quad (8d)$$

$$f(t) = [(1+t) \operatorname{Exp}(-t) - 1] / (2t)^2 \quad (8e)$$

$$g(t) = [(1-t) \operatorname{Exp}(-t) + (1+t) \operatorname{Exp}(t) - 2] / (2t)^2 \quad (8f)$$

$g(t)$ is an even function in t ; $g(t) = g(-t) > 0$ and $|g(t)| \geq |f(t)|$ for all values of t .

6 February 1984
SA:lhz

REFERENCE

1. Abdallah, S., "Two finite difference schemes for the solution of the vorticity-transport equation at high Reynolds number," ARL/PSU Internal Memorandum, Applied Research Laboratory, The Pennsylvania State University (1984).

NOMENCLATURE

$\bar{a}, \bar{b}, \bar{c}, \bar{d}, \bar{e}$	Coefficients defined in Eq. (1).
a, b, c, d, e	Linearized coefficients $\bar{a}, \bar{b}, \bar{c}, \bar{d}$ and $\bar{e}$, respectively.
f, g	Functions defined in Eqs. (8e) and (8f).
K	Function defined in Eqs. (2) and (4).
p, q	Parameters defined in Eqs. (7e) and (7f).
x, y	Non-orthogonal coordinates.
ω	Vorticity.
$\Delta x, \Delta y$	Grid spacing in x and y directions, respectively.

Subscripts

x, y	Refer to derivatives in x and y directions, respectively.
i, j	Refer to grid lines in x and y directions, respectively.

6 February 1984
SA:lhz




Figure 1. Schematic diagram for grid geometry and control volume.

DISTRIBUTION LIST FOR UNCLASSIFIED TECHNICAL MEMORANDUM FILE NO. 84-28,
by S. Abdallah, dated 6 February 1984

Commander
Naval Sea Systems Command
Department of the Navy
Washington, DC 20362
Attn: A. R. Paladino
Code NSEA-55N
(Copy No. 1)

Commander
Naval Sea Systems Command
Department of the Navy
Washington, DC 20362
Attn: T. E. Peirce
Code NSEA 63R31
(Copy No. 2)

Commander
Naval Sea Systems Command
Department of the Navy
Washington, DC 20362
Attn: Library
Code NSEA 09G32
(Copy No. 3)

Commanding Officer
Naval Underwater Systems
Center
Department of the Navy
Newport, RI 02840
Attn: D. J. Goodrich
Code 3634
(Copy No. 4)

Commanding Officer
Naval Underwater Systems
Center
Department of the Navy
Newport, RI 02840
Attn: Library
Code 54
(Copy No. 5)

Commander
David W. Taylor Naval Ship
Research & Development Center
Department of the Navy
Bethesda, MD 20084
Attn: T. T. Huang
Code 1552
(Copy No. 6)

Commander
David W. Taylor Naval Ship
Research & Development Center
Department of the Navy
Bethesda, MD 20084
Attn: Library
Code 1505
(Copy No. 7)

Commander
Naval Surface Weapons Center
Department of the Navy
Silver Spring, MD 20910
Attn: Library
(Copy No. 8)

Office of Naval Research
800 North Quincy Street
Department of the Navy
Arlington, VA 22217
Attn: C. Lee
(Copy No. 9)

Office of Naval Research
800 North Quincy Street
Department of the Navy
Arlington, VA 22217
Attn: M. M. Reischman
(Copy No. 10)

Office of Naval Research
800 North Quincy Street
Department of the Navy
Arlington, VA 22217
Attn: R. Whitehead
(Copy No. 11)

Commanding Officer
Naval Ocean Systems Center
Department of the Navy
San Diego, CA 92152
Attn: Library
(Copy No. 12)

Defense Technical Information
Center
5010 Duke Street
Cameron Station
Alexandria, VA 22314
(Copies 13 through 18)

DISTRIBUTION LIST FOR UNCLASSIFIED TECHNICAL MEMORANDUM FILE NO. 84-28,
by S. Abdallah, dated 6 February 1984 [continuation]

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: M. C. Brophy
(Copy No. 19)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: S. Deutsch
(Copy No. 20)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: J. J. Eisenhuth
(Copy No. 21)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: W. S. Gearhart
(Copy No. 22)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: R. E. Henderson
(Copy No. 23)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: L. R. Hettche
(Copy No. 24)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: G. H. Hoffman
(Copy No. 25)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: G. C. Lauchle
(Copy No. 26)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: M. W. McBride
(Copy No. 27)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: T. E. McDevitt
(Copy No. 28)

DISTRIBUTION LIST FOR UNCLASSIFIED TECHNICAL MEMORANDUM FILE NO. 84-28,
by S. Abdallah, dated 6 February 1984 [continuation]

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: B. R. Parkin
(Copy No. 29)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: ARL/PSU Files
(Copy No. 30)

Director
Applied Research Laboratory
The Pennsylvania State
University
Post Office Box 30
State College, PA 16804
Attn: GTWT Files
(Copy No. 31)