PHOTOGRAPH THIS SHEET

AD-A149 365

DTIC ACCESSION NUMBER

II

LEVEL

I

INVENTORY

Rpt. No. ORI-TR-1473, Mar. '79
Contract MDA-903-75-C-0016

DOCUMENT IDENTIFICATION

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

DISTRIBUTION STATEMENT

ACCESSION FOR	
NTIS	GRA&I
DTIC	TAB
UNANNOUNCED	
JUSTIFICATION	
BY	
DISTRIBUTION /	
AVAILABILITY CODES	
DIST	AVAIL AND/OR SPECIAL
A/1	

DISTRIBUTION STAMP

DTIC COPY INSPECTED

DTIC
ELECTE
JAN 14 1985
S D
D

DATE ACCESSIONED

DATE RETURNED

85 01 08 138

DATE RECEIVED IN DTIC

REGISTERED OR CERTIFIED NO.

PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-DDAC

DTIC FORM 70A DEC 83

DOCUMENT PROCESSING SHEET

PREVIOUS EDITION MAY BE USED UNTIL STOCK IS EXHAUSTED.

AD 865

ORI

ORI 1400 Spring St.
Silver Spring, Maryland 20910

USER'S MANUAL LOGISTICS-OVER-THE-SHORE (LOTS) UPDATED SIMULATION MODEL

March 1979

Prepared under
Contract Number MDA-903-75-C-0016
For the Office of the Secretary of Defense
Office of the Under Secretary of Defense, Research and Engineering
Office of the Deputy Director, Test and Evaluation
Washington, DC 20301

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ORI, Inc. TR-1473	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE *(and Subtitle)* USER'S MANUAL, LOGISTICS-OVER-THE-SHORE (LOTS) UPDATED SIMULATION MODEL		5. TYPE OF REPORT & PERIOD COVERED Documentation - Final Report November 1977 - October 1978 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) A. GREEN		8. CONTRACT OR GRANT NUMBER(s) MDA-903-75-C-0016
9. PERFORMING ORGANIZATION NAME AND ADDRESS ORI, Inc. 1400 Spring Street Silver Spring, MD 20910 INC. ROCKVILLE, MARYLAND 20850-4311		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Office of The Secretary of Defense, OUSDR&E, ODDT&E Tactical Air & Land Warfare Systems, The Pentagon Washington, DC 20301		12. REPORT DATE March 1979 13. NUMBER OF PAGES 192
14. MONITORING AGENCY NAME & ADDRESS*(if different from Controlling Office)* N/A		15. SECURITY CLASS. *(of this report)* UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT *(of this Report)*

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

18. SUPPLEMENTARY NOTES

Contracting Officer's Technical Representative - Mr. Richard Ledesma

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

Amphibious	Delong	LCU	Throughput
Barge-TCDF	Elevated Causeway	Logistics-Over-The-Shore	Transportation
Breakbulk	LACH	LOTS	
Containerization	LACV-30	Merchant Ships	
Crane-On-Deck	LCM8	MERSHIP	

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

This report provides the documentation supporting a Logistics-Over-the-Shore (LOTS) simulation model. The report describes the model's sequences beginning with the arrival of one or more cargo ships through until the cargo has been delivered to an inland destination. The report also provides the coded main program and all subroutines.

An earlier version of the model was used to support the U.S. Army Trans-Hydro Study. The updated version was used in the OSD-sponsored Joint LOTS

(over)

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

20. (CONT)

Test and Evaluation Program to assist in test planning and subsequently the modeling of test results.

The model is an expected value one that makes straightforward calculations based upon fixed values input by the analyst. The model is written in ANSI-FORTRAN.

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

TABLE OF CONTENTS

		Page
LIST OF TABLES		iii
LIST OF FIGURES		iv
I.	INTRODUCTION	1-1
	ORIGIN AND STATUS OF THE MODEL	1-1
II.	MODEL DESCRIPTION	2-1
	OPERATION OF THE MODEL	2-1
	SHIP ARRIVALS	2-5
	CRAFT-HATCH SLOT SELECTION	2-5
	SHIPSIDE LOADING ROUTINE	2-8
	GENERAL CARGO SHIP AND RO/RO SHIP OFF-LOADING ROUTINE	2-10
	SELF-SUSTAINING CONTAINERSHIP OFF-LOADING ROUTINE	2-13
	NON-SELF-SUSTAINING CONTAINERSHIP	2-14
	OFF-LOADING OF BARGES FROM A LASH	2-16
	SHORE FACILITIES	2-16
	CRAFT ASSIGNMENT TO LUS	2-17
	CRAFT OFF-LOADING	2-18
	TRUCK ASSIGNMENTS, TRAVEL, AND LOADING	2-20

TABLE OF CONTENTS (CONT'D)

		Page
III.	INPUTS AND OUTPUTS	3-1
	INPUTS	3-1
	OUTPUTS	3-4
APPENDIX A:	PROGRAM DESCRIPTION	A-1
APPENDIX B:	COMMON BLOCK VARIABLE DEFINITIONS	B-1
APPENDIX C:	INPUT DATA FORMATS	C-1
APPENDIX D:	SIZE LIMITATIONS	D-1
APPENDIX E:	JOB CONTROL STATEMENTS	E-1
APPENDIX F:	PROGRAM LISTING	F-1

LIST OF TABLES

Table		Page
A.1	SUMMARY DESCRIPTION OF EVENT SUBROUTINES	A-3
A.2	UTILITY SUBROUTINES USED BY EVENT SUBROUTINES.	A-4
A.3	SUMMARY DESCRIPTION OF UTILITY SUBROUTINES USED BY EVENT SUBROUTINES.	A-5
A.4	DESCRIPTION OF LABELED COMMON.	A-7

LIST OF FIGURES

Figure		Page
1.1	OPERATIONAL SEQUENCE OF LOTS MODEL	1-3
A.1	EXECUTIVE ROUTINE LOGIC	A-2
E.1	JCL TO CATALOGUE A PRIVATE LIBRARY ON A DISK PACK	E-2
E.2	JCL TO COMPILE AND TO STORE THE OBJECT CODE OF THE FIRST ROUTINE	E-2
E.3	JCL TO COMPILE AND TO STORE THE OBJECT CODE OF ALL ROUTINES EXCEPT THE FIRST.	E-3
E.4	JCL TO EXECUTE THE PROGRAM	E-3

I. INTRODUCTION

ORIGIN AND STATUS OF THE MODEL

The forerunner of the present LOTS simulation model was developed to support the U.S. Army Trans-Hydro Craft Study.[1] That model was designed jointly by the U.S. Army Combat Developments Command (USACDC) Systems Analysis Group[2] and the USACDC Transportation Agency. An updated version of this model was used in the LOTS program to aid in the main test planning and to validate planning factors based on test data. This model documentation report is a revised edition of the original report.

Overview of Model

The LOTS model follows an operational sequence as depicted in Figure 1. The simulation begins immediately after the arrival of each of one or more cargo ships off-shore, tracks the movement of cargo — specified as to quantities and kinds — across a beach, and ends with the delivery of all the cargo to a marshaling area.

---

[1] U.S. Army Training and Doctrine Command, Transportation School, U.S. Army Trans-Hydro Craft Study 1975-85, December 1973.

[2] U.S. Army Combat Developments Command Systems Analysis Group, Logistics-Over-the-Shore (LOTS) Simulation Model Documentation, ACN 14310, SA Group Technical Report 11-72, U.S. Army Combat Developments Command, Ft. Eustis, Va., 1972.



FIGURE 1. OPERATIONAL SEQUENCE OF LOTS MODEL

For analyses the principal model outputs are the total time for unloading cargo, moving cargo ashore to a marshaling area, and resource productivity. A minimum time for unloading results when the system is in balance. This is dependent upon the input selections. That is, when the ship unloading rate is specified and sufficient transportation and handling assets are available at all times, the minimum time for moving the cargo ashore is the time for all the cargo to be discharged from the ship plus the time it takes the last piece of cargo to move from the ship to the marshaling area. If there is any time spent waiting for lighters or access to equipment such as the beach crane, the total time increases. Thus, the model usually is used starting with too few assets, particularly transportation assets, which results in a greater than minimum time. Then in succeeding runs the assets are augmented until a minimum time is achieved. Except for additional ship cranes any further increase in assets, of course, could not reduce this minimum time.

The model is an expected value model that makes straightforward calculations based upon fixed values input by the analyst.

II. MODEL DESCRIPTION

The model provides a basic operational framework which is described in this section. Specifics for the selected LOTS system elements are entered in the input data. These inputs include the characteristics of the LOTS equipment, ship types, cargo, and performance parameters. Types of input data are described in the next section and the outputs are described in the last section.

OPERATION OF THE MODEL

Lighter Use

As the simulation begins, lighters are selected from a lighter holding point, or queue[1] located near the ship. The queue can have a mix of lighters. Lighter selection is based on priorities defined in the input data. The queue discipline is such that lighters with the highest priority (and later the highest priority and the most utilization) are called first. This assures that previously unused lighters are called from the queue only when needed and thus allows unused and marginal lighters to be identified. When a lighter is selected, it proceeds to the ship and moors. It is then ready for the loading process to being. If no lighters are available, the ship crane(s) waits. After each item is loaded on the lighter, the lighter record of time, weight, and volume is incremented and the ship load is decremented.

---

[1] The holding points for lighters in the model are called queues. They are not, however, the result of variability in serving rates, such as the waiting lines investigated in queuing theory.

For each lighter two capacity measures are used while loading containers. The first is the number of containers the lighter has space for and the other is its maximum weight capacity. Neither capacity can be exceeded. For general cargo, weight, and volume capacities are used in the same way as containers. An exception is vehicle cargo for which weight and square feet of floor space are used. No cargo can be stowed on top of vehicles.

When the lighter is full, it travels to one of two possible queues near the shore. Landing craft travel to a queue located just off the shore, and amphibians go to a queue on land. Both types of lighters remain in their queue until an unloading space becomes available. After arriving at an unloading point, the lighter is off-loaded. The model keeps track of the cargo that was initially loaded on the lighter. This cargo is off-loaded one item at a time. The record of lighter time is incremented and the cargo remaining on board the lighter is decremented. The record of cargo on shore is correspondingly increased. The empty lighter returns to the queue near the ship.

Ship Unloading

In the ship unloading subsystem, there is provision for five ship types: non-self-sustaining containership, breakbulk general cargo ship, self-sustaining containership, roll-on-roll-off (RO/RO) ship, and a lighter-aboard ship (LASH) ship. In the LOTS main test two ships were employed: a non-self-sustaining containership, and a breakbulk ship. The way the LOTS model simulates the unloading of these two ship types is described in the following paragraphs.

Non-Self-Sustaining Containership. In the model the non-self-sustaining containership is divided into cargo hatches and each hatch is sub-divided into container cells. Each cell has several levels with a container at each level. The number of hatches, cells, and the levels within each cell are specified in the inputs. Only the containers in the uppermost level of each cell are accessible to the crane.

Each container has a specified weight. If a lighter has the deck space to carry another container but the next container in the cell being unloaded exceeds the weight capacity of the lighter, then a sequential search is conducted of the containers in the cells in the same hatch (and specified in the input as accessible). If a container within the weight capacity of the

lighter is found, it is loaded aboard the lighter. In the event all accessible containers in the hatch are too heavy, the lighter casts off and proceeds to shore.

Two types of cranes are simulated for the unloading of a non-self-sustaining containership: the crane-on-deck and the barge-temporary container discharge facility (barge-TCDF). In the model the cranes are specified by their container transfer rate, number of hatches discharged from one location, time to reposition the crane, and times to remove and replace hatch covers.

Average container transfer times are inputs to the model. Several values of these container transfer times can be specified for any one run of the model. In this way the time to transfer a container to a lighter can be specified for each lighter type and container weight.

Breakbulk Ship. In the model a general cargo ship is also separated into cargo hatches. Each cargo hatch has decks. The decks are numbered sequentially and must be unloaded in order, with the uppermost deck unloaded first. All cargo must be removed from the uppermost loaded deck before any cargo from the next lower deck can be removed.

In the input each item of cargo on a deck is assigned an access number which is made to correspond to an area on the cargo decks. Each such access number can be applied to a mix of cargo. The cargo in the center of the hatch is assigned the lowest access number and the access numbers increase as the distance from the center of the hatch increases. The cargo with the lowest access number is extracted first. This corresponds to removing the cargo first from the square of the hatch. There is no change in cargo unloading rate with access number.

Selection of cargo to be unloaded is based not only on the lowest access number still containing cargo but also on the amount of cargo capacity left in the lighter. If a craft is partially loaded and each of the items of cargo at the lowest access level exceeds the remaining capacity of the lighter, then the cargo at the second lowest access number is checked. In the event all the cargo within the two lowest access number areas exceeds the remaining capacity of the lighter, the lighter casts off and proceeds to shore.

A regular and a heavy-lift boom are modeled. The quantity, locations and capacities of the booms are specified in the input data. The heavy-lift boom on a typical cargo ship has a 60-long ton capacity and the regular cargo booms have a 15-long ton capacity. On the general cargo ship modeled the heavy-lift boom serves both cargo hatches two and three. The time to rerig the heavy-lift boom from hatch to hatch is an input.

The times to remove hatch covers on the weather deck and the hatch covers between decks are inputs. Each type of cargo has a transfer time associated with it which may differ for each type of lighter.

The model provides for simultaneously working all hatches on a general cargo ship. Each hatch can be discharged to lighters on both sides of the ship. When off-loading a hatch to both sides of the ship, unloading times were increased 20 percent over the crane cycle time used in discharging to only one side, again specified as part of the input.

An important calculation in the model concerns the location of lighters along the side of a general cargo ship. Some lighters are longer than a cargo hatch. The number of hatches blocked by each lighter type is in the input data. When a lighter is full and casts off, a calculation is made to determine the space available to moor the next lighter. If the lighters in the queue waiting to be loaded exceed the length of space at the ship, the space remains unoccupied.

There are two ways for a new lighter to be assigned to the unoccupied hatch. First, a lighter leaves an adjoining hatch and this provides the required length of space for a lighter in the queue to moor. The other way is for a shorter lighter to arrive. A lighter occupying two hatches receives cargo from both hatches.

Shore Cargo Transfer Operations

A lighter travels from the ship to one of the two shoreside queues. Landing craft go to a queue just off the beach and amphibians to an inland queue. Each lighter waits its turn in the queue until a crane or other material handling equipment is available to unload it. Of course, a lighter arrives at an unloading site with the same cargo that was loaded on it at the ship.

At a lighter unloading site, cargo is removed one item at a time. The time to transfer each item to a truck or the ground is specified in the input data for each type of lighter unloading site, by craft and cargo type. When applicable, the time to moor and unmoor (dock and undock) a craft at an unloading site is also part of the input data. Again, these input times can vary for the different combinations of craft, cargo and unloading sites.

SHIP ARRIVALS

Each ship has a fixed number of hatch slots and a fixed number of cargo hatches. Each hatch slot is assigned one and only one cargo hatch from which it may receive cargo. On the other hand, a single cargo hatch may supply cargo to more than one hatch slot; e.g., a general cargo ship hatch can discharge cargo over both sides of the ship.

Ships are ready to moor craft as soon as they arrive (proper booms rigged, etc.). Craft, if any are available, have been chosen for assignment to hatch slots by the time the ship arrives. Mooring can begin immediately upon ship arrival.

With the exception of a LASH and ships moored at a transfer facility with a causeway, one ship's queue is established to service all ships. Each ship is the same distance from the queue. Each ship is the same distance from shore.

The off-loading of a LASH is not explicitly modeled; since tugs do not interact with the other craft types. A barge arrival at the shore is modeled instead. The arrival of a barge from a LASH is input data and the barge arrival time equals the actual LASH arrival time plus the time required to move the first barge from the LASH to a "sea wall" load/unload site at the beach.

CRAFT-HATCH SLOT SELECTION

If a hatch slot is designated "open" (i.e., hatch slot is ready to off-load cargo) and if a craft meeting the rules of compatability is in the ship's queue, then the craft may be assigned or sent to the hatch slot for loading. If the craft is assigned to a hatch slot as soon as the craft arrives in the ship's queue, then travel time from the ship's queue to the ship must

be added. If the craft is assigned after it has been waiting in the ship's queue, travel time from the queue is not added. The rationale for this assumption is that, if the craft is waiting in the queue, it has enough advance notice to move to the hatch slot before (1) the previous craft departs, (2) the hatch slot arrives (ship arrival), or (3) a new boom type is rigged at the hatch slot.

Each cargo hatch at all times has a mix of cargo (a subset of all the cargo in the hatch) that is immediately available or most accessible for unloading. The mix is updated as cargo is unloaded. Craft selection is based on the highest priority cargo type in the mix. Thus, a hatch slot will remain idle rather than off-load to a craft that is not compatible with the highest priority cargo type in the mix, even though the craft may be compatible with a lower priority cargo type in the mix.

Every combination of craft type, cargo type, and hatch slot type is assigned a priority number which indicates the relative preference for loading with that combination of craft, cargo, and hatch slot. (Craft-cargo-hatch slot priority matrix.) Low priority numbers indicate highest preference. Priority numbers may be equal. Some combinations are incompatible so that loading cannot occur.

In this craft selection process, all "open" hatch slots are sorted in order of their priority for service. Hatch slots which have been left "open" for the longest time are given the highest priority. An exception to this rule occurs at hatch slots on opposite sides of a general cargo ship. In this case, two hatch slots receive cargo from the same cargo hatch. When both hatch slots are operating simultaneously, unloading times are increased 20 percent over the crane cycle time used in discharging to one side. Therefore, for maximum efficiency, the hatch slots on the far side of a general cargo ship are given a lower priority for service than all other "open" hatch slots in the system.

The ship's queue — containing craft ready to service a hatch slot — is operated on a "last come, first served" basis. More precisely, craft with lower ID numbers are chosen first, all else being equal. This discipline assures that a new craft will be called into operation only when an additional craft is required. Unused craft capability can be easily identified.

The factors listed above are considered in the craft selection process in the following manner:

- All combinations of the open hatch slots and the craft in the queue are searched for the lowest compatible craft-cargo-hatch slot priority number.
- If two or more craft-hatch slot combinations become possible at the same time and if two or more of the combinations have the same priority, then the hatch slot with the highest priority for service is chosen for craft assignment.
- If two or more combinations are equal in factors described above, then the craft with the lowest ID number is chosen.

Due to the configuration of hatch slots at a general cargo ship the craft selection process requires some additional limitations for assignment of a *multi-hatched craft* to a general cargo ship.

Multi-hatched craft are physically long enough so that, if one is moored at one general cargo ship hatch slot, one or more adjacent hatch slots may be blocked by the multi-hatched craft. Blocked slots cannot be used for off-loading. In the input data, adjacent hatch slots must be consecutively numbered.

Rules for multi-hatched craft assignment can apply only to craft at a general cargo ship. If the multi-hatched craft is to be assigned to a hatch slot at the end of a general cargo ship of another "end" type of hatch slot, then the rules for multi-hatched craft assignment do not apply since there is no adjacent hatch slot to one side of the assigned slot. If a multi-hatched craft which is capable of being loaded from more than one hatch slot is assigned to an end hatch slot, it will block the number of slots specified in its multi-hatch code, and load for "blocked" slot that are compatible.

If the craft to be assigned to a particular general cargo ship hatch slot is multi-hatched and both adjacent hatch slots are "occupied" (or

blocked) so that the craft cannot be moored, then both the craft and the hatch slot will be "saved" until one or both craft leave the adjacent slots allowing the saved craft to be moored. Depending on the length of the craft, it may "block" one or both of the adjacent slots.

SHIPSIDE LOADING ROUTINE

There are three different shipside loading routines to be described in separate sections:

- General cargo ship and RO/RO ship off-loading routine
- Self-sustaining containership off-loading routine
- Non-self-sustaining containership off-loading routine.

Cargo items are always moved directly from their original position in the cargo hatch to the craft. On helicopter platforms the container may have to wait for pickup. Items are never placed on the ship's deck to allow other items to be loaded first. This rule applies when ship transfer facilities (crane to off-load a non-self-sustaining containership) are in use as well. Cargo transfer time at shipside is independent of the location of the cargo item in the cargo hatch. Items on the lowermost decks (or cell-levels) of the ship take the same time as items from the upper deck. Cargo transfer time is a function of cargo type, craft type, and hatch slot type only.

Capacity of a craft for cargo is expressed as follows:

- Total weight of cargo that may be loaded. Each cargo item has a specific weight.
- Total volume of cargo that may be loaded. Each cargo item, excluding vehicles, has a specific volume.
- Total deck space capacity for vehicles. Vehicles have a specific floor area requirement. To find the volume required by a vehicle, the floor space is multiplied by the height of the craft cargo space. This assumption implies that cargo items will not be loaded on top of vehicle cargo.

- Number of items of each cargo type that may be loaded into the craft. The total number of cargo items of priority number less than or equal to the given cargo type must be less than or equal to the allowable number of items of the given cargo type.
- The craft is loaded item by item. When the next item to be loaded exceeds one of the four capacity measures loading is discontinued. Loading time is increased each time another item is loaded.

Selection of the next cargo item to be loaded depends on the following:

- Only the cargo that is immediately accessible in the cargo hatch is chosen. Most accessible mixes of cargo are chosen first among all the accessible cargo.
- When the mix of most accessible cargo has been chosen, the highest priority cargo type of this mix will be selected first for loading.

A craft always goes directly to the load/unload site queue when it leaves a hatch slot, even if the craft is only partially full (i.e., craft never move from one hatch slot to another). Mooring and unmooring times for a craft at shipside are a function only of hatch slot type and craft type. Mooring time includes mooring and approach time; it does not include travel time from the ship's queue. Unmooring time always equals 50 percent of mooring time. Loading cannot begin until mooring is completed. Location of cargo on a craft is not modeled. No time is required to redistribute cargo on a craft. The following assumptions apply to ships unloaded at a ship transfer facility with a causeway:

- A general cargo ship, RO/RO ship, or container ship may be moored at a ship transfer facility with a causeway.
- Except for self-deployable vehicles from a RO/RO ship, cargo must be loaded from a cargo hatch on the ship to a truck. Therefore, a truck is required for off-loading.

- The causeway for trucks is two-way and may accommodate more than one truck at a time. The system is never constrained due to the capacity of the causeway.

GENERAL CARGO SHIP AND RO/RO SHIP OFF-LOADING ROUTINE

Each general cargo ship cargo hatch may have one or two hatch slots that may discharge cargo. These hatch slots are on opposite sides of the ship. One of the two hatch slots at a double-rigged hatch has a lower priority for service than hatch slots at single-rigged hatches.

Each general cargo ship cargo hatch has one or more decks containing cargo. These decks are numbered sequentially and must be unloaded in that sequence. The uppermost deck is unloaded first. All cargo must be removed from a deck before any cargo from the next lower deck can be removed.

Each deck has one or more access numbers containing cargo. Each access number may contain a mix of cargo. Thus, each cargo item is located by specifying the cargo hatch, the deck, and the access number. The access number indicates the relative distance of cargo from the hatch. Selection of cargo for craft selection is based only on the mix of cargo at the lowest access number still containing cargo. In the loading routine, all cargo at the lowest access number is tried for loading first. The mix of cargo at the second lowest access number is tried if the craft has not been filled. However, the cargo at the third access cannot be tried until the first lowest access number has been emptied of cargo.

At a general cargo ship hatch slot, one of two booms types is used for loading cargo. The type of boom to be used is determined by the type of cargo that is being loaded. Each cargo type has associated with it a parameter which indicates which boom type must be used. Heavy cargo must use the heavy boom, while lighter cargo must use the light boom.

All cargo items requiring the heavy lift boom must be unloaded first. This assures that the time-consuming operation of re-rigging is performed only once. Thus, all heavy lift items must be located in the upper decks. In an actual general cargo ship, heavy lift cargo items are normally loaded

on the weather deck and in the "squares" of the cargo hatches within reach of the heavy lift boom. The square of the hatch at the next lower level will be used for heavy lift cargo only if all the heavy lift cargo won't fit in the squares of the hatch at the upper levels. For purposes of the model, the decks must be defined in sequential order so that all decks containing heavy lift cargo are given the lower numbers.

Every time a new deck is opened, the hatch covers for the new level must be opened. Thus, a delay time — "deck delay time" — is added before loading can continue.

On the standard general cargo ship, one heavy lift boom is shared by cargo hatches 2 and 3. The heavy lift boom transfers cargo from one cargo hatch to one hatch slot at a time. If cargo hatch 2 has heavy lift cargo, the heavy lift boom is initially rigged at cargo hatch 2, to move cargo at hatch slot 2. The hatch slot on the opposite side of the ship is closed. If cargo hatch 3 has any heavy lift cargo, both hatch slots at that hatch are also closed. If there are no heavy items at hatches 2 and 3 then light booms are initially rigged at both hatches.

As soon as all heavy lift cargo has been off-loaded from cargo hatch 2, the heavy lift boom is re-rigged from cargo hatch 2 to hatch 3 (if hatch 3 has heavy lift cargo) and the light boom is rigged in place of the heavy boom at slot 2. Each of the two rigging operations has a delay time associated with it. The hatch slot remains closed for this length of time to allow the rigging to be completed. Thus, delay times for the operation are specified in the input data.

The routines in the model are general, so that the same procedure can be followed for cargo hatches other than 2 and 3, if the other cargo hatches are defined to have a heavy lift boom.

All hatch slots at cargo hatches not containing heavy lift cargo are initially rigged with light booms.

If the proper boom type is not rigged at a hatch slot, the hatch slot is closed. No craft are assigned to the slot until the proper boom

type has been completely rigged. Thus, mooring of a craft and rigging of the boom cannot be performed concurrently at the same hatch slot.

When one cargo hatch is being off-loaded to two hatch slots, the times of each slot increase by 20 percent. In this model, the first craft arriving at a cargo hatch with two hatch slots will be assumed to operate at 100 percent efficiency. If a second craft arrives at the hatch slot on the opposite side of the ship before the first craft leaves, this second craft will have its entire load time increased by 20 percent. If a third craft arrives at the first slot, before the second craft leaves, the load time of the third craft will also be adjusted.

Multi-hatched craft which are simultaneously loaded at two or more hatch slots may be assigned to general cargo ships. If the craft is not assigned to an end hatch slot and if one or more slots adjacent to the assigned slot are "occupied" and can be unloaded, then loading will occur at two or three hatch slots. The craft selection process optimizes craft selection only at the assigned hatch slot. The multi-hatch loading situation is handled as follows:

If N is the number of hatch slots which can simultaneously be off-loaded to a given craft, then each cargo hatch will load 1/Nth of the craft. The loading process is performed N times, and the longest of the N loading times is used as the overall loading time for the craft.

A RO/RO ship has a loading operation similar to a general cargo ship with the following differences:

- A RO/RO ship carries only vehicle cargo. A "deck delay time" is not added when cargo is taken from a new deck.
- The ship has one cargo hatch and one hatch slot of the RO/RO type. Vehicles are driven or towed from the ship into an appropriate craft moored at the RO/RO slot.
- No booms are used for off-loading so there are no special considerations given to heavy lift cargo.

Mixes of vehicles, self-deployable (SD) or non-self-deployable (NSD) and general cargo are not allowed on a craft, unless the craft can be simultaneously loaded from more than one hatch.

SELF-SUSTAINING CONTAINERSHIP OFF-LOADING ROUTINE

A self-sustaining (SS) containership is divided into two "cargo hatches" — one forward and one aft. Each cargo hatch contains approximately one-half of the cells. Containers in the forward cargo hatch can be transferred only to a forward hatch slot, while containers in the aft hatch are moved only to the aft hatch slot.

Each containership cargo hatch has a set of cells containing containers. The cells are numbered in sequence. Each cell has several levels with one container at each level. Only the container at the uppermost filled level can be removed. The cells are unloaded in order of their sequence numbers. Thus, containers are removed from one cell at a time starting with the uppermost in cell number one. If a container exceeds the remaining capacity of the craft (based on craft weight capacity) or if the cell is empty, then the uppermost container in the next cell is tried.

A SS containership has three hatch slots (two lighterage slots and one helicopter platform).

Hatch slots 2 and 3 do not interfere with hatch slot 1. Lighters are assigned to slot 1 and loaded with the gantry crane using the container selection process described above.

The gantry crane at cargo hatch 2 is used to move containers to lighters at hatch slot 2, as well as to the helicopter platform at hatch slot 3. Thus, interference occurs when both lighterage and helicopter are operating at cargo hatch 2. The helicopter platform is always kept "ready for pickup." Whenever there is no container on the platform and the departing helicopter is sufficiently far away (e.g., "unmooring" time has elapsed since pickup); the gantry will move a new container to the platform. Thus, if lighterage is being loaded at slot 2, the gantry must be taken away for use at slot 3.

The cycle of operation at the helicopter platform consists of the following:

- Helicopter approach (mooring),
- Helicopter pickup of container (loading),
- Helicopter departure (unmooring),
- Movement of a new container to the helicopter platform (crane cycle).

At the ship arrival time it is assumed that a container has already been moved to the platform. When there is a plenitude of helicopters, the helicopter loading rate is limited by the gantry cycle time.

Since a container may be placed on the helicopter platform before a helicopter has been selected, the rules for selecting a container for loading must be modified for the helicopter platform. If a container cannot be lifted by the helicopter type with the largest lift capability, then the container will not be moved to the platform.

Containers are not lifted directly from the cells by helicopters at an SS containership.

NON-SELF-SUSTAINING CONTAINERSHIP

A non-self-sustaining (NSS) containership is conceptually divided into cargo hatches. Containers in a given cargo hatch can be moved only to a hatch slot corresponding to the cargo hatch.

Each cargo hatch has one lighterage hatch slot and one helicopter hatch slot from which containers are lifted directly from the cells.

The lighterage hatch slots are served by a ship transfer facility. Ship transfer facility is a general term defined as any sort of NSS containership discharge facility. Any type of facility may be used as long as the methodology of its operation is in accordance with the following constraints:

a. The facility is not modeled as a temporary storage site/helicopter pick-up point. It is only a platform to support a crane.

b. One crane is on each facility.

c. The crane will not stop operations for helicopters.

Since the ship transfer facility has only one crane, only one lighterage hatch slot is in use at a time. Off-loading begins at hatch slot 1. When slot 1 is emptied, the ship is warped (delay time), and off-loading of slot 2 begins. The operation proceeds until the ship is emptied.

Selection of containers at a ship transfer facility hatch slot is the same as at a lighterage hatch slot on a SS containership.

At the helicopter hatch slots, containers are lifted directly from the cells. Helicopters cannot operate too close to the gantry. There should always be a 25 percent safety space between helicopter and gantry operations as the ship is warped. In the model the "cargo hatch" at which the helicopter is operating must be at least two cargo hatches away from the "cargo hatch" where a crane is operating.

OFF-LOADING OF BARGES FROM A LASH

As soon as the first barge arrives, a barge may be assigned to each unoccupied "sea wall" lighter unloading site (LUS). Off-loading can begin as soon as "set-up" is completed. If there is more than one sea wall initially available, then an additional delay equal to the barge discharge time must be added before unloading can begin at the next sea wall LUS.

As soon as one barge is unloaded and shutdown time added, the next barge is moored at the sea wall. This assumption implies that the tugs can deliver barges from the LASH faster than the barges can be unloaded.

Cargo may be off-loaded from a barge in any convenient order -- i.e., individual cargo locations on a barge are not modeled. A barge is unloaded in the same way as a craft.

Sea wall LUSs are used only for barges whenever a barge is waiting to be unloaded.

SHORE FACILITIES

A craft can only be unloaded at a lighter unloading site (LUS). There are a number of different types of LUSs; they may be located at the beach, amphibian discharge point (ISS), or the marshaling yard. Each LUS must be specified in the input data. An LUS can service only one craft at a time.

MHE is generally required to discharge cargo from a craft. The following situations may occur with respect to MHE:

- The LUS has its own fixed MHE (e.g., a crane)
- No MHE is required (e.g., helicopters, discharge of self-deployable vehicles from some craft types).
- Mobile MHE assigned to the LUS from MHE pool. There are three MHE pools; one at the beach, one at the ISS, and one at the marshaling yard.

When trucks are not available to unload craft at the LUSs, cargo may in some cases be left at a temporary holding area (THA) near the LUS. There are two temporary storage areas:

- THA -- located at the beach, and
- ISS -- located at the ISS LUSs.

There are three LUS queuing areas for craft to wait for assignment to an LUS. These queuing areas are near the beach, the ISS, and the marshaling yard. When a craft leaves a hatch slot it is sent to the nearest queuing area that corresponds to an LUS type that may service the craft; theoretically an amphibian craft could be assigned to a marshaling yard LUS or to an ISS LUS, but in this case it is sent to the ISS queuing area because it is closer.

There is a two-way road system running between the beach, ISS, and marshaling yard. The system is never constrained due to the capacity (in terms of weight or volume of traffic) of the roads.

Cargo is moved from the beach and ISS to the marshaling yard using trucks. The queuing area for the empty trucks is between the beach and the ISS. It is assumed that delays due to trucks traveling from the queue to an LUS or the THA or ISS will never occur.

Maintenance and refueling of trucks and MHE are not modeled.

CRAFT ASSIGNMENT TO LUS

Each craft type/cargo type combination has a list, in preferential order, of all LUS and MHE types that can be used to unload the craft. The list is called the LUS-MHE priority matrix and is defined in the basic input data.

The three LUS queuing areas are lumped together to determine the priority for service of craft in the LUS queue. Other factors being equal, the LUS queue operates on a "first come, first served" basis.

A number of conditions must be satisfied for a craft to be assigned to an LUS. They are as follows:

- If the LUS-MHE priority matrix indicates that a certain type of mobile MHE is required, then this MHE must be available in the nearest MHE pool.
- An LUS of the required type must be available and not occupied by another craft.
- "Heavy" cargo items, non-self-deployable vehicles, and containers may never be left at the THA or the ISS (except when left by

helicopters). Since these items must be taken directly to the depot, a truck must be available to service a craft containing these types of cargo.

- Both the THA and ISS have a limit to the tonnage of cargo that can be stored. If this limit is exceeded, a craft cannot be assigned to an LUS unless a truck is available to prevent further overflow of the storage areas.
- Barges (carried in a LASH) can only be off-loaded at a sea wall. Thus, when a LASH is in the system, sea walls will be reserved for barges. Therefore, when a LASH is present, a craft can be sent to a sea wall only if it is a first priority assignment.

All craft satisfying the above requirements are candidates for an LUS assignment. The selection process is as follows:

- LUS-MHE priority. All craft with the lowest LUS-MHE priority number are selected first. Only the highest priority cargo type on the craft is considered for LUS and MHE selection.
- When the LUS-MHE priority is equal, craft are assigned in order of arrival at LUS queue (earliest arrival first).

A craft remains in the LUS queue until all requirements for off-loading of the highest priority cargo type have been met. When all requirements have been met and MHE and trucks assigned (if appropriate), then the craft leaves the LUS queue for the LUS. Travel time to the LUS and "LUS set-up time" (function of LUS type and craft type--similar to mooring time) are added before off-loading can begin. Thus, there can be a substantial delay between the departure of one craft and the beginning of unloading of the next craft at the same LUS, depending on the input data.

CRAFT OFF-LOADING

A craft is entirely unloaded at one LUS. It never moves from one LUS to another. MHE are assigned only for the highest priority cargo type aboard the arriving craft. All cargo is handled by the assigned MHE provided it is compatible with all the cargo on the craft. In case of cargo-assigned MHE incompatibility, a new MHE is assigned from the pool to finish the unloading of the craft. Craft may have to wait for MHE in such cases. Another potential

cause of delay occurs when a craft carries more cargo than one truck can accommodate and the craft must await the assignment of an additional truck.

Any LUS can service only one truck at a time. Unloading of a craft is item by item. Positions of cargo items in the craft are not modeled, so that all cargo items are assumed to be equally accessible for unloading.

Craft off-loading is of one of the following modes:

- Off-loading at the marshaling area--All cargo compatible with the current mobile MHE is unloaded in order of cargo type priority. If a cargo type is incompatible with the MHE, then a cargo type of lower priority is unloaded first. MHE is then reassigned to unload the cargo that was incompatible with the previous type of MHE. The craft waits if compatible MHE is unavailable.
- Craft-Truck off-loading--loading proceeds as above except that loading is discontinued when the truck is filled. At this time the truck departs and the truck queue is searched for another truck. If a truck is found, it is assigned and the process is repeated. If no truck is found, loading continues in the "craft-ground" mode.
- Craft-ground off-loading--One item of the highest priority cargo type, compatible with current mobile MHE, is transferred from the craft to the appropriate temporary storage area. Next, the truck queue is searched. If no truck is found, another item is unloaded as the process is repeated. When a truck is found, craft-truck loading begins. Helicopters never unload to trucks and generally carry one item; so their only off-loading mode is craft-ground.
- Off-loading of self-deployable (SD) vehicles--SD vehicles are never put in a truck. Thus, whenever an SD vehicle cargo type is reached and a compatible mobile MHE type is available, all SD vehicles of the current type are off-loaded. The SD vehicles then move in a convoy to the depot.

Choice of MHE type is not dependent on mode of off-loading. It depends only on cargo type and craft type. Thus, craft-truck cargo transfer uses the same MHE as craft-ground transfer.

Mobile MHE is assigned one "unit" at a time. There is never more than one MHE unit simultaneously at one LUS. One "unit" is usually one piece of equipment, although in the case of small forklifts one "unit" may be two or more forklifts. In addition to the "mobile MHE," additional MHE may be used.

A truck leaves an LUS when (a) the truck is full, (b) the craft is empty, or (c) MHE is changed (even if the truck is not full), whichever happens first.

TRUCK ASSIGNMENTS, TRAVEL, AND LOADING

Each cargo type has a list, in preferential order, of the truck types that may carry that type of cargo ("Truck Priority Matrix"). Two or more truck types may have the same priority number for one cargo type.

Trucks are used in several different places in several different situations. The situations requiring a truck are considered in the following order:

- Hatch slots on a ship at a ship transfer facility with a causeway requiring a truck for off-loading.
- Barges waiting at a sea wall requiring a truck. MHE must be available before a truck will be assigned.
- Craft waiting at an LUS.
- Craft waiting in the LUS queue. A new craft is assigned to an LUS. If required, trucks and MHE are available.
- Cargo stored at the beach THA. Cargo is investigated for truck assignments in order of cargo type priority. Trucks are assigned if MHE is available.

Determination of the particular truck to assign in each of the above situations is governed by the following rules:

- If two or more hatch slots, two or more barges, or two or more craft are waiting, the sequence of investigation is as follows:

  - Hatch slots are investigated in order of their ID numbers.
  - Barges are investigated in order of the ID numbers of the sea wall LUS at which they are moored.
  - Craft waiting at an LUS are investigated in descending order of their ID numbers. Thus, the larger craft will have the first chance for truck assignment within this category of assignment.
  - Craft in the LUS queue are investigated in order of their queue arrival time -- "first come, first served."

- Once a specific slot, barge, or craft has been found and the highest priority cargo type aboard has been determined, the type of truck in the truck's queue with the lowest truck-cargo priority number will be chosen.
- If more than one truck of the chosen type (or types) is in the queue, the truck with the most recent queue arrival is chosen ("last come first served" queue discipline).
- Thus, a given truck is not necessarily assigned to the optimum craft (a barge or hatch slot); but a given craft (or barge or hatch slot) is always assigned the optimum truck available at assignment time.

Trucks leaving an LUS or a THA go directly to the depot.

When trucks move to the THA or ISS to transfer cargo, they are not assigned to discrete slots. The number of trucks that can be simultaneously serviced is dependent only on available MHE.

If a unit of MHE can load or unload a cargo item from a truck, it can load or unload any cargo item of a lower priority cargo type (i.e., a "small" cargo type).

The MHE choice for trucks is based on highest priority cargo type and is derived from the "MHE Priority Matrix for Trucks." The MHE choice for loading trucks (at a storage area) is the same as for unloading.

The location of individual cargo items in a truck is not modeled. Truck capacities are handled in the same way as craft capacities, except that vehicle floor space is not considered.

Trucks have two speeds, loaded and unloaded. No time is allowed for acceleration, deceleration, traffic conditions, or set-up and shut-down of the unloading operation.

III. INPUTS AND OUTPUTS

INPUTS

The input data required has been broken into two categories - basic data, and run dependent data. Complete instructions for data preparation are in Appendix C.

Basic Data

Basic data relates to the performance of the system, the facts of the system. Ideally, the basic data will not change. A summary of the basic data follows.

Cargo Module Descriptions. This is the weight, volume, deck space, and type for each cargo module to be moved.

Craft Speeds and Capacities. Four speeds and four capacities for each craft type are possible.

Truck Speeds and Capacities. Two speeds and three capacities (weight, volume, number of items) for each truck type can be specified.

Mooring/Unmooring Times. Times for approach and mooring and for unmooring as a function of the hatch slot type and craft type are required.

Unloading Site Setup/Shutdown Times. Delay times at shoreside LUS are similar to mooring/unmooring times. Each time is a function of LUS type and craft type.

Cargo Transfer Times per Cargo Item. Different transfer times can be specified depending on the kind of transfer:

- Ship-Craft. Function of hatch slot type, craft type, cargo module,
- Craft-Truck. Function of craft type, cargo module, MHE type,
- Craft-Ground. Function of craft type, cargo module, MHE type,
- THA-Truck. Function of truck type, cargo module, MHE type, and
- Truck-Destination. Function of truck type, cargo module, MHE type.

Craft Priorities. Selection priorities for craft at shipside are a function of hatch slot type, craft type, most accessible cargo module in the cargo hatch.

Unloading Site Selection Priorities for Assigning Craft to an LUS Type. These are a function of craft type, LUS type, and the largest cargo module on the craft.

MHE Selection Priorities for Selection of MHE for a Craft at an LUS. Each combination of craft, LUS, and cargo module type has a list of MHE types associated with it.

Truck Selection Priorities. These are a function of truck type and cargo module. Each truck-cargo combination has an associated list of MHE types.

Run Dependent Data

Run dependent data consist of the variables of the system. These are the parameters to be varied from one run to the next in the parametric approach. Taken together the run dependent data constitutes a total description of the scenario within which a LOTS operation will be performed.

Work Load.

- Ship types and descriptions,
- Ships' arrival schedule, and
- Ships' loads - mix of cargo modules on each ship.

Craft Mix. Fleet of craft available to perform the mission. The fleet may be:

- A "pure mix" or a fleet consisting of only one type of craft, with a specified number of craft.
- A true mix of craft, with craft types and numbers specified.
- Either of the above, with craft of the indicated types available as needed. The model will demonstrate the number of craft utilized.

Distances. The following apply to distance input requirements:

- Ship-shore distance,
- Beach-destination distance, and
- Amphibian unloading area - destination distance.

Shoreside Facilities. The number of supporting resources available for the operation may be specified or the model may determine the number utilized.

- Lighter unloading sites. Types of LUS available at each of the three unloading areas,
- Mix of trucks,
- Mix of mobile MHE types available at each of the three MHE pools, and
- THA temporary holding area capacities. Capacity of each of the two temporary holding areas in tons of cargo.

OUTPUTS

There are two primary outputs of the LOTS model of most direct interest: the overall time required for a specified amount of cargo to be moved from aboard ship to a marshaling area; and tabulations of the percentages of the total assigned lighters, trucks, and MHE that were actually used. The first measure, the overall time required, is extended when insufficient assets are assigned so that one or more critical subsystems are idle part of the time. On the other hand, when more than enough transport assets are assigned (i.e., lighters and trucks), the time measure becomes a constant minimum and the second primary output becomes useful. This output shows what percentages of each of the assigned transport were actually used. The priority system used in the queues assures that already-used transport equipment is used first, so that statistics on assigned-but-not-used transport can readily be collected.

A set of summary statistics is printed at the end of each run. A table of statistics is given for the lighters, the trucks, the material handling equipment and the ships. The table for lighters gives the number of round trips from the ship to shore and the cargo carried. It also gives the time and percent of time spent in mooring and unmooring, loading and unloading, traveling to beach, traveling to ship, and the time spent in the queue at the shore and at the ship. The table for trucks is similar. A summary of material handling equipment utilization is also printed. The summary for the ships gives the time to off-load each hatch, total time to clear the ship, and all cargo to arrive at the marshaling area. In addition, the time the ship crane was idle, if any, is given.

APPENDIX A
PROGRAM DESCRIPTION

An event-sequenced simulation technique is utilized in the programming of the LOTS model. Each LOTS element (i.e., ship, lighter, truck) is observed only when it is involved in a specified event. When an event occurs, the appropriate element is processed and the time of the next event, if any, is determined. For example, when a lighter arrives at the ship, event one has occurred. The lighter moors and is loaded, and the time for event two, lighter leaves the ship, is determined. The model next observes the lighter when event two occurs. To determine the next event to be processed, the event clock is searched and the event with the minimum time is selected.

An executive routine (see Figure A.1) searches the event clock, determines the next event, and transfers to the subroutine which processes the event that was found. If no event is found, program control is transferred to a subroutine, which prints an output summary, and the run is complete. Each event is processed in a separate subroutine named EVENT1, EVENT2, . . ., EVENT19, and described in Table A.1. In addition, a number of utility subroutines are used by the event subroutines as shown in Table A.2. A description of the utility subroutines is in Table A.3. After an event has been processed, control returns to the executive routine and the event clock is again searched. A detailed flow



FIGURE A.1. EXECUTIVE ROUTINE LOGIC

TABLE A.1

SUMMARY DESCRIPTION OF EVENT SUBROUTINES

Subroutine	Summary Description
EVENT1	Lighter arrives at the ship
EVENT2	Lighter leaves the ship
EVENT3	Lighter arrives at the shoreside queue
EVENT4	Lighter arrives at the unloading site and unloading begins
EVENT5	Lighter unloading continues
EVENT6	Lighter leaves the unloading site and returns to queue at the ship
EVENT7	Truck leaves lighter unloading site
EVENT8	Truck arrives at the marshaling area
EVENT9	Truck leaves marshaling area
EVENT10	Fixed pier requires truck
EVENT11	Pier ready to discharge barge
EVENT12	Truck arrives at the shore queue
EVENT13	Self-deployable vehicle arrives at the marshaling area
EVENT14	Ship arrives
EVENT15	Lighter is required at the ship
EVENT16	Lighter remains at an unloading site for retrograde only
EVENT17	Fixed pier is ready for ship
EVENT18	Barge leaves pier
EVENT19	Lighter loading at the ship continues

TABLE A.2

UTILITY SUBROUTINES USED BY EVENT SUBROUTINES

Event Subroutines	Utility Subroutines
EVENT1	HSSORT, LDCONS, LDGCS, LOADEX
EVENT2	CRFDES, EVENT3, FNSSHS, HELPLT, HSSORT, MINCLK
EVENT3	TRKSEL
EVENT4	MINCLK
EVENT5	CLUSSL, EVENT4, TRKASG, TRKDES, TRKSEL, WATCRF, WATTRK
EVENT6	CLUSSL, MINCLK, SHPDEP, TRKASG, TRKDES, WATCRF, WATTRK
EVENT7	CLUSSL, TRKASG, TRKDES, WATCRF, WATTRK
EVENT8	TKUNLD
EVENT9	TRKASG, WATCRF, WATTRK
EVENT10	EVENT4, TRKASG, TRKDES, TRKSEL, WATCRF, WATTRK
EVENT11	EVENT4, TRKASG, TRKDES, TRKSEL, WATCRF, WATTRK
EVENT12	CLUSSL, TRKASG, WATCRF
EVENT13	MINCLK
EVENT14	HSSORT, MINCLK, SHPMOV
EVENT15	FNSSHS, HSSORT, MINCLK, SHPDEP
EVENT16	EVENT4, TRKASG, TRKDES, TRKSEL, WATCRF, WATTRK
EVENT17	CLUSSL, MINCLK, SHPDEP, TRKASG, TRKDES, WATCRF, WATTRK
EVENT18	CLUSSL, MINCLK, SHPDEP, TRKASG, TRKDES, WATCRF, WATTRK
EVENT19	HELPLT, HSSORT, LDCONS, MINCLK

TABLE A.3

SUMMARY DESCRIPTION OF UTILITY SUBROUTINES
USED BY EVENT SUBROUTINES

Subroutine	Summary Description
CLUSSL	Assigns waiting lighters in the shoreside queue to an unloading site.
CRFDES	Sends lighters from a ship to a shoreside queue.
FNSSHS	Opens a new hatch on a non-self-sustaining containership and closes empty hatches.
HELPLT	Places a container on the deck of a containership for helicopter pickup.
HSSORT	Sorts all unoccupied berths at the ship. A bookkeeping subroutine.
LDCONS	Loads a lighter at a containership.
LDGCS	Loads a lighter at a general cargo ship.
LOADEX	Supervises the loading of lighters at a ship; calls LDCONS or LDCGS.
MINCLK	Updates event clock. A bookkeeping subroutine.
SHPMOV	Assigns a temporary container discharge facility to a non-self-sustaining containership.
TRKASG	Assigns empty trucks for loading.
TRKDES	Sends trucks to the marshaling area.
TRKSEL	Selects the highest priority truck from the truck queue for a given cargo type.
TRUNLD	Unloads a truck at the marshaling area.
WATCRF	Assigns trucks or mobile material handling equipment to waiting lighters.
WATTRK	Assigns trucks waiting for unloading at the marshaling area.

chart of each subroutine is adequately documented in the basic LOTS Simulation Model Documentation report.[1]

Communication within the program is accomplished by means of 13 labeled common blocks. Each block generally contains the same category of variables, and a description of each common block is in Table A.4. Most variables in the common blocks are integers; therefore, INTEGER*2 specifications can be used when running the program on an IBM computer. The INTEGER*2 statements reduce the core requirement by 40k bytes, thereby permitting a quicker turn around time on computers that give the highest priority to the smallest programs.

[1] U.S. Army Combat Developments Command Systems Analysis Group, Logistics-Over-the-Shore (LOTS) Simulation Model Documentation, ACN 14310, SH Group Technical Report 11-72, U.S. Army Combat Developments Command, Ft. Eustis, Va., 1972.

TABLE A.4

DESCRIPTION OF LABELED COMMON

Labeled Common Number	Description
1	Event clocks
2	Cargo data
3	Lighter data
4	Truck data
5	Cargo hatch data
6	Number of elements (i.e., craft, trucks, ships) in system
7	LOTS system description data
8	Current location of cargo
9	Lighter selection data
10	Shipside unloading data
11	Status of ship unloading
12	Lighter unloading site data
13	Cumulative output statistics

APPENDIX B
COMMON BLOCK VARIABLE DEFINITIONS

COMMON BLOCK A01 - Event Clocks, logical unit assignments, and output options.

NCLOCK(I)	Event clock for each element, where I is the element number (craft, truck, hatch slot, etc.).
NEVTYP(I)	Event type associated with NCLOCK(I) for element I.
NOPEL(I)	Operating element number for element I.
NELEMT(I)	Number of elements in clock I.
NCODE(I)	Not used.
NCLKEL	Number of last element in truck clock (clock 2). NCLKEL also contains minimum event times in clocks 3, 4, and 5.
NLSTEL	Number of last element in the clock.
MTIME	Current minimum event time in seconds.
IEVTYP	Event type of current event.
IELEMT	Element number of current event.
IACTEL	ID number of current element (craft ID, truck ID, ship ID, hatch slot ID, or self-deployable vehicle event ID).
INTCUM	Interval in seconds of periodic output reports.

INTPER	Interval in seconds between checks for MHE requirements.
LPTIME	Clock time in seconds of last MHE requirement check.
LOTIME	Clock time in seconds of last periodic output report.
NPRINT	Assigns logical unit number to the output report which writes the input data and any error messages. If value is six, report is printed. If the value is two, report is suppressed.
NTAPE	Assigns logical unit to narrative message output report.
NTAPE1	Assigns logical unit to periodic output reports.
NTAPE2	Not used.
NTAPE3	Assigns logical unit to each craft loading at shipside output reports.
NCARD	Assigns logical unit for the reading of input data cards. Value is five.
ICOUT	User output option.

1 = Productivities printed with periodic report for each individual craft.

2 = Productivities printed at end of the run only for each individual craft.

3 = Productivities printed with each periodic report, accumulated for each craft type.

4 = Productivities printed at the end of the run only, accumulated for each craft type.

COMMON BLOCK A02 - Cargo data.

CARGWT(I) Weight in short tons (s/tons) of cargo module I.

CARGVT(I) Volume in cu ft of cargo module I for containers and general cargo and deck space for vehicles.

CARGCT(I) Category of module I.

If >0 SD vehicle speed in MPH

= 0 General cargo

= -1 Container

= -2 NSD vehicle.

NCARHL(I) Heavy lift status of module I.

If = 1 Heavy lift item. Item requires heavy lift boom at general cargo ship. Item cannot be left at a temporary holding area.

= 2 Container. Item cannot be left at a temporary holding area.

= 3 Regular item.

NCGTAG(I) Cargo tag of module I. Data for transfer times, craft priorities, LUS, MHE, and truck selection are chosen, according to the cargo tag of the module involved. Cargo tags are as follows:

= 1 Heavy lift. General cargo more than 10 s/tons.

= 2 Not used.

= 3 Heavy self-deployable (SD) vehicles more than 10 s/tons.

= 4 Heavy non-self-deployable (NSD) vehicles more than 10 s/tons.

= 5 Heavy containers more than 10 s/tons.

= 6 Light containers.

= 7 Light SD vehicles.

= 8 Light NSD vehicles.

= 9 General cargo more than 5 s/tons.

= 10 General cargo less than or equal 5 s/tons.

= 11 Not used.

= 12 Pallets.

= 13 Retrograde containers.

COMMON BLOCK A03 - Lighter data.

CRAFWT(I) Weight capacity of craft type I in short tons.

CRAFVL(I) Volume capacity in cubic feet of craft type I. For helicopters CRAFVL(I) is set to 999999.0.

CRAFSP(I,J) Speeds of craft type I.

If J = 1 speed unloaded on land in MPH.
J = 2 speed loaded on land in MPH.
J = 3 speed unloaded at sea in knots.
J = 4 speed loaded at sea in knots.

Note: Land speeds are zero for craft that cannot travel on land.

CRAFHT(I) Height in feet of cargo carrying compartment of craft type I. Height is used to convert a cargo item into a volume requirement for the craft receiving the item. Height for a helicopter craft is zero.

NCRAFM(I) Mode of craft type I. Modes are:

1 landing craft

2 semi-amphibian

3 true-amphibian

4 true air cushion vehicle

5 barge discharge lighter

6 helicopter

7 Not used

8 rigid sidewall air cushion vehicle.

MULHAT(I) Multi-hatch code for craft type I. MN is the code where:

- M is the number of hatch slots blocked or rendered unusable to other craft due to mooring of a craft at a general cargo ship.
- N is the number of hatches which can discharge cargo simultaneously to the craft.

NCCITM(I,J) Cargo carrying capacities of craft type I.

- \> 0 Number of items of cargo module J that craft type I can carry.
- = 0 Craft type I can carry zero items of module J.
- = -1 Weight, volume, and deck space capacities are used to determine the number of items craft type I can carry.

NFILE(I) The number of full containers that must be removed before loading of retrograde containers onto the craft can begin.

CRAFFS(I) Deck space capacity in square feet for craft type I. (NOTE: Deck space is only used for calculating the number of vehicles a craft will carry.)

COMMON BLOCK AC4 - Truck Data.

TRUKWT(I) Weight capacity in short tons of truck type I.

TRUKVL(I) Volume capacity in cubic feet of truck type I.

TRUKSP(I,J) Speeds in miles per hour of truck type I.

J = 1 Truck is empty.

J = 2 Truck is loaded or partially loaded.

NTCITM(I,J) Number of items of cargo module J that will fit into truck I.

> 0 Number of items of cargo module J that truck type I can carry.

= 0 Truck type I can carry zero items of module J.

= -1 Weight, volume, and deck space capacities are used to compute the number of items truck type I can carry.

NPRTRK(I,J) Truck priority matrix.

> 0 The priority number of truck type I for cargo type J.

= 0 Truck type I is incompatible with cargo type J.

NPRTCG(I) Highest priority cargo module currently on truck I.

MHEPRY(I,J,K) MHE priorities for trucks.

I is priority number.

J is truck type.

K is cargo tag.

(NOTE: If priority is zero, then no appropriate MHE types assignable. If the MHE type equals the number of mobile MHE types plus one, then no MHE are required.)

KPRCAR Current cargo module on truck. It is used by the truck selection routine (TRKSEL).

IPRTRK Priority of truck type selected by TRKSEL. Output of TRKSEL.

ITRUCK ID of truck selected by TRKSEL. If equals zero, no compatible truck is in the queue. Also, this is the ID of the truck currently under consideration in other subroutines.

NTRUKQ	Number of trucks currently waiting in the truck queue.
NTRKPR	Maximum number of compatible MHE priorities for trucks. Dimension of I subscript in MHEPRY.
MHETRK(I)	Mobile MHE type currently assigned to truck I. If MHETRK equals five, then no MHE is needed.
LDGTTM(I,J,K)	Ground-truck transfer times for truck k, MHE J, and cargo tag I.
LDTGTM(I,J,K)	Truck-ground transfer times for truck k, MHE J, and cargo tag I.

COMMON BLOCK A05 - Cargo Hatch Data.

NHSSHP(I) Number of hatch slots at ship I.

NCHSHP(I) Number of cargo hatches on ship I.

IDSHIP(I) Ship type of ship I.

= 1 General cargo ship.

= 2 SS container ship.

= 3 LASH ship.

= 4 RO/RO ship.

= 5 NSS containership.

NSHPHS(I) ID of ship that contains hatch slot I.

IDHSLT(I) Hatch slot type of hatch slot I.

NCHCOR(I) ID of cargo hatch corresponding to hatch slot I.

LOCHS(I) Location of hatch slot I.

= 1 Near side of general cargo ship.

= 2 Near side and end of general cargo ship.

= 3 Far side of general cargo ship.

= 4 Far side and end of general cargo ship.

= 5 Causeway.

= 6 LASH Barge Slot - LUS - Seawall only.

= 7 Containership slot for lighters.

= 8 SS containership slot for helicopters.

= 9 NSS containership slot for helicopters.

NHATSS(I) Hatch slot state of hatch slot I.

NSTYP(I) Ship type associated with hatch slot type I.

NHATNO(I) Number associated with NHATSS.

IDCARH(I) Ship type holding cargo hatch I.

NSBOOM(I)	ID of cargo hatch sharing heavy lift boom with cargo hatch I, or the number of snatchable container levels at an NSS containership.
NSTIND(I)	First index number in hatch table for cargo hatch I.
ICHOR	Number of cargo hatch corresponding to hatch slot currently under consideration.
NSSSI(I)	ID of ship transfer facility currently at ship I.
NHATIX(I)	Number of cargo hatch containing cargo at index I in the hatch table.
NDCB(I)	"Deck-cell-Barge number" of cargo at index I.
NACCES(I)	Access number of cargo at index I.
NHTTAB(I,J)	Hatch table where: J is cargo module I is index number.
NTOTAL(I)	Total number of cargo items at index I.
LINDEX	Last index number in hatch table.

COMMON BLOCK A06 - Number of elements in the system.

NCRTYP(I)	Number of craft type I in the system.
NTKTYP(I)	Number of trucks of type I in the system.
NLSTYP(I)	Number of LUS of type I in the system.
NMHTYP(I,J)	Number of mobile MHE units of type I currently in MHE pool J. J = 1 is beach MHE pool. J = 2 is In-shore site MHE pool. J = 3 is depot MHE pool.
IDCRAF(I)	Craft type of craft I.
IDTRUK(I)	Truck type of truck I.
IDLUS(I)	LUS type of LUS I.
IDSDVH(I)	Cargo module of vehicles in SD vehicle event.
NCARTP	Number of cargo modules.
NCRFTP	Number of craft types.
NTRKTP	Number of truck types.
NLUSTP	Number of LUS types.
NMHETP	Number of mobile MHE types.
NHTSTP	Number of hatch slot types.
NCARHT	Number of cargo hatches.
NMHEPL	Number of MHE pools.
NLUS	Number of LUS in the system.
NTAGTP	Number of cargo tags.
NSI	Number of ship transfer facilities.

COMMON BLOCK A07 - LOTS system description.

DIST(I) Distance in miles.

I = 1 Ship to beach queue.

I = 2 Ship's queue to ship.

I = 3 Beach queue to ship's queue.

I = 4 Beach queue to beach.

I = 5 Beach to ISS queue.

I = 6 ISS to Depot queue.

I = 7 ISS queue to ISS.

I = 8 Depot queue to Depot.

I = 9 Causeway to beach.

CAPST(I) Capacity in short tons of storage I.

I = 1 is THA at the beach.

I = 2 is THA at amphibian discharge point.

I = 3 is destination.

ACAPST(I) Short tons of cargo currently located at storage area I.

LUSCRF(I) ID of craft currently at LUS I.

< 0 ID of craft currently enroute to LUS I.

= 0 No craft at or enroute to LUS.

> 100 Barge number currently at seawall.

LUSTRK(I) ID of truck currently at LUS I. If zero, no truck at LUS.

LUSMHE(I) Mobile MHE type currently at LUS I. If zero, no mobile MHE at LUS I.

LUSLOC(I) Location of LUS type I.

= 1 Beach.

= 2 Amphibian transfer point.

= 3 Destination.

LUSSTT(I) "MHE status" of LUS type I.

= 1 Seawall.

= 2 Fixed MHE.

= 3 Mobile MHE.

= 4 No MHE - helicopter pad.

= 5 Causeway.

LDCGTM(I,J,K) Craft-ground cargo transfer times in seconds for craft type K, cargo tag I, MHE type J.

LDCTTM(I,J,K) Craft-truck cargo transfer times in seconds for craft type K, cargo tag I, MHE type J.

COMMON BLOCK A08 - Current Location of Cargo.

LCRCAR(I,J) Number of cargo items of module J currently on craft I.

LTKCAR(I,J) Number of cargo items of module J currently on truck I.

LSTCAR(I,J) Number of cargo items of module J currently at storage area I.

Storage area numbers are:

= 1 THA at the beach.

= 2 THA at the amphibian discharge point.

= 3 Destination.

COMMON BLOCK A09 - Lighter Selection Data.

LISTCR(I)	ID of craft I in craft selection list.
LISTHS(I)	Hatch slot selection list of I^{th} hatch slot in the list.
NSORT(I)	Temporary sorting list of clock element number which is I^{th} in list.
NPRCAR(I)	Highest priority cargo module currently at cargo hatch I.
NLISCR	Number of craft currently in LISTCR.
NLISHS	Number of hatch slots currently in LISTHS.
ISLOT	ID of hatch slot currently under consideration for craft assignment.
ICRAFT	ID of craft currently under consideration for assignment.
NPRCHC(I,J,K)	"Craft-Cargo-Hatch slot priority matrix" for cargo tag I, for hatch slot type J, and for craft type K.

COMMON BLOCK A10 - Shipside Unloading Data.

MOORTM(I,J)	Mooring time in seconds at shipside for craft type I at hatch slot J.
LOADTM(I,J,K)	Loading time in seconds at shipside for cargo tag K, craft J, and hatch slot I.
NBDT	Barge discharge time in seconds.
NDECKD	Deck delay time in seconds.
NRTM80	Time in seconds to flip heavy lift boom.
NRTM15	Time required to rerig from heavy lift boom to normal boom.
NSMT	Time to move an NSS container ship to a ship transfer facility.
NSIMT	Ship transfer facility mooring time in seconds.
NHELOD	Helicopter delay time in seconds.
NSIWT	Warp time in seconds.

COMMON BLOCK A11 - Status of Ship Unloading.

NCITEM(I)	Number of items of cargo module I allowed on craft currently under consideration.
ITIME	Current time in seconds in loading operation.
LDTIME	Time in seconds required for loading.
JSLOT	ID of hatch slot where loading is currently being performed.
JHATCH	ID of cargo hatch where loading is currently being performed.
WEIGHT	Weight of cargo that may be loaded from current hatch to current craft.
VOLUME	Volume of cargo that may be loaded from current hatch to current craft.
L1	First index number in current cargo hatch that contains cargo.
L3	Last index number in current cargo hatch.
CCWT	Current weight of cargo in craft.
CCVL	Current volume of cargo in craft.
INDEX	Index number of cargo currently being loaded.
NCONTR	Number of items currently in craft.
FLOOR	Deck space of vehicular cargo that may be loaded from current hatch to current craft.
CCFS	Current deck space used on craft.

COMMON BLOCK A12 - Lighter Unloading Site (LUS) Data.

LUSQUE(I)	ID of I^{th} craft in LUS queue.
NPRCCG(I)	Highest priority cargo module currently on craft I.
NPRLUS(I,J,K)	LUS type.
NPRMHE(I,J,K)	Mobile MHE type for cargo tage K, craft J, and priority I.
LUSLIS(I)	ID of first open LUS of type I. If equal zero then no open LUS of type I.
LUSSDT(I,J)	LUS shutdown time.
LUSBTM(I,J)	LUS setup time.
LUSCRQ	Number of craft in LUS queue.
NLUSPR	Maximum number of LUS-MHE priorities for any craft-cargo combination.
LUSOPN	Number of LUS that are currently open.

COMMON BLOCK A13 - Cumulative Output Statistics.

NCRCUM(I,J) Cumulative craft statistics for craft ID I.

If J = 1 Number of cycles completed.

= 2 Time in ship's queue.

= 3 Travel-ship's queue to ship.

= 4 Mooring.

= 5 Loading.

= 6 Unmooring.

= 7 Travel-ship to LUS queue.

= 8 Time in LUS queue.

= 9 Travel-LUS queue to LUS.

= 10 Setup time at LUS.

= 11 Off-loading at LUS.

= 12 Waiting for off-loading.

= 13 Shutdown at LUS.

= 14 Travel-LUS to ship's queue.

= 15 Beach hold queue.

NTKCUM(I,J) Cumulative truck statistics for truck ID number I.

If J = 1 Number of cycles completed.

= 2 Time in truck queue.

= 3 Loading at LUS.

= 4 Waiting at LUS.

= 5 Loading at THA/LUS.

= 6 Travel loaded.

= 7 Unloading.

= 8 Waiting for unloading.

= 9 Travel unloaded.

MHECYC(I,J,K) Number of times returned to pool J, MHE type I, and LUS if K = 1 or storage if K = 2.

MHECAR(I,J,K) Number of cargo items carried by MHE type I at pool J of cargo module K.

MHECUM(I,J,K) MHE time statistic at return to pool J for MHE type I and for

K = 1 Time at LUS.

= 2 Loading storage area.

= 3 Unloading storage area.

LUSUSE(I,J) LUS statistics for LUS I and craft type J.

LUSCUM(I,J) For LUS type I,

J = 1 Time occupied.

= 2 Time reserved.

NSTCUM(I,J) Not used.

NHSCUM(I,J) Hatch slot time statistic for hatch slot I where:

J = 1 Time closed.

= 2 Time open.

= 3 Time blocked.

= 4 Time occupied.

= 5 Time saved.

= 6 Time empty.

= 7 Time in system.

NHSCRF(I,J) Number of craft serviced of craft type (or truck type J) at hatch slot I.

NTRAFF(I) Not used.

NCRCAR(I,J) Total cumulative cargo of module J carried by craft I.

APPENDIX C

INPUT DATA FORMATS

BASIC DATA

Basic data is not changed during the execution of any given job. Several simulation runs may be made in one job using the same set of basic data. Basic data is printed in the same order that it is read. Different sets of run dependent data can be entered for each job. The data formats are described in this appendix in the same order as the data cards are read by the program.

LOGICAL UNIT OPTIONS

Rec	Format	Col.	Name	Description
1	I5	1-5	NTAPE	Assigns logical unit to narrative message output report
	I5	6-10	NTAPE1	Assigns logical unit to periodic reports output report
	I5	11-15	NTAPE2	Not used
	I5	16-20	NTAPE3	Assigns logical unit to each craft loading operation at shipside output report

(A value of 2 suppresses the output and a value of 6 writes the output.)

TITLE

Rec	Format	Col.	Name	Description
1	20A4	1-80	NALPHA(20)	Title of run for alphanumeric output only
2	20A4	1-80	NALPHA(20)	Title of run for alphanumeric output only

CARGO MODULES

Rec	Format	Col.	Name	Description
1	I8	1-8	NCARTP	Number of cargo modules
One record for each cargo module plus one record for empty container module (NCARTP + 1 records).				
2-N	4A4	1-16	NALPHA(4)	Module description (used for alpha-numeric output only)
	I7	18-24	I	Cargo module priority number
	F7.2	25-31	CARGWT(I)	Module weight
	F7.2	32-38	CARGUT(I)	Module volume
	F7.2	39-45	CARGCT(I)	Module category
	I7	46-52	NCARHL(I)	Module heavy lift category
	I7	53-59	NCGTAG(I)	Module tag

CARGO TAGS

Rec	Format	Col.	Name	Description
1	I8	1-8	NTAGTP	Number of cargo tags
One record for each cargo tage (NTAGTA records).				
2	I8	1-8	I	Cargo tag number
	17A4	13-80	NALPHA(17)	Cargo tag description

CRAFT TYPES

Rec	Format	Col.	Name	Description
1	I8	1-8	NCRFTP	Number of craft types
Three records for each craft type (3 X NCRFTP records).				
2	4A4	1-16	NALPHA(4)	Craft type description (used for alphanumeric output only)
	F7.2	18-24	CRAFWI(I)	Weight capacity (tons)
	F7.2	25-31	CRAFVL(I)	Volume capacity (cuft)
	F7.2	32-38	CRAFSP(I,1)	Craft speed empty, land (mph)
	F7.2	39-45	CRAFSP(I,2)	Craft speed loaded, land (mph)
	F7.2	46-52	CRAFSP(I,3)	Craft speed empty, sea (knots)
	F7.2	53-59	CRAFSP(I,4)	Craft speed loaded, sea (knots)
	F7.2	60-66	CRAFHT(I)	Craft cargo carrying height (ft)
	I7	67-73	NCRAFM(I)	Craft mode
	I7	74-80	MULHAT(I)	Multi-hatch code
3	J(I2)	I-2J	NCCITM(I,J)	Craft cargo carrying capacity (I is craft number, J = 1 to NCARTP + 1.)
4	I8	1-8	NFILE(I)	Containers/file
	F8.2	9-16	CRAFFS(I)	Craft deck space (sq ft)

TRUCK TYPES

Rec	Format	Col.	Name	Description
1	I8	I-8	NTRKTP	Number of truck types
Two records for each truck type (2 X NTRKTP records)				
2	4A4	1-16	NALPHA(4)	Truck type description (used for alphanumeric output only)
	F7.2	18-24	TRUKWT(I)	Weight capacity (tons)
	F7.2	25-31	TRUKVL(I)	Volume capacity (cu ft)
	F7.2	32-38	TRUKSP(I,1)	Truck speed empty (mph)
	F7.2	39-45	TRUKSP(I,2)	Truck speed loaded (mph)
3	J(I2)	1-2J	NTCITM(I,J)	Truck cargo carring capacity (I is the truck number, J = 1 to NCARTP + 1)

LIGHTER UNLOADING SITE (LUS) TYPES

Rec	Format	Col.	Name	Description
1	I8	I-8	NLUSTP	Number of LUS types
One record for each LUS type (NLUSTP records)				
2	4A4	1-16	NALPHA(4)	LUS type description
	17	18-24	I	LUS type number
	17	25-31	LUSLOC(I)	LUS location
	17	32-38	LUSSTT	LUS MHE status

MHE TYPES

Rec	Format	Col.	Name	Description
1	I8	1-8	NMHETP	Number of Mobile MHE types
	I8	9-16	NMHEPL	Number of Mobile MHE pools

One record for each MHE type plus three additional records (NMHETP + 3 records). The last three records are:

NMHETP + 1	Sea wall crane
NMHETP + 2	Semi-mobile crane
NMHETP + 3	not used

2	4A4	1-16	NALPHA(4)	MHE type description (used for alphanumeric output only)
	I7	18-24	I	MHE type number

HATCH SLOT TYPES

Rec	Format	Col.	Name	Description
1	I8	1-8	NHTSTP	Number of hatch slot types
One record for each hatch slot type (NHTSTP records).				
2	4A4	1-16	NALPHA(4)	Hatch slot description (used for alphanumeric output only).
	I7	18-24	I	Hatch slot type number
	I7	25-31	NSTYP(I)	Ship type

MOORING TIMES

One record for each craft type

Rec	Format	Col.	Name	Description
1	J(F6.2)	1-6J	MOORTM(J,I)	Mooring times (min) (J = 1, NHTSTP) (I = hatch slot types)

LOADING DELAY TIMES

Rec	Format	Col.	Name	Description
1	F8.2	1-8	NDBT	Barge discharge time (min)
	F8.2	9-16	NDECKD	Deck delay time (min)
	F8.2	17-24	NRTM80	Heavy boom rig time (min)
	F8.2	25-32	NRTM15	Light boom rig time (min)
	F8.2	33-40	NSMT	Ship move time (min)
	F8.2	41-48	NSIMT	Ship facility mooring time (min)
	F8.2	49-56	NHELOD	Helicopter platform delay time (min)
	F8.2	57-64	NSIWT	Ship facility relocation time (min)

SHIP-CRAFT CARGO TRANSFER TIMES

One record for each craft type and cargo tag.

Rec	Format	Col.	Name	Description
1	N(F6.2)	1-N6	LOADTM(N,I,J)	Loading time for a cargo module (mins) (N is hatch slot type) (I is craft type) (J is cargo tag)

LIGHTER UNLOADING SITE SET-UP TIMES

One record for each craft type plus one additional record (NCRFTP+1 records). The last record is for barges.

Rec	Format	Col.	Name	Description
1	N(F6.2)	1-6N	LUSTBM(I,N)	LUS set-up time (mins) (I is craft type) (N is LUS type)

LIGHTER UNLOADING SITE SHUT-DOWN TIMES

One record for each craft type plus one additional record (NCRFTP+1 records). The last record is for barges.

Rec	Format	Col.	Name	Description
1	N(F6.2)	1-N	LUSSDT(I,N)	LUS shut-down time (mins) (I is craft type) (N is LUS type)

CRAFT-TRUCK CARGO TRANSFER TIMES

One record for each craft type and cargo tag.

Rec	Format	Col.	Name	Description
1	N(F6.2)	1-6N	LDCTTM(J,N,I)	Time to transfer a cargo (mins) module from craft to truck (J is cargo tag) (N is MHE type; N=1 to NMHETP+3) (I is craft type)

Incompatible times are indicated by a -1.00.

CRAFT-GROUND CARGO TRANSFER TIMES

One record for each craft type and cargo tag.

Rec	Format	Col.	Name	Description
1	N(F6.2)	1-6N	LDCGTM(J,N,I)	Time to transfer a cargo module from craft to ground (mins) (J is cargo tag) (N is MHE type; N=1 to MMHETP+3) (I is craft type)

GROUND-TRUCK CARGO TRANSFER TIMES

One record for each truck type and each cargo tag.

Rec	Format	Col.	Name	Description
1	N(F6.2)	1-6N	LDGTTM(J,N,I)	Time to transfer a cargo module from the ground to a truck (mins) (J is cargo tag) (N is MHE type; N=1 to NMHETP+1) (I is truck type)

TRUCK-GROUND CARGO TRANSFER TIMES

One record for each truck type and each cargo tag.

Rec	Format	Col.	Name	Description
1	N(F6.2)	1-6N	LDTTGM(J,N,I)	Time to transfer a cargo module from a truck to the ground (mins) (J is cargo tag) (N is MHE type; N=1 to NMHETP+1) (I is truck type)

CRAFT-CARGO-HATCH SLOT PRIORITY MATRIX

One card for each craft type and for each hatch slot type.

Rec	Format	Col.	Name	Description
1	N(I5)	1-N5	NPRCHC(I,J,N)	Craft selection priority (I is craft type) (J is hatch slot type) (N is cargo tag)

LUS-MHE PRIORITY MATRIX

Rec	Format	Col.	Name	Description
1	I8	I-8	NLUSPR	Number of LUS-MHE choices (priorities) for any given craft and cargo
Two records for each craft type and each priority.				
2	N(I5)	I-N5	NPRLUS(J,I,N)	LUS priority for a given craft type and cargo tag (J is LUS type) (I is craft type) (N is cargo tag)
3	N(I5)	I-N5	NPRMHE(J,I,N)	Mobile MHE, if any, used with a given LUS type, craft type, and cargo tag. (J is LUS type) (I is craft type) (N is cargo tag)

TRUCK PRIORITY MATRIX

One record for each truck type.

Rec	Format	Col.	Name	Description
1	N(I5)	I-N5	NPRTRK(I,N)	Priority of each truck type for each cargo tag (I is truck type) (N is cargo tag)

MHE PRIORITY MATRIX FOR TRUCKS

Rec	Format	Col.	Name	Description
1	I8	I-8	NTRKPK	Number of MHE choices (priorities) for any given truck and cargo tag

One record for each priority number and each truck type.

2	N(I5)	I-N5	MHEPRY(J,I,N)	MHE priority for each truck type and cargo tag (J is priority number) (I is truck type) (N is cargo tag)

NUMBER OF RUNS FOR THIS JOB

Rec	Format	Col.	Name	Description
1	I1	1	NUMDS	Number of runs for current job

RUN DEPENDENT DATA

Run dependent data is printed in the same order that it is read. The following describes run dependent data for a simulation run.

CRAFT IN SYSTEM

One record for each craft type.

Rec	Format	Col.	Name	Description
1	I8	I-8	I	Craft type
	I8	9-16	NCRTYP(I)	Number of craft type I available to perform the operation

TRUCKS IN SYSTEMS

One record for each truck type.

Rec	Format	Col.	Name	Description
1	I8	I-8	I	Truck type
	I8	9-16	NTRKTYP(I)	Number of truck type I available to perform the operation

LUS IN THE SYSTEM

One card for each LUS type.

Rec	Format	Col.	Name	Description
1	I8	I-8	I	LUS type
	I8	9-16	NLSTYP(I)	Number of LUS type I available to perform the operation

MOBILE MHE IN THE SYSTEM

One record for each mobile MHE type.

Rec	Format	Col.	Name	Description
1	I8	I-8	I	Mobile MHE type
	3(I8)	9-32	NMHTYP(I,J)	Number of mobile MHE of type I in pool J (J=1 is beach pool) (J=2 is amphibian pool) (J=3 is destination pool)

SHIPS IN THE SYSTEM

Rec	Format	Col.	Name	Description
1	18	1-8	NELEMT(3)	Number of ships in the system to be unloaded
One record for each ship.				
2	4A4	1-16	NALPHA(4)	Ship description (used for alpha numeric output only)
	I7	18-24	IDSHIP(I)	Ship type of ship I
	I7	25-31	NHSSHP(I)	Number of hatch slots in ship I
	I7	32-38	NCHSHP(I)	Number of cargo hatches on ship I
	I7	39-45	NCLOCK(NCLKEL+1)	Arrival time of ship I. At least one ship must have an arrival time of zero.

HATCH SLOT DATA

One card for each hatch slot.

Rec	Format	Col.	Name	Description
1	I8	1-8	I	Hatch slot number
	I8	9-16	IDHSLT(I)	Hatch slot type of hatch slot I
	I8	17-24	NSHPHS(I)	Number of ship with hatch slot I
	I8	25-32	NCHOR(I)	Number of cargo hatch used by hatch slot I
	I8	33-40	LOCHS(I)	Hatch location (see common A05)

HATCH TABLES

First record for each cargo hatch.

Rec	Format	Col.	Name	Description
1	I8	1-8	IDCARH	Cargo hatch type of hatch I
	I8	9-16	NSBOOM(I)	ID of cargo hatch sharing heavy lift boom with cargo hatch I or the number of snatchable container levels on a NSS containership

Two records for each cargo hatch.

2	I3	1-3	NHATIX(INDEX)	Cargo hatch number
	I3	4-6	NDCB(INDEX)	"Deck-Cell-Barge" number
	I3	7-9	NACCES(INDEX)	Access number of general cargo
	I3	10-12	N	End signal for index in this cargo hatch. Equals -1 is last index number in this cargo hatch. Not equal -1 means more index
	22I3	13-79	NHTTAB(INDEX,J)	Cargo module number (22 modules)
3	18I3	1-54	NHTTAB(INDEX,J)	Additional cargo modules

NUMBER OF SHIP TRANSFER FACILITIES IN THE SYSTEM

Rec	Format	Col.	Name	Description
1	I8	1-8	NSI	Number of ship facilities in the system

DISTANCES

All distances are in miles

Rec	Format	Col.	Name	Description
1	F8.2	1-8	DIST(1)	Ship to beach queue distance
	F8.2	9-16	DIST(2)	Ship's queue to ship distance
	F8.2	17-24	DIST(3)	Beach queue to ship's queue distance
	F8.2	25-32	DIST(4)	Beach queue to beach distance
	F8.2	33-40	DIST(5)	Beach to amphibian unloading area queue
	F8.2	41-48	DIST(6)	Amphibian unloading area to destination queue
	F8.2	49-56	DIST(7)	Amphibian area queue to amphibian area
	F8.2	57-64	DIST(8)	Destination queue to destination
	F8.2	65-72	DIST(9)	Causeway to beach

TEMPORARY HOLDING AREA (THA) CAPACITIES

Rec	Format	Col.	Name	Description
1	F8.2	1-8	CAPST(1)	Capacity in tons of cargo at the THA at the beach
	F8.2	9-16	CAPST(2)	Capacity in tons of cargo at the THA at the amphibian unloading area

TIME INTERVALS

Rec	Format	Col.	Name	Description
1	F8.2	1-8	INTCUM	Time interval between cumulative statistical output reports
	F8.2	9-16	INTPER	Time interval between checks of MHE pools for estimated MHE requirements

OUTPUT CHOICE

Rec	Format	Col.	Name	Description
1	I8	I-8	ICOUT	User output option 1 = productivities printed with periodic report for each individual craft 2 = Productivities printed at end of the run only for each individual craft 3 = Productivities printed with each periodic report, accumulated for each craft type 4 = Productivities printed at end of run only, accumulated for each craft type

APPENDIX D
SIZE LIMITATIONS

The size of the data arrays are limited by the size of the dimension specifications in COMMON. The following steps should be taken to change the array specifications:

1. Change the appropriate dimension specifications in all COMMONS.
2. Format changes may be needed for input/output, especially in RPDATA, RSDATA, WCLOCK, and CUMOUT.
3. The upper limit of the first DO statement in START must be changed. This DO loop initializes all statistical arrays in common to zero. The upper limit must equal the number of variables in COMMON A13.

The dimension specifications are currently set to the following values:

100	Elements = # craft + # trucks + # ships + # hatch slots + # simultaneous self-deployable vehicle events + 1
40	Cargo modules (39 user-defined cargo modules plus one for empty containers)
13	Cargo tags

10	Craft types (9 user-defined craft types plus one for LASH barges)
10	Truck types
10	MHE priorities for trucks
15	MHE types (12 user-defined mobile MHE types plus three non-mobile)
30	Craft
30	Trucks
30	LUS
5	Ships
20	Hatch slots
20	Cargo hatches
100	Index numbers in hatch tables
10	Hatch slot types
5	Ship transfer facilities
15	LUS-MHE priorities

APPENDIX E
JOB CONTROL STATEMENTS

The job control language (JCL) statements to catalogue a private library on a disk pack, to compile and to execute the LOTS program are given in Figures E.1, E.2, E.3 and E.4.

```
//JOB CARD
/*SETUP          TIME=1     CORE=150 TAPES=1    DISK=1     PERM=XXX
/*SETUP          EXTID=0170     INTID=PRIATE  UNIT=D  DISP=OLD
//STEP1  EXEC  PGM=IEFBR14
//DD1   DD  DSN=JLOTS.OBJLIB,DISP=(NEW,CATLG),UNIT=3330,
// DCB=(RECFM=U,BLKSIZE=13030),
//   SPACE=(CYL,(25,5,25)),VOL=SER=PRIATE
/*
/*EOF
```

FIGURE E.1. JCL TO CATALOGUE A PRIVATE LIBRARY ON A DISK PACK

```
//JOB CARD
/*SETUP          TIME=1     CORE=150 TAPES=1    DISK=1     PERM=XXX
/*SETUP          EXTID=0170     INTID=PRIATE  UNIT=D  DISP=OLD
//JOBLIB   DD  DSN=JLOTS.OBJLIB,DISP=OLD
//FSCOMP   EXEC  FORTGCL,
//         PARM.FORT=SOURCE,
//         PARM.LKED='XCAL
//FORT.SYSIN   DD  *
  SOURCE DECK
/*
//LKED.SYSLMOD   DD  DSN=JLOTS.OBJLIB(LOTSONE),DISP=SHR
//LKED.SYSIN   DD  *
/*
/*EOF
```

FIGURE E.2. JCL TO COMPILE AND TO STORE THE OBJECT CODE OF THE FIRST ROUTINE

```
//JOB CARD
/*SETUP          TIME=1    CORE=128 TAPES=1    DISK=1    PRIORITY 5
/*SETUP          EXTID=0170    INITIATE  UNITS=2  DISP=OLD
//JOBLIB  DD  DSN=JLOTS.OBJLIB.DISP=OLD
//RUN  EXEC  FORTGCL.
//         PARM.FORT=SOURCE
//FORT.SYSPRINT  DD  SYSOUT=*
//FORT.SYSIN  DD  *
  SOURCE DECK
/*
//LKED.SYSLMOD  DD DSN=*.JOBLIB,DISP=SHR
//LKED.SYSPRINT  DD  SYSOUT=*
//LKED.SYSLIB  DD  DSN=*.JOBLIB,DISP=SHR
//LKED.SYSIN  DD  *
  INCLUDE SYSLIB(LOTSONE)
  ENTRY MAIN
  NAME LOTSONE(R)
/*
/*EOF
```

FIGURE E.3. JCL TO COMPILE AND TO STORE THE OBJECT CODE OF ALL ROUTINES EXCEPT THE FIRST. (COMPILED ROUTINES CAN BE CHANGED AND COMPILED AGAIN. THE NEW OBJECT REPLACES THE OLD OBJECT CODE. MORE THAN ONE ROUTINE MAY BE COMPILED SIMULTANEOUSLY.)

```
//JOB CARD
/*SETUP          TIME=1    CORE=128 TAPES=1    DISK=1    PRIORITY 5
/*SETUP          EXTID=0170    INITIATE  UNITS=2  DISP=OLD
//JOBLIB  DD  DSN=JLOTS.OBJLIB.DISP=OLD
//RUN  EXEC  PGM=LOTSONE.TIME=2
//GO.FT02F001  DD  DUMMY
//GO.FT05F001  DD  *
  INPUT DATA DECK
/*
//GO.FT06F001  DD  SYSOUT=A,
//  DCB=(RECFM=FA,LRECL=133,BLKSIZE=1330)
/*EOF
```

FIGURE E.4. JCL TO EXECUTE THE PROGRAM

APPENDIX F
PROGRAM LISTING

This appendix contains the LOTS Simulation Model which is listed first. The main program is followed by various appropriate subroutines. Subroutines are listed in alphabetical order.

```
C     MAIN PROGRAM
C
C*****
C
C
C*****
      COMMON/A01/NCLOCK(100),NEVTYP(100),NCPEL(100),NELEMT(6),NCODE(20),
     .          NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LETIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
      INTEGER*2NEVTYP,       NCPEL ,       NELEMT,       NCODE       AI
      NPRINT=
      NCARD=
      READ (NCARD,'(5I') NTAPE,NTAPE1,NTAPE2,NTAPE3
  '(5I' FORMAT (4I5)
C
C     READ DATA ROUTINE - READ ALL PERMANENT AND SCENARIO DATA.
C
      CALL RPDATA
      READ (NCARD,5300) NUMDS
 5300 FORMAT (I1)
      DO 5333 J=1,NUMDS
      CALL RSDATA
C
C     STARTUP ROUTINE - INITIALIZE BOOKKEEPING VARIABLES, PLACE CRAFT
C     AND TRUCKS INITIALLY IN QUEUES.
C     INITIALIZE EVENT CLOCKS.
C
      CALL START
      NEVENT=
      LPTIME=
      LETIME=
      MTIME=0
C
C               TEST CUMULATIVE OUTPUT TIME
    1 LETIME=MTIME
      IF((LETIME+INTCUM).GT.MTIME) GO TO 3
C
      LETIME=LETIME+INTCUM
      CALL WCLOCK
      CALL CUMOUT(LETIME)
    2 IF((LETIME+INTCUM).GT.MTIME) GOTO 7
      LETIME=LETIME+INTCUM
      GO TO 2
C
C               TEST PERIODIC OUTPUT TIME
C
    3 IF((LPTIME+INTPER).GT.MTIME) GO TO 7
    4 LPTIME=LPTIME+INTPER
      CALL PEROUT
      GOTO 8
C
C     SEARCH CLOCK FOR MINIMUM EVENT TIME.
C
    7 IELEMT=1
      MTIME= NCLOCK(1)
      DO 5 I=2,NCLKEL
      IF((MTIME.GT.0).AND.((NCLOCK(I).LT.0).OR.(NCLOCK(I).GE.MTIME)))
     .GO TO 5
      MTIME=NCLOCK(I)
      IELEMT= I
    5 CONTINUE
C
C     TEST FOR END OF SIMULATION RUN -- NO MORE EVENTS HAVE BEEN GENERATED.
C
      IF(MTIME.LT.) GO TO 5000
      IF(IELEMT.NE.NCLKEL) GO TO
      IELEMT=NCPEL(NCLKEL)
      IACTEL=NEVTYP(NCLKEL)
      GO TO 9
C
C     MINIMUM TIME IS FOUND. FIND NEXT EVENT TYPE, ELEMENT TYPE AND
C     ADJUSTED ELEMENT NUMBER.
C
    6 IACTEL=IELEMT
      IF(IELEMT.GT.NELEMT(1))IACTEL=IELEMT-NELEMT(1)
    9 IEVTYP=NEVTYP(IELEMT)
C
C     ADJUSTED (ACTUAL) ELEMENT IS FOUND.
C     TEST FOR VALID EVENT TYPE.
C
      IF(IEVTYP.GT.0) GO TO 50
C
C     EVENT TYPE IS NON-PROCESSABLE, AND IS INVALID AS A MINIMUM EVENT
C     TYPE.
C
      OTIME=NCLOCK(IELEMT)/3600.
      WRITE(NPRINT,12) IEVTYP,IELEMT,OTIME
   12 FORMAT(1X,10HEVENT TYPE,I4,44H CANNOT BE PROCESSED.  OCCURS AT ELE
     .MENT NO.,I5,14H AT EVENT TIME,F7.2)
C
C     WRITE EVENT CLOCK FOR DEBUGGING.
C
      CALL WCLOCK
      STOP
C
C     NEXT EVENT TYPE IS FOUND. BRANCH FOR PROCESSING ACCORDING TO EVENT
C     TYPE.
C
   50 NEVENT=NEVENT+1
      OTIME=MTIME/3600.
      WRITE(NTAPE ,51)
      WRITE(NTAPE ,52)NEVENT,IEVTYP,IELEMT,IACTEL,OTIME,MTIME
   51 FORMAT(1X,120(1H*))
   52 FORMAT(1X,12HEVENT NUMBER,I6,4H  TYPE,I3,13H  ELEMENT NO.,I4,11H
     .ID NUMBER,       I3,7H  TIME=,F7.2,9H HOURS  (,I8,9H SECONDS))
      GO TO (100,200,300,400,500,600,700,800,900,1000,1100,1200,1300,
     .1400,1500,1600,1700,1800,1900),IEVTYP
C
C     EACH EVENT TYPE HAS A SUBROUTINE TO PERFORM THE APPROPRIATE
C     PROCESSING.
C
C     EVENT 1: CRAFT ARRIVES AT SHIP'S QUEUE.
```

```
C
  100 CALL EVENT1
      GO TO 1
C
C     EVENT 2: CRAFT LEAVES HATCH SLOT.
C
  200 CALL EVENT2
      GO TO 1
C
C     EVENT 3: CRAFT ARRIVES AT LCS QUEUE.
C
  300 CALL EVENT3
      GO TO 1
C
C     EVENT 4: CRAFT ARRIVES AT LCS.
C
  400 CALL EVENT4
      GO TO 1
C
C     EVENT 5: CRAFT LEFT AT LCS.
C
  500 CALL EVENT5
      GO TO 1
C
C     EVENT 6: CRAFT LEAVES LCS.
C
  600 CALL EVENT6
      GO TO 1
C
C     EVENT 7: TRUCK (LOADED) LEAVES THA/ISS.
C
  700 CALL EVENT7
      GO TO 1
C
C     EVENT 8: TRUCK (LOADED) ARRIVES AT ISS/DEPOT.
C
  800 IMHETP=0
      IMHEPL=0
      ITRK=0
      CALL EVENT8(IMHETP,IMHEPL,ITRK)
      GO TO 1
C
C     EVENT 9: TRUCK (UNLOADED) LEAVES ISS/DEPOT.
C
  900 CALL EVENT9
      GO TO 1
C
C     EVENT 10: HATCH SLOT LEFT AT CAUSEWAY.
C
 1000 CALL EVNT10
      GO TO 1
C
C     EVENT 11: SEA WALL READY TO OFF-LOAD BARGE.
C
 1100 CALL EVNT11
      GO TO 1
```



```
C
C     EVENT 12: TRUCK ARRIVES AT TRUCK QUEUE.
C
 1200 CALL EVNT12
      GO TO 1
C
C     EVENT 13: SP VEHICLES ARRIVE AT DEPOT.
C
 1300 CALL EVNT13
      GO TO 1
C
C     EVENT 14: SHIP ARRIVAL.
C
 1400 CALL EVNT14
      GO TO 1
C
C     EVENT 15: HATCH SLOT OPENS.
C
 1500 CALL EVNT15
      GO TO 1
C
C     EVENT 16- CRAFT LEFT FOR RETROGRADE ONLY.
C
 1600 CALL EVNT16
      GO TO 1
C
C             EVENT 17- HATCH SLOT AT CAUSEWAY IS EMPTY.
C
 1700 CALL EVNT17
      GOTO 1
C
C             EVENT 18- BARGE LEAVES SEA WALL.
C
 1800 CALL EVNT18
      GOTO 1
C
C             EVENT 19- CRAFT LEFT AT HATCH SLOT.
C
 1900 CALL EVNT19
      GOTO 1
C
C     END OF SIMULATION -- MINIMUM EVENT TIME IS LESS THAN ZERO. ALL
C     EVENTS HAVE BEEN PROCESSED.
C     WRITE OUTPUT SUMMARY.
C
C
 3000 CALL SUMMRY(LETIME)
 3333 CONTINUE
      STOP
      END
```

```
      SUBROUTINE CREDES
C
C             CRAFT DESTINATION--SENDS CRAFT FROM MATCH SLOT TO
C             APPROPRIATE LUS QUEUING AREA.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(26),
     .           NELKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LOTIME,*PRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGUT(40),CARGVL(40),CARCCT(40),NCARHL(40),NCGTAG(40)
C
      COMMON/A03/CRAFMT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IDLUS(30),IDSDVH(20),
     .           NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHETP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,NSI,NTAGTP
C
      COMMON/A07/DIST(9),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSLOC(15),LUSSTT(15),LDCGTM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A12/LUSQUE(30),NPRCCG(30),NPRLUS(15,10,13),NPRMHE(15,10,13)
     .,LUSLIS(16),LUSBTM(10,15),LUSSDT(10,15),
     .           LUSCRG,NLUSPR,LUSOPN
C
      COMMON/A13/CRCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .,40),MHECUM(15,3,4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),NHSCUM
     .(20,7),*HSCAP(20,10),NTRAFF(2),NCRCAP(30,40),INDCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,3)
     .,MHEREQ(15,3),MHETOT(15,3)
C*****
      INTEGER*2NEVTYP,        NOPEL ,        NELEMT,        NCODE          A1
      INTEGER*2NCARHL,        NCGTAG                                       A2
      INTEGER*2NCRAFM,        MULHAT,        NCCITM,        NFILE          A3
      INTEGER*2NCRTYP,        NTKTYP,        NLSTYP,        NMHTYP         A6
      INTEGER*2IDCRAF,        IDTRUK,        IDLUS ,        IDSDVH         A6
      INTEGER*2LUSCRF,        LUSTRK,        LUSMHF,        LUSLOC         A7
      INTEGER*2LUSSTT,        LDCGTM,        LDCTTM                        A7
      INTEGER*2LCRCAR,        LTKCAR,        LSTCAR                        AH
      INTEGER*2LUSQUE,        NPRCCG,        NPRLUS,        NPRMHE         A12
      INTEGER*2LUSLIS,        LUSBTM,        LUSSDT                        A12
C
C             FIND HIGHEST PRIORITY CARGO TYPE ON CRAFT.
C
      ISLOT=NOPEL(IELEMT)
      DO 20 I=1,NCARTP
      IF(LCICAR(IELEMT,I).NE.0) GOTO 30
   20 CONTINUE
      OTIME=MTIME/3600.
      WRITE(NPRINT,25) IELEMT,ISLOT,OTIME
   25 FORMAT(1X,32HOPERATIONAL ERROR--EMPTY CRAFT,I4,13H  LEAVES SLOT,I4
     .,4H  AT,F8.2,8H  HOURS.  SEND TO SHIP-S QUEUE.)
      NEVTYP(IELEMT)=1
      NOPEL(IELEMT)=0
      CALL WCLOCK
      LTIME=MTIME
      CALL CUMOUT(LTIME)
      STOP
C
C             SET HIGHEST PRIORITY CARGO TYPE.
C
   30 ICARTP=I
      ITAGTP=NCGTAG(ICARTP)
      NPRCCG(IELEMT)=ICARTP
C
C             SEARCH LUS PRIORITIES FOR NEAREST LUS TYPE.
C
      ICRTYP=IDCRAF(IELEMT)
      ITEMP=5
      DO 50 I=1,NLUSPR
      ISUB=NPRLUS(I,ICRTYP,ITAGTP)
      IF(ISUB.EQ.0) GOTO 51
      IF(NLSTYP(ISUB).EQ.0) GOTO 51
      IF(LUSLOC(ISUB).GE.ITEMP) GOTO 50
      ITEMP=LUSLOC(ISUB)
   50 CONTINUE
C
C             SEND CRAFT TO LUS QUEUE.
C
   51 NEVTYP(IELEMT)= 4
      NOPEL(IELEMT)=ITEMP
C
C             FIND TRAVEL TIME TO QUEUE.
C
      LTIME=((3600.*DIST(1))/(1.1515*CRAFSP(ICRTYP,4)))+.5
      GOTO (200,100,80),ITEMP
C
C             TIME FROM ISS QUEUE--DEPOT QUEUE.
C
   80 LTIME=LTIME+((3600.*(DIST(7)+DIST(6)))/(CRAFSP(ICRTYP,2)) +.5
C
C             TIME FROM BEACH QUEUE--ISS QUEUE.
C
  100 LTIME=LTIME+((3600.*DIST(4))/(1.1515*CRAFSP(ICRTYP,4)))+.5
      LTIME=LTIME+((3600.*DIST(5))/(CRAFSP(ICRTYP,2)))+.5
  200 OTIME=LTIME/3600.
      NCRCUM(IELEMT,7)=NCRCUM(IELEMT,7)+LTIME
      NCLOCK(IELEMT)=MTIME+LTIME
      NCYCLE=NCRCUM(IELEMT,1)+1
      WRITE(NTAPE2,230) NCODE(2),NCYCLE,IELEMT,MTIME,ITEMP,LTIME
  230 FORMAT(1X,I2,1117)
      WRITE(NTAPE,250) ISLOT,ITEMP,OTIME
  250 FORMAT(1X,17HCRAFT LEAVES SLOT,I4,20H  TRAVEL TIME TO LUS QUEUE,I3
     .,4H  IS,F8.2,8H  HOURS.)
 1000 RETURN
      END
```

```
      SUBROUTINE CUMOUT(LETIME)
C
C             CUMULATIVE OUTPUT--WRITE CUMULATIVE OUTPUT STATISTICS AT A
C             SPECIFIED INTERVAL.
C
C*****
C
      COMMON/A01/NFLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           NELNEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LETIME,LOTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IGTRUK(30),IDLUS(30),IDSDVH(20),
     .           NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHFTP,NHTSTP,NCARHT,NMHFPL
     .,NLUS,NSI,NTAGTP
C
      COMMON/A13/NCKCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .40),MHECUM(15,3, 4),LUSUSE(30,10),LUSCUM(30,2),MSTCUM(2,40),NHSCUM
     .(20,7),MHSCRF(2,10),NTRAFF(2),NCRCAR(30,40),IMDCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,3)
     .,MHEFEQ(15,3),MHETOT(15,3)
C*****
      INTEGER*2NEVTYP,        NOPEL ,        NELEMT,        NCODE        A1
      INTEGER*2NCRTYP,        NTKTYP,        NLSTYP,        NMHTYP       A6
      INTEGER*2IDCRAF,        IGTRUK,        IDLUS ,        IDSDVH       A6
      DIMENSION CTIME(15),PTIME(15)
C
C             WRITE HEADING
C
      OTIME=LETIME/3600.
      IF(MTIME.LT.3) OTIME=LETIME/3600.
      WRITE(NTAPE1,10) OTIME
   10 FORMAT('1H1,24HCUMULATIVE STATISTICS AT F8.2,7H  HOURS)
C
C             WRITE CRAFT STATISTICS
C
      WRITE(NTAPE1,20)
   20 FORMAT(1X//1X,14HCRAFT STATISTICS)
      WRITE(NTAPE1,205)
  205 FORMAT(5X,64HIE  CYCLES    TIMES IN HOURS AND PERCENT OF TOTAL ELA
     .PSED TIME--)
      WRITE(NTAPE1,206)
  206 FORMAT(15X,102HSHIP.S| TRAVEL|MOORING|LOADING|    UN-| TRAVEL|
     .LUS| TRAVEL|    LUS| UNLOAD|WAITING|    LUS| TRAVEL
     .,4H|  BLACK/16X,14HQUEUE | SHIP.S|,
     .          7X,1H|,7X, 72H|MOORING|SHIP TO|  QUEUE|  LUS Q|  SETUP| A
     .T LUS|      TO|  SHUT-| LUS TO
     .,4H|   HOLE/21X,5H|    Q TO|,7X,1H|,7X,1H|,7X,
     . 9H|  LUS Q|,7X,5H| TO LUS|,7X,1H|,7X, 24H| UNLOAD|   DOWN|SHIP.S
     .,4H|  QUEUE/21X,5H|    SHIP|,10(7X,1H|),4H  QUEUE|)
      WRITE(NTAPE1,200)(I,I=1,15)
      WRITE(NTAPE1,230)
      L2=NELEMT(1)
      DO 35 I=1,L2
      DO 25 J=2,15
      OITIME(J)=NCKCLM(I,J)/3600.
```



```
   25 PITIME(J)=100.*OITIME(J)/OTIME
      WRITE(NTAPE1,220)I,NCKCUM(I,1),(OITIME(J),J=2,15)
   30 WRITE(NTAPE1,221) (PITIME(J),J=2,15)
C
C             CRAFT CARGO--CUMULATIVE
C
      WRITE(NTAPE1,1005)
 1005 FORMAT(1X//1X,22HCUMULATIVE CRAFT CARGO)
      L2=NCARTP+1
      WRITE(NTAPE1,1010) (I,I=1,L2)
 1010 FORMAT(1X,5HCRAFT, /X,33HNUMBER OF CARGO ITEMS BY MODULE--/15X,27I
     .4/15X,13I4)
      WRITE(NTAPE1,230)
      L1=NELEMT(1)
      DO 1020 I=1,L1
 1020 WRITE(NTAPE1,1030) I,(NCRCAR(I,J),J=1,L2)
 1030 FORMAT(1X,5HCRAFT,13,4X,2714/13X,13I4)
C
C             TRUCK STATISTICS
C
      WRITE(NTAPE1,50)
   50 FORMAT(1X//1X,16HTRUCK STATISTICS)
      WRITE(NTAPE1,210)
      WRITE(NTAPE1,55)
   55 FORMAT(16X,61HTRUCK|LOADING|WAITING|LOADING| TRAVEL|    UN-|WAITIN
     .G| TRAVEL/16X,62HQUEUE| AT LUS| AT LUS|AT THA/| LOADED|LOADING|FOR
     . UN-|UNLOADED/21X,1H|,7X,1H|,7X,9H|    LUS|,7X,1H|,7X,9H|LOADING|)
      WRITE(NTAPE1,200) (I,I=1,9)
      WRITE(NTAPE1,230)
      L2=NELEMT(2)-1
      DO 70 I=1,L2
      DO 60 J=2,9
   60 OITIME(J)=NTKCUM(I,J)/3600.
   70 WRITE(NTAPE1,220)I,NTKCUM(I,1),(OITIME(J),J= 2,9)
C
C             MHE STATISTICS
C
C
C             WRITE MHE POOLS
C
      WRITE(NTAPE1,72) (I,I=1,NMHETP)
   72 FORMAT(1X//1X,12HMHE POOLS-- /1X,4HMHE POOL,1X,11HMHE TYPES--/14X,
     .1516)
      WRITE(NTAPE1,230)
      WRITE(NTAPE1,73)
   73 FORMAT(1X,25HMHE IN POOLS AT PRESENT--)
      DO 74 I=1,NMHEPL
   74 WRITE(NTAPE1,75) I,(NMHTYP(J,I),J=1,NMHETP)
   75 FORMAT(1X,I8,5X,1516)
C
C             WRITE ESTIMATED MHE REQUIREMENT.
C
      OTIME2=INTPER/3600.
      WRITE(NTAPE1,76) OTIME2
   76 FORMAT(1X,49HESTIMATED MHE REQUIREMENTS BASED ON CHECKS AT,F7.2,17
     .H  HOUR INTERVALS-)
```

```
      DO 77  I=1,NMHEPL
   77 WRITE(NTAPE1,75) I,(MHEREQ(J,I),J=1,NMHETP)
      WRITE(NTAPE1,80)
   80 FORMAT(1X///1X,14HMHE STATISTICS)
      WRITE(NTAPE1,90)
   90 FORMAT(4X,2HMHE| POOL|CYCLES--   |TIMES--/3X,'HTYPE|,5X,3HH|  LU
     .S| THA/|LOADING|LOADING|UNLOADING/7X,1H|,5X,1H|,5X,23H| ISS/| AT L
     .U|AT THA/|2X,3(5X,1H|),6HREPOT|,7X,9H|    ISS|)
      DO 130 I=1,NMHETP
      DO 130 J=1,5
      DO 100 K=1,3
  100 QITIME(K)=MHECUM(I,J,K)/3600.
      WRITE(NTAPE1,120)I,J,(MHECYC(I,J,K),K=1,2),(QITIME(K),K=1,3)
  120 FORMAT(1X/1X,4I6,3F8.2)
  130 WRITE(NTAPE1,240)(MHECAR(I,J,K),K=1,NCARTP)
C
C             LUS STATISTICS
C
      WRITE(NTAPE1,140)
  140 FORMAT(1X///1X,14HLUS STATISTICS/2X,18H LUS ID    TIMES--/9X,20HOCC
     .UPIED    RESERVED)
      DO 152 I=1,NLUS
      DO 150 J=1,2
  150 QITIME(J)=LUSCUM(I,J)/3600.
  152 WRITE(NTAPE1,155)I,(QITIME(J),J=1,2),(LUSUSE(I,J),J=1,NCRETP)
  155 FORMAT(1X/1X,I4,2F8.2/1X,15HCRAFT BY TYPE--/1X,4013)
C
C             HATCH SLOT STATISTICS
C
      WRITE(NTAPE1,182)
  182 FORMAT(1X///1X,21HHATCH SLOT STATISTICS)
      L=0
      WRITE(NTAPE1,185)
  185 FORMAT(5X,2HID,6X,16HTIMES IN HOURS--/13X,5HH| CLOSED|   OPEN|BLOC
     .KED|    OC-|  SAVED|  EMPTY|IN SYSTEM/6X,4(7X,1H|), 8H CUPIED|2C7
     .X,1H|))
      WRITE(NTAPE1,200)L,(I,I=1,7)
      WRITE(NTAPE1,210)
      L2=NSLEMT(4)
      DO 195 I=1,L2
      DO 190 J=1,7
  190 QITIME(J)=HMSCUM(I,J)/3600.
      WRITE(NTAPE1,220)I,L,(QITIME(J),J=1,7)
  195 WRITE(NTAPE1,196)(HMSCRF(I,J),J=1,NCRETP)
  196 FORMAT(1X,17HCYCLES/CRAFT TYPE/1X,4013)
      IF((ICOUT.EQ.1).OR.(ICOUT.EQ.3)) CALL QSTAT(LETIME)
      RETURN
  200 FORMAT(2X,I6,I6,13I4)
  210 FORMAT(5X,23HIL  CYCLES    TIMES IN HOURS--)
  220 FORMAT(1X,2I6,14F8.2)
  221 FORMAT(14X,14(F7.2,1H))
  230 FORMAT(1X,124(1H-))
  240 FORMAT(1X,17HCARGO BY MODULE--/1X,3214/1X,3214)
      END
```



```
      SUBROUTINE EVENT1
C             EVENT 1--CRAFT ARRIVES AT SHIP'S QUEUE.
C             PLACES CRAFT IN SHIP'S QUEUE AND SELECTS HATCH SLOT, IF
C             ANY.
C             ALTERNATE ENTRY POINTS--CHATSU-- SELECTS CRAFT FOR ALL
C             UNOCCUPIED HATCH SLOTS. CALLED BY SHIP ARRIVAL EVENT AND
C             CRAFT LEAVES HATCH SLOT EVENT.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,ITPEM,
     .LPTIME,LCTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE4
C
      COMMON/A02/CARGWT(40),CARGVL(40),CARGCT(40),ICARPL(40),NCGTAB(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCGITM(10,40),NFILE(10),CRAFES(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTGITM(10,40),NPRTRK
     .(10,13),NPRTCG(30),MHEPRY(10,10,13),MHETRK(30),LEGTIM(13,15,10),LD
     .TGTM(13,15,10),
     .           KPRCAR,IPRTRK,ITRUCK,NTRUKO,NTRKPR
C
      COMMON/A05/NHSSHP( 5),NCHSHP( 5),IDSHIP( 5),PSHPHS(20),IDHCLT(20),
     .NCHCOR(20),LCCRS(20),NHATSS(20),NSTYP(20),PHATNO(20),IDCARH(20),NS
     .ROOM(20),NSTINF(20),NHATIX(100),NDCH(100),NACCES(100),NTOTAL(100),
     .NHTTAB(100,40),NSSSI(5),
     .           ICHCOR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTRTYP(10),NLSTYP(15),PMRTYP(15,3),IDCRAF(30
     .),IDTRUK(30),ICLLS(30),IESCVE(20),
     .           NCARTP,NCRETP,NTRKTP,NLUSTP,NMHETP,NHTSTP,NCRSHT,NMHEPL
     .,NLUS,NSI,NTAGTP
C
      COMMON/A09/LISTCR(30),LISTHS(24),NSOFT(30),NPRCAR(20),NPRCHC(10,10
     .,13),
     .           NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .           ITIME,LDTIME,LSLOT,JHATCH,WEIGHT,VOLUME,L1,L5,CCWT,CCVL
     .           ,INDEX,NCONTR,CCFS,FLOOR
C
      COMMON/A13/NCRCUM(30,15),NTRCUM(30,9),MHECYC(15,3,2),MHECAP(15,3,
     .40),MHECUM(15,3,4),LUSUSE(30,10),LUSCUM(30,2),NSICUM(2,40),NHSCUM
     .(20,7),NHSCRF(20,10),NTRAFF(2),NCRCAP(30,40),IMECYC(30,2),MSTAT(30
     .,4,2),QSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,      NOPEL ,      NELEMT,      NCODE        A1
      INTEGER*2NCARPL,      NEGTAB                                 A2
      INTEGER*2NCRAFM,      MULHAT,      NCGITM,      NFILE        A3
      INTEGER*2NTGITM,      NPRTRK,      NPRTCG,      MHEPRY       A4
      INTEGER*2MHETRK,      LEGTIM,      LDTGTM                    A5
      INTEGER*2NHSCRF,      NCHSHP,      IDCHIF,      NCHCOR       A6
      INTEGER*2IDHCLT,      NCHCOR,      LCCRS ,      NHATSS       A7
      INTEGER*2NSTYP ,      NHATIX,      IDCARH,      NSROOM       A8
```

```
      INTEGER*2NSTYNP,      NMATIX,      NDCK ,      NACCES      A5
      INTEGER*2NTOTAL,      NHTTAB,      NOSSI                   A7
      INTEGER*2NCRTYP,      NTKTYP,      NLSTYP,     NMHTYP      A8
      INTEGER*2IECHAR,      IFTRUK,      IDLUS ,     IDSOVH      A8
      INTEGER*2LISTCR,      LISTHS,      NSORT ,     NPRCAR      A9
      INTEGER*2NPRCHC                                            A9
      INTEGER*2NCITEM,      NPLAT                                A11
C
C             PLACE CRAFT IN SHIP'S QUEUE.
C
      NCLOCK(IACTEL)=-NCLOCK(IACTEL)
      NCRCUM(IACTEL,1)=NCRCUM(IACTEL,1)+1
      NLISCR=NLISCR+1
C
C             PUT NEW CRAFT IN PROPER PLACE IN CRAFT SELECTION LIST.
C
      L2=NLISCR-1
      DO 2 I=1,L2
      J=NLISCR-I
      IF(LISTCR(J).LT.IACTEL) GOTO 3
      LISTCR(J+1)=LISTCR(J)
    2 CONTINUE
      LISTCR(1)=IACTEL
      L1=1
      GOTO 4
    3 LISTCR(J+1)=IACTEL
      L1=J+1
    4 CONTINUE
      L2=L1
C
C             UPDATE PRODUCTIVITY STATISTICS
C
      ISUB=INDCYC(IACTEL,1)
      ISUB1=MTIME-INDCYC(IACTEL,2)
      KSTAT(IACTEL,ISUB,2)=KSTAT(IACTEL,ISUB,2)+ISUB1
      QTIME=ISUB1/3600.
      WRITE(NTAPE,5) IACTEL,QTIME
    5 FORMAT(1X,5HCRAFT,I4,26H  ARRIVES AT SHIP'S QUEUE.,F10.2,12H  HOUR
     .S CYCLE)
      GO TO 10
C
C             ENTRY TO SELECT CRAFT FOR ALL OPEN HATCH SLOTS.
C
      ENTRY CRFTSU
   20 IF(NLISCR.EQ.0) GO TO 1000
      L1=1
      L2=NLISCR
C     CHECK FOR ANY UNOCCUPIED HATCH SLOTS
   10 IF(NLISHS.EQ.0) GO TO 1000
      IBLOCK=0
      IPR=0
C             LOOP THRU HATCH SLOTS AND CRAFT IN SELECTION LISTS.
      DO 100 I=1,NLISHS
      KTYPE=LISTHS(I)
      JTYPE=NDKCCR(KTYPE)
      LTYPE=NPRCAR(JTYPE)
```



```
      IF(LOCHC(KTYPE).EQ.0) LTYPE=NPLAT(KTYPE)
C             HIGHEST PRIORITY CARGO NOT =0?
      IF(LTYPE.GT.0) GOTO 35
      WRITE(NPRINT,30) KTYPE,JTYPE,NHATSS(KTYPE),LTYPE
   30 FORMAT(1X,17HLOGIC ERROR--SLOT,I3,10H  AT HATCH,I5,11H  HAS STATE,
     .I5,11H  AND CARGO,I4)
      NHATSS(KTYPE)=3
      GOTO 100
   35 JTYPE=NCGTAG(LTYPE)
      ITYPE=IDHSLT(KTYPE)
      DO 95 J=L1,L2
      K=J
      KTYPE=LIST(R(K)
      KTYPE=IDCRAF(KTYPE)
C             TEST FOR HIGHER PRIORITY
      IF(IPR.EQ.0) GO TO 40
      IF((NPRCHC(KTYPE,ITYPE,JTYPE).EQ.0).OR.(NPRECC(KTYPE,ITYPE,JTYPE).
     .GE.IPR)) GO TO 95
   40 IF(NCCITM(KTYPE,LTYPE).EQ.0) GOTO 90
C             SET NEW "BEST ASSIGNMENT"
   50 IPR=NPRCHC(KTYPE,ITYPE,JTYPE)
      ISLOT=LISTHS(I)
      ICRAFT=LISTCR(K)
      KCRAFT=K
   90 CONTINUE
  100 CONTINUE
C
C             HAS AN ASSIGNMENT BEEN FOUND?
C
      IF(IPR.EQ.0) GOTO 1000
C*****************************************************************
C             A CRAFT IS AVAILABLE FOR ASSIGNMENT TO A HATCH SLOT.
C             ASSIGN THE CRAFT,LOADIT, AND INVESTIGATE POSSIBILITY OF AN
C             ADDITIONAL CRAFT ASSIGNMENT.
C
C
C             IS CRAFT MULTI-HATCHED?
C
      ICRTYP=IDCRAF(ICRAFT)
      L2=MULHAT(ICRTYP)/10
      IF(L2.EQ.1) GO TO 300
C
C             CRAFT IS MULTI-HATCHED.  IS SHIP A GENERAL CARGO SHIP?
C
      ISHIP=NSHPFS(ISLOT)
      ISTYP=IDSHIP(ISHIP)
      IF(ISTYP.NE.1) GOTO 300
      NHATLD=MULHAT(ICRTYP)-L2*10
C
C             CHECK FOR ADJACENT BLOCKABLE SLOTS.
C             SET PARAMETERS TO FIND LOWEST AND HIGHEST BLOCKABLE SLOTS.
C
      NPLUS=ISLOT+L2-1
      NMINUS=ISLOT-L2+1
      IF(NMINUS.LE.0) NMINUS=1
      IPLUS=ISLOT
```

```
      IMINUS=ISLOT
C
C               IS ISLOT AND END SLOT?
C
      IF((LOCHS(ISLOT).NE.4).AND.(LOCHS(ISLOT).NE.2)) GOTO 120
C
C               DOES CRAFT LOAD AT MORE THAN 1 HATCH?
C
      IF(NHATLD.EQ.1) GOTO 300
C               RESET LAST SLOT TO END SLOT.
      IF(ISLOT.EQ.1) GOTO 110
      IF((LOCHS(ISLOT-1).NE.1).AND.(LOCHS(ISLOT-1).NE.5)) GOTO 110
      NPLUS=ISLOT
      GOTO 123
  110 NMINUS=ISLOT
C
C               FIND EXTENT OF BLOCKABLE SLOTS.
C               LOOK FOR HIGHEST SLOT.
  120 IF(IPLUS.GE.NPLUS) GOTO 160
  130 IPLUS=IPLUS+1
      IF((LOCHS(IPLUS).EQ.2) .OR.(LOCHS(IPLUS).EQ.4)) NPLUS=IPLUS
      IF((NHATSS(IPLUS).GE.2).AND.(NHATSS(IPLUS).LE.4)) GOTO 160
C               HIGHEST BLOCKABLE SLOT FOUND.
      NPLUS=IPLUS-1
C
C               LOOK FOR LOWEST SLOT.
C
  160 IF(IMINUS.LE.NMINUS) GOTO 180
      IMINUS=IMINUS-1
      IF((LOCHS(IMINUS).EQ.2).OR.(LOCHS(IMINUS).EQ.4)) NMINUS=IMINUS
      IF((NHATSS(IMINUS).GE.2).AND.(NHATSS(IMINUS).LE.4))GOTO 120
C               LOWEST BLOCKADE SLOT FOUND.
      NMINUS=IMINUS+1
C               HIGHEST AND LOWEST FOUND?
  180 IF(IPLUS.LT.NPLUS) GOTO 130
C
C               BLOCKABLE SLOTS FOUND.  ASSIGN OR SAVE CRAFT AND SLOTS.
C
      IF(NHATLD.GT.1) GOTO 210
C               ARE BLOCKABLE SLOTS END SLOTS?
      IF((LOCHS(NPLUS).EQ.2).OR.(LOCHS(NPLUS).EQ.4)) GOTO 195
      IF((LOCHS(NMINUS).EQ.2).OR.(LOCHS(NMINUS).EQ.4)) GOTO 200
      GOTO 210
  195 NMINUS=ISLOT
      GOTO 2000
  200 NPLUS=ISLOT
      GOTO 2000
C
C               ARE THERE ENOUGH BLOCKABLE SLOTS TO ASSIGN CRAFT?
C
  210 IF((NPLUS-NMINUS+1).LT.L2) GOTO 3000
  215 IF((NPLUS-NMINUS+1).EQ.L2) GOTO 2000
C
C               MORE THAN ENOUGH BLOCKABLE SLOTS.  BLOCK CLOSED OR EMPTY
C               SLOTS IF POSSIBLE.
C
```



```
      IF(NMINUS.EQ.ISLOT) GOTO 220
      IF(NPLUS.EQ.ISLOT) GO TO 230
      GOTO 240
  220 NPLUS=ISLOT+L2-1
      GOTO 2000
  230 NMINUS=ISLOT-L2+1
      GOTO 2000
C
C               FIND BEST SLOTS.
C
  240 IF(NHATLD.GT.1) GOTO 250
C               TRY TO BLOCK EMPTY OR CLOSED SLOTS IF CRAFT LOADS AT ONE
C               HATCH.
      IF(NHATSS(NMINUS).EQ.4) GOTO 260
      GOTO 270
C               TRY TO FIND AN OPEN SLOT FOR MULTI-HATCH-LOADING CRAFT.
  250 IF(NHATSS(NMINUS).EQ.4) GOTO 270
  260 NMINUS=NMINUS+1
      GOTO 215
  270 NPLUS=NPLUS-1
      GOTO 215
C
C               BLOCK ALL SLOTS FROM NMINUS TO NPLUS FOR MULTI-HATCH CRAFT
C               ASSIGNMENT.
 2000 DO 2100 I=NMINUS,NPLUS
      IF(I.EQ.ISLOT) GOTO 2100
C               RESET HATCH SLOT STATE TO BLOCKED.
      NSTATE=NHATSS(I)
      NHATNO(I)=ISLOT
      WRITE(NTAPE,2010) I,ICRAFT,ISLOT
 2010 FORMAT(1X,'HATCH SLOT',I3,'BLOCKED BY CRAFT',I3,' AT SLOT',
     .I3)
      GOTO(2100,2020,2030,2040),NSTATE
C               CLOSE AND BLOCKED.
 2020 NHATSS(I)=6
      GOTO 2100
C               EMPTY AND BLOCKED.
 2030 NHATSS(I)=5
      GOTO 2100
C               UNOCCUPIED AND BLOCKED.
 2040 NHATSS(I)=5
      ICLKEL=NCLKEL+NELEMT(3)+1
      NHSCLK(I,2)=NHSCLK(I,2)+MTIME+NCLOCK(ICLKEL)
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=0
 2100 CONTINUE
      GOTO 300
C
C               CRAFT CANNOT BE ASSIGNED DUE TO OCCUPIED ADJACENT SLOTS.
C               SAVE AVAILABLE SLOTS,AND CRAFT.
C
 3000 DO 3200 I=NMINUS,NPLUS
      IF(I.EQ.ISLOT) GOTO 3150
      NSTATE=NHATSS(I)
      NHATNO(I)=ISLOT
      WRITE(NTAPE,3110) I,ICRAFT,ISLOT
```

```
                    EVENT1          DATE = 78*11          22/43/41

 3010 FORMAT(1X,12HMATCH SLOT,I4,20H  SAVED FOR BLOCKING BY CRAFT,I4,2H
     . AT SLOT,I4)
      GOTO(3020,3030,3040),NSTATE
C             SAVED FOR BLOCKING AND CLOSED.
 3020 NMATSS(I)=11
      GOTO 3200
C             SAVED FOR BLOCKING AND EMPTY.
 3030 NMATSS(I)=12
      GOTO 3200
C             SAVED FOR BLOCKING AND UNOCCUPIED.
 3040 NMATSS(I)=
      ICLKEL=NCLKEL+NELEMT(3)+I
      NMSCUM(I,2)=NMSCUM(I,2)+MTIME+NCLOCK(ICLKEL)
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=0
      GOTO 3200
C
C             SAVE CRAFT AND ASSIGNED SLOT.
C
 3150 NMATSS(I)=7
      NMATNO(I)=ICRAFT
      NOPEL(ICRAFT)=I
      ICLKEL=NCLKEL+NELEMT(3)+I
      NMSCUM(I,2)=NMSCUM(I,2)+MTIME+NCLOCK(ICLKEL)
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=0
      IBLOCK=NBLLS-NMINUS+1
      WRITE(NTAPE,3160) IPR,ICRAFT,L2     ,ISLOT
 3160 FORMAT(1X, 4HPRIORITY,I3,19H  ASSIGNMENT--CRAFT,I3,11H  REQUIRING,
     .I3,3H  SLOTS IS SAVED FOR MATCH SLOT,I3)
 3200 CONTINUE
      GOTO 500
C
C     SET MATCH SLOT TO OCCUPIED.
C
  300 NMATSS(ISLOT)=10
      NMATNO(ISLOT)=ICRAFT
      NOPEL(ICRAFT)=ISLOT
      JCLKEL=NCLKEL+NELEMT(3)+ISLOT
      NMSCUM(ISLOT,2)=NMSCUM(ISLOT,2)+MTIME+NCLOCK(JCLKEL)
      NEVTYP(JCLKEL)=0
      WRITE(NTAPE,310)ICRAFT,ISLOT,IPR
  310 FORMAT(1X,5HCRAFT,I4,20H  SENT TO MATCH SLOT,I4,10H  PRIORITY,I4,1
     .2H  ASSIGNMENT)
C
C             LOAD CRAFT
C
      CALL LOADEV
  400 CONTINUE
C
C             UPDATE CRAFT SELECTION LIST.
C
  500 NLISCR=NLISCR-1
      IF(NLISCR.LE.0) GO TO 600
      IF(KCRAFT.EQ.(NLISCR+1)) GO TO 610
      DO 550 I=KCRAFT,NLISCR
```



```
                    EVENT1          DATE = 78*11          22/43/41

  540 LISTCR(I)=LISTCR(I+1)
  610 LISTCR(NLISCR+1)=0
C
C     UPDATE MATCH SLOT SELECTION LIST.
C
      IF(I.EVTYP.EQ.14) IEVTYP=I
      CALL MSSORT
      IF(IEVTYP.NE.1) GOTO 20
 1000 RETURN
C
C             ERROR ROUTINE
C
 1200 WRITE(NTAPE,1210)I
 1210 FORMAT(1X,10HMATCH SLOT,I4,,30H  IS IN SELECTION LIST ALTHOUGH IT H
     .ASN-T ARRIVED)
      CALL WCLOCK
      STOP
      END
```

```
      SUBROUTINE EVENT2
C
C
C           EVENT 2--CRAFT LEAVES HATCH SLOT.
C           SENDS CRAFT TO LUS QUEUE.
C           ASSIGNS ANOTHER CRAFT TO VACATED HATCH SLOTS, IF POSSIBLE.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .          NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LETIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CAPCMT(40),CARGVL(40),CARGCT(40),NCARPL(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),LPRTRK
     .(10,15),MPETCR(30),MHEPRY(15,10,13),MHETRK(30),LDGTTM(13,15,10),LD
     .TTM(13,15,10),
     .          KPRCAR,IPRTRK,ITRUCK,NTRUKQ,NTRKPR
C
      COMMON/A05/NHSSHP( 5),NCHSHP( 5),IDSHIP( 5),NSHPHS(20),IDHSLT(20),
     .NCHC R(20),LCCFS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .S P(20),NSTIAC(20),NHATTY(100),NDCH(100),NACCFS(100),NTOTAL(100),
     .NHTTAB(100,4),NSSSI(5),
     .          ICHCOR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IFLUS(30),IDSDVH(20),
     .          NCARTF,NCRFTP,NTRKTP,NLLSTP,NMHFTP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,NSI,NTSTP
C
      COMMON/A07/DIST( 5),CAPST(3),ACAFST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSLOC(15),LUSSTT(15),LDCFTM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCSCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCR(30),LISTHS(24),NSOFT(30),NPRCAR(20),NPRCHC(10,10
     .,13),
     .          NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/MODRTM(10,10),LOADTM(10,10,13),
     .NSOT,NDECK(,NPTMFO,NRTMIS,NSMT,NSIMT,NHELOC,NSIWT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .          ITIME,LETIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L3,CCUT,CCVL
     .          ,INEED,NCONTR,CCFS,FLOOR
C
      COMMON/A13/MCRCUM(30,15),NTKCUM(30,4),MHECYC(15,3,2),MHECAR(15,3,
     .4),MHECUM(15,3, 4),LUSUSE(30,10),LUSCUM(30,2),LSTCUM(2,40),MHSCUM
     .(20,2),NUSCRF(20,10),NTRAFF(2),NCRCAR(30,40),IDCYC(30,2),KSTAT(30
     .,4,3),CSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,        NOPEL ,         NELEMT,         NCODE          A1
      INTEGER*2NCAPPL,        LCGTAG                                         A2
      INTEGER*2NCRAFM,        MULHAT,         NCCITM,         NFILE          A3
      INTEGER*2NTCITM,        LPRTRK,         NPRTCC,         MHEPRY         A4
      INTEGER*2MPETRK,        LDGTTM,         LDTSTM                         A4
      INTEGER*2NHSSHP,        NCHSHP,         IDSHIP,         NSHPHS         A5
      INTEGER*2IDHSLT,        NCRCHR,         LDCHS ,         NHATSS         A5
      INTEGER*2NSTYP ,        NHATNO,         IDCARH,         NSSOOM         A5
      INTEGER*2NSTIAC,        NHATTY,         NDCH  ,         NACCFS         A5
      INTEGER*2NTOTAL,        NHTTAB,         NSSSI                          A5
      INTEGER*2NCRTYP,        NTKTYP,         NLSTYP,         NMHTYP         A6
      INTEGER*2IDCRAF,        IDTRUK,         IDLUS ,         IDSDVH         A6
      INTEGER*2LUSCRF,        LUSTRK,         LUSMHF,         LUSLOC         A7
      INTEGER*2LLSSTT,        LDCFTM,         LDCTTM                         A7
      INTEGER*2LCRCAR,        LTKCAR,         LSTCAR                         A8
      INTEGER*2LISTCR,        LISTHS,         NSOFT ,         NPRCAR         A9
      INTEGER*2NPRCHC                                                        A9
      INTEGER*2MODRTM,        LOADTM                                         A1
      INTEGER*2NCITEM,        NPLAT                                          A11
      WRITE(NTAPE,5)
    5 FORMAT(1X,29HCRAFT LEAVES HATCH SLOT EVENT)
      ICRTYP=IDCRAF(IELEMT)
      ISLOT=NOPEL(IELEMT)
C
C           NOTE ABOUT FLAGS--
C           IFLAG=1   SHIP IS NOT EMPTY.
C           JFLAG=1   ENTRY AT SHPDEP
C           KFLAG=1   CALL MINCLK REQUIRED.
C           MFLAG=1   HC SLOT EMPTY.
C                 =2  HELICOPTER SLOT CLOSED BECAUSE OF NO ACCESSIBLE
C                     CONTAINER.
C                 =3  HC SLOT NOT EMPTY
C           NFLAG   ARGUMENT FOR ENSSHS
C                 =1  EXAMINE SHPDEP
C
      IFLAG=0
      JFLAG=0
      KFLAG=0
      MFLAG=0
      NFLAG=0
      IWAIT=0
      IHATCH=NCHCOR(ISLOT)
      ISLTYP=IDHSLT(ISLOT)
      ISTYP=NSTYP(ISLTYP)
C
C           SEND DEPARTING CRAFT TO LUS QUEUE.
C
      CALL CREDES
C
C           CRAFT LEAVING SS CONTAINER SHIP?
C
      GOTO(1,1030,110,110,1500),ISTYP
C
C           SS CONTAINER SHIP.  HELICOPTER DEPARTING?
C
 1030 IF(NCRAFM(ICRTYP).NE.6) GOTO 1500
C
```

```
C              HELICOPTER LEAVING PLATFORM.  RESET HATCH SLOT STATE.
C
       NPLAT(ISLOT)=0
       NHATSS(ISLOT)=2
C
C              CARTRY WORKING SHIPSIDE SLOT?
C
       L2=NELEMT(3)
       NHATCH=NCHCOR(ISLOT)
       DO 1050 I=1,L2
       IF((NEVTYP(I).NE.2).AND.(NEVTYP(I).NE.199)) GOTO 1050
       IF( I.EQ.IACTEL) GOTO 1050
       NSLOT=NOFFL(IELEMT)
       IF(NHATCH.NE.NCHCOR(NSLOT)) GOTO 1050
       IF(NFLOCP(I).LT.0) GOTO 1040
C
C              CARTRY BUSY.  HELICOPTER SLOT CANNOT BE OPEN.
C
       GOTO 1000
C              WAITING WATER-CRAFT
 1040  I=IABS(I)
       GOTO 1050
 1050  CONTINUE
 1060  NFLAG=0
 1070  NFLA =0
C
C              PUT CONTAINER ON HELICOPTER PLATFORM.
C
       NCRAFT=0
       NSLOT=ISLOT
       CALL HELPLT(NFLAG,NSLOT,NCRAFT)
C
C              CHECK INDICATOR TO DETERMINE NECESSITY FOR CHECKING FOR--
C              1.  SHIP DEPARTURE OR
C              2.  CRAFT ASSIGNMENT TO VACATED SLOT.
C
       NFLA =1
       JCLNFL=NCLNFL+NELEMT(3)+NSLOT-1
       JSLOT=NSLOT-1
       IHATCH=NCHCOR(JSLOT)
       IF(NFLAG.EQ.1) GOTO 151
C
C              UPDATE HATCH SLOT LIST AND CHECK CRAFT SELECTION
C
       GOTO 200
C
C              WATER-CRAFT LEAVING SS CONTAINER SHIP SLOT SHARING GANTRY
C              WITH HELICOPTER PLATFORM?
C
 1300  IF(NCHCOR(ISLOT+1).NE.IHATCH) GOTO 110
C
C              NEITHER CONTAINER NOR HELICOPTER AT PLATFORM?
C
       IF(NHATSS(ISLOT).NE. 2) GOTO 110
       IF(NPLAT(ISLOT).NE.0) WRITE(NPRINT,1305) ISLOT,NHATSS(ISLOT),
      .NPLAT(ISLOT)
```



```
 1305 FORMAT(1X,12HLOGIC ERROR--SLOT,I4,12H  WITH STATE,I4,29H  AND PLAT
     .FORM CONTAINER TYPE,I4)
C
C              ANY HELICOPTERS IN THE SYSTEM?
C
       DO 1310 I=1,NCRFTP
       IF((NCRTYP(I).GT.0).AND.(NCRAFM(I).EQ.0)) GOTO 1320
 1310  CONTINUE
C
C              NO HELICOPTERS.
C
       GOTO 110
 1320  KFLA =1
       GOTO 1070
C
C              CRAFT IS LEAVING A SS CONTAINER SHIP.
C              IS CRAFT A HELICOPTER?
 1500  IF(NCRAFM(ICRTYP).EQ.0) GOTO 1570
C
C              WATER-CRAFT.  UPDATE NPLAT VALUE FOR CORRESPONDING
C              HELICOPTER SLOT.
C
C              FIND HELICOPTER SLOT.
       L1=ISLOT+1
       L2=NELEMT(4)
       DO 1510 I=L1,L2
       IF(IHATCH.EQ.NCHCOR(I)) GOTO 1520
 1510  CONTINUE
       WRITE(NPRINT,1512) IHATCH,ISLOT
 1512  FORMAT(1X,11HCARGO HATCH,I4,6H  SLOT,I4,20H  NO HELICOPTER SLOT)
       GO TO 1570
C
C              FIND HIGHEST PRIORITY SNATCHABLE CARGO.
C              FIND MAX. ALLOWABLE CONTAINER WT.
 1520  JSLOT=I
       WTMAX=0.
       DO 1525 I=1,NCRFTP
       IF((NCRAFM(I).NE.6).OR.(NCRTYP(I).LE.0).OR.(WTMAX.GT.CRAFWT(I)))
      .GOTO 1525
       WTMAX=CRAFWT(I)
 1525  CONTINUE
       IDUM=1
       IF(WTMAX.LT..001) GOTO 1545
C
C              SEARCH HATCH TABLES.
       IDUM=0
       L1=NSTIND(IHATCH)
       L2=LINDEX
       IF(IHATCH.LT.NCARHT) L2=NSTIND(IHATCH+1)-1
       DO 1540 I=L1,L2
       IF(NTOTAL(I).EQ.0) GOTO 1540
       DO 1535 J=1,NCANTP
       IF((J.GT.NSHCOM(IHATCH)).AND.(LOCHS(JSLOT).EQ.0)) GOTO 1540
       IF(NUTTAL(I,J).EQ.0) GOTO 1535
       IDUM=1
       IF(CARGHT(J).LE.WTMAX)  GOTO 1550
```

```
      GOTO 1540
 1535 CONTINUE
 1540 CONTINUE
C
C               NO CARGO FOUND.  SET TO EMPTY, OR CLOSED.
C
      NHATSS(JSLOT)=5
 1545 NHATNO(JSLOT)=0
      IF(IDUM.EQ.1) NHATSS(JSLOT)=2
      NPLAT(JSLOT)=0
      GOTO 1570
C
C               CARGO FOUND AT HELICOPTER SLOT.
C
 1550 NPLAT(JSLOT)=NHTTAH(I,J)
C
C               IS DEPARTED SLOT EMPTY (OR CLOSED)?
C
 1570 IF(.NOT.CRAFM(ICRTYP).EQ.6) GOTO 1580
      IF(NPRCAR(IHATCH).NE.0) GOTO 200
      GOTO 1650
 1580 IF(NFLAT(ISLOT).EQ.0) GOTO 1650
C
C               HELICOPTER SLOT IS NOT EMPTY.  IS IT TOO CLOSE TO SEA
C               ISLAND?
C
C               SEA ISLAND AT THIS SHIP?
      ISHIP=NSHIPS(ISLOT)
      IF(NOSS(ISHIP).EQ.0) GOTO 110
C               SEA ISLAND PRESENT.  FIND ACTIVE CARGO HATCH.
      L2=NELEMT(4)
      DO 1600 I=1,L2
      IF((NSHPHS(I).NE.ISHIP).OR.(LOCHS(I).NE.7)) GOTO 1600
      IF((NHATSS(I).EQ.4).OR.(NHATSS(I).EQ.10)) GOTO 1620
      ISUB=NCLKEL+NELEMT(3)
      IF(NEWTYP(ISUB).EQ.15) GOTO 1620
 1600 CONTINUE
C
C               NO ACTIVE SLOT ACTIVE.
C
      GOTO 110
C
C               IS WATER-CRAFT TOO CLOSE TO HELICOPTER?
C
 1620 IF((ISLOT-I).GT.2) GOTO 110
C
C               ACTIVE WATER-CRAFT SLOT IS TOO CLOSE TO HELICOPTER SLOT.
C               SET SLOT TO 'CLOSE' AND FIND NEW SLOT.
C
      NHATSS(ISLOT)=2
      GOTO 16 5
C
C               CRAFT LEAVING AN EMPTY SLOT.  SET 'EMPTY.'
C
 1650 NHATSS(JSLOT)=5
 1655 NHATNO(JSLOT)=0
```



```
C
C               FIND NEW PATCH SLOT FOR NSS CONTAINER SHIP.
C
      NFLAG=1
      ASLOT=ISLOT
      CALL FNSSHS(ASLOT,NFLAG)
      JCLKEL=NCLKEL+NELEMT(3)+ISLOT
      IHATCH=NCHCOR(ISLOT)
      IF(NFLAG.EQ.1) GOTO 151
      RETURN
C
C     CHECK FOR MULTI-HATCHED CRAFT.
C
    6 NHATHL=MULPAT(ICRTYP)/10
      LSLOT1=ISLOT
      LSLOT2=ISLOT
      IF(ISTYP.NE.1) GO TO 110
      IF(NHATHL.EQ.1) GO TO 110
C
C               CRAFT IS MULTI-HATCHED.
C               SET NEW PATCH SLOT STATES FOR "BLOCKED" SLOTS.
C
      J=0
      LSLOT1=0
      L2=NELEMT(4)
      DO 130 I=1,L2
      IF(NSHPHS(I).NE.ASHPHS(ISLOT)) GOTO 100
      IF(((NHATSS(I).EQ.5).OR.(NHATSS(I).EQ.6).OR.(NHATSS(I).EQ.9)).AND.
     .(NHATNO(I).EQ.ISLOT)) GO TO 15
      GO TO 100
C
C               SLOT WAS "BLOCKED."
C
C               SET BLOCKED SLOTS.
   15 IF(LSLOT1.EQ.0) LSLOT1=I
      IF(I.GT.ISLOT) LSLOT2=I
C               IS SLOT EMPTY?
      ITEMP=NCHCOR(I)
      IF(NPRCAR(ITEMP).NE.0) GO TO 20
C     SLOT IS EMPTY.
      NHATSS(I)=2
      NHATNO(I)=0
      GO TO 90
C
C               IS SLOT CLOSED DUE TO ROOM TYPE?
   20 IF(NHATSS(I).NE.4) GO TO 30
      NHATSS(I)=2
      NHATNO(I)=0
      IFLAG=1
      GO TO 90
C
C               IS SLOT "UNOCCUPIED?"
C
   30 IF(NHATSS(I).NE.5) GO TO 40
      NHATSS(I)=4
      NHATNO(I)=0
```

```
                                    DATE = 78311                    22745/41
      IFLA=1
      ICLKEL=NCLKEL+NELEMT(3)+1
      NHSCUM(I,5)=NHSCUM(I,5)+MTIME*NCLOCK(ICLKEL)
      NEVTYP(ICLKEL)=-1
      NCLOCK(ICLKEL)=-MTIME
      GO TO 90
C
C               IMPOSSIBLE HATCH SLOT STATE.
C
   40 WRITE (NPRINT,50)I,NHATSS(I),NHATNO(I)
   50 FORMAT(1X,40HSLOT,I4,11H  HAS STATE,I4,9H  NUMBER=,I4,13H  LOGIC ER
     .R*)
      WRITE(NTAPE,55)I,ISLOT,NHATSS(I)
   55 FORMAT(1X,4HSLOT,I4,19H  BLOCKED FROM SLOT,I4,16H  HAS NEW STATE=,
     .I4)
  150 CONTINUE
      GO TO 42
   41 CONTINUE
      WRITE(NPRINT,50)I,NHATSS(I),NHATNO(I)
      WRITE(NTAPE,55)I,ISLOT,NHATSS(I)
   42 CONTINUE
      IF(LSLOT1.EQ.0) LSLOT1=ISLOT
      IF(ISLOT1.EQ.ISLOT) LSLOT1=ISLOT
C
C               IS THE HATCH THAT WAS JUST UNLOADED EMPTY?
C
  110 IF(NHCAP(IHATCH).NE.0) GO TO 200
C               CARG. HATCH IS EMPTY.
      NHATSS(ISLOT)=3
      NHATNO(ISLOT)=0
      JSLOT=0
C
C               LOOK FOR OPPOSITE SLOT TO SET EMPTY.
C
      L2=NELEMT(4)
      DO 130 I=1,L2
      IF((NCHCAP(I).EQ.IHATCH).AND.(I.NE.ISLOT)) GO TO 130
  120 CONTINUE
      GO TO 140
  130 JSLOT=I
      NHATSS(JSLOT)=3
      JCLKEL=NCLKEL+NELEMT(3)+JSLOT
  140 CONTINUE
C
      NCLOCK(JCLKEL)=-MTIME
      WRITE(NTAPE,150)IHATCH,ISLOT,JSLOT
  150 FORMAT(1X,11HCARGO HATCH,I4,27H  IS EMPTY WITH HATCH SLOTS,I4,5H
     .AND,I4)
C
      IF(IFLA.EQ.1) GO TO 250
C               IS SHIP EMPTY SO THAT IT MAY DEPART?
C
      GO TO 195
C
C               ENTRY TO CHECK FOR SHIP DEPARTURE, INCLUDING SHIP AT CAUSE
C               WAY.
```

```
                                    DATE = 78311                    22745/41
C
      ENTRY SHDEP
      JFLA=1
      IFLA=0
      IHATCH=NCHCAP(ISLOT)
  195 ITEMP=NSHPER(ISLOT)
      L2=NELEMT(4)
      IF((NHATSS(I).NE.3).AND.(NSTEMS(I).EQ.ITEMP)) GO TO 250
      DO 160 I=1,L2
  160 CONTINUE
C               SHIP IS EMPTY.
      ICLKEL=ITEMP+NCLKEL
C
C               UPDATE HATCH SLOT STATISTICS
C
      ISUM=MTIME+NCLOCK(ICLKEL)
      L2=NELEMT(4)
      DO 165 I=1,L2
      IF(NSHSHS(I).NE.ITEMP) GOTO 165
      ISUM=NCLKEL+NELEMT(5)+I
      NHSCUM(I,6)=NHSCUM(I,6)+MTIME+NCLOCK(ISUM)
      NHSCUM(I,7)=ISUM
  165 CONTINUE
      WRITE(NTAPE2,168) NCODE(16),ITEMP,MTIME,ISUM
  168 FORMAT(1X,I2,11I7)
C
      NCLOCK(ICLKEL)= -MTIME
      NEVTYP(ICLKEL)=-1
      OTIME=MTIME/3600.
      WRITE(NTAPE1,170)ITEMP,ICLKEL,OTIME
  170 FORMAT(1X,8HSHIP NO.,I3,8H  (ELEMT,I4,12H) DEPARTS AT,F10.2,6H HOU
     .RS)
C
C               HAVE ALL SHIPS DEPARTED.
C
      L1=NCLKEL+1
      L2=NCLKEL+NELEMT(5)
      DO 180 I=L1,L2
      IF(NEVTYP(I).NE.-1) GO TO 195
  180 CONTINUE
      WRITE(NTAPE,190)
  190 FORMAT(1X,24HALL SHIPS HAVE DEPARTED.)
      GOTO 198
C
C               ALL SHIPS HAVE NOT DEPARTED.
C
C               ANY CONTAINER SHIP LEAVING A SEA ISLAND?
  195 IF(IESHIP(ITEMP).NE.5) GOTO 195
      IF(NSSS(ITEMP).EQ.0) GOTO 198
C
C               SHIP IS LEAVING A SEA ISLAND.
C
      NSSS(ITEMP)=0
      NSI=NSI+1
C               ASSIGN NEW SHIP?
      CALL SHPMOV
```

```
  198 CALL MSS_INT
      GOTO 1000
C
C             MATCH IS NOT EMPTY.
C             FIND NEW STATE.
C
  200 ITEMP=NCHCOR(IMATCH)
      IFLAG=1
      ICLKEL=NCLKEL+NELEMT(3)+ISLOT
      IF((NOPEL(ICLKEL).EQ.BUF).AND.(MCARHL(ITEMP).NE.1)) GO TO 220
C             SLOT IS SET TO "UNOCCUPIED."
      NHATSS(ISLOT)=4
      NHATNO(ISLOT)=0
      NEVTYP(ICLKEL)=-1
      NCLOCK(ICLKEL)=MTIME
      GO TO 250
C
C             SLOT MUST BE CLOSED DUE TO ROOM TYPE.
C
  220 NHATSS(ISLOT)=2
      NHATNO(ISLOT)=0
C             GENERATE RERIG EVENT
      NCLOCK(ICLKEL)=MTIME+NRTM15
      NHSCUM(ISLOT,1)=NHSCUM(ISLOT,1)+NRTM15
      NEVTYP(ICLKEL)=15
      NOPEL(ICLKEL)=15
      QTIME=NCLOCK(ICLKEL)/3600.
      WRITE(NTAPE,231)ISLOT,ICLKEL,QTIME
C
C             CREW AT OPPOSITE SLOT?
C
      LOC=NELEMT(4)
      DO 225 I=1,LOC
      IF((ISLOT.NE.I).AND.(NCHCOR(I).EQ.IMATCH)) GOTO 226
  225 CONTINUE
      GOTO 240
  226 ITEMP=NCLKEL+NELEMT(4)+I
      NHATSS(I)=2
      NHATNO(I)=0
      NCLOCK(ITEMP)=MTIME+NRTM15
      ISUB=NCLKEL+NSHPRS(ISLOT)
      NHSCUM(ISLOT,1)=NHSCUM(ISLOT,1)+NCLOCK(ISUB)+NCLOCK(ITEMP)
      NEVTYP(ITEMP)=15
      NOPEL(ITEMP)=15
      QTIME=NCLOCK(ITEMP)/3600.
      WRITE(NTAPE,231) I,ITEMP,QTIME
  230 FORMAT(1X,"SLOT",I4,13H  ELEMENT NO.,I5,50H  IS CLOSED TO RIG 15 T
     *O ROOM.  WILL BE RIGGED AT,F8.2,8H  HOURS.)
  240 NFLAG=1
C
C             EMPTY CALSE MAY SLOT?
C
  250 IF(JOBTAG.EQ.1) RETURN
C
C             THE MATCH SLOT STATES HAVE BEEN SET. LOOK FOR SAVED SLOTS.
C
```



```
C             IS THERE A DIFFERENT CARGO WHERE ARE VACATED SLOTS FOR
C             SLOTS?
      IF(ITYP.NE.1) GOTO 290
      IF((LOC.EQ.1).OR.(NCHCOR(ELSLOT1).EQ.4)) GOTO 290
      II=1
      NSLOT=ELSLOT1
      GOTO 305
  290 IF(LOC.EQ.2) GOTO 300
      IF((NCHCOR(ELSLOT2).EQ.2).OR.(NCHCOR(ELSLOT2).EQ.4))GOTO 300
      II=-1
      NSLOT=ELSLOT2
C
C             IS ADJACENT SLOT SAVED?
C
  300 NSAVE=NSLOT-II
      NSTATE=NHATSS(NSAVE)
      I=NSAVE
      GOTO(341,340,340,340,340,340,320,320,340,340,320,320,341,341),NSTATE
C             SLOT IS NOT SAVED.  TRY OTHER ADJACENT SLOT.
  310 IF(II.EQ.-1) GOTO 330
      GOTO 350
C             SLOT IS SAVED.  FIND CRAFT, NUMBER OF SLOTS TO CLOCK AND
C             TO LOAD.
C
  320 KSAVE=NHATNO(NSAVE)
      JCRAFT=NHATNO(KSAVE)
      IF(NHATSS(KSAVE).NE.7) GOTO 330
      JCRAFT=NHATNO(NSAVE)
      KSAVE=NSAVE
  330 JCRTYP=IDCRAF(JCRAFT)
      NHATBL=MULHAT(JCRTYP)/10
      NHATLD=MULHAT(JCRTYP)-NHATBL*10
C
C             FIND NUMBER OF SLOTS ALREADY SAVED.
C
      ISAVED=0
  340 NSAVE=NSAVE-II
      IF(NSAVE.LE.0) GOTO 370
      IF(NSHPHS(NSAVE).NE.NSHPHS(ISLOT)) GOTO 370
      NSTATE=NHATSS(NSAVE)
C             IS NEXT ADJACENT SLOT SAVED?
      GOTO(370,370,370,370,370,340,340,340,370,370,340,340,340,340),
     *NSTATE
C             SLOT IS SAVED.  FOR THE SAME CRAFT?
  350 IF(NHATNO(NSAVE).EQ.JCRAFT) GOTO 365
      GOTO 370
  360 NSLOT=NHATNO(NSAVE)
      IF(NHATNO(NSLOT).NE.JCRAFT) GOTO 370
C             SLOT IS SAVED FOR THE SAME CRAFT.
  365 ISAVED=ISAVED+1
      GOTO 340
C
C             ALL SAVED SLOTS FOUND.  SAVE ANOTHER SLOT.
C
  370 IF(NHATSS(NSLOT).NE.2) GOTO 390
      NHATSS(NSLOT)=11
```

```
      NHATSS(NSLOT)=KSAVE
      GOTO 400
  390 IF(NHATSS(NSLOT).NE.4) GOTO 440
      NHATSS(NSLOT)=12
      NHATSS(NSLOT)=KSAVE
      GOTO 460
  440 IF(NHATSS(NSLOT).NE.4) GOTO 510
      NHATSS(NSLOT)=
      NHATSS(NSLOT)=KSAVE
      ICLKEL=NCLKEL+NELEMT(5)+NSLOT
      NHSCUM(NSLOT,2)=NHSCUM(NSLOT,2)+MTIME*NCLOCK(ICLKEL)
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=3
  400 IF(NSLOT.EQ.ISLOT2) ISLOT=0
      WRITE(NTAPE,410) NSLOT,KSAVE,NHATSS(NSLOT)
  410 FORMAT(1X, 4HSLOT,I4,2HHSAVED FOR BLOCKING FROM SLOT,I3,13H.  NEW
     .STATE=,I4)
      ISAVED=ISAVED+1
C
C               KNOW # SLOTS SAVED?
C
      IF(ISAVED.EQ.2*MATRL) GOTO 450
C               CHECK FOR END SLOT.
      IF(( LOCHS(NSLOT).NE.2).AND.( LOCHS(NSLOT).NE.4)) GOTO 420
C               END TEST.
      IF(NMATLF.GT.1) GOTO 510
      GOTO 450
C
C               TRY TO SAVE ANOTHER SLOT.
C
  420 NSLOT=NSLOT+11
      GOTO 470
C
C               SAVED CRAFT CAN BE ASSIGNED.
C
  450 L=NELEMT(4)
      ITEMP=ISLOT
      ISLOT=KSAVE
      ICRAFT=JCRAFT
      DO 550 J=1,L
      IF(NCMPHS(J).NE.NSPPHS(ISLOT)) GOTO 550
      IF(J.EQ.ISLOT) GOTO 520
      IF(NHATSS(J).NE.ISLOT) GOTO 550
C
C               RESET MATRL SLOT STATE OF SLOTS SAVED FOR BLOCKING.
C
      IF(NHATSS(J).NE.11) GOTO 460
      NHATSS(J)=4
      GOTO 550
  460 IF(NHATSS(J).NE.12) GOTO 470
      NHATSS(J)=
      GOTO 550
  470 IF(NHATSS(J).NE.5) GOTO 550
      NHATSS(J)=5
      ICLKEL=NCLKEL+NELEMT(5)+J
      NHSCUM(J,5)= HSCUM(J,5)+MTIME*NCLOCK(ICLKEL)
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=
  500 WRITE(NTAPE,510) J,ICRAFT,ISLOT
  510 FORMAT(1X, 4HSLOT,I5,10H  CLOCKED BY CRAFT,I5, 5H  AT SLOT,I5)
      GOTO 550
C
C               ASSIGN CRAFT
C
  520 NHATSS(ISLOT)=10
      ICLKEL=NCLKEL+NELEMT(5)+ISLOT
      NHSCUM(ISLOT,5)=NHSCUM(ISLOT,5)+MTIME*NCLOCK(ICLKEL)
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=0
      WRITE(NTAPE,540) ICRAFT,ISLOT
  530 FORMAT(1X,31HSAVED CRAFT,I5,10H  ASSIGNED TO SLOT,I5)
  550 CONTINUE
C
C               LOAD CRAFT
C
      CALL LOADE
      ISLOT=ITEMP
      GOTO 310
C
C               FIND NEW CRAFT FROM QUEUE FOR ANY VACATED SLOTS.
C
  600 CALL NSCHRT
      CALL CHATSE
 1000 IF(KFLAG.EQ.1) CALL MINCLK
      RETURN
      END
```

```
      SUBROUTINE EVENTS
C
C           EVENT 3-- CRAFT ARRIVES AT LUS QUEU.
C           PLACES CRAFT IN QUEUE AND ASSIGNS IT TO AN LUS, IF
C           APPROPRIATE.
C
C           ALTERNATE ENTRY--CLUSSL ASSIGNS ALL CRAFT IN QUEUE TO AN
C           LUS, IF ANY.
C
C           CALLED FROM EVENT 3 AND - NEW CRAFT OR TRUCK ASSIGNMENT-.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .          NELKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LOTIME,IPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGWT(40),CARGVL(40),CARGCT(40),NCARHL(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,13),NPRTCR(50),MHEPRY(10,10,13),MHETRK(30),LDGTIM(13,15,10),LD
     .TIM(13,15,10),
     .          MPRCAR,IPRTRK,ITRUCK,NTRUKQ,NTRKPR
C
      COMMON/A05/NESSHP( 5),NCHSHP( 5),IDSHIP( 5),DSHPHS(20),IDHSLT(20),
     .IDHCAR(20),LUSCRS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .TYP(20),NSTIME(20),NHATIX(100),NDCB(100),NACCES(100),NTOTAL(100),
     .NHTTAB(10,40),NSSSI(5),
     .          IDHCAR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IFTRUK(30),IFLLS(30),IDSDVH(20),
     .          NCARTP,NCRFTP,NTRKTP,NLLSTP,NMHFTP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,NSI,NTACTF
C
      COMMON/A07/DIST( 5),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSLCC(15),LUSSIT(15),LDCGTM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAP(30,40),LTKCAR(30,40),LSTCAP(3,40)
C
      COMMON/A12/LUSQUE(30),NPRCCR(30),NPRLUS(15,10,13),NPRMHF(15,10,13)
     .,LUSLIS(10),LUSTIM(10,15),LUSSPT(10,15),
     .          LUSCRC,NLUSPR,LUSOPN
C
      COMMON/A13/CRCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .40),MHECUM(15,3, 4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),MHSCUM
     .(2,7),DMSCRF(20,10),NTRAFF(2),NCRCAR(30,40),INDCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,      NOPEL ,       NELEMT,       NCODE         A1
      INTEGER*2NCARHL,      NCGTAG                                    A2
      INTEGER*2NCRAFM,      MULHAT,       NCCITM,       NFILE         A3
      INTEGER*2NTCITM,      NPRTCR,       NPRTRK,       MHEPRY        A4
      INTEGER*2MESSHP,      LPRTIM,       LDGTIM                      A9
      INTEGER*2NESSHP,      NCHSHP,       IDSHIP,       DSHPHS        A5
      INTEGER*2IDHSLT,      NCHCAR,       LUSCRS,       NHATSS        A6
      INTEGER*2NSTYP ,      NHATNO,       IDCARH,       DSPHCM        A5
      INTEGER*2NSTIME,      NHATIX,       NDCB ,        NACCES        A5
      INTEGER*2NTOTAL,      NMTTAB,       NSSSI                       A5
      INTEGER*2NCRTYP,      NTKTYP,       NLSTYP,       NMHTYP        A6
      INTEGER*2IDCRAF,      IFTRUK,       IDLUS ,       IDSDVH        A7
      INTEGER*2LUSCRF,      LUSTRK,       LUSMHF,       LUSLCC        A7
      INTEGER*2LUSSIT,      LDCGTM,       LDCTTM                      A7
      INTEGER*2LCRCAR,      LTKCAR,       LSTCAP                      A8
      INTEGER*2LUSQUE,      NPRCCR,       NPRLUS,       NPRMHF        A12
      INTEGER*2LUSLIS,      LUSTIM,       LUSSPT                      A12
C
C           PLACE ARRIVING CRAFT IN QUEUE.
C
      NCLOCK(IACTEL)=-NCLOCK(IACTEL)
C           SET NUMBER OF CRAFT IN LUS QUEUE.
      JFLAG=0
      LUSCRQ=LUSCRQ+1
      LUSQUE(LUSCRQ)=IACTEL
      NUMBER=LUSCRQ
      WRITE(NTAPE,2) IACTEL,NOPEL(IELEMT)
    2 FORMAT(1X,5HCRAFT,I4,22H  ARRIVES AT LUS QUEUE,I4,1H.)
      GO TO 30
C
C           ENTRY TO SELECT ALL CRAFT IN LUS QUEUE FOR OPEN LUS-S.
C
      ENTRY CLUSSL
      JFLAG=0
      IF(LUSCRQ.NE.0) GO TO 10
C           LUS QUEUE IS EMPTY.
    4 WRITE(NTAPE,5)
    5 FORMAT(1X,19HLUS QUEUE IS EMPTY.)
      GO TO 1000
   10 NUMBER=1
C
C        ANY UNOCCUPIED LUS-S?
C
   30 IF(LUSOPN.NE.0) GO TO 35
   31 WRITE(NTAPE,32)
   32 FORMAT(1X,33HALL LUS-S ARE OCCUPIED.)
      GO TO 1000
   35 CONTINUE
C
C           LOOP THRU LUS PRIORITIES
C
      DO 500 J=1,NLUSPR
      IFLAG=0
C
C           LOOP THRU LIST OF CRAFT IN LUS QUEUE.
C
      L4=LUSCRQ
      DO 400 I=NUMBER,L4
C
C     IS THERE A CRAFT AT THIS POSITION IN QUEUE?
```

```
C
      IF(LUSQUE(I).EQ.0) GO TO 400
C
C               IS CRAFT-LUS-MHE-CARGO PRIORITY NUMBER 1?
      ICRAFT=LUSQUE(I)
      ICRTYP=ICRAF(ICRAFT)
      ICARTP=MPRCC(ICRAFT)
      ITAGTP=NOGTAG(ICARTP)
      IF(NPRLUS(J,ICRTYP,ITAGTP).EQ.0) GO TO 400
      IFLA=1
      IF(J.EQ.1) GO TO 80
C
C               FOR OTHER THAN FIRST PRIORITY ASSIGNMENTS, A SEA WALL MAY
C               ONLY BE USED FOR A BARGE IF A LASH IS IN THE SYSTEM. CHECK
C               CONDITIONS.
C
      ILUSTP=NPRLUS(J,ICRTYP,ITAGTP)
      IF(LUSSIZ(ILUSTP).NE.1) GO TO 80
C
C               LUS IS A SEA WALL. LASH IN SYSTEM?
C
      L1=NCLKEL+1
      L2=NCLKEL+NELEMT(3)
C               LOOP THRU SHIP CLOCK TO FIND A LASH.
      DO 6 K=L1,L2
      IF(NEVTYP(K).NE.0) GO TO 60
      L=K-NCLKEL
      IF(IDSHIP(L).EQ.3) GO TO 401
    6 CONTINUE
C
C               NO LASH IN SYSTEM
C
C
C               IS AN LUS OF CURRENT TYPE AVAILABLE?
C
   80 ILUSTP=NPRLUS(J,ICRTYP,ITAGTP)
      IF(LUSLIS(ILUSTP).EQ.0) GO TO 400
      ILUS=LUSLIS(ILUSTP)
C
C               DETERMINE MHE REQUIRED.
C
      IMHETP=NUMMHE(J,ICRTYP,ITAGTP)
      IMHEPL=LUSLOC(ILUSTP)
      IF(IMHETP.EQ.0) GO TO 100
C
C               MOBILE MHE REQUIRED. IS IT IN POOL?
C
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 400
C
C               MHE IS AVAILABLE. CHECK FOR A TRUCK ASSIGNMENT.
C
  100 IPRTRK=0
      ITRUCK=
      IF(IMHEPL.EQ.3) GO TO 200
      IF(NCRAFM(ICRTYP).EQ.0) GO TO 200
      IF(CARGCT(ICARTP).GT..1) GO TO 200
```



```
C
C               SELECT A TRUCK, IF ANY.
C
      MPRCAR=ICARTP
      CALL TRKSEL
C
C               TRUCK AVAILABLE?
C
      IF(ITRUCK.EQ.0) GOTO 150
C
C               ASSIGN THE TRUCK.
C
      ISUB1=NCLEPT(1)+ITRUCK
      NCYCLE=NTKCUM(ITRUCK,1)+1
      ISUB2=MTIME+NCLOCK(ISUB1)
      NTKCUM(ITRUCK,2)=NTKCUM(ITRUCK,2) +ISUB2
      WRITE(NTAPE2,258) NCODE(5),NCYCLE,ITRUCK,MTIME,ISUB2
      NCLOCK(ISUB1)=-1
      NEVTYP(ISUB1)=0
      LUSTRK(ILUS)=ITRUCK
      NOPEL(ISUB1)=ILUS
      NTRUCK=NTRUCK-1
      GO TO 200
C
C               NO TRUCK AVAILABLE. IS TRUCK REQUIRED?
C
  150 IF(NCARHL(MPRCAR).LE.2) GO TO 400
C
C               CHECK TONNAGE AT STORAGE AREA.
C
      IF(ACAPST(IMHEPL).LT.CAPST(IMHEPL)) GOTO 200
      WRITE(NTAPE,160) IMHEPL,ACAPST(IMHEPL)
  160 FORMAT(1X,4HAREA,I3,22H  EXCEEDS TONNAGE WITH,F10.2,7H  TONS.)
      GOTO 400
C
C               ASSIGN MHE, IF ANY, TO LUS.
C
  200 IF(IMHETP.EQ.0) GO TO 250
      LUSMHE(ILUS)=IMHETP
      NMHTYP(IMHETP,IMHEPL)=NMHTYP(IMHETP,IMHEPL)-1
C
C               ASSIGN CRAFT TO LUS
C
  250 ITIME=0
      ITEMP=NOPEL(ICRAFT)
      DIS=0.
      GOTO (251,252,253),ITEMP
C
C               CRAFT MOVES FROM BEACH 0--BEACH.
C
  251 ITIME=ITIME+((5600.+DIST(4))/(1.1515*CRAFSP(ICRTYP,4)))+.5
      IF(IMHEPL.EQ.1) GOTO 255
C
C               CRAFT MOVES FROM BEACH--ISS 0.
C
      DIS=DIS+DIST(5)
```

```
C
C               CRAFT MOVES FROM ISS Q--ISS.
C
  252 DIS=DIS+DIST(7)
      IF(IMHEPL.EQ.2) GOTO 254
C
C               CRAFT MOVES FROM DEPOT Q--DEPOT.
C
      DIS=DIS+DIST(6)
C
C               CRAFT MOVES FROM DEPOT Q--DEPOT.
C
  253 DIS=DIS+DIST(8)
  254 ITIME=ITIME+((3600.*DIS)/CRAFSP(ICRTYP,2))+.5
  255 NCRCUM(ICRAFT,10)=NCRCUM(ICRAFT,10)+LUSBTM(ICRTYP,ILUSTP)
      NCRCUM(ICRAFT, 9)=NCRCUM(ICRAFT, 9)+ITIME
      NCRCUM(ICRAFT, 8)=NCRCUM(ICRAFT, 8)+MTIME+NCLOCK(ICRAFT)
      NCYCLE=NCRCUM(ICRAFT,1)+1
      JTEMP=MTIME+NCLOCK(ICRAFT)
      WRITE(NTAPE2,258) ACODE(3),NCYCLE,ICRAFT,MTIME,ITEMP,ILUS,JTEMP,
     .ITIME,LUSBTM(ICRTYP,ILUSTP)
  258 FORMAT(1X,I2,11I7)
      WRITE(NTAPE2,259) (LCRCAR(ICRAFT,L),L=1,NCARTP)
  259 FORMAT(1X,11,30I3)
      NCLOCK(ICRAFT)=MTIME+ITIME+LUSBTM(ICRTYP,ILUSTP)
      IF(ITRUCK.NE.0) NTKCUM(ITRUCK,4)=NTKCUM(ITRUCK,4)+NCLOCK(ICRAFT)
     .-MTIME
      LUSUSE(ILUS,ICRTYP)=LUSUSE(ILUS,ICRTYP)+1
      LUSCUM(ILUS,2)=LUSCUM(ILUS,2)+ITIME
      NCRTYP(ICRAFT)=4
      NCPOL(ICRAFT)=ILUS
      LUSCRF(ILUS)=-ICRAFT
      LUSQUE(I)=0
      LUSCRQ=LUSCRQ-1
      JFLAG=1
      OTIME=ITIME/3600.
      OTIME1=NCLOCK(ICRAFT)/3600.
      WRITE(NTAPE,260)ICRAFT,ILUS,IMHEPL,OTIME1,OTIME,J,IMHETP,ITRUCK,IP
     .RTHK
  260 FORMAT(1X,*HCRAFT,I4,13H  SENT TO LUS,I4,9H  AT LOC.,I3,14H  TO AR
     .RIVE AT,F8.2,1H   HOURS. TRAVEL=,F8.2,8H  HOURS./1X,8HPRIORITY,I4,
     .23H  ASSIGNMENT.  MHE TYPE,I4,
     .11H  TRUCK #=,I4,17H  TRUCK PRIORITY=,I4)
      IPRTHK=0
C
C               UPDATE LIST OF AVAILABLE LUS AREAS.
C
      LUSOPN=LUSOPN-1
      LUSLIS(ILUSTP)=0
      IF(LUSOPN.EQ.0) GO TO 31
      DO 270 K=1,NLUS
      IF((LUSCRF(K).NE.0).OR.(IDLUS(K).NE.ILUSTP)) GO TO 270
      LUSLIS(ILUSTP)=K
      GO TO 280
  270 CONTINUE
C
```



```
C               ADDITION CRAFT ASSIGNMENT POSSIBLE?
C
  280 IF(IEVTYP.EQ.6) GOTO 1000
      IF(LUSCRQ.EQ.0) GO TO 4
  400 CONTINUE
C               ANY MORE COMPATIBLE PRIORITIES*
      IF(IFLAG.EQ.2) GO TO 1000
  500 CONTINUE
C
C               UPDATE LUS QUEUE LIST.
C
 1000 IF( JFLAG.EQ.0) GO TO 2000
      L2=NELEMT(1)
      ITEMP=0
      DO 1150 I=1,L2
      IF(LUSQUE(I).EQ.0) GO TO 1150
      ITEMP=ITEMP+1
      LUSQUE(ITEMP)=LUSQUE(I)
      IF(ITEMP.EQ.LUSCRQ) GO TO 2000
 1150 CONTINUE
 2000 RETURN
      END
```

```
      SUBROUTINE EVENT4
C
C           EVENT 4--CRAFT ARRIVES AT LUS EVENT PROCESSOR.
C           CRAFT AT LUS IS UNLOADED UNTIL--
C           1.  ASSIGNED TRUCK IS FULL, OR
C           2.  1 ITEM IS UNLOADED (IF A TRUCK IS UNAVAILABLE), OR
C           3.  CRAFT IS EMPTY, OR
C           4. CURRENT MHE CANNOT UNLOAD REMAINING CARGO.
C           GENERATES EITHER--EVENT 5-CRAFT LEFT AT LUS, OR EVENT 6-
C           CRAFT LEAVES LUS.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .          NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LETIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARWT(40),CARVL(40),CARGT(40),NCARHL(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULMAT(10),NCCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,15),NPRTCG(30),MHEPRY(10,10,13),MHETRK(30),LDGTTM(13,15,10),LD
     .TGTM(13,15,10),
     .          KPECAR,IPRTRK,ITRUCK,NTRUKG,NTRKPR
C
      COMMON/A05/NDSSHP( 5),NCHSHP( 5),IDSHIP( 5),NSHPHS(20),IDHSLT(20),
     .NCHCCR(20),LCCFS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .TYPM(20),NSTIND(20),NHATIX(100),NDCR(100),NACCFS(100),NTOTAL(100),
     .NHTTAB(10,40),NSSSI(5),
     .          ICHCOR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTRTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IFLUS(30),IDSDVH(20),
     .          NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHETP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,NSI,NTYCTP
C
      COMMON/A07/DIST( 9),CAPST(3),ACAPST(3),LLSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSLOC(15),LUSSTT(15),LDCGTM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTER(30),LISTHS(24),NSORT(30),NPRCAR(20),NPRCHC(10,10
     .,15),
     .          NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/MCRTM(10,10),LOADTM(10,10,13),
     .TSET,NDECKE,NRTM10,NRTM15,NSMT,NSIMT,NHELOD,NSIWT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .          ITIME,LETIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L5,CCWT,CCVL
     .          ,INDEX,NCONTR,CCFS,FLCOR
C
      COMMON/A12/LLSCRE(30),NPRCC(30),NPRLUS(15,15,13),NPRMHE(15,10,13)
     .,LUSLIS(16),LUSRTM(10,15),LUSSDT(10,15),
     .          LUSCRS,NLUSPR,LUSCRN
C
      COMMON/A13/CRCUM(30,15),TRCUM(30,9),MHECYC(15,3,2),MHECAP(15,5,
     .4),MHECUM(15,3,4),LUSMHE(5,10),LUSCUM(30,2),LSTCUM(3,40),MHSCUM
     .(20,7),NUSCRE(20,10),NTRAFF(3),NCRCAR(30,40),IECCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,5)
C*****
      INTEGER*2NEVTYP,      NOPEL ,      NELEMT,      NCODE        A1
      INTEGER*2NCARHL,      NCGTAG                                 A2
      INTEGER*2NCRAFM,      MULMAT,      NCCITM,      NFILE        A3
      INTEGER*2NTCITM,      NPRTRK,      NPRTCG,      MHEPRY       A4
      INTEGER*2MHETRK,      LDGTTM,      LDTGTM                    A4
      INTEGER*2NDSSHP,      NCHSHP,      IDSHIP,      NSHPHS       A5
      INTEGER*2IDHSLT,      NCHCCR,      LCCFS ,      NHATSS       A6
      INTEGER*2NSTYP ,      NHATNO,      IDCARH,      NSHPYM       A7
      INTEGER*2NSTIND,      NHATIX,      NDCR  ,      NACCFS       A8
      INTEGER*2NTOTAL,      NHTTAB,      NSSSI                     A9
      INTEGER*2NCRTYP,      NTRTYP,      NLSTYP,      NMHTYP       A10
      INTEGER*2IDCRAF,      IDTRUK,      IFLUS ,      IDSDVH       A
      INTEGER*2LLSCRF,      LUSTRK,      LUSMHF,      LUSLOC       A12
      INTEGER*2LLSSTT,      LDCGTM,      LDCTTM                    A13
      INTEGER*2LCRCAR,      LTKCAR,      LSTCAR                    A14
      INTEGER*2LISTER,      LISTHS,      NSORT ,      NPRCAR       A15
      INTEGER*2NPRCHC                                             A16
      INTEGER*2MCRTM,       LOADTM                                A17
      INTEGER*2NCITEM,      NPLAT                                 A18
      INTEGER*2LLSGNE,      NPRCCC,      NPPLUS,      NPRMHE       A19
      INTEGER*2LUSLIS,      LUSRTM,      LUSSDT                    A20
      IF(IEVTYP.EQ.10) GO TO 1700
      IF(IEVTYP.NE.4) GOTO 7
      WRITE(NTAPE,2)IACTEL,NOPEL(IACTEL)
    2 FORMAT(1X,5HCRAFT,I4,16H  ARRIVES AT LUS,I4)
      ILUS=NOPEL(IACTEL)
      LUSCRE(ILUS)=-LUSCRE(ILUS)
    7 IFLAG=0
      LTIME=0
      NCNTOT=0
      NCONTR=0
      DIS=0
      CTWT=0
      CTVL=0
      NCONCG=0
      ICONTP=0
      FACTOR=1.
      IF(IEVTYP.NE.11) GO TO 5
C
C           SET SPECIAL PARAMETERS FOR BARGE.
C
      ILUS=NHAINC(IACTEL)
      ICRTYP=NCRFTP+1
      INDEX=NOPEL(IELEMT)
      GO TO 9
C
C           PARAMETERS FOR CRAFT
C
    5 ILUS=NOPEL(IACTEL)
```

```
      ICRTYP=ICRAF(IACTEL)
C
C
C              CHECK FOR INITIAL RETROGRADE.
C
      IF(LCRCAR(IACTEL,NCARTP+1).EQ.0) GO TO 4
C
C              CRAFT MUST RETROGRADE CONTAINERS.
C
C              FIND TOTAL NUMBER OF CONTAINERS ON CRAFT.
C
      L2=NCARTP+1
      DO 5 J=1,L2
      K=L2+1-J
      IF(CARGCT(K).NE.-1.) GO TO 6
      IF(ICONTP.EQ.0) ICONTP=K
      NCONCG=NCONCG+LCRCAR(IACTEL,K)
    5 CONTINUE
    6 NCONCG=NCONCG-LCRCAR(IACTEL,NCARTP+1)
      NCNTOT=LCRCAR(IACTEL,NCARTP+1)
      IF(NCCITM(ICRTYP,ICONTP).GT.0) NCNTOT=NCCITM(ICRTYP,ICONTP)
    9 ILUSTP=IPLUS(ILUS)
      IMHEPL=LUSLOC(ILUSTP)
      IMHETP=LUSMHE(ILUS)
      ITRUCK=LUSTRK(ILUS)
C
C              DETERMINE MHE TYPE SUBSCRIPT
C
      ITEMP=LUSSTT(ILUSTP)
      GOTO(11,12,13,14,170),ITEMP
C
C              SEA WALL
C
   11 MHESUB=NMHETP+1
      GOTO 20
C
C              FIXED BEACH
C
   12 IF(IMHETP.NE.0) GOTO 15
      MHESUB=NMHETP+2
      GO TO 20
C
C              MOBILE MHE
C
   13 IF(IMHETP.EQ.0) GOTO 14
   15 MHESUB=IMHETP
      GOTO 20
C
C              NO MHE--HELO. PAD OR RO/RO SITUATION
C
   14 MHESUB=NMHETP+3
   20 IF(ITRUCK.NE.-1)ITKTYP=IDTRUK(ITRUCK)
      IF(IEVTYP.NE.11) GOTO 23
      DO 21 I=1,NCARTP
      IF(NPRTZN(INDEX,I).GT.0) GOTO 22
   21 CONTINUE
   22 L1=1
```



```
      GOTO 24
   23 L1=NCONCG(IACTEL)
C
C              CHECK EMPTY CONTAINER RETROGRADE.
C
      IF(IEVTYP.EQ.16) GO TO 1900
C
C              LOOP THRU CARGO MODULES.
C
   24 DO 900 I=L1,NCARTP
      ITAGTP=NCGTAG(I)
C
C              BY-PASS COMPATIBILITY TEST FOR HIGHEST PRIORITY CARGO
C              MODULE.
C
      IF(I.EQ.L1)  GOTO 50
C
C              CARGO MODULE ON CRAFT?
C
      IF(IEVTYP.NE.11) GO TO 25
      IF(NPRTZN(INDEX,I).EQ.0) GO TO 900
      GO TO 28
   25 IF(LCRCAR(IACTEL,I).EQ.0) GO TO 900
C              RESET HIGHEST CARGO IF APPROPRIATE.
      IF(NPROCG(IACTEL).EQ.0)NPROCG(IACTEL)=I
C
C              IS LUS A SEA WALL OR HELO. PAD?
C
   28 IF((LUSSTT(ILUSTP).EQ.1).OR.(LUSSTT(ILUSTP).EQ.4)) GO TO 50
C
C              ACCEPTABLE MHE FOR CURRENT CARGO?
C
      ITEST=ILUSTP
   30 DO 40 J=1,NLUSER
      IF((NPRLUS(J,ICRTYP,ITAGTP).EQ.ITEST).AND.(IFEMHE(J,ICRTYP,ITAGTP)
     ..EQ.IMHETP)) GOTO 50
   40 CONTINUE
      IF(ITEST.NE.ILUSTP)GO TO 890
      IF(LUSSTT(ILUSTP).NE.2) GO TO 890
C
C              LUS TYPE IS FIXED BEACH--TRY MHE TYPES FOR MOBILE BEACH
C              TYPE ALSO. DETERMINE BEACH TYPE NUMBER.
C
      DO 45 K=1,NLUSTP
      IF((LUSLOC(K).EQ.IMHEPL).AND.(LUSSTT(K).EQ.2)) GOTO 46
   45 CONTINUE
      GO TO 890
   46 ITEST=K
      GO TO 30
C
C              MHE ACCEPTABLE. IS CARGO SD VEHICLE OR IS LUS AT DEPOT?
C
   50 IF((LUSLOC(ILUSTP).EQ.3).OR.(CARGCT(I).GT.-1)) GO TO 200
C
C              IS A TRUCK PRESENT?
C
```

```
      IF(ITRUCK.LT.0) GO TO 1100
C
C           TRUCK AVAILABLE--UNLOAD ITEMS CRAFT-TRUCK.
C
      NUMBER=LORCAR(IACTEL,I)
      IF(IEVTYP.EQ.11)NUMBER=NHTTAB(INDEX,I)
      ITEMP=(TRUKWT(ITKTYP)-CTWT)/CARGWT(I)
      JTEMP=(TRUKVL(ITKTYP)-CTVL)/CARGVL(I)
      IF(NTCITM(ITKTYP,I).GE.0) GO TO 60
      KTEMP=JTEMP
      GO TO 70
   60 KTEMP=NTCITM(ITKTYP,I)-NCONTR
   70 NUMBER=MIN(NUMBER,ITEMP,JTEMP,KTEMP)
      IF(NUMBER.LE.0)GO TO 900
C
C           NUMBER OF ITEMS OF THIS TYPE THAT CAN BE LOADED IS KNOWN.
C
C           UPDATE CURRENT TRUCK CARGO
      CTWT=CTWT+CARGWT(I)*NUMBER
      CTVL=CTVL+CARGVL(I)*NUMBER
      NCONTR=NCONTR+NUMBER
      IF(IEVTYP.NE.11)GO TO 75
      NHTTAB(INDEX,I)=NHTTAB(INDEX,I)-NUMBER
      NTOTAL(INDEX)=NTOTAL(INDEX)-NUMBER
      GO TO 78
   75 LORCAR(IACTEL,I)=LORCAR(IACTEL,I)-NUMBER
      IF((NPRCCG(IACTEL).EQ.I).AND.(LORCAR(IACTEL,I).EQ.0))NPRCCG(IACTEL
     *)=0
   78 LTKCAR(ITRLCK,I)=LTKCAR(ITRUCK,I)+NUMBER
C           UPDATE TIME
      IF(LDCTIM(ITAGTP,MHESUB,ICRTYP).LT.0) GOTO 80
   79 LTIME=LTIME+LDCTIM(ITAGTP,MHESUB,ICRTYP)*NUMBER
C
C           TEST FOR RETROGRADE CYCLE.
C
 3001 IF(CONTOT.EQ.0) GOTO 3100
      IF(NCONCG.EQ.1) GOTO 3000
      IF((CONTOT-NCONCG).GE.(NFILE(ICRTYP)-1)) GOTO 3000
      GOTO 3100
C
C           RETROGRADE OCCURS
C
 3000 IF(LUSLOC(ILUSTP).EQ.3) GOTO 3002
      IF(LDCTIM(ITAGTP,MHESUB,ICRTYP).LT.0) GOTO 80
      LTIME=LTIME+LDCTIM(NTAGTP,MHESUB,ICRTYP)*NUMBER
      GOTO 3003
C
C           RETROGRADE AT DESTINATION.
C
 3002 IF(LDCGTM(NTAGTP,MHESUB,ICRTYP).LT.0) GOTO 80
      LTIME=LTIME+LDCGTM(NTAGTP,MHESUB,ICRTYP)*NUMBER
 3003 OTIME=LTIME/3600.
      WRITE(NTAPE,1950) NUMBER,ITRUCK,IACTEL,OTIME
 1950 FORMAT(1X,2HAT,F8.2,19H  HOURS A CONVOY OF,I4,17H  SD VEH. OF TYPE
     *,I4,2H #,I4)
      NCONCG=NCONCG+NUMBER
      IF(MHESUB.GT.NMHETP) GOTO 31
      MHECAR(MHESUB,IMHEPL,I)=MHECAR(MHESUB,IMHEPL,I)+NUMBER
```



```
      GOTO 80
   31 WRITE(NPRINT,1900) I,MHESUB,ICRTYP
   80 IF(LUSLOC(ILUSTP).EQ.5) GOTO 900
C
C      IS TRUCK FULL?
C
      IF(NTCITM(ITKTYP,I).LE.0) GO TO 900
      IF(TRUKWT(ITKTYP).LT.(CTWT+CARGWT(NCARTP))) GO TO 920
      IF(TRUKVL(ITKTYP).LT.(CTVL+CARGVL(NCARTP))) GO TO 920
      IF(NTCITM(ITKTYP,I).LT.(NCONTR+1)) GOTO 920
      GO TO 900
C
C           SD VEHICLE AND LUS AT DEPOT.
C
C           DETERMINE UNLOAD TIME
  700 IF(LDCGTM(ITAGTP,MHESUB,ICRTYP).LT.0) GOTO 708
      IF(IEVTYP.EQ.11) GOTO 701
      NITEMS=LORCAR(IACTEL,I)
      NUMBER=NITEMS
      GOTO 702
  701 NITEMS=NHTTAB(INDEX,I)
  702 LTIME=LTIME+LDCGTM(ITAGTP,MHESUB,ICRTYP)*NITEMS
      IF(MHESUB.GT.NMHETP) GOTO 707
      MHECAR(MHESUB,IMHEPL,I)=MHECAR(MHESUB,IMHEPL,I)+LORCAR(IACTEL,I)
      GOTO 707
  705 WRITE(NPRINT,1800) I,MHESUB,ICRTYP
  707 IF(IEVTYP.EQ.11) GO TO 708
      IF(NPRCCG(IACTEL).EQ.I)NPRCCG(IACTEL)=0
C
C           IS LUS AT DEPOT?
C
      IF(LUSLOC(ILUSTP).EQ.3)GO TO 800
C
C           GENERATE AN SD VEHICLE EVENT.
C
  708 NLSTEL=NLSTEL+1
      NELEMT(5)=NELEMT(5)+1
      ISUB=NELEMT(5)
      IDSOVH(ISUB)=I
      NEVTYP(NLSTEL)=13
      IF(IEVTYP.NE.11) GO TO 709
      NOPEL(NLSTEL)=NHTTAB(INDEX,I)
      NHTTAB(INDEX,I) =0
      NTOTAL(INDEX)=NTOTAL(INDEX)-NOPEL(NLSTEL)
      GO TO 715
  709 NOPEL(NLSTEL)=LORCAR(IACTEL,I)
      LORCAR(IACTEL,I)=0
  715 IFLAG=1
      DIS=DIST(6)+DIST(8)
      IF(LUSLOC(ILUSTP).EQ.1)DIS=DIS+DIST(5)+DIST(7)
      NCLOCK(NLSTEL)=MTIME+LTIME+((3600.*DIS)/CARGCT(I))+.5
      NTRAFF(2)=NTRAFF(2)+NOPEL(NLSTEL)
      OTIME =(MTIME+LTIME)/3600.
      OTIME1=NCLOCK(NLSTEL)/3600.
      WRITE(NTAPE,710)OTIME,NOPEL(NLSTEL),I,OTIME1
  710 FORMAT(1X,2HAT,F8.2,19H  HOURS A CONVOY OF,I4,17H  SD VEH. OF TYPE
```

```
     .,I3,31H  LEAVES FOR DEPOT TO ARRIVE AT,F8.2,4H  HOURS.)
         GO TO 900
C
C              LOS IS AT DEPOT.
C
  800 WRITE(NTAPE,810)LCRCAR(IACTEL,I),I
  810 FORMAT(1X,I4,21H  ITEMS OF CARGO TYPE,I4,26H  UNLOADED AT DEPOT.)
      LSTCAR(3,I)=LSTCAR(3,I)+LCRCAR(IACTEL,I)
      ACAPST(3)=ACAPST(3)+LCRCAR(IACTEL,I)*CARWT(I)
      LCRCAR(IACTEL,I)=0
C
C              TEST FOR CONTAINER CARGO.
C
      IF(CARGCT(I).EQ.-1.000) GOTO 3001
      GO TO 900
C
C              UNACCEPTABLE MHE MESSAGE
C
  890 WRITE(NTAPE,895)IMHETP,I
  895 FORMAT(1X,5HMHE TYPE,I3,29H  UNACCEPTABLE FOR CARGO TYPE, I4)
  900 CONTINUE
      GO TO 950
C
C              TRUCK IS FULL.
C
  920 WRITE(NTAPE,930)
  930 FORMAT(1X,14HTRUCK IS FULL.)
  950 IF(ITRUCK.NE.0)WRITE(NTAPE,960)ITRUCK,(LTKCAR(ITRUCK,J),J=1,NCARTP
     .)
  960 FORMAT(1X,5HTRUCK,I4,13H  HAS CARGO--/1X,40I3)
      GOTO 1215
C
C              NO TRUCK AVAILABLE. IS A TRUCK REQUIRED?
C              YES--IF ANY CARGO,CONTAINERS, OR NSD VEHICLES.
C
 1100 WRITE(NTAPE,1105)
 1105 FORMAT(1X,17HNO TRUCK PRESENT.)
      IF((NCARHL(I).EQ.3).AND.(CARGCT(I).GT.-1.1)) GOTO 1200
C
C              TRUCK IS REQUIRED. LOADING CANNOT PROCEED.
C
      STIME=(MTIME+LTIME)/3600.
      WRITE(NTAPE,1110)STIME,I
 1110 FORMAT(1X,23HLOADING DISCONTINUED AT,F8.2,19H  DUE TO CARGO TYPE,I
     .4)
      NCLOCK(IELEMT)=MTIME+LTIME
      GO TO 1600
C
C              UNLOAD 1 ITEM CRAFT-GROUND.
C
 1200 IF(LDCGTM(ITAGTP,MHESUB,ICRTYP).LT.0) GOTO 1205
      LTIME=LTIME+LDCGTM(ITAGTP,MHESUB,ICRTYP)
      NSTCUM(IMHEPL,I)=NSTCUM(IMHEPL,I)+1
      IF(MHESUB.LT.NMHETP) GOTO 1207
      MHECAR(MHESUB,IMHEPL,I)=MHECAR(MHESUB,IMHEPL,I)+1
      GO TO 1207
```



```
 1205 WRITE(NTAPE,1206) I,MHESUB,ICRTYP
 1207 IF(IEVTYP.NE.11) GO TO 1208
      NHITAE(INDEX,I)=NHITAL(INDEX,I)-1
      NTOTAL(INDEX)=NTOTAL(INDEX)-1
      GO TO 1209
 1208 LCRCAR(IACTEL,I)=LCRCAR(IACTEL,I)-1
 1209 LSTCAR(IMHEPL,I)=LSTCAR(IMHEPL,I)+1
      ACAPST(IMHEPL)=CARWT(I)+ACAPST(IMHEPL)
      WRITE(NTAPE,1210)I,IMHEPL
 1210 FORMAT(1X,2(I4,' ITEM OF CARGO TYPE,I4,23H  MOVED TO STORAGE AREA))
C
C              DETERMINE CURRENT HIGHEST PRIORITY CARGO TYPE ON CRAFT
C
      IF(LCRCAR(IACTEL,I).NE.0)GO TO 1400
 1215 IF(IEVTYP.EQ.11) GO TO 1400
      NPRCCG(IACTEL)=0
      DO 1220 J= 1,NCARTP
      IF(LCRCAR(IACTEL,J).GT.0) GO TO 1230
 1220 CONTINUE
      GO TO 1400
 1230 NPRCCG(IACTEL)=J
C
C      LOADING OPERATION COMPLETED.
C
 1400 LUSCUM(ILUS,1)=LUSCUM(ILUS,1)+LTIME
      IF(IEVTYP.EQ.11) GO TO 1402
      NCRCUM(IACTEL,11)=NCRCUM(IACTEL,11)+LTIME
      NCYCLE=NCRCUM(IACTEL,1)+1
 1402 IF(ITRUCK.EQ.0) GOTO 1405
      NTKCUM(ITRUCK,3)=NTKCUM(ITRUCK,3)+LTIME
      ISUB1=NTKCUM(ITRUCK,1)+1
      WRITE(NTAPE2,1810) NCODE(6),ISUB1,ITRUCK,MTIME,ILUS,LTIME
      WRITE(NTAPE2,1820) (LTKCAR(ITRUCK,I),I=1,NCARTP)
 1405 IF(MHESUB.LE.NMHETP) MHECUM(MHESUB,IMHEPL,1)=MHECUM(MHESUB,IMHEPL,
     .1)+LTIME
      NCLOCK(IELEMT)=MTIME+LTIME
C
C              IS CRAFT EMPTY?
C
      IF(IEVTYP.NE.11) GO TO 1410
      IF(NTOTAL(INDEX).NE.0) GO TO 1600
C
C              GENERATE EVENT 18- BARGE LEAVES SEA WALL.
C
      NEVTYP(IELEMT)=18
      GOTO 1415
 1410 IF(NPRCCG(IACTEL).NE.0) GO TO 1600
      IF(LCRCAR(IACTEL,NCARTP+1).GT.0) GO TO 1650
C
C              GENERATE EVENT 6--CRAFT LEAVES LOS.
C
 1414 NEVTYP(IELEMT)=6
 1415 WRITE(NTAPE2,1810) NCODE(4),NCYCLE,IACTEL,MTIME,ILUS,LTIME
      OTIME=NCLOCK(IELEMT)/3600.
      WRITE(NTAPE,1420)OTIME
 1420 FORMAT(1X,26HCRAFT EMPTY. WILL LEAVE AT,F8.2,4H  HOURS.)
```

```
      GO TO 2000
C
C               GENERATE EVENT 5--CRAFT LEFT AT LUS
 1600 NEVTYP(IELEMT)=5
      IF(IEVTYP.EQ.11) GO TO 1620
      WRITE(NTAPE2,1610) NCODE(4),NCYCLE,IACTEL,MTIME,ILUS,LTIME
      WRITE(NTAPE,1610)NPRCG(IACTEL)
 1610 FORMAT(1X,3HHIGHEST PRIORITY CARGO LEFT IS,I4)
      GO TO 2000
C
C               GENERATE EVENT 11--BARGE LEFT AT SEA WALL
 1620 NEVTYP(IELEMT)=11
      GO TO 2000
C
C               GENERATE EVENT 16--CRAFT LEFT FOR RETROGRADE ONLY.
 1650 NEVTYP(IELEMT)=16
      IF(IEVTYP.EQ.16) GOTO 2000
      NRET=NFILE(ICRTYP)-1
      IF(LCRCAR(IACTEL,NCARTP+1).LT.(NRET+1)) NRET=LCRCAR(IACTEL,NCARTP+
     *1)-1
      IF((QCITM(ICRTYP,IC(NTP).GT.0).AND.((NCNTOT-LCRCAR(IACTEL,NCARTP+
     *1)).GT.(NFILE(ICRTYP)-1))) NRET=0
      LCRCAR(IACTEL,NCARTP+1)=NRET
      IF(NRET.EQ.0) GOTO 1414
      GOTO 2000
C
C               CAUSEWAY OFF-LOADING MODE
C
 1700 ILUS=NHATN(IACTEL)
      ITRUCK=LUSTRK(ILUS)
      JSLOT=IACTEL
      JHATCH=NCHCOR(JSLOT)
      IF(ITRUCK.NE.0) GO TO 1710
      I=NPRCAR(JHATCH)
      IF(CARGQTY(I).GT..1) GO TO 1710
C
C     ERROR MESSAGE-NO TRUCK
C
      WRITE(NPRINT,1705)IACTEL,ILUS
 1705 FORMAT(1X,26HLOGIC ERROR- CAUSEWAY SLOT,I4,5H  LUS,I4,14H  HAS NO
     *TRUCK)
 1708 QCLOCK(IELEMT)=QCLOCK(IELEMT)
      GO TO 2000
C
C               FIND SHIP TYPE TO DETERMINE OFF-LOADING ROUTINE
 1710 ISHIP=NSHPES(IACTEL)
      ISHPTP=IDSHIP(ISHIP)
C
C               SET PARAMETERS FOR ENTRY TO LOADING ROUTINE.
C
      ICRTYP=1
      ITIME=MTIME
      CCWT=0
      CCVL=0
      LOTIM=1
      IF(ITRUCK.EQ.0) GOTO 1725
```



```
      ITKTYP=ITYPTK(ITRUCK)
      WEIGHT=TRUKWT(ITKTYP)
      VOLUME=TRUKVL(ITKTYP)
      DO 1720 I=1,NCARTP
 1720 NCITEM(I)=NCITEM(ITKTYP,I)
      GOTO 1726
C
C               FOR SD VEHICLES--SET CAPACITY=0
C
 1725 WEIGHT=0
      VOLUME=0
      DO 1724 I=1,NCARTP
 1724 NCITEM(I)=0
 1725 L2=NSTING(JHATCH)
      L1=0
      L3=LINDEX
      IF(JHATCH.NE.NCARHT)L3=NSTING(JHATCH+1)-1
      DO 1730 I=L2,L3
      IF(NTOTAL(I).NE.0) GO TO 1740
 1730 CONTINUE
      WRITE(NPRINT,1735)JHATCH
 1735 FORMAT(1X,19HLOGIC ERROR- HATCH,I4,7H  EMPTY)
      GO TO 1708
C
C     INDEX NUMBERS FOUND IN HATCH TABLES.
C
 1740 L1=I
      NPRCAR(JHATCH)=0
      NCONTR=0
      ICRAFT=ITRUCK
C
C               TRANSFER TO APPROPRIATE LOADING ROUTINE BASED ON SHIP TYPE.
C
      GO TO (1751,1752,1753,1751,1752),ISHPTP
C
C               GEN. CARGO SHIP OR RO/RO SHIP
C
 1751 CALL LOGCS
      GO TO 1760
C
C               CONTAINER SHIP
C
 1752 CALL LDCONS
      GO TO 1760
C
C     SHIP TYPE CANNOT BE A LASH.
C
 1753 WRITE(NPRINT,1755) ISHIP
 1755 FORMAT(1X,17HLOGIC ERROR- SHIP,I4,21H  IS LASH AT CAUSEWAY)
      GO TO 1708
C
C     GENERATE NEXT EVENT FOR CAUSEWAY
C
 1760 NEVTYP(IELEMT)=10
      IF(NPRCAR(JHATCH).EQ.0)NEVTYP(IELEMT)=17
      IF(ITRUCK.EQ.0) GOTO 1761
```

```
      ITKTYP=ITTRUK(ITRUCK)
      NHSCRE(IACTEL,ITKTYP)=NHSCRE(IACTEL,ITKTYP)+1
      NTKCUM(ITRUCK,3)=NTKCUM(ITRUCK,3)+LDTIME
 1761 NHSCUM(IACTEL,4)=NHSCUM(IACTEL,4)+LDTIME
      NCLOCK(IELEMT)=ATIME+LDTIME
      DTIME=LDTIME/3600.
      WRITE(NTAPE,1765)IACTEL,NEVTYP(IELEMT),ITRUCK,DTIME,(LTKCAR(ITRUCK
     *,I),I=1,NCARTP)
 1765 FORMAT(1X,13HCAUSEWAY SLOT,I4,12H  NEXT EVENT,I4,7H  TRUCK,I4, 11H
     .  LOADED IT,F8.2,10H  HOURS  CARGO IS--/1X,4013)
      IFLAG=1
      GO TO 2 00
 1800 FORMAT(1X,59HDATA ERROR--CRAFT OFF-LOADING DATA INCONSISTENT--CARG
     .O TYPE,I4,5H  MHE,I4,12H  CRAFT TYPE,I4)
 1810 FORMAT(1X,I2,1117)
 1820 FORMAT(1X,I1,3X12)
C
C               RETROGRADE LOADING MODE
C
 1900 IF(( NCONCG.EQ.0).AND.(ICONTP.NE.0)) GO TO 1910
C
C               LOGIC ERROR--CONDITIONS NOT CORRECT FOR  RETROGRADE
C
      WRITE(NPRINT,1905)NCONCG,ICONTP
 1905 FORMAT(1X,27HLOGIC ERROR--INCORRECT FOR RETROGRADE,2I5)
      NCLOCK(IELEMT)=-NCLOCK(IELEMT)
      CALL MCLOCK
      GO TO 2000
C
C               TRANSFER EMPTY CONTAINERS TRUCK-CRAFT.
C
 1910 ITEMP=TRUKWT(ITKTYP)/CARGWT(ICONTP)
      JTEMP=TRUKVL(ITKTYP)/CARGVL(ICONTP)
      KTEMP=MIN(ITKTYP,ICONTP)
      IF(KTEMP.LT.0) KTEMP=ITEMP
      LTEMP=LORCAR(IACTEL,NCARTP+1)
      NUMBER=MIND(ITEMP,JTEMP,KTEMP,LTEMP)
C
C               LOAD NUMBER OF RETROGRADE CONTAINERS
C
      LORCAR(IACTEL,NCARTP+1)=LORCAR(IACTEL,NCARTP+1)-NUMBER
      IF(LDCTIM(NTAGTC,MHESUB,ICRTYP).LT.0) GOTO 1930
      LTIME=LTIME+LDCTIM(NTAGTC,MHESUB,ICRTYP)*NUMBER
      IF(MHESUB.GT.NMHETP) GO TO 1940
      MHECAR(MHESUB,IMHEPL,NCARTP+1)=MHECAR(MHESUB,IMHEPL,NCARTP+1)+NUMB
     *ER
      GO TO 1940
 1930 WRITE(NPRINT,1935)ICONTP,MHESUB,ICRTYP
 1940 NPROCS(IACTEL)=0
      DTIME=LTIME/3600.
      WRITE(NTAPE,1950)NUMBER,ITRUCK,IACTEL,DTIME
 1950 FORMAT(1X,I4,5H  CONTAINERS RETROGRADED FROM TRUCK,I4,10H  TO CRA
     .FT,I4,9H  IN,F8.2,7H  HOURS)
      LTKCAR(ITRUCK,NCARTP+1)=1
      GO TO 1400
 2000 IF(IFLAG.EQ.1)CALL MINCLK
```



```
      RETURN
      END
```

```
      SUBROUTINE EVENTS
C
C           EVENT 5--PROCESSES CRAFT LEFT AT LUS, ASSIGNS TRUCKS AND
C           FOR MHE, CALLS EVENT 6 TO PERFORM LOADING, IF LOADING MAY
C           OCCUR.
C
C*****
C
      COMMON/A01/ICLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .          NILREL,ALSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LDTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGVT(40),CARGVL(40),CARDCT(40),ICARHL(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULRAT(10),NCCITM(10,40),MILE(10),CRAFFS(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,15),IPRTCG(30),MHEPRY(10,10,13),MHETRK(30),LDGTTM(13,15,10),LD
     .TTM(13,15,10),
     .          NPRCAR,IPRTRK,ITRUCK,NTRUKQ,NTRKPP
C
      COMMON/A05/IDSHIP( 5),NCRSHP( 5),IDSHIP( 5),PSHPNS(20),IDHSLT(20),
     .SCHEDL(20),LOCES(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .[illegible](20),NSTINC(20),NHATIX(100),NDCP(100),NACCES(100),NTOTAL(100),
     .NHTTAB(100,9),NSSST(5),
     .          IDHCOP,LINDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IPLLS(30),IDSDVH(20),
     .          NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHETP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,ISI,NTAGTP
C
      COMMON/A07/NIST( 9),CAPST(3),ACAFST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .E(30),LUSLOC(15),LUSSTT(15),LDCGTM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCH(30),LISTHS(24),NSORT(30),NPRCAR(20),NPRCHC(10,10
     .,13),
     .          NLISCH,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/MCORTM(10,10),LOADTM(10,10,15),
     .,ISI,NDECKI,NRIMP3,NRTMIS,NSMT,NSIMT,NHELOD,NSIWT
C
      COMMON/A11/MCITEM(40),NPLAT(20),
     .          ITIME,LDTIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L3,CCWT,CCVL
     .          ,IDCP,NCONTR,CCFS,FLOOR
C
      COMMON/A12/LLSGUE(30),NPRCCG(30),NPRLUS(15,10,13),NPRMHE(15,10,13)
     .,LUSLTS(16),LUSBTM(10,15),LLSSDT(10,15),
     .          LUSCRG,NLUSPR,LUSGPN
C
      COMMON/A13/NCRCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .40),MHECUM(15,3,40),LUSUSE(30,10),LUSCUM(30,2),MSTCUM(2,40),NHSCUM
     .(20,3),NHSCRF(20,10),NTRAFF(2),NCRCAR(30,40),INECYC(30,2),KSTAT(30
```



```
     .,4,3),CSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,      NOPEL ,      NELEMT,      NCODE        A1
      INTEGER*2ICARHL,      NCGTA                                  A2
      INTEGER*2NCRAFM,      MULRAT,      NCCITM,      NFILE        A3
      INTEGER*2NTCITM,      CRAFFS,      NPRTCG,      MHEPRY       A4
      INTEGER*2MHETRK,      LDCTTM,      LDTCTP                    A5
      INTEGER*2NPSSHP,      NCRSHP,      IDSHIP,      NSHPNS       A6
      INTEGER*2IDHSLT,      NCHCOP,      LOCES ,      NHATSS       A7
      INTEGER*2NSTYP ,      NHATNO,      IDCARH,      NSTROM       A8
      INTEGER*2NSTINC,      NHATIX,      NDCP  ,      NACCES       A9
      INTEGER*2NTOTAL,      NHTTAB,      NSSST                     A10
      INTEGER*2NCRTYP,      NTKTYP,      NLSTYP,      NMHTYP       A11
      INTEGER*2IDCRAF,      IDTRUK,      IDLLS ,      IDSDVH       A12
      INTEGER*2LLSGRE,      LUSTRK,      LUSMHE,      LUSLOC       A13
      INTEGER*2LLSSTT,      LDCGTM,      LDCTTM                    A14
      INTEGER*2LCRCAR,      LTKCAR,      LSTCAR                    A15
      INTEGER*2LISTCH,      LISTHS,      NSORT ,      NPRCAR       A16
      INTEGER*2NPRCHC                                             A17
      INTEGER*2MCORTM,      LOADTM                                A18
      INTEGER*2NCITEM,      NPLAT                                 A19
      INTEGER*2LLSGUE,      NPRCCG,      NPRLUS,      NPRMHE       A20
      INTEGER*2LLSLTS,      LUSBTM,      LLSSDT                    A21
C
C           SET PARAMETERS FOR EVENT5--CRAFT LEFT AT LUS.
C
      ICARTP=NPRCCG(IACTEL)
      WRITE(NTAPE,2000) IACTEL,NOPEL(IELEMT)
 2000 FORMAT(1X,5HCRAFT,I4,13H  LEFT AT LUS,I4)
      GO TO 2
C
C           ALTERNATE ENTRY--EVENT 16--CRAFT LEFT AT LUS FOR RETROGRAD
C           E OF CONTAINERS ONLY.
C
      ENTRY EVNT16
C
      WRITE(NTAPE,1) IACTEL,NOPEL(IELEMT)
    1 FORMAT(1X,5HCRAFT,I4,13H  LEFT AT LUS,I4,16H  FOR RETROGRADE)
C
C           FIND CARGO TYPE TO USE FOR EMPTY CONTAINER.
C
      L2=NCARTP+1
      DO 1001 I=1,L2
      J=L2+1-I
      IF(CARDCT(J).EQ.-1.200) GOTO 1002
 1001 CONTINUE
      WRITE(NPRINT,1005)
 1005 FORMAT(1X,21HLOGIC ERROR-NO CONTAINER CARGO)
      NCLOCK(IELEMT)=-NCLOCK(IELEMT)
      GOTO 1010
 1002 ICARTP=J
    2 JFLAG=0
      ILUS=NOPEL(IELEMT)
      ICITYP=ICRAF(IACTEL)
      ITRKTP=NCGTAG(ICARTP)
      GO TO 4
```

```
C
C               ALTERNATE ENTRY--EVENT 1:--MATCH SLOT AT CAUSEWAY LEFT
C               WITH OUT A TRUCK.
C
      ENTRY EVNT1P
      WRITE(NTAPE,1004) IACTEL
 1003 FORMAT(1X,10HMATCH SLOT,I4,20H  AT CAUSEWAY READY TO UNLOAD)
      ICRTYP=1
      ICHOOK=NCHOOK(IACTEL)
      ICARTP=CRCAR(ICHOOK)
      ITACTP=NGTAG(ICARTP)
      GO TO 6
C
C     ALTERNATE ENTRY--EVENT 11--BARGE ARRIVES OR IS LEFT AT SEA WALL.
C
      ENTRY EVNT11
C
C               FIND HIGHEST PRIORITY CARGO TYPE.
C
      L1=NSELCT(IFLEMT)
      WRITE(NTAPE,1004) NBCH(L1),IACTEL,NMATNO(IACTEL)
 1004 FORMAT(1X,5HBARGE,I4,12H  HATCH SLOT,I4,5H  LUS,I4,17H  READY TO U
     .NLOAD)
      DO 3 I= 1,NCARTP
      IF(QUITAR(L1,I).NE.0) GO TO 5
    3 CONTINUE
      WRITE(NPRINT,4)NBCH(L1),L1
    4 FORMAT(1X,17HDATA ERROR--BARGE,I4,7H  INDEX,I4,14H  HAS NO CARGO)
      NCLOCK(IFLEMT)=NCLOCK(IFLEMT)
      JFLAG=1
      GOTO 1000
    5 ICARTP=I
      ITAGTP=NGTAG(ICARTP)
      ICRTYP=NCRETP+1
    6 ILUS=NMATNO(IACTEL)
      JFLAG=1
    8 IFLAG=0
      IMHETP=LUSMHE(ILUS)
      ITRUCK=LUSTRK(ILUS)
      ILUSTP=ILLUS(ILUS)
      IMHEFL=LUSLOC(ILUSTP)
C
C               IS THERE A LOADED TRUCK AT THIS LUS?
C
      IF(ITRUCK.EQ.0) GO TO 100
C               IS TRUCK LOADED?
      I2=NCARTP+1
      DO 10 I=I,I2
      IF(ITRKCAR(ITRUCK,I).GT.0) GO TO 75
   10 CONTINUE
C               EMPTY TRUCK AVAILABLE.
C
C               IF EMPTY TRUCK, THEN MHE MUST BE AVAILABLE I30.
C
      GOTO 41
C
```

```
C               SEE IF TRUCK IS USABLE BY MHE.
C
   75 ITRUCK=LIVE(ITRUCK,NCARTP+1)
      LUSTRK(ILUS)=
      CALL TRKFRE(ITRUCK)
C
C               SEARCH FOR NEW TRUCK ASSIGNMENT.
C
  100 IF ((IMHEPL.EQ.4).OR.(CAPST(ICARTP).GT.1)) GO TO 110
      IF(CRAIM(ICRTYP).EQ.0)  GO TO 5
      KERCAR=ICARTP
      CALL TRKSEE
      IF(ITRUCK.NE.0) GO TO 210
C
C               NO NEW TRUCK ASSIGNMENT. IS A TRUCK REQUIRED?
C
  110 IF(NCARHL(KPRCAR).LE.2) GO TO 200
      IF(ACAPST(IMHEFL).GT.CAPST(IMHEFL)) GO TO 200
      IF(ILUSTP.EQ.8) GO TO 500
C
C               TRUCK AVAILABLE, OR NOT REQUIRED.
C               IS CURRENT MHE ACCEPTABLE?
C
  200 ITEST = ILLSTP
      JMHETP=0
      IF((LUSSIT(ILUSTP).EQ.5).OR.(LUSSIT(ILUSTP).EQ.1)) GO TO 250
      JMHETP=-1
  240 DO 250 I=1,NLUSPR
         IF(KMHETP.EQ.IMHETP) GO TO 300
      IF(NPRLUS(I,ICRTYP,ITAGTP).NE.ITEST) GO TO 250
      KMHETP=NPRMHE(I,ICRTYP,ITAGTP)
      IF(JMHETP.NE.-1) GO TO 250
      IF((KMHETP.EQ.6).OR.(NMHTYP(KMHETP,IMHEPL).LT.2)) JMHETP=KMHETP
  250 CONTINUE
C
C               IF LUS TYPE IS FIXED BEACH, MOBILE BEACH LUS TYPE SHOULD
C               ALSO BE TRIED FOR MHE SELECTION.
C
      IF(ITEST.NE.ILUSTP) GO TO 280
      IF(LUSSIT(ILUSTP).EQ.2) GOTO 260
      GO TO 280
C
C               LUS TYPE IS FIXED BEACH, FIND MOBILE BEACH TYPE LUS & THEN
C               MHE TYPES AGAIN.
C
  260 DO 270 I=1,NLUSTP
      IF((LUSLOC(I).EQ.IMHEFL).AND.(LUSSIT(I).EQ.5)) GOTO 275
  270 CONTINUE
      GO TO 280
  275 ITEST =I
      GO TO 240
C
C               CURRENT MHE IS UNACCEPTABLE.
C               IS ANOTHER MHE TYPE AVAILABLE?
C
  280 IF(JMHETP.NE.-1) GO TO 440
```

```
C
C               MHE EVENT -- ASSIGN NEW MHE.
C
C
      IF(IMHETP.NE.0)IFLAG=1
  200 LUSMHE(ILUS)=IMHETP
      IF(IMHETP.NE.2)NMHTYP(IMHETP,IMHEPL)=NMHTYP(IMHETP,IMHEPL)-1
C
C               ASSIGN A TRUCK IF AVAILABLE
C
  300 IF(ITRUCK.EQ.0) GO TO 310
      ISUB=NELEM(1)+ITRUCK
      ITRCMP(ITRUCK,2)=ITRCUM(ITRUCK,2)+MTIME+RCLOCK(ISUB)
      RCLOCK(ISUB)=-MTIME
      NQTY(ISUB)=0
      NQUE(ISUB)=ILUS
      LUST=RCELL(ILUS)=ITRUCK
      ITRUCK=ITRUCK-1
  310 WRITE(NTAPE,320)ILUS,IACTEL,LUSMHE(ILUS),ITRUCK,ICARTP
  320 FORMAT(1X,6HAT LUS,I4,10H  --CRAFT-,I4,11H  MHE TYPE-,I4,8H  TRUCK
     *-,I4,13H  CARGO TYPE-,I4)
C
C               PERFORM 1 CYCLE OF LOADING AS IN EVENT4
C
      CALL EVENT4
      GO TO 600
C
C               MHE UNACCEPTABLE--NO ACCEPTABLE TYPE AVAILABLE.
C
  450 WRITE(NTAPE,485)IACTEL,ILUS,IMHETP,ICARTP
  485 FORMAT(1X,5HCRAFT,I4,14H  WAITS AT LUS,I4,10H  MHE TYPE,I4,29H  UN
     *ACCEPTABLE FOR CARGO TYPE,I4)
      GO TO 600
C
C               TRUCK, REQUIRED, BUT NOT AVAILABLE; LOADING DISCONTINUED.
  500 WRITE(NTAPE,510) ILUS,IACTEL
  510 FORMAT(1X,3HLUS,I4,29H  REQUIRES A TRUCK.  CRAFT,I4,8H  WAITS.)
C
C               SET CRAFT CLOCK TO WAIT STATE.
C
  600 IF(IMHETP.NE.0)IFLAG=1
      LUSMHE(ILUS)=0
      RCLOCK(IELEMT)=-RCLOCK(IELEMT)
C
C               RETURN MHE TO POOL + REASSIGN, IF APPROPRIATE.
C
  800 IF(IFLAG.EQ.1) GO TO 1000
      NMHTYP(IMHETP,IMHEPL)=NMHTYP(IMHETP,IMHEPL)+1
      MHECYC(IMHETP,IMHEPL,1)=MHECYC(IMHETP,IMHEPL,1)+1
      IF(NMHTYP(IMHETP,IMHEPL).GT.1) GO TO 1000
C
C               ONE MHE TYPE RETURNED TO POOL.
C               LOOK FOR MHE REASSIGNMENT.
C
C
C               ASSIGN MHE TO WAITING CRAFT?
C
      CALL WAITCR(IMHETP,ISUB,L)
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 1000
C
C               ASSIGN CRAFT FROM LUS
C
      CALL CLOSSL
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 1000
C
C               ASSIGN MHE TO TRUCK WAITING AT LUA OR LUS?
C
      CALL WAITRK(IMHETP,IMHEPL)
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 1000
C
C               ASSIGN TRUCK TO LUA OR LUS?
C
      CALL TRKASS(IMHETP,IMHEPL)
 1000 IF(IFLAG.EQ.1) CALL MINCLK
 1010 RETURN
      END
```

```
      SUBROUTINE EVENT
C
C     ***NOTE--CRAFT LEAVES LUS.  SENDS CRAFT TO SHIP-S CODE.
C     SENDS TRUCK, IF ANY, T- ITS CR REP-T. RETURNS MHE, IF ANY,
C     TO POOL.  SEARCH FOR NEW CRAFT, TRUCK OR MHE ASSIGNMENTS.
C
C*****
C
      COMMON/A01/ILOCK(100),NEVTYP(10),NCODE(100),NELEMT(6),NCODE(20),
     .           ICLKEL,MLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LSTIME,PARING,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARCNT(40),CARQVL(40),CARQCT(40),NCARHL(40),NCGTAG(40)
C
      COMMON/A14/CRAFST(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),NULMAT(10),NCCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,5),NPRT(G(30),MHEPRY(10,10,13),MHETRK(30),LDGTIM(13,15,10),LD
     .TTM(13,15,10),
     .           MHECAR,IPRTRK,ITRUCK,NTRUKQ,NTRKPR
C
      COMMON/A05/MSSHP( 5),NCHSHP( 5),IDSHIP( 5),NSHPHS(20),IDHSLT(20),
     .NCHCAR(20),LOCFS(20),NHATPS(20),MSTYP(20),NHATNO(20),IDCARH(20),NS
     .TOPM(20),MSTIND(20),NHATIX(100),NDCH(100),NACCES(100),NTOTAL(100),
     .NHTTYP(100,4),NSSSI(5),
     .           ICHCPS,LIPDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),ITRUK(30),IFLLS(30),IDSDVE(20),
     .           NCARTP,NCRETP,NTRKTP,NLUSTP,NMHETP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,NSI,NTYTP
C
      COMMON/A07/DISC( 5),CAPST(3),ACAPST(3),LUSCRE(30),LUSTRK(30),LUSMH
     .E(30),LUSL(C(15),LLSSIT(15),LDCGTM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCR(30),LISTHS(24),NSORT(30),NERCAR(20),NPRCHC(10,10
     .,15),
     .           NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/NCRTM(10,10),LOADTM(10,10,13),
     .NCOT,NDECKC,NRTMPL,NRTMIP,NCMT,NSIMT,NHELOD,NSIMT
C
      COMMON/A11/ICITEM(40),MPLAT(20),
     .           ITIMP,LETIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L3,CCMT,CCVL
     .           ,INFE,ACCNTR,CCFS,FLOOR
C
      COMMON/A12/LUSCUE(30),NPRCC(3)),NPRLUS(15,10,13),NPRMHE(15,10,13)
     .,LUFLTS(10),LUSRTM(10,15),LUSSDT(10,15),
     .           LUSCRA,NLUSPR,LUSPN
C
      COMMON/A13/CRCUR(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .40),NHCLM(15,2, 4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),NHSCUM
     .(20,2),NUSCRF(20,10),ATRAFF(2),NCRCAR(30,40),ENDCYC(30,2),KSTAT(30
```

```
     .,4,2),CRTA1(2,4,5)
C*****
      EQUIVALENCE (ICLKEL,NCLKEL),(MLSTEL,NLSTEL),(MTIME,NTIME),
     .           (IEVTYP,NEVTYP),(IELEMT,NELEMT),(IACTEL,NACTEL),
     .           (INTCUM,NINTCM),(INTPER,NINTPR),(LPTIME,NLPTIM),
     .           (LSTIME,NLSTIM),(PARING,NPARNG),(NTAPE1,NTAPE1),
     .           (NTAPE2,NTAPE2),(ICOUT,NCOUT),(NTAPE3,NTAPE3),
     .           (CARQVL,CRQVOL),(CARQCT,CRQCNT),(NCARHL,NCRHOL),
     .           (NCGTAG,NCRTAG),(CRAFST,CRFSTA),(CRAFVL,CRFVOL),
     .           (CRAFSP,CRFSPD),(CRAFHT,CRFHGT),(NCRAFM,NCRFMH),
     .           (NULMAT,NCRMAT),(NCCITM,NCRITM),(NFILE,NCRFIL),
     .           (CRAFFS,CRFFST),(TRUKWT,TRKWGT),(TRUKVL,TRKVOL),
     .           (TRUKSP,TRKSPD),(NTCITM,NTRITM),(NPRTRK,NPRTRC),
     .           (NPRT(G,NPRTRG),(MHEPRY,NMHPRY),(MHETRK,NMHTRK),
     .           (LDGTIM,LDGTTM),(LDTTM,LDTTTM),(MPRTRK,MPRTRK),
     .           (ITRUCK,NTRUCK),(NTRUKQ,NTRKQ),(NTRKPR,NTRKPR),
     .           (MSSHP,NSSHP),(NCHSHP,NCHSPH),(IDSHIP,IDSHPH),
     .           (NSHPHS,NSHPID),(IDHSLT,IDHSTP),(NCHCAR,NCHCRH),
     .           (LOCFS,LOCFTP),(NHATPS,NHATPT),(MSTYP,NSTYP),
     .           (NHATNO,NHATID),(IDCARH,IDCRHT),(NSTOPM,NSTOPT),
     .           (MSTIND,NSTIND),(NHATIX,NHTIDX),(NDCH,NDOCH),
     .           (NACCES,NACCSS),(NTOTAL,NTOTLT),(NHTTYP,NHMTYP),
     .           (NSSSI,NSSSIT),(ICHCPS,ICHCPT),(LIPDEX,LIPDXT),
     .           (NCRTYP,NCRTYT),(NTKTYP,NTKTYT),(NLSTYP,NLSTYT),
     .           (NMHTYP,NMHTYT),(IDCRAF,IDCRFT),(ITRUK,ITRUKT),
     .           (IFLLS,IFLLST),(IDSDVE,IDSDVT),(NCARTP,NCRTYP),
     .           (NCRETP,NCRETY),(NTRKTP,NTRKTY),(NLUSTP,NLUSTY),
     .           (NMHETP,NMHETY),(NHTSTP,NHTSTY),(NCARHT,NCRHTY),
     .           (NMHEPL,NMHEPT),(NLUS,NLUSTP),(NSI,NSITP),
     .           (NTYTP,NTYPTP),(DISC,DISCPL),(CAPST,CAPSTA),
     .           (ACAPST,ACAPSA),(LUSCRE,LUSCRT),(LUSTRK,LUSTRT),
     .           (LUSMHE,LUSMHT),(LUSL(C,LUSLOC),(LLSSIT,LLSSTT),
     .           (LDCGTM,LDCGTT),(LDCTTM,LDCTTT),(LCRCAR,LCRCAT),
     .           (LTKCAR,LTKCAT),(LSTCAR,LSTCAT),(LISTCR,LISTCT),
     .           (LISTHS,LISTHT),(NSORT,NSRTPT),(NERCAR,NERCRT),
     .           (NPRCHC,NPRCHT),(NLISCR,NLISCT),(NLISHS,NLISHT),
     .           (ISLOT,ISLOTT),(ICRAFT,ICRFTT),(NCRTM,NCRTMT),
     .           (LOADTM,LODTMT),(NCOT,NCOTPT),(NDECKC,NDKCPT),
     .           (NRTMPL,NRTMPT),(NRTMIP,NRTMPT),(NCMT,NCMTPT),
     .           (NSIMT,NSIMPT),(NHELOD,NHELDT),(NSIMT,NSIMPT),
     .           (ICITEM,ICITMT),(MPLAT,NPLATT),(ITIMP,ITIMPT),
     .           (LETIME,LETIMT),(JSLOT,JSLOTT),(JHATCH,JHATCT),
     .           (WEIGHT,WEIGHT),(VOLUME,VOLUMT),(L1,L1T),(L3,L3T),
     .           (CCMT,CCMTPT),(CCVL,CCVLPT),(INFE,INFEPT),
     .           (ACCNTR,ACCNTT),(CCFS,CCFSPT),(FLOOR,FLOORT),
     .           (LUSCUE,LUSCUT),(NPRCC(,NPRCCT),(NPRLUS,NPRLST),
     .           (NPRMHE,NPRMHT),(LUFLTS,LUFLTT),(LUSRTM,LUSRTT),
     .           (LUSSDT,LUSSDT),(LUSCRA,LUSCRT),(NLUSPR,NLUSPT),
     .           (LUSPN,LUSPNT),(CRCUR,CRCURT),(NTKCUM,NTKCMT),
     .           (MHECYC,MHECYT),(MHECAR,MHECRT),(NHCLM,NHCLMT),
     .           (LUSUSE,LUSUST),(LUSCUM,LUSCMT),(NSTCUM,NSTCMT),
     .           (NHSCUM,NHSCMT),(NUSCRF,NUSCRT),(ATRAFF,ATRAFT),
     .           (NCRCAR,NCRCRT),(ENDCYC,ENDCYT),(KSTAT,KSTATT),
     .           (CRTA1,CRTA1T)
C*****
      INTEGER*2NEVTYP,      ICLKEL,      NELEMT,      NCODE      A1
      INTEGER*2NCARHL,      NCGTAG                               A2
      INTEGER*2NCRAFM,      NULMAT,      NCCITM,      NFILE      A3
      INTEGER*2LTCITM,      NPRTRK,      NHETRK,      MHEPRY     A4
      INTEGER*2MHETRK,      LDGTTM,      LDTTTM                  A5
      INTEGER*2NTRUKQ,      ITRUCK,      NTRKPR,      NPRTRK     A6
      INTEGER*2IDHSLT,      IDCHSP,      LOCFS ,      NHATPS     A7
      INTEGER*2NSTYP ,      NHATPO,      IDCARH,      NSTOPM     A8
      INTEGER*2NSTIND,      NHATIX,      NDCH  ,      NACCES     A9
      INTEGER*2NTOTAL,      NTTTYP,      NSSSI                   A10
      INTEGER*2NCRTYP,      NTKTYP,      NLSTYP,      NMHTYP     A11
      INTEGER*2IDCRAF,      ITRUK,       IFLLS ,      IDSDVE     A12
      INTEGER*2LUSCRE,      LUSTRK,      LUSMHE,      LUSLOC     A13
      INTEGER*2LLSSIT,      LDCGTM,      LDCTTM                  A14
      INTEGER*2LCRCAR,      LTKCAR,      LSTCAR                  A15
      INTEGER*2LISTCR,      LISTHS,      NSORT ,      NPRCHC     A16
      INTEGER*2NERCAR                                           A17
      INTEGER*2NCITEM,      NPLAT                               A18
      INTEGER*2LUSCUE,      NPRCCC,      NPRLUS,      NPRMHE     A19
      INTEGER*2LUSLIS,      LUSMTM,      LUFLTT                  A20
C
C           SET PARAMETERS FOR CRAFT-EVENTS
C
      ILUS=NODEL(IACTEL)
      ICRTYP=IDCRAF(IACTEL)
      IFLAG=0
      GO TO 4
C
C           ENTRY EVNT17-HATCH SLOT AT CAUSEWAY IS EMPTY.
C
      ENTRY EVNT17
      ICRTYP=1
      GO TO 2
C
C           ENTRY EVNT18-BARGE IS EMPTY.
C
      ENTRY EVNT18
      ICRTYP=NCRETP+1
    2 ILUS=NHATNO(IACTEL)
      IFLAG=1
    4 ILUSTP=IDLLS(ILUS)
      IMHE=LUSL(C(ILUSTP)
      ITIME=0
      DIS=1
      LFLAG=0
C
C           IS THERE A TRUCK AT THIS LUS?
C
      IF(LUSTRK(ILLS).EQ.0) GO TO 2010
      ITRUCK=LUSTRK(ILLS)
      LUSTRK(ILUS)=0
      CALL TRKDES(IMHE,IFL)
C
```

```
C
C               EMPTY BARGE AT SLIP 1
C
 2010 IF(IEVTY .NE. 17) GO TO 2150
C
C               PROCESS EVENT 17-EMPTY BARGE AT CAUSEWAY.
C
C               SET FOR I -DEPARTS-
C
      IFLG=IELEM(5)
      LOC=NCELL(IFLG)
C
C               -CLEAR BARGE SLOT CONDITIONS.
C
      NWAIT(NCELL(IFLG))=0
      NCL(NCELL(IFLG))=-1
      NEVTYP(NCELL(IFLG))=-1
C
C               CHECK FOR SHIP DEPARTURE
C
      IACTEL=IACTEL
      CALL SHPDEP
      GO TO 1000
C
C               SEE IF CALL VACATED FOR BARGE.
C
 2150 IFLG =1
      LOC=NCELL(1)
C
C               FIND MATCH SLOT CORRESPONDING TO SEA MAIL.
C
      L2=NELEMT(4)
      DO 2060 I=1,L2
      IF((NCELL(I).EQ.LOC).AND.(NWAIT(I).EQ.ILUS)) GO TO 2065
 2060 CONTINUE
C
C               ERROR ROUTINE
C
      WRITE(NERRNT,2062) ILUS
 2062 FORMAT(1X,'LOGIC ERROR- LUS,I4,19H HAS NO MATCH SLOT.)
      GO TO 1000
C
C               FIND CORRO MATCH FOR BASH AND BARGE INDEX NUMBER.
C
 2065 IACT=1
      ISLOT=CLOCL+NELEMT(5) +1
      ICOR=MSCORR(I)
      LL=NCELL(ICOR)
      GO TO 2155
C
C               EMPTY BARGE?
C
 2150 IF(IEVTYP.NE.18) GO TO 2
C
C               PROCESS EVENT18-EMPTY BARGE.
C
C               FIND NEXT BARGE.
```



```
C
      LL=NCELL(IFLG)
      WRITE(NTAPE,2) LL,NCELL(LL),IFLG
 2192 FORMAT(1X,'BARGE',I4,1X,'I=',I4,' IFLG=',I4)
      ICHECK=NCELL(LL)
      LL=LL+1
 2195 L5=LL-LOC+1
      IF(ICHECK.NE.NCELL(L5))L5=NCELL(ICHECK+1)-1
C
C               LAST BARGE DEPARTED ?
C
      IF(LL.GT.L5)    GO TO 2200
C
C               LOOP THRU MATCH SLOTS TO FIND FIRST UNASSIGNED BARGE.
C
      L2=NCELL+NELEMT(4)+1
      L4=L2+NELEMT(4)-1
      DO 2110 I=L2,L4
      IF((NEVTYP(I).EQ.11).AND.(NCELL(I).EQ.LL)) LL=NCELL(I)+1
 2110 CONTINUE
      IF(LL.GT.L5) GO TO 2200
C
C               FIND FIRST UNASSIGNED NON-EMPTY BARGE.
C
      DO 2120 I=LL,L5
      IF(NTOTAL(I).GT.0) GO TO 2130
 2120 CONTINUE
      GO TO 2200
C
C               NEXT BARGE HAS BEEN FOUND.
C               ASSIGN BARGE AND GENERATE EVENT11.
C
 2130 INDEX=I
      NOPCL(IELEMT)=INDEX
      LUSCRF(ILUS)=NCOR(INDEX)+10
      NEVTYP(IELEMT)=11
      NCLOCK(IELEMT)=MTIME+LUSTIM(ICRTYP,ILUSTY)
      WRITE(NTAPE,2140) NCOR(INDEX),ILUS
 2140 FORMAT(1X,5HBARGE,I4,17H  ASSIGNED TO LOC,I4)
      GO TO 1000
C
C               NO BARGES LEFT TO ASSIGN.
C
C
C               CHECK FOR DEPARTURE OF LASH
C
 2200 NWAIT(NCELL(IACTEL))=0
      ISLOT=IACTEL
      WRITE(NTAPE,2205) ILUS,ISLOT
 2205 FORMAT(1X,'DEAD BARGE--LUS,I4,7H  -SLOT,I4,50H-  IS NO LONGE
     .R A MATCH SLOT.  RENUMBER SEA CALL SLOTS.)
      CALL SHPDEP
C
C               REMOVE MATCH SLOT FROM CLOCK
C
      LL=I LEMT+1
```

```
      IF(IELEMT.GE.NLSTEL) GO TO 2230
      DO 2210 I=L1,NLSTEL
      NCLOCK(I-1)=NCLOCK(I)
      NEVTYP(I-1)=NEVTYP(I)
 2210 NOPEL(I-1)=NOPEL(I)
C
C             UPDATE WATCH SLOT STATES
C
      L1=IACTEL+1
      IF(IACTEL.GE.NELEMT(4)) GO TO 2230
      L2=NELEMT(4)
      DO 2220 I=L1,L2
      IDHSLT(I-1)=IDHSLT(I)
      LOCHS(I-1)=LOCHS(I)
      NSHPHS(I-1)=NSHPHS(I)
      NHATSS(I-1)=NHATSS(I)
 2220 NHATHS(I-1)=NHATHS(I)
 2230 NCLOCK(NLSTEL)=0
      NEVTYP(NLSTEL)=0
      NOPEL(NLSTEL)=0
      NLSTEL=NLSTEL-1
      IDHSLT(L2)=0
      LOCHS(L2)=0
      NSHPHS(L2)=0
      NHATSS(L2)=0
      NHATHS(L2)=0
      NELEMT(4)=NELEMT(4)-1
C
C             SEA WALL IS OPEN. UPDATE LUS LIST AND CHECK FOR
C             REASSIGNMENT.
C
      GO TO 45
C
C             SEND CRAFT TO SHIP-S QUEUE.
C
    4 CALL RT(36,20,10),IMHEPL
C             LEAVING DEPOT
   10 DIS=DIS+DIST(9)+DIST(6)
C             LEAVING ISS
   20 DIS=DIS+DIST(7)+DIST(5)
      ITIME=3600.*DIS/CRAFSP(ICRTYP,1)+.5
C             LEAVING BEACH.
   30 DIS=DIST(4)+DIST(3)
      ITIME=ITIME+2700.*DIS/(1.1515*CRAFSP(ICRTYP,3))+.5
      NCYCLE=NCRCUM(IACTEL,1)+1
      NCRCUM(IACTEL,14)=NCRCUM(IACTEL,14)+ITIME
      WRITE(NTAPE[2,1910)NCODE(17),NCYCLE,IACTEL,MTIME,ILUS,ITIME
      NCLOCK(IACTEL)=MTIME+ITIME
      OTIME=NCLOCK(IACTEL)/3600.
      NEVTYP(IACTEL)=1
      NOPEL(IACTEL)=
      WRITE(NTAPE,40) IACTEL,ILUS,OTIME
   40 FORMAT(1X,5HCRAFT,I4,12H  LEAVES LUS,I4,23H  TO ARRIVE SHIP-S Q AT
     *,F4.2,4H  HRS.)
C
C             IS LUS A SEA WALL?
```



```
C
      IF(LUSSTT(ILUS,1).NE.1) GOTO 45
C
C             SEA WALL LUS. IS A BASE PRESENT?
C
      L1=NCLKEL+1
      L2=NCLKEL+NELEMT(3)
      DO 42 I=L1,L2
      IF(NEVTYP(I).NE.6) GO TO 42
      ISUB=I-NCLKEL
      IF(ILUSHE(ISUB).EQ.ILUS) GO TO 2350
   42 CONTINUE
C
C             NO BASE IN SYSTEM
C
C
C     UPDATE LUS LIST.
C
   45 LUSCRF(ILUS)=0
      LUSOPN=LUSOPN+1
      IF(LUSLIS(ILLSTP).EQ.0) GO TO 50
      IF(LUSLIS(ILLSTP).LT.ILUS) GO TO 70
      GO TO 55
   50 LFLAG=1
   55 LUSLIS(ILUSTP)=ILUS
C
C             MHE RETURNED
C
   70 IF(LUSMHE(ILUS).EQ.0) GO TO 500
      IMHETP=LUSMHE(ILUS)
      NMHTYP(IMHETP,IMHEPL)=NMHTYP(IMHETP,IMHEPL)+1
      MHECYC(IMHETP,IMHEPL,1)=MHECYC(IMHETP,IMHEPL,1)+1
      LUSMHE(ILUS)=0
      IF(NMHTYP(IMHETP,IMHEPL).GT.1) GO TO 500
C
C             LOOK FOR NEW MHE,TRUCK OR CRAFT ASSIGNMENTS.
C
      CALL WATCRF(IMHETP,IMHEPL)
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 500
      CALL CLUSSI
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0)GO TO 1000
      CALL WAITRK(IMHETP,IMHEPL)
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 1300
   80 CALL TRKASS(IMHETP,IMHEPL)
      GO TO 1500
C
C             ASSIGNMENTS DUE TO  BEGINNING OF LUS?
C
  500 IF(LFLAG.NE.1) GO TO 990
      IEVTYP=
      CALL CLUSSI
C
C             CHECK FOR TRUCK ASSIGNMENT TO ISS IF A HELICOPTER HAS LEFT
C             CARS  THERE.
C
  990 IF((CRAFNM(ICRTYP).EQ.0).AND.(IMHEPL.EQ.2)) GOTO 40
```

```
C                                                                       EVENTS          DATE = 78311          24/04/09
C
C               UPDATE CLOCK, IF REQUIRED.
C
 1000 IF(IFLA.EQ.1) CALL MINCLK
      RETURN
 1010 E=AMAX1(X,12.111)
      END
```



```
                                                                        DATE = 78311          24/04/09
      SUBROUTINE EVENTS
C
C               EVENTS-LOCATE, TRUCK LEAVES TRANSITS, TRUCK SENT TO DEST
C               SIGHT, MEL METHOD IS USED, NEW CREATION TRUCK ASSIGNMENTS
C               TRIED, ALTERNATE ENTRY--EVENTS- UNLOADED TRUCK LEAVES DEST
C               ENT.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NDPEL(100),NPLEMT(50),NCOLL(50),
     .           NFLKEE,NLSTLL,MTIME,IEVTYP,IFLEMT,IACTFL,INTCUM,INTSAV,
     .LPTIME,LOTIME,NFSINT,NTAPE,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CAPWT(40),CAPVL(40),CAPCPT(40),NCAPFL(40),NCSTAT(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFMT(10),NCRAFM(10
     .),MULMAT(10),ACCITM(10,40),NFILE(10),CRAFES(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),DTCITM(10,40),NPSTRK
     .(10,13),RPRTCP(4),MMEPRY(10,10,12),MMFTRK(4),LESTTM(13,10,10),LL
     .TGTM(13,15,10),
     .           MPSCAR,IPRTRK,ITRUCK,NTRUKV,NTRKPR
C
      COMMON/A05/NCSHIP(20),NCHSHP(20),IDSHIP(20),ESHENS(20),ISHFLT(20),
     .NCHCOR(20),LCORS(20),NMATCS(20),NSTYP(20),NMFIP(20),ISCARR(20),NC
     .NGOM(20),NSTING(20),NMATRX(100),NDCP(100),NFCCS(100),NSTAT(100),
     .NMITAM(100,40),NPSSI(5),
     .           ICHCOR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTRTYP(10),NLSTYP(10),NMHTYP(10,2),IDCNFE(2
     .),IPTRUK(30),IELLS(30),IFSOVE(20),
     .           NCARTP,NCRFTP,NTRKTP,NLSTTP,NMHETP,NMISSI,NCAFMT,NMCFE
     .,NLUS,NSI,NTAGTP
C
      COMMON/A07/DIST(9),CAPST(3),ACAPST(3),LUSCPF(3),LUSTRK(3),LUSMH
     .F(30),LUSLOC(15),LUSSTT(10),LDCSTM(15,15,10),LSTTIP(15,10,10)
C
      COMMON/A08/LOPCAR(30,40),LTRCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCR(30),LISTNS(24),NSORTC(30),IERCAS(20),NSKCHC(10,10
     .,15),
     .           NLISCH,NLISHS,ISLCT,ICKAFT
C
      COMMON/A10/MCORTM(10,10),LOALTM(10,12,10),
     .NHDI,NDECKF,NRTM52,NFTM1F,NCPT,NSIMT,NMCLOD,ESIVI
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .           ITIME,LOTIME,USLET,JMATCH,NEIGHT,VOLUMS,LILES,PCWT,PCVL
     .           ,IOPEX,NCLATR,CCES,FLTDR
C
      COMMON/A12/LISQUE(30),NFCCL(30),NFRIDS(10,11,13),NTRKHC(15,10,13)
     .,LUSLIS(16),LUSTIM(10,15),LUSSET(10,10),
     .           LUSCRQ,LLUSPK,LUSTPP
C
      COMMON/A13/CPCUM(30,15),NFRCUM(30,4),MMFCYC(10,2,2),MMFCAS(10,5,
```

```
     .40),XHR(LM(1),5, 4),LUSUSE(30,10),LUSCUM(30,3),LSTCUM(2,40),XHSCUM
     .(20,7),XHSCRE(20,10),NTRAFF(2),NPRCAR(30,40),IMOCYC(30,2),KSTAT(5
     ..4,2),CSTAT(5),4,3)
C
      INTEGER*2NEVTYP,        NOPEL ,         NFLEMT,         NCODE          A1
      INTEGER*2NCARPL,        NCGTAG                                         A2
      INTEGER*2NCRAFM,        MULHAT,         NCOITM,         NFILE          A3
      INTEGER*2NTCITM,        NFRTRK,         NPRTCC,         MHEPRY         A4
      INTEGER*2MHETRK,        LOGTTM,         LOTGTM                         A4
      INTEGER*2NESSHP,        NCMSHP,         IDSHIP,         NSHPHS         A5
      INTEGER*2IDHSLT,        NCHCOR ,        LOCHS ,         NHATSS         A5
      INTEGER*2NSTYP ,        NHATNO,         IDCARH,         NSHOOM         A5
      INTEGER*2NSEIND,        NHATTX,         NDCR ,          NACCES         A5
      INTEGER*2NTTTAL,        NHTTAB,         NSSSI                          A5
      INTEGER*2NCRTYP,        NTKTYP,         NLSTYP,         NMHTYP         A6
      INTEGER*2IFCMAF,        IDTRUK,         IDLUS ,         IDSOVH         A6
      INTEGER*2LLSCRF,        LUSTRK,         LUSMHF,         LUSLOC         A7
      INTEGER*2LLSSIT,        LOCGTM,         LOCTTM                         A7
      INTEGER*2LCRCAR,        LIKCAR,         LSTCAR                         A8
      INTEGER*2LISTCR,        LISTPS,         NSORT ,         NPRCAR         A9
      INTEGER*2NMPCHC                                                        A9
      INTEGER*2MCDRTM,        LOADTM                                         A10
      INTEGER*2NCITEM,        NPLAT                                          A11
      INTEGER*2LLSCUE,        NPRCCC,         NPRLUS,         NPRMHE         A12
      INTEGER*2LLSLIS,        LUSBTM,         LUSSRT                         A12
C
C               SEND TRUCK TO ISS/DEPOT.
C
      IMHEPL=NOPEL(IFLEMT)
      ITRUCK=IACTEL
      CALL TRKRES(IMHEPL)
      GO TO 10
C
C               EVENT=UNLOADED  TUCK LEAVES ISS/DEPOT. SEND TRUCK TO QUEUE.
C
      ENTRY EVENT9
      IMHEPL=NOPEL(IFLEMT)
      ITKTYP=IDTRUK(IACTEL)
      DIS=0
      IF(IMHEPL.EQ.2) GO TO 5
      DIS=DIST(7)+DIST(8)+DIS
      NTRAFF(1)=NTRAFF(1)+1
    5 DIS=DIST(7)+DIS
      ITIME=3600.*DIS/TRUKSP(ITKTYP,1)+.5
C
C               UPDATE TRUCK STATISTICS
C
      NTKCUM(IACTEL,6)=NTKCUM(IACTEL,6)+ITIME
      ITEMP=NTKCUM(IACTEL,1)+1
      JTEMP=MTIME+ITIME
      KTEMP=0
      WRITE(NTAPE2,7)NCODE(7),ITEMP,IACTEL,JTEMP,IMHEPL,KTEMP,ITIME
    7 FORMAT(1X,I2,I11)
      JTIME=ITIME/3600.
      WRITE(NTAPE,8)IACTEL,IMHEPL,JTIME
    8 FORMAT(1X,'TRUCK',I4,13H  LEAVES AREA,I3,21H  TRAVELS TO QUEUE IN,
```



```
     .F4.2,6H  HOURS.)
C
C               GENERATE EVENT 12=TRUCK ARRIVES QUEUE.
C
      NCLOCK(IFLEMT)=MTIME+ITIME
      NEVTYP(IFLEMT)=12
      NOPEL(IFLEMT)=0
C
C               ANY MHE ASSIGNED TO TRUCK?
C
   10 IF(MHETRK(IACTEL).EQ.0) GO TO 1000
C
C               RETURN MHE TO POOL
C
      IMHETP=MHETRK(IACTEL)
      MHETRK(IACTEL)=0
      NMHTYP(IMHETP,IMHEPL)=NMHTYP(IMHETP,IMHEPL)+1
C
C               UPDATE MHE STATISTICS
C
      MHECYC(IMHETP,IMHEPL,2)=MHECYC(IMHETP,IMHEPL,2)+1
C
C               ANY OTHER UNITS OF THIS MHE TYPE IN THIS POOL?
C
      IF(NMHTYP(IMHETP,IMHEPL).GT.1) GO TO 100
C
C               NEW MHE TYPE. CAN MHE BE ASSIGNED TO WAITING CRAFT?
C
      CALL WATCRF(IMHETP,IMHEPL)
C
C               MHE USED?
C
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 100
C
C               NEW CRAFT ASSIGNMENT?
C
      IEVTYP=0
      CALL CLUSSL
C
C               MHE USED?
C
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 1000
C
C               SEARCH FOR WAITING TRUCK ASSIGNMENT.
C
      CALL WATTRK(IMHETP,IMHEPL)
C
C               MHE USED?
C
      IF(NMHTYP(IMHETP,IMHEPL).EQ.0) GO TO 1000
C
C               SEARCH FOR TRUCK ASSIGNMENT TO TRA/ISS.
C
      CALL TRKASS(IMHETP,IMHEPL)
 1000 RETURN
      END
```

```
EVENTP          DATE = 78311          12/04/09

      SUBROUTINE EVENTP(IMHETP,IMHEPL,ITRK)
C
C           EVENT 8-- LOADED TRUCK ARRIVES AT ISS/DEPOT. UNLOADS TRUCK
C           (ARRIVING TRUCK, OR WAITING TRUCK JUST ASSIGNED MHE) AT ISS
C           OR DEPOT. CALLED FROM MAIN OR WAITRK.
C
C*****
C
      COMMON/A1/NEVTYP(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           NILEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIM,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A2/CARGWT(40),CARGVL(40),CARGCT(40),NCARHL(40),NCGTAG(40)
C
      COMMON/A3/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,13),NPRTCG(30),MHEPRY(10,10,13),MHETRK(30),LDGTTM(13,15,10),LD
     .TCTM(13,15,10),
     .           NPRCAR,IPRTRK,ITRUCK,NTRUKQ,NTRKPR
C
      COMMON/A4/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IDLUS(30),IDSOVH(20),
     .           NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHETP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,NSYS,NTYSTP
C
      COMMON/A5/NDIST(15),CAPST(3),ACAPST(3),LUSCAP(30),LUSTRK(30),LUSMH
     .E(30),LUSLOC(15),LUSSTT(15),LDGTIM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A6/LOCCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A13/NCRCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .40),MHECUM(15,3,40),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),MHSCUM
     .(20,7),MHSCHE(20,10),NTRAFF(2),NCRCAR(30,40),INDCYC(30,2),KSTAT(30
     .,4,2),CSTATE(30,4,3)
C*****
      INTEGER*2NEVTYP,        NOPEL ,        NELEMT,        NCODE          A1
      INTEGER*2NCARHL,        NCGTAG                                       A2
      INTEGER*2NTCITM,        NPRTRK,        NPRTCG,        MHEPRY         A4
      INTEGER*2MHETRK,        LDGTIM,        LDTGTM                        A4
      INTEGER*2NMHTYP,        NTKTYP,        NLSTYP,        NMHTYP         A5
      INTEGER*2IDTRUK,        IDTRUK,        IDLUS ,        IDSOVH         A6
      INTEGER*2LUSCAP,        LUSTRK,        LUSMHE,        LUSLOC         A7
      INTEGER*2LUSSTT,        LDGTIM,        LDCTTM                        A7
      INTEGER*2LOCCAR,        LTKCAR,        LSTCAR                        A8
C
C           SUBROUTINE CALLED FROM WAITRK? IF-IS MHE ALREADY FOUND?
C
      IF(ITRK.NE.0) GO TO 100
C
C           TRUCK ARRIVES AT ISS/DEPOT
C
      ISUB=IELEMT
      ITRK=IACTEL
      IMHEPL=NOPEL(IELEMT)
      ICARTP=NPRTCG(ITRK)
      ITAGT=NCGTAG(ICARTP)
      MHETRK(ITRK)=0
```

```
EVENTP          DATE = 78311          12/04/09

      ITKTYP=ITRUK(ITRK)
C
C           IS ACCEPTABLE MHE AVAILABLE?
C
      DO 50 I=1,NTKCUM
      IMHETP=MHECYC(I,ITKTYP,1,2)
      IF(IMHETP.EQ.0) GO TO 50
      IF(IMHETP.LT.NMHETP) GO TO 110
      IF(NCARTP.EQ.IMHETP.AND.IMHEPL.GT.1) GO TO 120
   50 CONTINUE
      GO TO 130
C
C           MHE ALREADY FOUND.  ASSIGN WAITING TRUCK
C
  100 ISUB=NELEMT(1)+ITRK
      ITKTYP=ITRUK(ITRK)
C
C           IS ANY MOBILE MHE REQUIRED
C
  110 IF(IMHETP.LE.NMHETP) GO TO 120
      IMHETP=0
      GO TO 140
C
C           ASSIGN MHE TO TRUCK.
C
  120 MHETRK(ITRK)=IMHETP
      NMHTYP(IMHETP,IMHEPL)=NMHTYP(IMHETP,IMHEPL)-1
      DO 130 I=1,NCARTP
  130 MHECAR(IMHETP,IMHEPL,I)=MHECAR(IMHETP,IMHEPL,I)+LTKCAR(ITRK,I)
C
C           UNLOAD TRUCK
C
  140 CALL TRUNLD(ITRK,LTIME)
C
C           UPDATE STATISTICS.
C
      IWAIT=0
      IF(NCLOCK(ISUB).LT.0)IWAIT=MTIME-NCLOCK(ISUB)
      ITEMP=NTKCUM(ITRK,1)+1
      JTEMP=MTIME+LTIME
      WRITE(NTAPE2,150)NCODE(8),ITEMP,ITRK,JTEMP,IMHETP,LTIME,IWAIT
  150 FORMAT(1X,I2,1117)
      NTKCUM(ITRK,2)=NTKCUM(ITRK,2)+LTIME
      IF(IMHETP.EQ.0) GO TO 160
      MHECUM(IMHETP,IMHEPL,3)=MHECUM(IMHETP,IMHEPL,3)+LTIME
C
C           SEPARATE EVENT 9- TRUCK LEAVES ISS/DEPOT.
C
  160 NCLOCK(ISUB)=JTEMP
      NEXTYP(ISUB)=9
      QTIME=IWAIT/3600.
      QTIME1=LTIME/3600.
      WRITE(NTAPE,170)QTIME,ITRK,IMHEPL,IMHETP,QTIME1
  170 FORMAT(1X,13HAFTER WAITING,F 7.2,14H  HOURS, TRUCK,I4,9H  AT AREA,I
     .3,15H  WITH MHE TYPE,I4,12H  UNLOADS IN,F8.2,6H  HOURS.)
      GO TO 1000
```

```
C
C             TRUCK AWAITS FOR MHE.
C
  500 NCLOCK(ISUB)=-MTIME
      WRITE (NTAPE,510)ITRK,IMHEPL
  510 FORMAT(1X,13('*'),' MHE- TRUCK,I4,15H  WAITS AT AREA,I3)
 1000 RETURN
      END
```



```
      SUBROUTINE EVENTP
C
C             EVENT12- TRUCK ARRIVES AT TRUCK QUEUE, PLACES TRUCK IN
C             QUEUE ALL, SEARCHES FOR A TRUCK ASSIGNMENT.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,IMTPEL,
     .LPTIME,LOTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),ATCTIM(10,40),APRTRK
     .(10,15),APRTCP(30),MHEPRY(10,10,13),MHETRK(50),LOGTIM(13,15,10),LO
     .TGTM(13,15,10),
     .           NPRCAP,IPRTRK,ITRUCK,NTRUKQ,NTRKPR
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,4),IDCRAF(30
     .),IDTRUK(30),IDLLS(30),IDSOVH(20),
     .           NCARTP,NCRFTP,NTRFTP,NLUSTP,NMHETP,NNTSTP,NCARMT,MMHEPL
     .,NLUS,NSI,NTAGTP
C
      COMMON/A15/NCRCUM(30,15),NTKCUM(30,9),MHECYC(15,5,2),MHECAP(15,3,
     .40),MHECUM(15,3, 4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,4J),NHSCUM
     .(20,7),NHS(RE(20,10),NTRAFF(2),NCPCAP(30,40),IDUCYC(30,2),MSTA$(30
     .,4,2),CSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,        NOPEL ,        NELEMT,        NCODE          A1
      INTEGER*2NTCITM,        NPRTRK,        NPRTCO,        MHEPRY         A4
      INTEGER*2MHETRK,        LOGTIM,        LSTGTM                        A4
      INTEGER*2NCRTYP,        NTKTYP,        NLSTYP,        NMHTYP         A4
      INTEGER*2IDCRAF,        IDTRUK,        IDLLS ,        IDSOVH         A4
      ITKTYP=IDTRUK(IACTEL)
C
C             PLACE TRUCK IN QUEUE
C
      NCLOCK(IELEMT)=-MTIME
      NTRUKQ=NTRUKQ+1
      NTKCUM(IACTEL,1)=NTKCUM(IACTEL,1)+1
      NTRAFF(1)=NTRAFF(1)-1
      WRITE(NTAPE,5) IACTEL
    5 FORMAT(1X,'TRUCK',I4,15H  ARRIVES AT QUEUE.)
C
C             NEW TRUCK TYPE IN QUEUE.
C
      L2=NELEMT(2)-1
      DO 10 I=1,L2
      IF(ITKTYP.NE.IDTRUK(I)) GO TO 10
      IF(I.EQ.IACTEL) GOTO 10
      ISUB=NELEMT(1)+I
      IF((NCLOCK(ISUB).LT.0).AND.(NEVTYP(ISUB).EQ.12)) GO TO 1000
   10 CONTINUE
C
C             NO TRUCKS OF THIS TYPE CURRENTLY IN QUEUE. LOOK FOR TRUCK
C             ASSIGNMENT.
C
      CALL WATCRE(0,0)
```

```
                    EVNT12          DATE = 78311          22/04/05

C
C               TRUCK ASSIGNED YET?
C
      IF(NEVTYP(IELEMT).NE.12) GO TO 1100
C
C               NEW CRAFT ASSIGNMENT?
C
      IEVTYP=3
      CALL CLOSSL
C
C               TRUCK ASSIGNED YET?
C
      IF(NEVTYP(IELEMT).NE.12) GO TO 1000
C
C               TRUCK ASSIGNMENT TO STORAGE AREA?
C
      CALL TRKASS(0,0)
 1000 RETURN
      END
```

```
                    EVNT13          DATE = 78311          22/04/05

      SUBROUTINE EVNT13
C
C               EVENT 13--SD VEHICLES ARRIVE AT DEPOT.
C               CONVOY OF SD VEHICLES ARRIVES AT DEPOT. CARGO LOCATIONS AND
C               EVENT CLOCK UPDATED.
C
C*****
C
      COMMON/A01/CLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LOTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGWT(40),CARGVL(40),CARGCT(40),CAPPL(40),NCGTAB(40)
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IDLUS(30),IDSDVH(20),
     .           NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHFTP,NMHSTP,NCARMT,NMHPPL
     .,NLUS,NSI,NTACTP
C
      COMMON/A07/DIST( 9),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSLOC(15),LUSSTT(15),LDCGTM(12,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAP(30,40),LSTCAR(3,40)
C
      COMMON/A13/NCRCUM(30,15),NTKCUM(30,4),NMHCYC(15,3,2),MHFCAR(15,3,
     .40),MHFCUM(15,3, 4),LUSUSE(20,10),LUSCUM(30,2),NSTCUM(3,40),NHSCUM
     .(20,7),NHSCRF(20,10),NTRAFF(2),NCRCAR(30,40),IMPCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,        NOPEL ,         NELEMT,         NCODE          A1
      INTEGER*2NCARML,        NCETAB                                         A2
      INTEGER*2NCRTYP,        NTKTYP,         NLSTYP,         NMHTYP         A3
      INTEGER*2IDCRAF,        IDTRUK,         IDLUS ,         IDSDVH         A4
      INTEGER*2LUSCRF,        LUSTRK,         LUSMHF,         LUSLOC         A5
      INTEGER*2LUSSTT,        LDCGTM,         LDCTTM                         A6
      INTEGER*2LCRCAR,        LTKCAP,         LSTCAR                         A7
      WRITE(NTAPE,10)NOPEL(IELEMT),IDSDVH(IACTEL)
   10 FORMAT(1X,9HCONVCY OF,I4,21H  SD VEHICLES OF TYPE,I4,19H  ARRIVED
     .AT DEPOT.)
C
C               UPDATE CARGO AT DEPOT.
C
      ISUB=IDSDVH(IACTEL)
      LSTCAR(3,ISUB)=LSTCAR(3,ISUB)+NOPEL(IELEMT)
      ACAPST(3)=ACAPST(3)+NOPEL(IELEMT)*CARGWT(ISUB)
      NTRAFF(2)=NTRAFF(2)-NOPEL(IELEMT)
C
C               UPDATE CLOCK.
C
      NELEMT(5)=NELEMT(5)-1
      NLSTEL=NLSTEL-1
      IF(IELEMT.GT.NLSTEL) GO TO 50
      DO 40 I=IELEMT,NLSTEL
      NCLOCK(I)=NCLOCK(I+1)
      NEVTYP(I)=NEVTYP(I+1)
      NOPEL(I)=NOPEL(I+1)
```

```
      ISOR=I-IELEMT+1$CYCLE
      IF(ISOR.GT.0) ICYVE(ISOR+1)
   40 CONTINUE
   50 NCLOCK(NCSTP(1))=-1
      NEVTYP(NCSTP(1))=
      NOR=LOWEST(1)=
      ISOR=NCLSMT(1)+1
      IF(ISOR.GT.0) =0
      CALL MINCLK
      RETURN
      END
```



```
      SUBROUTINE EVENT14
C
C               PROCESSES EVENT 14--SHIP ARRIVAL. DETERMINES ROOM TYPE
C               NEEDED AT ALL ARRIVING HATCH SLOTS, SETS NEW HATCH SLOT
C               STATES, AND CALLS CRAFT-HATCH SLOT SELECTION IF THERE ARE
C               ANY NEW UNOCCUPIED SLOTS.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NCPEL(100),NELEMT(6),NCODE(20),
     .           NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTCE,INTCUM,ICIPER,
     .LPTIME,LOTIME,NPRINT,NTAPE,NCALD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARWT(40),CARVL(40),CAPCT(40),ICARPL(40),NCSTAT(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A05/NFSSHP( 5),NCHCHR( 5),IESHIP( 5),NSHIPS(20),IDHSLT(20),
     .NCHCOR(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATNC(20),IDCARR(20),NS
     .BOOM(20),NSTINC(20),NHATIX(100),NDCR(100),NACCES(100),NTOTAL(100),
     .NHITAB(100,40),NSSSI(5),
     .           ICHCOR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NPFTYP(15,3),IDCRAF(15
     .),IDTRUK(30),IDLLS(30),IESDVH(20),
     .           NCARTF,NCREFP,NTRKTP,NLUSTP,NMHETF,NHTSTP,NCARMT,NMHFEL
     .,NLUS,NSI,NTAGTP
C
      COMMON/A07/DIST( 9),CAPST(3),ACAPST(3),LUSCRE(30),LUSTRK(40),LUSPH
     .E(30),LUSLCC(15),LUSSTT(15),LOCGTM(13,15,10),LOCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCR(30),LISTHS(24),NSORT(3 ),NERCAP(20),NPRCHC(10,10
     .,13),
     .           NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/NCRTP(10,10),LOALTM(10,10,13),
     .NBOT,NDECKF,NTIMP0,NATM1 ,NSMT,NSIMT,NHELOD,NSLMT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .           ITIME,LCTIME,JSLOT,JHATCH,WEIGHT,VOLUME,LI,LS,CCNT,CCVL
     .           ,INDEX,NCOLTR,CCFS,FLOOR
C
      COMMON/A12/LUSCOD(30),NPRCC(30),NPRLUS(15,10,13),NPRMHC(15,10,13)
     .,LUSLIS(10),LUSPTM(10,15),LUSSDT(10,15),
     .           LUSCRG,NLUSPR,LUSOPN
C*****
      INTEGER*2NEVTYP,      NCPEL ,      NELEMT,      NCODE      A1
      INTEGER*2NCARPL,      NCSTAT                               A2
      INTEGER*2NCRAFM,      MULHAT,      NCCITM,      NFILE      A3
      INTEGER*2NFSSHP,      NCHCHR,      IESHIP,      NSHPHS     A4
      INTEGER*2IDHSLT,      NCHCOR,      LOCHS ,      NHATSS     A5
      INTEGER*2NSTYP ,      NHATNC,      IDCARR,      NSBOOM     A6
      INTEGER*2NSTINC,      NHATIX,      NDCR ,       NACCES     A7
```

```
      INTEGER*2NTTAB,      NSPSI                              A5
      INTEGER*2NCRTYP,     NLSTYP,     NMHTYP                 A6
      INTEGER*2IECHAR,     IPTHOR,     IDLUS ,     IDSDVH     A6
      INTEGER*2LUSCRF,     LUSTRK,     LUSMHF,     LUSLOC     A7
      INTEGER*2LSSTT,      LOCGTM,     LOCTTM                 A7
      INTEGER*2LOPCAR,     LTKCAR,     LSTCAR                 A8
      INTEGER*2LISTCH,     LISTHS,     NSORT ,     NPRCAR     A9
      INTEGER*2NERCHC                                         A9
      INTEGER*2MCORTM,     LOADTM                             A10
      INTEGER*2NCTTEM,     NFLAT                              A11
      INTEGER*2LUSQUE,     NERCCG,     NERLUS,     NERMHF     A12
      INTEGER*2LSSLIS,     LUSHTM,     LUSSDT                 A12
C
C             NAME OF EVENT
C
      WRITE(NTAPE,10) IACTEL
   10 FORMAT(1X,9HSHIP,I3,20H  ARRIVES IN SYSTEM.)
      WRITE(NTAPE2,15) NCODE(15),IACTEL,MTIME
   15 FORMAT(1X,I2,11I7)
C
C             FIND SHARED ML BOOMS,IF ANY, AND SET THEM TO 1 CARGO
C             HATCH.
C
C
C
C             SEARCH ALL HATCH SLOTS FOR SLOTS ON THIS SHIP.
      NCLOCK(IELEMT)=-NCLOCK(IELEMT)
      NEVTYP(IELEMT)=0
      L2=NELEMT(4)
      IP4=0
      IHIS=0
C             TRANSFER TO PROCESSING ACCORDING TO SHIP TYPE.
C
      ISTYP=IDSHIP(IACTEL)
      GOTO(189,200,19,189,5000),ISTYP
C
C             FIND LASH IN HATCH SLOT LISTS.
C
   19 CONTINUE
      L2=NELEMT(4)
      DO 20 I=1,L2
      IF(NSHPHS(I).EQ.IACTEL) GO TO 25
   20 CONTINUE
C             NO HATCH SLOT FOUND
      WRITE(UPRINT,21)IACTEL
   21 FORMAT(1X,24HDATA ERROR--NO HATCH SLOT FOR LASH,I3)
      GO TO 65
C
C     FILL CARGO HATCH
C
   25 ICHCOR=NCHCO(I+1)
      NHATSS(I)=2
C
C             FIND NUMBER OF BARGES ON LASH
C
      NBARGE=LINTEG
      IF(ICHCOR.EQ.NCARRT) NBARGE=NSTIND(ICHCOR+1)-1
```



```
      NBARGE=LOCF(NBARGE)
C
C             LOOP TEST ALL SEA WALLS FOR LUS-S.
C
      LUSLIS(1)=0
      IEXCED=0
      NDELAY=0
      L2=NLUS
      DO 150 I=1,L2
      IF(IBLUS(I).NE.1) GO TO 150
C
C             SET LUS LIST IF ALL SEA WALLS ARE NOT USED.
C
      IF(IEXCED.EQ.0) GOTO 35
      IF(LUSCRF(I).NE.0) GOTO 150
      LUSLIS(1)=I
      GOTO 650
C
C             LUS IS A SEA WALL. CREATE A MATCH SLOT.
C
   35 NELEMT(4)=NELEMT(4)+1
      L1=NLSTEL-NELEMT(5)+1
      IF(NELEMT(5).EQ.0) GO TO 45
      DO 40 J=L1,NLSTEL
      NCLOCK(J+1)=NCLOCK(J)
      NEVTYP(J+1)=NEVTYP(J)
   40 NOPEL(J+1)=NOPEL(J)
   45 NLSTEL=NLSTEL+1
      ISLOT=NELEMT(4)
      IDHSLT(ISLOT)=0
      LOCHS(ISLOT)=6
      NHATSS(ISLOT)=0
      NHATNO(ISLOT)=1
      NSHPHS(ISLOT)=IACTEL
      NCHCOR(ISLOT)=ICHCOR
C
C             IS SEA WALL OCCUPIED?
C
      IF(LUSCRF(I).NE.0) GO TO 60
C
C             SEA WALL NOT OCCUPIED, ASSIGN A BARGE.
C
      LUSCRF(I)=101+NDELAY
      LUSQFN=LUSCRF(I)-1
      NCLOCK(L1)=MTIME+LUSHTM(LOCRTP+1,1)+NDELAY*.001
      NEVTYP(L1)=11
      NOPEL(L1)=NDELAY+NSTIND(ICHCOR)
      NDELAY=NDELAY+1
      QTIME=NCLOCK(L1)/3600.
      WRITE(NTAPE,55)NDELAY,I,QTIME,ISLOT
   55 FORMAT(1X,5HBARGE,I4,6H  AT LUS,I4,15H  CAN UNLOAD AT,F6.2,14H  HO
     .URS--SLOT,I4)
C
C             CHECK FOR MORE BARGES.
C
      IF(NDELAY.GE.NBARGE) IEXCED=1
```

```
      GO TO 150
C
C               SET SHIP IS OCCUPIED.
C
   60 NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=-11
      NOPEL(ICLKEL)= 0
  150 CONTINUE
      GO TO 65
  189 CONTINUE
  190 DO 500 I=1,L
      IF(NSHPHS(I).NE.IACTEL) GO TO 500
C               HATCH SLOT I IS ON THIS SHIP.
      IPR=IPR+1
      ICLKEL=NCLKEL+NELEMT(3)*I
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=6
C               IS HATCH SLOT TYPE A "GENERAL CARGO SHIP?"
      IF(ITPSLT(I).NE.1) GOTO 430
C
C               FIND CORRESPONDING CARGO HATCH
      ICHCOR=NCHCOR(I)
C               IS HEAVY LIFT CARGO AT THIS CARGO HATCH?
      ITYPE=NOPCAR(ICHCLR)
      IF(NCARHL(ITYPE).EQ.1) GOTO 200
C
C               NO HEAVY LIFT CARGO AT THIS HATCH SLOT. SET ROOM TYPE TO
C               15 TON. SLOT IS "UNOCCUPIED."
C
C
  190 NOPEL(ICLKEL)=15
      GO TO 440
C
C               HEAVY LIFT CARGO. SET ROOM TYPE TO 45 TON IF NOT ALREADY
C               RIGGED.
C
  200 IF(ISROOM(ICHCOR).EQ.0) GO TO 190
C
C               ROOM IS SHARED. IS IT ALREADY RIGGED? FIRST FIND
C               HATCH SLOTS CORRESPONDING TO ROOM-SHARING CARGO HATCH
C
      IF(I.EQ.1) GOTO 230
      L2=I-1
      DO 220 J=1,L2
      IF((ICHCOR.NE.NCHCOR(J)).AND.(ICHCOR.NE.NCHCOR(J))) GO TO
     .220
      JCLKEL=NCLKEL+NELEMT(3)*J
      IF(NOPEL(JCLKEL).EQ.NO) GOTO 250
  220 CONTINUE
C
C               NO TON ROOM HAS NOT YET BEEN RIGGED. RIG IT.
C
  230 NOPEL(ICLKEL)=45
      GO TO 440
C
C               NO TON ROOM HAS ALREADY BEEN RIGGED. IS TON ROOM IS RIGGED
```



```
C               AND SET IS "OCCUPIED".
  250 NOPEL(ICLKEL)=15
      NHATSS(I)=0
      GO TO 491
C
C               HATCH SLOT TYPE IS A CAUSEWAY. SET HATCH SLOT TO CLOSED
C               AND ADD AN LOS TO LIST.
C
C
C     BOOM TYPE=0
C
  430 NOPEL(ICLKEL)=0
C
C               IS SHIP AT A CAUSEWAY?
C
  440 IF(LOCNS(I).NE.5) GO TO 490
  450 NLOS=NLOS+1
      IOLOS(NLOS)=I
      LOSCRF(NLOS)=1
      LOSTRK(NLOS)=0
      LOSMHF(NLOS)=0
      NHATSS(I)=0
      NCLOCK(ICLKEL)= MTIME
      NEVTYP(ICLKEL)=10
      NHATNO(I)=NLOS
      GO TO 491
C
C               HATCH SLOT IS UNOCCUPIED
C
  490 NHATSS(I)=4
      NEVTYP(ICLKEL)=-1
      NCLOCK(ICLKEL)=-MTIME
      IHTS=1
C
C     WRITE NEW ROOM AND HATCH SLOT RIGGING.
C
  491 WRITE(NTAPE,492)I,NCHCOR(I),NHATSS(I),NOPEL(ICLKEL)
  492 FORMAT(1X,10HHATCH SLOT,I3,1H  AT CARGO HATCH,I2,11H  HAS STATE,I
     .4,15H  AND ROOM TYPE,I3)
C
C     ANY MORE HATCH SLOT ON ARRIVING SHIP.
C
  495 IF(IPR.GE.NHSSHP(IACTEL)) GO TO 550
  500 CONTINUE
      GOTO 550
C
C               SS CONTAINER SHIP
C
C               LOOP THROUGH HATCH SLOTS TO FIND SLOTS ON THIS SHIP
 2000 L2=NELEMT(4)
      DO 2100 N=1,L2
      I=N
C
C               IS SLOT ON THIS SHIP?
      IF(NSHPHS(I).NE.IACTEL) GOT 2100
      IPR=IPR+1
```

```
                                    EVENT14          DATE = 78311          21/04/05

C               SLOT IS ON THE SHIP.  IS SHIP AT A CAUSEWAY?
      IF(LOCHS(I).EQ.5) GOTO 1R9
C               IS SLOT A HELICOPTER PLATFORM?
      IF(LOCHS(I) .NE.6) GOTO 2090
C               DETERMINE CONTAINER ON HELICOPTER PLATFORM, IF APPROPRIATE
C               LOOP THROUGH CRAFT TYPES TO FIND LARGEST HELICOPTER IN
C               SYSTEM
C
 2018 WTMAX=0.
      DO 2020 J=1,NCRFTP
      IF((NCRTYP(J).EQ.0).OR.(ICRAFM(J).NE.6)) GOTO 2020
C               HELICOPTER IN SYSTEM.  IS IT LARGEST SO FAR?
      IF(WTMAX.LT.CRAFWT(J)) WTMAX=CRAFWT(J)
 2020 CONTINUE
C               HELICOPTERS AVAILABLE?
      IF(WTMAX.GT..01)  GOTO 2030
C
C               NO HELICOPTERS,CLOSE HELO. SLOT.
C
 2022 NHATSS(I)=2
      IF(ISTYP.EQ.5) GOTO 5150
      GOTO 2092
C
C               FIND CONTAINER ON PLATFORM.  LOOP THROUGH CELLS.
C
 2030 ICARHT=NCHCOR(I)
      L1=NSTIP(ICARHT)
      ILC=0
      DO 2050 J=L1,LINDEX
C
C               IS THIS INDEX AT APPROPRIATE CARGO HATCH?
C
      IF(NHATIX(J).NE.ICARHT) GOTO 2051
C               FIND HIGHEST FILLED LEVEL.
      IF(NTOTAL(J).EQ.0) GOTO 2040
      DO 2039 K=1,NCARTP
      IF(NHTTAB(J,K).EQ.0) GOTO 2039
C               CONTAINER FOUND.
 2042 IF(NPLAT(I).EQ.0) GOTO 2045
C               RESET HIGHEST PRIORITY CARGO.
      NPRCAR(ICARHT)=NHTTAB(J,K)
      GOTO 2051
C               SET CONTAINER ON PLATFORM?
 2045 ITYPE=NHTTAB(J,K)
      IF(WTMAX.GE.CARGWT(ITYPE)) GOTO 2046
      ILC=1
      GOTO 2051
C               PLACE CONTAINER ON PLATFORM.
 2046 IF(ISTYP.EQ.5) GOTO 5140
      NPLAT(I)=ITYPE
      NHTTAB(J,K)=0
      NTOTAL(J)=NTOTAL(J)-1
C               RESET CARGO?
      IF(ILC.EQ.0) GOTO 2049
      GOTO 2040
 2039 CONTINUE
```

```
                                    EVENT14          DATE = 78311          21/04/05

C               CELL EMPTY.  WRITE ERROR MESSAGE.
 2040 WRITE(NPRINT,2041) ICARHT,J
 2041 FORMAT(1X,33HDATA ERROR--CARGO HATCH,I3,4H  CELL,I4,11H  IS EMPTY.
     .)
 2050 CONTINUE
 2051 IF(NPLAT(I).EQ.0) GOTO 2022
C
C               OPEN HATCH SLOT
C
      IF(ISTYP.EQ.5)GOTO 2022
 2090 NHATSS(I)=4
      INIS=1
C
C               RESET HATCH SLOT CLOCK.
C
 2092 ICLKEL=NCLKEL+NELEMT(3)+1
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=0
      IF(NHATSS(I).EQ.4) NEVTYP(ICLKEL)=-1
      NOPEL(ICLKEL)=0
      WRITE(NTAPE,2093) I,NCHCOR(I),NHATSS(I)
 2093 FORMAT(2X,13HHATCH SLOT,I5,16H  AT CARGO HATCH,I3,11H  HAS STATE,I
     .3)
C
C               MORE SLOTS ON ARRIVING SHIP?
C
      IF(IPR.GE.NHSSHP(IACTEL)) GOTO 550
 2100 CONTINUE
      GOTO 550
C
C               NSS CONTAINER SHIP
C
C
C               LOOP THROUGH SLOTS TO FIND SLOTS ON THIS SHIP
 5000 L2=NELEMT(4)
      IHELO=0
      DO 5100 I=1,L2
C               IS SLOT ON THIS SHIP?
      IF(NSHPHS(I).NE.IACTEL) GOTO 5100
C               SLOT IS ON THE SHIP.  IS SHIP AT A CAUSEWAY?
      IF(LOCHS(I).EQ.5) GOTO 189
C               SET HATCH SLOT STATE TO CLOSED
      NHATSS(I)=2
      ICLKEL=NCLKEL+NELEMT(3)+1
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=0
      NOPEL(ICLKEL)=0
      IF((IHELO.EQ.0).AND.(LOCHS(I) .NE.6)) IHELO=1
      WRITE(NTAPE,2043) I,NCHCOR(I),NHATSS(I)
 5100 CONTINUE
C
C               IS SEA ISLAND AVAILABLE?
C
      IF(NSI.GT.0) GOTO 5200
C               NO SEA ISLAND.  OPEN FIRST HELICOPTER
C               SLOT.
```

```
      IF(IHELO.EQ.0) GOTO 550
C               FIND CRAFT AT HELICOPTER SLOT.
      I=IHELO
      GOTO 2010
C
C               RETURN FROM SUBROUTINE.  IS CONTAINER
C               SPACE AVAILABLE?
  5140 IF((K.GT.0).AND.(ICARRT(I).NE.0).AND.(LOCHS(I).EQ.R)) GOTO 2050
      NPLAT(I)=IHELO
      NHATS(I)=4
      INIT=1
      WRITE(6,1000) I,NCHCOR(I),NHATS(I)
C
C               RESET HATCH SLOT CLOCK.
C
  5150 ICLKSL=NCLKSL+NELEMT(3)+1
      IF(NHATS(I).EQ.4) NEVTYP(ICLKSL)=-1
      GOTO 55
C
C               SEA ISLAND AVAILABLE.
C
  5200 CALL SHOMSG
      GOTO 550
C
C               ASSIGN CRAFT TO ANY NEW UNOCCUPIED HATCH SLOTS.
C
  5250 IF(NHTS.EQ.1) GO TO 600
C
      CALL RESLOC
      CALL CHATSL
  6000 CONTINUE
  6050 CALL MISCLP
  6100 RETURN
      END
```

```
      SUBROUTINE EVENT
C
C               EVENT 1--HATCH SLOT OPENS.  RESETS HATCH SLOT FOR NEW
C               SHIP, CRATER CONTAINER PLACED ON HELICOPTER PLATFORM, ETC.
C               CALLS CRAFT-HATCH SLOT SELECTION IF HATCH SLOT CAN STAY
C               OPEN--I.E. HATCH SLOT STATE IS RESET TO *UNOCCUPIED*.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .          NCLKEL,NCLSEL,NTIME,IEVTYP,IELEMT,IACTCL,IRTCUM,INTOPN,
     .LPTIME,LPTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARMNT(40),CAPVEL(40),CAREET(40),CALMIL(40),NCSTAT(40)
C
      COMMON/A03/CHALMT(10),CRAVEL(10),CRAFSP(10,4),CLAYHT(10),NCRALM(10
     .),MULMAT(10),NCOTYM(10,40),NMILE(10),CRAFFS(10)
C
      COMMON/A05/NESSHP(5),NCESHP(5),IESSIP(5),CARMPS(20),IDMSLT(20),
     .NCHCOR(20),LOCHS(20),NHATS(20),NSTYP(20),NHATN(20),IDCRSH(20),NS
     .HCOM(20),NSTINI(20),NHATIX(100),NDCR(100),NACCES(100),NTOTAL(20),
     .NHTTAB(100,40),ASSSI(5),
     .          IDMCOR,LIDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),IDCRAF(30
     .),IDTRUK(30),IELLS(20),IESDVM(20),
     .          NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHETP,NDTSTP,NCARNT,NMHEL
     .,NLUS,NSI,NTOTP
C
      COMMON/A07/NISTC(5),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSLIC(15),LUSSTT(15),IDCGTM(3,15,10),LDCTTM(3,15,10)
C
      COMMON/A09/LISTCK(30),LICTMS(24),NSORT(30),IERRCA(20),NRECHC(10
     .,13),
     .          NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .          ITIME,LDTIME,JSLOT,JHATCH,WEIGHT,VOLUME,LI,LOCAT,CCVL
     .          ,IUSEX,NCONTP,CCES,FLOOR
C*****
      INTEGER*2NEVTYP,      NOPEL ,       NELEMT,       NCODE         A1
      INTEGER*2NCAREL,      NCSTAT                                    A2
      INTEGER*2NCRAFM,      MULMAT,       NCOITM,       NMILE         A3
      INTEGER*2NESSHP,      NCOMSH,       IDSHIP,       NSHPHS        A4
      INTEGER*2IDMSLT,      NCHCOR,       LOCHS ,       NHATS         A5
      INTEGER*2NSTYP ,      NHATIX,       IDCRSH,       NACCES        A6
      INTEGER*2NSTIND,      NHATIX,       NDCR ,        NACCES        A7
      INTEGER*2NTOTAL,      NHTTAB,       ASSSI                       A8
      INTEGER*2NCRTYP,      NTKTYP,       NLSTYP,       NMHETP        A9
      INTEGER*2IDCRAF,      IDTRUK,       IELLS ,       IESDVM        A10
      INTEGER*2LLSCRF,      LUSTRK,       LUSMHF,       LUSLIC        A11
      INTEGER*2LLSSTT,      LUCGTM,       LDCTTM                      A12
      INTEGER*2LISTCK,      LISTHS,       NSORT ,       NERCAR        A13
      INTEGER*2NRECHC                                                 A14
      INTEGER*2NCITEM,      NPLAT                                     A15
      IFLAG=0
```

```
      NEVTYP(IELEMT)=1
      NCLOCK(IELEMT)=-1
      WRITE(NTAPE,*,*)
    6 FORMAT(1X,'SPARE SLOT  PENS EVENT')
C
C               *SS CONTAINER SHIP SLOT OPENING?
C
      ISHIP=NSSPRS(IACTEL)
      ITYP=IDSHIP(ISHIP)
      IF(ITYP.NE.1) GOTO 10
C
C               *SS CONTAINER SHIP.  FIND HIGHEST PRIORITY CARGO TYPE.
C
      IF(LOCHS(IACTEL).EQ.7)  GOTO 1050
C               HELICOPTER SLOT.  FIND LARGEST HELICOPTER IN SYSTEM.
      WTMAX=0.
      DO 1 10 I=1,NCRFTS
      IF((NCRAFM(I).NE.0).OR.((CRTYP(I).EQ.0).OR.((CRAFWT(I).LE.WTMAX))
     .GOTO 101
      WTMAX=CRAFWT(I)
  101 CONTINUE
      IF(WTMAX.GT..0001) GOTO 1050
      NWAITSS(IACTEL)=0
      WRITE(NTAPE,120) IACTEL,NWAITSS(IACTEL)
  120 FORMAT(1X,'SPARE SLOT',I5,'H  HAS STATE',I5,'5H  BECAUSE NO HELIC
     .OPTERS IN SYSTEM.')
      NCLOCK(IELEMT)=-MTIME
      NEVTYP(IELEMT)=0
      GOTO 10
C               *IND HIGHEST PRIORITY SNATCHABLE CONTAINER COMPATIBLE WITH
C               LARGEST HELICOPTER, OR FIND HIGHEST PRIORITY CONTAINER FOR
C               WATER-CRAFT SLOT.
C
 1050 ICHOOK=NCHOSE(IACTEL)
      ISHIP=NSSTIE(ICHOOK)
      ICARTE=0
      JFLAG=1
      DO 1100 I=INDEX,LIMDEX
      IF(NWAITY(I).NE.ICHOOK) GOTO 1110
      IF(WSTORE(I).EQ.0) GOTO 1100
      KFLAG=0
      DO 1 90 J=1,NCARTP
      IF(NWAITAB(I,J).NE.0) GOTO 1070
      IF(KFLAG.EQ.1) GOTO 1100
      GOTO 1090
C
C               CELL AND LEVEL FILLED.  FOR WATER-CRAFT SLOT, CONTAINER IS
C               *ATCH.
 1070 KFLAG=0
      IF(LOCHS(IACTEL).EQ.6) GOTO 1080
      IF(LOCHS(IACTEL).EQ.5) GOTO 1082
      ICARTE=NWAITS(I,J)
      GO TO 1110
C
C               *ELICOPTER SLOT.  IS CONTAINER SNATCHABLE?
C
```

```
                                                                  PAGE 2
 1080 IF(NWAITS(I,J).LT.0) GOTO 1100
C               CONTAINER SNATCHABLE.  IS IT LIGHT ENOUGH?
 1082 ITYP=NWAITS(I,J)
      JFLAG=1
      IF(CARGO.(ITYP).GT.WTMAX)GOTO 1100
C               CONTAINER FOUND FOR HELICOPTER SLOT.
      ICARTE=NWAITS(I,J)
      GOTO 110
 1090 CONTINUE
 1100 CONTINUE
C
C               CONTAINER FOUND, IF ANY.
C
 1110 IF(LOCHS(IACTEL).NE.5) NPECAR(ICHCOR)=ICARTE
      IF(LOCHS(IACTEL).EQ.5) NFLAT(IACTEL)=ICARTE
      IF(ICARTE.EQ.0) GOTO 20
C               CARGO NOT FOUND.  SET SLOT TO EMPTY, IF APPROPRIATE.
      IF((LOCHS(IACTEL).EQ.5).AND.(JFLAG.EQ.0)) GOTO 1120
C               SET SLOT TO EMPTY.
      NWAITS(IACTEL)=0
      NCLOCK(IELEMT)=-MTIME
      NEVTYP(IELEMT)=0
      WRITE(NTAPE,80) IACTEL,NWAITS(IACTEL),NOPEL(IELEMT)
C
C               IF WATER-CRAFT SLOT IS EMPTY SO IS HELICOPTER SLOT
C
      IF(LOCHS(IACTEL).GE.5) GOTO 1130
      L2=NELEMT(4)
      L1=IACTEL+1
      DO 1115 I=L1,L2
      IF(ICHCOR.EQ.NCHCOR(I)) GOTO 1118
 1115 CONTINUE
      GOTO 1130
C
C               SET HELO. SLOT TO EMPTY.
C
 1118 NWAITS(I)=0
      ICLKEL=NCLKEL+NELEMT(3)+1
      NCLOCK(ICLKEL)=-MTIME
      NEVTYP(ICLKEL)=0
      WRITE(NTAPE,80) I,NWAITS(I),NOPEL(ICLKEL)
      GOTO 1130
C
C               SET HELO. SLOT TO CLOSED.
C
 1120 NWAITS(IACTEL)=0
      NCLOCK(IELEMT)=-MTIME
      NEVTYP(IELEMT)=0
      WRITE(NTAPE,80) IACTEL,NWAITS(IACTEL),NOPEL(IELEMT)
C
C               FIND NEW NSS CONTAINER SHIP SLOT.
C
 1130 CALL FNSSHS(IACTEL,JFLAG)
C
C               TEST FOR SHIP DEPARTURE.
C
```

```
      IF(IPLA.EQ.1) GO TO 20
      IPL=IACTEL
      CALL WCLOCK
        TYPE=
C
C               TRY TO RUN IT PROCESSING ACCORDING TO PRESENT HATCH SLOT
C               STATE.
C
   10 IF(NHATS(IACTEL)
     1 GOTO (20,30,40,50,60,70,80,90,100,110,120,130),I
C
C               SLOT CLOSED, SET TO UNOCCUPIED.
C
   20 NHATS(IACTEL)=4
      I=IA-1
      NEVTYP(IELEMT)=-1
      NCLOCK(IELEMT)=MTIME
C
C               IS SLOT AT A CAUSEWAY
C
      IF(LOCHS(IACTEL).NE.0) GO TO 25
      NLOS=NLOS+1
      ILOS(NLOS)=
      LOSSEQ(NLOS) IACTEL
      LOSTRK(NLOS) 0
      LOSMOS(NLOS)=0
      NHATS(IACTEL)=0
      NHATS(IACTEL)=NLOS
      NCLOCK(IELEMT)= MTIME
      NEVTYP(IELEMT)=10
      IPLA=2
      GO TO 77
   25 CALL WCLOCK
      GO TO 77
C
C               SLOT CLOSED AND BLOCKED, SET TO BLOCKED.
C
   30 NHATS(IACTEL)=5
      GO TO 77
C
C               SLOT SAVED FOR BLOCKING AND CLOSED, SET TO SAVED FOR BLOCK
C
   40 NHATS(IACTEL)=6
C
C     WRITE RESULTS AND CALL CRAFT-HATCH SLOT SELECTION IF REQUIRED.
C
   77 WRITE(NPRNT,80)IACTEL,NHATS(IACTEL),NOPEL(IELEMT)
   80 FORMAT(1X,'HATCH SLOT',I4,' HAS NEW STATE',I4,' AND ROOM TY
     1PE',I4)
      IF(IPLA.EQ.1) CALL CHATSU
C
C               HELICOPTER SLOT AT SS CONTAINER SHIP?
C
      IF((ISTY.NE.2).OR.(LOCHS(IACTEL).NE.8))GOTO 200
      IF(IPLA.NE.1) GOTO 200
C               HELICOPTER ASSIGNED?
```

```
      IF(NSS(IACTEL).EQ.10) GOTO 200
C
C               VERIFY IF FREE E-6 WATER-CRAFT SLOT.  FIND WC EVENT.
C
      ICRCEE=NONEQ(IACTEL)
      NOPEL(IELEMT)=4
      DO 1200 I=1,12
      IF((SSHOS(I).EQ.ISHIP).AND.(ICHCOR.EQ.SCHCOR(I)).AND.(IACTEL.NE.I
     1)) GOTO 1220
 1200 CONTINUE
      GOTO 200
C
C               WATER-CRAFT SLOT FOUND.  IS IT OCCUPIED?
C
 1220 IF(CRATSS(I).NE.13) GOTO 1250
      ICRAFT=CRATSQ(I)
C
C               GENERATE EVENT IF FOR CRAFT AT WC SLOT.
C
      NCLOCK(ICRAFT)=MTIME
      NEVTYP(ICRAFT)=19
      NOPEL(ICRAFT)=I
      GOTO 200
C
C               IS WC SLOT EMPTY?
C
 1250 IF(CRATSS(I).EQ.0) GOTO 200
      ICLKEL=NCLEVL+NCLEMT(3)+I
      NCLOCK(ICLKEL)=MTIME
      NEVTYP(ICLKEL)=19
      NOPEL(ICLKEL)=I
      GO TO 200
C
C               ERROR PRINTOUT--IMPROPER HATCH SLOT STATE.
C
  100 WRITE(NPRNT,110)
  110 FORMAT(1X,'IMPROPER HATCH SLOT STATE.  PRINT TO LOG IDEO AND CONT
     1INUE.')
      CALL WCLOCK
  200 CALL MINCLK
      RETURN
      END
```

```
      SUBROUTINE EVENT
C
C           EVENT 19---CRAFT LEFT AT HATCH SLOT.  ENTRY AT SHAKEDOWN
C           COMPLETION SHIP HATCH DISCHARGE IS CONTAINER TO WATER-
C           CRAFT, IF APPROPRIATE.
C
C*****
C
      COMMON/A01/MCLOCK(100),SEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .       NCLASS,NESTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCOM,IMTCOM,
     .LPTIME,LSTIME,NASSIGN,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGE-T(40),CARGVL(40),CARGCT(40),NCARHL(40),NCGTAC(40)
C
      COMMON/A03/CRAFJT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCCITM(10,40),NFILE(10),CRAFES(10)
C
      COMMON/A04/NSSSI(5),NCHSHP(5),IDSHIP(5),NSHPHS(20),IDHSLT(20),
     .NCHCOR(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .HOOM(20),NSSI(5),NHATIX(100),NDCR(100),NACCES(100),NTOTAL(100),
     .NHTTAB(100,40),ASSS(5),
     .           ISHCOR,LINDEX
C
      COMMON/A05/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IDLUS(30),IDSDVH(20),
     .           NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHFTP,NHTSTP,NCARHT,NMHFPL
     .,NLDS,NSI,NTRCTP
C
      COMMON/A06/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISICH(30),LISTHS(24),NSORT(30),NPRCAR(20),NPRCHC(10,10
     .,10),
     .           LISICH,NLISHS,ISLOT,ICRAFT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .           ITIME,LETIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L3,CCWT,CCVL
     .          ,IDUMX,NCRATE,CCFS,FLOOR
C*****
      INTEGER*2 NCLOCK,       NOPEL ,       NELEMT,       NCODE         A1
      INTEGER*2 NCRAFT,       NCRTAC                                    A2
      INTEGER*2 NCRCRAFT,     NULHAT,       NCCITM,       NFILE         A3
      INTEGER*2 NCHSHP,       NCHSHP,       IDSHIP,       NSHPHS        A4
      INTEGER*2 IDHSLT,       NCHCOR,       LOCHS ,       NHATSS        A5
      INTEGER*2 NSSTYP ,      NHATNO,       IDCARH,       NSHOOM        A6
      INTEGER*2 NHSTIND,      NHATIX,       NDCR ,        NACCES        A7
      INTEGER*2 NSTOTAL,      NHTTAB,       NSSSI                       A8
      INTEGER*2 NCRTYP,       NTKTYP,       NLSTYP,       NMHTYP        A9
      INTEGER*2 IDCRAF,       IDTRUK,       IDLUS ,       IDSDVH        A10
      INTEGER*2 LCRCAR,       LTKCAR,       LSTCAR                      A11
      INTEGER*2 LISICH,       LISTHS,       NSORT ,       NPRCAR        A12
      INTEGER*2 NCRATE                                                  A13
      INTEGER*2 NCCITM,       NPLAT                                     A14
      ISLOT=NOPEL(IELEMT)
      IHATCH=NCHCOR(ISLOT)
      ISLTYP=IDHSLT(ISLOT)
      ICRTYP=IDCRAF(IACTEL)
```

```
      EVENT
      DATE = 78211          22/04/09

      LTIME=MTIME/2.+.
      WRITE(NTAPE,*) ICRTYP,ISLOT,LTIME
  5   FORMAT(1X,'ERROR--CRAFT',I4,' AT HATCH SLOT',I4,' ON  NEARLY FOR LARGE
     .AT',F7.2,' MAN HOURS.')
C
C           FIND SMALL HELICOPTER PLATFORM.
C
      IF(ISLOT.EQ.LSSSI(4)) GO TO 40
      IF(NCHCOR(ISLOT+1).NE.IHATCH) GOTO 40
      LSLOT=ISLOT+1
C
C           DOES HELICOPTER PLATFORM HAVE A CONTAINER?
C
      IF(NPLAT(LSLOT).GT.0) GOTO 120
C
C           HELICOPTERS IN SYSTEM?
C
      DO 10 I=1,NCRFTP
      IF((ICRTYP(I).GT.0).AND.(ICRAFM(I).EQ.2)) GOTO 45
   10 CONTINUE
C
C           ERROR PRINTOUT.
C
   40 WRITE(NPRINT,45)
   45 FORMAT(1X,'HELICOPTER ERROR--EVENT 19 SHOULD NOT HAVE BEEN GENERATED.
     .')
      GOTO 120
C
C           SEARCH FOR CONTAINER FOR HELICOPTER PLATFORM.
C
   50 MFLAG=0
      KCRAFT=0
      CALL HELFLT(MFLAG,LSLOT,KCRAFT)
C
C           PROCESS ACCORDING TO SEARCH RESULTS.
C
      GOTO (140,120,1000),MFLAG
C
C           WATER-CRAFT SLOT EMPTY?
C
  120 IF(NHATSS(ISLOT).NE.0) GOTO 300
C
C           SLOT EMPTY.  TERMINATE LOADING.
C
  140 JTIME=MTIME
  150 ITIME=NPLAT(ISLOT)
      LDTIME=JTIME-ITIME
      ICRAFT=IACTEL
      CALL LEMBAT(ICRTYP,ISLTYP)
      GOTO 1000
C
C           SLOT NOT EMPTY.  FIND PARAMETERS OF FREIGHT CRAFT LOAD.
C
  300 NHATSS(ISLOT)=10
      ICRAFT=IACTEL
      LDTIME=0
```

```
      JSLOT=ISLOT
      JHATCH=IHATCH
      WEIGHT=CRAFWL(ICRTYP)
      VOLUME=CRAFVL(ICRTYP)
      DO 310 I=1,MCARTP
  310 NCITEM(I)=NCITM(ICRTYP,I)
      L=SLINDEX
      IF(JSLOT.LT.NELEMT(4)) L=NCTIND(JHATCH+1)-1
      L1=NCTIND(JHATCH)
      DO 320 I=L1,L
      IF(CTOTAL(I).GT.0) GOTO 330
  320 CONTINUE
  330 L1=I
      CCWT=0.
      CCVL=0.
      NCONTR=0
      DO 340 I=1,MCARTP
      CCWT=CCWT+CARSWT(I)*LCRCAR(ICRAFT,I)
      CCVL=CCVL+CARSVL(I)*LCRCAR(ICRAFT,I)
  340 NCONTR=NCONTR+LCRCAR(ICRAFT,I)
C
C               LOADING ROUTINE TO LOAD ONE CONTAINER.
C
      NDECK=NDECK
      CALL LDCONT
C
C               CONTAINER LOADED?
C
      IF( UMF.EQ.0(JHTCH) GOTO 140
C               HATCH EMPTY?
      IF(NCRFT(JHATCH).EQ.0) GOTO 380
C
C               GENERATE ANOTHER EVENT IF FOR THIS CRAFT.
C
      NCLOCK(IELEMT)=MTIME+LDTIME
      NEVTYP(IELEMT)=15
      GOTO 1000
C
C               SET HATCH SLOT *EMPTY.*
C
  380 NHATSS(ISLOT)=0
      JHATCH(ISLOT)=0
      JTIME=MTIME+LDTIME
      GOTO 150
 1000 CALL MIDCLK
      CALL MSSORT
      RETURN
      END
```



```
      SUBROUTINE MSSORT(ISLOT,IFLAG)
C
C               FIND NEW HATCH SLOT FOR MSS CONTAINER SHIP--UNLESS SHIP
C               ISLOT IS MOVED BY HELICOPTER SLOT BECOMES EMPTY, ACTIVE
C               HELICOPTER AND WATER-CRAFT SLOTS ARE FOUND.
C               IFLAG =1, EXAMINE SHIPS UPON RETURN.
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NFREE(100),NELEMT(),NCTLE(20),
     .           NCLKEL,NLSTEL,NTIME,IEVTYP,IELEMT,IACTEL,INTCHK,ITOPEN,
     .LPTIME,LDTIME,NPRINT,NTAPE1,NCARD,NTAPE1,NTAPE2,ICOST,NTAPE3
C
      COMMON/A02/CARSWT(40),CARSVL(40),CARSCT(40),NCARTL(40),NCSTAT(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFMT(10),NCRAFM(10
     .),MULHAT(10),NCITM(10,40),NTILE(10),CRAFES(10)
C
      COMMON/A05/NESSHP( 5),NCNSHP( 5),IDSHIP( 5),MSHIPS(20),IDMSLT(20),
     .NCHCOR(20),LOCMS(20),NHATSS(20),NSTYP(20),NLATMS(20),IDCARM(20),NS
     .BOOM(20),NSTIND(20),NHATIX(100),NDCK(100),NACCES(100),NTOTAL(100),
     .NHTTAB(100,40),NSSSI(5),
     .           ICHCOR,LINDEX
C
      COMMON/A06/NCSTYP(10),NTKTYP(10),NLSTYP(10),NMHTYP(10,5),IDCRAF(10
     .),IDTRUK(30),IPLUS(30),IPSDVH(20),
     .           NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHCTL,NMTSTP,NCRPLT,NMHPCL
     .,NLUS,NSI,NTAGTP
C
C               COMMON AC9 IS NON-STANDARD
      COMMON/AC9/LISTCR(30),LISTHS(24),NSORT(30),NTRCAR(20),DPZCHC(10,10
     .,13),
     .           NLISCR,NLISHS,LSLOT,ICRAFT
C
      COMMON/A10/MSORTM(10,10),LOADTM(10,10,1?),
     .NPORT,NDECKE,ARTM80,NETM15,NSMT,NSIMT,NMHLOD,ISIMT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .           ITIME,LDTIME,LSLOT,JHATCH,WEIGHT,VOLUME,L1,L2,CCWT,CCVL
     .           ,INDEX,NCONTR,CCES,FLOOR
C*****
      INTEGER*2NEVTYP,      NFREE ,       NELEMT,       NCTLE         A1
      INTEGER*2NCARWL,      NCOTAG                                    A1
      INTEGER*2NCRAFM,      MULHAT,       NCCITM,       NFILE         A1
      INTEGER*2NCSSHP,      NCNSHP,       IDSHIP,       NSHIPS        A1
      INTEGER*2IFnSLT,      NCHCOR,       LOCMS ,       NHATSS        A1
      INTEGER*2NSTYP ,      NHATPO,       IDCARM,       NSTBOM        A1
      INTEGER*2NSTIND,      NHATIX,       NDCK  ,       NACCES        A1
      INTEGER*2NTOTAL,      NHTTAB,       NSSSI                       A1
      INTEGER*2NCHTYP,      NTKTYP,       NLSTYP,       NMHTYP        A1
      INTEGER*2IDCRAF,      IDTRUK,       IPLUS ,       IPSDVH        A1
      INTEGER*2LISTCR,      LISTHS,       NSORT ,       NTRCAR        A1
      INTEGER*2NPRCHC                                                 A1
      INTEGER*2MSORTM,      LOADTM                                    A11
      INTEGER*2NCITEM,      NPLAT                                     A11
      DO 910 K=1,M
      L=NCLKEL+NELEMT(3)+K
```

```
                    PASS05          DATE = 78312          17/18/43

  500 WRITE(NTAPE,510) N,NEVTYP(L),NHATSS(N)
  510 FORMAT(1X,'E1')
      IFLA=1
      NE=NE+1
      WRITE(NTAPE,515) ISLOT
  515 FORMAT(1X,'1',I5)
      IF(ISLOT.NE.NSHPHS(ISLOT)) GOTO 520
      IHATCH=NCHCOR(ISLOT)
      JSLOT=0
      JHATCH=0
C
C             IS SLOT A HELICOPTER SLOT?
C
      IF(LOCHS(ISLOT).GE.4) GOTO 560
C
C             WATER-CRAFT SLOT.  FIND LAST      WATER-CRAFT SLOT  IN
C             THIS SHIP.
      L2=NFLEMT(4)
      LWCSLT=0
      DO 50 I=ISLOT,L2
      IF((ISHIP.NE.NSHPHS(I)).OR.(LOCHS(I).NE.3)) GOTO 60
      LWCSLT=I
   50 CONTINUE
C
C             LOOK THROUGH WATER-CRAFT SLOTS.
C
   60 DO 400 I=ISLOT,LWCSLT
C             FIND CORRESPONDING HELICOPTER SLOT.
      L1=LOCSLT+1
      LMESLT=0
      DO 1 J=L1,L2
      I=( ISHIP.NE.NSHPHS(J)) GOTO 110
      IF(NCHCOR(J).EQ.NCHCOR(I)) GOTO 105
  100 CONTINUE
      GO TO 110
  105 LMESLT=J
      WRITE(NTAPE,515) LMESLT
  515 FORMAT(1X,'HELMESLT=',I10)
C
C             NEW WATER-CRAFT SLOT FOUND YET?
C
  110 IF(NSHPHS(I).EQ.0) GOTO 230
C             IS WATER-CRAFT SLOT EMPTY?
      IF(NHATSS(I).EQ.3) GOTO 180
C
C             SLOT NOT EMPTY.  ADD SEA IS. MOVE TIME AND GENERATE EVENT
C             IS--PATCH CREWS.
C
      ISUB=NOLKEL+NFLEMT(4)+I
      NCLOCK(ISUB)=MTIME+NSIWI
      NEVTYP(ISUB)=15
      NOPEL(ISUB)=0
      NEWSLT=I
      NHATSS(I)=2
      NHATSO(I)=1
      WRITE(NTAPE,520) ISUB,NCLOCK(ISUB),MTIME,NSIWI
```

```
                    PASS05          DATE = 78312          17/18/43

  520 FORMAT(1X,'H',4I10)
C
C             SET HELICOPTER SLOT CLOSED.
      IF(LMESLT.EQ.0) GOTO 400
  120 NHATSS(LMESLT)=2
      NHATSO(LMESLT)=1
      IFLA=0
      GOTO 400
C
C             SET HELICOPTER SLOT EMPTY.
C
  180 NHATSS(LMESLT)=3
      NHATSO(LMESLT)=0
      GOTO 400
C
C             FIND NEW HELICOPTER SLOT.
C
  200 IF(I.NE.(NEWSLT+1)) GOTO 300
C             IF HELICOPTER SLOT IS OPEN, SET CLOSED.
      IF((LMESLT.GT.0).AND.(NHATSS(LMESLT).EQ.4)) GOTO 120
      GOTO 400
C
C             IF SLOT IS CLOSED, SET OPEN.
C
  300 IF(LMESLT.EQ.0) GOTO 400
      IF(NHATSS(LMESLT).EQ.3) GOTO 400
      IFLA=0
      IF(NHATSS(LMESLT).EQ.4) GOTO 1100
      ISUB=NOLKEL+NFLEMT(4)+LMESLT
      NHATSS(LMESLT)=4
      NHATSO(LMESLT)=0
      NCLOCK(ISUB)=MTIME+NSIWI
      NEVTYP(ISUB)=15
      NOPEL(ISUB)=0
      GOTO 700
  400 CONTINUE
      GO TO 1000
C
C             HELICOPTER SLOT.  FIND CORRESPONDING WATER-CRAFT SLOT.
C
       WRITE(NTAPE,925) ISLOT


  930 FORMAT(1X,'HELO',I10)
  500 L3=NFLEMT(4)
      DO 550 I=1,L3
      IF(NSHPHS(I).NE.ISHIP) GOTO 550
      IF(ISLOT.EQ.I) GOTO 550
      IF(IHATCH.EQ.NCHCOR(I)) GOTO 560
  550 CONTINUE
      GOTO 620
  560 JSLOT=I
C
C             FIND HIGHEST PRIORITY CARGO TYPE FOR WATER-CRAFT SLOT.
C
  570 ICARTP=0
```

```
      L2=LINDEX
      IF(I.EQ.NCARNT) L2=NSTIND(INATCH+1)-1
      L1=NSTIND(INATCH)
      DO 630 I=L1,L2
      IF(NTOTAL(I).EQ.0) GOTO 630
      DO 620 J=1,NCARTY
      IF(NWITAB(I,J).NE.0) GOTO 610
  620 CONTINUE
  630 CONTINUE
C
C               WATER-CRAFT SLOT IS EMPTY.
C
      NWATSS(JSLOT)=I
      NWATNO(JSLOT)=J
      ISUB=NCLKEL+NELEMT(3)+JSLOT
      NCLOCK(ISUB)=MTIME
      NEVTYP(ISUB)=0
      NOPEL(ISUB)=0
      GOTO 62
C               WATER-CRAFT SLOT IS NOT EMPTY.
  610 NPECAR(INATCH)=ICARTY
      IFLAG=1
C
C               FIND NEXT HELICOPTER SLOT.
C
  620 L1=ISLOT+1
      IF(L1.GT.L2) GOTO 1000
      DO 640 I=L1,L2
      IF(NWPNS(I).NE.ISHIP) GOTO 1000
      IF(NWATSS(I).EQ.3) GOTO 650
      IFLAG=1
      IF(JHATCH.NE.0) GOTO 637
C
C               FIND ACTIVE WATER-CRAFT SLOT.
C
      DO 635 J=1,ISLOT
      IF((NWPNS(J).NE.ISHIP).OR.(LOCHS(J).NE.I)) GOTO 630
      IF((NWATSS(J).EQ.4).OR.(NWATSS(J).EQ.10)) GOTO 635
      ISUB=NCLKEL+NELEMT(3)+J
      IF((CLOCK(ISUB).GT.0).AND.(NEVTYP(ISUB).EQ.15)) GOTO 635
  630 CONTINUE
      GOTO 67
C
C               ACTIVE WC SLOT FOUND.  TOO CLOSE TO HELIC. SLOT?
C
  635 JHATCH=NCHOR(J)
  637 IF((NCHOR(I)-JHATCH).GE.2) GOTO 670
  638 CONTINUE
      GOTO 1000
C
C               CREATE HATCH OPEN EVENT FOR NEW HELICOPTER SLOT.
C
  650 ISUB=NCLKEL+NELEMT(3)+I
      NCLOCK(ISUB)=MTIME
      NEVTYP(ISUB)=15
      NOPEL(ISUB)=0
```



```
      LHFSLT=I
C
C               FIND HIGHEST INT KEY CARGO FOR HELICOPTER SLOT.
C
  700 WTMAX=0.
      DO 710 I=1,NCARTY
      IF((NCKTYP(I).EQ.0).OR.(NCRSEM(I).NE.0)) GOTO 710
      IF(CRAFWT(I).LE.WTMAX) GOTO 710
      WTMAX=CRAFWT(I)
  710 CONTINUE
      IF(WTMAX.LT..01) GOTO 1000
      INATCH=NCHOR(LHFSLT)
      L1=NSTIND(INATCH)
      L2=LINDEX
      IF(INATCH.NE.NCARNT)  L2=NSTIND(INATCH+1)-1
      DO 750 I=L1,L2
      IF(NTOTAL(I).EQ.0) GOTO 750
      DO 740 J=1,NCARTY
      IF(NWITAB(I,J).EQ.0) GOTO 740
      ITYPE=NWITAB(I,J)
      IF(CARGWT(ITYPE).GT.WTMAX) GOTO 750
      IF((NSPOOM(INATCH).LT.J).AND.(LOCHS(LHFSLT).EQ.I)) GOTO 750
      NPLAT(LHFSLT)=ITYPE
      GOTO 1000
  740 CONTINUE
  750 CONTINUE
C
C               UPDATE CLOCK, HATCH SLOT LIST.
C
 1000 DO 940 K=1,4
      L6=NCLKEL+NELEMT(3)+K
  940 WRITE(NTAPE,910) K,NEVTYP(L6),NWATSS(K)
      CALL MINCLK
      CALL HSSORT
      RETURN
      END
```

```
      SUBROUTINE HELPLT(MFLAG,LSLOT,KCRAFT)
C
C           HELICOPTER PLATFORM--PLACES A NEW CONTAINER ON THE
C           HELICOPTER PLATFORM DEFINED AS *LSLOT* AND RETURNS.
C
C           MFLA  INDICATES RESULT OF SEARCH FOR A NEW CONTAINER.
C                 1= CARGO HATCH IS EMPTY. (CONT. MAY BE ON PLATFORM.)
C                 2= HELICOPTER SLOT IS CLOSED--NO APPROPRIATE
C                    CONTAINER. (HATCH NOT EMPTY)
C                 3= CONTAINER SELECTED.       WATER-CRAFT SLOT NOT
C                    EMPTY.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           IFLAG,LSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIM,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGWT(40),CAPVOL(40),CAPSQT(40),PCAPPL(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFNT(10),NCRAFM(10
     .),MULTRAT(10),LOCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A04/IDSHIP( 5),NCHSHP( 5),IDSHIP( 5),NSHPHS(20),IDHSLT(20),
     .NCHOPS(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATIND(20),IDCARH(20),NS
     .ROOM(20),NSTISI(20),NHATIX(100),NDCP(100),NACCES(100),NTOTAL(100),
     .NHTTAB(10,4),NSSSI(5),
     .           IHOOK,LINDEX
C
      COMMON/A05/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),ICTOUR(30),IFLLS(30),IDSDVH(20),
     .           ICARTP,NCRFTP,NTRKTP,NLUSTP,NMHETP,NHTSTP,NCARHT,NMHEPL
     .,NEWP,NSI,NTAGTP
C
      COMMON/A06/LISTCR(30),LISTHS(24),NSORT(30),NERCAR(20),NPRCHC(10,10
     .,15),
     .           NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/ADRTM(10,10),LOADTM(10,10,15),
     .NPORT,NDECKS,ARTIMD,NPTMIS,MSMT,NGIMT,NHELOD,NSIWT
C
      COMMON/A11/OCTIM(40),NPLAT(20),
     .           LTIME,LITIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L2,CGWT,CGVL
     .           ,INDEX,PCONTR,CGFS,FLOOR
C*****
      INTEGER*2 NEVTYP,      NOPEL ,      NELEMT,      NCODE        A1
      INTEGER*2 NCARPL,      NCGTAG                                 A2
      INTEGER*2 NCRAFS,      NOLMAT,      NCCITM,      NFILE        A3
      INTEGER*2 NCHSHP,      NCHSHP,      IDSHIP,      NSHPHS       A5
      INTEGER*2 IDHSLT,      NCHOPS,      LOCHS ,      NHATSS       A5
      INTEGER*2 NSTYP ,      NHATIND,     IDCARH,      NSROOM       A5
      INTEGER*2 NSTISI,      NHATIX,      NDCP ,       NACCES       A5
      INTEGER*2 NTOTAL,      NHTTAB,      NSSSI                     A5
      INTEGER*2 NCRTYP,      NTKTYP,      NLSTYP,      NMHTYP       A6
      INTEGER*2 ICTOUR,      IFLLS,       IDSDVH,      IDSDVH       A6
      INTEGER*2 LISTCR,      LISTHS,      NSORT ,      NPRCAR       A9
      INTEGER*2 NPRCHC                                             A9
      INTEGER*2 NPLAT,       LTIME,       LITIME                   A10
      INTEGER*2 JSLOT,       JHATCH,      WEIGHT                   A11
      ISHIP=NSHPHS(LSLOT)
      IHATCH=NCHSHP(ISLOT)
      IFLAG=3
      JFLAG=0
C
C     FIND WEIGHT CAPACITY OF LARGEST HELICOPTER.
C
      WTMAX=0.
      DO 10 I=1,NCRFTP
      IF((NCRTYP(I).LE.0).OR.(NCRAFM(I).NE.2)) GOTO 10
      IF(CRAFWT(I).GT.WTMAX) WTMAX=CRAFWT(I)
   10 CONTINUE
C
C           LOOP THROUGH CELLS TO FIND NEXT MOST ACCESSIBLE CONTAINER.
C
      L1=NSTIND(IHATCH)
      L2=LINDEX
      IF(IHATCH.NE.NCARHT) L2=NSTIND(IHATCH+1)-1
      ILC=0
      DO 100 I=L1,L2
      IF(NTOTAL(I).EQ.0) GOTO 100
      IF(JFLAG.EQ.1) GOTO 120
C
C           LOOP THROUGH CONTAINER LEVELS.
C
      DO 90 J=1,NCARTP
      IF(NHTTAB(I,J).EQ.0) GOTO 90
      ICARTP=NHTTAB(I,J)
      ITAGTP=NCGTAG(ICARTP)
      IF(WTMAX.LT.CARGWT(ICARTP)) GOTO 95
C
C           NEXT MOST ACCESSIBLE CONTAINER FOR PLATFORM IS FOUND.
C
C           PLACE CONTAINER ON PLATFORM.
      NPLAT(LSLOT)=ICARTP
      NHTTAB(I,J)=0
      NTOTAL(I)=NTOTAL(I)-1
      IF(NTOTAL(I).EQ.0) GOTO 11
      NPRCHC(IHATCH)=NHTTAB(I,J+1)
      IFLAG=1
      ILC=1
C
C           CREATE EVENT 15--HATCH OPENS--FOR HELICOPTER PLATFORM.
C           GANTRY CYCLE TIME= *HELICOPTER DELAY TIME.*
C
   11 ISUB=NCLKEL+NELEMT(3)+LSLOT
      NCLOCK(ISUB)=MTIME+NHELOD
      NEVTYP(ISUB)=15
      NOPEL(ISUB)=3
      NHATSS(LSLOT)=2
      NHATNO(LSLOT)=0
C
C           SET WATER-CRAFT SLOT TO *OCCUPIED AND CLOSED* OR TO
```

```
C              *CLOSED, BUT OCCUPIABLE*
C
      IF((KLOT-1).EQ.0) GO TO 40
      KSLOT=KSLOT-1
      IF((KSHIPS(KSLOT).NE.ISHIP).OR.(LOCHS(KSLOT).NE.7)) GOTO 40
      IF((KHATS(KSLOT).EQ.4).OR.(KHATSS(KSLOT).EQ.14)) GOTO 20
      IF((KHATS(KSLOT).EQ.10).OR.(KHATSS(KSLOT).EQ.13)) GOTO 15
      WRITE(NPRNTT,12) KSLOT,KHATS(KSLOT)
   12 FORMAT(1X,'RELEASE ERROR--SLOT',I4,12H  HAS STATE=,I4)
C
C              SET *TEE-CRAFT SLOT TO *OCCUPIED AND CLOSED,* AND SET
C              CRAFT TO WAIT.
C
   15 KHATS(KSLOT)=15
      KCRAFT=KHATN(KSLOT)
      KCLOK(KCRAFT)=KTIM
      GOTO 40
C
C              SET WATER-CRAFT SLOT TO *CLOSED, BUT OCCUPIABLE.*
C
   20 KHATS(KSLOT)=14
   40 MFLAG=1
      GOTO 130
   90 CONTINUE
      GOTO 10
   95 MFLA =1
      ILOC=2
  100 CONTINUE
      GOTO 130
  120 MFLA=1
C
C              IS WATER-CRAFT SLOT EMPTY?
C
  130 IF((ISLOT-1).EQ.0) GOTO 140
      KSLOT=ISLOT-1
      IF((KSHIPS(KSLOT).NE.ISHIP).OR.(LOCHS(KSLOT).NE.7)) GOTO 140
      IF(IFLAG.EQ.1) GOTO 140
C
C              SET WATER-CRAFT SLOT EMPTY.
C
      KHATS(KSLOT)=0
      KCRAFT=KHATN(KSLOT)
      KHATN(KSLOT)=0
      MFLA=1
C
C              SET HELICOPTER SLOT TO EMPTY IF NO CONTAINER ON PLATFORM.
C
      IF(KPLAT(LSLOT).GT.0) GOTO 1000
      KHATS(LSLOT)=0
      KHATN(LSLOT)=0
      GOTO 1100
C
C              SET HELICOPTER SLOT TO *CLOSED* IF NO CONT. SELECTED AND
C              CARGO BATCH NOT EMPTY.
  140 IF(KPLAT(LSLOT).GT.0) GOTO 160
      KHATS(LSLOT)=2
      MFLA=2
      GOTO 1100
  160 MFLA=3
C
C              RESET HIGHEST PRIORITY CARGO AT HATCH?
C
 1000 IF(IFLAG.EQ.1) GOTO 1100
      DO 1050 I=LI,L2
      IF(KTOTAL(I).EQ.0) GOTO 1050
      DO 1040 J=1,KCARTP
      IF(KPTTAB(I,J).EQ.0) GOTO 1040
      KPRCAR(IHATCH)=KPTTAB(I,J)
      GOTO 1100
 1040 CONTINUE
 1050 CONTINUE
 1100 RETURN
      END
```

```
      SUBROUTINE HSSORT
C           SORTS ALL UNOCCUPIED HATCH SLOTS FOR HATCH SLOT SELECTION
C
C           LIFT.
C
C
C*****
C
      COMMON/BASIC/NCLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           NTELEL,MLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/BAD5/NESSHP( 5),NCHSHP( 5),IDSHIP( 5),NSHPHS(20),IDHSLT(20),
     .NCHCOP(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .ROOM(20),NSTBYT(20),NHATIX(100),NDCB(100),NACCES(100),NTOTAL(100),
     .NHTTAB(100,4),NSSSI(5),
     .           ICHCOS,LINDEX
C
      COMMON/BAD6/LISTCR(30),LISTHS(24),NSORT(30),NPRCAR(20),NPRCHC(10,13
     .,15),
     .           NLISCR,NLISHS,ISLCT,ICRAFT
C*****
      INTEGER*2,NEVTYP,       NOPEL ,       NELEMT,       NCODE         A1
      INTEGER*2,NESSHP,       NCHSHP,       IDSHIP,       NSHPHS        A5
      INTEGER*2,IELEMT,       NCHCOP,       LOCHS ,       NHATSS        A5
      INTEGER*2,NSTYP ,       NHATNO,       IDCARH,       NSROOM        A5
      INTEGER*2,NSTBYT,       NHATIX,       NDCB ,        NACCES        A5
      INTEGER*2,NTOTAL,       NHTTAB,       NSSSI                       A5
      INTEGER*2,LISTCR,       LISTHS,       NSORT ,       NPRCAR        A9
      INTEGER*2,NPRCHC                                                  A9
C
C           FIND ALL UNOCCUPIED HATCH SLOTS
C
      NLISHS=0
      L2=NELEMT(4)
      DO 50 I=1,L2
      IF((NHATSS(I).NE.4).AND.(NHATSS(I).NE.14)) GOTO 50
      NLISHS=NLISHS+1
      LISTHS(NLISHS)=I
   50 CONTINUE
      IF(NLISHS.EQ.0) GO TO 200
      IF(NLISHS.EQ.1) GO TO 180
C
C           SORT UNOCCUPIED HATCH SLOTS.
C
      L1=NLISHS-1
      IPASS=NELEMT(4)
      DO 150 I=1,L1
      ITEMP=LISTHS(I)
      LI=I+1
      DO 140 J=LI,NLISHS
      JTEMP=LISTHS(J)
C     TEST FOR HATCH ON EAR SIDE OF GEN CARGO SHIP
      IF((LOCHS(ITEMP).GE.3).AND.(LOCHS(ITEMP).LE.7))GO TO 140
      IF((LOCHS(ITEMP).GE.3).AND.(LOCHS(JTEMP).LE.7)) GO TO 130
C
C           TEST FOR *CLOSED BUT OCCUPIABLE* CONTAINER SHIP SLOT.
C
      IF((NHATSS(ITEMP).EQ.14).AND.(NHATSS(JTEMP).NE.14)) GOTO 140
      IF((NHATSS(ITEMP).EQ.14).AND.(NHATSS(JTEMP).EQ.14)) GOTO 130
C
C     COMPARE LENGTH OF TIME SLOTS HAVE BEEN UNOCCUPIED.
C
      ISUB=ITEMP+IPASS
      JSUB=JTEMP+IPASS
      IF(NCLOCK(ISUB).GE.NCLOCK(JSUB)) GOTO 140
C           SLOT JTEMP IS OLDER THAN ITEMP. REPLACE
  130 LISTHS(I)=JTEMP
      LISTHS(J)=ITEMP
      ITEMP=LISTHS(I)
  140 CONTINUE
  150 CONTINUE
C           WRITE PRIORITY LIST OF HATCH SLOTS.
  180 WRITE(NTAPE,185)NLISHS,(LISTHS(I),I=1,NLISHS)
  185 FORMAT(1X,I5,44H  UNOCCUPIED HATCH SLOTS  ID NOS. IN ORDER ARE--/1
     .X,40I3)
      GO TO 220
C
C           DATA ERROR--ARRIVING SHIP HAS NO OPERABLE HATCH SLOTS.
C
  200 IF(IEVTYP.NE.14) GOTO 220
      WRITE(NTAPE,205)
  205 FORMAT(1X,50HARRIVING SHIP HAS NO OPERABLE HATCH SLOTS.  ERROR IN
     .DATA.  PRINT DEBUG INFO AND CONTINUE.)
      CALL WCLOCK
  220 RETURN
      END
```

```
      SUBROUTINE LOADSS(LCATE)
C
C           LOAD ACCESS. ROUTINE--LOADS CARGO FROM THE ACCESS. LEVEL
C           ON A GENERAL CARGO SHIP TO A CRAFT. CALLED BY GENERAL
C           CARGO SHIP LOADING ROUTINE.
C
C*****
C
      COMMON/A01/ICLOCK(100),IEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .          NCLPEL,NLSTEL,NTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGWT(40),CARGVL(40),CARGCT(40),NCARHL(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCCITM(10,40),NFILE(10),CRAFFS(10)
C
      COMMON/A05/NLSSHP( 5),NCHSHP( 5),IDSHIP( 5),NSHPHS(20),IDHSLT(20),
     .NCHCOR(20),LCCFS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .TIMP(20),NSTIMP(20),NHATIX(100),NDCP(100),NACCFS(100),NTOTAL(100),
     .NHITAP(100,40),NSSSI(5),
     .          ICHCOR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IFLLS(30),IDSDVH(20),
     .          NCARTP,NCRFTP,NTRKTP,NLLSTP,NMHFTP,NHTSTP,NCARHT,NMHFPL
     .,NLDS,NSI,ITAGTP
C
      COMMON/A07/NLST( 5),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSLOC(10),LUSSTT(15),LOCGTM(13,15,10),LOCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCR(30),LISTHS(24),NSORT(30),NPRCAR(20),NPRCHC(10,10
     .,13),
     .          NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/MCRTIM(10,10),LOADTM(10,10,13),
     .NFDT,NOFCKF,NRTMF0,NRTMF5,NSMT,NSIMT,NHELOD,NSIMT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .          ITIME,LCTIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L2,CCWT,CCVL
     .          ,INDEX,NCONTR,CCFS,FLOOR
C
      COMMON/A13/NCRCUM(30,15),FTKCUM(30,9),MHFCYC(15,3,2),MHFCAR(15,3,
     .40),MHECUM(15,3, 4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),NHSCUM
     .(2,7),NHSCRF(20,10),NTRAFF(2),NCRCAR(30,40),INDCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,      NOPEL ,      NELEMT,      NCODE        A1
      INTEGER*2NCARHL,      NCGTAG                                 A2
      INTEGER*2NCRAFM,      MULHAT,      NCCITM,      NFILE        A3
      INTEGER*2NSSHP,       NCHSHP,      IDSHIP,      NSHPHS       A5
      INTEGER*2IDHSLT,      NCHCOR,      LCCFS ,      NHATSS       A5
      INTEGER*2NSTYP ,      NHATNO,      IDCARH,      NSTIMP       A5
      INTEGER*2NSTIMP,      NHATIX,      NDCP ,       NACCFS       A5
```



```
      INTEGER*2NTOTAL,      NHITAP,      NSSSI                     A5
      INTEGER*2NCRTYP,      NTKTYP,      NLSTYP,      NMHTYP       A6
      INTEGER*2IDCRAF,      IDTRUK,      IFLLS ,      IDSDVH       A6
      INTEGER*2LUSCRF,      LUSTRK,      LUSMHF,      LUSLOC       A7
      INTEGER*2LUSSTT,      LOCGTM,      LOCTTM                    A7
      INTEGER*2LCRCAR,      LTKCAR,      LSTCAR                    A8
      INTEGER*2LISTCR,      LISTHS,      NSORT ,      NPRCAR       A9
      INTEGER*2NPRCHC                                              A9
      INTEGER*2MCRTIM,      LOADTM                                 A10
      INTEGER*2NCITEM,      NPLAT                                  A11
      ICRTYP=ICCRAF(ICRAFT)
      ISLTYP=IDHSLT(JSLOT)
      IF(IEVTYP.EQ.10)ICRTYP=1
C
C           IF MIX=0 , CARGO MIXES ARE NOT ALLOWED ON CRAFT.
C
      MIX=0
C
C           LOOP THRU CARGO MODULES.
C
      DO 500 I=1,NCARTP
      IF(NHITAP(INDEX,I).EQ.0) GOTO 500
      ITAGTP=NCGTAG(I)
C
C           FIND LOAD CATEGORY OF ITEM.
C
      IF(MIX.NE.0) GOTO 2000
      IF((CARGCT(I).GT..1).OR.((CARGCT(I).LT.-1.1)) GOTO 1200
C           GENERAL CARGO
      ICATE=1
      GOTO 1300
C           VEHICLES
 1200 ICATE=3
C           TRY NEXT MODULE IF CATEGORIES ARE THE SAME.
 1300 IF((LCATE.NE.0).AND.(LCATE.NE.ICATE)) GOTO 500
C
C           CHECK FOR SD VEHICLES AT A CAUSEWAY
C
 2000 IF((IEVTYP.NE.10).OR.(CARGCT(I).LT..1)) GOTO 3
C
C           UNLOAD SD VEHICLES
C
      LTIME=NHITAP(INDEX,I)*LOADTM(ISLTYP,ICRTYP,ITAGTP)
      NLSTEL=NLSTEL+1
      NELEMT(6)=NELEMT(6)+1
      ISUM=NELEMT(6)
      IDSDVH(ISUM)=I
      NEVTYP(NLSTEL)=10
      DIS=0.
      DO 1005 J=6,9
 1005 DIS=DIS+DIST(J)
      NCLOCK(NLSTEL)= ITIME+LSTIME+LTIME+((36.0*DIS)/CARGCT(I))
      NOPEL(NLSTEL)=NHITAP(INDEX,I)
      NHITAP(INDEX,I)=0
      NTOTAL(INDEX)=NTOTAL(INDEX)-NOPEL(NLSTEL)
      NTRAFF(2)=NTRAFF(2)+NOPEL(NLSTEL)
```

```
      TTIME=(TTIME+LTIME+LTIME)/3600.
      OTIME=SECLOCK(SECTEL)/3600.
      WRITE(NTAPE,1010) OTIME,POPEL(NL,TEL),I,TTIME
 1010 FORMAT(1X,2HAT,F6.2,15H  HOURS A CONVOY OF,I4,14H  SE VEH. OF TYPE
     *,I3,1H  LEAVES FOR DEPOT TO ARRIVE AT,F6.2,4H  HOURS.)
      GOTO 70
C
C             FIND NUMBER OF ITEMS OF THIS MODULE THAT WILL FIT.
C
    3 IF(NITEM(I).EQ.0)  GOTO 500
      NUMBER=NHTTAB(INDEX,I)
C             FIND NUMBER ALLOWED BY WT.
      ITEMP=(WEIGHT-CC,I)/CARGWT(I)
C             FIND NUMBER ALLOWED BY VOLUME.
      JTEMP=9999
      KTEMP=9999
      LTEMP=9999
      CVOL=CARGVL(I)
      CFLR=0
      IF(IEVTYP.EQ.10) GOTO 333
C             IS ITEM A VEHICLE?
      IF((CARGCT(I).GT.0.1).OR.(CARGCT(I).LT.-1.9)) GOTO 444
      GOTO 333
  444 LTEMP=(FLOOR-CCFS)/CVOL
      CFLR=CVOL
      CVOL=CVOL*CRAFPT(ICRTYP)
  333 JTEMP=(VOLUME-CCVL)/CVOL
C
C     FIND NUMBER OF ITEMS ALLLOWED.
C
    4 IF(CCITEM(I).GE.0) GO TO 5
      KTEMP=JTEMP
      GO TO 30
    5 L2=I
      NITEMS=0
      DO 15 J= 1,L2
      IF(IEVTYP.NE.10) GO TO 10
      NITEMS=NITEMS+LTKCAR(ICRAFT,J)
      GO TO 15
   10 NITEMS=NITEMS+LCRCAR(ICRAFT,J)
   15 CONTINUE
      KTEMP=NCITEM(I)-NITEMS
   30 NUMBER=MIN0(NUMBER,ITEMP,JTEMP,KTEMP,LTEMP)
      IF(NUMBER.LE.0) GO TO 500
C
C             NUMBER OF ITEMS OF THIS MODULE THAT CAN BE LOADED IS KNOWN
C
C             UPDATE CARGO LOCATIONS.
      IF(LCATS.EQ.0) LCATF=ICATF
      CCWT=CCWT+CARGWT(I)*NUMBER
      CCVL=CCVL+CVOL*NUMBER
      CCFS=CCFS+CFLR*NUMBER
      NCONTR=NCONTR+NUMBER
      NHTTAB(INDEX,I)=NHTTAB(INDEX,I)-NUMBER
      NTOTAL(INDEX)=NTOTAL(INDEX)-NUMBER
      IF(IEVTYP.NE.10) GO TO 40
```



```
      LTKCAR(ICRAFT,I)=LTKCAR(ICRAFT,I)+NUMBER
      GO TO 45
   40 LCRCAR(ICRAFT,I)=LCRCAR(ICRAFT,I)+NUMBER
C             FIND TIME TO LOAD THESE ITEMS.
   45 LTIME=NUMBER*LCATIM(ISLTYP,ICRTYP,ITARGT)
C             DOES "ISLE" RULE APPLY?
      IF((CLOCKS(JSLOT).EG.0).OR.(CLOCKS(JSLOT).GE.0)) GO TO 70
      L2=NELEMT(3)
      DO 55 J=1,L2
      IF(NSHCAR(J).NE.JHATCH) GO TO 50
      IF(J.EQ.JSLOT) GO TO 50
      IF(NHATSS(J).NE.10) GO TO 70
      ITEMP=NHATE(J)
      GO TO 60
   50 CONTINUE
      GOTO 70
C
C             HAS CRAFT AT OPPOSITE HATCH ALREADY DEPARTED?
C
   60 IF((ITIME+LDTIME).GE.NCLOCK(ITEMS)) GO TO 70
C             "ISLE" RULE APPLIES
      OTIME=(LDTIME+ITIME)/3600.
      WRITE(NTAPE,65)OTIME
   65 FORMAT(1X,21H*160 ( RULE APPLIED AT,F10.2,4H  HOURS.)
      LTIME=LTIME/.8+.5
   70 LDTIME=LDTIME+LTIME
  500 CONTINUE
      RETURN
      END
```

```
      SUBROUTINE LDCONS                                                 A1
C                                                                       A2
C           CONTAINER SHIP LOADING ROUTINE--LOADS CARGO FROM CONTAINER  A3
C           SHIP TO A CRAFT.                                            A4
C                                                                       A5
C.....                                                                  A6
C                                                                       A7
      COMMON/A01/CLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20), A8
     .          NCLKEL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER, A9
     .LPTIME,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3       A10
C                                                                       A11
      COMMON/A02/CARGWT(40),CARGVL(40),CARGCT(40),NCARHL(40),NCGTAC(40) A12
C                                                                       A13
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10A14
     .),MULHAT(10),ACCITM(10,40),NFILE(10),CRAFFS(10)                   A15
C                                                                       A16
      COMMON/A05/NDSSHP(  5),NCHSHP(  5),IDSHIP(  5),NSHPHS(20),IDHSLT(20),A17
     .NCHCOR(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS A18
     .BOOM(20),NSTIMF(20),NHATIX(100),NDCR(100),NACCES(100),NTOTAL(100), A19
     .NHTTAB(100,40),NSSSI(5),                                          A20
     .          ICHCOR,LINDEX                                           A21
C                                                                       A22
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30A23
     .),IFTRUK(30),IDLUS(30),IDSDVH(20),                                A24
     .          NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHFTP,NHTSTP,NCARHT,NMHIPL A25
     .,NLDS,NSI,NTAGTP                                                  A26
C                                                                       A27
      COMMON/A07/DIST( 9),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH A28
     .F(30),LUSLOC(15),LUSSTT(15),LDCGTM(13,15,10),LDCTTM(13,15,10)     A29
C                                                                       A30
      COMMON/A08/LRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)                A31
C                                                                       A32
      COMMON/A09/LISTCR(30),LISTHS(24),NSORT(30),NPRCAR(20),NPRCHC(10,10A33
     .,13),                                                             A34
     .          NLISCR,NLISHS,ISLOT,ICRAFT                              A35
C                                                                       A36
      COMMON/A10/MODTIM(10,10),LOADTM(10,10,17),                        A37
     .NDOT,NDECKC,ARTMP0,NRTM15,NSMT,NSIMT,NHELOD,NSIWT                 A38
C                                                                       A39
      COMMON/A11/NCITEM(40),NPLAT(20),                                  A40
     .          ITIME,LDTIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L3,CCWT,CCVL A41
     .          ,INDEX,NCONTR,CCFS,FLOOR                                A42
C.....                                                                  A43
      INTEGER*2NEVTYP,        NOPEL ,         NELEMT,         NCODE     A1
      INTEGER*2NCARHL,        NCGTAC                                    A2
      INTEGER*2NCRAFM,        MULHAT,         NCCITM,         NFILE     A3
      INTEGER*2NPSSHP,        NCHSHP,         IDSHIP,         NSHPHS    A4
      INTEGER*2IDHSLT,        NCHCOR,         LOCHS ,         NHATSS    A5
      INTEGER*2NSTYP ,        NHATNO,         IDCARH,         NSBOOM    A6
      INTEGER*2NSTIMF,        NHATIX,         NDCR  ,         NACCES    A7
      INTEGER*2NTOTAL,        NHTTAB,         NSSSI                     A8
      INTEGER*2NCRTYP,        NTKTYP,         NLSTYP,         NMHTYP    A9
      INTEGER*2IFCRAF,        IFTRUK,         IDLUS ,         IDSDVH    A10
      INTEGER*2LUSCRF,        LUSTRK,         LUSMHF,         LUSLOC    A11
      INTEGER*2LDCGTM,        LDCTTM                                    A12
      INTEGER*2LRCAR,         LTKCAR,         LSTCAR                    A13
      INTEGER*2LISTCR,        LISTHS,         NSORT ,         NPRCAR    A14
      INTEGER*2NPRCHC                                                   A15
      INTEGER*2MODTIM,        LOADTM                                    A16
      INTEGER*2NCITEM,        NPLAT                                     A17
      ISLTYP=IDHSLT(JSLOT)                                              A18
      ICRTYP=IDCRAF(ICRAFT)                                             A19
      IF(ICRTYP.EQ.10)ICRTYP=1                                          A20
      IPLAT=0                                                           A21
      IMAX=0                                                            A22
      DO 510 K=1,NCARTP                                                 A23
      ITEMP=NCITEM(K)                                                   A24
  510 IMAX=MAX0(ITEMP,IMAX)                                             A25
C                                                                       A26
C             LOOP THRU INDEX NUMBERS FOR THIS CARGO BATCH.             A27
C                                                                       A28
      DO 200 I=L1,L3                                                    A29
C                                                                       A30
C             HELICOPTER AT SS SHIP.                                    A31
C                                                                       A32
      IF((IDCARH(JHATCH).EQ.2).AND.(NCRAFM(ICRTYP).EQ.6)) GOTO 20       A33
C             IS CELL EMPTY?                                            A34
      IF(NTOTAL(I).NE.0) GO TO 20                                       A35
    5 WRITE(NTAPE,10) NDCR(I)                                           A36
   10 FORMAT(1X,4HCELL,I4,11H  IS EMPTY.)                               A37
      GO TO 200                                                         A38
C                                                                       A39
C             CELL IS NOT EMPTY. FIND HIGHEST FILLED LEVEL.             A40
C                                                                       A41
   20 DO 150 J=1,NCARTP                                                 A42
C                                                                       A43
C             FOR HELICOPTERS AT ISS SHIP, IS CONTAINER STATCHABLE?     A44
C                                                                       A45
      ISTYP=IDCARH(JHATCH)                                              A46
      IF((NCRAFM(ICRTYP).EQ.6).AND.(ISTYP.EQ.5).AND.(J.GT.NSBOOM(JHATCH)A47
     .).AND.(LOCHS(JSLOT).EQ.8)) GOTO 200                               A48
      IF((NCRAFM(ICRTYP).NE.6).OR.(ISTYP.NE.2)) GOTO 21                 A49
      ICARTP=NPLAT(JSLOT)                                               A50
      IPLAT=1                                                           A51
      GOTO 22                                                           A52
C             IS A CONTAINER AT THIS LEVEL?                             A53
   21 IF(NHTTAB(I,J).EQ.0) GO TO 150                                    A54
C                                                                       A55
C             CAN THIS CONTAINER BE LOADED?                             A56
      ICARTP=NHTTAB(I,J)                                                A57
C     CHECK NUMBER OF CONTAINERS                                        A58
   22 IF((NCITEM(ICARTP).GT.-1  ).AND.(IMAX.LT.(NCARTP+1)))             A59
     .GOTO 220                                                          A60
C             CHECK WEIGHT                                              A61
      IF(WEIGHT.LT.((CCWT+CARGWT(ICARTP))) GO TO 150                    A62
C             CHECK VOLUME                                              A63
      IF(VOLUME.LT.((CCVL+CARGVL(ICARTP))) GO TO 150                    A64
C                                                                       A65
C             CARGO ITEM CAN BE LOADED.                                 A66
C                                                                       A67
      CCWT=CCWT+CARGWT(ICARTP)                                          A68
      CCVL=CCVL+CARGVL(ICARTP)                                          A69
```

```
      NCOPTR=ICONT+1
C
C               CAL AWAY?
C
      IF(IEVTYP.NE.10) GO TO 140
      LTKCAR(ICRAFT,ICARTP)=LTKCAR(ICRAFT,ICARTP)+1
      GO TO 145
  140 LCRCAP(ICRAFT,ICARTP)=LCRCAP(ICRAFT,ICARTP)+1
C
C               FOR HELICOPTER PLATFORM, SET PLATFORM EMPTY.
C
      IF(IPLAT.EQ.1) GOTO 146
  145 NLOTAL(I)=NTOTAL(I)-1
      NHITAP(I,J)=
  146 ITAGTP=NOTAG(ICARTP)
      FACTOR=1.
      IF((J.GT.NCHOR(JHATCH)).AND.(LOCHS(JSLOT).EQ.9))  FACTOR=1.43
      LOTIME=LOTIME+LOADTM(ISLTYP,ICRTYP,ITAGTP)*FACTOR
C
C               LOAD ONE CONTAINER ONLY?
C
      IF(IPLAT.EQ.1) GOTO 300
      IF(NTOTAL(I).EQ.0) WRITE(NTAPE,110) NOCP(I)
      IF((IEVTYP.EQ.1).OR.(NCRAFM(ICRTYP).EQ.6)) GOTO 202
  150 CONTINUE
      GO TO 210
  190 CONTINUE
  200 CONTINUE
      GO TO 250
C
C               DETERMINE HIGHTEST PRIORITY FOR ALL RELEVANT SLOTS.
C               LOOP THROUGH CELLS
  202 IFLAG=0
      IF(IEVTYP.NE.10) NPLAT(JSLOT)=0
      DO 211 I=L1,L2
      IF(NTOTAL(I).EQ.0) GOTO 210
      DO 212 J=1,NCARTP
      IF(NHITAP(I,J).EQ.0) GO TO 212
      IF(IFLAG.NE.0) GOTO 205
      IFLAG=1
      IF(IEVTYP.EQ.10) GOTO 300
C               FIND NPLAT FOR NSS HELICOPTER SLOT.  CHECK LEVEL AND WT.
  205 IF((J.GT.NCHOR(JHATCH)).AND.(LOCHS(JSLOT).EQ.0) ) GOTO 210
C               FIND MAX WT.
      WTMAX=0.
C
      DO 206 K=1,NCRFTP
      IF(NCRAFT(K).NE.0) GOTO 206
      IF(CRAFWT(K).GT.WTMAX) WTMAX=CRAFWT(K)
  206 CONTINUE
      ISUB=NHITAP(I,J)
      IF(WTMAX.LT.CARGWT(ISUB)) GOTO 210
      NPLAT(JSLOT)=ISUB
      GOTO 300
  212 CONTINUE
  210 CONTINUE
```



```
  220 WRITE (NTAPE,230)
  230 FORMAT(1X,14HCRAFT IS FULL.)
      IF(IEVTYP.EQ.10) GO TO 300
C
C               ADD REQUIRED NUMBER OF EMPTY CONTAINERS FOR RETROGRADE.
C
      LCRCAP(ICRAFT,ICARTP+1)=NCOPTR
C
C               DETERMINE HIGHEST PRIORITY CARGO IN HATCH.
C
  300 NPRCAR(JHATCH)=0
      DO 255 I=L1,L2
      IF(NTOTAL(I).EQ.0) GOTO 255
      DO 256 J=1,NCARTP
      IF(NHITAP(I,J).EQ.0) GOTO 256
      NPRCAR(JHATCH)=NHITAP(I,J)
      GOTO 1000
  256 CONTINUE
  255 CONTINUE
C
C               CARGO HATCH IS EMPTY.
C
      L2=NELEM(4)
      DO 260 I=1,L2
      IF((NCHOR(I).EQ.JHATCH).AND.(I.NE.JSLOT)) GO TO 270
  260 CONTINUE
      GOTO 1000
  270 NHATSS(I)=3
      WRITE(NTAPE,280)I,NHATSS(I)
  280 FORMAT(1X,24)CARGO HATCH WILL BE EMPTY, SO SLOT,I4,1HH HAS STATE R
     .ESET TO,I4)
      CALL NSSORT
 1000 RETURN
      END
```

```
                    LOGC*          DATE = 78311          23/20/40

      SUBROUTINE LOGC*

C
C           GENERAL CARGO SHIP LOADING ROUTINE--LOADS CARGO FROM A
C           GENERAL CARGO SHIP TO A CRAFT.
C
C*****
C
      COMMON/A01/NCLECK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(23),
     .           NCLKEL,NLSTEL,NTIME,IEVTYP,IELEMT,IACTEL,INTCUM,IPTHER,
     .LPTIME,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPES
C
      COMMON/A02/CARGWT(40),CARGVL(40),CARGCT(40),NCARRL(40),NCSTAG(40)
C
      COMMON/A03/CRALST(10),CRAFVL(10),CRAFSP(10,4),CRAFMT(10),NCRAFM(10
     .),MULMAT(10),NCCITM(10,40),NCILE(10),CRAFES(10)
C
      COMMON/A04/ITRUMT(10),TRUNVL(10),TRUNSP(10,2),NTCITM(10,40),NPRTRK
     .(10,13),NPRTCS(50),MBERRY(10,10,13),MHETRK(30),LEGTTM(13,15,10),LE
     .GTIM(13,15,10),
     .           NRSCAR,IPRTRK,ITRLCK,NTRUKO,NTRKPR
C
      COMMON/A05/NLSSHP( 5),NCMSHP( 5),IDSHIP( 5),NSHPHS(20),IDHSLT(20),
     .NCHCLS(20),LICES(20),NMATSS(20),NSTYP(20),NMATNO(20),IDCARR(20),NS
     .TRCK(20),NSTING(20),WHATIX(100),NDCK(100),NACCES(100),NTOTAL(100),
     .NMTTAB(100,4),NSSSI(5),
     .           ICHCON,INDEX
C
      COMMON/A06/MCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRDK(30),ICLUS(30),IDSDVH(20),
     .           NCARTF,NCRFTP,NTRKTP,NLUSTP,NMHFTF,NHTSTP,NCARHT,NMHFEL
     .,NLUS,NSI,NTASTP
C
      COMMON/A07/DIST( 9),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMN
     .F(30),LUSLC(15),LUSSTT(15),LDCCTM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCR(30),LISTHS(24),NSORT(30),NPRCAR(20),NPRCHC(10,10
     .,13),
     .           NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/MFDATM(10,10),LDADTM(10,10,13),
     .NPORT,IDECKF,NRTMF0,NRTMIS,NSMT,NSIMT,NHELOD,NSIVT
C
      COMMON/A11/CITER(40),NPLAT(20),
     .           ITIME,LDTIME,JSLOT,JHATCH,WEIGHT,VOLUME,L1,L3,CCWT,CCVL
     .           ,INDEX,NCONTR,CCFS,FLOOR
C
      COMMON/A12/LUSCAR(30),NPRCCF(30),NPPLUS(15,10,13),NPRMHE(15,10,13)
     .,LUSLIS(16),LDCCTM(10,15),LUSSOT(10,15),
     .           LISCRC,NLUSPR,LUSCPR
C
      COMMON/A13/CCFCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .4,3),MHCCUM(15,3,4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),NHSCUM
     .(20,7),CLSCRF(30,10),NTRAFF(3),NCRCAR(30,40),INDCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,3)
```

```
                    LOGC*          DATE = 78311          24/20/40

C*****
      INTEGER*2NCLKEL,        NOPEL ,        NELEMT,        NCODE          A1
      INTEGER*2NCARRL,        NCSTAG                                       A2
      INTEGER*2NCRAFM,        MULMAT,        NCCITM,        NILE)          A3
      INTEGER*2NTCITM,        LCRTRK,        NPRTCS,        MBERRY         A4
      INTEGER*2MHETRK,        LEGTTM,        LEGTIM                        A5
      INTEGER*2NRSCAR,        NTRUKO,        ITRLCK,        NSHPHS         A6
      INTEGER*2IDHSLT,        NCHCLS,        LICES ,        NMATSS         A7
      INTEGER*2NSTYP ,        WHATIX,        IDCARR,        NSTRCK         A8
      INTEGER*2NSTING,        NTOTAL,        IDCAR ,        NACCES         A9
      INTEGER*2NSSSI ,        NMTTAB,        NSSSI                         A10
      INTEGER*2NLCRTYP,       NTKTYP,        NLSTYP,        NMHTYP         A11
      INTEGER*2NCRAFT,        ITRUMT,        IDCRAF,        IDSDVH         A12
      INTEGER*2LUSCRF,        LUSTRK,        LUSMNF,        LUSLUS         A13
      INTEGER*2LUSSTT,        LDCCTM,        LDCTTM                        A14
      INTEGER*2LCRCAR,        LTKCAR,        LSTCAR                        A15
      INTEGER*2LISTCR,        LISTHS,        NSORT ,        NPRCAR         A16
      INTEGER*2NPRCHC                                                      A17
      INTEGER*2MCURTM,        LOADTM                                       A18
      INTEGER*2NCITEM,        NPLAT                                        A19
      INTEGER*2LUSCUF,        NPRCCF,        NPRLUS,        NPRMHE         A20
      INTEGER*2LUSLIS,        LUSMTM,        LUSSOT                        A21
      IFLAG=0
      IDECK=NDCK(L1)
      IACCES=NACCES(L1)
      IRELAC=IACCES
      LCATE=0
C
C           LOOP THRU INDEX NUMBERS IN HATCH TABLE.
C
      DO 500 INDEX=L1,L3
C           NEW DECK?
      IF(NDCK(INDEX).EQ.IDECK) GO TO 90
C
C           NEW DECK. IS OLD DECK EMPTY?
C
      IF(IRELAC.LE.IACCES) GO TO 500
C
C           OLD DECK IS EMPTY. START ON NEXT DECK, BUT CHECK LOCK
C           TYPES FIRST.
C
C           GO TOO FROM RIGGER?
      IDECK=IDECK+1
      ICLKEL=NCLKEL+NELEMT(3)+JSLOT
      IF(NOPEL(ICLKEL).NE.90) GOTO 4
C
C           GO TOO ROOM IS RIGGER.  DOES NEW DECK NEED IT.
C
      DO 2000 J=1,NCARTF
      IF(NMTTAB(INDEX,J).GT.0) GOTO 2010
 2000 CONTINUE
      WRITE(NPRINT,2005) IDECK
 2005 FORMAT(1X,17HLOGIC ERROR--DECK,I4,20H  EMPTY)
      CALL WQCK
      GOTO 500
 2010 IF(NCARRL(J).GE.1) GOTO 4
```

```
C            NO HATCHES REMAINED.  TEN DECK.
    4 I=NSHIPS(ICL,I)
      IF(IISHIP(I).EQ.1) LSTIME=LSTIME+NDECAY
      STIME=(LSTIME+ITIME)/3600.
      WRITE(NTAPE,5)I,ICLKEL,STIME
    5 FORMAT(1X,9HCLOCK(,I4,11H  UNLOAD AT,F10.2,4H  HOURS.)
      GO TO 8
C            CHECK IF TOO ROOM TO MATCH SEARCH II?
C
    6 IFMHAT=NSHIP(ICLASS,MATCH)
      ICARTE=ICARGO(IFMHAT)
      IF(NCARHL(ICARTE).NE.1)GO TO 30
C
C     FORCE NO TOO ROOM,FIND MATCH SLOTS.
C
      L2=NELEMT(4)
      DO 1  I=1,L2
      IF(NSHIP(I).EQ.IFMHAT)GO TO 20
   10 CONTINUE
      WRITE(NPRINT,15) IFMHAT
   15 FORMAT(1X,11HCARGO MATCH,I4,21H  HAS NO MATCH SLOTS.)
      CALL NCLOCK
      STOP
C
C     MATCH SLOT FOR BERTHING IS FOUND.
C
   20 JCLKEL=JCLK,L+NELEMT(5)+I
      NCLOCK(JCLK,L)=ITIME+LDTIME+NRTM15
      ISUB=NCLKEL+NSHIPS(I)
      NRSLTM(I,1)=NRSLTM(I,1)+NCLOCK(JCLKEL)+NCLOCK(ISUB)
      NEVTYP(JCLKEL)=15
      NOPEL(JCLKEL)=F0
      IFLA=1
C
C            MATCH SLOT ON OPPOSITE SIDE OF SHIP CAN BE OPENED.
C
   30 L2=NELEMT(4)
      DO 4  I=1,L2
      IF(I.NE.JCLKT).AND.(NCHECK(I).EQ.MATCH)) GO TO 50
   40 CONTINUE
      GO TO 6
C
C            SET UP EVENT TO OPEN OPPOSITE MATCH SLOT
C
   50 JCLKEL=JCLKEL+NELEMT(5)+I
      NCLOCK(JCLKEL)=ITIME+LDTIME+NRTM15
      ISUB=NCLKEL+NSHIPS(I)
      NRSLTM(I,1)=NRSLTM(I,1)+NCLOCK(JCLKEL)+NCLOCK(ISUB)
      NEVTYP(JCLKEL)=15
      NOPEL(JCLKEL)=15
      IFLA=1
C
C            SEE IF TOO ROOM AT CURRENT SLOT.
C
   60 LDTIME=LDTIME+NRTM15
      NEVTYP(ICLKEL)=0
```

```
      NOPEL(ICLKEL)=1
      NRSLTM(ICLKEL,1)=NRSLTM(ICLKEL,1)+ITIME
       TIME=(LSTIME+ITIME)/3600.
      WRITE(NTAPE,65)ICLKEL,TIME
   65 FORMAT(1X,12HDELAY---CLOCK IS,I4,11H  NEEDED AT,F7.2,6H HOURS)
C
C            SET NO. CHECK AND RELATIVE ACCESS NUMBERS
C
   80 ICHECK=NACCS(IISHIP)
      IPRELAC=NACCS(IISHIP)
C            SET NEW ACCESS NUMBERS
   90 IACCES=NACCS(ISHIP)
C            IS NEW ACCESS ACCESSIBLE FOR UNLOADING?
      IF((IACCES-1-IPRELAC).GT.1) GO TO 98
C     LOADING OF THIS ACCESS CAN BE DELAYED.
C
      CALL NSPACE(ICRAFT)
C            IS ACCESS EMPTY?
      IF(NTOTAL(IACCES).GE.0) GO TO 98
      IF(IACCES.EQ.IPRELAC)IPRELAC=IACCES+1
      GO TO 500
C
C            CAUSEWAY WITH 50 VEHICLES?
C
   98 IF((IEVTYP.EQ.10).AND.(ICRAFT.EQ.0)) GOTO 500
C
C            IS CRAFT FULL?
C            CHECK IF I FALLEN WITH FIT.
C
C            CHECK WEIGHT.
  100 IF(NSITEM(NCARTP).LE.0) GOTO 500
      IF(WEIGHT.LT.(CCWT+CARGWT(NCARTP))) GO TO 500
C            CHECK VOLUME.
      IF(VOLUME.LT.(CCVL+CARGVL(NCARTP)))GO TO 500
C            CHECK NUMBER OF ITEMS
      NUMBER=0
      DO 125 I=1,NCARTP
      IF(IEVTYP.NE.10) GO TO 120
      NUMBER=NUMBER+LIKCAR(ICRAFT,I)
      GO TO 125
  125 CONTINUE
  120 NUMBER=NUMBER+LOADCAS(ICRAFT,I)
      IF(NSITEM(NCARTP).LT.(NUMBER+1)) GO TO 500
C            CRAFT IS NOT FULL. CONTINUE LOADING.
  500 CONTINUE
C
C            END OF LOADING OPERATION.
C
      WRITE(NTAPE,510)
  510 FORMAT(1X,20HALL CARGO THAT CAN LOADED)
      GO TO 610
C
C            CRAFT IS FULL.
C
  580 WRITE(NTAPE,585)
  585 FORMAT(1X,14HCRAFT IS FULL.)
```

```
      T = 1
C
C     REMAINING CARGO NOT ACCESSIBLE.
C
  590 WRITE(OUTAPE,595)
  595 FORMAT(1X,'ERR: REMAINING CARGO INACCESSIBLE.')
      GO TO 1
C
C             DECK CANNOT BE OPENED.
C
  600 WRITE(OUTAPE,605)
  605 FORMAT(1X,'ERR: DECK CANNOT BE OPENED.')
C
C             FIND HIGHEST PRIORITY CARGO TYPE LEFT.
C
  610 NPRCAR(JHATCH) =
      DO 620 I=1,4
      IF(NTOTAL(IPHASE,I).NE.0) GO TO 600
  620 CONTINUE
C
C             CARGO HATCH IS EMPTY.
C             OPPOSITE HATCH SLOT SHOULD BE CLOSED.
C
      L=SLOT(4)
      DO 630 I=1,4
      IF(I.NE.JSLOT(I).AND.(NCHCOR(I).EQ.JHATCH)) GO TO 640
  630 CONTINUE
      GO TO 2
C             OPPOSITE HATCH SLOT IS EMPTY.
  640 L=SLOT(I)
      GO TO (745,645,740,650,660,660,670,680,740,700,690,740),L2
C             CLOSED SLOT IS EMPTY.
  645 NHATCH(I)=1
      GO TO 7
C             SET SLOT TO "EMPTY"
  650 NHATCH(I)=1
      CALL PASSBK
      IF(I.
C             SET SLOT TO "EMPTY+ BLOCKED"
  660 NHATCH(I)=
      IF(I.
C             SLOT IS SAVED. UNSAVE CRAFT.
  670 NHATCH(I)=1
      NLIFT=NLIFT+1
      LIFTCH(NLIFT)=NHATCH(I)
      NHATCH(I)=
      GO TO 745
C             SLOT IS SAVED FOR BLOCKING.
  680 NHATCH(I)=1
      GO TO 7
C
C             ERROR RETURN--IMPOSSIBLE COMBINATION OF HATCH SLOT STATES.
C
  740 WRITE(NPRINT,745)I,NHATCH(I)
  745 FORMAT(1X,'SLOT',I4,'ON  WITH STATE',I4,' IS NOW EMPTY.  ERROR.')
      CALL JCLOCK
```

```
      ST
C             OPPOSITE SLOT HAS OPERATE STATE.
  780 WRITE(OUTAPE,785)I,NHATCH(I)
  785 FORMAT(1X,'ERR: CARGO HATCH WILL BE EMPTY, SO SLOT',I4,' HAS STATE '
     .,' SET TO ',I4)
      GO TO 745
C
C             SET HIGH PRIORITY CARGO TYPE
C
  800 DO 805 I=1,NCARD
      IF(NHITTAB(IPHASE,I).NE.0) GO TO 810
  805 CONTINUE
  810 NPRCAR(JHATCH)=I
  830 IF(IFLAG.EQ.1)  CALL MIXCHK
      RETURN
      END
```

```
      SUBROUTINE SETUP
C
C     THIS SUBROUTINE READS THE INPUT DATA, CHECKS FOR ERRORS,
C     AND INITIALIZES THE VARIABLES AND ARRAYS.
C
      COMMON/A1/ICLOCK(100),NEVENT(100),NTYPE(100),NLINK(100),
     .           XTIME(100),ATRIB(5,100),DTNEXT,NTNEXT,NENTRY,
     .           TNOW,TFIN,MFILE,MSTOP,NCLNR,NCRDR,NPRNT,NTAPE,
     .           IDISP,MXGATH,MXSAVE,MAXATR,NPRP,NUMBER
      DIMENSION NAMEQ(100),XX(100)
      EQUIVALENCE (NAMEQ(1),XX(1))
      DIMENSION NAMEW(100)
C
C     ZERO OUT ALL LABELLED COMMON
C
      DO 10 I=1,100
      XX(I)=0.0
      NAMEW(I)=0
   10 CONTINUE
C
C     SET DEFAULT VALUES FOR SOME VARIABLES
C
      NCRDR=5
      NPRNT=6
      NTAPE=7
      MFILE=1
      MSTOP=1
      MXGATH=100
      MXSAVE=100
      MAXATR=5
C
C     READ AND ECHO-PRINT THE INPUT DATA
C
      CALL INTLC
      IF(NPRNT.EQ.6) WRITE(6,1)
    1 FORMAT('1')
      CALL SCHED(1.0)
      CALL CLEAR
      RETURN
      END
      SUBROUTINE INTLC
C
C     THIS SUBROUTINE READS AND ECHO-PRINTS THE INPUT DATA.
C     IT ALSO CALLS SUBROUTINES TO PERFORM ADDITIONAL INPUT
C     AND INITIALIZATION FOR SPECIAL ENTITIES.
C
C     ******
C
      COMMON/A1/ICLOCK(100),NEVENT(100),NTYPE(100),NLINK(100),
     .           XTIME(100),ATRIB(5,100),DTNEXT,NTNEXT,NENTRY,
     .           TNOW,TFIN,MFILE,MSTOP,NCLNR,NCRDR,NPRNT,NTAPE,
     .           IDISP,MXGATH,MXSAVE,MAXATR,NPRP,NUMBER
C
      COMMON/A2/CAPNT(40),CAPVL(40),CAPCL(40),NCAPSE(40),NPSTAT(40)
C
      COMMON/A3/CAPWT(10),CAPVL(10),CPATIM(10,5),CPAPRT(10),CPAPRM(10
     .),MOLHAT(10),NCCTIM(10,4),NTITLE(10),CPTIM(10)
C
      COMMON/A4/TRUPWT(10),TRUPVL(10),TRUPTM(10,3),TCCTIM(10,4),TPRTMP
     .(10,10),TPRTSC(10),MMEPRY(10,10,15),MMETRK(20),LISTT(15,10,10),LT
     .TCTM(15,15,10),
     .           MXPCAP,IPRTKK,IIRDLK,MTRUPC,NTRPP
C
      COMMON/A5/MCSMEM(10),NCRSME(10),ISSUME(10),PSSTME(10),ICMPLT(20),
     .ACHC 5(10),LCCLS(20),CHATS(20),TSTYC(20),MLATY(10),ICCASM(20),TC
     .BOD(20),NCTPST(20),CHATIY(10),NGC=(100),CACCT(10),TCTGL(100),
     .MTTAPE(100,40),TSSIZE),
     .           ICHCOL,LTRDC
      COMMON/A6/ACRTYP(10),NTRTYP(10),NESTYP(10),EMBTYP(10,5),ICCAPE(10
     .),ICTRUK(30),IELLS(30),IESDVE(20),
     .           NCAMTE,NCCETP,ATSCTE,NEUSTP,NCMCTE,NECCTE,NCASMT,CMBCCT
     .,NLUS,NSI,TTACTP
C
      COMMON/A8/DIST(10),CAPS(10),ACAPS(10),LISSEE(20),LUSTIM(10),LUSM
     .E(30),LUSLCC(15),LUSSTT(15),LECSTM(15,10,10),LSCTTM(15,10,10)
C
      COMMON/A9/LCRCAP(30,40),LTRCAP(30,40),LSTCAP(5,40)
C
      COMMON/A10/LISTCR(30),LISTHS(20),NCRSTR(10),MEECTR(20),EECCUR(10,1
     .,10),
     .           NLISCR,NLISHS,ICCL 1,ICRAPT
C
      COMMON/A10/MCOPTE(10,10),LCCCTM(10,10,10),
     .CCOT,CCCKS,CRTMP,CPT10,CCCT,CCIMT,CMECOF,CCINT
C
      COMMON/A11/CITES(40),CPTT(10),
     .           TTIME,LOTIME,CSECT,JRATCR,WEIGHT,VOLUME,L1,L2,CC,T,CCVL
     .           ,LCCP,CNCUNT,CCC,CELCR
C
      COMMON/A12/LISCUR(30),CCTCC(30),MRELUS(10,10,10),CCCMC(10,10,10)
     .,LUSEIS(10),LUSSIM(10,10),LCCCT(10,10),
     .           ESCRR,NCUSER,LUSER
C
      COMMON/A13/ICRCUR(20,10),NTRCUR(20,9),MHCCYC(10,4,4),MMECAC(10,4,
     .4),MCCTM(10,4,4),LUSUSE(5,10),LUSCUM(30,3),TSTCUR(20,4),PMSCUM
     .(20,4),UMSCRE(20,10),LTRAFF(30),LCRCAP(30,40),IPSCYC(30,2),MCTATE(30
```

```
     ..4,3),C(DATA(I,4,5)
C*****
      INTEGER*2 ICRTYP,     C,PEL ,     NELEMT,     NCODE       A1
      INTEGER*2 ICRAFT,     NCGT25                              A2
      INTEGER*2 ICRAFT,     MULMAT,     NCCITM,     NFILE       A3
      INTEGER*2 ISTORE,     NPRIPK,     LL,TCG,     MHEPNY      A4
      INTEGER*2 IMPTRK,     LCPITM,     LDIPTM                  A4
      INTEGER*2 NCHSPP,     NCHSPP,     IDSHIP,     NSHPHS      A5
      INTEGER*2 IDHSLT,     ACHCOR,     LOCHS ,     NHATSS      A5
      INTEGER*2 NSTYP ,     NHATMS,     IDCARR,     NSHROM      A6
      INTEGER*2 ONSTIME,    NHATIX,     NDCR ,      NACCES      A6
      INTEGER*2 ONTOTAL,    NPTIRK,     NSSSI                   A6
      INTEGER*2 ONCRTYP,    NTRTYP,     NLSTYP,     NMHTYP      A6
      INTEGER*2 ICLCAR,     IDIRUK,     IDLUS ,     IDSDVH      A6
      INTEGER*2 LUSTRK,     LUSMHE,     LUSLOC                  A7
      INTEGER*2 PLEVTI,     LDCGTM,     LDCTTM                  A7
      INTEGER*2 PLCRCAR,    LTKCAR,     LSTCAR                  A8
      INTEGER*2 CLISTCS,    LISTHS,     NSORT ,     NPRCAR      A8
      INTEGER*2 OVERCHG                                         A9
      INTEGER*2 MCSTIM,     LOADTM                              A10
      INTEGER*2 ICITEM,     NPLAT                               A11
      INTEGER*2 PLESCUE,    NERCOC,     NPRLUS,     NPRMHE      A12
      INTEGER*2 CLISLT,     LUSBTM,     LUSSET                  A12
      DIMENSION IOUT(2),INT(5),KSLOT(6)
\
      ICRTYP=IDCRAF(ICRAFT)
      ETIME=0
      ITIME=MTIME
      IHATCH=ICHCOR(ISLOT)
      ISLTYP=IDHSLT(ISLOT)
      ISTYP=NSTYP(ISLTYP)
      IC,OUT=1
      CCWT=
      CCVL=
      CCFS=0.
      IF=AVF
C
C               SET CYCLE START TIME INDICATOR.
C
      ISCCYC(ICRAFT,2)=MTIME
      DO 1 I=1,2
    1 ICCI)=0
      CALL OUT(1)=0.
C
C               CRAFT ARR. AT SHIP*S QUEUE EVENT?
C
C               ADD TRAVEL TIME FROM SHIP*S QUEUE. CONVERT UNITS
      IF(IEVTYP.EQ.1) GO TO 20
      ITRAV=      ((5*60.*FIST(2))/(1.151*CRAFSP(ICRTYP,3)))+.5
      NCRCUM(ICRAFT,3)=NCRCUM(ICRAFT, 3)+ITRAV
      ITIME=ITIME+ITRAV
      GO T 50
C
C               IS SHIP A LASH?
C
   20 IF(ISTYP.NE.3) GO TO 50
```



```
      ITIME=ITIME+DELAY
C
C               ADD HANDLING TIME.
C
    5 ITIME=ITIME+HCHRTM(ISLTYP,ICRTYP)
      NCRCUM(ICRAFT,4)=NCRCUM(ICRAFT,4)+HCHRTM(ISLTYP,ICRTYP)
      DTIME=(ITIME)/2400.
      DTIME1=(ITIME-MTIME)/360.
      WRITE(NTAPE,98)DTIME1,DTIME
   98 FORMAT(1X,'TRAVEL, APPROACH, AND MOORING TIME=',F5.2,5X,'ARRIVES',
     ..' BEGINS AT',F10.2,' HOURS.')
C
C               WATER-CRAFT ARRIVING AT SHARED SLOT AT ** CONTAINER SHIP?
C
      IF(ISTYP.NE.3) GOTO 92
      IF(LOCHS(ISLOT).NE.3) GOTO 92
      IF(NCHCOR(ISLOT).NE.NCHCOR(ISLOT+1)) GOTO 92
C
C               SAVE WATER-CRAFT LOAD START TIME.
C
      NPLAT(ISLOT)=ITIME
C               HELICOPTERS IN SYSTEM?
      DO 1990 I=1,NCRFTP
      IF((NCRTYP(I).GT.0).AND.(NCRAFM(I).EQ.0)) GOTO 1992
 1990 CONTINUE
      GOTO 92
C
C               GENERATE EVENT 19--CRAFT LEFT AT MATCH SLOT--FOR WATER-
C               CRAFT AT SHARED SLOT.
C
 1992 NCLOCK(ICRAFT)=ITIME
      NEVTYP(ICRAFT)=19
      NOPEL(ICRAFT)=ISLOT
      GOTO 1000
C
C               CHECK IF MULTI-MATCHED LOADING CAN OCCUR.
C
   92 IF(ISTYP.NE.1) GO TO 160
      NMATLD=MULMAT(ICRTYP)-10*(MULMAT(ICRTYP)/10)
      IF(NMATLD.EQ.1)GO TO 160
C
C               CRAFT CAN PERFORM MULTI-MATCH LOADING.
C               IS THERE A COMPATIBLE MATCH SLOT?
      ITEMP=1
      JTEMP=0
      KSLOT(1)=ISLOT
      LL2=NELEMT(4)
      DO 150 I=1,LL2
      IF(I.EQ.ISLOT) GOTO 150
      IF(NSHPHS(I).NE.NSHPHS(ISLOT)) GOTO 150
C
C               SLOT IS ON THE SAME SHIP.
C               IS IT CLOSED AND UNOCCUPIED?
      IF((NMATSS(I).NE.5).OR.(NHATGO(I).NE.ISLOT)) GOTO 150
C               IS CRAFT COMPATIBLE WITH SLOT?
      JHATCH=NCHCOR(I)
```

```
      ICRTYP=MRCRAF(JCATCH)
      ITAGTP=MCGTAB(ICRTYP)
      JSLTYP=IGHSLT(I)
      IF(JSKIP(ICRTYP,JSLTYP,ITAGTP).EQ.0) GOTO 150
      IF(JSLCTM(ICRTYP,ICRTYP).EQ.0) GOTO 150
C
C           COMPATIBLE SLOT IS FOUND.
C
      ITEMP=ITEMP+1
      NSLOT(ITEMP)=I
      IF(ITEMP.GE.MAXFILE) GOTO 170
  150 CONTINUE
      GOTO 170
C
C           MULTI-HATCH LOADING WILL NOT OCCR
C
  160 ITEMP=1
      NSLOT(1)=ISLOT
C
C     CALL LOADIN  ROUTINE ONCE FOR EACH HATCH.
C
      JTEMP=0
  170 DO 190 J=1,ITEMP
      JSLOT=NSLOT(J)
C     RESET CAPACITIES OF CRAFT FOR EACH SLOT.
      WEIGHT = J*(CRAFWT(ICRTYP)/ITEMP)
      VOLUME = J*(CRAFVL(ICRTYP)/ITEMP)
      FLOOR=J*(CRAFFS(ICRTYP)/ITEMP)
      DO 175 I=1,NCARTP
      NCITEM(I)=J*NCCITM(ICRTYP,I)/ITEMP
      IF(NCCITM(ICRTYP,I).EQ.-1) NCITEM(I)=-1
  175 CONTINUE
      JHATCH=NCHCH(JSLOT)
C
C           FIND FIRST + LAST INDEX NUMBERS FOR LOAD HATCH.
C
      L2=NSTIND(JHATCH)
      L1=0
      L=LINDEX
      IF(JHATCH.NE.NCARHT)L3=NSTIND(JHATCH+1)-1
      DO 76 I=L2,L3
      IF(NTOTAL(I).NE.0) GO TO 80
   76 CONTINUE
      IF (NLAT(JSLOT).GT.0) GO TO 80
C
C           ERROR ROUTINE--CRAFT ASSIGNED TO AN EMPTY HATCH.
C
      WRITE(NEPRNT,77)
   77 FORMAT(1X,47HCRAFT ASSIGNED TO AN EMPTY HATCH.  LOGIC ERROR.)
      CALL WCLOCK
      STOP
C
C     FIRST NON-EMPTY INDEX IS FOUND.
C
   80 L1=I
      NPRCARD(HATCH)=0
```



```
C
C
C           TRANSFER TO APPR PRIOR LOADING ROUTINE BASED ON SHIP TYPE.
C
      GOTO (100,200,300,400,200), ISTYP
C
C           SPECIAL CARGO SHIP AND BREAK BULK LOADING ROUTINE
C
  100 CALL LDCBK
      GO TO 500
C
C           CONTAINER SHIP LOADING
C
  200 CALL LDCONS
      GOTO 500
C
C     LASH LOADING
C
  300 CALL LDLASH
  500 IF(JSLOT.EQ.ISLOT) GOTO 501
      NHSCUM(JSLOT,4)=NHSCUM(JSLOT,4)+LDTIME
      NHSCUM(JSLOT,3)=NHSCUM(JSLOT,3)-LDTIME
  501 CONTINUE
C           LOADING TIME IS SLOWEST HATCH SLOT.
      IF(LDTIME.GT.JTEMP)JTEMP=LDTIME
      IF(JSLOT.EQ.ISLOT) GOTO 180
      DTIME=LDTIME/3600.
      WRITE(NTAPE3,178) ICRAFT,JSLOT,DTIME
  178 FORMAT(1X,5HCRAFT,I3,27H  SECONDARY LOADING AT SLOT,I5,2H  ,F8.
     .2,8H  HOURS.)
  180 CONTINUE
      LDTIME=JTEMP
      ENTRY LEND19
C
C           ADD UNHOOKING TIME.
C
      ITIME =LDTIME+HOCRTM(ISLTYP,ICRTYP)*.5 +ITIME
      NCRCUM(ICRAFT,5)=NCRCUM(ICRAFT,5)+LDTIME
      NCRCUM(ICRAFT,6)=NCRCUM(ICRAFT,6)+HOCRTM(ISLTYP,ICRTYP)*.5
C
C           WRITE RESULTS OF LOADING.
C
      DTIME=LDTIME/3600.
      DTIME1=ITIME/3600.
      WRITE(NTAPE,510)DTIME,DTIME1
  510 FORMAT(1X,14HLOADING TAKES ,F8.2,30HHOURS.  CRAFT TO LEAVE SLOT AT
     .,F9.2,8H  HOURS.)
C
C           GENERATE CRAFT LEAVES HATCH SLOT EVENT.
C
      ITEMP=MTIME+NCLOCK(ICRAFT)
      N=2
      IF(NCLOCK(ICRAFT).EQ.-1) N=1
      NCRCUM(ICRAFT,N)=NCRCUM(ICRAFT,N)+ITEMP
      NCLOCK(ICRAFT)=ITIME
      NHSCUM(ISLOT,4)=NHSCUM(ISLOT,4)+ CLOCK(ICRAFT)-MTIME
```

```
      NMSCAR(ISLOT,ICRTYP)=NUSCAR(ISLOT,ICRTYP)+1
      NCYCLE=NCR(IM(ICRAFT,1)+1
      JTEMP=MOD(ITY(ISLOT,ICRTYP),10)+1
      WRITE(NTAPE3,525) NCYCLE(1),NCYCLE,ICRAFT,MTIME,ISLOT,ITEMP,ITRAV,
     *JTEMP,LOTIME
  525 FORMAT(1X,I2,1I14)
      WRITE(NTAPE3,526) (LCRCAR(ICRAFT,J),J=1,NCARTP)
  526 FORMAT(1X,11,5X12)
      DO 550 J=1,NCARTP
C
C               UPDATE CUMULATIVE CRAFT CARGO
C
      IF(LCRCAR(ICRAFT,J).EQ.0) GO TO 550
      NCRCAR(ICRAFT,J)=NCRCAR(ICRAFT,J)+LCRCAR(ICRAFT,J)
C
C               ACCUMULATE WEIGHT, VOLUME, AND SQUARE.
C
      COUT(1)=COUT(1) + CARGWT(J)*LCRCAR(ICRAFT,J)
      IF((CARGCT(J).LT.-1.99).OR.(CARGCT(J).GT..01)) GOTO 540
C             NOT VEHICLE CARGO
      COUT(2)=COUT(2)+ CARGVL(J)*LCRCAR(ICRAFT,J)
C               IS ITEM A CONTAINER?
      IF((CARGCT(J).LT.-.9).AND.(CARGCT(J).GT.-1.1)) GOTO 530
      IDP(J)=1
      GO TO 550
  540 IDP(J)=1
      GOTO 550
C               VEHICLE CARGO
  530 COUT(2)=COUT(2) + CARGVL(J)*LCRCAR(ICRAFT,J)*CRAFHT(ICRTYP)
      COUT(3)=COUT(3) + CARGVL(J)*LCRCAR(ICRAFT,J)
      IDP(J)=1
  550 CONTINUE
C
C               FIND LOAD CATEGORY.
C
      LCATE=0
      IF(IDP(1).NE.1) GOTO 560
      LCATE=1
      IF(COUT(3).EQ.0.) LCATE=4
      GOTO 580
  560 IF(IDP(2).EQ.1) GOTO 570
      LCATE=3
      IF(COUT(3).EQ.0.) GOTO 580
      LCATE=0
      GOTO 580
  570 LCATE=2
C
C               UPDATE CUMULATIVE PRODUCTIVITY STATISTICS
C
  580 IADDCY(ICRAFT,1)= LCATE
      KSTAT(ICRAFT,LCATE,1)=KSTAT(ICRAFT,LCATE,1)+1
      DO 590 J=1,3
  590 CSTAT(ICRAFT,LCATE,J)=CSTAT(ICRAFT,LCATE,J)+ COUT(J)
C
C               WRITE STATISTICAL LOADING RESULTS
C
```



```
  595 WRITE (NTAPE3,596)
      CTIME=MTIME/3600.
      WRITE(NTAPE3,600) ICRAFT,(LCRCAR(ICRAFT),ISLOT,(CARGCT(J),LOT),CTIME
     *,LCATE,CTIME
  600 FORMAT(1X,'LOADING RESULTS FOR CRAFT',I4,' AT
     *HATCH SLOT',I3,' OF TYPE',I4,15H.  LOADING TIME=,F8.2,11H (CATEG
     *RY=,I2/1X,11HSTART TIME=,F8.2,8H HOURS.)
      WRITE(NTAPE3,610)
  610 FORMAT(1HX,'WEIGHT -TONS-   VOL. -CU-FT-   FLOOR SPACE -SQ-FT-)
      LL=3
      IF(LCATE.LT.3) LL=2
      WRITE(NTAPE3,620) (COUT(J),J=1,LL)
  620 FORMAT(1X,1P3E20.3)
C
C               CALCULATE EFFICIENCIES
C
      COUT(1) = (COUT(1)*100./CRAFWT(ICRTYP)
      COUT(2) = (COUT(2)*100./CRAFVL(ICRTYP)
      IF(LL.EQ.3) COUT(3)=COUT(3)*100./CRAFFS(ICRTYP)
      WRITE(NTAPE3,630) (COUT(J),J=1,LL)
  630 FORMAT(1X,12HEFFICIENCIES,3X,3F15.3)
C
C               WRITE CARGO CARRIED
C
      WRITE(NTAPE3,520)(LCRCAR(ICRAFT,J),J=1,NCARTP)
  520 FORMAT(1X,24HCRAFT CARGO BY TYPE IS--/1X,4214/1X,4214)
      WRITE(NTAPE3,800)
  800 FORMAT(1X,120(1H-))
      NEWTYP(ICRAFT)=0
      NOPEL(ICRAFT)=ISLOT
 1000 RETURN
      END
```

```
                    MINCLK          DATE = 78311          23/34/00      1

      SUBROUTINE MINCLK
C
C     SHIP-HATCH SLOT-SP VEHICLE EVENTS MINIMUM EVENT TIME--
C     FINDS MINIMUM EVENT TIME FOR SHIP CLOCK, HATCH SLOT CLOCK, AND SP
C     VEHICLE EVENT CLOCK AND PLACES TIME IN NCLKEL.
C
C*****
C
C               NOTE -- MINCLK COMMON 1 IS NON-STANDARD
C
C
      COMMON/A01/CLOCK(100),NEVTYP(100),NCPEL(100),NELEMT(6),NCODE(20),
     .           NCLKEL,NLSTEL,TIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LPTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C*****
      INTEGER*2 NEVTYP,       NCPEL ,       NELEMT,       NCODE         A1
C
C     SET LIMITS OF NCLOCK TO BE SEARCHED.
C
      L1=NCLKEL+2
      LTIME=NCLOCK(NCLKEL+1)
      IELEMT=NCLKEL+1
C     SEARCH LAST PART OF NCLOCK ARRAY
      DO 2 I=L1,NLSTEL
      IF((LTIME.LT.0).AND.((NCLOCK(I).LT.0).OR.(NCLOCK(I).GE.LTIME)))GO
     .T  2
      LTIME=NCLOCK(I)
      IELEMT=I
    2 CONTINUE
C
C     FIND ADJUSTED ELEMENT NUMBER.
C
      IACTEL=IELEMT-NCLKEL
      IF(IACTEL.LT.NELEMT(3))IACTEL=IACTEL-NELEMT(3)
      IF(IACTEL.LT.NELEMT(4))IACTEL=IACTEL-NELEMT(4)
C
C     PLACE TIME AND ELEMENT NUMBERS INTO NCLKEL ELEMENT OF CLOCK.
C
      NCPEL(NCLKEL)=IELEMT
      NEVTYP(NCLK.L)=IACTEL
      NCLOCK(NCLKEL)=LTIME
      RETURN
      END
```

```
                    CSTAT           DATE = 78311          23/34/00

      SUBROUTINE CSTAT(LETIME)
C
C               OUTPUT STATISTICS--PRINTS STATISTICS AT SPECIFIED INTER-
C               VALS AND/OR AT END OF RUN.
C
C*****
C
      COMMON/A01/CLOCK(100),NEVTYP(100),NCPEL(100),NELEMT(6),NCODE(20),
     .           NCLKEL,NLSTEL,NTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LPTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARCNT(40),CAPCVL(40),CARCCT(40),SCAPHL(40),NCCTAC(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULHAT(10),NCCITY(10,40),PILE(10),CRAFES(10)
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(50
     .),IDTRUK(30),IDLUS(30),IDSOVH(20),
     .           NCARTP,NCRFTP,NTRKTP,NLSTYP,NMHITP,NHTSTP,NCARHT,NMHFEL
     .,NLUS,NSI,NTASTP
C
      COMMON/A08/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/A13/NCRCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .40),MHECUM(15,3, 4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),NHSCUM
     .(20,7),NHSCRE(20,10),NTRAFF(2),NCRCAP(30,40),INDCYC(30,2),KSTAT(30
     .,4,2),CSTAT(30,4,3)
C*****
      INTEGER*2NEVTYP,        NCPEL ,       NELEMT,       NCODE         A1
      INTEGER*2NCARHL,        NCCTAC                                    A1
      INTEGER*2NCRAFM,        MULHAT,       NCCITY,       NPILE         A1
      INTEGER*2NCRTYP,        NTKTYP,       NLSTYP,       NMHTYP        A1
      INTEGER*2IDCRAF,        IDTRUK,       IDLUS ,       IDSOVH        A1
      INTEGER*2LCRCAR,        LTKCAR,       LSTCAR                      A1
      DIMENSION KOUT(5,2),COUT(5,3),CTOUT(5,2),CIOUT(5,3),NCARSO(40)
      KCNT=2
      KITIME=0
C
C               WRITE HEADING.
C
      ETIME= LETIME/3600.
      WRITE(NTAPE1,10) ETIME
   10 FORMAT(29H1CRAFT STATISTICS AT,F8.2,7H HOURS)
      IF( ICOUT.EQ.3) GOTO 1000
C
C               CALCULATE AND WRITE INDIVIDUALS CRAFT STATISTICS.
C
      WRITE(NTAPE1,20)
   20 FORMAT(1Y//1X,16HINDIVIDUAL CRAFT)
C
C               LOOP FOR EACH CRAFT.
C
      L2= NELEMT(1)
      DO 1.0 I=1,L2
C
C               NEXT CRAFT, IF THIS ONE IS UNUSED.
```

```
                                    STAT            DATE = 78311          21/34/50
C
      DO 25 J=1,4
      IF(CSTAT(I,J,1).LT..0001) GO TO 25
   25 CONTINUE
      GO TO 105
C
C               TEST FOR PAGE SPACE.
C
   26 IF(KCNT.GE.1) GO TO 46
      KCNT= 1
      WRITE(NTAPE1,50)
   50 FORMAT(1H1)
      GO TO 60
   46 KCNT=KCNT-1
      WRITE(NTAPE1,56)
   56 FORMAT(1X///1X)
C
C               HEADING FOR CRAFT
C
   60 ICRTYP=ILCRAF(I)
      WRITE(NTAPE1,70)I,ICRTYP
   70 FORMAT(1X, 9HCRAFT ID=,I3, 7H  TYPE=,I3)
C
C               CRAFT STATISTICS IN TEMPORARY ARRAY FOR USE IN SUBROUTINE.
C
      DO 90 J=1,4
      COUT(J,5)=CSTAT(I,J,3)
      DO 80 K=1,2
      KOUT(J,K)=KSTAT(I,J,K)
   80 COUT(J,K)=CSTAT(I,J,K)
   90 CONTINUE
C
C               CALL CALCULATION AND PRINT SUBROUTINE.
C
      CALL PSTAT(KOUT,COUT,LETIME,ICRTYP)
  100 CONTINUE
      WRITE(NTAPE1,50)
C
C               CALCULATE AND WRITE CRAFT TYPE STATISTICS.
C
 1000 WRITE(NTAPE1,1010)
 1010 FORMAT(1X///1X,11HCRAFT TYPES)
C
C               SET TEMPORARY TOTAL SYSTEM ARRAYS TO ZERO.
C
      DO 1020 J=1,4
      CTOUT(J,5)=0.
      DO 1015 K=1,2
      KTOUT(J,K)=0
 1015 CTOUT(J,K)=0.
 1020 CONTINUE
C
C               LOOP FOR EACH CRAFT TYPE.
C
      KCNT=2
      DO 1500 I=1,NCRTYP
```

```
                                    STAT            DATE = 78311          21/34/50
C
C               ANY CRAFT OF THIS TYPE IN SYSTEM?
C
      IF(NCRTYP(I).EQ.0)GO TO 1500
C
C               RESET TEMPORARY ARRAYS TO ZERO.
C
      DO 1025 J=1,4
      COUT(J,5)=0.
      DO 1022 K=1,2
      KOUT(J,K)=0
 1022 COUT(J,K)=0.
 1025 CONTINUE
      DO 1028 J=1,NCARTP
 1028 NCARCO(J)=0
C
C               TEST FOR PAGE SPACE.
C
      IF(KCNT.GE.1) GO TO 1030
      KCNT=1
      WRITE(NTAPE1,50)
      GOTO 1040
 1030 KCNT=KCNT-1
      WRITE(NTAPE1,56)
C
C               LOOP THROUGH CRAFT CLOCK.
C
 1040 JCNT=0
      LCNT=0
      L2=NELEMT(1)
      DO 1300 J=1,L2
C
C                IS CRAFT OF CURRENT TYPE?
C
      IF(IDCRAF(J).EQ.I) GOTO 1070
      IF(LCNT.EQ.1) GOTO 1400
      GOTO 1300
C
C               CRAFT OF CURRENT TYPE IS FOUND.
C               LOOP FOR EACH CARGO CATEGORY.
C
 1070 LCNT=1
      IF(NCRCUM(J,1).EQ.0) GOTO 1300
      JCNT=JCNT+1
      DO 1200 K=1,4
C
C               ACCUMULATE STATISTICS FOR CRAFT
C               TYPE, AND FOR TOTAL CRAFT SYSTEM
C
      COUT(K,5)=COUT(K,5)+CSTAT(J,K,3)
      CTOUT(K,3)=CTOUT(K,3)+CSTAT(J,K,3)
      DO 1100 L=1,2
      COUT(K,L)=COUT(K,L)+CSTAT(J,K,L)
      CTOUT(K,L)=CTOUT(K,L)+CSTAT(J,K,L)
      KOUT(K,L)=KOUT(K,L)+KSTAT(J,K,L)
 1100 KTOUT(K,L)=KTOUT(K,L)+KSTAT(J,K,L)
```

```
 1200 CONTINUE
C
C               ACCUMULATE TOTAL CARGO CARRIED FOR THIS CRAFT TYPE.
C
      DO 1210 K=1,NCARTP
 1210 KCARGO(K)=KCARGO(K)+KCRCAR(J,K)
 1220 CONTINUE
 1400 KTIME=ELTIME+JOUT
      KITIME=KITIME+KTIME
      IDUM=1
C
C               PERIODIC FOR CRAFT TYPE.
C
      WRITE(NTAPE1,1450) I,NCRAFT(I),JOUT
 1450 FORMAT(2X,11HCRAFT TYPE-,I3,7H  MODE-,I2,27H NUMBER OF CRAFT UTILI
     .ZED--,I4)
C
C               CALL CALCULATION AND PRINT
C               SUBROUTINE FOR CRAFT TYPE.
C
      CALL FSTAT(KOUT,COUT,KTIME,IDUM)
C
C              PRINT CARGO CARRIED BY THIS CRAFT TYPE.
C
      WRITE(NTAPE1,1410) (KCARGO(K),K=1,NCARTP)
 1410 FORMAT(1X/1X,21HTOTAL CARGO CARRIED--/1X,30I4/1X,30I4)
 1500 CONTINUE
C
C               PERIODIC TOTAL CRAFT SYSTEM.
C
      WRITE(NTAPE1,1510)
 1510 FORMAT(19HTOTAL CRAFT SYSTEM)
C
C               CALL CALCULATION AND PRINT
C               SUBROUTINE FOR TOTAL SYSTEM.
C
      CALL FSTAT(1,IOUT,COUT,KITIME,0)
C
C               CALCULATION OF TOTAL PRODUCTIVITIES.
C
      WT=0.
      DO 1530 I=1,NCARTP
 1530 WT=WT+ELSTCAR(3,I)*CARGWT(I)
      WT=WT/KTIME
      WRITE (NTAPE1,1540)(ELSTCAR(3,I),I=1,NCARTP)
 1540 FORMAT(1X//1X,22HCARGO MOVED TO DEPOT--/1X,30I4/1X,30I4)
      WRITE(NTAPE1,1550) WT
 1550 FORMAT(1X,21HOVERALL PRODUCTIVITY--,F10.3,9H  TONS/HR)
      RETURN
      END
```



```
      SUBROUTINE FSTAT
C
C               SPECIFIC OUTPUT---WRITES PERIODIC OUTPUT STATISTICS AT A
C               SPECIFIC INTERVAL.
C
C*****
C
      COMMON/A01/GELTIM(100),NEVTYP(100),NOPEL(100),NELEMT(5),NCODE(20),
     .          NCARPL,PLCTEL,NTIME,IEVTYP,IELEMT,IACTEL,INTCOM,INTSTR,
     .LSTIME,LSTIM1,NERUNT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARGWT(40),CARGVL(40),CARGET(40),ICARPL(40),NCSTAT(40)
C
      COMMON/A06/ICRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IDLUS(30),IDSDVH(20),
     .          NCARTP,NCRETP,NTRKTP,NLUSTP,NMHETP,NHSTYP,NCARHT,NMHEPL
     .,NLUS,NSI,NTASTP
C
      COMMON/A08/LCRCAR(50,40),LTKCAS(50,40),LSTCAR(5,40)
C
      COMMON/A13/NCRCUM(30,15),NTKCUM(30,9),MHRCYC(15,3,2),MHRCAP(15,3,
     .40),MHECUM(15,3,4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(3,40),MHSCUM
     .(20,7),NHSCRF(20,10),NTRAFF(2),NCPCAR(30,40),IPLCYC(50,2),KSTAT(30
     .,4,2),CSTAT(30,4,5)
     .,MHEREQ(15,5),MHETOT(15,5)
C*****
      INTEGER*2NEVTYP,        NOPEL ,        NELEMT,        NCODE          A1
      INTEGER*2NCARHL,        NCGTAG                                       A2
      INTEGER*2NCRTYP,        NTKTYP,        NLSTYP,        NMHTYP         A3
      INTEGER*2IDCRAF,        IDTRUK,        IDLUS ,        IDSDVH         A4
      INTEGER*2LCRCAR,        LTKCAR,        LSTCAR                        A5
C
C               UPDATE MHE REQUIREMENT.
C
      DO 50 I=1,NMHEPL
      DO 50 J=1,NMHETP
      IF((MHETOT(J,I)-NMETYP(J,I)).GT.MHEREQ(J,I)) MHEREQ(J,I)=MHETOT(J,
     .I)-NMHTYP(J,I)
   50 CONTINUE
      RETURN
      END
```

```
      SUBROUTINE PSTAT(KOUT,COUT,KTIME,ICRTYP)
C
C             PRINTS TABLE OF STATISTICS FOR A CRAFT OR SET OF CRAFT.
C
C
C*****
C
      COMMON/A01/JCLOCK(150),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           JCLKEL,NESTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LPTIME,LPTIYE,JPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CAP(WT(4),CAPAVL(40),CAPCPT(40),NCAPHL(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFCP(10,4),CRAFHT(10),NCRAFM(10
     .),MULMAT(10),NCCITM(10,40),NFILE(10),CRAFES(10)
C*****
      INTEGER*2NEVTYP,       NOPEL ,        NELEMT,        NCODE          A1
      INTEGER*2NCAPHL,       NCGTAG                                       A2
      INTEGER*2NCRAFM,       MULMAT,        NCCITM,        NFILE          A3
      DIMENSION KOUT(5,2),COUT(5,3),STAT(5)
C
C             INITIALIZE TOTALS TO ZERO
C
      COUT(5,5)=0.
      DO 5 I=1,2
      KOUT(5,I)=0
    5 COUT(5,I)=0.
C
C             PRINT HEADING
C
      WRITE(NTAPE1,10)
   10 FORMAT(1X/33X,12HGENERAL CARGO,5X,10HCONTAINERS,7X,9HVEHICLES,4X,1
     .1HCARGO MIXES,4X,11HTOTAL CARGO/1X)
C
C             ACCUMULATE TOTALS
C
      DO 30 I= 1,4
      COUT(5,5)=COUT(5,5)+COUT(I,5)
      DO 20 J= 1,2
      KOUT(5,J)=KOUT(5,J)+KOUT(I,J)
   20 COUT(5,J)=COUT(5,J)+COUT(I,J)
   30 CONTINUE
C
C             PRINT CYCLES
C
      WRITE(NTAPE1,40)(KOUT(I,1),I=1,5)
   40 FORMAT(1X,16HNUMBER OF CYCLES,10X,5I15)
C
C             PRINT TIMES UTILIZED
C
      DO 50 I=1,5
   50 STAT(I)=KOUT(I,2)/3600.
      WRITE(NTAPE1,60) (STAT(I),I=1,5)
   60 FORMAT(1X,21HTIME UTILIZED (HOURS),5X,5F15.2)
C
C             PRINT WEIGHT CARRIED.
C
      WRITE(NTAPE1,1001) (COUT(I,1),I=1,5)
 1001 FORMAT(1X/1X,21HWEIGHT CARRIED (TONS),9X,5F15.3)
C
C             PRINT WEIGHT EFFICIENCY, UNLESS STATISTICS
C             ARE FOR TOTAL SYSTEM.
C
      IF(ICRTYP.EQ.0) GOTO 90
      DO 70 I=1,5
      STAT(I)=0.
      IF(KOUT(I,1).EQ.0) GOTO 70
      STAT(I)=(COUT(I,1)/(KOUT(I,1)*CRAFWT(ICRTYP)))*100.
   70 CONTINUE
      WRITE(NTAPE1,80)(STAT(I),I=1,5)
   80 FORMAT(1X,1/EWEIGHT EFFICIENCY,14X,5(F14.3,1P))
C
C             PRINT WEIGHT PRODUCTIVITY/CRAFT-HOUR.
C
   90 DO 100 I=1,5
      IF(KTIME.EQ.0) GOTO 115
  100 STAT(I)= COUT(I,1)/(KTIME/3600.)
      GOTO 115
  109 CONTINUE
      WRITE(NTAPE1,110) (STAT(I),I=1,5)
  110 FORMAT(1X,25HPRODUCTIVITY (TONS/CRAFT-HR),2X,5F15.3/1X,2(*(TONS/HR
     . FOR CRAFT SYSTEM)/1X)
C
C             PRINT WT. PRODUCTIVITY/CRAFT-HR. UTILIZED
  115 DO 120 I=1,5
      STAT(I)=0.
      IF(KOUT(I,2).EQ.0) GOTO 120
      STAT(I)= COUT(I,1)/(KOUT(I,2)/3600.)
  120 CONTINUE
      WRITE(NTAPE1,130)(STAT(I),I=1,5)
  130 FORMAT(1X,30HPROD. (TONS/CRAFT-HR UTILIZED),5F15.3)
C
C             PRINT VOLUME CARRIED.
C
      WRITE(NTAPE1,1010) (COUT(I,2),I=1,5)
 1010 FORMAT(1X/1X,22HVOLUME CARRIED (CU FT),8X,5F15.3)
C
C             PRINT VOLUME EFFICIENCY, UNLESS
C             STATISTICS ARE FOR TOTAL SYSTEM
C
      IF(ICRTYP.EQ.0)GOTO 160
      DO 140 I=1,5
      STAT(I)=0.
      IF(KOUT(I,1).EQ.0) GOTO 140
      STAT(I)=(COUT(I,2)/(KOUT(I,1)*CRAFVL(ICRTYP)))*100.
  140 CONTINUE
      WRITE(NTAPE1,150)(STAT(I),I=1,5)
  150 FORMAT(1X,17HVOLUME EFFICIENCY,14X,5(F14.3,1P))
C
C             PRINT VOLUME PRODUCTIVITY/CRAFT-HOUR
C
  160 DO 170 I=1,5
```

```
      IF(KTIME.EQ. ) GOTO 180
  170 STAT(1)=COUT(1,2)/(KTIME/3600.)
      GOTO 190
  180 CONTINUE
      WRITE(NTAPE1,1-0) (STAT(I),I=1,5)
  190 FORMAT(1X,22HPRODUCTIVITY (CU.FT./CRAFT-HR),5F15.3/1X,53HCU.FT/HR
     . FOR TOTAL CRAFT SYSTEM)/1X)
C
C               PRINT VOLUME PRODUCTIVITY/CRAFT-HR. UTILIZED.
C
      DO 140 I=1,5
      STAT(I)=0.
      IF(KOUT(I,2).EQ.0) GOTO 140
      STAT(I)=COUT(I,2)/(KOUT(I,2)/3600.)
  140 CONTINUE
      WRITE(NTAPE1,200) (STAT(I),I=1,5)
  200 FORMAT(1X,20HPROD (CU.FT/CRAFT-HR UTILIZED),5F15.3)
C
C               PRINT FLOOR SPACE (SQ. FT.) EFFICIENCY, PRODUCTIVITY/CRAFT
C               -HR, PRODUCTIVITY/CRAFT-HR UTILIZED
C
      IF(ICRTYP.EQ.0) GOTO 208
      STAT(2)=0.
      STAT(1)=0.
      IF(KOUT(3,1).EQ.0) GOTO 208
      STAT(1)=(COUT(3,2)/(KOUT(3,1)*CRAFFS(ICRTYP)) )*100.
  205 IF(KTIME.EQ.0) GOTO 207
      STAT(2)=COUT(3,2)/(KTIME/3600.)
  207 STAT(3)=0.
      IF(KOUT(3,2).EQ.0) GOTO 209
      STAT(3)=COUT(3,3)/(KOUT(3,2)/3600.)
  209 WRITE(NTAPE1,1020) COUT(3,3)
 1020 FORMAT(1X,22HSQUARE CARRIED (SQ FT),3RX,F15.3)
      IF(ICRTYP.EQ.0) WRITE(NTAPE1,1030) STAT(1)
 1030 FORMAT(1X,14HFLOOR. FT. EFFICIENCY,43X,F14.3,1H%)
  211 WRITE(NTAPE1,210)(STAT(I),I=2,3)
  210 FORMAT(1X,41HPROD. (SQ.FT/CRAFT-HR UTILIZED),29X,F15.3)
C
C               PRINT PERCENT UTILIZATION.
C
      STAT(1)=1.
      IF(KTIME.EQ.0) GOTO 219
      STAT(1)= KOUT(3,3)*100./KTIME
  219 WRITE(NTAPE1,220) STAT(1)
  220 FORMAT(1X,20HPERCENT UTILIZATION-,F10.4)
      RETURN
      END
```



```
C               PRINT OUTPUT DATA
C
C               READ ALL INFORMATION DATA FROM CARDS.
C
C*****
C
      COMMON/A01/NCLOCK(100),NEVTYP(100),NOPPE(100),NELEMT(6),NCODE(20),
     .           NCLKPE,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPEP,
     .LPTIME,LOTIME,NPRINT,NTAPE,ICARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CARCWT(40),CARGVL(40),CARGCT(40),NCARPE(40),NCGTAG(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULWAT(10),NCCITM(10,40),NCTILE(10),CRAFFS(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,15),NPRTCK(50),MHEPRY(10,10,15),MHFTRK(30),LOGITM(15,15,10),LO
     .TTM(15,15,10),
     .           MPRCAR,IPRTRK,ITRUCK,NTRUKS,NTRKFP
C
      COMMON/A05/NLSSHF( 5),NCRSHF( 5),IDSHIP( 5),NUMPHS(20),IDHSLT(20),
     .,NCHC2P(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATNO(20),IDCARH(20),NS
     .HOOM(20),NSTIME(20),NHATIX(100),NDCP(100),NACCES(100),NTOTAL(100),
     .NHITAR(100,4),NSSSI(5),
     .           ICHCOM,LINDEX
C
      COMMON/A06/NCRTYP(10),NTKTYP(10),NLSTYP(15),AMMTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IDLLS(30),IDSDVP(20),
     .           NCARTP,NCRFTP,NTRKTP,NLUSTP,NMMETP,NHTSTP,NCARHT,NMMCPL
     .,NLUS,NSI,NTAGTP
C
      COMMON/A07/DIST( 5),CAPST(3),ACAPST(3),LUSCRF(3),LUSTRK(30),LUSMN
     .F(30),LUSLOC(15),LUSSIT(15),LDCOTM(15,15,10),LDCITM(15,15,10)
C
      COMMON/A08/LCKCAP(30,40),LTKCAP(30,40),LCTCAP(3,40)
C
      COMMON/A09/LISTOT(30),LISTHS(24),NSORT(50),NCRCAP(20),LISTHC(10,10
     .,15),
     .           NLISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/MCORTM(10,10),LOACTM(10,10,10),
     .NPDT,NCHECK,NRTMPO,NRTMIS,NSET,NCINT,NHFLOP,NFIXT
C
      COMMON/A11/NCITEM(40),NPLAT( 5),
     .           ITIME,LETIME,JSLOT,JHATCH,WFIGHT,VOLUME,LI,LT,CCWT,CCVL
     .           ,IDCES,NCUNIT,CCES,EL205
C
      COMMON/A12/LLSGUF(30),NPLCC(30),LPRLUS(15,15,15),NCPHC(15,15,15)
     .,LUSLIS(16),LUSTTM(15,15),LUSSRT(15,15),
     .           LUS     NLUSPR,LUSCPT
C
      COMMON/A13/MCPCUM(30,15),NTKCUM(30,4),MHCCYC(15,3,3),MHCCAP(15,3,
     .40),MHECUM(15,3, 4),LUSUSS(30,10),LUSCUM(30,2),NSTCUM(2,40),LUSCUM
     .(20,7),NHSCUM(2,16),NTKAFF(3),NCPCAP(30,40),IMECYC(5),MSTAT(5
     .,4,3),CSTAT(5,4,5)
     .,MHECYC(15,3),MHCTOT(15,3)
```

```
C*****
      INTEGER*2NEWTYP,        NPFL,           NPFLTY,         NPCAR           A1
      INTEGER*2NCARFL,        NCCTAG                                          A2
      INTEGER*2NCRAFT,        NPLTYP,         NPCITY,         NPFLT           A3
      INTEGER*2NCITYS,        LPRTYP,         LPFLTY,         MPRCRY          A4
      INTEGER*2NFLTYS,        LPRTIM,         LPTGTM                          A4
      INTEGER*2NRSCFL,        NCMSFP,         IDCHIP,         NSHPMS          A5
      INTEGER*2NFICFL,        NCPC A,         LOCHS ,         NMATSS          A5
      INTEGER*2NSTYP ,        NMATTC,         IDCARF,         NSHOPM          A
      INTEGER*2NSTIMF,        NMATIX,         NDCR ,          NACCFS          A5
      INTEGER*2NTOTAL,        NPTTAF,         NSSSI                           A5
      INTEGER*2NCRTYP,        NTKTYP,         NLSTYP,         NMHTYP          A5
      INTEGER*2IFCRAF,        IFTRUK,         IDLUS ,         IDSDVH          A6
      INTEGER*2LLSCRF,        LUSTRK,         LUSMHP ,        LUSLOC          A7
      INTEGER*2LUSSTT,        LDCGTM,         LDCTTM                          A7
      INTEGER*2LCKCAR,        LTKCAR,         LSTCAR                          A8
      INTEGER*2LISTCR,        LISTFS,         NSCRT ,         NPRCAR          A9
      INTEGER*2NFRCHC                                                         A9
      INTEGER*2MODBTM,        LOADTM                                          A10
      INTEGER*2NCITEM,        NPLAT                                           A11
      INTEGER*2LISCUF,        NPRCCG,         NPFLUS,         NPRMHF          A12
      INTEGER*2LUSLIS,        LUSBTM,         LUSSPT                          A12
      DIMENSION CITIMF(40),ALPHA(20)
C
C     TITLE OF RUN - 2 CARDS
C
      WRITE(NPRINT,1100)
      DO 10 I=1,2
      READ(NCARD,1130)(ALPHA(J),J=1,20)
   10 WRITE(NPRINT,1110)(ALPHA(J),J=1,20)
      WRITE(NPRINT,1120)
 1100 FORMAT(20A4)
 1105 FORMAT(1H1)
 1110 FORMAT(1X,20A4)
C
C     READ PERMANENT DATA
C
C
C     HEADING -- PERMANENT INPUT DATA
C
      WRIT (NPRINT,100)
  100 FORMAT(1X,22HPERMANENT INPUT DATA--///1X)
C
C     READ CARGO TYPE DATA.
C
      READ(NCARD,1700)NCARTP
      WRITE(NPRINT,102)NCARTP
  102 FORMAT(1X,24HNUMBER OF CARGO MODULES=,I5)
C     HEADING
      WRITE(NPRINT,104)
  104 FORMAT(1X,4HNAME,22X,14HCARGO PRIORITY,2X,13HWEIGHT *TONS*,3X,12HV
     *OL.*CU.FT.*,7X,8HCATEGORY,5X,10HHEAVY LIFT,4X,11HCARGO *TAG*/2X,
     *15H(MODULE NUMBER),10X,12H(FLOOR SPACE)
      L2=NCARTP+1
      DO 106 I=1,L2
      READ(NCARD,107) (NALPHA(J),J=1,4),IPR,CARGWT(IPR),CARGVL(IPR),CARG
     *CTG(IPR),CRAFTL(IPR),NCGTAG(IPR)
  107 FORMAT(4A4,1X,I7,3F7.2,2I7)
  106 WRITE(NPRINT,108)(ALPHA(J),J=1,4),IPR,CARGWT(IPR),CARGVL(IPR),CAR
     *GCTG(IPR),CRAFTL(IPR),NCGTAG(IPR)
  108 FORMAT(1X,4A4,9X,I5,3F10.2,2I10)
C
C              WRITE LEGEND FOR CARGO CODES.
C
      WRITE(NPRINT,8600)
 8600 FORMAT(1X///1X,14HCARGO LEGEND--/1X,10HCATEGORY--,40X,10HHEAVY LIFT
     *--/1X,8HPOSITIVE-   SD VEHICLE-SPEED IN MPH-,14X,20H1-   HEAVY LI
     *FT ITEM/4X,22HO-NON-   GENERAL CARGO,25X,15H2-   CONTAINER /3X,20H
     *-1-   CONTAINERS,21X,23H3-   REGULAR-SIZED ITEM/
     *3X,8H-2-NON-   NSE VEHICLES///1X,20HLOADING CATEGORIES--/2X,1HO-
     *   GENERAL CARGO/2X,15H1-   CONTAINERS/2X,15H2-   VEHICLES/2X,14HH
     *-   CARGO MIX)
C
C              READ CARGO *TAGS.*
C
      READ(NCARD,100) NTAGTP
      WRITE(NPRINT,8500)NTAGTP
 8500 FORMAT(1H1,21HNUMBER OF CARGO TAGS=,I5///1X,10HITEM NUMBER, 5X,11HD
     *ESCRIPTION/1X)
      DO 8510 I=1,NTAGTP
      READ(NCARD,8520)   I,(NALPHA(J),J=1,17)
 8510 WRITE(NPRINT,8530) I,(NALPHA(J),J=1,17)
 8520 FORMAT(I5,4X,17A4)
 8530 FORMAT(2X,I3 ,5X,17A4)
C
C     READ CRAFT & TRUCK PERFORMANCE DATA
C
C
      WRITE(NPRINT,120)
  120 FORMAT(1H1,55HCRAFT AND TRUCK PERFORMANCE DATA--)
C     HEADINGS
      WRITE(NPRINT,125)
  125 FORMAT(1X,4HNAME,15X,11HTYPE NUMBER,4X,8HCAPACITY,2X,20HCRUISING SP
     *EED,2X,
     *6HWEIGHT,3X,9HCRAFT/4X,6HNUMBER,1X/2X,6HNUMBER,3X,6HWEIGHT,4X,
     *6HVOLUME,3X,10HLA
     *ND -VEH-,3X,11HSEA -KNOT-,1 X,5H-FT.-,5X,4HFUEL,3X,
     *-TONS-,3X,8H-CU.FT.-,2(3X,5HEMPTY,4X,6HLOADED),3X,4HCOST)
      WRIT (NPRINT,130)
  130 FORMAT(1X///1X,10HCRAFT DATA)
C
C     READ CRAFT DATA
C
      READ(NCARD,1400)NCRFTP
      WRITE(NPRINT,132)NCRFTP
  132 FORMAT(1X,22HNUMBER OF CRAFT TYPES=,I5)
      DO 7300 I=1,NCRFTP
      READ(NCARD,142)  (NALPHA(J),J=1,4),CRAFWT(I),CRAFVL(I),(CRAFSP(I
     *,J),J=1,4),CRAFNT(I),NCRAFM(I),MULRAT(I)
      WRITE(NPRINT,144)(NALPHA(J),J=1,4),I,CRAFWT(I),CRAFVL(I),(CRAFSP(I
     *,J),J=1,4),CRAFNT(I),NCRAFM(I),MULRAT(I)
      WRITE(NPRINT,145)
      READ(NCARD,1450)(CCITM(I,J),J=1,L2)
      WRITE(NPRINT,1500)(CCITM(I,J),J=1,L2)
      READ(NCARD,7300)NFILE(I),CRAFTC(I)
```

```
      WRITE(NPRINT,7100)FILE(I),CRAFT(I)
 7100 CONTINUE
C
C     READ TRUCK DATA
C
      WRITE(NPRINT,1500)
      READ(NCARD,1000)NTRKTP
      WRITE(NPRINT,1400) NTRKTP
      DO 135 I=1,NTRKTP
      READ(NCARD,1420)  (NALPHA(J),J=1,4),TRUKWT(I),TRUKVL(I),(TRUKSP(I,J
     .),J=1,2)
      WRITE(NPRINT,1440)(NALPHA(J),J=1,4),I,TRUKWT(I),TRUKVL(I),(TRUKSP(I
     .,J),J=1,2)
      WRITE(NPRINT,1460)
      READ(NCARD,1480) (NTCITM(I,J),J=1,L2)
  135 WRITE(NPRINT,1500)(NTCITM(I,J),J=1,L2)
  1300 FORMAT(1X///1X,10HTRUCK DATA)
  1400 FORMAT(1X,22HNUMBER OF TRUCK TYPES=,I5)
  1420 FORMAT(4A4,1X,7F7.2,2I2)
  1440 FORMAT(1X//1X,4A4, 4X,I10,7F10.2,2I10)
  1460 FORMAT(1X,29HNUMBER OF ITEMS/CARGO MODULE=)
 1500 FORMAT(I5,F8.2)
 1510 FORMAT(1X,14HCONTAINERS/FILE=,I5,5X,12HFLOOR SPACE=,F10.2,8H  SQ.F
     .T.)
C
C               WRITE LEGEND FOR CRAFT CODES.
C
      WRITE(NPRINT,1610)
 1610 FORMAT(1X//1X,14HCRAFT LEGEND--/1X,13HCRAFT MODES--,27X,18HMULTI-H
     .ATCH CODE--/3X,15H1-   LANDING CRAFT,20X,12HXY    WHERE--/3X,19H2-
     .   SEMI-AMPHIBIAN,22X,5HHX    IS NUMBER OF -BLOCKED- HATCH SLOTS/3X,
     .15H3-   TRUE-AMPHIBIAN,22X,6HY    IS NUMBER OF HATCH SLOTS THAT CA
     .N LOAD CRAFT CONCURRENTLY/3X,33H4-   SURFACE EFFECT VEHICLE -SEV-/
     .3X,54H5-   WATER DISCHARGE LIGHTER -WDL-/3X,15H6-   HELICOPTER/3X,
     .24H7-   TOW -T- TOW RANGES-/3X,22H8-   SEV/LANDING CRAFT)
C
C               READ LUS DATA
C
      READ(NCARD,1700)NLUSTP
      WRITE(NPRINT,1720)NLUSTP
 1720 FORMAT(1X,24HNUMBER OF LUS TYPES=,I5)
      WRITE(NPRINT,2150)
 2150 FORMAT(1X,5HLUS NAME,24X,9HLUS TYPE,7X,8HLOCATION,5X,10HMHE STATUS
     .)
      WRITE(NPRINT,2151)
      DO 2160 I=1,NLUSTP
      READ(NCARD,1740)(NALPHA(J),J=1,4),IFE,LUSLOC(IPR),LUSSTT(IPR)
 2160 WRITE(NPRINT,1760)(NALPHA(J),J=1,4),IPR,LUSLOC(IPR),LUSSTT(IPR)
C
C     READ MOBILE MHE TYPES + POOLS
C
      READ(NCARD,1...)  NMHETP,NMHEPL
      WRITE(NPRINT,1...)NMHETP,NMHEPL
 1...  FORMAT(1X///1X,...HNUMBER OF MOBILE MHE TYPES=,I5,5X,...HIN,I2,11H MH
     .E POOLS.)
      WRITE(NPRINT,21...)
```



```
 2154 FORMAT(1X,5HMHE NAME,24X,9HMHE TYPE)
      WRITE(NPRINT,2161)
      L2=NUMTYP+1
      DO 2160 I=1,L2
      READ(NCARD,1740)(NMHENA(J),J=1,4),IFE
      WRITE(NPRINT,1760)(NMHENA(J),J=1,4),IPR
 2160 CONTINUE
C
C               WRITE LEGEND FOR LUS/MHE CODES.
C
      WRITE(NPRINT,8020)
 8020 FORMAT(1X//1X,19HLUS/MHE LEGEND--/1X,11HLOCATION--,29X,19HMHE STA
     .TUS--/3X,15H1-   BEACH,30X,23H1-   FIXED -SEE-ALL CRANE-/3X,34H2-
     .   IN-THEATER STORAGE SITE -ISS-,6X,16H2-   SEMI-MOBILE/3X,10H3-
     .   PORT,30X,23H3-   MOBILE -FROM POOL-/3X,13H4-   CAUSEWAY,27X,40H4
     .-   PSEUDO -NO MHE, USUALLY HELICOPTER-/43X,17H5-   CAUSEWAY MOB)
C
C     READ PERMANENT HATCH SLOT DATA.
C
C     NUMBER OF HATCH SLOT TYPES.
      READ(NCARD,1000)NHTSTP
      WRITE(NPRINT,1120)
      WRITE(NPRINT,1540) NHTSTP
  156 FORMAT(1X,27HNUMBER OF HATCH SLOT TYPES=,I5)
      WRITE(NPRINT,1600)
  160 FORMAT(1X,15HHATCH SLOT NAME,10X,15HHHATCH SLOT TYPE,4X,9HSHIP TYPE
     .)
      WRITE(NPRINT,2181)
      DO 162 I=1,NHTSTP
      READ(NCARD,1640)(NALPHA(J) ,J=1,4),IPR,NSTYP(IPR)
  162 WRITE(NPRINT,1760)(NALPHA(J),J=1,4),IPR,NSTYP(IPR)
C
C               WRITE LEGEND FOR SHIP TYPE CODES
C
      WRITE(NPRINT,8030)
 8030 FORMAT(1X//1X,12HSHIP TYPES--/3X,23H1-   GENERAL CARGO SHIP/3X,31H
     .2-   CONTAINER SHIP -SS OR NSS-/3X,25H3-   LASH -BARGE CARRIER-/3X
     .,15H4-   RO/RO SHIP)
C
C               READ MOORING TIMES
C
      WRITE(NPRINT,2107)
 2107 FORMAT(1H1,24HMOORING TIMES IN MINUTES)
      WRITE(NPRINT,2111) (I,I=1,NHTSTP)
      WRITE(NPRINT,1111)
      DO 2120 I=1,NCRETP
      WRITE(NPRINT,1112) I
      READ(NCARD,5211) (OITIME(J),J=1,NHTSTP)
      WRITE(NPRINT,1117) (OITIME(J),J=1,NHTSTP)
      DO 2119 J=1,NHTSTP
 2119 MOORTM(J,I)= OITIME(J)*60. +.5
 2120 CONTINUE
C
C               READ LOADING DELAY TIMES IN SECONDS.
C
C               READ HARGE DISCHARGE TIME, DECK DELAY-TIME,MS TON ROOM RIM
```

```
                    FPDATA              DATE = 78/11          21/50/30

C              TIME, IN FOR ROOM RIG TIME.
      WRITE(NPRINT,1120)
      WRITE(NPRINT,1110)
 1110 FORMAT(1X,'DELOCATION DELAY TIMES IN MINUTES--/))
      READ(NCARD,5100) (OITIME(I),I=1,M)
      WRITE(NPRINT,1120) (OITIME(I),I=1,M)
 1120 FORMAT(1X,'DISCHARGE DISCHARGE TIME=',F6.2/1X,'CHECK DELAY TIME=',F6.
     .2/1X,'FOR ROOM RIG TIME=',F6.2/1X,'FOR ROOM RIG TIME=',F6.
     .2/1X,'SHIP MOVE TIME=',F6.2/1X,'BERTH ISLAND MOORING TIME=',F6.2/1
     .X,'SHIP-TO-PIER PLATFORM DELAY=',F6.2/1X,'SHIP WARP TIME=',F6.2)
       DO 5 I=1,M
       OITIME(I)=OITIME(I)*60. +.5
       MOVE=OITIME(2)*60. +.5
       TIME=OITIME(3)*60. +.5
       ALT(1)=OITIME(4)*60. +.5
       OPE   =OITIME(5)*60.+.5
       ASSIST  =OITIME(6)*60.+.5
       WELLD =OITIME(7)*60.+.5
       WAIT  =OITIME( )*60.+.5
     5 CONTINUE

C              READ LOADING TIMES

      WRITE (NPRINT,1150)
 1150 FORMAT(1H1,'CRANE LOADING TIMES AT SHIPSIDE IN MINUTES)
      WRITE(NPRINT,2110) (I,I=1,NHTSTP)
      WRITE (NPRINT,1111)
      DO 2145 I=1,NTAGTP
      WRITE(NPRINT,1115) I
      READ(NCARD,5101)    (OITIME(K),K=1,NHTSTP)
      WRITE (NPRINT,1117)( ITIME(K),K=1,NHTSTP)
 2145 CONTINUE
      DO 2150 K=1,NHTSTP
      LOCTIME(K,I,J)=OITIME(K)*60. +.5
 2150 CONTINUE
 2155 CONTINUE

C              READ CRANE-TO-DOCK TIME

      WRITE (NPRINT,2160)
 2160 FORMAT(1H1,'CRANE-TO-DOCK TIMES IN MINUTES)
      WRITE(NPRINT,2170) (I,I=1,'LUSTP)
 2170 FORMAT(1X,'(I ),'FLOOR TYPES',9I(I3-))/1X,15I)
      WRITE (NPRINT,1111)
      L2=NCRETP+1
      DO 2185 I=1,L2
      WRITE(NPRINT,1115) I
      READ(NCARD,5101)    (OITIME(J),J=1,NFLOSTP)
      WRITE(NPRINT,1117)(ITIME(J),J=1,NFLOSTP)
      DO 2185 J=1,NFLOSTP
      LOSSTR(I,J)=OITIME(J)*60.+.5
 2180 CONTINUE

C              READ CRAFT-TRUCK LOADING TIMES.

      L2=NCRETP+1
      WRITE(NPRINT,5210)
 5210 FORMAT(1H1,'CRAFT-TRUCK LOADING TIMES IN MINUTES)
      WRITE(NPRINT,5220)  (I,I=1,L2)
      WRITE(NPRINT,1111)
      L3=NCRETP+1
      DO 5250 I=1,L3
      WRITE(NPRINT,1115) I
      DO 5240 J=1,NTAGTP
      WRITE(NPRINT,1155) J
      READ(NCARD,5101)      (OITIME(K),K=1,L2)
      WRITE(NPRINT,1117)  (OITIME(K),K=1,L2)
      DO 5230 K=1,L2
 5230 LOCTIME(J,K,I)=OITIME(K)*60.+.5
 5240 CONTINUE
 5250 CONTINUE

C              READ CRAFT-GROUND LOADING TIMES.

      WRITE(NPRINT,5260)
 5260 FORMAT(1H1,'CRAFT-GROUND LOADING TIMES IN MINUTES)
      WRITE(NPRINT,5220)  (I,I=1,L2)
      WRITE(NPRINT,1111)
      L3=NCRETP+1
      DO 5290 I=1,L3
      WRITE(NPRINT,1115) I
      DO 5280 J=1,NTAGTP
      WRITE(NPRINT,1155) J
      READ(NCARD,5101)      (OITIME(K),K=1,L2)
      WRITE(NPRINT,1117)  (OITIME(K),K=1,L2)
      DO 5275 K=1,L2
 5270 LOCTIME(J,K,I)=OITIME(K)*60.+.5
 5280 CONTINUE
 5290 CONTINUE

C              READ GROUND-TRUCK LOADING TIMES

      L2=NCRETP+1
      WRITE(NPRINT,6010)
 6010 FORMAT(1H1,'GROUND-TRUCK LOADING TIMES IN MINUTES')
      WRITE(NPRINT,5220)(I,I=1,L2)
      WRITE (NPRINT,1111)
      DO 6040 I=1,NTRKTP
      WRITE(NPRINT,4010)I
```

```
      DO 6040 J=1,NTAGTP
      WRITE (NPRINT,6030) J
      READ(NCARD,6031)(CITIME(K),K=1,L2)
      WRITE(NPRINT,1111)(CITIME(K),K=1,L2)
      DO 6040 K=1,L2
 6030 LOGITM(J,K,I)=CITIME(K)*60.0+.5
 6040 CONTINUE
 6050 CONTINUE
C
C     READ TRUCK-GROUND LOADING TIMES
      WRITE (NPRINT,6060)
 6060 FORMAT(1H1,35HTRUCK-GROUND LOADING TIMES IN MINUTES--)
C
      WRITE(NPRINT,6070)(I,I=1,L2)
      WRITE(NPRINT,1111)
      DO 6080 I=1,NTRKTP
      WRITE(NPRINT,4010) I
      READ(NCARD,6031)(CITIME(K),K=1,L2)
      WRITE(NPRINT,1111)(CITIME(K),K=1,L2)
      DO 6080 K=1,L2
 6080 LOGITM(J,K,I)=CITIME(K)*60.0+.5
 6070 FORMAT(
 6090 CONTINUE

C              READ CRAFT-CARGO-HATCH SLOT PRIORITY MATRIX.
      WRITE (NPRINT,170)
  170 FORMAT(1H1,35HCRAFT-CARGO-HATCH SLOT PRIORITY MATRIX)
      WRITE(NPRINT,2112)  (I,I=1,NTAGTP)
      WRITE(NPRINT,1111)
      DO 190 I=1,NCRFTP
      WRITE(NPRINT,111F) I
      DO 190 J=1,NCHTCH
      WRITE(NPRINT,172) J
  172 FORMAT( ,13HHATCH SLOT TYPE=,I3)
      READ(NCARD,1004)  (CRGHC(I,J,K),K=1,NTAGTP)
      WRITE(NPRINT,1004)(CRGHC(I,J,K),K=1,NTAGTP)
  190 CONTINUE
  192 CONTINUE

C              READ LCS-MHE PRIORITY MATRICES

      READ(NCARD,1004)LUSCR
      WRITE(NPRINT,2110)LUSCR
 2110 FORMAT(1H1,35HLCS-MHE PRIORITY MATRIX/1X,35HMAX NO. OF COMPATIBLE
     .MHE PRIORITY NUMBERS=,I5)
      WRITE(NPRINT,2112)  (I,I=1,NTAGTP)
      WRITE(NPRINT,1111)
C             LOOP THRU CRAFT TYPES
      DO 2200 I=1,NCRFTP
      WRITE(NPRINT,111F) I
C             LOOP THRU PRIORITY NUMBERS
      DO 2200 J=1,LUSCR
      WRITE(NPRINT,2201) J
C             READ LCS PRIORITIES
```

```
      READ(NCARD,1004)  (LCSPRI(J,I,K),K=1,NTAGTP)
      WRITE(NPRINT,2220)
 2220 FORMAT(1X,11HLCS TYPES--)
      WRITE(NPRINT,1111)(LCSPRI(J,I,K),K=1,NTAGTP)
C             READ MHE PRIORITIES
      READ(NCARD,1004)  (MHEPRI(J,I,K),K=1,NTAGTP)
      WRITE(NPRINT,2230)
 2230 FORMAT(1X,11HMHE TYPES--)
      WRITE(NPRINT,1111)(MHEPRI(J,I,K),K=1,NTAGTP)
 2290 CONTINUE
 2300 CONTINUE
C
C             READ TRUCK PRIORITY MATRIX
C
      WRITE(NPRINT,4000)
 4000 FORMAT(1H1,23HTRUCK PRIORITY MATRIX--)
      WRITE(NPRINT,2112) (I,I=1,NTAGTP)
      WRITE(NPRINT,1111)
      DO 4050 I=1,NTRKTP
      WRITE(NPRINT,4010) I
      READ(NCARD,1004)  (TRKPRI(I,J),J=1,NTAGTP)
 4050 WRITE(NPRINT,1004)(TRKPRI(I,J),J=1,NTAGTP)
C
C     READ MHE PRIORITY MATRIX FOR TRUCKS.
C
      READ(NCARD,1000)NTRKPR
      WRITE(NPRINT,1000)NTRKPR
 6100 FORMAT(1H1,35HMHE PRIORITY MATRIX FOR TRUCKS--/1X,35HMAX NO. OF CO
     .MPATIBLE PRIORITY NUMBERS=,I5)
      WRITE(NPRINT,2112)(I,I=1,NTAGTP)
      WRITE(NPRINT,1111)
      DO 6130 I=1,NTRKTP
      WRITE(NPRINT,4010)I
      DO 6120 J=1,NTRKPR
      WRITE(NPRINT,2201)J
      READ(NCARD,1004)  (MHEPRY(J,I,K),K=1,NTAGTP)
      WRITE(NPRINT,1004)(MHEPRY(J,I,K),K=1,NTAGTP)
 6120 CONTINUE
 6130 CONTINUE
      RETURN
C
C             GENERAL PURPOSE FORMAT STATEMENTS.
C
 1120 FORMAT(1X//1X)
  148 FORMAT(4015)
  150 FORMAT(1X,(4(I3)))
 8540 FORMAT(16I5)
 8550 FORMAT(1X,10I5)
  164 FORMAT(4A4,1X,5I7)
  166 FORMAT(1X,4A4,9X,3115)
  500 FORMAT(10F8.2)
  501 FORMAT(13F6.2)
 2101 FORMAT(1X//1X)
 2110 FORMAT(1X,26(I3,2H--),1X,14HHATCH SLOT TYPES,84(1H-)/1X,15I5)
 1111 FORMAT(1X,120(1H-))
 1117 FORMAT(1X,15F8.2)
```

```
      SUBROUTINE DATA
C
C     READ ALL PREPARED DATA FROM CARDS.
C
C
C     READ ALL PREPARED DATA FROM CARDS.
C
C*****
C
      COMMON/A01/MCLOCK(100),CVTYP(100),CPULIST(5),MPLANE(5),CSIZE(20),
     .           MCLASS,NCLASS,MTIME,IEVTYP,IFLEMT,IACTEL,IAYCUM,IYDEF,
     .LETTY,LSTIME,NUNINT,NTAPE,NCARD,NTAPE1,NTAPE2,IOUT,NTAPE3
C
      COMMON/A02/CARDS(45),CARDVL(45),CARDCT(45),CARDLL(45),NCOLIA(45)
C
      COMMON/A03/CHARWT(10),CHARVL(10),CHARPR(10,4),CHARNT(10),SCLEAR(10
     .),MULWAT(10),NCCTIM(10,4),TILE(10),CHARSC(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,3),WTCITY(10,4),TERTRK
     .(10,15),DPRT(3,3),MHEPRY(10,10,13),MHSTRK(45),ECSTIM(15,15,15),TS
     .TOTM(15,15,15),
     .           NPRCAR,IPRTRK,ITRUCK,TRUKG,NTRKEL
C
      COMMON/A05/NESSEL(5),NCMSHP(5),IESSHP(5),CMNES(5),IMSEL(5),
     .NCHC(20),LOCS(20),NHAT3S(20),NSTYP(20),NHSTNC(5),ICASHC(5),CS
     .DOCK(20),NSTIM(20),NHATIX(20),NDCP(10),NAC(5),TOTAL(5),
     .NHTTAP(100,40),NESSI(5),
     .           IFNCOP,IENDEX
C
      COMMON/A06/NCSTYP(10),NTNTYP(10),NLSTYP(5),NMRTYP(5,2),IPCSEC(2
     .),IFTRUK(30),IFLES(30),IDSOVR(20),
     .           NCAFTP,NCRFTP,NTMATI,NLESTP,NMHETC,NETTC,NCAFCT,CMPLE
     .,NLUS,NSI,NTETP
C
      COMMON/A07/NLIST(5),CAPST(5),ACAPST(5),LESSEL(5),LUSTYP(5),LUSS
     .S(5),LUSLS(15),LUSSTT(15),LUSTM(15,15,15),LUCTT(15,15,15)
C
      COMMON/A13/MCRCUM(30,15),NTRCUM(20,2),MHEXYC(15,3,2),MHEPRC(15,3,
     .40),MHECUM(15,3,40),LUSUSE(30,13),LUSCUM(5,2),CSTCUM(5,2),
     .(30,2),THSC(20,10),NTRAFF(5),MCRCAR(3,46),IADCYC(30,5),NTATC(5
     ..4,2),CSTATC(5,4,3)
     .,MHEFFS(15,5),MUCTOT(15,2)
C*****
      INTEGER*2 NEVTYP,          NLEEL ,          NSEENT,          NCOMP           ,I1
      INTEGER*2 CAPBL,           CAGTS                                              ,I1
      INTEGER*2 CAPAS,           ACAPBL,          CAGTTM,          EFFIC           ,I1
      INTEGER*2 NICITP,          CENTER,          NCSTCC,          MHSTAY          ,A4
      INTEGER*2 MLESTP,          LCGTTP,          LCSTTP                           ,I1
      INTEGER*2 CNESSC,          LCNSEP,          IF MTP,          NCAPAS          ,A
      INTEGER*2 IIMPLT,          NCMCCR,          LCNSC ,          NCATCS          ,A
      INTEGER*2 NSTYP ,          NCATCS,          IDCAPF,          NCAPCM          ,A
      INTEGER*2 NTILE,           NCATTY,          NLCR  ,          NACCRT          ,A
      INTEGER*2 NTOTAL,          NCTTAP,          NCSSI                            ,A
      INTEGER*2 NCRTYP,          NTKTYP,          NCSTYP,          NSOSTY          ,A4
      INTEGER*2 IECHAR,          IETRLR,          IJLUSC ,         IESSCM          ,A4
      INTEGER*2 LUSTER,          LUCSTR,          LUCSMH,          LUCLT           ,A7
      INTEGER*2 LUSSTT,          LUCSTP,          LUCTTM                           ,A7
      LIMENSION NALFFA(2)
```

```
      WRITE(NPRINT,*)
  200 FORMAT(1H1,1X,'READ DATA--')
C
      READ (NSET,9)IZ
C
      WRITE(NPRINT,201)
  201 FORMAT(1X/1X,'TRUCK SET ID SYSTEM--',6X,'TRUCK TYPE',3X,'NUMBER O
     *F UNITS')
      NELEMT(1)=1
      DO 202 I=1,NTRKTP
      READ(NCARD,*,ERR=900)IPR,TRKTYP(IPR)
      NELEMT(2)=NELEMT(2)+TRKTYP(IPR)
  202 WRITE(NPRINT,1010)IPR,TRKTYP(IPR)
      NCARD=NELEMT(1)+NELEMT(2)
C
C     READ EOF DATA
C
      WRITE(NPRINT,203)
  203 FORMAT(1X/1X,'RETUS-S IN SYSTEM--',6X,'MHLS TYPE',5X,'NUMBER OF LU
     *NES')
      DO 204 I=1,NRETS
      READ(NCARD,*,ERR=900)IPR,RLSTYP(IPR)
  204 WRITE(NPRINT,1010)IPR,RLSTYP(IPR)
C
C     READ MHE DATA
C
      WRITE(NPRINT,240)
  240 FORMAT(1X/1X,'MHE IN SYSTEM--',6X,'MHE TYPE',7X,'MTHA POOL',7X,'MI
     *SS POOL',5X,'INVENT POOL')
      DO 241 I=1,NMHETP
      READ(NCARD,*,ERR=900)IPR,(MHETYP(IPR,J),J=1,NMHEPL)
      WRITE(NPRINT,1010) IPR,(MHETYP(IPR,J),J=1,NMHEPL)
C               SET MHE TOTAL AND INITIAL REQUIREMENT
      DO 242 J=1,NMHEPL
      MHETOT(IPR,J)=MHETYP(IPR,J)
  242 MHEREQ(IPR,J)=0
  241 CONTINUE
C
C     READ SHIP DATA
C
      READ(NCARD,*,ERR=900)NELEMT(3)
      WRITE(NPRINT,243)NELEMT(3)
  243 FORMAT(1H1,2X,'NUMBER OF SHIPS IN SYSTEM=',I4)
      WRITE(NPRINT,244)
  244 FORMAT(1X,1X,'TYPE OF SHIP',1X,'SHIP ID',7X,'SHIP TYPE NO.',5X,'SH
```

```
     *IP NAME')
      WRITE(NPRINT,*)
      NCARD=NCARD+NELEMT(3)
      DO 250 I=1,NELEMT(3)
      READ(NCARD,*,ERR=900)IPR,SHPTYP(IPR),SHPNAM(IPR)
      WRITE(NPRINT,1010)IPR,SHPTYP(IPR),SHPNAM(IPR)
  250 CONTINUE
C
C     READ CARGO DATA
C
      WRITE(NPRINT,251)
  251 FORMAT(1H1,1X,'CARGO DATA--')
      NELEMT(1)=0
      DO 252 I=1,NCRTYP
      READ(NCARD,*,ERR=900)IPR,CRTYP(IPR)
      NELEMT(1)=NELEMT(1)+CRTYP(IPR)
  252 WRITE(NPRINT,1010)IPR,CRTYP(IPR)
C
C     READ TRUCK DATA
C
      WRITE(NPRINT,253)
  253 FORMAT(1X/1X,'TRUCKS IN SYSTEM--',6X,'TRUCK TYPE',3X,'NUMBER O
     *F TRUCKS')
      NELEMT(2)=0
      DO 254 I=1,NTRKTP
      READ(NCARD,*,ERR=900)IPR,TRKTYP(IPR)
      NELEMT(2)=NELEMT(2)+TRKTYP(IPR)
  254 WRITE(NPRINT,1010)IPR,TRKTYP(IPR)
      NCARD=NELEMT(1)+NELEMT(2)
C
C     READ LOT DATA
C
      WRITE(NPRINT,255)
  255 FORMAT(1X/1X,'LETUS-S IN SYSTEM--',6X,'MHLS TYPE',5X,'NUMBER OF LU
     *NES')
      DO 256 I=1,NRETS
      READ(NCARD,*,ERR=900)IPR,RLSTYP(IPR)
  256 WRITE(NPRINT,1010)IPR,RLSTYP(IPR)
C
C     READ MHE DATA
C
      WRITE(NPRINT,240)
  240 FORMAT(1X/1X,'MHE IN SYSTEM--',6X,'MHE TYPE',7X,'MTHA POOL',7X,'MI
     *SS POOL',5X,'INVENT POOL')
      DO 241 I=1,NMHETP
      READ(NCARD,*,ERR=900)IPR,(MHETYP(IPR,J),J=1,NMHEPL)
      WRITE(NPRINT,1010) IPR,(MHETYP(IPR,J),J=1,NMHEPL)
C               SET MHE TOTAL AND INITIAL REQUIREMENT
      DO 242 J=1,NMHEPL
      MHETOT(IPR,J)=MHETYP(IPR,J)
  242 MHEREQ(IPR,J)=0
  241 CONTINUE
C
C     READ SHIP DATA
C
      READ(NCARD,*,ERR=900)NELEMT(3)
      WRITE(NPRINT,243)NELEMT(3)
  243 FORMAT(1H1,2X,'NUMBER OF SHIPS IN SYSTEM=',I4)
      WRITE(NPRINT,244)
  244 FORMAT(1X,1X,'TYPE OF SHIP',1X,'SHIP ID',7X,'SHIP TYPE NO.',5X,'SH
```

```
      SUBROUTINE DATA                                  DATE = 78311
      DO 5 I=1,6
C     ZERO THEM ALL (ASSUME DATA(1)=0 FOR SHIP
      WRITE(NPRINT,*) I,(NSHIP(I)
    6 FORMAT(1X/1X,11HSHIP NO=,I2,5H NI=,I5,5H NJ=,I5,15H CARGO HATCHES,
     1=,NCARGO(I))
      NJ=NCARGO(I)
      DO 555 J=1,NJ
C     GET CARGO HATCH NUMBER.
      IPP=IPP+1
C     READ DATA FOR THIS CARGO HATCH
      READ(NCARD,10,ERR=1)IDCARH(IPP),(SIZE(I,J),I=1,5)
      IDUM=IDCARH(IPP)
      IF(IDUM.EQ.0)   IPP=IPP-1
      WRITE(NPRINT,*)IDCARH(IPP),(SIZE(I,J),I=1,5)
  200 FORMAT(1X/1X,11HCARGO   HATCH,I3,11H,  SHIP TYPE,I2,33H, NL FROM SHAR
     1E WITH CARGO ENTER,I3)
      GOTO 2
    1 IPP=IPP-1
 2040 WRITE(NPRINT,2040) IPP,(SIZE(I,IPP),I=1,5)
 2040 FORMAT(1X/1X,11HCARGO HATCH,I3,11H, SHIP TYPE,I2,10X,I3,25H  LEVEL
     1S FOR CHARTER,)
 2050 CONTINUE
C
C     READ HATCH TABLE DATA FOR THIS CARGO HATCH
C
      WRITE(NPRINT)IPP
  249 READ(NCARD,250)NATIX(INDEX),NDCE(INDEX),NACCES(INDEX),(,(NHITTAR(I
     1NDEX,K),K=1,NCARTP)
  250 FORMAT(2I2/(2I2))
C     FIND TOTAL NUMBER OF ITEMS
      NTOTAL(INDEX)=0
      DO 3 K=1,NCARTP
      IF((IDCARH(IFP).EQ.0).OR.(IDCARH(IFP).EQ.5)) GOTO 298
      NTOTAL(INDEX)=NTOTAL(INDEX)+NHITTAR(INDEX,K)
    3 CONTINUE
  298 IF(NHITTAR(INDEX,K).EQ.0)NTOTAL(INDEX)=NTOTAL(INDEX)+1
  300 CONTINUE
      WRITE(NPRINT,302)INDEX,NATIX(INDEX),NDCE(INDEX),NACCES(INDEX),NTO
     1TAL(INDEX),(NHITTAR(INDEX,K),K=1,NCARTP)
  302 FORMAT(1X,5I5/1X,2I4/1X,2(I4)
      INDEX=INDEX+1
      IF(.NE.-1)   TO 2
  400 CONTINUE
  400 CONTINUE
      LINEX=INDEX-1
C               READ NUMBER OF "SEA ISLANDS" IN SYSTEM.
      READ(NCARD,1000)   NSI
      WRITE(NPRINT,2010) NSI
 2010 FORMAT(1X//1X,,2HNUMBER OF SEA ISLANDS=,I5)
C
C     DISTANCES (MILES)
C
      READ(NCARD,500)(DIST(I),I=1,4)
      WRITE(NPRINT,502)(DIST(I),I=1,4)
  502 FORMAT(1H1,,' DISTANCES IN MILES--/1X,14HSHIP-REACH 0--,F10.2/1X,
     1,15HSHIP-S 0-SHIP--,F10.2/1X,14HREACH 0-SHIP-S 0--,F10.2/1X,15HREAC
     2H 0-REACH--,F10.2/1X,13HREACH-ISS 0--,F10.2/1X,13HISS-DEPOT 0--,
     3F10.2/1X,11HISS 0-ISS--,F10.2/1X,15HDEPOT 0-DEPOT--,F10.2/1X,
     4,15HDEPOT 0-ISS--,F10.2)
C
C     CAPACITY OF CARGO STORAGE AREAS
C
      READ(NCARD,*,END=2)(CAPST(I),I=1,5)
      WRITE(NPRINT,*)(CAPST(I),I=1,5)
  510 FORMAT(1X//1X,23HMAX. TONS OF CARGO--,F10.2,11H AT END AVL,F10.2,4
     1H AT ISS,)
C
C               OUTPUT TIME INTERVALS
C
      READ(NCARD,*,END=3)TIME1,TIME2
      WRITE(NPRINT,520) TIME1,TIME2
  520 FORMAT(1X//1X,,'CUMULATIVE OUTPUT TIME INTERVAL=',F10.2,' HR  PERIO
     1DIC OUTPUT TIME INTERVAL=',F10.2)
      IOUCUM=TIME1/.00.
      IOUPER=TIME2/.0000.
C
C               READ PRODUCTIVITY OUTPUT CHOICE.
C
      READ(NCARD,1010)IOOUT
      WRITE(NPRINT,540)IOOUT
  530 FORMAT(1X/1X,,'PRODUCTIVITY OUTPUT CHOICE=',I5)
      WRITE(NPRINT,540)
  540 FORMAT(5X,'OUTPUT CHOICES--/5X,'0OR1-   WRITE AT TIME INTERVALS.
     1// INDIVIDUAL CRAFT STATISTICS/5X,'2OR3-   WRITE AT END ONLY, W/ IN
     2. CRAFT/5X,'4OR5-   AT INTERVALS W/ NO IND. CRAFT STATISTICS/5X,'
     3M4-   AT END ONLY, NO IND. CRAFT)
  500 FORMAT(10F8.2)
 1000 FORMAT(10I8)
 1010 FORMAT(1X,(5I5))
      RETURN
      END
```

```
C
C          SHIP ARRIVAL EVENT - ASSIGN A NEW CONTAINER SHIP TO A
C          SEA ISLAND OR TERMINATE EVENT IF NO BATCH SLOT OPEN, AND
C          UPDATE BATCH SLOTS
C
C.....
C
      COMMON/ARRAY/CLOCK(100),NEVTYP(100),NDEPL(100),NCLEMT(6),NCODE(20),
     .          NCLKPL,NLSTEL,MTIME,IEVTYP,IFLEMT,IACTEL,INTCUM,INTPRM,
     .LPTIME,LPTIM,NPRINT,NDATE,NCARD,NTAPE1,NTAPE2,IC3OUT,NTAPE3
C
      COMMON/ARRAY/AL AR(100),CRARVE(10),CRAESP(10,4),CRAFHT(10),NCRAFM(10
     .),MULMAT(10),NCCITM(10,4),NFILE(10),CRAFES(10)
C
      COMMON/ARRAY/NSHIP(5),NCNSHP(5),ISSHIP(5),NSHPHS(20),IDHSLT(20),
     .NCAP(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATNC(20),IDCARH(20),NS
     .BOOM(20),NSTSI(20),NHATIX(100),NDCP(100),NACCES(100),NTOTAL(100),
     .NHTSTP(10,4),NSSSI(5),
     .          IDHC,LIMITX
C
      COMMON/ARRAY/NCNTYP(10),NTRTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IFTSHP(50),IELEC(5),ISBARM(20),
     .          NCAPTP,NCNETP,NTENTP,NLUSTP,NMHFTP,NHTSTP,NCARHT,NMHFPL
     .,NLOC,NCI,NTA TP
C
      COMMON/ARRAY/ITP(10,10),LOADTM(10,10,3),
     .NUSI,IDECKE,NAIM=0,NUT*15,NSMT,NSIMT,NMFLOD,NSIWT
C
      COMMON/ARRAY/NCUM(30,15),NTKCUM(30,9),MHECYC(15,3,2),MHECAR(15,3,
     .4),MHEC Y(15,3, 4),IUSUSE(30,10),IUSCUM(30,2),NSTCUM(2,40),NHSCUM
     .(30,7),NCSCP(20,10),NTRAFE(2),NCPCAR(30,40),INDCYC(30,2),MSTAT(30
     .,4,2),C DATA(30,4,5)
C.....
      EQUIVALENCE (NEVTYP,          NDEPL ,          NELEMT,          NCODE          A1
     .          (NCRAFM,          MULMAT,          NCCITM,          NFILE          A3
     .          (NCNSHP,          NCPCAR,          ISSHIP,          NSHPHS         A5
     .          (NCAP  ,          NHATNC,          IDCARH,          NSBOOM         A5
     .          (NSTSI ,          NHATIX,          NDCP ,           NACCES         A5
     .          (NTOTAL,          NHTTAP,          NSSSI                           A5
     .          (NCNTYP,          NTRTYP,          NLSTYP,          NMHTYP         A6
     .          (NCAPTP,          IETRUK,          IELUS ,          IDSDVH         A6
     .          (NCNETP,          LOADTM                                          A1
      ITIME=MTIME
      IEVTP=
      NEVTP=
      IDECK=
      IELA =0
C
C               SHIP ARRIVAL EVENT?
C
      IF(IEVTYP.EQ.14) GOTO 100
C               NO - SHIP ARRIVAL.  CURRENT SHIP AT SEA ISLAND IS
C               DEPARTING.  FIND WAITING SHIP.
      L=NLEMT(2)
      DO 10 I=1,L
```



```
C               IS THERE A WAITING CONTAINER SHIP AT PORT & SEA ISLAND?
      ISHIP=NCLEMT(1)+1
      IF((NSHPHS(I).NE.0).OR.(NEVTYP(ISHIP).NE. 0).OR.(NCAPSS(I).NE.0)) GO
     .TO 10
      IF(MTIME.LE.NCLOCK(I)) GO TO 10
      ISHIP=I
      MINTIM=NCLOCK(I)
   10 CONTINUE
C
C               WAITING SHIP FOUND.
C
      IF(ISHIP.EQ.0) GOTO 2000
      GOTO 110
C
C               SHIP ARRIVAL
C
  100 ISHIP=IACTEL
C
C               SEARCH FOR HELICOPTERS IN SYSTEM.
C
  110 MINTIM=
      L2=NCLEMT(3)
      DO 140 I=1,L2
      ICRTYP=IDCRAF(I)
      IF(NCRAFM(ICRTYP).NE.0) GOTO 140
C
C               HELICOPTER FOUND.  IS IT ASSIGNED TO CURRENT SHIP?
C
      IHFLG=1
      IF((NEVTYP(I).NE.2).OR.(NCLOCK(I).LT.MINTIM)) GOTO 140
      IHTS=NDPEL(I)
      IF(NSHPHS(IHTS).NE.ISHIP) GOTO 140
      MINTIM=NCLOCK(I)
      ITIME=NCLOCK(I)
  140 CONTINUE
C
C               MOVE SHIP TO SEA ISLAND.
C
      IF(IEVTYP.EQ.14) GOTO 200
      ITIME=NSMT+ITIME
C               CLOSE BATCH SLOT?
      IF(MINTIM.GT.0) GOTO 200
C               LOOP THROUGH BATCH SLOTS.
      L2=NFLEMT(4)
      DO 160 I=1,L2
      IF((NSHPHS(I).NE.ISHIP). R.(NHATSS(I).NE.0)) GO TO 160
C               CLOSE AN OPEN SLOT.  UPDATE STATISTICS
      ISUB=NCLKPL+NFLEMT(3)+I
      NHSCUM(I,2)=NHSCUM(I,2)+MTIME-NCLOCK(ISUB)
      NCLOCK(ISUB)=-MTIME
      NEVTYP(ISUB)=0
      NHATSS(I)=0
      IELA =1
  160 CONTINUE
C
C               MOVE SEA ISLAND WITH SHIP.
```

```
C
  240 JTIME=ITIME+.5*DT
      NPASS(ISHIP)=NP1
      NP1=NP1-1
      JTIME=JTIME/3600.
      WRITE(NTAPE,210) ISHIP,PASS(ISHIP),JTIME
  210 FORMAT(1X,'SHIP',I3,' PASSED TO SEA FLEAR',F5.2,' HOURS.')
     *,/,1X,' AT',F5.2,' HOURS.')
C
C               RECORD HATCH OPEN EVENTS FOR ONE WATER CRAFT SLOT AND
C               ONE HELICOPTER SLOT, IF APPROPRIATE.
C
      L=NCLEMT(4)
      ICLOCK=0
      I=NP1
      DO 250 I=I,L,
C               SEE IF THIS IS THE PROPER SHIP?
      IF(.NOT.ISHIP(I)) GO TO 250
      IF(LOCHS(I).NE.2) GO TO 230
      IF(ICLOT.NE.0) GO TO 250
C               SET HATCH OPEN EVENT FOR LOWEST-NUMBERED WATER-CRAFT SLOT.
      ICLKFL=NCLMFL+NFLEMT(3)+I
      ICLOCK(ICLKFL)=JTIME
      ISLOT=I
      GO TO 240
C
C               SLOT IS A HELICOPTER TYPE.  SHOULD IT OPEN?
C
  230 IF(LOCHS(I).GT.0) GO TO 250
      IF(IDEL.EQ.0) GO TO 300
      IF(I.GE.L) GO TO 245
C               SEE IF SAFETY SPACE BETWEEN HELO AND SEA IS.
      ICAP=ICAPHE(IS*(I))/2.+.51
C               TEST SAFETY SPACE.
      II=ICHC*(ISLOT)
      DO 235 ID=1,ICAP
      IF((II+ID-1).LT.ICAP) GO TO 250
C               SEE OKAY OPEN HELO SLOT.
      ICLKFL=NCLMFL+NFLEMT(2)+I
      NCLOCK(ICLKFL)=ITIME
  240 NCLTYP(ICLKFL)=IS
      NOPEL(ICLKFL)=0
      STIME=NCLOCK(ICLKFL)/3600.
      WRITE(NTAPE,242) I,STIME
  242 FORMAT(1X,13,' HATCH SLOT',I3,14H  WILL OPEN AT,F8.2,  H  HOURS.)
      IF(LOCHS(I).EQ.0) GO TO 300
      GO TO 25
C
C               WRITE ERROR MESSAGE.
C
  245 WRITE(NPRINT,247) I,ISHIP,LOCHS(I)
  247 FORMAT(1X,'DATA ERROR-SLOT,I3, 9H  AT SHIP,I3, 9H  LOCHS=,I3)
  250 CONTINUE
C
C               SEE HATCH SLOTS?
C
```



```
C
      IF(IDEL.EQ.1) CALL MSSBRT
      RETURN
      END
```

```
                    START           DATE = 7/ 1/11          12/59/08

      SUBROUTINE START
C
C     START-UP ROUTINE
C     INITIALIZES CLOCKS, BANK LOCATIONS, BATCH SLOT STATES, AND LOG
C     STATUS. PREPARES SYSTEM FOR PROCESSING OF FIRST EVENT.
C
C*****
C
      COMMON/A01/CLOCK(100),NEVTYP(100),NOPEL(100),NELEMT(6),NCODE(20),
     .          NCLPEL,NLSTEL,STIME,IEVTYP,IELEMT,IACTEL,INTCUM,IATPER,
     .LETIME,LSTIME,PERINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE4
C
      COMMON/A02/CLASWT(40),CLASVL(40),CLSCCT(40),NCLASM(40),NCGTAC(40)
C
      COMMON/A03/CRAFWT(10),CRAFVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULMAT(10),ACCITM(10,40),IFILE(10),CRAFFS(10)
C
      COMMON/A04/TRUKWT(10),TRUKVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,15),PRTCOG(5),MHEERY(10,10,13),MHETRK(30),LEGTTM(13,15,10),LD
     .TIM(13,15,10),
     .          NPLCAR,IPRTRK,ITRUCK,NTRUKG,NTRKPR
C
      COMMON/A05/NDSSHP(5),NCHSHP(5),IDSHIP(5),DSHEHS(20),IDHSLT(20),
     .NEHC(20),LCCHS(20),NHATSS(20),NSTYP(20),PHETNO(20),IDCARH(20),NS
     .EQP(20),NSTIN(20),NHATIX(100),NDCH(100),NACCES(100),NTOTAL(100),
     .NHITAR(10,40),NSSPI(5),
     .          IDHCAR,LINDEX
C
      COMMON/A06/NCRTYP(10),NTRTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(30),IDLLS(30),IDSDVM(20),
     .          NCARTP,NCRFTP,NTRKTP,NLUSTP,NMHFTP,NHTSTP,NCARHT,NMHEPL
     .,NLUS,NSI,NTSTTP
C
      COMMON/A07/DIST(30),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .P(30),LUSLS(15),LUSSTT(15),LDCTIM(13,15,10),LDCTTM(13,15,10)
C
      COMMON/A08/LCRCAR(30,40),LTRCAR(30,40),LSTCAR(3,40)
C
      COMMON/A09/LISTCR(30),LISTHS(24),NSOFT(30),NPRCAR(20),NPRCHC(10,10
     .,13),
     .          NLISCR,NLISHS,ISLET,ICRAFT
C
      COMMON/A10/MCOMTM(10,10),LOADTM(10,10,13),
     .NSPOT,NDECK(10),IHTPLO,NETMIS,NCMT,NCIMI,PHELOD,ESIMT
C
      COMMON/A11/NCITEM(40),NPLAT(20),
     .          ITIME,LETIME,,SLOT,JHATCH,WEIGHT,VOLUME,L1,L2,CCMT,CCVL
     .          ,IDEX,NCONTR,CCFS,FLOOR
C
      COMMON/A12/LESCRF(30),NPLCCT(30),NPRLOS(15,10,13),NPRMPF(15,10,15)
     .,LUSLIS(15),LUSTIM(10,15),LUSSUT(10,15),
     .          LISCRG,PLUSPR,LUSCRF
C
      COMMON/A13/CRCUM(30,15),NTRCUM(30,3),MHECYC(15,3,2),MHECAP(15,3,
     .40),MHECUM(15,3,4),LUSUSE(30,13),LUSCUM(30,2),NSTCUM(2,40),IHSCUM
     .(20,2),CRCSAV(10,10),NTRAFF(2),NCRCAR(30,40),INDCYC(30,2),KSTATE(10
```

```
                    START           DATE = 7/ 1/11          12/59/08

     .,4),LOCATE(10,4)
     .MHECAP(15,3),NCITEM(15,4)
C*****
      INTEGER*2 QUALITY,      SUPPLY,      ELEMENT,      PRIORITY      A1
      INTEGER*2 PRIORITY,     STATUS                                   A2
      INTEGER*2 NCRFTP,       ACARST,      NSELITM,      NCITEM        A3
      INTEGER*2 NCITEM,       LOADTM,      NSELTEL,      NMHEQTY       A4
      INTEGER*2 MHETYP,       LEGTTM,      LOADTM                      A5
      INTEGER*2 NLSSHP,       NSTSHP,      IDSHIP,       NSHEHS        A6
      INTEGER*2 IDHSLT,       NCHSHP,      LOCHS,        NHATSS        A7
      INTEGER*2 NSTYP,        NHATIX,      NDCH,         NACCES        A8
      INTEGER*2 NTOTAL,       NSSPI                                    A9
      INTEGER*2 NCRTYP,       NTRTYP,      NLSTYP,       NMHTYP        A10
      INTEGER*2 IDCRAF,       IDTRUK,      IDLLS,        IDSDVM        A11
      INTEGER*2 LUSCRF,       LUSTRK,      LUSMHP,       LUSLS         A12
      INTEGER*2 LUSSTT,       LDCTIM,      LDCTTM                      A13
      INTEGER*2 LCRCAR,       LTRCAR,      LSTCAR                      A14
      INTEGER*2 LISTCR,       LISTHS,      NSOFT,        NPRCAR        A15
      INTEGER*2 NPRCHC                                                 A16
      INTEGER*2 MCOMTM,       LOADTM                                   A17
      INTEGER*2 NCITEM,       NLEAT                                    A18
      INTEGER*2 NLUSUS,       NTRCUM,      NMHECU,       LUSCUM        A19
      INTEGER*2 LUSLIS,       LUSSTT,      LUSCRT                      A20
C
C             SET VALUES FOR NCODE--OUTPUT FORMAT CODE.
C
      NCODE( 1)=19
      NCODE( 2)=21
      NCODE( 3)=29
      NCODE( 4)=51
      NCODE( 5)=22
      NCODE( 6)=59
      NCODE( 7)=72
      NCODE( 8)=59
      NCODE( 9)=61
      NCODE(10)=62
      NCODE(11)=63
      NCODE(12)=64
      NCODE(13)=65
      NCODE(14)=66
      NCODE(15)=43
      NCODE(16)=23
      NCODE(17)=61
C
C             SET STATISTICAL ARRAY TO ZERO.
C
      DO 1 I=1,5431
    1 NCRCUM(I,1)=0
C
C             ASSIGN AN ID NUMBER TO EACH CRAFT.FIGURE ID NUMBERS GO TO
C               LARGEST CRAFT TYPE.
C               INITIALIZE CRAFT CLOCK AND CRAFT CARGO LOCATIONS.
C
C             SORT CRAFT TYPES ACCORDING TO WT. CAPACITY OF CRAFT.
C
```

```
      DO 5 I=1,NCRFTP
    5 NSORT(I) I
      IF(NCRFTP.EQ.1) GO TO 11
      L2=NCRFTP-1
      DO 15 I=1,L2
      L1=I+1
      DO 10 J=L1,NCRFTP
      ITEMS=NSORT(I)
      ITEMP=NSORT(J)
      IF(CRAFT(ITEMS).LT.CRAFT(ITEMP)) GO TO 10
      NSORT(I)=NSORT(J)
      NSORT(J)=ITEMS
   10 CONTINUE
   15 CONTINUE
C               CRAFT TYPES ARE SORTED. ASSIGN ID NUMBERS.
   11 IELEMT=0
      DO 1 5 I=1,NCRFTP
      ITEMP=NSORT(I)
      IF(NCRFTY(ITEMP).LE.0) GO TO 100
      L2=NCRFTY(ITEMP)
      DO 90 J=1,L2
      IELEMT=IELEMT+1
C               CRAFT ID IS IELEMT, TYPE IS ITEMP
      IDCRAF(IELEMT)=ITEMP
C               PLACE CRAFT IN SHIP'S QUEUE, SET CRAFT SELECTION LIST.
      NCLOCK(IELEMT)=-1
      NEVTYP(IELEMT)=1
      NQUE(IELEMT)=0
      LISTCF(IELEMT)=IELEMT
C               SET CRAFT CARGO TO ZERO.
      LL=NCARTP+1
      DO 80 K=1,LL
   80 LOCCAR(IELEMT,K)=0
   90 CONTINUE
  100 CONTINUE
      NLIFCR=NELEMT(1)
C
C     ASSIGN AN ID NUMBER TO EACH TRUCK.
C     INITIALIZE TRUCK CLOCK AND TRUCK CARGO LOCATION.
C
      IACTEL=0
      DO 205 I=1,NITEMT
      IF(NTMTYP(I).LE.0) GO TO 205
      L2=NTMTYP(I)
      DO 175 J=1,L2
      IELEMT=IELEMT+1
      IACTEL=IACTEL+1
C     TRUCK ID IS IACTEL, TYPE IS 1
      IDTRUK(IACTEL)=1
C     SET CARGO ON TRUCK TO ZERO.
      DO 140 K=1,NCARTP
  140 LTRCAR(IACTEL,K)=0
C
C     PLACE TRUCK IN TRUCK QUEUE AND INITIALIZE CLOCK.
C
```



```
      NCLOCK(IELEMT)=-1
      NEVTYP(IELEMT)=1
      NQUE(IELEMT)=0
C               INITIALIZE TRUCK MAT ASSIGNMENT.
      MMAT=MAT(IACTEL)=0
  170 CONTINUE
  205 CONTINUE
      NTRUCK=NELEMT(2)-1
C
C     INITIALIZE SHIP CLOCK.
C
      IELEMT=0
      MTIME=0
      L2=NELEMT(3)
      DO 220 I=1,L2
C     NCLOCK(SHIP ARRIVAL TIMES) WERE READ IN RDATA.
      ISUB=NCLKEL+1
      NEVTYP(ISUB)=14
      NOPEL(ISUB)=0
C               SEA ISLAND NOT ASSIGNED.
      NSSSI(I)=0
C               FIND MINIMUM SHIP ARRIVAL TIME.
      IF(NCLOCK(ISUB).GE.MTIME) GO TO 220
      IELEMT=ISUB
      MTIME=NCLOCK(ISUB)
  220 CONTINUE
C     CHECK FOR A SHIP ARRIVAL AT TIME ZERO.
      IF(MTIME.NE.0) GO TO 1000
C
C     INITIALIZE NCLKEL FOR FIRST SHIP ARRIVAL.
C
      NCLOCK(NCLKEL)=MTIME
      NEVTYP(NCLKEL)=IELEMT-NCLKEL
      NOPEL(NCLKEL)=IELEMT
C
C     INITIALIZE MATCH SLOT CLOCK.
C
      IPR=NCLKEL+NELEMT(3)
      L2=NELEMT(4)
      DO 330 I=1,L2
C     SET CLOCK ELEMENTS TO "NO EVENT GENERATED."
      ISUB=IPR+I
      NCLOCK(ISUB)=-1
      NEVTYP(ISUB)=-1
C     ROOM TYPE AS YET UNDETERMINED.
      NOPEL(ISUB)=0
C               HELICOPTER PLATFORM EMPTY.
      NPLAT(I)=0
C     MATCH SLOT STATE IS "NOT ARRIVED."
      NMATSS(I)=0
  330 NMATSS(I)=1
C
C     INITIALIZE SF VEHICLES EVENT CLOCK.
C
      NELEMT(5)=0
      NLSTEL=NCLKEL+NELEMT(3)+NELEMT(4)
```

```
C
C     INITIALIZE STORAGE AREA CAR  .
C
      DO 520 I=1,7
      ACARCT(I)=0.
      DO 515 J=1,MCARTP
  515 LSTCAR(I,J)=
  520 CONTINUE
C
C               INITIALIZE LOS QUEUE.
C
      LOSCRG=
      L=% LEMT(I)
      DO 525 I=1,L
  525 LOSQUE(I)=0
C
C     INITIALIZE STATE OF LOS*S, ASSIGN LOS NUMBERS.
C
      I=0
      DO 5   I=1,%LOSTP
      IF(NLSTY*(I).GT.0) GOTO 460
      LOSLIS(I)=0
       GTO 4  0
  460 LOSLIS(I)=IPR+1
      L=NLSTY*(I)
      DO 470 J=1,L
      IPR=IPR+1
C     LOS NUMBER IS IPR, TYPE IS I.
      ITLOS(IPR)=I
C     SET LOS STATE TO UNOCCUPIED, NO TRUCK, NO MHE.
      LOSLAS(IPR)=0
      LOSTRK(IPR)=0
      LOSMHE(IPR)=0
  470 CONTINUE
  480 CONTINUE
      %LOS=IPR
      LOSCNE=LOS
C
C               FIND HIGHEST PRIORITY CARGO MODULE FOR ALL CARGO HATCHES.
C
C               LOOP THRU CARGO HATCHES
      DO 770 I=1,%CARTT
      LI=  TIS(I)
      DO 77  INDEX=L1,LINDEX
      IF(STOTAL(INDEX).EQ.0) GO TO 770
      D  765 J=1,MCARTP
      IF(%HITAR(INDEX,J).GE.0) GO TO 775
  760 CONTINUE
  770 CONTINUE
C               SET HIGHEST PRIORITY CARGO MODULE DEPENDING ON SHIP TYPE.
  775 NPRCAR(I)=0
      IF(ITCARR(I).EQ.2)NPRCAR(I)=%HITAR(INDEX,J)
      IF(ITCAR*(I).EQ.5) NPRCAR(I)=%HITAR(INDEX,J)
  800 CONTINUE
C     WRITE EVENT CLOCKS AND STATE OF SYSTEM.
      CALL JCLOCK
```

```
      RETURN
C
C     ERROR ROUTINE -- NO SHIP ARRIVAL AT TIME ZERO.
C
 1000 TIME=MIN*%CLK.
      WRITE(OUTPUT,1100)
 1100 FORMAT(1X,'ERROR SHIP ARRIVAL AT ZERO TIME.  FIRST SHIP ARRIVES
     . AT TIME=',F1..,' HOURS.')
C     WRITE EVENT CLOCKS AND STATE OF SYSTEM.
      CALL  CLOCK
      STOP
      END
```

```
      SUBROUTINE SUMRY(LETIME)
C
C
C               SUMARY SUBROUTINE--UPDATES STATISTICS AT END OF RUN, AND
C               CALCULATES FINAL (END) PRODUCTIVITY AND EFFICIENCY.
C
C
      COMMON/A01/CLOCK(150),NEVTYP(100),NCODE(100),NELEMT(6),NCODE(20),
     .           NCLOCK,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LETIME,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A13/NERCUM(30,15),NTRCUM(30,4),MHECAR(15,3,
     .40),MHRCUM(15,3,40),LUSSUM(30,10),LUSCUM(30,2),KSTCUM(2,40),NHSCUM
     .(20,7),NMSCMP(20,10),NTRAFF(2),NCRCAR(30,40),INDCYC(30,2),KSTATE(30
     .,4,2),CSTAT(30,4,3)
C*****
      IF(IEVTYP.NE.VEVTYP)       NCPEL =        NELEMT=        NCODE          A1
     .TIM=LETIME/3600.
      WRITE(NTAPE3,5)  QTIME
    5 FORMAT(1X,20HNORMAL END OF RUN AT,F8.2,8H  HOURS.)
C
C               UPDATE CRAFT AND TRUCK TIMES.
C
      L2=NELEMT(1)
      DO 10 I=1,L2
   10 NCRCUM(I,15)=NCRCUM(I,15)+LETIME-NCLOCK(I)
      L1=NELEMT(2)-1
      DO 20 I=1,L1
      ISUB=I+L2
   20 NTRCUM(I,2)=NTRCUM(I,2)+LETIME-NCLOCK(ISUB)
C
C               IF PRODUCTIVITY STATISTICS ARE NOT PRINTED AT INTERVALS,
C               THEY MUST BE PRINTED HERE.
C
      CALL QCLOCK
      CALL COMPUTE('TIME')
      IF((ICOUT.EQ.2).OR.(ICOUT.EQ.4)) CALL CSTAT(LETIME)
      RETURN
      END
```

```
      SUBROUTINE TRKAS(I,ICE,IFLEE)
C
C               TRUCK ASSIGNMENT OF TRAILER--ASSIGNS TRUCK FROM POOL TO
C               ONE OF ISS, ASSIGNS ONE, LEAVES TRUCK, AND GENERATES EVENT7
C               --TRUCK LEAVES TRAILER. CALL WHEN 1. ONE RETURNED TO POOL.
C               2. TRUCK ARRIVES AT CODE. 3. NEW CRAFT LEAVES ICE.
C
C*****
C
      COMMON/A01/QCLOCK(150),NEVTYP(100),NCODE(100),NELEMT(6),NCODE(20),
     .           NCLOCK,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPER,
     .LETIME,LSTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/A02/CRAFWT(40),CAPWT(40),CAPCOT(40),NCRAFL(40),NCSTAT(40)
C
      COMMON/A03/CRAFWT(10),CRAFVE(10),CRAFSP(10,4),CRAFNT(10),NCRAFM(10
     .),MULRAT(10),NCCTIM(10,4)),NFILE(10),CRAFES(10)
C
      COMMON/A04/TRUKWT(10),TRUKVE(10),TRUKSP(10,2),TRCITM(10,40),TRRTIM
     .(10,10),TPPT(30,MHERUN(10,10,10),MUETRK(30),LEGTTM(15,10,10),LE
     .TGTM(15,15,10),
     .          MPRCAR,IPRTRK,ITRUCK,NTRUCK,NTRKEK
C
      COMMON/A05/NESSHP(10),NCRSHP(10),IDSHIP(10),ISHIPS(20),ICHCIP(20),
     .NCHCIR(20),LICHS(20),NWATSS(20),MSTYP(20),MWATYP(20),ICARMP(20),IC
     .POOM(20),NSTIN(30),NWATIX(100),IDCM(100),IACCES(150),NTOTAL(150),
     .NWETAR(100,40),KSSSI(6),
     .          ICRCJB,LINDEX
C
      COMMON/A06/NCRTYP(10),NTRTYP(10),NLSTYP(10),NMRTYP(10),IPCLAS(50
     .),IDTRUK(30),IFLUS(30),IDSDMP(20),
     .          NCARTP,NCRETP,NTRKTP,NLUSTP,NWHETP,NWISTP,NCASDT,NMRFL
     .,NLUS,NSI,NTASTP
C
      COMMON/A07/DIST(10),CAPST(5),ACAPST(5),LUSCAP(10),LUSTRK(10),LUSMP
     .E(30),LUSL(10(15),LUSSTT(15),LOCTP(15,15,10),LECTIM(15,15,10)
C
      COMMON/A08/LLRCAR(30,40),LTRCAR(30,40),LSTCAR(5,5))
C
      COMMON/A09/LISTCR(30),LISTHS(24),NCORTE(10),NTRCAR(20),NTRCHC(15,10
     .,13),
     .          NEISCR,NLISHS,ISLOT,ICRAFT
C
      COMMON/A10/NPRTM(10,10),LOPTM(10,1 ,1 ),
     .NPRT,NPRCKT,NPRTMJ,NPTMJ1,NPMT,NPSTMT,NMPLOP,NPIVT
C
      COMMON/A11/QLTIEM(40),NPLAT(30),
     .          ITIME,LPTIME,JSLOT,JHATCH,WEIGHT,VOLUME,I1,I2,CC1,CC2
     .          ,IVOEX,NCONTR,CCPC,FLOOR
C
      COMMON/A12/LLSCUP(30),NPICC (40),APRLUS(15,10,10),APRNMP(15,10,10)
     .,LUSLIS(10),LUSRTM(10,15),LUSSTT(10,15),
     .          LUSCR,NLUSPN,LUSPN
C
      COMMON/A13/CPCUM(30,15),NTRCUM(30,4),MHECYC(15,3,2),MHECAR(15,3,
     .40),MHRCUM(15,3,40),LUSSUM(30,10),LUSCUM(30,2),NSTCUM(2,40),NMSCUM
```

```
                    TRKSEC          DATE = 78313          17/16/43

      *(20,3),NDESK(21,10),STRAFF(3),NCRCAP(50,60),IMPTYC(50,3),MSTATE(
      *4,3),CSTATE(3,4,3)
C*****
      INTEGER*2NPRTYP,        NPEL ,          NSELEM,         NCODE          A1
      INTEGER*2NCARTS,        NOGTAG                                         A2
      INTEGER*2NCRAFM,        NOLMAT,         NCCITM,         NFILE          A3
      INTEGER*2NTCITM,        NPRTSK,         NPRTCC,         MHEPRY         A4
      INTEGER*2MHETNM,        LUSSTM,         LDTGTM                         A4
      INTEGER*2NSSSHP,        NCMSXT,         IDSMIS,         NSHPHS         A5
      INTEGER*2 IDMSLT,       NCHCCM,         LOCMS ,         NMATSS         A5
      INTEGER*2NSTYP ,        NMATSO,         IDCAPB,         NSHOOM         A6
      INTEGER*2NSTTYP,        NMATIX,         NDCM ,          NACCES         A6
      INTEGER*2NJUNTAL,       NPTTAB,         NSSSI                          A6
      INTEGER*2NCRTYP,        NTKTYP,         NLGTYP,         NMHTYP         A6
      INTEGER*2ILLCAR,        IPTPUK,         IDLOS ,         IDSOVH         A6
      INTEGER*2LLCCAR,        LUSTAK,         LUSMHE,         LUSLOC         A7
      INTEGER*2LLSSET,        LOCCTM,         LDCTTM                         A7
      INTEGER*2LOWCAP,        LTKCAP,         LSTCAP                         A8
      INTEGER*2LISTCK,        LISTCS,         NSORT ,         NPRCAR         A9
      INTEGER*2NERROC                                                        A9
      INTEGER*2MCOSTM,        LOADTM                                         A10
      INTEGER*2NCITEM,        NFLAT                                          A11
      INTEGER*2LLLOAD,        NPRCCS,         NPRLOS,         NPRMHE         A12
      INTEGER*2LOSLIS,        LUSSTM,         LUSSET                         A12
C
C               RETURN IF NO TRUCKS AVAILABLE
C
      IF(NTRUKS.EQ.0) GO TO 1000
C
C               FIND STORAGE AREA TO SEARCH.
C
      JMHEPL=IMHEPL
      IF(IMHEPL.EQ.0) GO TO 1500
      IF(IMHEPL.EQ.6)JMHEPL=1
C
C               LOOP THROUGH CARGO TYPES.
C
   10 DO 900 I=1,NCARTS
C
C               THIS CARGO AT THIS STORAGE AREA?
C
      I=(LSTCAR(JMHEPL,I),16,I) GO TO 900
C
C               SELECT BEST TRUCK FOR THIS CARGO TYPE.
C
      KMRCAP=I
      CALL TRKSEL
C
C               TRUCK FOUND?
C
      IF(ITRUCK.EQ.0) GO TO 900
      ITKTYP=IPTRUK(ITRUCK)
C
C               IS APPROPRIATE MHE AVAILABLE?
C
      ITARTP=NCRTYA(I)
```

```
                    TRKSEC          DATE = 78313          17/16/43

      DO 40 I=1,NTYPES
      JMHETP=MHETYP(ITKTYP,ITRUCK)
      IF(JMHETP.GT.NMHETS) GO TO
      I=(JMHETP.LE.0) GO TO
      IF(MHETYP(JMHETP,JMHEPL).GT.0) GO TO 900
   40 CONTINUE
  900 CONTINUE
C
C               SEARCH BOTH STORAGE AREAS?
C
      IF(IMHEPL.EQ.0) GO TO 1000
      IF(JMHEPL.EQ.0) GO TO 1500
      JMHEPL=2
      GO TO 10
C
C               TRUCK AND MHE HAVE BEEN FOUND.
C
C               UPDATE STATISTICS
C
  980 NTRUKS=NTRUKS-1
      ISUB=ITRUCK*NSELEM(1)
      ITEMP=NTKCUM(ITRUCK,1)+1
      JTEMP=MTIME+NCLOCK(ISUB)
      NTKCUM(ITRUCK,2)=NTKCUM(ITRUCK,2)+JTEMP
      WRITE(NTAPE2,1010)NCODEC(3),ITEMP,ITRUCK,MTIME,JTEMP
C
C               ASSIGN MHE.
C
      IF(JMHETP.GT.NMHETS) GO TO 970
      MHETRK(ITRUCK)=JMHETP
      NMHTYP(JMHETP,JMHEPL)=NMHTYP(JMHETP,JMHEPL)-1
      GO TO 93
  920 MHETRK(ITRUCK)=0
C
C               LOAD TRUCK--SHOULD-I-TRUCK.
C
  930 ITRK=ITRUCK
      NOPEL(ISUB)=JMHEPL
      NEWTYP(ISUB)=7
      WRITE(NTAPE,'(A)')ITRK,JMHEPL,KMRCAP,MHETRK(ITRUCK)
  940 FORMAT(1X,'MTRUCK',I4,1H=  ASSIGNED TO AREA,I2,1H  FOR CARGO TYPE,
     .I4,20H  WITH MOBILE MHE TYPE,I4)
      CALL TKLOAD(KMRCAP,ITRK,LTIME)
C
C               ESTIMATE EVENT2-TRUCK LEAVES THRAISS AND UPDATE STATISTICS.
C
      NCLOCK(ISUB)=MTIME+LTIME
      NTKCUM(ITRUCK,1)=NTKCUM(ITRUCK,1)+LTIME
      JTEMP=MTIME+LTIME
      KTEMP=JMHEPL
      WRITE(NTAPE2,1010)NCODEC(2),ITEMP,ITRUCK,JTEMP,KTEMP,LTIME
      WRITE(NTAPE2,1020)(LTKCAP(ITRUCK,I),I=1,NCARTS)
      STIME=LTIME/3600.
      WRITE(NTAPE,950)STIME,(LTKCAP(ITRK,I),I=1,NCARTS)
  950 FORMAT(1X,'CALLING TAKES',F9.2,2H  HOURS.  TRUCK CARGO IS--',1X,4
     .012)
```

```
1300 STOP
1310 FORMAT(1X,I2,1II)
1320 FORMAT(1X,II,5 I2)
     END
```

```
      SUBROUTINE ITRUCK(IPRIOR)
C
C           THIS SUBROUTINE ---- IS RESPONSIBLE FOR INITIATION OF A TRUCK
C           LEAVING THE DEPOT.  THIS ISS, GENERATES A MISSION ARRIVING AT
C           ITS NEXT DESTINATION.
C
C*****
C
      COMMON/A01/ITYP(100),ITYPE(100),NOPEL(100),NELEMT(6),NCODE(20),
     .           NTERML,NESTBL,MTIME,IIVTYP,IFIRST,IACTBL,ICICOM,ICTMOV,
     .LMTIME,LCTIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,IFOUT,NTAPE3
C
      COMMON/A02/CAPCAR(40),CAPAVL(40),CARCOT(40),CCAPTL(40),CCOTAC(40)
C
      COMMON/A03/CRAFXI(10),CRAVL(10),CRAFSP(10,4),CRAFHT(10),NCRAFM(10
     .),MULCAT(10),CCITM(10,40),FUELC(10),CRAFTC(10)
C
      COMMON/A04/TRUKWT(100),TRUKVL(100),TRUKSP(100,2),NTRKITM(100,40),TRKTSK
     .(100,15),NPRTOC(5),MMEMORY(100,15),MMETRK(5),LOSTIM(100,15,10),LS
     .TOT(13,100,10),
     .           MCREAR,IMRTRK,IIRUCK,NTRUKG,NTCKER
C
      COMMON/A05/VEHTYP(10),NTKTYP(10),NESTYP(10),NMMTYP(10,5),IDCHAR(10
     .),IDTRUK(50),ILUS(30),IFCHAR(20),
     .           NCANTP,NCEETP,NTRKTP,NLUSTP,NMMETP,NTRSTP,NCAFMT,NMMFEL
     .,NLUS,NSI,NTYP
C
      COMMON/A06/LOCTYP(30),CAPCT(5),ACAPCT(5),LUSCAP(5),LUSTRK(5),LUSCH
     .P(30),LUSLOC(15),LUSSTT(15),LUSCTM(10,15,10),LUSCTY(10,15,10)
C
      COMMON/A06B/LOCCAR(30,40),LTRCAR(30,40),LSTCAR(5,4))
C
      COMMON/A13/NERCUM(30,15),NTRCUM(30,5),NMELYC(10,5,2),NTRCAR(10,5,
     .40),NMECUM(10,5,5,4),LUSUSE(5,10),LUSTUM(30,5),NSTCUM(2,40),NRSCUM
     .(20,7),NUSCAR(20,10),NTRZER(5),NCRCAR(30,40),IFLCYC(30,2),KSTAT(30
     .,4,2),CSTATE(30,4,2)
C*****
      INTEGER*2NDEVTY,        NOPEL ,         NELEMT,         NCODE           A1
      INTEGER*2NCARML,        NCCTA,                                          A2
      INTEGER*2NCRAFM,        MULMAT,         NCCITM,         LFILE           A3
      INTEGER*2NTCITM,        LOPTRK,         NESTCG,         MMFCTY          A4
      INTEGER*2MMETRK,        LOSTTM,         LOSTCM                          A4
      INTEGER*2MCRTYP,        ITRTYP,         NESTYP,         NMMTYP          A5
      INTEGER*2IICRAF,        IFTRUK,         IFLUS ,         IDTCHR          A6
      INTEGER*2LUSCAP,        LUSTRK,         LUSCHP,         LUSLOC          A7
      INTEGER*2LUSSTT,        LUSCTY,         LUSCTM                          A7
      INTEGER*2LOCCAR,        LTRCAR,         LSTCAR                          A8
      ISUB=ITRUCK*NELEMT(1)
      ITRTYP=IDTRUK(ITRUCK)
      DIS=0
C
C           FIND HIGHEST PRIORITY CARGO TYPE OF TRUCK.
C
      DO 20 I=1,NCARTY
      IF(LTRCAR(ITRUCK,I).GT.0) GO TO 40
   20 CONTINUE
```

```
      WRITE(6,1220) (ITRUCK,I=1,NTRUCK)
  500 FORMAT(1X,'ERROR IN ASSIGNMENT OF TRUCK',I4,
     *' AT TIME',F10.4,' IS ILLEGAL. ITRUCK IS NOT IN ANY AREA.')
      CALL CHKLIST('DUMP')
      NEWTYP(ISUB)=1
      CALL EXPEL(ISUB)
      GO TO 1
  600 NTRUC(ITRUCK)=1

C
C     IF TRUCK AT IS ?
C
      IF(IMPEL.EQ.0) GO TO 610
      IF(IMPEL.EQ.4)CALL DISP(ISUB)
C
C               SEND TRUCK TO DEPOT FOR UNLOADING.
C
C               CHECK-IN'S LIST CHANGES
  610 CALL DISP(ISUB)
      ISUB=LIST(ISUB)
      IF(ISUB.NE.0) LIST(ISUB)=LIST(ISUB)
      NOVEL(ISUB)=1
C
C               FIND TRAVEL + ARRIVAL TIME
C
  620 ITIME=TIME+TRAVEL(ITRUCK,ITRKTYP,2)+.5
      TRUCUM(ITRUCK)=TRUCUM(ITRUCK)+ITIME
      TOTCUM(ITRKTYP)=TOTCUM(ITRKTYP)+ITIME
      NTRAVE(1)=NTRAVE(1)+1
      TIME=AMOD(TIME,24.)
      NEWTYP(ISUB)=2
      NTRUC(ITRKTYP)=NTRUC(ITRKTYP,1)+1
      WRITE(6,1230) ISUB,ITRUCK,MTIME,IMPEPL,NOPEL(ISUB),I
     *TIME
      WRITE(6,1240) ITRUCK,IMPEPL,NOPEL(ISUB),QTIME
  630 FORMAT(1X,'TRUCK',I4,17H  MOVES FROM AREA,I4,9H  TO AREA,I4,15H
     *' ARRIVE AT',F8.2,' HOURS.')
 1230 FORMAT(1X,12,111I4)
 1240 RETURN
      END
```



```
      SUBROUTINE TRUCK(ITRUCK,ITIME)
C
C               TRUCK LEAVING AREA --LOADED TRUCK, ACCUMULATE TO
C             INVENTORY, UNLOAD IF A STORAGE AREA.  CALLED
C             BY TRAVEL.
C
C*****
C
      COMMON/A01/DELAY(10),NEWTYP(10),CREW(10),TRUCK(10),
     *          CLASS,NUSTR,MTIP,IDVTYP,IFULMT,ISCTR,INSDMP,ISTRK,
     *LFREE,I,TIME,ICRIPT,NTAPE,*CAN'T*,TAPE1, IREC,ICOUNT,NTAPE
C
      COMMON/A02/CAPWT(40),CAPVL(40),CAPCT(40),PCAPWL(40),CAPSTA(40)
C
      COMMON/A03/CMAPWT(10),CMAPVL(10),CMAPSP(10,4),CMAPHT(10),CMAPWI(10
     *),MULMAT(10),CMAXTIM(10,40),TILE(10),CMAPEC(10)
C
      COMMON/A04/TRKWT(10),TRKVL(10),TRUCK(10,2),TOTITM(10,40),TRKTIM
     *(10,13),DISTCE(30),MAPPRY(10,10,15),MDSTNM(30),LEGITM(10,10,15),T
     *TIM(13,15,1.),
     *          NPLOAD,IPRINT,ITRUCK,TRUNO,NTAPE
C
      COMMON/A05/ICE(25),NCMSHP(25),IDSHIP(25),ISHIPS(25),IDMCLL(25),
     *NCHCHR(20),LOADS(20),NMATCS(20),ISTYP(20),IEATP(25),IDCAMM(25),
     *EQUIP(20),ISTEP(20),MATRIX(10),IDCB(100),NCOMP(10),NTRIP(100),
     *NMTRAB(100,40),ISSI(5),
     *          ICHCOR,LIMDEM
C
      COMMON/A06/KTYP(10),NTRTYP(10),NLSTYP(10),NMETYP(10,5),IDCAR(30
     *),IPTMOR(30),IELUS(30),IEDVY(30),
     *          NCARTP,NCRETP,NTRKTP,NLUSTP,NCMPTP,NMRTP,NCAPWT,NMPEEL
     *,NLUS,NCL,NTRTIP
C
      COMMON/A07/DIST(25),CAPST(5),ACAPST(5),LOCCEE(25),LOCTIM(25),LOCMA
     *P(30),LOCLOC(10),LOCSTT(10),IDCSTR(10,15,10),IDCTIM(10,10,15)
C
      COMMON/A08/LOBCAP(30,40),LIFCAP(30,40),LSTCAP(5,40)
C
      COMMON/A09/LISTOR(50),LIMIMS(24),NSORT(50),FREECAR(  ),SPRCMP(10
     *,13),
     *          NLISCR,NLISHS,ISLECT,ICRAFT
C
      COMMON/A10/MLOTIP(10,10),LOALTM(10,10,13),
     *NSOIT,SOLOCK,NPRIMP,NPRIMI,NSMT,NSINT,SHELOF,NSIWT
C
      COMMON/A11/CITEM(40),NPLAT(20),
     *          ITIME,LDTIME,JSLCT,JMATCH,WEIGHT,VOLUME,LI,LJ,CC,CCVI
     *          ,IDCE),NCONTP,CCRS,FLOOR
C
      COMMON/A12/LISCOM(30),NFREE(30),NFRLUS(15,10,13),NCOMP(10,10,13)
     *,LUSLIS(10),LUSFTM(10,10),LUSSET(10,10),
     *          LISORG,NLUSPR,LUSCPN
C
      COMMON/A13/LOBCUM(30,15),NTRCUM(30,9),MHECYC(15,3,2),MHECAP(15,
     *42),MHECUM(15,3,4),LUSUSE(30,10),LUSCUM(30,2),TSTCUM(2,4),TSTCUM
     *(20,7),DISCNT(30,10),NTRAFF(5),NOPCAR(30,40),IMECYC(30,2),NTRAI(1
```

```
                                  TRLOAD            DATE = 77/12          17/19/43

     ..4,2)),CITATE(2,4,5)
C.....
      INTEGER*2NEWTYP,        SUPPL ,         NELEM1,         NCOPY           A1
      INTEGER*2NCARML,        SCGTAB                                          A
      INTEGER*2NCARM1,        MILHAT,         NCOITM,         MFILE           A3
      INTEGER*2NTOITM,        SPRTAB,         NFILE,          MNOPRY          A4
      INTEGER*2MFSTRM,        LOCITM,         LOCITM                          A5
      INTEGER*2NPSSMP,        NCASMP,         IASMTP,         NSMPMS          A
      INTEGER*2IFIELI,        NCMCC,          LUCNT ,         NMATSS          A
      INTEGER*2NSTYP ,        NMATIX,         IDCAFF,         NSTORM          A
      INTEGER*2NSTIDS,        NMATIX,         MUCR ,          NACCES          A
      INTEGER*2NTOTAL,        NMTTMP,         NSPSI                           A
      INTEGER*2 UCPTYP,       NTKEYP,         NLSTYP,         NMHTYP          A
      INTEGER*2IICCAP,        IBTRLN,         IBLUS ,         IDSDVM          A
      INTEGER*2LUSCPC,        LUSTRM,         LUSMHE,         LUSLOC          A
      INTEGER*2LLSSTT,        LPCSTM,         LPCTIM                          A
      INTEGER*2LOCCAR,        LTKCAR,         LSTCAR                          A
      INTEGER*2LISTCS,        LISTMS,         NSORT ,         NPRCAR          A
      INTEGER*2UNUSED                                                         A
      INTEGER*2MS NTM,        LMAXTM                                          A
      INTEGER*2NCEITM,        NFLAT                                           A
      INTEGER*2LLSCOR,        NPRCCC,         NPRLUS,         NPRMHE          A
      INTEGER*2LLSCLS,        LUSPTM,         LUSSET                          A
      ISUBSYSLIMIT(3)*LTKR
      IMHOLES(NFILES)
      INHFTOLMHETYP(ITSK)
      ITKTYPE=IGTSUB(ITSK)
      CITEMS=0
      CTWT=0.
      CTVL=0.
      CTIM=0.

C
C               TALLY THROUGH CARDS AT STORAGE AREA.
C
      DO 100 I=ICARTP,NCARTP

C
C               ANY ITEMS OF THIS TYPE STORED AT THIS AREA?
C
      IF(ITCAR(IMFILE,I).EQ.0) GO TO 100
      NI=ITCAR(IMFILE,I)
C
C               FIND NUMBER OF ITEMS OF THIS TYPE THAT CAN STILL BE LOADED.
C
      IF(ITEM(ITSTYP,I).LT.0) GO TO 10
      NL=ITEM(ITSTYP,I)-CITEMS
      IF(NL.LE.0) GO TO 100
      GO TO 20
   10 NL=1

C
C               FIND NUMBER OF ITEMS ALLOWED DUE TO WEIGHT.
C
   20 NS=(TWORWT(ITKTYP)-CTWT)/CARWT(I)

C
C               FIND NUMBER OF ITEMS ALLOWED DUE TO VOLUME.
C
      NV=(TWORVL(ITKTYP)-CTVL)/CARVL(I)
```

```
                                  TRL **            DATE = 77/12          17/19/43

C
C               NUMBER OF LOADABLE ITEMS IS MINIMUM OF THE ABOVE FOUR
C               VALUES.
C
      NUMBER=MIN(NI,NL,NS,NV)
      IF(NUMBER.LE.0) GO TO 100
C
C               LOAD CARDS, UPDATE CARD LOCATIONS.
C
      LSTCAR(IMHOLE,I)=LSTCAR(IMHOLE,I)+NUMBER
      LTKCAR(ITSK,I)=NUMBER
      CITEMS=CITEMS+NUMBER
      CTWT=CTWT+CARWT(I)*NUMBER
      CTVL=CTVL+CARVL(I)*NUMBER
      IF(IPRTOG(ITSK).EQ.0)GPETC(ITSK)=1
C
C               DETERMINE LOAD TIME
C
      IF(IMHETP.EQ.0)IMHETP=NMHETP+1
      ITACTP=NOSTA(I)
      LTIM=LOJTIM(ITACTP,IMHETP,ITKTYP)*NUMBER+LTIME
  100 CONTINUE
      RETURN
      END
```

```
      SUBROUTINE ITRUCK

C
C           TRUCK SELECTION FOR CARGO--SELECTS THE BEST TRUCK FROM TRUCK
C           QUEUE FOR A GIVEN CARGO TYPE. CARGO TYPE IS PASSED IN
C           COMMON AS MTYCAR. TRUCK ID IS OUTPUT IN ITRUCK.
C
C*****
C
      COMMON/ZA1/NFELCH(100),NEVTYP(100),NOPEL(100),NELE (6),NCODE(20),
     .          NFLEMT,NELSEL,NTIME,IEVTYP,IFLEMT,IACTEL,INTCUM,ISTPFL,
     .LOTIM ,L TIM ,SPEED,NSTAFF,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/ZA2/XCR ,YCR(4 ),CARCAP(40),CARCOT(40),NCAPEL(40),NCOSTAC(40)
C
      COMMON/ZA4/IDUM,ITRU(10),ITRUCK(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(10,15),NPRTCG(40),MHEPRY(100,10,13),MHETRK(30),LEGTIM(15,15,10),LD
     .TIM(15,15,15),
     .          KPR(5),IFSTRK,ITRUCK,NTRUCK,NTSKER
      COMMON/ZA5/XCSHP( 5),YCSHP( 5),NSHPHS(20),ICHSLT(20),
     .XCHS (20),YCHS(20),LOCHS(20),NHATSS(20),NSTYPE(20),NHATRD(20),IDCAPH(20),NS
     .POOM(20),NSTISS(20),NHATIX(100),NOCP(100),NACCES(100),NTOTAL(100),
     .NHITAL(100,40),NSSSI(5),
     .          IFHCAR,LIDLEV
C
      COMMON/ZA6/ICRTYP(10),NTRTYP(10),NLSTYP(15),NMHTYP(15,3),IDCHAR(30
     .),ITRUK(50),ICELL(50),IDSVH(20),
     .          NCARTP,NOPETP,NTRKTP,NLOSTP,NMHETP,NHTSTP,NCARMT,NMHEPL
     .,NLOC,NCL,NTRKTP
C*****
      EQUIVALENCE (NEVTYP,          NOPEL ,          NFLEMT,          NCODE
     .          ),(NCAPEL,          NCOSTAC                                 )
     .          ),(NTCITM,          NPRTRK,          NPRTCG,          MHEPRY
     .          ),(LEGTIM,          LDTGTM                                  )
     .          ),(XCHSHP,          YCHSHP,          IDCHIP,          NSHPHS
     .          ),(XCHCHS,          YCHCHS ,         LOCHS ,          NHATSS
     .          ),(NSTYPE ,         NHATRD,          IDCAPH,          NSPOOM
     .          ),(NSTISS ,         NHATIX,          NOCP ,           NACCES
     .          ),(NTOTAL,          NHITAL,          NSSSI                   )
     .          ),(NCRTYP,          NTRTYP,          NLSTYP,          NMHTYP
     .          ),(NCARMT,          ITRUK,           IDLUS ,          IDSVH
     .          )
      ITRUCK=1
      ISUB1=1
C
C                 IS CARGO TYPE AN SP VEHICLE?
C
      IF(NCELCH(NFELEM,1,1).GT.0) GO TO 1 00
C
C           IS TRUCK QUEUE EMPTY?
C
      IF(NTRUCK.EQ.0) GO TO 1100
C
C           GET FIRST TRUCK CLOCK
C
      LOCFLE=NFLEMT(2)-1
      DO 2 I=1,L
      JFLE(I)=NFLEMT(I)
```



```
C
C           IS TRUCK IN QUEUE?
C
      IF(NCELCH(NFELEM,1,1).GT.0.OR.NCELCH(NFELEM,1,1).EQ.1) GO TO 1
C
C           FIND FIRST COMPANY TRUCK WITH CAPACITY.
C
      ITRUCK=ITRUCK(1)
      ITRUCK=ITRUCK (NTRUCK )
      JPOINT=JPOINT(ITRUCK,ITRUCK)
      IF(JPOINT.EQ.0) GO TO 1
      IF(CAPACITY(ITRUCK,MCAP).LT. 0) GO TO
      IF(NTRUCK.EQ.0) GO TO
      IF(JPOINT.EQ.ITRUCK) GO TO 10
C
C           GET NEXT TRUCK
C
   50 ITRUCK=JPOINT
      GO TO  110
C
C           IF TRUCK CAPACITY IS EQUAL TO CURRENT LOAD, TEST TRUCK
C           QUEUE ARRIVAL TIMES.
C
  100 IF(NCLOCK(ISUB1).LE.NCLOCK(NFLEMT)) GO TO 110
C
C           GET NEW TRUCK ID.
C
  110 ITRUCK=1
      ISUB1=ITRUCK+NFLEMT(1)
  200 CONTINUE
 1000 RETURN
      END
```

```
      SUBROUTINE INTERSECT(ITRK,LTIME)

C
C           THIS IS A USER-WRITTEN SUBROUTINE TO DETERMINE IF TRUCK ITRK AT TIME
C           LTIME, ACCESSIBLE MHE IS AN INCORRECT MHE FOR THE CURRENT LOAD IF
C           CALLED.
C
C*****

      COMMON /TRUCK1/LINK(40),NVTYP(10),NVPEL(100),NELEMT(6),NCODE(20),
     .           NLMHE,NESTEL,NTIME,NVTYP,IFLEM1,IBCTEL,INTCOM,ITIME,
     .LFTIME,LTIME,NINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3

C
      COMMON /TRUCK2/NAME(40),LABVAL(40),CARTYP(40),NCARMHE(40),NCRTAB(40)

C
      COMMON /TRUCK3/ITRUCK(40),TRKVEL(10),TRUKSP(10,2),NILITM(10,40),IPRIOR
     .(10,10),IPRTYP(10),NVEHBY(10,10,15),MHETYP(20),ITGITM(15,15,10),LO
     .D(15,15,10),
     .           NVEH(5),IPRTRK,ITRUCK,NTRUCK,NTRKEM

C
      COMMON /TRUCK4/IDTYPE(10),CNTYP(10),NESTYP(15),NMHTYP(15,3),IDCHAR(30
     .),IDUM(10),IDLUS(30),IDSOVH(2),
     .           NCARTP,NCRETP,NTRKTP,NELSTP,NMHETP,NNTSTP,NCARMT,NMHEPL
     .,NDUM,NCI,NEMPTY

C
      COMMON /TRUCK5/LINKCAR(30,40),LINKAR(30,40),LSTCAR(5,40)
C*****
      INTEGER*2 NVTYP,        NVPEL ,        NELEMT,        NCODE       A1
      INTEGER*2 NAME,         LABVAL                                    A2
      INTEGER*2 NESTEL,       NESTYP,        NVRTCC,        MHEPRY      A4
      INTEGER*2 NTIME,        LBCTIM,        LBTGTM                     A4
      INTEGER*2 NCRTYP,       NTRTYP,        NLSTYP,        NMHTYP      A6
      INTEGER*2 IDTYPE,       IDTRUK,        IDLUS ,        IDSOVH      A8
      INTEGER*2 NLINCAR,      LINKAR,        LSTCAR                     A8
      IPUSH=IFIX(MAXTIM(I))
      IFGATE=NGATE(ITRK)
      ITKTYP=ITRUK(ITRK)
      IMHE=IMHE(ITRK)
      IF(IMHE.EQ.0)IMHETP=NMHETP+1
      IMHE=LEMPEL(IMHETP)
      LTIME=0

C
C           FIND THROUGH CARGO TYPES FOR UNLOADING.
C
      DO 5 I=1,NCARTP

C
C           CARGO TYPE OK TRUCK?
C
      IF(ITRCAR(ITRK,I).EQ.0) GO TO 210

C
C           FIND UNLOAD TIME.
C
      ITA=IABS(ITAG(I))
      LTIME=LTIME+LOADTIM(ITAGTP,IMHETP,ITKTYP)*LINKAR(ITRK,I)

C
C           UPDATE CARGO LOCATIONS.
C
```



```
      LINKAR(ITRK,I)=LINKAR(ITRK,I)-LINKAR(ITRK,I)
      LTRCAR(ITRK,I)=
   10 CONTINUE
      RETURN
      END
```

```
C             UNLOADING EVENT FOR MATCH SLOT.
C
C             UPDATE TRUCK CLOCK.
    5 ILUS=SHATNC(ISLOT)
      NCLOCK(IELEMT)=-PTIME
      NEVTYP(IELEMT)=6
      NODEL(IELEMT)=ILUS
C             UPDATE MATCH SLOT CLOCK AND STATISTICS.
      NHSUM(ISLOT,2)=NHSUM(ISLOT,2)+PTIME*NCLOCK(I)
      NCLOCK(I)=PTIME
      LUSTRK(ILUS)=IACTEL
      PTIME=PTIME/3600.
      WRITE(NTAPE,10)IACTEL,ISLOT,PTIME,IPRTRK
   10 FORMAT(1X,5HTRUCK,I4,28H  ASSIGNED TO SHORESIDE SLOT,I4,4H  AT,F6.
     .2,17H  HOURS. PRIORITY,I4,12H  ASSIGNMENT)
      IFLAG=1
      GO TO 1000
  100 CONTINUE
C
C             LOOK FOR ASSIGNMENT OF TRUCK TO A BARGE WAITING AT A SEA
C             WALL.
C
      DO 200 I=L1,L2
      IF((NEVTYP(I).NE.11).OR.(NCLOCK(I).GE.0)) GOTO 200
C
C             WAITING BARGE. IS TRUCK COMPATIBLE?
C
C             FIND CARGO ON BARGE.
      INDEX=NODEL(I)
      ISLOT=I-L1+1
      DO 140 J=1,NCARTP
      IF(NHITAB(INDEX,J).GT.0) GO TO 160
  140 CONTINUE
C             BARGE IS EMPTY-GENERATE BARGE EMPTY EVENT.
      WRITE(NPRINT,150)NODE(INDEX),ISLOT
  150 FORMAT(1X,24HLOGIC ERROR- EMPTY BARGE,I4,15H  WAITS AT SLOT,I4)
      NCLOCK(I)=PTIME
      NEVTYP(I)=16
      GO TO 200
  160 KPRCAR=J
      ITAGTP=NCGTAG(KPRCAR)
      IPRTRK=NPRTRK(ITRKTP,ITAGTP)
      IF(IPRTRK.LE.0) GO TO 200
C             ASSIGN TRUCK
      GO TO 5
  200 CONTINUE
C
C             ASSIGN TRUCKS AND/OR MHE TO CRAFT WAITING FOR RETROGRADE
C             LOADING.
C
C             SEARCH THROUGH CRAFT CLOCK IN REVERSE ORDER TO FIND LARGE
C             CRAFT FIRST.
C
  500 JEVTYP=16
      L2=NELEMT(1)
      DO 710 I=1,L2
      J=L2-I+1
C
C             CRAFT AWAITING RETROGRADE.
C
      IF((NEVTYP(J).NE.16).OR.(NCLOCK(J).GE.0)) GO TO 710
      ILUS=NODEL(J)
      ILUSTP=ITELS(ILUS)
      JMHEPL=LUSSTT(ILLSTP)
      IF((JMHEPL.NE.0).AND.(I4HEPL.NE.JMHEPL)) GO TO 710
C
C             FIND CARGO AND TRANSFER TO TRUCK SELECTION ROUTINE
C
C             FIND SMALLEST CONTAINER TYPE.
      DO 510 K=1,NCARTP
      L=NCARTP-K+1
      IF(CARGOT(L).EQ.-1.)GO TO 520
  510 CONTINUE
      WRITE(NPRINT,515)
  515 FORMAT(1X,25HDATA ERROR- NO CONTAINERS)
      NCLOCK(J)=PTIME
      NEVTYP(J)=6
      GO TO 1000
  520 KPRCAR=L
C
C             TRUCK NOT WANTED IF CRAFT IS AT DEPOT.
C
      IF(I4HEPL.EQ.3) GO TO 540
      CALL TRKSEL
      IF(ITRUCK.EQ.0) GO TO 700
C
C             TRUCK AVAILABLE OR CRAFT AT DEPOT.
C
C             IS MHE REQUIRED?
  540 JMHETP=0
      ILSSTT=LUSSTT(ILLSTP)
      IF((ILSSTT.NE.2).AND.(ILSSTT.NE.3)) GO TO 600
C
C             MHE MAY BE REQUIRED.
C
C             LOOP THROUGH LUS-MHE PRIORITY MATRIX
      ICRTYP=IDCRAF(J)
      ITEST=ILUSTP
      ITAGTP=NCGTAG(KPRCAR)
  550 DO 570 K=1,NLUSPR
      IF(NPRLUS(K,ICRTYP,ITAGTP).NE.ITEST) GO TO 565
      JMHETP=NPRMHE(K,ICRTYP,ITAGTP)
      IF(JMHETP.EQ.0) GO TO 600
      IF(NMHTYP(JMHETP,JMHEPL).NE.0) GO TO 600
      GO TO 570
  565 IF(NPRLUS(K,ICRTYP,ITAGTP).EQ.0) GO TO 575
  570 CONTINUE
  575 IF(ITEST.NE.0) GO TO 700
      ITEST=3
      GO TO 550
C
C             TRUCK AND/OR MHE HAS BEEN FOUND SO THAT ASSIGNMENT CAN BE
```

```
C               MADE.
C
  600 ILUS=NOPEL(J)
      IF(ITRUCK.EQ.0) GO TO 630
C               ASSIGN TRUCK TO LUS.
      ISUB=ITRUCK+NELEMT(1)
      NEVTYP(ISUB)=0
      NOPEL(ISUB)=ILUS
      LUSTRK(ILUS)=ITRUCK
      NTRCUM(ITRUCK,2)=NTRCUM(ITRUCK,2)+MTIME-NCLOCK(ISUB)
      NCLOCK(ISUB)=MTIME
      NTRUKG=NTRUKG-1
C
C               CHECK FOR MHE ASSIGNMENT
C
  630 IF(JMHETP.EQ.0) GO TO 650
C               ASSIGN MHE
      LUSMHE(ILUS)=JMHETP
      NMHTYP(JMHETP,JMHEPL)=NMHTYP(JMHETP,JMHEPL)-1
C
C               GENERATE CRAFT EVENT.
C
  650 NCRCUM(J,12)=NCRCUM(J,12)+MTIME-NCLOCK(J)
      NCLOCK(J)=MTIME
      WRITE(NTAPE,660)J,ILUS,JMHETP,ITRUCK
  660 FORMAT(1X,5HCRAFT,I4,4H  AT LUS,I4,31H  READY TO UNLOAD WITH MHE T
     .YPE,I4,7H  TRUCK,I4)
      GO TO 1000
  700 IF(JEVTYP.EQ.5) GO TO 901
  710 CONTINUE
C
C               ASSIGN TRUCKS AND/OR MHE TO CRAFT WAITING AT AN LUS.
      JEVTYP=5
      L2=NELEMT(1)
      DO 900 I=1,L2
      J=L2-I+1
C
C               IS CRAFT WAITING.
C
      IF((NEVTYP(J).NE.5).OR.(NCLOCK(J).GT.0)) GOTO 900
C
C               MHE RETURNED TO POOL NEAREST THIS CRAFT?
C
      ILUS=NOPEL(J)
      ILUSTP=IDLUS(ILUS)
      JMHEPL=LUSLOC(ILUSTP)
      IF((JMHEPL.NE.0).AND.(IMHEPL.NE.JMHEPL)) GO TO 900
      KPRCAR=NPRCCR(J)
      IF(IMHEPL.EQ.3) GO TO 540
C
C               SELECT BEST TRUCK FOR THIS CRAFT.
C
      CALL TRKSEL
C
C               TRUCK FOUND?
C
```



```
      IF(ITRUCK.NE.0) GO TO 940
C
C               NO TRUCK, IS A TRUCK REQUIRED?
C
      IF(CARCAT(KPRCAR).GT.1) GO TO 540
      IF((NCAPBL(KPRCAR).GT.3).AND.(ACAPST(JMHEPL).LT. CAPST(JMHEPL)))
     .GO TO 540
  900 CONTINUE
  901 CONTINUE
C
C               UPDATE CLOCK, IF REQUIRED.
C
 1000 IF(IFIAF.EQ.1) CALL MINCLK
      RETURN
      END
```

```
      SUBROUTINE WAITRK(IMHE,IMHEFL)
C
C
C               WAITING TRUCK ASSIGNMENT--ASSIGN TRUCKS WAITING FOR
C               UNLOADING AT THE ISS OR DEPOT. TRANSFERS TO EVENTS TO
C               ASSIGN TRUCK AND GENERATE EVENT9-TRUCK(UNLOADED) LEAVES
C               ISS/DEPOT.
C
C
C*****
C
      COMMON/VALUE/VALUE(100),VEVTYP(100),NODEL(100),NELEMT(6),NCODE(20),
     .       VCLAFL,NLSTEL,MTIME,IEVTYP,IELEMT,IACTEL,INTCUM,INTPRM,
     .LEVEL,L,TIME,FREIGT,STATE,NCARD,NTAPE1,NTAPE2,IOUT,NTAPE3
C
      COMMON/VALUE1/VALUE1(100),CARGVL(40),CARGCT(40),NCARHL(40),NCGTAG(40)
C
      COMMON/VALUE2/VALUE2(100),CRAFVL(10),CRAFSP(10,4),CRAFMT(10),NCRAFM(10
     .),NFLRAT(10),ICCITM(10,40),NFILE(10),CRAFFC(10)
C
      COMMON/VALUE3/IDUMW(101),THISVL(10),TRUKSP(10,2),NTCITM(10,40),NPRTRK
     .(11,10),NPET(20),NMEPRY(10,10,13),NMETRK(20),LDGTIM(13,15,10),LD
     .TIM(13,15,10),
     .          MPRTRK,IPRTRK,ITRUCK,NTRUKQ,NTRKPR
C
      COMMON/VALUE4/VALUE4(100),NCMSHP( 5),IDSHIP( 5),MSHPMS(20),IDHSLT(20),
     .(20),LOCHS(20),NMATSS(20),STYP(20),NMATNC(20),IDCARH(20),NS
     .(100),CTIP(20),NMATIX(100),DCH(100),NACCES(100),NTOTAL(100),
     .NMTTAB(10,5),NSSI(5),
     .          IDHC,NLISDEX
C
      COMMON/VALUE5/VALUE5(10),NEWTYP(10),NLSTYP(15),NMHTYP(15,3),IDCRAF(30
     .),IDTRUK(5),LUSCRF(30),IDSDVH(20),
     .          NCARTP,NCRFTP,NTRATP,NLUSTP,NMHFTP,NHTSTP,NCARHT,NMHEPL
     .,NLOC,NLISTP
C
      COMMON/VALUE6/VALUE6(100),CAPST(3),ACAPST(3),LUSCRF(30),LUSTRK(30),LUSMH
     .F(30),LUSSIT(15),LDCGTM(13,15,10),LDCITM(13,15,10)
C
      COMMON/VALUE7/VALUE7(40),LTKCAR(30,40),LSTCAR(3,40)
C
      COMMON/VALUE8/VALUE8(50),LISTHS(20),NSORT(20),NPRCAR(20),NPRCHC(10,10
     .,2),
     .          NLISDX,NLISHS,ISLOT,ICRAFT
C
      COMMON/VALUE9/VALUE9(10,10),LOADTM(10,10,2),
     .NSHT,NDLCHC,NRTMTG,NPTMTG,NSMT,NCIMT,NMHLOD,PSIWT
C
      COMMON/VALUE11/VALUE11(40),NPLAT(20),
     .          ITIME,LOTIME,JSLOT,JWATCH,WEIGHT,VOLUME,L1,L2,CCWT,CCVL
     .          ,ICFD,NCWTR,CCFS,FLOOR
C
      COMMON/VALUE12/LISCUR(2),NPRCCR(30),NPRLUS(15,10,13),LPRMHE(15,10,13)
     .,LOC(15,10),LISTIM(13,15),LUSSDT(10,15),
     .          LUSKG,NEWSPR,LUSOPN
C
      COMMON/VALUE13/VALUE13(50,10),NTKCUM(30,4),MHECYC(15,2),MHECAR(15,3,
     .40),MHECUM(15,4,4),LUSUSE(30,10),LUSCUM(30,2),NSTCUM(2,40),NHSCUM
```



```
     .(20,7),NPRCHC(20,10),NTRAFF(3),CRCAP(30,40),IMECYC(30,2),KSTAT(50
     .,4,2),CTATE(5,4,5)
C*****
      INTEGER*2NEVTYP,      NODEL ,      NELEMT,      NCODE      A1
      INTEGER*2NCARHL,      NCGTAG                               A2
      INTEGER*2NCRAFM,      MULMFT,      NCCITM,      NFILE      A3
      INTEGER*2NTCITM,      NPRTRK,      NPRTCG,      NMEPRY     A4
      INTEGER*2MHETRK,      LDGTTM,      LDTGTM                  A4
      INTEGER*2NMSSHP,      NCHSHP,      IDSHIP,      NSHPMS     A5
      INTEGER*2IDHSLT,      NCHCTR,      LOCHS ,      NMATSS     A6
      INTEGER*2NSTYP ,      NMATNC,      IDCARH,      NSPOOM     A6
      INTEGER*2NSTIND,      NMATIX,      NDCH  ,      NACCES     A7
      INTEGER*2NTOTAL,      NMTTAB,      NSSI                    A8
      INTEGER*2NCRTYP,      NTKTYP,      NLSTYP,      NMHTYP     A9
      INTEGER*2IDCRAF,      IDTRUK,      IDLUS ,      IDSDVH     A9
      INTEGER*2LUSCRF,      LUSTRK,      LUSMHF,      LUSLOC     A10
      INTEGER*2LLSSIT,      LDCGTM,      LDCITM                  A11
      INTEGER*2LCRCAR,      LTKCAR,      LSTCAR                  A11
      INTEGER*2LISTCR,      LISTHS,      NSORT ,      NPRCAR     A11
      INTEGER*2NPRCHC                                           A11
      INTEGER*2MCURTM,      LOADTM                               A11
      INTEGER*2NCITEM,      NPLAT                                A11
      INTEGER*2LLSQUE,      NPRCCR,      LPRLUS,      NPRMHE     A12
      INTEGER*2LLSETS,      LUSPTM,      LUSSDT                  A12
C
C               TRUCKS DO NOT WAIT AT THE
C
      IF(IMHEPL.EQ.1) GO TO 1000
C
C               MHE RETURNED TO ISS OR DEPOT.
C
      IPR=NTRKPR
      ITRK=0
C
C               LOOP THROUGH TRUCK CLOCK
C
      L1=NELEMT(1)+1
      L2=L1+NELEMT(2)-2
      DO 600 I=L1,L2
C
C               IS TRUCK WAITING AT APPROPRIATE STORAGE AREA?
C
      IF((NEVTYP(I).EQ.4).AND.(NCLOCK(I).LT.0).AND.(NODEL(I).EQ.IMHEPL))
     .GO TO 10
      GO TO 600
C
C               TRUCK IS WAITING AT THIS STORAGE AREA. IS NEWLY RETURNED
C               MHE ACCEPTABLE?
C
   10 ISUB=I-NELEMT(1)
      ICARTP=NPRTCG(ISUB)
      ITAGTP=NCGTAG(ICARTP)
      ITKTYP=IDTRUK(ISUB)
      DO 500 J=1,IPR
C
C               IS THIS PRIORITY MHE TYPE SAME AS NEWLY RETURNED MHE?
```

```
                    SATTRK          DATE = 79113        17/16/43

C
      IF(MMSPRTYE.,ITATYP,ITATYP1,EQ,IMHETP) GO TO 510
  500 CONTINUE
      GO TO 600
C
C               ALL PRIORITY VEHICLE TYPES FOUND. SET NEW TRUCK.
C
  510 ITRK=I-NELEMT(1)
      IPR=0
C
C               PRIORITY=1?
C
      IF(ITRK.EQ.1) GO TO 800
  600 CONTINUE
C
C               IS THERE A WAITING TRUCK TO BE ASSIGNED?
C
      IF(ITRK.EQ.0) GO TO 1000
C
C               UPDATE STATISTICS.
C
      DO 1 I=ITRK,NELEMT(1)
    1 NTKCUM(ITRK,2)=NTKCUM(ITRK,2)+MTIME-NCLOCK(I)
C
C               CALL EVENTH TO UNLOAD TRUCK
C
      CALL EVENTH(IMHETP,IMHEPL,ITRK)
 1000 RETURN
      END
```



```
                    SCLOCK          DATE = 79113        21/34/00

      SUBROUTINE SCLOCK
C
C     WRITE EVENT CLOCKS AND STATUS OF SYSTEM FOR TRACING PURPOSES.
C
C*****
C
      COMMON/AA1/NCLOCK(1   ),NEVTYP(100),NCPPL(150),NELEMT(6),NCOPE(20),
     .           JCLOCK,XL IEL,XTIME,IEVTYP,IELEMT,IZCTRL,IQTCUM,IQTPER,
     .LPTIME,LL TIME,NPRINT,NTAPE,NCARD,NTAPE1,NTAPE2,ICOUT,NTAPE3
C
      COMMON/AA5/JJSHIP( 5),NCRSHU( 5),IESHIP( 5),ISHPHS(20),IDHELT(20),
     .NCHCMP(20),LOCHS(20),NHATSS(20),NSTYP(20),NHATNU(20),IDCARH(20),NS
     .PUUM(20),NCTING(20),NHATIX(100),NDCH(100),NACCES(100),NTOTAL(100),
     .NHITAB(100,40),NPSSI(5),
     .           ICHCMP,LINDEX
C
      COMMON/AA6/NCRTYP(10),NTKTYP(10),NLSTYP(15),NMHTYP(15,5),IDCPAF(10
     .),IDTRUK(30),IGLLS(30),IESDVP(20),
     .           NCARTE,NCRETP,NTRKTP,NLUSTP,NMHETP,NMHSTP,NCARHE,MMHEPL
     .,NLUS,NSI,NTACTP
C
      COMMON/AA7/DIST( 91,CAPST(3),ACAPST(3),LUSCRE(3L),LUSTRK(50),LUSMH
     .E(30),LUSLCC(15),LUSSTT(15),LDCTIM(12,15,10),LDCTTM(13,1',1')
C
      COMMON/AA8/LCRCAR(30,40),LTKCAR(30,40),LSTCAR(3,40)
C*****
      INTEGER*2NEVTYP,        NCPPE ,         NELEMT,         NCOPE          AI
      INTEGER*2NESSPE,        NCHSPE,         IDSHIP,         LCHCMP         AJ
      INTEGER*2IDHELT,        NCHCPE,         LOCHS ,         NHATSS         AK
      INTEGER*2NSTYP ,        NHATNU,         IDCARH,         NSPPUM         AL
      INTEGER*2NSTING,        NHATIX,         NDCH  ,         NACCES         AM
      INTEGER*2NTOTAL,        NHITAB,         NSSSI                          AN
      INTEGER*2NCRTYP,        NTKTYP,         NLSTYP,         NMHTYP         AO
      INTEGER*2IDCPAF,        IDTRUK,         IDELLS ,        IESDVP         AP
      INTEGER*2LLSCRE,        LUSTRK,         LUSMHE,         LUSLCC         AQ
      INTEGER*2LLSSTT,        LDCTTM,         LDCTTM                         AR
      INTEGER*2LCRCAR,        LTKCAR,         LSTCAR                         AS
C
C     HEADING FOR EVENT CLOCKS
      WRITE(NPRINT,10)
   10 FORMAT(1H1,4X,11HELEMENT NO.,3X,10HEVENT TIME,3X,10HEVENT TYPE,3X,14H
     .OF. ELEMT. NO.,3X,9HIF NUMBER,3X,12HCRAFT/TRUCK/,13X,'NCTATE',3X,'NC
     .TATE NO.',/,61X,13HBATCH TYPE)
C
C     WRITE CRAFT CLOCK
C
      WRITE(NPRINT,20)
   20 FORMAT(1X,/,1X,11HCRAFT CLOCK)
      L2=NELEMT(1)
      DO 40 I=1,L2
      QTIME=NCLOCK(I)/3600.
   40 WRITE(NPRINT,300) I,QTIME,NEVTYP(I),NCPPE(I),I,IE(SSPE(I)
C
C     WRITE TRUCK CLOCK
C
      WRITE (NPRINT,50)
```

```
   50 FORMAT(1X,11HTRUCK CLOCK)
      L2=NELEMT(2)-1
      DO 60 I=1,L2
      L3=NELEMT(1)+I
      QTIME=NCLOCK(L3)/3600.
   60 WRITE(NPRINT,500)L3,QTIME,NEVTYP(L3),NOPEL(L3),I,IDTRUK(I)
C
C     WRITE NCLKEL
C
      WRITE(NPRINT,70)
   70 FORMAT(1X,14HNCLKEL ELEMENT)
      QTIME=NCLOCK(NCLKEL)/3600.
      WRITE(NPRINT,500)NCLKEL,QTIME,NEVTYP(NCLKEL),NOPEL(NCLKEL)
C
C     WRITE SHIP ARRIVAL CLOCK
C
      WRITE(NPRINT,90)
   90 FORMAT(1X,10HSHIP CLOCK)
      L2=NELEMT(3)
      IPR=
      DO 100 I=1,L2
      L3=NCLKEL+I
      QTIME=NCLOCK(L3)/3600.
  100 WRITE(NPRINT,500) L3,QTIME,NEVTYP(L3),IPR,I
C
C     WRITE HATCH SLOT CLOCK
C
      WRITE(NPRINT,110)
  110 FORMAT(1X,16HHATCH SLOT CLOCK)
      L2=NELEMT(4)
      DO 140 I=1,L2
      L3=NCLKEL+NELEMT(3)+1
      QTIME=NCLOCK(L3)/3600.
  130 WRITE(NPRINT,500)L3,QTIME,NEVTYP(L3),NOPEL(L3),I,IDHSLT(I),NHATSS(
     .I),NHATSC(I)
C
C     WRITE SP VEHICLES CLOCK
C
      IF(NELEMT(5).EQ.0) GO TO 145
      WRITE(NPRINT,135)
  135 FORMAT(1X,16HSP VEHICLE CLOCK)
      L2=NELEMT(5)
      DO 140 I=1,L2
      L3=NCLKEL+NELEMT(3)+NELEMT(4)+1
      QTIME=NCLOCK(L3)/3600.
  140 WRITE(NPRINT,500)L3,QTIME,NEVTYP(L3),NOPEL(L3),I,IDSDVH(I)
C
C              WRITE CLOCK LEGEND
C
  145 WRITE(NPRINT,150)
  150 FORMAT(1X///1X,14HCLOCK LEGEND--/1X,12HEVENT TYPES-,4HX,26H-STATE-=
     .HATCH SLOT STATE--/3X,41H1-   CRAFT ARRIVES -OR WAITS- AT SHIP-S O
     .,19X,54H0-   HATCH SLOT IS AT LUS OR A CAUSEWAY, STATE NO.=LUS/3X,
     .24H2-   CRAFT LEAVES HATCH SLOT,32X,25H1-   SLOT HAS NOT ARRIVED/3
     .X,39H3-   CRAFT ARRIVES -OR WAITS- AT LUS 0,22X,11H2-   CLOSED
     .              /4X,25H4-   CRAFT ARRIVES AT LUS,35X,22H3-   EMPTY
```



```
     .OR - CAPTEF/2X,24H5-   CRAFT LEFT -OR WAITS- AT LUS,27X,22H4-   OP
     .EN - OCCUPIED-/3X,21H6-   CRAFT LEAVES LUS,34X,   26H5-   BLOCKED
     .BY A MULTI-HATCHED CRAFT AT SLOT= STATE NO.=/3X,34H7-   TRUCK -LOAD
     .ED- LEAVES THAWISS,2CX,24H6-   CLOSED AND BLOCKED/3X,37HR-   TRUCK
     . -LOADED- ARRIVES ISS/DEPOT,23X,34H7-   SAVED FOR MULTI-HATCHED CR
     .AFT)
      WRITE(NPRINT,160)
  160 FORMAT(3X,2HE9-   TRUCK -UNLOADED- LEAVES ISS/DEPOT,22X,4(HR-   SA
     .VED FOR BLOCKING -3-HATCHED CRAFT ONLY-/2X,21H10-   CAUSEWAY HATCH
     . SLOT OPENS,20X,22H5-   EMPTY AND BLOCKED/2X,40H11-   BARGE READY
     .TO DISCHARGE CARGO AT SEA WALL,12X,24H12-   OCCUPIED BY CRAFT..
     .20H  CRAFT IE=STATE NO.
     .      /2X,45H13-   TRUCK ARRIVES -OR WAITS- AT TRUCK QUEUE,15X,44H
     .11-   SAVED FOR BLOCKING AND CLOSED -3-HATCHED CRAFT ONLY-/2X,40H1
     .3-   SD VEHICLE CONVOY ARRIVES AT DEPOT,20X,47H12-   SAVED FOR BLO
     .CKING AND EMPTY -3-HATCHED CRAFT ONLY-/2X,18H14-   SHIP ARRIVAL/3X
     .,45H15-   HATCH SLOT OPENS                                ,15X,56HNP. ELEMT
     . NO--   HATCH SLOT ID, LUS NUMBER, STORAGE AREA/2X,43H16-   CRAFT
     .LEFT AT LUS FOR RETROGRADE ONLY,17X,41HCARGO NUMBER, BOOM TYPE ASSOCIATE
     .D WITH EVENT TYPE, WHERE)
      WRITE(NPRINT,170)
  170 FORMAT(2X,34H17-   CAUSEWAY HATCH SLOT IS EMPTY,26X,13HAPPLICABLE/
     .2X,52H18-   BARGE AT SEA WALL IS EMPTY AND READY TO DEPART/
     .1X,30H19-   CRAFT LEFT AT HATCH SLOT)
C
C     WRITE LUS STATES
C
C
  180 WRITE(NPRINT,200)
  200 FORMAT     (1H1,10HLUS STATES/6X,10HLUS NUMBER,7X,9HLUS TYPE,7X,8H
     .CRAFT ID,7X,9HTRUCK ID,7X,8HBMHE TYPE)
      DO 230 I=1,NLUS
  230 WRITE(NPRINT,310)I,IDLUS(I),LUSCRF(I),LUSTRK(I),LUSMHE(I)
C
C
C     WRITE CARGO LOCATIONS
C
C
      WRITE(NPRINT,240)(I,I=1,NCARTP)
  240 FORMAT(1H1,17HCARGO LOCATIONS--/1X,23(1H-),12HCARGO MODULES(1H-)/
     .1X,3214/1X,3214)
      WRITE(NPRINT,241)
  241 FORMAT(1X,128(1H-))
C     WRITE HATCH TABLES
      WRITE(NPRINT,246)
  246 FORMAT(1X,12HHATCH TABLES)
      DO 250 I=1,LINDEX
      IF(NTOTAL(I).EQ.0) GO TO 250
      WRITE(NPRINT,251)I,NHATIX(I),NDCR(I),NACCES(I),NTOTAL(I)
      WRITE(NPRINT,320)(NHTTAB(I,J),J=1,NCARTP)
  250 CONTINUE
  251 FORMAT(1X/1X,6HINDEX=,I3,4H  HATCH=,I2,14H  DECK-CELL-BARGE=,I3,12
     .H    ACCESS=,I2,14H  TOTAL ITEMS=,I4)
C
C     WRITE CRAFT CARGO
C
```

```
      WRITE(NPRINT,255)
  256 FORMAT(1X/1X,11HCRAFT CARGO)
      L2=NELEMT(1)
      DO 260 I=1,L2
      DO 258 K=1,NCARTP
      IF(LCRCAR(I,K).NE.0) GO TO 259
  258 CONTINUE
      GO TO 260
  259 WRITE(NPRINT,261) I
      WRITE(NPRINT,320)(LCRCAR(I,J),J=1,NCARTP)
  260 CONTINUE
  261 FORMAT(1X/1X,12HCRAFT NUMBER,I3)
C
C     WRITE TRUCK CARGO
C
      L2=NELEMT(2)-1
      WRITE(NPRINT,266)
  266 FORMAT(1X/1X,11HTRUCK CARGO)
      DO 271 I=1,L2
      DO 269 K=1,NCARTP
      IF(LTKCAR(I,K).NE.0) GO TO 269
  268 CONTINUE
      GO TO 270
  269 WRITE(NPRINT,271) I
      WRITE(NPRINT,320)(LTKCAR(I,J),J=1,NCARTP)
  270 CONTINUE
  271 FORMAT(1X/1X,12HTRUCK NUMBER,I3)
C
C     WRITE THA/ISS/DEPOT CARGO
C
      WRITE(NPRINT,276)
  276 FORMAT(1X/1X,15HTHA/ISS/DEPOT CARGO)
      DO 280 I=1,3
      WRITE(NPRINT,281)  I
  280 WRITE(NPRINT,320)(LSTCAR(I,J),J=1,NCARTP)
  281 FORMAT(1X/1X,15HSTORAGE AREA NUMBER,I2)
      RETURN
  300 FORMAT(1X,11E,F15.2,6I15)
  310 FORMAT(1X,5I15)
  320 FORMAT(1X,32I4)
      END
```