

AD-A151 578


EQUIPMENT OF THE WARSAW PACT(U) INFANTRY DIV
(MECHANIZED) (1ST) FORT RILEY KS AUG 83
SBI-AD-E750 927


1/1

UNCLASSIFIED

F/G 19/3

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963 A

AD-A151 578

Copy available to DTIC does not
permit fully legible reproduction



EQUIPMENT OF THE WARSAW PACT

AUGUST 1983

S MAR 13 1985

A

This document is
for public release
and distribution

85 03 11 101

ARMY-FT RILEY, KANS H-1274

DTIC FILE COPY

BEGINNING IN THE LATE 60's AND CONTINUING TO THIS DATE, THE SOVIETS CONDUCTED A DRAMATIC INCREASE IN THE MECHANIZATION OF THEIR GROUND COMBAT FORCES. WITH THE INTRODUCTION OF A WIDE VARIETY OF NEW SELF-PROPELLED WEAPONS SYSTEMS, THEY MANAGED TO SIGNIFICANTLY INCREASE THE TACTICAL MOBILITY, FIREPOWER, AND SURVIVABILITY OF THOSE FORCES IN BOTH THE NUCLEAR AND CHEMICALLY CONTAMINATED BATTLEFIELD. THIS BOOKLET IS DESIGNED TO PROVIDE THE READER WITH AN APPRECIATION OF THE CAPABILITIES OF THE EQUIPMENT EMPLOYED BY THREE OF THE MAJOR MEMBERS OF THE WARSAW PACT.

THIS BOOKLET WAS PREPARED BY THE OPFOR DETACHMENT, ACOFS, G2/DSEC, 1st INFANTRY DIVISION (MECH). IT IS AN UNCLASSIFIED DOCUMENT BASED ON INFORMATION DERIVED FROM OPEN SOURCES. USERS ARE ENCOURAGED TO SEND THEIR COMMENTS TO COMMANDER, 1st INFANTRY DIVISION (MECH), ATTN: AFZN-DS-CS, FT. RILEY, KS 66442.

11 88-101 file



11 23
101

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

**THE EQUIPMENT IN
THE GROUP
OF
SOVIET FORCES
GERMANY**



EQUIPMENT OF THE GROUP OF SOVIET FORCES, GERMANY

I - ARMORED PERSONNEL CARRIERS	I
II - TANKS	4
III - RECONNAISSANCE VEHICLES	11
IV - ARTILLERY	13
A - ANTITANK WEAPONS	13
B - HOWITZERS & GUNS	15
C - TACTICAL MISSILES	23
D - ANTIAIRCRAFT WEAPONS	28
V - ENGINEERS	36
A - COMBAT ENGINEER VEHICLES	36
B - RIVER CROSSING EQUIPMENT	37
C - SPECIALIZED EQUIPMENT	43
VI - N.B.C. EQUIPMENT	48
A - N.B.C. RECONNAISSANCE VEHICLES	48
B - DECONTAMINATION EQUIPMENT	49
VII - TRANSPORT VEHICLES	52
A - LIGHT VEHICLES	52
B - 'GAZ' SERIES	53
C - 'URAL' SERIES	54
D - 'ZIL' SERIES	55
E - 'KRAZ' SERIES	57
F - TANK TRANSPORTS	58
VIII - MISCELLANEOUS VEHICLES	59
A - PRIME MOVERS	59
B - COMMAND/SIGNAL	60

1 - ARMORED PERSONNEL CARRIERS




BTR 40

ENTERED SERVICE IN 1951
CREW OF 2 + 8 PASSENGERS
PRIMARILY EMPLOYED TO CONDUCT
ROUTE RECONNAISSANCE



BTR 60 P

ENTERED SERVICE IN 1962 - AMPHIBIOUS
CREW OF 2 + 15 PASSENGERS
80km/hr - ROAD SPEED; 10km/hr - WATER SPEED
ONE 12.7mm MG




BTR 60 PA

ENTERED SERVICE IN 1964 - AMPHIBIOUS
COVERED VERSION OF BTR 60 P
CREW OF 2 + 9 PASSENGERS
ONE 7.62mm MG



BTR 60 PB

ENTERED SERVICE IN 1966 - AMPHIBIOUS
TURRETED VERSION OF BTR 60 PA
PRESSURIZED WITH AIR FILTRATION SYSTEM
ONE 14.5mm MG
ONE 7.62mm MG
REPLACED THE BTR 152 IN THE MOTORIZED RIFLE
REGIMENT



BMP 1967

ENTERED SERVICE IN 1967 - AMPHIBIOUS

CREW OF 3 + 8 PASSENGERS

60km/hr - ROAD SPEED; 6km/hr - WATER SPEED

ARMAMENT: ONE 73mm CANNON


ONE COAXIAL 7.62mm MG

ONE SACGER AT MISSILE

REPLACEMENT FOR THE BTR 50 AND BTR 152

EMPLOYED BY AT LEAST ONE REGIMENT OF THE MOTORIZED
RIFLE DIVISION AND IN THE MOTORIZED RIFLE REGIMENT
OF THE TANK DIVISION

HAS REPLACED THE PT-76 IN REGIMENTAL AND DIVISIONAL
RECONNAISSANCE ELEMENTS



BMP MODEL 1974

2 periscopes and 4 firing ports on the right side

NOTE: THE BTR-152 AND THE BTR-50 ARE DISAPPEARING FROM THE G.S.F.G. THIS ALSO
INCLUDES THE VEHICLES ON PAGE 59.

II - TANKS



T 55

ENTERED SERVICE IN 1961

WEIGHT 36 TONS

ARMAMENT: ONE 100mm GUN
ONE 7.62mm COAXIAL MG

ASSIGNED TO: the TANK BATTALION OF THE MRR (40)
the TANK BATTALION OF THE TR (31)
the TANK REGIMENT OF THE TD AND MRD (95)
the INDEPENDENT TANK BATTALION OF THE MRD (51)



T 55 A

SAME CHARACTERISTICS AS THE T 55 WITH
A 12.7mm AA MG



T 62

ENTERED SERVICE IN 1962

WEIGHT 38.5 TONS

ARMAMENT: ONE 115mm GUN

ONE 7.62mm COAXIAL MG

ASSIGNED TO: the TANK BATTALION OF THE MRR (40)

the TANK BATTALION OF THE TR (31)

the TANK REGIMENT OF THE TD AND MRD (95)



T 62 A

SAME CHARACTERISTICS AS THE T 62 WITH
A 12.7mm AA MG



T 64

INTRODUCED INTO THE G.S.F.G. IN 1976

WEIGHT 39 TONS

ARMAMENT: ONE 125mm CANNON

ONE 12.7mm MG

ONE 7.62mm MG (COAXIAL)


ASSIGNED TO: the TANK BN OF THE MRR (40)

the TANK BN OF THE TR (31)

the TANK REGT OF THE MRD AND TD (95)

the INDEPENDENT TK BN OF THE MRD (51)

STEADILY REPLACING THE T 55 AND THE T 62



T 64 COMMAND

NOTE: THE T 64, WHICH HAS BEEN IN SERVICE IN THE G.S.F.G. SINCE 1976, HAS OFTEN BEEN
 2 CONFUSED WITH THE VERY SIMILIAR T 72 (SHOWN ON THE NEXT PAGE).



T 72

ENTERED SERVICE IN 1976

WEIGHT 41 TONS

ARMAMENT: ONE 125mm CANNON
ONE 12.7mm MG (ON COMMANDER'S HATCH)
ONE 7.62mm COAXIAL MG



T 72


with TRACK SKIRTS

NOTE: THE T72, WHICH WAS FIRST PRESENTED IN MOSCOW ON 7 NOVEMBER 1977, HAS NOT BEEN OBSERVED IN THE G.S.F.G.. IT IS CURRENTLY ASSIGNED TO SEVERAL REGIMENTS IN THE USSR.

SNORKEL




T 55 FITTED WITH TRAINING
SNORKEL




T 55 FITTED WITH COMBAT
SNORKEL

RECOVERY VEHICLES




SKP 5

WEIGHT 25 TONS
MODIFIED T 34 CHASSIS
CRANE CAPACITY 5 TONS
CAN PULL UP TO 30 TONS




T 54 T1

WEIGHT 32 TONS
MODIFIED T 54 CHASSIS
WINCH CAPACITY 30 TONS
EQUIPPED WITH A SNORKEL AND CAN BE SUBMERGED



T 54 T2


WEIGHT 32 TONS
 MODIFIED T 34 CHASSIS
 CRANE CAPACITY 1.5 TONS
 WINCH CAPACITY 30 TONS
 CAPABLE OF BEING SUBMERGED IN WATER



JSU T w CRANE

WEIGHT 45.5 TONS
 MODIFIED JSU CHASSIS
 CRANE CAPACITY 7 TONS
 WINCH CAPACITY 30 TONS

III - RECONNAISSANCE VEHICLES




BRDM

ENTERED SERVICE IN 1959

ARMAMENT: ONE 7.62mm OR 12.7mm MG

ASSIGNED TO: RECONNAISSANCE COMPANIES OF TR AND MRR
RECONNAISSANCE BN OF TD AND MRD

ALSO EMPLOYED AS A COMMAND VEHICLE



BRDM 2

ENTERED SERVICE IN 1966

ARMAMENT: ONE 14.5mm MG
ONE 7.62mm MG



PT 76

ENTERED SERVICE IN 1954

WEIGHT 14 TONS

ARMAMENT: ONE 76mm CANNON
ONE 7.62mm MG

ASSIGNED TO: RECONNAISSANCE COMPANY OF TR AND MRR (3)
RECONNAISSANCE BATTALION OF TD AND MRD (10)
BEING REPLACED BY THE BMP



BMP RECONNAISSANCE

ENTERED SERVICE IN 1976

COMMAND VEHICLE OF BMP EQUIPPED UNITS

MAIN DIFFERENCES WITH BMP 67 IS IN TURRET AND ABSENCE
OF SAGGER LAUNCH RAIL

IV - ARTILLERY


A - ANTITANK WEAPONS

1 - ANTITANK GUNS




SPG 9

ENTERED SERVICE IN 1968
73mm RECOILLESS GUN
300mm PENETRATION AT 1000m
REPLACES THE 82mm B-10
FOUND IN BTR EQUIPPED MRR'S



100mm T 12




100mm T 12 A

100mm T 12 AND T 12 A


ENTERED SERVICE IN 1965
386mm PENETRATION AT 1000m
18 PIECES IN THE ARTILLERY REGT OF THE MRD

2 - ANTITANK MISSILES



SAGGER

ENTERED SERVICE IN 1966
WIREGUIDED, WILL PENETRATE
BETWEEN 400 AND 500mm AT
3000 m
ASSIGNED TO THE MR BN
NORMALLY THERE ARE 3 MISSILES
CARRIED BY TWO MEN



BRDM SAGGER

ENTERED SERVICE IN 1965
EQUIPPED WITH 6 SAGGER MISSILES
ASSIGNED TO THE AT BATTERY OF THE MRR (9)
SAME CHARACTERISTICS AS THE PORTABLE SAGGER

B - TOWED ARTILLERY**122mm D-30 HOWITZER**

ENTERED SERVICE IN 1963



MAXIMUM RANGE 15,300m

RATE OF FIRE 7 rds/min

CAPABLE OF 360° TRAVERSE

2 BATTALIONS (36) IN THE ARTILLERY REGT
OF THE MRD AND TD


1 BATTALION IN THE BTR EQUIPPED MRR






152mm D-1 GUN HOWITZER


ENTERED SERVICE IN 1943
MAXIMUM RANGE 12,400m
RATE OF FIRE 4 rds/min
1 REGIMENT OF 4 BATTALIONS (72) ASSIGNED
TO THE FRONT






152mm D-20 GUN HOWITZER

ENTERED SERVICE IN 1955
MAXIMUM RANGE 18,500m
RATE OF FIRE 4 rds/min
1 BATTALION (18) ASSIGNED TO FRONT




152mm D-20 WITH PRIME MOVER



130mm GUN M-46

ENTERED SERVICE IN 1954
MAXIMUM RANGE 26,700m
RATE OF FIRE 5 rds/min
2 REGIMENTS OF 4 BATTALIONS (144) ASSIGNED
TO FRONT
2 BATTALIONS (36) ASSIGNED TO ARMY



2 - SELF PROPELLED ARTILLERY



122mm SP


ENTERED SERVICE IN 1974
 MAXIMUM RANGE 22000 WITH RAP ROUND (?)
 AMPHIBIOUS
 1 BATTALION (18) ASSIGNED TO BMP EQUIPPED MRR'S



152mm SP

ENTERED SERVICE IN 1973
 MAXIMUM RANGE 33,000m WITH RAP ROUND (?)
 NOT AMPHIBIOUS
 1 BATTALION (18) IN THE ARTILLERY REGT OF THE
 MRD AND TD (REPLACING THE 152mm D-1)
 1 REGIMENT OF 4 BATTALIONS (72) ASSIGNED TO FRONT
 (REPLACING THE 152mm D-1)

ARMORED VEHICLES EMPLOYED WITH ARTILLERY



BATTALION COMMAND VEHICLE



ARTILLERY COMMAND VEHICLE



ARTILLERY OBSERVATION VEHICLE


THIS

PAGE

LEFT

BLANK

3 - MULTIPLE ROCKET LAUNCHERS



LRM BM-21


ENTERED SERVICE IN 1964
 CHASSIS: URAL 375
 FORTY 122mm ROCKETS
 MAXIMUM RANGE: SHORT ROCKET 14,000m
 LONG ROCKET 21,000m
 ONLY LIGHT MRL IN SERVICE WITH G.S.F.G.
 1 BATTALION (18) IN ARTY REGT OF MRD AND TD
 1 REGIMENT (72) ASSIGNED TO FRONT



LOADING THE BM-21 (5 MEN, 15 MINUTES)

C - TACTICAL MISSILES


1 - ROCKETS



FROG-7 on ZIL 135

ENTERED SERVICE IN 1965
EFFECTIVE RANGE FROM 15 to 70 KM
FROG 7 A - NUCLEAR ROUND
FROG 7 B - CHEMICAL ROUND


1 BATTALION (4) IN MRD AND TD



FROG-7 RESUPPLY VEHICLE


CHASSIS SIMILIAR TO FROG 7
CAN CARRY UP TO 3 FROG MISSILES

2 - MISSILES



SS-1B SCUD A

ENTERED SERVICE IN 1957
CHASSIS USES MODIFIED JS-4
MAXIMUM RANGE: NUCLEAR 150KM
CHEMICAL 280KM




SS-1C SCUD-A MOD

ENTERED SERVICE IN 1961
CHASSIS USES MODIFIED JS-4
MAXIMUM RANGE: NUCLEAR & CHEMICAL 280KM




SCUD A IN FIRING
POSITION




SCUD-B

ENTERED SERVICE IN 1965
CHASSIS USES MODIFIED MAZ 543
PERFORMANCE IDENTICAL TO MODIFIED SCUD A
MAZ 543 REPLACED SCUD'S TRACKED CARRIER



SCUD RESUPPLY VEHICLE


NOTE: THE SCUD BRIGADE FOUND AT ARMY LEVEL IS COMPOSED OF 12 SCUD B LAUNCHERS



SS-12 SCALEBOARD

ENTERED SERVICE IN 1967
CHASSIS USES A MODIFIED MAZ 543
MAXIMUM RANGE 900 KM

WEIGHT OF MISSILE: 8.5 TONS
LENGTH OF MISSILE: 11.7m
DIAMETER OF MISSILE: 1m




SSC-1A SHADDOCK

ENTERED SERVICE IN 1961
CHASSIS USES A ZIL 135
MAXIMUM RANGE: 550 KM
BOTH NUCLEAR AND CHEMICAL ROUNDS
WEIGHT OF MISSILE: 4.5 TONS
LENGTH OF MISSILE: 11.6m
DIAMETER OF MISSILE: 0.76m

NOTE: NEITHER THE SCALEBOARD NOR THE SHADDOCK HAVE BEEN OBSERVED IN THE G.S.F.G.
BOTH SYSTEMS COULD BE EMPLOYED AT ARMY LEVEL WITH UP TO 2 BRIGADES (12) SUPPORTING THE ARMY

D - ANTI-AIRCRAFT WEAPONS



ZSU-23-4

ENTERED SERVICE IN 1965

FOUR 23mm CANNON

ONE 'GUN DISH' FIRING RADAR


MAXIMUM EFFECTIVE RANGE: OPTICAL 2500m
RADAR 3200m

MAXIMUM RATE OF FIRE 850 rds/min

ELEVATION: -10° to 85°

TRAVERSE: 360°

1 SECTION (4) IN THE AIR DEFENSE BATTERY OF THE MRR & TR



S-60 57mm

ENTERED SERVICE IN 1955

57mm AA GUN

MAXIMUM EFFECTIVE RANGE (WITH RADAR): 4000m

VELOCITY (INITIAL) : 1000m/sec

MAXIMUM RATE OF FIRE: 120 rds/min

ELEVATION: -4° to 85°

TRAVERSE: 360°

UTILIZES THE 'FLAP WHEEL' RADAR

5 BATTERIES (6 GUNS IN A BATTERY) IN THE
DIVISION'S ANTI-AIRCRAFT REGIMENT


6 BATTERIES IN THE AA REGIMENT AT ARMY AND
FRONT

(1) THE 'FLAP WHEEL' REPLACED THE SON-9 RADAR AND THE PUZO 6/60 CALCULATOR

NOTE: THE TWIN BARREL ZU-23-2, ZPU-2 and ZSU-57-2 ARE BEING PHASED OUT OF THE
G.S.F.G. INVENTORY

2 - SURFACE TO AIR MISSILES

SA-2 GUIDELINE



SA-2 CARRIED ON A ZIL 157 TRANSPORT-RESUPPLY VEHICLE

ENTERED SERVICE IN 1960

AIR DEFENSE MISSILE FOR MIDDLE AND HIGH ALTITUDE TARGETS

MAXIMUM RANGE 4 ,000m

EFFECTIVE RANGE 10,000m

PRIMARYLY USED AGAINST TARGETS FLYING BETWEEN 300 to 27,000m

MAXIMUM SPEED OF MISSILE: MACH 3.5

REACTION TIME FROM DETECTION TO FIRING IS 60 seconds


ASSOCIATED EQUIPMENT: ACQUISITION RADAR - SPOON REST

IFF RADAR - SCORE BOARD/A

FIRE CONTROL RADAR - FAN SONG

MISSILE WARHEAD: HE 200 KG

TWO STAGE PROPULSION SYSTEM USING PROPERGOL

SA-3 GOA

SA-3 CARRIED ON A MODIFIED ZIL 157 TRANSPORT- RESUPPLY VEHICLE

ENTERED SERVICE IN 1961

AIR DEFENSE MISSILE FOR LOW AND MEDIUM LEVEL TARGETS


MAXIMUM RANGE 35 KM

PRIMARYLY USED AGAINST TARGETS FLYING BETWEEN 300 to 15,000m

ASSOCIATED EQUIPMENT: ACQUISITION RADAR - FLAT FACE & SQUAT EYE
TARGET TRACKING & GUIDANCE RADAR - LOW BLOW

MISSILE WARHEAD: HE 40 KG

SA-4 GANEF



SA-4 ON TRACKED CHASSIS WHICH ALSO SERVES AS FIRING PLATFORM

ENTERED SERVICE IN 1961

AIR DEFENSE MISSILE FOR MIDDLE AND HIGH ALTITUDE TARGETS

MAXIMUM RANGE 92,000m

EFFECTIVE RANGE 55,000m

PRIMARILY USED AGAINST TARGETS FLYING BETWEEN 300 to 24,000m

MAXIMUM SPEED OF MISSILE: MACH 2.5

ASSOCIATED EQUIPMENT: ACQUISITION RADAR - LONG TRACK

FIRE CONTROL RADAR - PAT HAND

ALTITUDE RADAR - THIN SKIN


MISSILE WARHEAD: HE 250 KG

FOUR SOLID-PROPELLANT WRAP-AROUND BOOSTERS

1 BRIGADE OF 3 BATTALIONS (27) COMPRISED OF 3 BATTERIES WITH 3 SA-4 PER ARMY

2 BRIGADES OF 3 BATTALIONS (54) ASSIGNED TO FRONT

SA-6 GAINFUL



SA-6 ON TRACKED CHASSIS WHICH ALSO SERVES AS FIRING PLATFORM

ENTERED SERVICE IN 1967

AIR DEFENSE MISSILE FOR LOW AND MIDDLE ALTITUDE TARGETS

A MOBILE AIR DEFENSE SYSTEM DESIGNED TO PROVIDE AIR DEFENSE COVERAGE
FOR THE TROOPS IN THE FIELD

MAXIMUM RANGE 21,000m

EFFECTIVE RANGE 17,000m

PRIMARILY EMPLOYED AGAINST TARGETS FLYING BETWEEN 50 to 13,000m

MAXIMUM SPEED OF MISSILE: MACH 2.5

REACTION TIME FROM DETECTION TO FIRING IS FROM 10 to 15 sec.


ASSOCIATED EQUIPMENT: ACQUISITION RADAR - LONG TRACK
FIRE CONTROL RADAR - STRAIGHT FLUSH
ALTITUDE RADAR - THIN SKIN

MISSILE WARHEAD: HE 56 KG

SOLID FUEL PROPULSION WITH ONE BOOSTER

2 REGIMENTS (40) CONSISTING OF 5 BATTERIES (20) OF 4 SA-6 PER ARMY

SA-7 GRAIL



ENTERED SERVICE IN 1969

MAN PORTABLE AIR DEFENSE MISSILE FOR LOW ALTITUDE TARGETS

MAXIMUM RANGE 5,600m

EFFECTIVE RANGE 5,500m

PRIMARILY EMPLOYED AGAINST TARGETS FLYING BETWEEN 15 to 2,500m

MAXIMUM SPEED OF MISSILE: 450 m/sec

INFRA-RED HOMING

THE FIRER NORMALLY WEARS AN IFF SYSTEM ON HIS HELMET

SOLID FUEL PROPULSION


INEFFECTIVE AGAINST TARGETS FLYING AT MORE THAN 810 KM/HR

3 SA-7 IN A MOTORIZED RIFLE COMPANY and 3 SA-7 IN THE RECON COMPANY
OF THE MRR (TOTAL OF 30 SA-7 IN THE MRR).

6 SA-7 IN THE TANK REGIMENT (5 IN THE RECON COMPANY AND 1 IN THE
HEADQUARTERS ELEMENT)



SA-8 GECKO



SELF CONTAINED AIR DEFENSE SYSTEM - SA 8 GECKO

ENTERED SERVICE IN 1975

MOUNTED ON AN AMPHIBIOUS 6 x 6 CHASSIS

AIR DEFENSE MISSILE FOR LOW AND MIDDLE ALTITUDE TARGETS

BEING BOTH MOBILE AND SELF CONTAINED THE SYSTEM

PROVIDES MOBILE AIR DEFENSE COVERAGE FOR MANEUVER UNITS

MAXIMUM RANGE 14,000 m

EFFECTIVE RANGE 11,000m

PRIMARILY EMPLOYED AGAINST TARGETS FLYING BETWEEN 30 to 8500m

MAXIMUM SPEED OF MISSILE: MACH 2.2

REACTION TIME FROM DETECTION TO FIRING IS FROM 10 to 12 sec

CARRIES THE LAND ROLL RADAR SYSTEM WHICH COMBINES ACQUISITION,
SURVEILLANCE AND FIRE CONTROL RADARS

MISSILE WARHEAD: HE 23 KG

SOLID (PROPERGOL) PROPELLANT


1 REGIMENT (20) OF 5 BATTERIES (4 SYSTEMS) ARE CURRENTLY

REPLACING THE AIR DEFENSE REGIMENT IN DIVISIONS EQUIPPED

WITH THE S-60 57mm AD GUN

(1) CONTAINS A TELEVISION SYSTEM FOR USE IN CLEAR WEATHER

SA-9 GASKIN on BRDM-2



AIR DEFENSE MISSILE FOR LOW ALTITUDE TARGETS
HIGHLY MOBILE AIR DEFENSE SYSTEM

MAXIMUM RANGE 11,000m

EFFECTIVE RANGE 8,000m

USUALLY EMPLOYED AGAINST TARGETS FLYING BETWEEN 500 to 3000m

MAXIMUM SPEED OF MISSILE MACH 2

EMPLOYS AN INDEPENDENT RADAR TRACKING SYSTEM

USUALLY EMPLOYED IN CONNECTION WITH THE ZSU-23-4 AND CAN USE

THE ZSU'S RADAR FOR EARLY WARNING OF APPROACHING TARGETS


MISSILE RANGE OF 11,000m

800 TO 1000m


CARRIES 4 MISSILES ON LAUNCH CARRIERS READY TO FIRE AND TWO ON THE

VEHICLE IN STORAGE CONTAINERS

1 SECTION C/O IN THE COMMAND OF THE TR AND MPR




1. MONITORING THE LAUNCH PATH



FULLY LOADED

V - ENGINEERS
A - COMBAT ENGINEERS



IMR

ENTERED SERVICE IN 1972


WEIGHT 38 TONS

MODIFIED T 54 CHASSIS


CRANE CAPACITY: 11 TONS AT 6m
6 TONS AT 9m

CAN GRADE 360m/hr


4 PER ENGINEER BATTALION OF TD AND MRD

B - RIVER CROSSING EQUIPMENT**1 - RIVER CROSSING EQUIPMENT****K-61**

CAN CARRY A 5 TON LOAD IN WATER
MAXIMUM WATER SPEED 10 km/hr
12 PER ENGINEER BATTALION IN
THE TD AND MRD
24 PER ARMY


**PTS**

CAN CARRY A 10 TON LOAD IN WATER
MAXIMUM WATER SPEED 15 km/hr
REPLACING THE K 61




PKP TRAILER ASSOCIATED WITH PTS

2 - AMPHIBIOUS FERRY



RIGHT HALF

LEFT HALF



GSP

HEAVY AMPHIBIOUS FERRY

1 GSP FERRY CONSISTS OF A RIGHT AND LEFT
HALF FERRY THAT ARE LINKED TOGETHER


CARRYING CAPACITY IN WATER: 50 TONS

MAXIMUM SPEED IN WATER 8 KM/HR

12 PER ENGINEER BATTALION OF TD AND MRD

24 PER ARMY

3 - TACTICAL BRIDGES



TMM

EMPLOYS THE KRAZ 214 or 255/B

50 TON TREADWAY BRIDGE


LENGTH OF SPAN: 10.5m

TIME TO EMLACE A BRIDGE WITH 4 SPANS: 40 min


HEIGHT OF TRESTLE LEGS: 3m

4 PER ENGINEER COMPANY OF THE MRR

8 IN THE ENGINEER BATTALION OF THE TD AND MRD



PLACING THE THIRD SPAN



MTU-20


TANK LAUNCHED BRIDGE
 EMPLOYS A MODIFIED T 54 CHASSIS
 LENGTH OF SPAN: 19.66m
 CLASS 60
 REPLACING THE MTU-T-54
 1 PER ENGINEER COMPANY OF THE MRR
 4 PER ENGINEER COMPANY OF THE TR
 4 PER ENGINEER BATTALION OF THE MRD
 6 PER ENGINEER BATTALION OF THE TD



MT-55

TANK LAUNCHED BRIDGE
 BUILT IN CZECHOSLOVAKIA; USED THROUGHOUT
 THE WARSAW PACT
 EMPLOYS A MODIFIED T-54 CHASSIS
 LENGTH OF SPAN: 20m
 CLASS 60
 TIME TO LAUNCH: 3 min
 NORMALLY FOUND WITH THE MTU-20

PMP BRIDGE



BOW PONTON (RIVERBANK SECTION)



CENTER PONTON

EACH PMP COMPANY CONTAINS:

2 BOW PONTONS

16 CENTER SECTIONS

A PMP COMPANY CAN FORM:

1 120m CLASS 50 BRIDGE

or

4 CLASS 80 FERRIES

TIME TO EMPLACE A 120m BRIDGE: 30 min

1 PMP COMPANY IN THE ENGINEER

BATTALION OF THE MRD AND TD

6 to 8 COMPANIES AT ARMY AND FRONT

ENGINEER REGIMENT

42

EQUIPMENT ASSOCIATED WITH THE PMP



BMK 150

POWERED BY 2 62 HP MOTORS
6 PER PMP COMPANY



BMK-T

TRANSPORTED ON A FLAT BED
17 HP MOTOR
PULLING THE BMK 150 M AND THE
BMK 150 M WITH 6 MTS

C - SPECIAL PURPOSE EQUIPMENT

1 - DITCHING MACHINES



BTM


MAXIMUM TRENCH DEPTH: 1.5m

WIDTH OF TRENCH: 0.6m

CAN DIG A 0.8m DEEP TRENCH AT A
RATE OF 1100m/hr

1 BTM PER ENGINEER COMPANY OF
THE MRR AND TR

4 BTM IN THE ENGINEER BATTALION OF
THE MRD AND TD



MDK-2

MAXIMUM TRENCH DEPTH: 4.5m

WIDTH OF TRENCH: 4m

CAN DIG 300 CUBIC METERS PER HOUR

AN ARMY ENGINEER ASSET THAT CAN BE
ASSIGNED TO DIVISION LEVEL

2 - EARTHMOVING EQUIPMENT




BTU PLOW

IS NORMALLY FITTED TO A TANK IN
APPROXIMATELY 90 min
CAN MOVE 100 to 200 CUBIC METERS
OF EARTH PER HOUR
3 PER ENGINEER COMPANY IN THE MRR
AND TR



BAT-M


ARTILLERY TRACTOR WITH DOZER BLADE AND
CRANE
REPLACING THE OLDER MODEL BAT
DOZER BLADE IS HYDRAULICALLY OPERATED
1 PER ENGINEER COMPANY IN THE MRR AND TR
8 PER ENGINEER BATTALION IN THE MRD AND TD



E-305 V

CRANE SHOVEL
CRANE CAPACITY 5 TONS
SHOVEL CAPACITY 0.3 CUBIC METERS
2 PER ENGINEER COMPANY OF THE TR AND MRR
5 PER ENGINEER BATTALION IN THE TD AND MRD
ALSO FOUND AT ARMY LEVEL

3- MINE CLEARING EQUIPMENT



GAZ 69 DIM

5 PER ENGINEER COMPANY IN THE MRR





UAZ 469 DIM

REPLACING THE GAZ 69 DIM

KMT 4

MINI-CLEARING ROLLERS
12 PER ENGINEER COMPANY IN
THE MRR AND JR


**KMT 5 : REPLACING THE KMT-4****T55 with Mine Clearing Rocket**

4 - MINE LAYERS

PMR 60



MINELAYER
5 PER ENGINEER COMPANY OF
THE MRR AND TR
4 PER ENGINEER BATTALION
IN THE TD AND MRD




PMR 3 REPLACING THE PMR 60



GMZ

TRACKED MINELAYER
7 PER ENGINEER BATTALION IN
THE TANK DIVISION

VI - N.B.C.
A - NBC RECONNAISSANCE VEHICLES .



BRDM RKh

EQUIPPED WITH TWO ARTICULATED RAILS THAT PERMIT
 THE VERTICLE IMPLACEMENT OF FLAGS TO INDICATE
 CONTAMINATED AREAS OR ROUTES THROUGH THESE AREAS


4 PER N.B.C. SECTION OF THE MRR AND TR
 6 PER RECONNAISSANCE BATTALION OF THE MRD AND TD



BRDM-2 RKh


EMPLOYED WITH THE BRDM RKh
 IN THE PHOTO THE RAILS ARE IN THE
 TRAVEL POSITION

B - DECONTAMINATION VEHICLES




ARS-12

DECONTAMINATION TANKER
ASSIGNED TO THE N.B.C. COMPANY OF
THE MRR AND TR AND THE N.B.C.
BATTALION OF THE MRD AND TD



ARS-14

GRADUALLY REPLACING THE ARS-12



TMS-65

DECONTAMINATION VEHICLE
EMPLOYS A JET OF HOT AIR AND
A LIQUID DECONTAMINATION
SPRAY

1 TMS-65 CAN DECONTAMINATE FROM
35 to 60 VEHICLES AN HOUR
ASSIGNED TO THE N.B.C. BATTALION
OF THE MRD AND TD



GAZ-66 : DECONTAMINATION

DECONTAMINATION VEHICLE
ASSIGNED TO THE N.B.C. BATTALION OF
THE MRD AND TD



**DDA-66**

DECONTAMINATION VEHICLE
ASSIGNED TO THE N.B.C. COMPANY
OF THE MRR AND TR AND TO THE
ENGINEER BATTALION OF THE MRD
AND TD

VII - TACTICAL TRUCKS

A - GENERAL PURPOSE




M-72

TWO VERSIONS: WITH SIDECAR
WITHOUT SIDECAR
ASSIGNED TO RECONNAISSANCE UNITS AT
BOTH REGIMENT AND DIVISION LEVEL




UAZ 469

CARRYING CAPACITY 500 KG
REPLACING THE GAZ-69

B - 'GAZ' SERIES**GAZ-69**


4 x 4
CARRYING CAPACITY 500 KG
FOUND IN ALL UNITS

**GAZ-63**


4 x 4
CARRYING CAPACITY 2 TONS

**GAZ-66**


4 x 4
CARRYING CAPACITY 2 TONS
REPLACING THE GAZ-63

C - 'URAL' SERIES**URAL-375**


6 x 6
CARRYING CAPACITY 4.5 TONS

**URAL-377**


6 x 4
CARRYING CAPACITY 7.5 TONS

D - 'ZIL' SERIES**ZIL-130**


4 x 2
CARRYING CAPACITY 5 TONS

**ZIL-131**

6 x 6
CARRYING CAPACITY 5 TONS


**ZIL-135**

8 x 8
CARRYING CAPACITY 10 TONS

**ZIL-157**


6 x 6

CARRYING CAPACITY 4.5 TONS


**ZIL-164**

6 x 6

CARRYING CAPACITY 4 TONS

E - 'KRAZ' SERIES**KRAZ-214**

6 x 6
CARRYING CAPACITY 7 TONS

**KRAZ-255 B**

6 x 6
CARRYING CAPACITY 7.5 TONS

F - HEAVY TRANSPORTS



MAZ-537 with semitrailer TchSAP-524-7-6

EMPLOYED AT FRONT
CARRYING CAPACITY 60 TONS




MAZ-537

TRACTOR
525 HP


VIII - SPECIAL PURPOSE VEHICLES

A - PRIME MOVERS




BTR-152

ENTERED SERVICE IN 1948
WEIGHT 9 TONS
HAS BEEN REPLACED IN THE
G.S.F.G. AS A TROOP
TRANSPORT VEHICLE
PRIMARYLY USED AS AN AMMO
TRANSPORT OR TO TOW
MINELAYERS, ETC.



BTR-50 PK


ENTERED SERVICE IN 1957
WEIGHT 14.5 TONS
HAS BEEN REPLACED IN THE
G.S.F.G. AS A TROOP
TRANSPORT VEHICLE
PRIMARYLY USED TO TOW
RADARS, ETC.



MT-LB 1970

ENTERED SERVICE IN 1970
 WEIGHT 11 TONS
 AMPHIBIOUS USING ITS TRACKS FOR
 PROPULSION
 MAXIMUM ROAD SPEED 50 KM/HR
 MAXIMUM WATER SPEED 6 KM/HR
 ARMAMENT: ONE 7.62mm MG
 PRIME MOVER FOR 100mm T-12 AT GUN

NOTE: THE MTLB, EMPLOYED AS AN ARMORED PERSONNEL CARRIER, HAS BEEN STATIONED WITH
 SOME MRR'S IN THE U.S.S.R.




B - COMMAND/SIGNAL VEHICLES




BTR-152 U

ENTERED SERVICE IN 1950
EMPLOYED AS EITHER A COMMAND VEHICLE
OR AS A COMMUNICATIONS VEHICLE
STILL WIDELY DEPLOYED THROUGHOUT THE
UNITS OF THE G.S.F.G.




BTR-50 PU

ENTERED SERVICE IN 1957
EMPLOYED AS EITHER A COMMAND VEHICLE
OR AS A COMMUNICATIONS VEHICLE
STILL WIDELY DEPLOYED THROUGHOUT
THE G.S.F.G.



BRDM-2 COMMAND

ENTERED SERVICE IN 1966
 EMPLOYED AS EITHER A COMMAND
 OR A COMMUNICATIONS VEHICLE
 OFTEN EMPLOYED WITH THE COMMAND
 VERSION OF THE BRDM-1



BTR-60 PU

ENTERED SERVICE IN 1964
 EMPLOYED AS EITHER A COMMAND
 OR A COMMUNICATIONS VEHICLE

**THE EQUIPMENT IN
THE
CZECHOSLOVAKIAN ARMY**




I - ARMORED PERSONNEL CARRIERS	62
II - RECONNAISSANCE VEHICLES	64
III - ARTILLERY	65
A - HOWITZERS	65
B - MULTIPLE ROCKET LAUNCHERS	66
C - AIR DEFENSE	68
IV - ENGINEERS	70
A - BRIDGING EQUIPMENT	70
B - SPECIALIZED EQUIPMENT	71
V - TRANSPORTS	72
VI - MISCELLANEOUS VEHICLES	74

1 - ARMORED PERSONNEL CARRIERS



OT-64 MODEL 1

ENTERED SERVICE IN 1967 - AMPHIBIOUS
 CREW OF 3 + 8 PASSENGERS
 TURRETED VERSION OF OT-64 MOD 1
 PRESSURIZED FOR OPERATION IN CONTAMINATED AREAS
 1 14.5mm MG
 1 7.62mm MG
 ASSIGNED TO THE MRR OF THE MRD




OT-64 MODEL 3

ENTERED SERVICE IN 1962 - AMPHIBIOUS
 CREW OF 2 + 12 PASSENGERS
 MAXIMUM SPEED: ON ROAD - 95 km/hr
 IN WATER - 9 km/hr
 PROBABLY ARMED WITH 2 'SAGGER' MISSILES
 ASSIGNED TO THE MRR OF THE MRD



OT-62 MODEL 1


ENTERED SERVICE IN 1964 - AMPHIBIOUS
 CREW OF 3 + 15 PASSENGERS
 MAXIMUM SPEED: ON ROAD - 60 km/hr
 IN WATER - 11 km/hr
 PRESSURIZED WITH AIR FILTRATION SYSTEM
 ASSIGNED TO THE MRR OF THE TD



OT-62 MODEL 2

ENTERED SERVICE IN 1964
 CARRIES AN 82mm RECOILLESS RIFLE
 1 7.62mm MG IN THE TURRET
 ASSIGNED TO THE MRR OF THE TD
 MAY ALSO SERVE AS THE PLATFORM FOR THE M-59A RECOILLESS
 ANTTANK RIFLE

2 - RECONNAISSANCE VEHICLES



OT-65 MODEL A


ENTERED SERVICE IN 1964 - AMPHIBIOUS
ASSIGNED TO RECONNAISSANCE:

RECON COMPANY OF MRR AND TR

RECON BATTALION OF MRD AND TD

UTILIZED AS A COMMAND AND/OR COMMUNICATIONS
VEHICLE

A RECONNAISSANCE N.B.C. VERSION EXISTS



OT-65 MODEL B

ENTERED SERVICE IN 1964

ARMAMENT: TURRET EQUIPPED WITH A 7.62mm MG

A 82mm RECOILLESS RIFLE MAY ALSO BE
MOUNTED


3 - ARTILLERY

A - TOWED ARTILLERY



85mm MODEL 55

ENTERED SERVICE IN 1955
 MAXIMUM RANGE 16,000m
 RATE OF FIRE: 15 rds/min
 MODIFIED VERSION OF THE 85mm M 52
 CAN BE USED IN A DIRECT FIRE OR AN
 INDIRECT FIRE MODE
 ASSIGNED TO BOTH ANTITANK AND
 DIVISIONAL ARTILLERY UNITS



100mm MODEL 53

ENTERED SERVICE IN 1953
 MAXIMUM RANGE 21,000m
 RATE OF FIRE: 8 rds/min
 CAN BE USED IN A DIRECT FIRE OR AN
 INDIRECT FIRE MODE
 ASSIGNED TO BOTH ANTITANK AND
 DIVISIONAL ARTILLERY UNITS

B - AREA WEAPONS



BM-21 on TATRA 813

ENTERED SERVICE IN 1972

UTILIZES A TATRA 813 CHASSIS

MAXIMUM RANGE: SHORT ROCKET - 14,000m

LONG ROCKET - 21,000m


CARRIES 40 122mm ROCKETS (WITH AN ADDITIONAL

40 ROCKETS IN AN ONBOARD RELOADER)

RELOADER OPERATES HYDRAULICALLY

TIME TO RELOAD: 2 to 3 min


ASSIGNED TO THE MRL BN OF THE MRD AND TD




130mm MRL MODEL 51

ENTERED SERVICE IN 1951
MOUNTED ON A 6 x 6 PRAGA-V3S CHASSIS
MAXIMUM RANGE 8200m
CARRIES 32 130mm ROCKETS
A SECOND UNIT OF FIRE IS CARRIED


A SECOND UNIT OF FIRE IS CARRIED ON A
CAISSON TOWED BEHIND THE LAUNCHER
TIME TO RELOAD: 10 min
ASSIGNED TO THE MRL BN OF THE MRD AND TD



C - ANTIAIRCRAFT WEAPONS

**TWIN BARREL 30mm MODEL 53**


ENTERED SERVICE IN 1955
 TWIN BARREL 30mm
 EFFECTIVE RANGE: 1500m
 MAXIMUM RANGE: 10,000m
 RATE OF FIRE: 900 rds/min

**TWIN BARREL 30mm MODEL 53/59****ON PRAGA-V3S**

IDENTICAL TO BT 30 MLE 53


**TWIN BARREL 30mm MODEL 53/59****ON PTS**

IDENTICAL TO THE BT 30 MLE 53




57mm MODEL 56

ENTERED SERVICE IN 1956
 CZECH COPY OF S-60 57mm
 MAXIMUM RATE OF FIRE: 160 rds/min
 UTILIZES THE SAME TYPE OF AMMUNITION
 AS THE S-60



85mm MODEL 53



ENTERED SERVICE IN 1953
 CZECH VERSION OF 85-m KS-18 CANNON
 RATE OF FIRE: 12 rds/min
 MAXIMUM RANGE 16,000m
 EFFECTIVE RANGE (WITH RADAR): 8,000m
 ASSIGNED TO THE ADA REGIMENT OF THE MRD AND TD

4 - ENGINEERS**A - TACTICAL BRIDGES****MT-55**

TANK LAUNCHED BRIDGE
 UTILIZES A MODIFIED T 54 CHASSIS
 LENGTH OF SPAN: 20m
 CLASS 60
 TIME TO EMPLOY: 3 min
 SAME ECHELON OF EMPLOYMENT AS
 THE G.S.F.G. UNITS (page 40)

**CZECH VERSION
 OF PMP BRIDGE**

ON TATRA 813 CHASSIS



**CZECH VERSION OF TMM BRIDGE
 AM-50**


(ON TATRA 813 CHASSIS)

B - SPECIALIZED EQUIPMENT



TATRA 813 BZ-D

DOZER BLADE ADAPTED TO THE TATRA 813 MODIFIED
CAN MOVE 50 CUBIC METERS IN AN HOUR



DOK PLOW


UTILIZES A TATRA 255 HP DIESEL ENGINE
DIESEL-ELECTRIC PROPULSION
CAN MOVE 70 to 100 CUBIC METERS IN AN HOUR

5 - TACTICAL TRUCKS



PRAGA S5T

4 x 2
CARRYING CAPACITY 5 TONS



SKODA 706 RT

4 x 2
CARRYING CAPACITY 8.6 TONS





PRAGA V3S

6 x 6
CARRYING CAPACITY 3.3 TONS (T.T.)

TATRA 805


4 x 4
CARRYING CAPACITY 1.5 TONS (T.T.)

**TATRA 111**


6 x 6
CARRYING CAPACITY
10 TONS (ON ROADS)

TATRA 138

6 x 6
CARRYING CAPACITY 8 TONS (T.T.)
NUMEROUS VERSIONS

**TATRA 813**

6 x 6
CARRYING CAPACITY 8.5 TONS (T.T.)
NUMEROUS VERSIONS
CHASSIS IS BASIS FOR OT-64



6 - MISCELLANEOUS APC'S



OT-810


BASED ON A GERMAN VEHICLE OF THE
SECOND WORLD WAR
THE ONLY HALF-TRACK CURRENTLY IN ANY
OF THE WARSAW PACT ARMIES
WEIGHT 8.5 TONS
HAS BEEN REPLACED AS AN APC
PRIMARILY USED AS A FIELD AMBULANCE,
OR PRIME MOVER FOR TOWED ARTILLERY.

**THE EQUIPMENT IN
THE
EAST GERMAN ARMY (N.V.A.)**



I - ARMORED RECOVERY VEHICLE	75
II - ARTILLERY	76
A - HOWITZERS	76
B - AIR DEFENSE	76
III - ENGINEER EQUIPMENT	77
IV - TRANSPORTS	78
A - LIGHT TRUCKS	78
B - MEDIUM TRUCKS	79

1 - ARMORED RECOVERY VEHICLE



T-54-T MODEL D


WEIGHT 35 TONS
UTILIZES A MODIFIED T 54 CHASSIS
CRANE CAPACITY 20 TONS
WINCH CAPACITY 30 TONS

2 - ARTILLERY

A - TOWED ARTILLERY

122mm M-30

ENTERED SERVICE IN 1938
 EAST GERMAN VERSION OF SOVIET 122mm M 30
 MAXIMUM RANGE 11,800m
 MAXIMUM RATE OF FIRE: 5 to 6 rds/min
 2 BATTALIONS (36) in ARTILLERY REGIMENT
 OF THE MRD AND TD
 1 BATTERY (6) IN THE MRR



B - AIR DEFENSE ARTILLERY

100mm KS-19

ENTERED SERVICE IN 1949
 EAST GERMAN VERSION OF
 SOVIET 100mm KS19
 MAXIMUM RANGE WITH RADAR
 IS 13,000m
 MAXIMUM RATE OF FIRE:
 12 rds/min
 1 REGIMENT (36) per ARMY




3 - ENGINEERS



ADK III/3 'PUMA'

DIESEL-ELECTRIC CRANE
LIFT CAPACITY 6.3 TONS
ASSIGNED TO THE ENGINEER BATTALION
OF THE TD'S MRR AND THE ENGINEER
REGIMENT AT ARMY




BLG-60 TANK LAUNCHED BRIDGE

EAST GERMAN VERSION OF MT 55
LENGTH OF SPAN 20m
MODIFIED T 54 CHASSIS
CLASS 50
CAN BE SUBMERGED IN WATER


4 - TACTICAL TRUCKS

A - LIGHT VEHICLES



TRABANT 601/A


4 x 2
4 PASSENGERS
100 km/hr
EMPLOYED BY BORDER GUARD UNITS



P 3


4 x 4
CARRYING CAPACITY 0.7 TONS
95 km/hr
EMPLOYED BY ALL UNITS

B - HEAVY TRANSPORTS




ROBUR LO 1800 A

4 x 4
CARRYING CAPACITY 1.8 TONS (T.T.)
80 km/hr
NUMEROUS VERSIONS




W 50 LA/A

4 x 4
CARRYING CAPACITY 3 TONS (T.T.)
HEAVY VERSION OF THE W 50 L/A



W 50 LA/A

6 x 6
CARRYING CAPACITY 5.3 TONS



W 50 LA/A

4 x 2
CARRYING CAPACITY 4.7 TONS
80 km/hr

NUMEROUS VERSIONS



G5

6 x 6
CARRYING CAPACITY 3.5 TONS (T.T.)
60 km/hr
NUMEROUS VERSIONS

END

FILMED

4-85

DTIC