

AD-A152 049

HEALTH BEHAVIORS: EMPIRICAL CONSISTENCY AND THEORETICAL  
SIGNIFICANCE OF SUBDOMAINS(U) NAVAL HEALTH RESEARCH  
CENTER SAN DIEGO CA R R VICKERS ET AL. JUN 84

1/1

UNCLASSIFIED

NAVHLTHRSCHC-84-18


F/G 5/10

ML

END

FILED

DTG



MICROCOPY RESOLUTION TEST CHART  
 NATIONAL BUREAU OF STANDARDS-1963-A

2

AD-A152 049

# HEALTH BEHAVIORS: EMPIRICAL CONSISTENCY AND THEORETICAL SIGNIFICANCE OF SUBDOMAINS

R. R. VICKERS, JR.

L. K. HERVIG

REPORT NO. 84-18

DTIC  
COPY  
1



DISTRIBUTION STATEMENT A

Approved for public release  
Distribution Unlimited

**NAVAL HEALTH RESEARCH CENTER**

P.O. BOX 85122

SAN DIEGO, CALIFORNIA 92138-9174

NAVAL MEDICAL RESEARCH AND DEVELOPMENT COMMAND

BETHESDA, MARYLAND

DTIC FILE COPY

32

Health Behaviors: Empirical Consistency and  
Theoretical Significance of Subdomains<sup>†</sup>

Ross R. Vickers, Jr.

Linda K. Hervig

Health Psychology Department  
Naval Health Research Center  
P.O. Box 85122  
San Diego, CA. 92138-9174

|                    |                                     |
|--------------------|-------------------------------------|
| Accession For      |                                     |
| INTER GRA&I        | <input checked="" type="checkbox"/> |
| DATA TAB           | <input type="checkbox"/>            |
| Unannounced        | <input type="checkbox"/>            |
| Justification      |                                     |
| By                 |                                     |
| Distribution/      |                                     |
| Availability Codes |                                     |
| Dist               | Avail and/or<br>Special             |
| A-1                |                                     |



<sup>†</sup> Report 84-18, supported by the Naval Medical Research and Development Command, Department of the Navy, under research Work Unit MR041-0106A-0002. The views presented are those of the authors. No endorsement by the Department of the Navy has been given or should be inferred.

## SUMMARY

Moderate correlations between health behaviors (HB) have led some researchers to study HB one at a time and other researchers to group HB into categories defined by multivariate analyses. Well-defined HB categories could eliminate the need to study discrete behaviors by providing a basis for generalizing results obtained in the study of a given behavior to related behaviors. This study therefore extended prior research regarding HB categories by examining the empirical replicability of HB categories and the possible significance of categorical distinctions for explanatory models for HB.

Questionnaires describing the frequency of 37 HB were completed by 191 young, male volunteers who also completed a multi-dimensional health locus of control (MHLC) questionnaire and measures of the perceived severity and probability of each of 11 illnesses. The HB were factor analyzed by five methods and cluster analyzed to determine HB categories. Pearson product moment correlations described the association between HB and MHLC and rated severity and probability of illness.

Four HB categories were identified: (1) "Health Hazards Avoidance" included behaviors that reduced the risk of illness by minimizing exposure to environmental conditions or behavioral requirements which might overtax the body's adaptive capacity. (2) "Risk Taking" included behaviors which increased the risk of accidental injury, primarily due to driving habits. (3) "Preventive Behaviors" included preventive use of health professionals' services and actions to reduce risk of accidents (e.g., repairing hazards around the home). (4) "Health Hygiene" included behaviors which represented attempts at positive health promotion (e.g., exercise, weight control).

"Health Hazards Avoidance" and "Risk Taking" were not significantly related to MHLC scores, perceived susceptibility to illness, or perceived severity of illness. "Preventive Behaviors" and "Health Hygiene" behaviors were associated with higher rated severity of illness, higher confidence in health care providers, and lower beliefs that chance or fate determine health outcomes. High scores on "Health Hygiene" were also associated with stronger beliefs in personal control of health outcomes.

With appropriate allowances for interstudy differences in the sets of HB studied and the analysis procedures employed, the HB categories identified in this study were consistent with prior research. The HB categories also corresponded

reasonably well to conceptual distinctions between preventive health behaviors ("Preventive Behaviors"), at-risk behaviors ("Health Hazards Avoidance" and "Risk Taking"), and wellness behaviors ("Health Hygiene"). Distinguishing between these subcategories of HB appears to have significance for the development of explanatory models for HB because different patterns of association to health beliefs were found. At this time, the cumulative evidence for HB subcategories is sufficient to shift research attention from exploratory studies to determine whether such subcategories exist to confirmatory hypothesis testing to refine the conceptual distinctions between categories, establish their boundaries with greater precision, and determine how each category is linked to health motivation and other HB determinants.

## INTRODUCTION

Health behaviors can be broadly defined as actions undertaken to maintain or improve health (Kasl & Cobb, 1966; Harris & Guten, 1979). Because an ounce of prevention is better than a pound of cure, health behaviors should be encouraged. However, programs to increase the frequency of health behaviors will be effective only if they are based on an adequate understanding of what health behaviors are and why they occur more frequently in some people than in others. One issue in the study of health behaviors is whether health behaviors can be grouped into meaning-full categories which will help promote such understanding (Green, 1970; Harris & Guten, 1979; Langlie, 1977; Tapp & Goldenthal, 1982; Williams and Wechsler, 1972; 1973). This paper explores this issue by attempting to replicate prior empirical categorizations of health behaviors and by relating the resulting categories of health behaviors to measures of health beliefs.

The appropriate level of aggregation for health behaviors is an issue because specific health behaviors are only moderately intercorrelated, leading some investigators to regard health behaviors as essentially independent and others to the position that one or more general health behavior categories or dimensions exist, each encompassing several behaviors (Green, 1970; Harris & Guten, 1979; Langlie, 1977; Steele & McBroom, 1972; Tapp & Goldenthal, 1982; Williams & Wechsler, 1972; 1973). Defining general categories or dimensions of health behaviors could improve our understanding of health behaviors if categories can be identified which are comprised of behaviors with similar causes within a group and different causes between groups.

Available evidence suggests that multiple health behavior categories are appropriate, but does not provide a satisfactory basis for defining specific categories. When a range of health behaviors are included in a single study, analyses consistently produce evidence of multiple factors or clusters. However, the only health behavior category that has clearly, consistently replicated in previous research has been preventive utilization of the services of health professionals. Thus, there is some uncertainty regarding how many replicable health behavior categories can be identified. Until more evidence is available, it is possible that the multivariate analyses in prior studies have capitalized on specific patterns of association that occurred by chance in each study.

The lack of consistent health behavior categories other than preventive medical care may reflect methodological differences between available studies. Both the number of categories identified and the content of those categories can be affected by the choice of specific behaviors for study and/or by the analysis technique chosen to define groupings. No previous study has attempted to replicate both aspects of related work. This study therefore included variables representing the health behavior categories identified by Harris and Guten (1979) and Williams and Wechsler (1972; 1973), to attempt to replicate their findings. Also, both factor analysis and cluster analysis were applied to the data to evaluate the effects of choice of analysis procedures on the number and content of categories.

If replicable subdomains of health behaviors can be identified, the next major task for health behavior research will be to determine whether the implied conceptual distinctions facilitate the development of explanatory models for these behaviors. The distinctions will be important if different explanatory models are required for different subdomains. This possibility is explored in this study by relating the frequency of health behaviors in each category identified to health beliefs, including health locus of control, perceived severity of illness, and perceived susceptibility to illness. These health beliefs were selected because they are theoretically related to the motivation to undertake health behaviors and should therefore be important for predicting those behaviors (Kosenstock, 1966; Wallston & Wallston, 1981). A need for different explanatory models would be indicated if behaviors' composites representing the health behavior subdomains had different patterns of association to health beliefs.

#### METHOD

##### Sample

The sample consisted of 101 marines undergoing 4 weeks of cold weather training. Each marine voluntarily participated after receiving a complete description of the study. The average participant was 21.6 years old, had 11.9 years of education, and 2.4 years of military service. The sample was composed of 67% Caucasians, 20% Blacks, 12% Hispanics, and 1% other ethnic groups. The distribution of military rank was 27% Private or Private First Class, 54% Lance Corporal, 15% Corporal, 4% Sergeant and Staff Sergeant, and 1% other ranks.



## Health Behaviors

A questionnaire assessing the frequency of 37 health behaviors was developed for this study. The list included the 30 behaviors studied by Harris and Satlin (1979). Because these behaviors had represented the most general list used in prior attempts to define health behavior subcategories, and were likely to be endorsed by most respondents as health behaviors because the list was constructed initially by interviewing people to determine what they did to promote their health, and/or to deal solely on health behaviors, thereby excluding other types of preventive behaviors which might have obscured the health behaviors found.

The final total of 37 behaviors was obtained by supplementing the Harris and Satlin (1979) list with six items from Williams and Wechsler (1972; 1973), and one item from Jamalie (1977). Eight behaviors included in the Williams and Wechsler (1972; 1973) study had also been studied by Harris and Satlin (1979). Thus, the addition of six items means that 14 of 22 items in Williams and Wechsler's (1972; 1973) Sample A list were included in the present study. These 14 items included two or three marker variables for each of the four health-related factors identified by Williams and Wechsler (1972; 1973). This sampling was regarded as adequate to evaluate the replicability of the Williams and Wechsler (1972; 1973) factors (Gorsuch, 1983).

## Health Belief Variables

Health belief variables included multidimensional Health locus of control (MHLC) and perceived susceptibility to and severity of illnesses. MHLC measured the extent of an individual's beliefs based on internal control, Providence control, and chance control, as previously discussed. The scales had reasonable internal consistency and in the present sample, evidence of validity from prior research was supported. A Health Threat, General Health Threat, was constructed from the Health Beliefs scale. Exploratory analyses with this scale provided no support for the existence of a separate factor. Hence, Health Beliefs may have been the only Health Beliefs scale identified.

Perceived susceptibility to illness was measured by asking the respondent to indicate how likely it was that they would experience each of 10 health problems in the next 12 months. Ratings were made on a scale from 1 (least likely) to 5 (most likely). The health problems were: influenza, heart disease, cancer, stroke, diabetes, tuberculosis, AIDS, asthma, skin rash, and back or strain of neck or shoulder. A Health Threat

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...


...the ... of ... with ... the ... of ...


...the ... of ... with ... the ... of ...


...the ... of ... with ... the ... of ...

...the ... of ... with ... the ... of ...









Green, 1984). Therefore, although the cluster analytic categories may ultimately prove useful for refining health behavior concepts, the following discussion focuses on the factor analytic categories defined in this study.

Taking methodological differences into account, the factor analyses in this study identified four empirically replicable, theoretically meaningful subcategories of health behavior. "Health Hazards Avoidance" includes behaviors that reduce the risk of illness by minimizing exposure to environmental conditions or behavioral requirements which might overtax the body's adaptive capacity. The replicability of this category was evident in the fact that it combined most of Harris and Guten's (1979) "Health Practices" cluster with their "Environmental Hazards Avoidance" cluster, but clearly emphasized the former. The conceptual significance of "Health Hazards Avoidance" derives from its similarity to the concept of "at-risk behaviors," i.e., actions taken by healthy individuals to minimize the probability of developing a specific health condition (Kolbe, 1983).

"Preventive Habits" included the use of health professionals' services and actions to reduce the risk of accidents (e.g., repairing hazards around the home). This category combined Harris and Guten's (1979) "preventive health care" and "safety practices" clusters. This category also included both marker variables for Williams and Wechsler's (1972; 1973) "checkup" factor. Langlie's (1977) identification of an "indirect risk" factor consisting of similar behaviors provides further evidence of the empirical consistency of this category. Conceptually, "Preventive Habits" correspond to "preventive health behaviors," i.e., actions taken by healthy individuals to prevent illness or detect it while in an asymptomatic state (Kolbe, 1983).

"Risk Taking" included behaviors which increased the likelihood of accidents, primarily through risky driving habits. This category corresponded to Williams and Wechsler's (1972; 1973) factor of the same name. A similar factor representing a somewhat broader range of activities was identified by Tapp and Goldenthal (1982). Conceptually, "Risk Taking" could represent the negative aspect of "at-risk behaviors." However, if this equation were made, it would be reasonable to ask why "Risk Taking" and "Health Hazards Avoidance" did not form a single bipolar dimension. Perhaps the emphasis on driving behavior produced a highly specific risk taking factor that is not representative of general risk taking tendencies. With better sampling of these tendencies, "Risk Taking" might merge with "Preventive Habits" to form a bipolar health behavior category. However, Tapp and

Goldenthal (1982) did not find this to be the case and the correlation between these behavior composites in this study did not support this possibility.

The "Health Hygiene" category was more difficult to evaluate than the other categories. The behaviors forming this category may indicate concerns for positive health promotion (e.g., exercise, weight control), but also included behaviors such as "live by religious principles" which are not easily interpreted as indicating such concerns. Initially, the factor was accepted as meaningful because both markers for Williams and Wechsler's (1972; 1973) second factor were assigned to this category. However, both Harris and Guten (1979) and Tapp and Goldenthal (1982) produced findings which combined "Health Hygiene" behaviors with "Health Hazards Avoidance" behaviors. The decision to retain "Health Hygiene" as a separate behavior category was supported by the finding that the "Health Hygiene" composite was significantly related to health beliefs, but "Health Hazards Avoidance" was not. Further justification for a separate "Health Hygiene" category is provided by the correspondence between "Health Hygiene" and the concept of "wellness behaviors," i.e., actions undertaken by healthy individuals to attain even better health. The "Health Hygiene" category probably has been poorly defined in prior research because the health behaviors studied have included few instances of wellness behavior.

The associations between health beliefs and the health behavior composites illustrated the importance of the conceptual distinctions implied by the composites. This study demonstrated at least two, and possibly three, distinct patterns of association between health behavior subcategories and health beliefs. Other studies have shown similar trends (Guten & Harris, 1979; Langlie, 1977), but it is impossible to say whether specific patterns of association have been replicated across studies because of interstudy differences in the health behaviors studied and/or the operationalization of particular health beliefs.

Although extensive interpretation of the health belief-health behavior associations would be premature until these findings have been replicated, two points are noteworthy. First, it is unlikely that general health beliefs will provide a substantial basis for explaining health behaviors. Findings reported by other researchers suggest that the weak associations described here may be representative of the explanatory power of health beliefs relative to health behaviors (e.g., Harris & Guten, 1979; Langlie, 1977; Winefield, 1982; Wallston & Wallston, 1981; Seeman & Seeman, 1983; Allen & Taylor, 1984). Future research therefore



should explore means of improving the prediction of health behaviors, e.g., by considering additional conceptual models (Allen & Taylor, 1984), including measures of health values (Wallston & Wallston, 1981), and incorporating methodological modifications such as increasing the behavioral specificity of the health belief assessments.

The second noteworthy point was that the absence of significant correlations between health beliefs and the "Health Hazards Avoidance" and "Risk Taking" composites was a reminder that behavior which affects health is not necessarily motivated by health concerns. For example, performance of the behaviors in the "Health Hazards Avoidance" category could indicate a liking for physical and psychological comfort rather than a concern for health. This point is important because health motivation is part of the accepted definition of health behaviors (Kasl & Cobb, 1966; Harris & Guten, 1979; Kolbe, 1983). Given this definition, there would be reason to question whether "Health Hazards Avoidance" and "Risk Taking" can be classified as "health behaviors." One implication of this observation is that a re-examination of the definition of health behaviors may be in order. Another implication is that non-health motives should be considered for inclusion in health behavior studies to improve the prediction and understanding of behaviors such as "Health Hazards Avoidance" and "Risk Taking."

The findings of this study, combined with other available evidence, indicate that an intermediate level of aggregation for health behaviors is feasible and appropriate. At present, the categories for such aggregation are ill-defined, but there is sufficient convergence of available findings to illustrate that identifying empirically replicable, theoretically meaningful categories is a reasonable research goal. The emphasis in health behavior research should therefore shift from exploratory studies assessing the feasibility of identifying such categories to confirmatory studies designed to improve the delineation of the number of categories, their behavioral boundaries, and their place in a general model of health behavior.

The preceding discussion of available findings mentioned several gray areas in the current conceptualization of health behaviors that can be addressed in future studies to achieve the above objectives. These gray areas include the breadth of the domain of at-risk behaviors, the possibility that underrepresentation of wellness behaviors has influenced the available findings regarding the number of health behavior categories, an apparent bias toward sampling primar-

ly positive health behaviors so that potentially bipolar health behavior dimensions appear unipolar, and the possibility that "Health Hazards Avoidance" behaviors are not motivated by health concerns. These gray areas suggest possible hypotheses to be tested in future research with systematic sampling of health behaviors and analyzed with an exploratory factor analysis (Gorsuch, 1983, pp. 127-141) to test the goodness of fit between alternative hypotheses and the data. A shift from exploratory studies to testing explicit hypotheses should accelerate the development of explanatory models which can be used to predict health behaviors and to develop programs to modify those behaviors when they are maladaptive.

#### REFERENCES

- Allen, H.M., Jr. & Taylor, S.E. Alternative theories of health policy attitudes and protective behaviors: Self interest, sociotropy, and socialization. Basic and Applied Social Psychology, 1984, 5, 19-35.
- Gorsuch, R.L. Factor Analysis. Hillsdale, NJ: Erlbaum, 1983.
- Green, L.W. Status identity and preventive health behavior. Pacific Health Education Reports, No. 1, 1970.
- Green, L.W. Modifying and developing health behavior. Annual Review of Public Health, 1984, 5, 215-236.
- Harris, C.W. On factors and factor scores. Psychometrika, 1967, 32, 363-378.
- Harris, D.M. & Guten, S. Health-protective behavior: An exploratory study. Journal of Health and Social Behavior, 1979, 20, 17-29.
- Hartigan, J. BMDP1M: Cluster analysis of variables. In W. J. Dixon (ed.), BMDP Statistical Software: 1983 Printing with Additions. Berkeley, CA: University of California Press, 1983, pp. 448-455.
- Kasi, S.V. & Cobb, S. Health behavior, illness behavior, and sick-role behavior. 1. Health and illness behavior. Archives of Environmental Health, 1966, 12, 246-266.
- Kim, J.O. & Mueller, C.W. Factor Analysis: Statistical Methods and Practical Issues. Beverley Hills, CA: Sage University Press, 1978.
- Kolbe, L. Improving the health status of children: An epidemiological approach to establishing priorities for behavioral research. In Proceedings of the National Conference on Research and Development in Health Education with Special Reference to Youth. Southampton, England: Southampton University Press, 1983.
- Langlie, J.K. Social networks, health beliefs, and preventive health behavior. Journal of Health and Social Behavior, 1977, 18, 244-260.
- Lau, R.R. & Ware, J.F. Refinements in the measurement of health-specific locus-of-control beliefs. Medical Care, 1981, 19, 1147-1158.
- Rosenstock, I.M. Why people use health services. Milbank Memorial Fund Quarterly, 1966, 44(Part 2), 94-127.

- Seeman, M. & Seeman, T.E. Health behavior and personal autonomy: A longitudinal study of the sense of control in illness. Journal of Health and Social Behavior, 1983, 24, 144-160.
- Steele, J.L. & McBroom, W.H. Conceptual and empirical dimensions of health behavior. Journal of Health and Social Behavior, 1972, 13, 382-392.
- Tapp, J.T. & Goldenthal, P. A factor analytic study of health habits. Preventive Medicine, 1982, 11, 724-728.
- Wallston, K.A. & Wallston, B.S. Health locus of control scales. In H. M. Delfcourt (ed.), Research with the Locus of Control Construct. Volume 1: Assessment Methods. N.Y.: Academic Press, 1981, pp. 226-234.
- Williams, A.F. & Wechsler, H. Interrelationship of preventive actions in health and other areas. Health Services Reports, 1972, 87, 969-976.
- Williams, A.F. & Wechsler, H. Dimensions of preventive behavior. Journal of Consulting and Clinical Psychology, 1973, 40, 420-425.
- Winetried, H.R. Reliability and validity of the Health Locus of Control Scale. Journal of Personality Assessment, 1982, 46, 614-619.
- Zedeck, S. Problems with the use of moderator variables. Psychological Bulletin, 1971, 76, 295-310.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                      | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------|
| 1. REPORT NUMBER<br>84-18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2. GOVT ACCESSION NO.<br>10-1/22 246 | 3. RECIPIENT'S CATALOG NUMBER                                                      |
| 4. TITLE (and Subtitle)<br>HEALTH BEHAVIORS: EMPIRICAL CONSISTENCY AND<br>APPROPRIATE SUBDOMAINS OF SUBDOMAINS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                      | 5. TYPE OF REPORT & PERIOD COVERED<br>Interim                                      |
| 7. AUTHOR(s)<br>B. E. Anderson, Jr. and Linda K. Herwig                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                      | 6. PERFORMING ORG. REPORT NUMBER                                                   |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>Naval Medical Research Center<br>1411 Research Bldg.<br>Bethesda, California 91284-0100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                      | 8. CONTRACT OR GRANT NUMBER(s)                                                     |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>Naval Medical Research and Development Command<br>Naval Medical Research, National Capital Region<br>Washington, Maryland 20314                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                      | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS<br>MR041-0100A-0002 |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)<br>Naval Medical Command<br>1411 Research Bldg.<br>Bethesda, California 91284                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                      | 12. REPORT DATE<br>June 1984                                                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                      | 13. NUMBER OF PAGES                                                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                      | 15. SECURITY CLASS. (of this report)<br>UNCLASSIFIED                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                      | 15a. DECLASSIFICATION DOWNGRADING<br>SCHEDULE                                      |
| 16. DISTRIBUTION STATEMENT (of this Report)<br>Approved for public release; distribution unlimited.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                      |                                                                                    |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)<br>Approved for public release; distribution unlimited                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                      |                                                                                    |
| 18. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                      |                                                                                    |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)<br>Health behaviors<br>Factor analysis<br>Methodology<br>Health belief model                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                      |                                                                                    |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br>This study examined the feasibility and utility of categorizing health behaviors (HB) into subdomains. Prior evidence has been inconclusive because few studies have examined large numbers of HB and because analysis procedures have varied across studies. Data regarding 37 HB were obtained from 191 young men. Factor and cluster analyses identified 4 HB categories consistent with prior findings; descriptive labels were "Health Hazards Avoidance," "Risk Taking," "Preventive Habits," and "Health Hygiene." These categories correspond to suggested conceptual distinctions in the HB literature. To name |                                      |                                                                                    |

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

S/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

There were at least 100 people in the crowd, many of whom were  
with the woman, and the crowd was very noisy. The crowd was  
noisy for the entire afternoon. The crowd was very noisy for  
the entire afternoon. The crowd was very noisy for the entire  
afternoon. The crowd was very noisy for the entire afternoon.  
The crowd was very noisy for the entire afternoon. The crowd  
was very noisy for the entire afternoon. The crowd was very  
noisy for the entire afternoon. The crowd was very noisy for  
the entire afternoon. The crowd was very noisy for the entire  
afternoon. The crowd was very noisy for the entire afternoon.

S. N. 0102-LE-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

**END**

**FILMED**

5-85

**DTIC**