

THE BROADBAND NORMAL MODE MODEL PROTEUS(U) TEXAS UNIV
AT AUSTIN APPLIED RESEARCH LABS R F GRAGG 01 AUG 85
ARL-TH-85-6 N00014-83-K-0346

UNCLASSIFIED

F/G 20/1

NL

END

FILMED

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

ARL-TM-85-6

Copy No. 36

2

THE BROADBAND NORMAL MODE MODEL PROTEUS

Robert F. Gragg

APPLIED RESEARCH LABORATORIES
THE UNIVERSITY OF TEXAS AT AUSTIN
POST OFFICE BOX 8029, AUSTIN, TEXAS 78713-8029

1 August 1985

Technical Memorandum

Approved for public release;
distribution unlimited

Prepared for:

SPACE AND NAVAL WARFARE SYSTEMS COMMAND
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20360

Monitored by:

NAVAL OCEAN RESEARCH AND
DEVELOPMENT ACTIVITY
NSTL STATION, MS 39529



DTIC
ELECTE
SEP 1 1985
S I D
A

AD-A159 091

DTIC FILE COPY

85 9 10 004

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO. AD-A159091	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE BROADBAND NORMAL MODE MODEL PROTEUS		5. TYPE OF REPORT & PERIOD COVERED technical memorandum
		6. PERFORMING ORG. REPORT NUMBER ARL-TM-85-6
7. AUTHOR(s) Robert F. Gragg		8. CONTRACT OR GRANT NUMBER(s) N00014-83-K-0345
9. PERFORMING ORGANIZATION NAME AND ADDRESS Applied Research Laboratories The University of Texas at Austin Austin, Texas 78713-8029		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Space and Naval Warfare Systems Command Department of the Navy Washington, DC 20360		12. REPORT DATE 1 August 1985
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Naval Ocean Research and Development Activity NSTL Station, MS 39529		13. NUMBER OF PAGES 26
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) PROTEUS broadband normal modes range invariant environment NEMESIS		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report describes the PROTEUS model, a computer program developed at Applied Research Laboratories, The University of Texas at Austin (ARL:UT), to calculate a broadband set of normal modes for range invariant environments.		

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	v
EXECUTIVE SUMMARY	
I. INTRODUCTION	1
II. OUTLINE OF THE PROBLEM	3
III. COMPUTER METHODS	5
IV. SAMPLE OUTPUT	7
REFERENCES	17

✓

1. Distribution/

2. Availability Codes

3. Name only, or

4. Special

A1



LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Shallow Water Environment Sound Speed Profile for Water and Sediment (densities are for water, sediment, and substrate)	8
2	Mode 1 at 30, 40, ..., 100 Hz	9
3	Mode 2 at 30, 40, ..., 100 Hz	10
4	Mode 3 at 30, 40, ..., 100 Hz	11
5	Mode Penetration Depths for Modes 1, 2, and 3 at 30, ..., 100 Hz	12
6	Eigenvalues for Modes 1 to 30 at 30, ..., 100 Hz	13
7	Group Velocities for Modes 1 to 30 at 30, ..., 100 Hz	14
8	Mode Arrival Times at 1 km Range for Modes 1 to 30 at 30, ..., 100 Hz	15

EXECUTIVE SUMMARY

This report describes the PROTEUS model, a computer program developed at Applied Research Laboratories, The University of Texas at Austin (ARL:UT), to calculate a broadband set of normal modes for range invariant environments.

The detection of a low frequency broadband sound source in shallow water has become a significant problem in underwater acoustics. The assessment of the environment's impact on such a detection process requires (in addition to a specification of the source and a choice of detection algorithm) some means of modeling the signal propagation. Ray theory, while an excellent approximation for high frequency or deep water, loses its validity in the present regime where the water may not be many wavelengths deep. A wave theory propagation model such as a normal mode model is needed.

At ranges of interest (≥ 5 water depths) continuous spectrum contributions are nil, and the acoustic field can be constructed solely from the discrete modes. The calculation of a suitable mode set for a given frequency is well understood¹ and computer models exist to do the job. PROTEUS is a multifrequency extension of one such model--ARL:UT's robust single frequency mode model NEMESIS.²

The normal mode model, ARL:UT, developed

I. INTRODUCTION

In 1983 the normal mode model PROTEUS ^{for use in analysis} was developed at ARL:UT for use in the analysis of ocean acoustic data. The model and its postprocessors simulate broadband propagation in range invariant environments. A wave theoretic approach was chosen to allow operation at low frequency in shallow water (≈ 200 Hz, ≈ 300 m), where ray theory may not be applicable. PROTEUS ^{is} based on the original ARL:UT single frequency normal mode model NEMESIS in order to limit software development time while producing a reliable program with a familiar user interface. This report describes the foundations of the PROTEUS model ^{and its} and presents sample output products. ^{See also ARL:UT (see to p. vi)}

II. OUTLINE OF THE PROBLEM

PROTEUS solves the depth separated wave equation

$$\frac{d^2 u_n}{dz^2} + \left\{ \frac{\omega^2}{c(z)^2} - k_n^2 \right\} u_n = 0 \quad , \quad (1)$$

with boundary conditions

$$u_n(0) = 0 \quad , \quad (2)$$

$$\rho_\ell * u_n(H_\ell^-) = \rho_{\ell+1} * u_n(H_\ell^+) \quad , \quad (3)$$

$$\left. \frac{du_n}{dz} \right|_{z=H_\ell^-} = \left. \frac{du_n}{dz} \right|_{z=H_\ell^+} \quad , \quad (4)$$

where

u_n is the eigenfunction (a velocity potential),

k_n is the eigenvalue,

z is the depth,

ω is the (radian) source frequency,

$c(z)$ is the sound speed profile,

ℓ is the environmental layer index

(1 = water, 2 = first sediment layer, ...),

H_ℓ^- , H_ℓ^+ are the depths just above and below the bottom of the ℓ th layer ($H_0^+ = 0$),

ρ_ℓ is the density of the ℓ th layer, and

n is the mode number.

The boundary conditions embody the following physical requirements.

- (1) The sound field must vanish at the air-water interface (pressure release condition).
- (2) The pressure must be continuous.
- (3) The vertical component of the fluid velocity must be continuous.

Operation is limited to low frequency (less than 1 kHz), and to range invariant environments. The model assumes that the environment is composed of up to 10 horizontally stratified fluid layers representing the water and the sediment. Within each layer the sound speed may vary with depth, but the density remains constant throughout the layer. Below the fluid layers is a semi-infinite substrate with constant density, sound speed, and shear speed. Sound speeds and densities may be discontinuous at layer boundaries.

III. COMPUTER METHODS

In constructing the model, attention has been focused on the development of analytical capability rather than on the development of new numerical methods. Consequently, the proven methods used in NEMESIS (e.g., parallel shooting with a Numerov integrator) were adopted wherever and whenever possible. The remainder of this section describes the "fixes" that proved necessary for efficient broadband operation.

Speed was an important factor. The necessary broadband products could be generated by separate NEMESIS runs at a series of frequencies, together with an interpolation postprocessor. That approach, however, is too slow. It wastes a great deal of time by making the iterative algorithm start over from scratch at each new frequency. Instead, at each frequency above the lowest one, PROTEUS gets its initial eigenvalue estimate by extrapolating the results from the previous frequency. The estimate for k_n at $\omega + \Delta\omega$ is simply

$$k_n(\omega + \Delta\omega) \approx k_n(\omega) + \frac{\Delta\omega}{v_n(\omega)},$$

where $k_n(\omega)$ and $v_n(\omega)$ are, respectively, the eigenvalue and group velocity found at the previous frequency, ω . For frequency steps of typically $\Delta\omega/2\pi \approx 10$ Hz, this bootstrap procedure reduces the required iterations and thus the run time by roughly a factor of 10.

Another important consideration was portability of the model. NEMESIS was written in FORTRAN 66 and Control Data Corporation (CDC) assembly language. Had PROTEUS followed this lead, it would be necessary to change the assembly language portions at every non-CDC facility, and probably to convert to the now standard FORTRAN 77. Instead, PROTEUS was implemented entirely in ANSI standard FORTRAN 77. Portability problems should thus be reduced to an absolute minimum.

After speed and portability, the most important design factor was the data storage method. The model generates large output files which must be accessed repeatedly by the postprocessor routines to obtain eigenvalue/eigenfunction information for various frequencies and mode numbers. To make this process as efficient as possible, the data files are direct access files, which can be accessed randomly according to record number. Each is accompanied by a sequential directory file which associates record number with mode number and frequency. To extract data, a postprocessor need only read the correct record numbers from the directory file and then access the data file. This avoids the considerable expense that would be associated with reading all the data from one large sequential file.

IV. SAMPLE OUTPUT

This section contains examples of the graphical outputs of the postprocessors currently available for PROTEUS. All of them pertain to the environment shown in Fig. 1. This figure depicts the sound speed profile in the water and sediment and is labeled with the densities of the water, sediment (a single layer in this example), and substrate, as well as the name of the data file (IND4).

Figures 2, 3, and 4 show the first three modes in 10 Hz increments from 30 to 100 Hz. (They have discontinuities at the sediment interface since they are velocity potentials, rather than pressures.) From these, the user can form qualitative estimates of (1) the amount of vertical movement of the mode maxima with frequency and (2) the degree of mode penetration into the sediment. Figure 5 quantifies the latter. Here, the mode penetration depths (i.e., turning depths) for these modes are shown as a function of frequency.

In Fig. 6, the eigenvalues for the first 30 modes are plotted against frequency. The associated group velocities and resulting mode arrival times at 1 km are plotted in Figs. 7 and 8, respectively.

FILE IND4

DENSITIES (GM/CC)

1.04
1.65
2.30




FIGURE 1
SHALLOW WATER ENVIRONMENT SOUND SPEED
PROFILE FOR WATER AND SEDIMENT
(DENSITIES ARE FOR WATER, SEDIMENT, AND SUBSTRATE)

FREQUENCY FILE IND4
30.00 HZ TO 100.00 HZ




FIGURE 2
MODE 1 AT 30, 40, ..., 100 Hz

FREQUENCY FILE IND4
30.00 HZ TO 100.00 HZ




FIGURE 3
MODE 2 AT 30, 40, ..., 100 Hz

FREQUENCY FILE IND4
30.00 HZ TO 100.00 HZ




FIGURE 4
MODE 3 AT 30, 40, ..., 100 Hz

IND4




FIGURE 5
MODE PENETRATION DEPTHS FOR
MODES 1, 2, AND 3 AT 30, ..., 100 Hz

IND4




FIGURE 6
EIGENVALUES FOR MODES 1 TO 30 AT 30, ..., 100 Hz




FIGURE 7
GROUP VELOCITIES FOR MODES 1 TO 30 AT 30, ..., 100 Hz

IND4

RANGE = 1000. M




FIGURE 8

MODE ARRIVAL TIMES AT 1 km RANGE FOR MODES 1 TO 30
AT 30, ..., 100 Hz

REFERENCES

1. R. Gonzalez, "The Numerical Solution of the Depth Separated Acoustic Wave Equation," M.A. Thesis, The University of Texas at Austin, 1979.
2. ARL:UT Technical Report on NEMESIS, in preparation.

1 August 1985

DISTRIBUTION LIST FOR
ARL-TM-85-6
UNDER CONTRACT N00014-83-K-0345

Copy No.

	Commanding Officer Space and Naval Warfare Systems Command Department of the Navy Washington, DC 20360
1	Attn: LT B. Ogg (Code 612)
2	R. Mitnick (Code 612)
3	CDR C. Spikes (PDE 124-60)
4	L. Parish (PDE 124-50)
5	K. E. Hawker (PDE 124-60AC)
	Commanding Officer Naval Ocean Research and Development Activity NSTL, MS 39529
6	Attn: E. D. Chaika (Code 270)
7	R. Gardner (Code 201)
8	D. B. King (Code 321)
9	W. A. Kuperman (Code 220)
10	R. Martin (Code 110A)
11	W. W. Worsley (Code 110A)
	Chief of Naval Research Department of the Navy Arlington, VA 22217
12	Attn: M. McKisic (Code 4250A)
	Office of Naval Research Detachment Naval Ocean Research and Development Activity NSTL, MS 39529
13	Attn: G. Morris (Code 425GG)
	Director Naval Research Laboratory Department of the Navy Washington, DC 20375
14	Attn: B. B. Adams (Code 8160)
	Commanding Officer Naval Ocean Systems Center Department of the Navy San Diego, CA 92152
15	M. A. Pederson
16	H. P. Bucker

Distribution List for ARL-TM-85-6 under Contract N00014-83-K-0345
(Cont'd)

Copy No.

17	Commander Naval Sea Systems Command Department of the Navy Washington, DC 20362 Attn: D. E. Porter (Code 63R1)
18	Commander Naval Surface Weapons Center White Oak Laboratory Department of the Navy Silver Spring, MD 20910
19	Commander David W. Taylor Naval Ship Research and Development Center Department of the Navy Bethesda, MD 20034
20	Naval Oceanographic Office Department of the Navy NSTL, MS 39522 Attn: W. Jobst (Code 7300)
21	J. Allen (Code 7310)
22	R. Hecht (Code 7332)
23	Commander Naval Air Development Center Department of the Navy Warminster, PA 18974 Attn: C. L. Bartberger
24	Commander Naval Air Systems Command Department of the Navy Washington, DC 20362 Attn: S. McBurnett
25	Officer in Charge New London Laboratory Naval Underwater Systems Center Department of the Navy New London, CT 06320 Attn: B. Cole
26	F. R. DiNapoli
27	P. Herstein

Distribution List for ARL-TM-85-6 under Contract N00014-83-K-0345
(Cont'd)

Copy No.

28	Director Naval Warfare Deputy Undersecretary Defense R&E Room 3D1048, Pentagon Washington, DC 20301
29	OASN (R,E&S) Room 4D745, Pentagon Washington, DC 20301 Attn: G. A. Cann
30	Superintendent Naval Postgraduate School Monterey, CA 93940 Attn: Library
31	Commander Naval Coastal Systems Center Department of the Navy Panama City, FL 32407 Attn: G. McLeroy
32 33	Defense Advanced Research Projects Agency 1400 Wilson Blvd. Arlington, VA 22209 Attn: CDR K. Evans (TTO) C. E. Stuart
34	Commander Naval Intelligence Support Center 4301 Suitland Road Washington, DC 20390
35 - 46	Commanding Officer and Director Defense Technical Information Center Cameron Station, Building 5 5010 Duke Street Alexandria, VA 22314
47	Woods Hole Oceanographic Institution 86-95 Water Street Woods Hole, MA 02543 Attn: R. Spindel

Distribution List for ARL-TM-85-6 under Contract N00014-83-K-0345
(Cont'd)

Copy No.

	Science Applications, Inc. 1710 Goodridge Drive McLean, VA 22101
48	Attn: C. Spofford
49	J. Hanna
	Applied Research Laboratory The Pennsylvania State University P. O. Box 30 State College, PA 16801
50	Attn: S. McDaniel
	Marine Physical Laboratory of The Scripps Institution of Oceanography The University of California, San Diego San Diego, CA 92132
51	Attn: F. Fisher
52	G. Shor
	Scripps Institution of Oceanography The University of California, San Diego La Jolla, CA 92037
53	Attn: Library
54	R. Tyce
	Bell Telephone Laboratories, Inc. Whippany Road Whippany, NJ 07961
55	Attn: A. Carter
56	R. Holford
57	D. Romain
	Planning Systems, Inc. 7900 Westpark Drive, Suite 507 McLean, VA 22101
58	Attn: R. Cavanaugh
59	B. Brunson
	TRW, Inc. TRW Defense & Space Systems Group Washington Operations 7600 Colshire Drive McLean, VA 22101
60	Attn: R. T. Brown
61	I. Gereben

Distribution List for ARL-TM-85-6 under Contract N00014-83-K-0345
(Cont'd)

Copy No.

62	Defence Scientific Establishment HMNZ Dockyard Devonport, Auckland NEW ZEALAND Attn: K. M. Guthrie
63	Defence Scientific Establishment Naval Post Office Auckland, NEW ZEALAND Attn: Scientist-in-Charge
64	School of Mechanical Engineering Georgia Institute of Technology Atlanta, GA 30332 Attn: A. D. Pierce
65	Department of Geology and Geophysics Geophysical and Polar Research Center Lewis G. Weeks Hall for Geological Sciences The University of Wisconsin, Madison 1215 W. Dayton Street Madison, WI 53706 Attn: C. S. Clay
66	Courant Institute 251 Mercer Street New York, NY 10012 Attn: D. C. Stickler
67	Bolt, Beranek, & Newman, Inc. 50 Moulton Street Cambridge, MA 02138 Attn: H. Cox
68	Hawaii Institute of Geophysics The University of Hawaii 2525 Correa Road Honolulu, HI 96822 Attn: L. N. Frazer
69	Director North Atlantic Treaty Organization SACLANT ASW Research Centre APO New York 09019 Attn: T. Akal

Distribution List for ARL-TM-85-6 under Contract N00014-83-K-0345
(Cont'd)

Copy No.

70 Defence Research Establishment Pacific
 FMO Victoria, BC
 VOS 180 CANADA
 Attn: R. Chapman

71 Defence Research Establishment Atlantic
 9 Grove Street
 P. O. Box 1012
 Dartmouth, NS
 CANADA
 Attn: D. Chapman

72 Rosentail School of Marine and
 Atmospheric Science
 The University of Miami
 10 Rickenbacker Causeway
 Miami, FL 33149
 Attn: H. DeFarrari

73 Applied Physics Laboratory
74 The Johns Hopkins University
 Johns Hopkins Road
 Laurel, MD 20810
 Attn: J. Lombardo
 R. Henrick

75 Department of Ocean Engineering
76 Massachusetts Institute of Technology
77 Cambridge, MA 02139
 Attn: I. Dyer
 G. Duckworth
 A. Baggerar

78 The University of Miami
 10 Rickenbacker Causeway
 Miami, FL 33149
 Attn: F. Tappert

79 Physics Department
 The University of Rhode Island
 Kingston, RI 02881
 Attn: C. Kaufman

Distribution List for ARL-TM-85-6 under Contract N00014-83-K-0345
(Cont'd)

Copy No.

80	Department of Electrical Engineering Polytechnic Institute of New York Farmingdale, NY 11735 Attn: L. B. Felsen
81	I. Tolstoy Knockvennie, Castle Douglas S. W. SCOTLAND GREAT BRITAIN
82	Department of Geology The University of Texas at Austin Austin, TX 78712 Attn: C. Wilson
83 84	Physics Department The University of Auckland Private Bag, Auckland NEW ZEALAND Attn: A. C. Kibblewhite C. T. Tindle
85	Chinhae Research Laboratory P. O. Box 18 Chinhae, Kyeong Nam KOREA Attn: Jungyul Na
86	The Lamont-Doherty Geological Observatory Columbia University Palisades, NY 10964 Attn: R. D. Stoll
87 88	Ocean Data Systems, Inc. Defense Systems 6110 Executive Blvd., Suite 320 Rockville, MD 20852 Attn: G. Jacobs P. C. Etter
89	Nancy R. Bedford, ARL:UT
90	Karl C. Focke, ARL:UT
91	Stephen G. Houser, ARL:UT
92	Jo B. Lindberg, ARL:UT

Distribution List for ARL-TM-85-6 under Contract N00014-83-K-0345
(Cont'd)

Copy No.

93	Robert A. Koch, ARL:UT
94	David Knobles, ARL:UT
95	Stephen K. Mitchell, ARL:UT
96	David W. Oakley, ARL:UT
97	Clark S. Penrod, ARL:UT
98	Carol V. Sheppard, ARL:UT
99	Paul J. Vidmar, ARL:UT
100	Library, ARL:UT
101 - 111	Reserve, ARL:UT

END

FILMED

11-85

DTIC