

AD-A166 606

ONE-COMPONENT PLASMA MODEL AND LARGE Z LABORATORY
PLASMAS(U) BATTELLE COLUMBUS LABS ON R L LIBOFF ET AL.
APR 86 ARFSD-CR-86005 DAAG29-81-D-0100


1/1

UNCLASSIFIED

F/G 20/9

NL





MICROCOPY

CHART

12

AD-A166 606

AD

~~AD-E401-488~~

CONTRACTOR REPORT ARFSD-CR-86005


**ONE-COMPONENT PLASMA MODEL AND
LARGE Z LABORATORY PLASMAS**

**RICHARD L. LIBOFF
SCHOOL OF ELECTRICAL ENGINEERING
AND APPLIED PHYSICS
CORNELL UNIVERSITY
ITHACA, NY 14853**

**G. L. FERRENTINO
PROJECT ENGINEER**

**DTIC
SELECTE
APR 14 1986
S E D**

APRIL 1986



**US ARMY
ARMAMENT
MUNITIONS &
CHEMICAL COMMAND
ARMAMENT R&D CENTER**

U. S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT CENTER

FIRE SUPPORT ARMAMENT CENTER

DOVER, NEW JERSEY

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

DTIC FILE COPY

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

Destroy this report when no longer needed. Do not return to the originator.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Contractor Report ARFSD-CR-86005	2. GOVT ACCESSION NO. AD-A166606	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ONE-COMPONENT PLASMA MODEL AND LARGE Z LABORATORY PLASMAS	5. TYPE OF REPORT & PERIOD COVERED Interim Aug 85 to Dec 85	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Richard L. Liboff, Cornell University G. L. Ferrentino, Project Engineer, ARDC	8. CONTRACT OR GRANT NUMBER(s) DAA G29-81-D-0100 (D.O. No. 1769, TCN 85-526)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS School of Electrical Engineering and Applied Physics Cornell University Ithaca, NY 14853	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS ARDC, IMD STINFO Div (SMCAR-MSI) Dover, NJ 07801-5001 (cont)	12. REPORT DATE April 1986	
	13. NUMBER OF PAGES	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) ARDC, FSAC Artillery Armament Div (SMCAR-FSA-E) Dover, NJ 07801-5001	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This research was supported in part by Battelle Columbus Laboratory.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Railgun, Thermodynamic Plasma, Internal energy Pressure, Recombination Temperature, Electrons Equation of state		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Stemming from an expression for the mean two-particle potential energy of a two-component laboratory plasma comprised of ions of charge Ze and electrons, it is argued that for sufficiently large Z , thermodynamic properties of such plasmas are the same as those relevant to Wigner's one-component plasma model. Thus, an equation of state is obtained for a strongly coupled laboratory plasma with $Z \geq 5$.		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

11. CONTROLLING OFFICE NAME AND ADDRESS: (cont)

Commander
U.S. Army Research Office
ATTN: AMCRO-PR
P.O. Box 12211
Research Triangle Park, NC 27709

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

CONTENTS

	Page
Introduction	1
Discussion	2
References	9
Distribution List	11

INTRODUCTION

Stemming from an expression for the mean two-particle potential energy of a two-component laboratory plasma comprised of ions of charge Ze and electrons, it is argued that for sufficiently large Z , thermodynamic properties of such plasmas are the same as those relevant to Wigner's one-component plasma model. Thus the following equation of state is obtained for a laboratory plasma with $Z \geq 5$ and $\Gamma \geq 1$.

$$\frac{P}{nk_B T} = 1 + \frac{d}{3} + \frac{1}{3} (\bar{a}\Gamma + b\Gamma^{1/4} + c\Gamma^{-1/4})$$

In this equation, P is pressure, T is temperature, n is ion number density and \bar{a} , b , c , d are known numerical constants. The plasma parameter $\Gamma = (Ze)^2 / ak_B T$ where $4\pi a^3 / 3$ represents mean occupation volume per ion.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



DISCUSSION

Strongly coupled plasmas play a role in recombination approaches to x-ray lasing [1], inertial-confinement fusion devices [2], the interiors of certain super-dense stars [3], and in plasma-driven rail-gun devices [4].

For the most part studies addressing strongly coupled plasmas [5,6,7] have employed a plasma model due to Wigner [8] which was conceived for the purposes of studying phase transition to the solid state. This medium is called "jellium", or more commonly, a "one-component plasma", which often carries the abbreviation, OCP. An OCP is comprised of ions moving in a charge-neutralizing uniform negative background.

In the present work attention is directed at a laboratory plasma comprised of ions of charge Ze and electrons in equilibrium at a given temperature. Examining the interaction energy of the plasma indicates that for $Z \geq 5$, thermodynamic properties such as internal energy and equation of state are given by corresponding expressions appropriate to an OCP. As an application of this finding, the equation of state for such a relatively high Z plasma is obtained from a previously constructed expression for the Helmholtz free energy [9].

With the plasma under consideration comprised of electrons and ions of charge eZ , charge neutrality implies the constraint

$$eV(n_e - Zn_Z) = 0 \quad (1)$$

where V is plasma volume and n_e and n_Z are electron and ion number densities, respectively. The approximate equality in

(1) derives from the inherent statistical nature of a plasma. For a two-component plasma, three interactions contribute to the mean two-particle potential energy and we write

$$\langle V \rangle = (4\pi)^{1/3} [n_e^{1/3} e^2 - (n_e n_Z)^{1/6} Z e^2 + n_Z^{1/3} (Z e)^2] \quad (2)$$

With the constraint (1) we may set $n_e = Z n_Z$ and (2) becomes

$$\langle V \rangle = e^2 (4\pi n_Z)^{1/3} (Z^{1/3} - Z^{7/6} + Z^2) \quad (3)$$

Thus in the limit

$$Z^2 \gg Z^{1.17} \quad (4)$$

the relation (3) reduces to

$$\langle V \rangle = (4\pi n_Z)^{1/3} (Z e)^2 \quad (5)$$

which we recognize to be the interaction potential of a one-component plasma comprised of ions of charge Ze .

This similarity may be further illustrated through the plasma parameter [10,11]

$$\gamma^{2/3} = \frac{\langle V \rangle}{\langle E_K \rangle} = \frac{\langle V \rangle}{k_B T} \quad (6)$$

where $\langle E_K \rangle$ is mean kinetic energy per particle. The relevance of γ to the properties of a plasma is evident from (6). Namely, with this expression we may conclude that a plasma is strongly coupled when $\gamma \geq 1$ and weakly coupled when $\gamma \ll 1$.

Substituting (5) into (6) gives (dropping the Z subscript on n_Z)

$$\gamma^{2/3} = \frac{(Ze)^2 (4\pi n)^{1/3}}{k_B T} \quad (7)$$

which, again, is the plasma parameter relevant to an OCP with ions of charge Ze .

The canonical expression for γ is given by

$$\gamma = \frac{1}{4\pi n \lambda_D^3} \quad (8)$$

where λ_D is the Debye distance.^{13,14} With the latter two expressions we find

$$\lambda_D^2 = \frac{k_B T}{4\pi n (Ze)^2} \quad (9)$$

which is seen to be the Debye distance for an OCP comprised of ions of charge Ze .

These relations may be cast in terms of a plasma parameter more common to studies of OCP. It is given by

$$\Gamma = (Ze)^2 / a k_B T \quad (10)$$

where a^3 is a measure of the mean occupation volume per ion.

That is,

$$\frac{4}{3} \pi a^3 n = 1 \quad (11)$$

The parallel structure of γ and Γ is evidenced by rewriting

(8):

$$\gamma = \frac{(Ze)^2/\lambda_D}{k_B T} \quad (12a)$$

$$\Gamma = \frac{(Ze)^2/a}{k_B T} \quad (12b)$$

so that

$$\gamma^2 = 3 \Gamma^3$$

We may conclude that the previously stated criterion that separates weakly from strongly coupled plasmas may also be given in terms of Γ .

Thus, we find that in the limit (4), the coupling and parameters of a two-component plasma of electrons and ions of charge Ze reduce to those relevant to an OCP of ions of charge Ze in a negative background. We may conclude that thermodynamic properties such as internal energy and equation of state for a two-component laboratory plasma with $Z \gg Z^{1.17}$ are the same as those of an OCP comprised of the same species of ions.

Numerical work of Slattery, Doolan and DeWitt [9] established the following expression for internal energy U for the fluid phase of an OCP.

$$\frac{U}{Nk_B T} = \bar{a}\Gamma + b\Gamma^{1/4} + c\Gamma^{-1/4} + d + \bar{e}\Gamma/N \quad (13)$$

where N is total ion number and

$$\begin{aligned} \bar{a} &= -0.898, & b &= 0.950, & c &= 0.190, \\ d &= -0.815, & \bar{e} &= 0.010 \end{aligned}$$

The Helmholtz free energy, F , may then be obtained through integration. Namely,

$$\frac{F(\Gamma)}{Nk_B T} = \int_{\Gamma_1}^{\Gamma} \left[\frac{U(\Gamma')}{Nk_B T} + 3 \right] d\Gamma' + \frac{F(\Gamma_1)}{Nk_B T} \quad (14)$$

The normalized free energy $F(\Gamma_1)/Nk_B T$, with $\Gamma_1 = 1$ was calculated employing various contributions over the unit interval. There results (in the limit of large N) [9]

(15)

$$\frac{F(\Gamma)}{Nk_B T} = \bar{a}\Gamma + 4(b\Gamma^{1/4} - c\Gamma^{-1/4}) + (d+3) \ln \Gamma - (\bar{a} + 4b - 4c + 1.152)$$

With this value of free energy at hand an equation of state is obtained from the thermodynamic relation

$$P = - \left(\frac{\partial F}{\partial V} \right)_T \quad (16)$$

To perform this differentiation we first rewrite Γ (10,12b) in explicit form

$$\Gamma = \frac{(Ze)^2}{k_B T} \left(\frac{4\pi N}{3V} \right)^{1/3} \quad (17)$$

There results

$$\frac{\partial \Gamma}{\partial V} = - \frac{\Gamma}{3V} \quad (18)$$

Differentiating (15) we obtain

$$\frac{1}{Nk_B T} \frac{\partial F}{\partial V} = [\bar{a} + b\Gamma^{-3/4} + c\Gamma^{-5/4} + (d+3)\Gamma^{-1}] \frac{\partial \Gamma}{\partial V} \quad (19)$$

With (16) and (18) we then obtain

$$\frac{PV}{Nk_B T} = 1 + \frac{d}{3} + \frac{1}{3} (\bar{a}\Gamma + b\Gamma^{1/4} + c\Gamma^{-1/4}) \quad (20)$$

With the previously stated argument we may conclude that (13) and (20) are valid energy and equation-of-state formulas for a laboratory plasma comprised of ions and electrons in equilibrium at a given temperature and obeying the constraint (4). Note in particular that for $Z = 5$ (completely ionized boron) $Z^{1.17}/Z^2 = 0.26$. For $Z = 13$ (completely ionized aluminum) this ratio becomes 0.12. Thus the proposed equivalence should be valid for $Z \geq 5$. It is also important to note that this equivalence is not appropriate to processes where the dynamics of electrons come into play, such as conductivity [12].

REFERENCES

1. D. M. Heffernan and R. L. Liboff, J. Plasma Phys. 27, 473 (1982).
2. K. Brueckner and S. Jorna, Revs. Mod. Phys. 46, 325 (1975).
3. E. E. Salpeter and H. M. Van Horn, Astrophys. J. 155, 183 (1969).
4. A collection of papers on electromagnetic propulsion is given in IEEE Trans. on Magnetics, Mag-20, March (1984).
5. S. Ichimaru, Revs. Mod. Phys. 54, 1017 (1982).
6. M. Baus and J. P. Hansen, Phys. Rep. 59, 1 (1980).
7. G. Kalman and P. Carini, Strongly Coupled Plasmas (Plenum, New York, 1978).
8. E. P. Wigner, Trans. Faraday Soc. (London) 34, 678 (1938).
9. W. L. Slattery, G. D. Doolen and H. E. Dewitt, Phys. Rev. A21, 2087 (1980); Phys. Rev. A26, 2255 (1982).
10. R. L. Liboff, J. Appl. Phys. 56, 2530 (1984)
11. P. M. Platzman and P. A. Wolf, Waves and Interactions in Solid State Plasmas (Academic, New York, 1973).
12. L. Spitzer, Jr., Physics of Fully Ionized Gases, (Interscience, New York, 1956).

DISTRIBUTION LIST

Commander
Armament Research and Development Center
U.S. Army Armament, Munitions
and Chemical Command
ATTN: SMCAR-FSA-E (5)
SMCAR-MSI (5)
SMCAR-SF
Dover, NJ 07801-5001

Commander
U.S. Army Armament, Munitions
and Chemical Command
ATTN: AMSMC-QAR-R(D)
Dover, NJ 07801-5001

Administrator
Defense Technical Information Center
ATTN: Accessions Division (12)
Cameron Station
Alexandria, VA 22304-6145

Director
U.S. Army Materiel Systems
Analysis Activity
ATTN: AMXSY-MP
Aberdeen Proving Ground, MD 21005-5066

Commander
Chemical Research and Development Center
U.S. Army Armament, Munitions
and Chemical Command
ATTN: SMCCR-SPS-IL
Aberdeen Proving Ground, MD 21010-5423

Commander
Chemical Research and Development Center
U.S. Army Armament, Munitions
and Chemical Command
ATTN: SMCCR-RSP-A
Aberdeen Proving Ground, MD 21010-5423

Director
Ballistic Research Laboratory
ATTN: AMXBR-OD-ST
Aberdeen Proving Ground, MD 21005-5066

Chief
Benet Weapons Laboratory, CCAC
Armament Research and Development Center
U.S. Army Armament, Munitions
and Chemical Command
ATTN: SMCAR-CCB-TL (2)
Watervliet, NY 12189-5000

Commander
U.S. Army Armament, Munitions
and Chemical Command
ATTN: SMCAR-ESP-L
Rock Island, IL 61299-6000

Director
U.S. Army TRADOC Systems
Analysis Activity
ATTN: ATAA-SL
White Sands Missile Range, NM 88002

Director
Defense Advanced Research
Projects Agency
ATTN: DARPA-TTO, H. D. Fair, Jr. (5)
1400 Wilson Boulevard
Arlington, VA 22209

Commander
U.S. Army Strategic Defense Command
ATTN: DASD-DP, LTC N. Cooney (2)
P.O. Box 15280
Arlington, VA 22215-0151

System Planning Corporation
ATTN: Donald E. Shaw
1500 Wilson Boulevard
Arlington, VA 22209-2454

Center for Electromechanics
ATTN: W. Weldon (2)
10100 Burnet Road
Austin, TX 78758

Commander
HQ, AFSC/DLWA
ATTN: CPT R. Reynolds
Andrews Air Force Base, MD 20334

Commander
Naval Sea Systems Command
ATTN: LCDR Joseph R. Costa
Washington, DC 20362

Commander
Air Force Armament Technology Laboratory
ATTN: DLDG, Timothy Aden
Eglin Air Force Base, FL 32542-5270

Commander
U.S. Army Research Office
ATTN: AMXRO-PR, H. T. Throckmorton
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
Strategic Defense Initiative Organization
ATTN: SDIO/KEW, BG M. O'Neil (2)
Washington, DC 20301-7100

Electromagnetic Launch Research, Inc.
ATTN: Henry Kolm
Peter P. Mongeau
625 Putnam Avenue
Cambridge, MA 92139

Westinghouse Electric Company
ATTN: Lan R. McNab, Manager,
EML Engineering
Marine Division, MS ED-5
401 E. Hendy Avenue
P.O. Box 499
Sunnyvale, CA 94088

Brookhaven National Laboratory
ATTN: James R. Powell, Jr., Head,
Fusion Technology Group
Building 820M
Upton, NY 11973

General Electrical Company
ATTN: Alan Wait, Manager,
EML Systems Technology
RD-3 Plains Road
Ballston Spa, NY 12020

END
FILMED

5-86

DTIC