

MICROCOPY

CHART

2

NRL Memorandum Report 5776

AD-A168 008

GAMBLE-II Imploding Sodium Plasma II. Uniformly Filled Z-Pinch

J. DAVIS, J. E. ROGERSON AND J. P. APRUZESE

*Plasma Radiation Branch
Plasma Physics Division*

DTIC
ELECTE
MAY 23 1986
S D
D

May 8, 1986

DTIC FILE COEN

This research was sponsored by the Defense Nuclear Agency under Subtask QIEQMXLA,
work unit 00006 and work unit title "XRL Source."



NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release. distribution unlimited.

86 5 22 019

REPORT DOCUMENTATION PAGE

| | | | |
|---|---|---|--------------------------------------|
| 1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED | | 1b. RESTRICTIVE MARKINGS | |
| 2a. SECURITY CLASSIFICATION AUTHORITY | | 3. DISTRIBUTION / AVAILABILITY OF REPORT | |
| 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE | | Approved for public release; distribution unlimited. | |
| 4. PERFORMING ORGANIZATION REPORT NUMBER(S) NRL Memorandum Report 5776 | | 5. MONITORING ORGANIZATION REPORT NUMBER(S) | |
| 6a. NAME OF PERFORMING ORGANIZATION Naval Research Laboratory | 6b. OFFICE SYMBOL (if applicable) Code 4720 | 7a. NAME OF MONITORING ORGANIZATION Defense Nuclear Agency | |
| 6c. ADDRESS (City, State, and ZIP Code) Washington, DC 20375-5000 | | 7b. ADDRESS (City, State, and ZIP Code) Alexandria, VA 22310 | |
| 8a. NAME OF FUNDING / SPONSORING ORGANIZATION Defense Nuclear Agency | 8b. OFFICE SYMBOL (if applicable) RAEV | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER | |
| 8c. ADDRESS (City, State, and ZIP Code) Alexandria, VA 22310 | | 10. SOURCE OF FUNDING NUMBERS | |
| | | PROGRAM ELEMENT NO. 62715H | PROJECT NO. |
| | | TASK NO. | WORK UNIT ACCESSION NO. DN155-166 |
| 11. TITLE (Include Security Classification) GAMBLE-II Imploding Sodium Plasma - II. Uniformly Filled Z-Pinch | | | |
| 12. PERSONAL AUTHOR(S) Davis, J., Rogerson, J. E. and Apruzese, J. P. | | | |
| 13a. TYPE OF REPORT Interim | 13b. TIME COVERED FROM 10/85 TO 2/86 | 14. DATE OF REPORT (Year, Month, Day) 1986 May 8 | 15. PAGE COUNT 36 |
| 16. SUPPLEMENTARY NOTATION This research was sponsored by the Defense Nuclear Agency under Subtask QIEQMXLA, work unit 00006 and work unit title "XRL Source." | | | |
| 17. COSATI CODES | | 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) | |
| FIELD | GROUP | SUB-GROUP | |
| | | Z-pinch | |
| | | Sodium plasma | |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number) | | | |
| The dynamics and radiative properties of a GAMBLE-II imploded uniformly filled sodium Z-pinch plasma are described. Parameters for the initial plasma have been carefully chosen to coincide with current experiments involving a capillary discharge. Results indicate that the sodium heliumlike resonance line achieves sufficiently high radiated flux levels to provide an interesting source of radiation for fluorescence and x-ray laser experiments with a comparison neon plasma. | | | |
| 20. DISTRIBUTION AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS | | 21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED | |
| 22a. NAME OF RESPONSIBLE INDIVIDUAL Jack Davis | | 22b. TELEPHONE (Include Area Code) (202) 767-3278 | 22c. OFFICE SYMBOL Code 4720 |

CONTENTS

I. INTRODUCTION 1

II. RESULTS AND DISCUSSION 2

ACKNOWLEDGMENTS 4

REFERENCES 4

| | |
|----------------------|-------------------------------------|
| Accession For | |
| NTIS CRA&I | <input checked="" type="checkbox"/> |
| DTIC TAB | <input type="checkbox"/> |
| Unannounced | <input type="checkbox"/> |
| Justification | |
| By | |
| Distribution / | |
| Availability Codes | |
| Dist | Avail and/or Special |
| A-1 | |



GAMBLE-II IMPLoding SODIUM PLASMA II. Uniformly Filled Z-Pinch

I. Introduction

The feasibility of developing a source of intense x-ray emission from an imploding sodium gas puff plasma on the GAMBLE II generator in support of x-ray laser experiments has been firmly established theoretically.¹ The results of numerical simulations using the SIMPLODE code to characterize the implosion dynamics of a sodium gas puff plasma indicate that it is theoretically feasible to generate significant radiation flux levels in the heliumlike resonance line for the flashlamp x-ray laser concept to succeed. Preliminary calculations support the possibility of observing fluorescence in the heliumlike neon system for the sodium flux levels achievable by the GAMBLE II generator and possibly lasing when the higher power DOUBLE EAGLE generator drives the sodium plasma and creates the flashlamp. Unfortunately, sodium as a material load introduces a variety of experimental problems that are not easily solved technologically. However, because the Na/Ne x-ray laser scheme is still the prototype of the line coincidence photopumping schemes, it is important to establish its validity experimentally.

However, as already mentioned, making a sodium gas puff plasma is a challenging experimental problem. Rather than "fly in the face of adversity" and try to overcome some of the technological difficulties, an alternative approach will be adopted. The procedure involves using a capillary discharge to create a sodium plasma which is injected between the cathode/anode gap on GAMBLE II. Instead of a hollow annular gas puff plasma, initial experiments with this technique should produce a uniformly filled plasma. The experimental apparatus and procedure are discussed elsewhere by F. C. Young, et. al.² The flow dynamics and characteristics of the capillary discharge and injection into the GAMBLE II test area will be presented by D. Mosher in a separate report. We will assume that this procedure is possible and investigate the implosion dynamics of a uniformly filled sodium Z-pinch plasma. As in our earlier investigation, the focus will be on the radiation flux levels achieved in the heliumlike resonance line of sodium.

Manuscript approved February 19, 1986.

II. Results and Discussion

Calculations were performed to evaluate the performance of an imploding Z-pinch sodium plasma for conditions typical of the GAMBLE II generator. The mass per unit length is uniformly distributed and taken to be 30 $\mu\text{gm/cm}$ in all the simulations. The current waveform driving the plasma is shown in Fig. 1 as a function of time and has a peak value of 1.2 Megamps at about 70 nsec. The plasmas' morphology is shown in the subsequent Figs. 2-6 where radius, velocity, temperature, ion density, and total yield are shown as a function of time, respectively. The initial plasma radius was chosen as 0.75 cm. The figures are self-explanatory and do not exhibit any unusual features. Because the plasma is tighter, i.e. a smaller initial radius, the peak plasma parameters occur in time closer to peak current than similar gas puff simulations. At the plasma pinch, the temperature and ion density peak, reaching values of about 1.55 keV and $5 \times 10^{19} \text{cm}^{-3}$, respectively. For such high values of temperature the ionization stages are burned-through, fully stripping the plasma. This result will subsequently manifest itself in a reduction of the line radiation, producing a dip in the radiation profile. The total radiative yield for this case reaches a value of 6.9 Kjoules and reflects good coupling between load and generator, from a radiative viewpoint.

The behavior of the various components of the radiative power (Watts) is presented in Figs. 7-13. These include contributions from bound-bound, free-bound, and free-free processes. In addition, the results are further catalogued into two energy groups - above and below 1 keV. The line radiation is further divided into the L- and K-line contributions. All the results presented in Figs. 7-13 are shown as a function of time. Also, since similar results have been described elsewhere in considerable detail and most of what is presented here is self-explanatory, we will adopt a Cook's tour philosophy and only point out some interesting features along the way. In Fig. 7 the line radiation below 1 keV exhibits a dip in the radiated power just at the time of the pinch. This also coincides with the time of peak temperature reducing the available number of lower charge states from which the bulk of this radiation emanates. In Fig. 8 the very early time behavior should be ignored because it represents the initial conditions, i.e., an initial temperature of 20 eV. The bulk of this

radiation is due to free-bound processes. Figs. 9 and 10 display similar quantities except these represent contributions from transitions above 1 keV. Note the differences in magnitudes between these two sets of figures. In Fig. 11 we have superimposed the L- and K-line contributions while in Fig. 12 the continuum has been included. Figs. 13 and 14 are the same as Figs. 11 and 12 but are linear in Y instead of logarithmic. This provides a more realistic idea of the magnitudes of the various quantities. Also note that on Fig. 13 the K-line peak slightly precedes the L-line peak; this also occurs on some of the gas puff simulations. The final four figures of this set present the total radiated cooling rates for line, continuum (including bremsstrahlung), bremsstrahlung alone, and the sum of all these. They are shown in Figs. 15, 16, 17 and 18, respectively. At peak implosion the bremsstrahlung and free-bound continuum contributions are comparable and are of the same order as the total line contribution. Again, this is a reflection of the high temperature at pinch. The emission spectrum (Watts/cm²) is shown as a function of energy (keV) at 84.2 nsec into the implosion in Fig. 19. Due to the high temperature at peak implosion the most prominent features of the spectrum are the hydrogen- and helium-like resonance lines, respectively. A few additional transitions are identified for convenience. They are represented as H and He transitions for brevity. Also, some of the lines originate from superlevels or lumped levels and they appear simply as, for example, H(5-2). Finally, over 75% of the total radiated power is due to line radiation and is predominantly from the K-shell. The heliumlike resonance line accounts for about 25% of the total line radiation. The peak radiated power from this line is about 3×10^{10} watts as shown in Fig. 20. The dip in this power profile near peak is explained above. The radiated power from the heliumlike resonance line as a function of radius for a fixed mass of 30 $\mu\text{g}/\text{cm}$ and length of 4 cm is shown in Fig. 21. In comparison with the radiated power from a sodium gas puff plasma, the uniformly filled Z-pinch plasma generates a slightly higher radiative flux for smaller initial radius. The more important virtue of the uniformly filled plasma is that it is probably easier to produce experimentally and inject into the diode gap than a hollow annular plasma.

In summary, both the uniformly filled and hollow Z-pinch plasma can provide heliumlike sodium resonance line radiated flux levels from the GAMBLE II generator to irradiate and pump the $1s^2-1s4p^1P$ line in heliumlike neon producing at least fluorescence, and possibly a modest gain.

ACKNOWLEDGMENTS

This work was supported by the SDIO through the DNA. We would like to thank Drs. F. C. Young and D. Mosher for suggesting this work and thank Dr. Young for his comments on the manuscript.

REFERENCES

1. J. Davis, J. E. Rogerson, and J. P. Apruzese, GAMBLE-II Imploding Sodium Plasma - I: Calibration of the Heliumlike Resonance Line as a Pump Source and Detection of Fluorescence in Neon, NRL Memorandum Report 5765, April 10, 1986.
2. F. C. Young, et.al., IEEE Plasma Science Conference, Saskatchewan, Canada, May (1986).




Fig. 1 GAMBLE II current as a function of time.




Fig. 2 Radius as a function of time.




Fig. 3 Implosion velocity as a function of time.




Fig. 4 Temperature as a function of time.




Fig. 5 Ion density as a function of time.




Fig. 6 Total radiative yield (Joules) as a function of time.




Fig. 7 Line radiation (watts) below 1 keV as a function of time.




Fig. 8 Continuum radiation (watts) below 1 keV as a function of time.




Fig. 9 Line radiation (watts) above 1 keV as a function of time.




Fig. 10 Continuum radiation (watts) above 1 keV as a function of time.




Fig. 11 L- and K-line radiation (watts) as a function of time.




Fig. 12 L- and K-line and continuum radiation (watts) as a function of time.




Fig. 13 L- and K-line radiation (watts) as a function of time.




Fig. 14 L- and K-line and continuum radiation (watts) as a function of time.




Fig. 15 Total line radiation (watts) as a function of time.




Fig. 16 Total continuum radiation (watts) as a function of time.




Fig. 17 Total bremsstrahlung radiation (watts) as a function of time.




Fig. 18 Total radiation (watts) as a function of time.

energy vs tot intens. (sodium 30)




Fig. 19 Emission spectra (watts/cm²) as a function of energy (keV) at 84.2 nsec.




Fig. 20 Radiation from heliumlike resonance line (watts) as a function of time.

$$\frac{M}{\ell} = 30 \mu\text{gm/cm}$$




Fig. 21 Radiation from heliumlike resonance line (watts) as a function of initial radius of the discharge.

DISTRIBUTION LIST

| | |
|--|--|
| Assistant to the Secretary of Defense Atomic Energy Washington, D.C. 20301 ATTN: Executive Assistant | 1 Copy |
| Defense Technical Information Center Cameron Station 5010 Duke Street Alexandria, Va 22314 | 2 copies |
| Director Defense Intelligence Agency Washington, D.C. 20301 ATTN: DT-1B R. Rubenstein | 1 Copy |
| Director Defense Nuclear Agency Washington, D.C. 20305 ATTN: DDST ATTN: TITL ATTN: RAEV ATTN: STVI | 1 copy 4 copies 1 copy 1 copy |
| Commander Field Command Defense Nuclear Agency Kirtland AFB, New Mexico 87115 ATTN: FCPR | 1 Copy |
| Chief Field Command Livermore Division Department of Defense P.O. Box 808 Livermore, CA 94550 ATTN: FCPRL | 1 Copy |
| Director Joint Strat TGT Planning Staff Offutt AFB Omaha, Nebraska 68113 ATTN: JLKS | 1 Copy |
| Undersecretary of Defense for RSCH and ENGRG Department of Defense Washington, D.C. 20301 ATTN: Strategic and Space Systems (OS) | 1 Copy |

Deputy Chief of Staff for RSCH DEV and ACQ
Department of the Army
Washington, D.C. 20301
ATTN: DAMA-CSS-N

1 Copy

Commander
Harry Diamond Laboratories
Department of the Army
2800 Powder Mill Road
Adelphi, MD 20783
ATTN: DELHD-N-NP
ATTN: DELHD-R J. Rosado
ATTN: DELHD-TA-L (Tech. Lib.)

1 copy each

U.S. Army Missile Command
Redstone Scientific Information Center
Attn: DRSMI-RPRD (Documents)
Redstone Arsenal, Alabama 35809

3 Copies

Commander
U.S. Army Missile Command
Redstone Arsenal, Alabama 35898
ATTN: DRCPM-PE-EA

1 copy

Commander
U.S. Army Nuclear and Chemical Agency
7500 Backlick Road
Building 2073
Springfield, VA 22150
ATTN: Library

1 copy

Commander
Naval Intelligence Support Center
4301 Suitland Road, Bldg. 5
Washington, D.C. 20390
ATTN: NISC-45

1 Copy

Commander
Naval Weapons Center
China Lake, California 93555
ATTN: Code 233 (Tech. Lib.)

1 Copy

Officer in Charge
White Oak Laboratory
Naval Surface Weapons Center
Silver Spring, Md. 20910
ATTN: Code R40
ATTN: Code F31

1 Copy each

| | |
|--|-------------|
| Air Force Weapons Laboratory Kirtland AFB, New Mexico 87117 ATTN: SUL ATTN: CA ATTN: APL ATTN: Lt. Col Generosa | 1 Copy each |
| Deputy Chief of Staff Research, Development and Accounting Department of the Air Force Washington, D. C. 20330 ATTN: AFRDQSM | 1 Copy |
| Commander U.S. Army Test and Evaluation Command Aberdeen Proving Ground, MD 21005 ATTN: DRSTE-EL | 1 Copy |
| AVCO Research and Systems Group 201 Lowell Street Wilmington, MA 01887 ATTN: Library A830 | 1 Copy |
| BDM Corporation 7915 Jones Branch Drive McLean, Virginia 22101 ATTN: Corporate Library | 1 Copy |
| Berkeley Research Associates P.O. Box 983 Berkeley, CA 94701 ATTN: Dr. Joseph Workman | 1 Copy |
| Berkeley Research Associates P.O. Box 352 5532 Hempstead Way Springfield, VA 22151 ATTN: Dr. Joseph Orens | 1 Copy each |
| Boeing Company P. O. Box 3707 Seattle, WA 98134 ATTN: Aerospace Library | 1 Copy |
| The Dikewood Corporation 1613 University Bldg., N.E. Albuquerque, New Mexico 87110 ATTN: L. Wayne Davis | 1 Copy |

| | |
|--|-------------|
| General Electric Company Space Division Valley Forge Space Center P. O. Box 8555 Philadelphia, PA 19101 ATTN: J. Peden | 1 Copy |
| General Electric Company - Tempo Center for Advanced Studies 816 State Street P.O. Drawer QQ Santa Barbara, CA 93102 ATTN: DASIAC | 1 Copy |
| Institute for Defense Analyses 1801 N. Beauregard St. Alexandria, VA 22311 ATTN: Classified Library | 1 Copy |
| IRT Corporation P.O. Box 81087 San Diego, CA 92138 ATTN: R. Mertz | 1 Copy |
| JAYCOR 11011 Forreyane Rd. P.O. Box 85154 San Diego, CA 92138 ATTN: E. Wenaas F. Felbar | 1 Copy |
| JAYCOR 205 S. Whiting Street, Suite 500 Alexandria, VA 22304 ATTN: R. Sullivan | 1 Copy |
| KAMAN Sciences Corp. P. O. Box 7463 Colorado Springs, CO 80933 ATTN: Library | 1 copy each |
| Lawrence Livermore National Laboratory University of California P.O. Box 808 Livermore, California 94550 Attn: DOC CDN for L-153 Attn: DOC CDN for L-47 L. Wouters Attn: DOC CDN for Tech. Infor. Dept. Lib. | 1 copy each |
| Lockheed Missiles and Space Co., Inc. P. O. Box 504 Sunnyvale, CA 94086 Attn: S. Taimly Attn: J.D. Weisner | 1 copy each |

| | |
|---|-------------|
| Lockheed Missiles and Space Co., Inc. 3251 Hanover Street Palo Alto, CA 94304 Attn: J. Perez | 1 Copy |
| Maxwell Laboratory, Inc. 9244 Balboa Avenue San Diego, CA 92123 ATTN: A. Kolb ATTN: M. Montgomery ATTN: J. Shannon | 1 Copy each |
| McDonnell Douglas Corp. 5301 Bolsa Avenue Huntington Beach, CA 92647 ATTN: S. Schneider | 1 Copy |
| Mission Research Corp. P. O. Drawer 719 Santa Barbara, CA 93102 ATTN: C. Longmire ATTN: W. Hart | 1 Copy each |
| Mission Research Corp.-San Diego 5434 Ruffin Rd. San Diego, California 92123 ATTN: Victor J. Van Lint | 1 Copy |
| Northrop Corporation Northrop Research and Technology Center 1 Research Park Palos Verdes Peninsula, CA 90274 ATTN: Library | 1 Copy |
| Northrop Corporation Electronic Division 2301 120th Street Hawthorne, CA 90250 ATTN: V. Damarting | 1 Copy |
| Physics International Company 2700 Merced Street San Leandro, CA 94577 ATTN: M. Krishnan ATTN: C. Gilman ATTN: S. Wong | 1 Copy each |
| R and D Associates P.O. Box 9695 Marina Del Rey, CA 90291 ATTN: W. Graham, Jr. ATTN: P. Haas | 1 Copy each |

| | |
|--|-------------|
| Sandia National Laboratories P.O. Box 5800 Albuquerque, New Mexico 87115 ATTN: Doc Con For 3141 ATTN: D. McDaniel ATTN: P. VanDevender ATTN: K. Matzen, Code 4247 | 1 copy each |
| Science Applications, Inc. P. O. Box 2351 La Jolla, CA 92038 ATTN: R. Beyster | 1 copy |
| Spire Corporation P. O. Box D Bedford, MA 01730 ATTN: R. Little | 1 copy |
| SRI International 333 Ravenswood Avenue Menlo Park, CA 94025 ATTN: S. Dairiki | 1 copy |
| S-CUBED P. O. Box 1620 La Jolla, CA 92038 ATTN: A. Wilson | 1 copy |
| Director Strategic Defense Initiative Organization 1717 H Street Pentagon 20301-7100 ATTN: DE Lt. Col Richard Gullickson/DEO IST Dr. Dwight Duston ATTN: IST Dr. J. Ionson | 1 copy each |
| Texas Tech University P.O. Box 5404 North College Station Lubbock, TX 79417 ATTN: T. Simpson | 1 copy |
| TRW Defense and Space Systems Group One Space Park Redondo Beach, CA 90278 ATTN: Technical Information Center | 1 Copy |
| University of Buffalo Dept. of Electrical Engineering Attn: Prof. J. Sargent 3435 Main Street Buffalo, New York 14214 | 1 Copy |

Naval Research Laboratory
Plasma Radiation Branch
Washington, DC 20375-5000

Code 4720 - 50 Copies
Code 4700 - 26 Copies
Code 2628 - 20 Copies
Code 1220 - 1 Copy

Director of Research
U.S. Naval Academy
Annapolis, MD 21402

02 Copies

END

DTic

6-86