


AD-A168 024


MAGNETIC RECONNECTION IN LASER-PLASMA INTERACTIONS IN A 1/1
BACKGROUND MAGNETIC FIELD(U) NAVAL RESEARCH LAB
WASHINGTON DC A J KESKINEN 09 MAY 86 NRL-NR-3766

UNCLASSIFIED

F/G 20/9

NL





MICROCOPY RESOLUTION TEST CHART
 NATIONAL BUREAU OF STANDARDS-1963-A

NRL Memorandum Report 5766

Magnetic Reconnection in Laser-Plasma Interactions in a Background Magnetic Field

M. J. KESKINEN

*Geophysical and Plasma Dynamics Branch
Plasma Physics Division*

May 9, 1986

DTIC
ELECTE
MAY 23 1986
S D

This research was sponsored by the Defense Nuclear Agency under Subtask W99QMXWA,
work unit 00010 and work unit title "Plasma Structure Evolution."



NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited.

86 5 22 01 8

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			Approved for public release; distribution unlimited.		
4. PERFORMING ORGANIZATION REPORT NUMBER(S) NRL Memorandum Report 5766			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Naval Research Laboratory	6b. OFFICE SYMBOL (If applicable) Code 4780	7a. NAME OF MONITORING ORGANIZATION			
6c. ADDRESS (City, State, and ZIP Code) Washington, DC 20375-5000		7b. ADDRESS (City, State, and ZIP Code)			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Defense Nuclear Agency	8b. OFFICE SYMBOL (If applicable) RAAE	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
8c. ADDRESS (City, State, and ZIP Code) Washington, DC 20305		10. SOURCE OF FUNDING NUMBERS			
		PROGRAM ELEMENT NO. 63223G	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO. BR010-43
11. TITLE (Include Security Classification) Magnetic Reconnection in Laser-Plasma Interactions in a Background Magnetic Field					
12. PERSONAL AUTHOR(S) Keskinen, M. J.					
13a. TYPE OF REPORT Interim	13b. TIME COVERED FROM TO	14. DATE OF REPORT (Year, Month, Day) 1986 May 9		15. PAGE COUNT 29	
16. SUPPLEMENTARY NOTATION This research was sponsored by the Defense Nuclear Agency under Subtask W99QMXWA, work unit 00010 and work unit title "Plasma Structure Evolution."					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Magnetic reconnection, Plasma jetting		
			Self-generated magnetic field		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) For laser irradiances I in the ablative regime ($I \leq 10^{14} \text{ Wcm}^{-2}$), focussed on a small solid target it is shown that magnetic field-reversed configurations, defined by the laser-produced self-generated magnetic field and an externally applied magnetic field perpendicular to the laser axis, are possible near the laser-target interaction region. Approximate conditions under which these field-reversed regions undergo driven reconnection are investigated. Magnetic reconnection of the background magnetic field with the laser-induced spontaneous magnetic field can lead to distortion and dissipation of the background magnetic field near the laser-target interaction region.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL J. D. Huba			22b. TELEPHONE (Include Area Code) (202) 767-3630		22c. OFFICE SYMBOL Code 4780

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted
All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

CONTENTS

I. INTRODUCTION	1
II. SELF-GENERATED MAGNETIC FIELDS AND FIELD-REVERSED CONFIGURATIONS	3
III. DRIVEN MAGNETIC RECONNECTION	5
IV. SUMMARY AND DISCUSSION	8
ACKNOWLEDGMENTS	9
REFERENCES	16

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

MAGNETIC RECONNECTION IN LASER-PLASMA INTERACTIONS IN A BACKGROUND MAGNETIC FIELD

I. INTRODUCTION

By generating large-scale (tens to hundreds of kilometers), long-lived (several hours) ionization structures and irregularities, the natural ionosphere and magnetosphere can be significantly disturbed by a high altitude nuclear explosion (HANE). Since these structures and irregularities can degrade communication systems operating in or through the near earth space plasma, it is of utmost importance to possess a detailed knowledge of a HANE evolution. Recently, laboratory simulations of a HANE have been started¹ at the Naval Research Laboratory using laser irradiation of small solid targets.

The manner by which exploding debris plasma couples into the background air is an important feature of the early time (first few seconds) evolution of a HANE. The spatial and temporal nature of the early time coupling could seed the evolution and structure of later time ionization irregularities and striations. This coupling can either be collisional (particle-particle), Larmor (magnetic), or collisionless² (wave-particle) depending on the densities and temperatures of the background plasma. Collisionless coupling proceeds via plasma microturbulence which in turn results from various plasma instabilities driven by the relative streaming between debris and air plasma. Turn-on conditions^{3,4} for collisionless coupling, in the context of the current NRL laser experiment, have been derived. An important parameter in the

Manuscript approved February 7, 1986.

excitation of the aforementioned plasma microinstabilities is the local magnetic field in the debris-air coupling region. If the magnetic field is small, several of the debris-air coupling instabilities will not be excited. As a result, in the context of laser-target interactions and associated plasma debris characteristics, a detailed description of the early time magnetic field evolution and morphology is important. Ref. 5 has summarized and discussed analytical models of magnetic field evolution and structure in laser-plasma interactions both with and without an externally applied magnetic field. In Ref. 6 it was shown that electron thermal conduction near the target can be modified due to the self-generated magnetic fields leading to preferential debris back-jetting along the laser axis. However, since the self-generated magnetic fields are known to be azimuthal⁷ about the laser axis, it is possible that field-reversed magnetic field regions near the target could be generated in the presence of the externally applied magnetic field perpendicular to the laser beam axis as schematically shown in Fig. 1. Such magnetic field-reversed configurations could then undergo reconnection and lead to a distortion and dissipation of the local background magnetic field near the laser-target interaction region.

In this report we investigate the conditions under which such magnetic field-reversed configurations could undergo reconnection. In Section II, we discuss the source of the self-generated magnetic fields and subsequent generation of a field-reversed configuration. In Section III, the possibility, on hydrodynamic time scales, of driven or forced reconnection, between radially convected self-generated magnetic fields and externally applied magnetic fields is discussed. Such reconnection has the effect of locally distorting and dissipating the background magnetic field topology near the field-reversed region. Finally, in Section IV the results of this study are summarized and discussed. The implications of reconnecting

field-reversed regions on plasma jetting and debris coupling are also presented.

II. SELF-GENERATED MAGNETIC FIELDS AND FIELD-REVERSED CONFIGURATIONS

The evolution of the magnetic field in laser-plasma interactions is determined from Faraday's law and the generalized Ohm's law⁸:

$$\frac{e^2}{m_e} \left[\underline{E} + \underline{V} \times \underline{B} - \frac{1}{n_e e} \underline{J} \times \underline{B} + \frac{1}{n_e e} \nabla p_e - \frac{1}{n_e} \underline{R} \right] - \frac{d}{dt} (\underline{j}/n_e) = 0 \quad (1)$$

where $\underline{V}$ is the hydrodynamic velocity, $\underline{j}$ is the current, $\underline{E}$ the electric field, $\underline{B}$ the magnetic field, e the charge, n_e the electron density, m_e the electron mass, p_e the pressure, and $\underline{R}$ represent momentum sources through collisions (thermoelectric, resistive, and cross-field). The terms in brackets in eq. (1) are the various current generating sources: the $\underline{V} \times \underline{B}$ is the usual electro-motive induction force, the $\underline{J} \times \underline{B}$ term is the Hall effect and the ∇p_e is due to electron pressure. Assuming $\underline{R} = n_e n \underline{J}$, where n is the resistivity, and inserting Eq. (1) into Faraday's law we find that the evolution of the magnetic field $\underline{B}$ can be written, to lowest order,

$$\frac{\partial \underline{B}}{\partial t} = \nabla \times \underline{V} \times \underline{B} + \frac{c^2 n}{4\pi} \nabla^2 \underline{B} - \frac{c}{e N_e} \nabla N_e \times \nabla T_e \quad (2)$$

Higher order magnetic field source terms, i.e., terms like $\nabla N_e \times \nabla T_e$ in eq. (2), have also been studied.⁹ Radiation pressure effects have been neglected in Eq. (2) since they can be shown to be small for laser power densities I in the ablative regime ($I \leq 10^{14}$ W/cm²). The source⁷ of the magnetic field (last term in Eq. (2)) is nonzero if ∇N and ∇T are nonparallel and will be determined by the geometrical configuration of the laser-plasma interaction. A cylindrically symmetric laser beam will produce a plasma which expands in the direction normal to the target plane

and is symmetric about its expansion direction. From symmetry considerations there can be no azimuthal density or temperature gradients. During the laser heating of the target, it is reasonable to assume that the dominant contribution to the source term in Eq. (1) is derived from a temperature gradient in the radial direction and a density gradient in the direction of the target normal. Due to the finite radial extent of the laser beam a radial temperature gradient will exist near the edge of the focal spot. This combination of ∇T and ∇N will generate a magnetic field in the azimuthal direction in the form of a torus. The self-generated magnetic field is convected radially by the hot expanding laser plasma as shown experimentally in Ref. 7.

For very short times after the laser pulse has been terminated, i.e., for time scales where the hydrodynamics is not important, e.g., for $t \leq t_H \sim a/C_s$ - several nanoseconds for $a = 1$ mm, $C_s = 10^7$ cm/sec where a is a typical target size and C_s a typical sound speed (for aluminum at $t \sim 100$ ev), the hydrodynamic response of the plasma (second term, in Eq. (2)) can be neglected. Since the diffusive term in Eq. (2) can also be neglected on these fast time scales one can solve Eq. (2) finding

$$B_\theta(t) = \int dt \frac{c}{eN_e} \frac{\partial N_e}{\partial z} \frac{\partial T_e}{\partial r} \quad (3)$$

where we have taken the density gradient to be purely axial and the temperature gradient to be radial. For $\Delta t = 4 \times 10^{-9}$ sec, $T_e = 0.5$ kev, $L_N = L_T = 10^{-4} - 10^{-3}$ cm ($L_N^{-1} = N_e^{-1} \partial N_e / \partial z$, $L_T^{-1} = T_e^{-1} \partial T_e / \partial r$) we find $B_\theta = 10^3 - 10^4$ G. The magnitudes of the self-generated magnetic fields as given by Eq. (3) are in agreement with those obtained using exact solutions¹⁰ of Eq. (2). For a constant external magnetic field on the order of 10^3 G, approximate magnetic field-reversed configurations can be achieved as depicted in Fig. 1.

III. DRIVEN MAGNETIC RECONNECTION

On hydrodynamic time scales the outward radial flow of coronal plasma near the laser-target interaction region can convect the self-generated magnetic field into the background magnetic field^{11,7}. The possibility of driven reconnection between these two magnetic fields must be considered. This model is illustrated in Figure 2. Similar scenarios dealing with the interaction between streaming high β plasma and stationary low β plasma in magnetic-field reversed configuration have also been discussed^{12,13} with regard to both space and laboratory plasmas.

With reference to Fig. 2, an expanded version of the magnetic field-reversal region in Fig. 1, the magnetic fields defined by the self-generated and external fields approach each other with velocity V in the x -direction. In the vicinity of the neutral regions where $B = 0$ (shown in Fig. 2 with approximate planar dimensions $\Delta x \Delta y$) the magnetic fields will diffuse and reconnect (using Eq. (2)) on a time scale $t_R = 4\pi L_x^2 / nc^2$ where L_x is the scale length of the magnetic field gradient in the neutral region. Since $\nabla \times \underline{B} = \nabla B_y / \Delta x$ can be large in the neutral region, large currents $\underline{J} = (c/4\pi) \nabla \times \underline{B}$ in the z -direction can also be generated. Figure 3 gives approximate reconnection times as a function of L_x for several electron temperatures T_e using classical Spitzer resistivity $\eta = 1.15 \times 10^{-14} Z \ln \Lambda T_e^{-3/2} (\text{ev}) \text{ sec}$ with $\ln \Lambda = 24 - \ln [n_e^{1/2} (\text{cm}^{-3}) / T_e (\text{ev})]$ and Z the charge state. For example, for $T_e = 100 \text{ eV}$ and $L_x = 10^{-2} \text{ cm}$, $t_R = 10^{-9} \text{ sec}$.

It is well known that the $\nabla \times \underline{B}$ driven currents, if of sufficient magnitude, can excite plasma microinstabilities which can increase the classical resistivities to such an extent that the time scale for reconnection is considerably reduced. Several candidate plasma microinstabilities are (1) the (1) Buneman instability, (2) ion acoustic, (3) beam-cyclotron, (4) lower hybrid drift instability, (5) modified two

stream, and (6) ion cyclotron drift. Of these, the ion acoustic instability and lower hybrid drift instability have received the most attention. For the ion acoustic instability, one requires¹⁴ a relative electron-ion drift v_d

$$v_d > v_c = (2k_B T_i / m_e)^{1/2} \quad (4)$$

for $0.2 < T_e/T_i < 5$ where

$$v_d = \frac{c}{4\pi n_e} |\nabla \times B| = \frac{c \Delta B_y}{4\pi n_e \Delta x} \quad (5)$$

Inserting this expression for v_d into Eq. (4) we find

$$\Delta x \leq \Delta x_c = \frac{Bc}{4\pi n_e} \left(\frac{m_e}{2k_B T_i} \right)^{1/2} \quad (6)$$

for excitation of the ion acoustic instability where $B = B_y$. Figure 4 displays Δx_c for fixed B and T_i as a function of the electron density n_e . For example, for $n_e = 10^{17} \text{ cm}^{-3}$, $B = 10^3 \text{ G}$, and $T_i = 10 \text{ eV}$ ion acoustic instability will be excited for neutral sheet widths $\Delta x \leq 10^{-3} \text{ cm}$. Figure 5 shows Δx_c for higher fixed magnetic fields $B = 10 \text{ kG}$ and $T_i = 10, 100 \text{ eV}$. For these stronger fields broader current sheets will lead to excitation of the ion acoustic instability.

Several nonlinear theories of the ion acoustic instability have been proposed. Sagdeev¹⁵ has reported an anomalous collision frequency associated with the ion acoustic instability of magnitude

$$\nu^* = 10^{-2} (T_e/T_i) (v_d/v_e) \omega_{pe} \quad (7)$$

with v_e the electron thermal velocity and ω_{pe} the electron plasma frequency. Defining an anomalous resistivity by $\eta^* = (4\pi/\omega_{pe}^2)\nu$ where ν is the effective collision frequency one finds for the ion-acoustic instability

$$\eta^* = 4\pi \times 10^{-2} (T_e/T_i) (\nu_d/\nu_e) \omega_{pe}^{-1} \quad (8)$$

Figure 6 gives the reconnection time scales assuming $\eta = \eta^*$ as given by Eq. (8) as a function of L_x the magnetic field gradient scale length for several electron densities and taking $T_e/T_i = 5$ and $\nu_d/\nu_e = 0.3$. For $n_e = 10^{17} \text{ cm}^{-3}$ and $L_x = 10^{-2} \text{ cm}$, $t_R^* = 10^{-11} \text{ sec}$. This leads to an approximate two orders of magnitude reduction in the reconnection time compared with classical resistivity $t_R = 10^{-9} \text{ sec}$ for similar scale lengths (see Fig. 3).

In terms of the merging rate $M = V_{in}/V_A$ where V_{in} is the velocity of field line transport in the diffusion or neutral region and V_A is the Alfvén velocity using $B_y(\infty)$ one finds $M^*/M = t_R/t_R^* \gg 1$.

The lower hybrid drift (LHD) instability has also been invoked to produce anomalous resistivity triggering rapid reconnection in the earth's magnetotail¹⁶ and theta pinch implosions¹⁷ in laboratory plasmas. The LHD instability can be excited with broader neutral sheet widths or smaller $\nabla \times B$ -driven current densities. However, it has been shown¹⁸ that the LHD instability is localized away from the neutral line and is stabilized in the high β region near the neutral line. From this it is inferred that LHD driven anomalous resistivity cannot penetrate to the neutral line and, thus, not be effective in enhancing rates of reconnection.

IV. SUMMARY AND DISCUSSION

In this report we have shown that, for laser irradiances I in the ablative regime ($I \leq 10^{14} \text{ Wcm}^{-2}$) focussed on small solid targets magnetic field-reversed configurations, defined by the laser-induced self-generated magnetic field and an externally applied magnetic field perpendicular to the laser axis, are possible near the laser-target interaction region. Approximate conditions under which these field-reversed regions may undergo driven reconnection are investigated using parameters typical of the NRL laser/HANE experiment. In this report we have only discussed onset criteria for fast driven reconnection. Nonlinear simulations^{19,20} of driven reconnection have shown that (1) magnetic field energy near the field-reversal region is converted to particle kinetic energy, (2) electrons and ions are preferentially heated parallel to the magnetic field (y-direction in Fig. 2) although some heating also occurs perpendicular to the initial magnetic field (x-direction in Fig. 2), and (3) electrons and ions are accelerated perpendicular to the magnetic field (z-direction in Fig. 2) due to inductive electric fields E_z associated with reconnection. These three nonlinear effects can affect the evolution of the debris plasma at early times near the target. In particular, if the background magnetic field is annihilated in certain regions near the target due to reconnection with laser self-generated magnetic fields, then the electromagnetic stabilization criterion (which relies on large Alfvén velocities) may be more restrictive in these regions for the turn-on of various streaming instabilities, e.g., the magnetized ion-ion instability. Since these effects will only occur in field-reversed regions near the target (see Fig. 1) debris coupling could be asymmetric in the plane perpendicular to the laser axis and close to the target. In addition, if electrons and ions are heated preferentially in certain regions near the target, electron

shielding effects (which rely on large ion sound speeds) may not be as important, e.g., the unmagnetized ion-ion instability. Finally, preferential ion and electron accelerations, due to reconnection driven inductive electric fields, could lead to off-axis jetting back toward the laser (out-of-page in field-reversal region in Fig. 1).

Future studies of possible magnetic reconnection in the NRL laser/HANE experiments will include (1) numerical MHD simulations (2) studies of inhomogeneities along the magnetic field direction (y -direction in Fig. 2), and (3) quantitative effects on debris-air coupling.

Acknowledgments

We wish to thank J. Huba, J. Stamper, B. Ripin, K. Papadopoulos, Y.C. Lee, A. Hassam, and J. Chen for valuable discussions. This work was supported by the Defense Nuclear Agency.




Fig. 1 Schematic representation of region near target showing self-generated magnetic field, external magnetic field, and field-reversed region. The target is in plane of paper with laser directed into plane of paper. The dimension a is approximately 10^{-1} cm.




Fig. 2 Schematic model of driven reconnection. Diffusion region has approximate dimensions $\Delta x \times \Delta y$ and is centered near $x=y=z = 0$ using the coordinate system shown.




Fig. 3 Plot of reconnection time t_R (sec) using classical resistivity vs. L_x (cm), the magnetic field gradient scale length, for $T_e = 10$, 100 , 10^3 eV.




Fig. 4 Plot of neutral sheet width Δx_c (cm) for excitation of ion acoustic instability vs. electron density n_e (cm^{-3}) for $B = 10^3 \text{ G}$, $T_i = 10, 100 \text{ eV}$.




Fig. 5 Plot of neutral sheet width Δx_c (cm) for excitation of ion acoustic instability vs. electron density n_e (cm^{-3}) for $B = 10^4 \text{ G}$, $T_i = 10, 100 \text{ eV}$.




Fig. 6 Plot of reconnection time t_R^* (sec) using ion acoustic anomalous resistivity vs. L_x for several electron densities $n_e = 10^{16}, 10^{17}, 10^{18} \text{ cm}^{-3}$.

References

1. B.H. Ripin, J. Grun, S. Kacenjar, E. McLean, and J.A. Stamper, NRL Memo Report 5268 (1984). (AD-A138945)
2. M. Lampe, W. Manheimer, and K. Papadopoulos, NRL Memorandum Report 3076 (1975). (AD-A014411)
3. R.A. Smith and J.D. Huba, NRL Memorandum Report 5092 (1983). (AD-A129546)
4. W.Tsai, L.L. DeRaad, Jr., and R. Lelevier, RDA Report 137 (1982)
5. M.J. Keskinen, NRL Memorandum 5163 (1983). (AD-A132181)
6. J.L. Giuliani, NRL Memo Report 5420 (1984). (AD-A147006)
7. J.A. Stamper, K. Papadopoulos, R.N. Sudan, S.O. Dean, E.A. McLean, and J.M. Dawson, Phys. Rev. Lett. 26, 1012 (1971).
8. S.I. Braginskii, Reviews of Plasma Physics, ed. M.A. Leontovich (Plenum, New York, 1965), Vol. 1. p 205-311.
9. D.G. Colombant and N.K. Winsor, Phys. Rev. Lett., 38, 697 (1977).
10. D.A. Tidman, Phys. Fluids, 18, 1454 (1975).
11. M.D.J. Burgess, B. Luther-Davies, and K.A. Nugent, Phys. Fluids, 28, 2286(1985).
12. T. Sato, et al., Phys. Fluids, 26, 3602 (1983).
13. T. Sato, Phys. Rev. Lett. 54, 1502 (1985).
14. K. Papadopoulos, Dynamics of the Magnetosphere, ed. S.-I. Akasofu, D. Reidel, 289 (1980).
15. R.Z. Sagdeev and A.A. Galeev, Nonlinear Plasma theory, Benjamin, New York, 1969.
16. J.D. Huba, N.T. Gladd, and K. Papadopoulos, Geophys. Res. Lett. 4, 125, (1977)

17. R.C. Davidson, N.T. Gladd, C.S. Wu, and J.D. Huba, Phys. Fluids, 20, 301 (1977).
- 13 J.D. Huba, J.F. Drake, and N.T. Gladd, Phys Fluids, 23, 552 (1980).
19. T. Terasawa, J. Geophys. Res., 86 9007 (1981).
20. J.N. Lebeouf, T. Tajima, and J.M. Dawson, Phys. Fluids, 25, 784 (1982).

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE
COMM, CMD, CONT 7 INTELL
WASHINGTON, DC 20301

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, DC 20301
01CY ATTN C-650
01CY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA 22209
01CY ATTN NUCLEAR
MONITORING RESEARCH
01CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER
1360 WIEHLE AVENUE
RESTON, VA 22090
01CY ATTN CODE R410
01CY ATTN CODE R812

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, DC 20305
01CY ATTN STVL
04CY ATTN TITL
01CY ATTN DDST
03CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
01CY ATTN FCPR

DEFENSE NUCLEAR AGENCY
SAC/DNA
BUILDING 20676
KIRTLAND AFB, NM 87115
01CY D.C. THORNBURG

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
01CY ATTN DOCUMENT CONTROL

JOINT PROGRAM MANAGEMENT OFFICE
WASHINGTON, DC 20330
01CY ATTN J-3 WWMCCS EVALUATION
OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
01CY ATTN JSTPS/JLKS
01CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
01CY ATTN FCPRL

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
01CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON, DC 20301
01CY ATTN STRATEGIC & SPACE
SYSTEMS (OS)

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN DELAS-EO, F. NILES

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P.O. BOX 1500
HUNTSVILLE, AL 35807
01CY ATTN ATC-T MELVIN T. CAPPS
01CY ATTN ATC-O W. DAVIES
01CY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DACS-BMT J. SHEA

CHIEF C-E- SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 1B269
WASHINGTON, DC 20310
01CY ATTN C- E-SERVICES DIVISION

COMMANDER
FRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
01CY ATTN DRSEL-NL-RD H. BENNET
01CY ATTN DRSEL-PL-ENV H. BOMKE
01CY ATTN J.E. QUIGLEY

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613
01CY ATTN CCC-EMEO GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
01CY ATTN DRXST-30

COMMANDER
U.S. ARMY MATERIAL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DRCLDC J.A. BENDER

COMMANDER
U.S. ARMY NUCLEAR AND CHEMICAL AGENCY
7500 BACKLICK ROAD
BLDG 2073
SPRINGFIELD, VA 22150
01CY ATTN LIBRARY

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH
LABORATORY
ABERDEEN PROVING GROUND, MD 21005
01CY ATTN TECH LIBRARY,
EDWARD BAICY

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
01CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
01CY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS
ACTIVITY
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN ATAA-SA
01CY ATTN TCC/F. PAYAN JR.
01CY ATTN ATTA-TAC LTC J. HESSE

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, DC 20360
01CY ATTN NAVALEX 034 T. HUGHES
01CY ATTN PME 117
01CY ATTN PME 117-T
01CY ATTN CODE 5011

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, DC 20390
01CY ATTN MR. DUBBIN STIC 12
01CY ATTN NISC-50
01CY ATTN CODE 5404 J. GALET

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
01CY ATTN J. FERGUSON

NAVAL RESEARCH LABORATORY
WASHINGTON, DC 20375

01CY ATTN CODE 4700 S.L. Ossakow,
26 CYS IF UNCLASS
(01CY IF CLASS)
ATTN CODE 4780 J.D. HUBA, 50
CYS IF UNCLASS, 01CY IF CLASS
01CY ATTN CODE 4701 I. VITKOVITSKY
01CY ATTN CODE 7500
01CY ATTN CODE 7550
01CY ATTN CODE 7580
01CY ATTN CODE 7551
01CY ATTN CODE 7555
01CY ATTN CODE 4730 E. MCLEAN
01CY ATTN CODE 4108
01CY ATTN CODE 4730 B. RIPIN
20CY ATTN CODE 2628

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
01CY ATTN CAPT J.H. BURTON

OFFICER-IN-CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
01CY ATTN CODE F31

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20376
01CY ATTN NSP-2141
01CY ATTN NSSP-2722 FRED WIMBERLY

COMMANDER
NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN, VA 22448
01CY ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH
ARLINGTON, VA 22217
01CY ATTN CODE 465
01CY ATTN CODE 461
01CY ATTN CODE 402
01CY ATTN CODE 420
01CY ATTN CODE 421

COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPD
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN XPDQQ
01CY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MA 01731
01CY ATTN OPR HAROLD GARDNER
01CY ATTN LKB
KENNETH S.W. CHAMPION
01CY ATTN OPR ALVA T. STAIR
01CY ATTN PHD JURGEN BUCHAU
01CY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY
KIRTLAND AFT, NM 87117
01CY ATTN SUL
01CY ATTN CA ARTHUR H. GUENTHER
01CY ATTN NTYCE 1LT. G. KRAJEI

AFTAC
PATRICK AFB, FL 32925
01CY ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
01CY ATTN AAD WADE HUNT
01CY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF
RESEARCH, DEVELOPMENT, & ACQ
DEPARTMENT OF THE AIR FORCE
WASHINGTON, DC 20330
01CY ATTN AFRDQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731-5000
01CY ATTN J. DEAS
ESD/SCD-4

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
01CY ATTN NICD LIBRARY
01CY ATTN ETDP B. BALLARD

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13441
01CY ATTN DOC LIBRARY/TSLO
01CY ATTN OCSE V. COYNE

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NB 68113
01CY ATTN ADWATE MAJ BRUCE BAUER
01CY ATTN NRT
01CY ATTN DOK CHIEF SCIENTIST

SAMSO/SK
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
01CY ATTN SKA (SPACE COMM SYSTEMS)
M. CLAVIN

SAMSO/MN
NORTON AFB, CA 92409
(MINUTEMAN)
01CY ATTN MNML

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSOM AFB, MA 01731
01CY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY
LIBRARY ROOM G-042
WASHINGTON, DC 20545
01CY ATTN DOC CON FOR A. LABOWITZ

DEPARTMENT OF ENERGY
ALBUQUERQUE OPERATIONS OFFICE
P.O. BOX 5400
ALBUQUERQUE, NM 87115
01CY ATTN DOC CON FOR D. SHERWOOD

EG&G, INC.
LOS ALAMOS DIVISION
P.O. BOX 809
LOS ALAMOS, NM 85544
01CY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
01CY ATTN DOC CON FOR TECH INFO
DEPT
01CY ATTN DOC CON FOR L-389 R. OTT
01CY ATTN DOC CON FOR L-31 R. HAGEF

LOS ALAMOS NATIONAL LABORATORY
P.O. BOX 1663
LOS ALAMOS, NM 87545
01CY ATTN DOC CON FOR J. WOLCOTT
01CY ATTN DOC CON FOR R.F. TASCHEK
01CY ATTN DOC CON FOR E. JONES
01CY ATTN DOC CON FOR J. MALIK
01CY ATTN DOC CON FOR R. JEFFRIES
01CY ATTN DOC CON FOR J. ZINN
01CY ATTN DOC CON FOR D. WESTERVELT
01CY ATTN D. SAPPENFIELD

LOS ALAMOS NATIONAL LABORATORY
MS D438
LOS ALAMOS, NM 87545
01CY ATTN S.P. GARY
01CY ATTN J. BOROVSKY

SANDIA LABORATORIES
P.O. BOX 5800
ALBUQUERQUE, NM 87115
01CY ATTN DOC CON FOR W. BROWN
01CY ATTN DOC CON FOR A.
THORNBROUGH
01CY ATTN DOC CON FOR T. WRIGHT
01CY ATTN DOC CON FOR D. DAHLGREN
01CY ATTN DOC CON FOR 3141
01CY ATTN DOC CON FOR SPACE PROJECT
DIV

SANDIA LABORATORIES
LIVERMORE LABORATORY
P.O. BOX 969
LIVERMORE, CA 94550
01CY ATTN DOC CON FOR B. MURPHEY
01CY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION
DEPARTMENT OF ENERGY
WASHINGTON, DC 20545
01CY ATTN DOC CON DR. YO SONG

OTHER GOVERNMENT

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO
ADMIN
BOULDER, CO 80303
01CY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN
ENVIRONMENTAL RESEARCH LABORATORIES
DEPARTMENT OF COMMERCE
BOULDER, CO 80302
01CY ATTN R. GRUBB
01CY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION
P.O. BOX 92957
LOS ANGELES, CA 90009
01CY ATTN I. GARFUNKEL
01CY ATTN T. SALMI
01CY ATTN V. JOSEPHSON
01CY ATTN S. BOWER
01CY ATTN D. OLSEN

ANALYTICAL SYSTEMS ENGINEERING CORP
5 OLD CONCORD ROAD
BURLINGTON, MA 01803
01CY ATTN RADIO SCIENCES

AUSTIN RESEARCH ASSOC., INC.
1901 RUTLAND DRIVE
AUSTIN, TX 78753
01CY ATTN L. SLOAN
01CY ATTN R. THOMPSON

BERKELEY RESEARCH ASSOCIATES, INC.
P.O. BOX 983
BERKELEY, CA 94701
01CY ATTN J. WORKMAN
01CY ATTN J. PRETTIE
01CY ATTN S. BRECHT

BOEING COMPANY, THE
P.O. BOX 3707
SEATTLE, WA 98124
01CY ATTN G. KEISTER
01CY ATTN D. MURRAY
01CY ATTN G. HALL
01CY ATTN J. KENNEY

CHARLES STARK DRAPER LABORATORY, INC.
555 TECHNOLOGY SQUARE
CAMBRIDGE, MA 02139
01CY ATTN D.B. COX
01CY ATTN J.P. GILMORE

COMSAT LABORATORIES
LINTHICUM ROAD
CLARKSBURG, MD 20734
01CY ATTN G. HYDE

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
01CY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC.
BOX 1359
RICHARDSON, TX 75080
01CY ATTN H. LOGSTON
01CY ATTN SECURITY (PAUL PHILLIPS)

EOS TECHNOLOGIES, INC.
606 Wilshire Blvd.
Santa Monica, CA 90401
01CY ATTN C.B. GABBARD
01CY ATTN R. LELEVIER

ESL, INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
01CY ATTN J. ROBERTS
01CY ATTN JAMES MARSHALL

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
3000 DODDARD BLVD KING OF PRUSSIA
P.O. BOX 3555
PHILADELPHIA, PA 19101
01CY ATTN M.H. BORTNER
SPACE SCI LAB

GENERAL ELECTRIC TECH SERVICES
CO., INC.
HMES
COURT STREET
SYRACUSE, NY 13201
01CY ATTN G. MILLMAN

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701
(ALL CLASS ATTN: SECURITY OFFICER)
O1CY ATTN T.N. DAVIS (UNCLASS ONLY)
O1CY ATTN TECHNICAL LIBRARY
O1CY ATTN NEAL BROWN (UNCLASS ONLY)

GTE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
77 A STREET
NEEDHAM, MA 02194
O1CY ATTN DICK STEINHOF

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
O1CY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF
107 COBLE HALL
150 DAVENPORT HOUSE
CHAMPAIGN, IL 61820
(ALL CORRES ATTN DAN MCCLELLAND)
O1CY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
1801 NO. BEAUREGARD STREET
ALEXANDRIA, VA 22311
O1CY ATTN J.M. ABIN
O1CY ATTN ERNEST BAUER
O1CY ATTN HANS WOLFARD
O1CY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
O1CY ATTN TECHNICAL LIBRARY

JAYCOR
11011 TORREYANA ROAD
P.O. BOX 35154
SAN DIEGO, CA 92133
O1CY ATTN J.L. SPERLING

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
O1CY ATTN DOCUMENT LIBRARIAN
O1CY ATTN THOMAS PTEMRA
O1CY ATTN JOHN DASSOULAS

KAMAN SCIENCES CORP
P.O. BOX 7463
COLORADO SPRINGS, CO 80933
O1CY ATTN T. MEAGHER

KAMAN TEMPO-CENTER FOR ADVANCED
STUDIES
816 STATE STREET (P.O. DRAWER QQ)
SANTA BARBARA, CA 93102
O1CY ATTN DASIAC
O1CY ATTN WARREN S. KNAPP
O1CY ATTN WILLIAM MCNAMARA
O1CY ATTN B. GAMBILL

LINKABIT CORP
10453 ROSELLE
SAN DIEGO, CA 92121
O1CY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC
P.O. BOX 504
SUNNYVALE, CA 94088
O1CY ATTN DEPT 60-12
O1CY ATTN D.R. CHURCHILL

LOCKHEED MISSILES & SPACE CO., INC.
3251 HANOVER STREET
PALO ALTO, CA 94304
O1CY ATTN MARTIN WALT DEPT 52-12
O1CY ATTN W.L. IMHOF DEPT 52-12
O1CY ATTN RICHARD G. JOHNSON
DEPT 52-12
O1CY ATTN J.B. CLADIS DEPT 52-12

MARTIN MARIETTA CORP
ORLANDO DIVISION
P.O. BOX 5837
ORLANDO, FL 32805
O1CY ATTN R. HEFFNER

MCDONNELL DOUGLAS CORPORATION
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647
O1CY ATTN N. HARPIS
O1CY ATTN J. MOULE
O1CY ATTN GEORGE MROZ
O1CY ATTN W. OLSON
O1CY ATTN R.W. HALPRIN
O1CY ATTN TECHNICAL
LIBRARY SERVICES

MISSION RESEARCH CORPORATION
735 STATE STREET
SANTA BARBARA, CA 93101
01CY ATTN P. FISCHER
01CY ATTN W.F. CREVIER
01CY ATTN STEVEN L. GUTSCHE
01CY ATTN R. BOGUSCH
01CY ATTN R. HENDRICK
01CY ATTN RALPH KILB
01CY ATTN DAVE SOWLE
01CY ATTN F. FAJEN
01CY ATTN M. SCHEIBE
01CY ATTN CONRAD L. LONGMIRE
01CY ATTN B. WHITE
01CY ATTN R. STAGAT

MISSION RESEARCH CORP.
1720 RANDOLPH ROAD, S.E.
ALBUQUERQUE, NM 87106
01CY R. STELLINGWERF
01CY M. ALME
01CY L. WRIGHT

MITRE CORP
WESTGATE RESEARCH PARK
1920 DOLLY MADISON BLVD
MCLEAN, VA 22101
01CY ATTN W. HALL
01CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP
12340 SANTA MONICA BLVD.
LOS ANGELES, CA 90025
01CY ATTN E.C. FIELD, JR.

PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
313 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASS TO THIS ADDRESS)
01CY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC.
4 ARROW DRIVE
WOBBURN, MA 01801
01CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC.
P.O. BOX 3027
BELLEVUE, WA 98009
01CY ATTN E.J. FREMOW

PHYSICAL DYNAMICS, INC.
P.O. BOX 10367
OAKLAND, CA 94610
ATTN A. THOMSON

R & D ASSOCIATES
P.O. BOX 9695
MARINA DEL REY, CA 90291
01CY ATTN FORREST GILMORE
01CY ATTN WILLIAM B. WRIGHT, JR.
01CY ATTN WILLIAM J. KARZAS
01CY ATTN H. ORY
01CY ATTN C. MACDONALD

RAND CORPORATION, THE
15450 COHASSET STREET
VAN NUYS, CA 91406
01CY ATTN CULLEN CRAIN
01CY ATTN ED BEDROZIAN

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
01CY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE
330 WEST 42nd STREET
NEW YORK, NY 10036
01CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
1150 PROSPECT PLAZA
LA JOLLA, CA 92037
01CY ATTN LEWIS M. LINSON
01CY ATTN DANIEL A. HAMLIN
01CY ATTN E. FRIEMAN
01CY ATTN E.A. STRAKER
01CY ATTN CURTIS A. SMITH

SCIENCE APPLICATIONS, INC
1710 GOODRIDGE DR.
MCLEAN, VA 22102
01CY J. COCKAYNE
01CY E. HYMAN

SRI INTERNATIONAL
333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025

01CY ATTN J. CASPER
01CY ATTN DONALD NEILSON
01CY ATTN ALAN BURNS
01CY ATTN G. SMITH
01CY ATTN R. TSUNODA
01CY ATTN DAVID A. JOHNSON
01CY ATTN WALTER G. CHESNUT
01CY ATTN CHARLES L. RINO
01CY ATTN WALTER JAYE
01CY ATTN J. VICKREY
01CY ATTN RAY L. LEADABRAND
01CY ATTN G. CARPENTER
01CY ATTN G. PRICE
01CY ATTN R. LIVINGSTON
01CY ATTN V. GONZALES
01CY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
01CY ATTN W.P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
01CY ATTN R. K. PLEBUCH
01CY ATTN S. ALTSCHULER
01CY ATTN D. DEE
01CY ATTN D/ STOCKWELL
SNTF/1575

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MA 01803
01CY ATTN W. REIDY
01CY ATTN J. CARPENTER
01CY ATTN C. HUMPHREY

UNIVERSITY OF PITTSBURGH
PITTSBURGH, PA 15213
01CY ATTN: N. TABUSKY

DIRECTOR OF RESEARCH
U. S. NAVAL ACADEMY
ANNAPOLIS, MD 21402
02CY

CODE 1220
01CY

END

DTIC

6-86