




US Department  
of Transportation  
Federal Aviation  
Administration

2  
**General Aviation Activity  
and Avionics Survey**

AD-A168 582

Annual Summary Report 1984 Data

RECEIVED  
OCT 1 1985



FILE COPY


October 1985

Report No. FAA-MS-85-5  
DOT-TSC-FAA-85-3

Office of Management Systems  
Information and Statistics Division

90 0 0 0 7

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

1 Report No <b>FAA-MS-85-5</b>	2 Government Accession No. <i>ADA 148512</i>	3 Recipient's Catalog No	
4 Title and Subtitle <b>GENERAL AVIATION ACTIVITY AND AVIONICS SURVEY</b>		5 Report Date <b>October 1985</b>	
7 Author(s) <b>Statistical Analysis Division</b>		6 Performing Organization Code <b>TSC/DTS-63</b>	
9 Performing Organization Name and Address <b>U.S. Department of Transportation Transportation Systems Center Kendall Square, Cambridge, MA 02142</b>		8 Performing Organization Report No <b>DOT-TSC-FAA-85-9</b>	
12 Sponsoring Agency Name and Address <b>U.S. Department of Transportation Federal Aviation Administration Office of Management Systems Management Standards &amp; Statistics Division Washington, DC 20591</b>		10 Work Unit No (TRIS) <b>FA543/R5266</b>	
15 Supplementary Notes		11 Contract or Grant No	
16 Abstract		13 Type of Report and Period Covered <b>Annual Report CY 1984</b>	
<p>4</p> <p>This report presents the results and a description of the 1984 General Aviation Activity and Avionics Survey. The survey was conducted during 1985 by the FAA to obtain information on the activity and avionics of the United States registered general aviation aircraft fleet, the dominant component of civil aviation in the U.S. The survey was based on a statistically selected sample of about 12.7 percent of the general aviation fleet. A response rate of 59.5 percent was obtained. Survey results are based upon responses but are expanded upward to represent the total population</p> <p>Survey results revealed that during 1984 an estimated 36.1 million hours of flying time were logged by the 220,943 active general aviation aircraft in the U.S. fleet, yielding a mean annual flight time per aircraft of 158 hours. The active aircraft represented about 82.6 percent of the registered general aviation fleet. The report contains breakdowns of these and other statistics by manufacturer/model group, aircraft type, state and region of based aircraft, and primary use. Also included are fuel consumption, lifetime airframe hours, avionics, and engine hours estimates. In addition, tables are included for detailed analysis of the avionics capabilities of the general aviation fleet. Estimates of general aviation miles flown in 1984 have also been included in this report, broken down by aircraft type</p>		14 Sponsoring Agency Code <b>AMS-420</b>	
17 Key Words <b>Aircraft, Aircraft Activity, Aircraft Use, Avionics, Fuel Consumption, General Aviation, Hours Flown, Miles Flown</b>		18 Distribution Statement  <b>DOCUMENT IS AVAILABLE TO THE PUBLIC THROUGH THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD VIRGINIA 22161</b>	
19 Security Classification of this report <b>Unclassified</b>	20 Security Classification of this page <b>Unclassified</b>	21 No. of Pages <b>250</b>	22 Price

## PREFACE

This report presents the results of the 1984 General Aviation Activity and Avionics Survey. The survey is the continuation of an FAA data collection program to gain information on the activities and avionics equipment of the general aviation aircraft fleet. The results represent the cumulative effort of several agencies within the Department of Transportation. Within the FAA, the Information and Statistics Division sponsored and coordinated the activities associated with the survey. The Transportation Systems Center (TSC), under Project Plan Agreement with the FAA, and with contract support from the Systems Development Corporation, developed the sample design and computer system for sample selection, data editing and estimation of results, ran the system during survey production, analyzed survey results, and prepared the survey report. TSC transferred the survey responses to machine readable forms and was also responsible for printing names, addresses, and aircraft information on the survey questionnaires. DYNATREND, Incorporated produced the camera-ready copy of this report.

Individual contributions to this survey include: Nicholas Soldo and Patricia Carter, AMS-420, who sponsored the project and reviewed the results; Donald Wright, TSC, who guided the project and reviewed the output; Judith Schwenk, TSC, who developed the computer specifications; Bruce Rovner, TSC, who managed the survey operations; Steve Walkinshaw and Tina Aiello, TSC, who reviewed and updated the text; Marilyn Marotta, Ken Paciulan and James Egan of Systems Development Corporation, who revised the computer programs for the 1984 survey and performed the production runs to produce the estimates contained in this report; and James Kelley and Betsy Marden, of DYNATREND, Incorporated, who provided editorial support and redesigned the graphics.



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By	
Date	
Author	
Title	
Subject	
NTIS	

Distribution: ZMS-348D.



# METRIC CONVERSION FACTORS

Approximate Conversions to Metric Measures		Approximate Conversions from Metric Measures						
Symbol	When You Have	Multiply by	To Find	Symbol	When You Have	Multiply by	To Find	Symbol
<b>LENGTH</b>								
in	inches	2.5	centimeters	cm	centimeters	0.4	inches	in
ft	feet	30	centimeters	cm	centimeters	0.4	inches	in
yd	yards	0.9	meters	m	meters	3.3	yards	yd
mi	miles	1.6	kilometers	km	kilometers	1.1	miles	mi
<b>AREA</b>								
sq in	square inches	6.5	square centimeters	cm <sup>2</sup>	square centimeters	0.16	square inches	sq in
sq ft	square feet	0.09	square meters	m <sup>2</sup>	square meters	1.2	square yards	sq yd
sq yd	square yards	0.8	square meters	m <sup>2</sup>	square kilometers	0.4	square miles	sq mi
sq mi	square miles	2.6	square kilometers	km <sup>2</sup>	hectares (10,000 m <sup>2</sup> )	2.5	square miles	sq mi
ac	acres	0.4	hectares	ha	hectares	2.5	acres	ac
<b>MASS (weight)</b>								
oz	ounces	28	grams	g	grams	0.035	ounces	oz
lb	pounds	0.45	kilograms	kg	kilograms	2.2	pounds	lb
short ton	short tons	0.9	tonnes (1000 kg)	t	tonnes (1000 kg)	1.1	short tons	short ton
<b>VOLUME</b>								
cc	centimeters cubed	0.034	milliliters	ml	milliliters	0.03	fluid ounces	fl oz
fl oz	fluid ounces	29.6	milliliters	ml	liters	1.06	quarts	qt
qt	quarts	0.24	liters	l	liters	0.26	gallons	gal
pt	pints	0.47	liters	l	liters	0.26	cubic feet	cu ft
gal	gallons	3.8	liters	l	liters	36	cubic yards	cu yd
cu ft	cubic feet	0.03	cubic meters	m <sup>3</sup>	cubic meters	1.3	cubic yards	cu yd
cu yd	cubic yards	0.76	cubic meters	m <sup>3</sup>	cubic meters	1.3	cubic yards	cu yd
<b>TEMPERATURE (exact)</b>								
Fahrenheit temperature	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C	Celsius temperature	9/5 (then add 32)	Fahrenheit temperature	Fahrenheit temperature



## EXECUTIVE SUMMARY

This report presents the results of the eighth General Aviation Activity and Avionics Survey, conducted in 1985 by the Federal Aviation Administration to obtain information on the activities and avionics of the 1984 general aviation aircraft fleet, the major component of civil aviation in the United States. The FAA selected a statistically designed sample of about 12.7 percent of the registered general aviation fleet to participate in the survey. The sampled aircraft represented all states and FAA regions, and all of the major manufacturer/model groups of aircraft. The survey was conducted through a mailed questionnaire, yielding in total a response rate of 59.5 percent.

Some important survey findings appear below:

- An estimated 36.1 million hours of flying time were logged by the 220,943 active general aviation aircraft in the U.S. fleet during 1984. There was a 3.6 percent increase in the number of active aircraft from 1983 to 1984. The active aircraft had a mean flight time per aircraft of 158 hours and represented about 82.6 percent of the registered general aviation fleet.
- Turboprop and turbojet aircraft averaged a greater number of flight hours per aircraft than other aircraft types with 414 hours and 353 hours, respectively. Twin engine turboprops with 13 or more seats flew almost 1112 hours per aircraft. In contrast, single engine piston powered aircraft with fewer than four seats averaged approximately 140 hours.
- The most common primary use of general aviation aircraft was personal for an estimated 48 percent of the active fleet, followed by business for 21 percent of the fleet, and executive for 8 percent of the fleet.
- The most populous region in terms of based aircraft was the Great Lakes Region, which housed an estimated 18 percent of all registered general aviation aircraft, followed closely by the Western-Pacific Region with 17.2 percent. The most populous state was California, which housed 13.6 percent of the registered aircraft.
- About 84 percent of the general aviation aircraft had two-way VHF communication equipment, about 64 percent were equipped with 4096-code transponders, about 56 percent had at least one component of an instrument landing system, and about 79 percent had some form of navigation equipment.
- An estimated 25.5 percent of general aviation aircraft had avionics equipment enabling them to fly above 18,000 feet in positive controlled airspace. Approximately 67.5 percent of the GA fleet could not fly above 12,500 feet due to avionics limitations alone.

- An estimated 41 percent of the active general aviation fleet flew by instrument flight rules (IFR) at some time during 1984.
- About 77 percent of the total hours logged by the 1984 general aviation fleet were flown in visual meteorological (VM) conditions during the day. Aircraft flown in VM night, instrument meteorological (IM) day, and IM night conditions accounted for 11 percent, 9 percent, and 3.5 percent of the total hours flown, respectively.
- The general aviation aircraft fleet consumed an estimated 1,201 million gallons of fuel during 1984: 462 million gallons of aviation gasoline and 739 million gallons of jet fuel.
- The general aviation aircraft fleet flew an estimated 4,393 billion air miles during 1984.

## TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1. INTRODUCTION	1-1
1.1 General	1-1
1.1.1 Purpose of Survey	1-1
1.1.2 Background	1-1
1.2 Survey Coverage	1-3
1.2.1 Aircraft	1-3
1.2.2 Geographic	1-3
1.2.3 Content	1-3
1.3 Survey Method	1-4
1.4 Summary of Survey Results	1-5
1.4.1 National Scene	1-5
1.4.2 Results by Aircraft Type	1-5
1.4.3 Results by Primary Use	1-12
1.4.4 Results by Flying Conditions	1-12
1.4.5 Results by FAA Region	1-17
1.4.6 Results by Avionics Capability	1-17
1.4.6.1 Individual Avionics Components	1-17
1.4.6.2 Avionics Capability Groups	1-20
1.4.7 Other Results	1-27
2. TABLES OF RESULTS	2-1
APPENDIX A.	A-1
A.1 First Mailing Cover Letter	A-1
A.2 Second Mailing Cover Letter	A-2
A.3 Survey Questionnaire	A-3
APPENDIX B. Sample Design	B-1
B.1 Sample Frame and Size	B-1
B.2 Description of Sample Design	B-2
B.3 Error	B-6
B.3.1 Sampling Error	B-6
B.3.2 Non-Sampling Error	B-7

## TABLE OF CONTENTS

### Section

APPENDIX C.	FAA Regional Boundaries	C-1
APPENDIX D.	SDR Aircraft Group Name - FAA Manufacturer/Model Codes	D-1
APPENDIX E.	SDR Engine Group Name - FAA Manufacturer/Model Codes	E-1
BIBLIOGRAPHY		R-1

## LIST OF ILLUSTRATIONS

<u>Figure</u>		<u>Page</u>
1.1	A COMPARISON OF GENERAL AVIATION AND AIR CARRIER ACTIVITY IN 1984	1-2
1.2	GENERAL AVIATION ACTIVE FLEET SIZE, 1980-1984	1-6
1.3	GENERAL AVIATION TOTAL FLYING TIME, 1980-1984	1-7
1.4	GENERAL AVIATION MEAN ANNUAL FLYING TIME FOR ACTIVE AIRCRAFT, 1980-1984	1-8
1.5	1984 GENERAL AVIATION ACTIVITY BY AIRCRAFT TYPE	1-9
1.6	1984 MEAN FUEL CONSUMPTION RATES BY AIRCRAFT TYPE	1-13
1.7	1984 ESTIMATED FUEL CONSUMPTION BY AIRCRAFT TYPE	1-14
1.8	1984 GENERAL AVIATION ACTIVITY BY PRIMARY USE	1-15
1.9	1984 GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS	1-16
1.10	1984 GENERAL AVIATION ACTIVITY BY FAA REGION	1-18
1.11	AVIONICS EQUIPMENT IN THE 1984 GENERAL AVIATION AIRCRAFT FLEET	1-19
1.12	1984 GENERAL AVIATION ACTIVE AIRCRAFT FLOWN IFR AND TRANSPONDER EQUIPPED	1-21
B.1	COMPARISON OF POPULATION AND SAMPLE DISTRIBUTIONS BY AIRCRAFT TYPE	B-4
B.2	COMPARISON OF POPULATION AND SAMPLE DISTRIBUTIONS BY REGION OF REGISTERED AIRCRAFT	B-5

## LIST OF TABLES

<u>Table</u>	<u>Page</u>
1-1 SUMMARY OF RESPONSE INFORMATION BY SURVEY PHASE	1-4
1-2 GROWTH OF GENERAL AVIATION TOTAL HOURS FLOWN BY AIRCRAFT TYPE 1979-1984	1-10
1-3 GROWTH OF ACTIVE GENERAL AVIATION FLEET BY AIRCRAFT TYPE 1979-1984	1-11
1-4 HIERARCHICAL CAPABILITY GROUPS	1-22
1-5 NON-HIERARCHICAL CAPABILITY GROUPS	1-25
1-6 COMPUTED AIRCRAFT TYPE	1-27
2-1 GENERAL AVIATION TOTAL HOURS FLOWN BY TYPE OF AIRCRAFT - CY 1984	2-2
2-2 GENERAL AVIATION TOTAL HOURS FLOWN BY STATE OF BASED AIRCRAFT - CY 1984	2-4
2-3 GENERAL AVIATION TOTAL HOURS FLOWN BY REGION OF BASED AIRCRAFT - CY 1984	2-7
2-4 GENERAL AVIATION TOTAL HOURS FLOWN BY AIRCRAFT TYPE AND PRIMARY USE - CY 1984	2-8
2-5 GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT MANUFACTURER/MODEL GROUP - CY 1984	2-12
2-6 GENERAL AVIATION ACTIVE AIRCRAFT BY TYPE OF AIRCRAFT - CY 1984	2-30
2-7 GENERAL AVIATION ACTIVE AIRCRAFT BY STATE OF BASED AIRCRAFT - CY 1984	2-32
2-8 GENERAL AVIATION ACTIVE AIRCRAFT BY REGION OF BASED AIRCRAFT - CY 1984	2-35
2-9 GENERAL AVIATION AIRCRAFT BY AIRCRAFT TYPE AND PRIMARY USE - CY 1984	2-36
2-10 GENERAL AVIATION ACTIVE AIRCRAFT IFR FLOWN AND TRANSPONDER EQUIPPED - CY 1984	2-39
2-11 GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT MANUFACTURER/MODEL GROUP - CY 1984	2-41

**LIST OF TABLES  
(CONTINUED)**

<u>Table</u>	<u>Page</u>
2-12 GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS BY AIRCRAFT TYPE - CY 1984	2-59
2-13 GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS BY BASE REGION OF AIRCRAFT - CY 1984	2-65
2-14 GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS BY SDR MANUFACTURER/MODEL GROUP - CY 1984	2-68
2-15 GENERAL AVIATION AVIONICS EQUIPMENT BY AIRCRAFT TYPE - CY 1984	2-102
2-16 GENERAL AVIATION AVIONICS EQUIPMENT BY BASE STATE OF AIRCRAFT - CY 1984	2-108
2-17 GENERAL AVIATION AVIONICS EQUIPMENT BY BASE REGION OF AIRCRAFT - CY 1984	2-122
2-18 GENERAL AVIATION AVIONICS EQUIPMENT BY PRIMARY USE - CY 1984	2-126
2-19 GENERAL AVIATION LIFETIME AIRFRAME HOURS BY AIRCRAFT MANUFACTURER/MODEL GROUP - CY 1984	2-130
2-20 GENERAL AVIATION MEAN HOURS AND ACTIVE ENGINES BY ENGINE MANUFACTURER/MODEL GROUP - CY 1984	2-148
2-21 GENERAL AVIATION FUEL CONSUMPTION BY AIRCRAFT TYPE - CY 1984	2-150
2-22 GENERAL AVIATION MILES FLOWN BY AIRCRAFT TYPE - CY 1984	2-151
2-23 NON-HIERARCHICAL VS. HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-153
2-24 PRIMARY USE VS. HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-155
2-25 HOURS FLOWN VS. HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-157
2-26 AGE OF AIRCRAFT VS. HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-159

LIST OF TABLES  
(CONTINUED)

<u>TABLE</u>	<u>Page</u>
2-27 COMPUTED AIRCRAFT TYPE VS. HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-161
2-28 BASE AIRPORT REGION VS. HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-164
2-29 PRIMARY USE VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-166
2-30 HOURS FLOWN VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-168
2-31 AGE OF AIRCRAFT VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-170
2-32 COMPUTED AIRCRAFT TYPE VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-172
2-33 BASE AIRPORT REGION VS. NON-HIERARCHICAL CAPABILITY GROUPS - CY 1984	2-175
B-1 SAMPLE AND POPULATION DISTRIBUTIONS BY AIRCRAFT TYPE	B-3
B-2 SAMPLE AND POPULATION DISTRIBUTIONS BY REGION OF REGISTERED AIRCRAFT	B-3
B-3 CONFIDENCE OF INTERVAL ESTIMATES	B-7
B-4 RESPONSE RATES BY REGION	B-9
B-5 RESPONSE RATES BY AIRCRAFT TYPE	B-9
D-1 SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES	D-2
E-1 SDR ENGINE GROUP NAME - FAA MANUFACTURER/MODEL CODES	E-2

## 1. INTRODUCTION

### 1.1 GENERAL

#### 1.1.1 Purpose of Survey

The purpose of the General Aviation Activity and Avionics Survey is to provide the Federal Aviation Administration (FAA) with information on the activity and avionics of the general aviation fleet. Figure 1.1 underscores the importance of general aviation to the United States civil air fleet. During calendar year 1984, general aviation composed over 98 percent of the U.S. civil air fleet<sup>1</sup>, accounted for 77 percent of civil operations at FAA towered airports<sup>2</sup>, and logged 78.8 percent of the total hours flown by the U.S. civil air fleets<sup>3</sup>. The information obtained from the survey enables the FAA to monitor the general aviation fleet so that it can, among other activities, anticipate and meet demand for National Airspace System facilities and services, assess the impact of regulatory changes on the general aviation fleet, and implement measures to assure the safe operation in the airspace of all aircraft.

#### 1.1.2 Background

Prior to the current survey method, the FAA used the Aircraft Registration Eligibility, Identification, and Activity Report, AC Form 8050-73, in its data collection program on general aviation activity and avionics. The form, sent annually to all owners of civil aircraft in the U.S., served two purposes: (1) Part 1 was the mandatory aircraft registration renewal form, (2) Part 2 was voluntary and applied to general aviation aircraft only, asking questions on the owner-discretionary characteristics of the aircraft such as flight hours, avionics equipment, base location, and use. In 1978, the FAA replaced AC Form 8050-73 with a new system: Part 1 was replaced by a triennial registration program; Part 2 was replaced by the General Aviation Activity and Avionics Survey, FAA Form 1800-54. (See Appendix A.3.) The survey was to be conducted annually based on a statistically selected sample of general aviation aircraft, requesting the same type of information as Part 2 of AC Form 8050-73. The first General Aviation Activity and Avionics Survey took place in 1978, collecting data on the 1977 general aviation fleet. The 1984 statistics in this report were derived from the eighth survey, which took place in 1985. Benefits resulting from the new method of data collection included quicker processing of the results, improved data quality, and a considerable savings in time and money to both the public and the Federal Government.


<sup>1</sup>Census of U.S. Civil Aircraft, Calendar Year 1984, U.S. Department of Transportation, Federal Aviation Administration, (Washington, DC, 1985), p. 4.

<sup>2</sup>FAA Air Traffic Activity, Fiscal Year 1984, Federal Aviation Administration, (Washington, DC, 1985).


Note: General aviation as used in this report combines both general aviation and air taxi from the source above.

<sup>3</sup>Air Carrier: Census of U.S. Civil Aircraft, Calendar Year 1984, U.S. Department of Transportation, Federal Aviation Administration, (Washington, DC, 1985), p. 21. General Aviation: Table 2.4

### U.S. CIVIL AIR FLEET



### CIVIL OPERATIONS AT FAA TOWERED AIRPORTS



### FLYING TIME




FIGURE 1.1. A COMPARISON OF GENERAL AVIATION AND AIR CARRIER ACTIVITY IN 1984

## 1.2 SURVEY COVERAGE

### 1.2.1 Aircraft

The General Aviation Activity and Avionics Survey covers, through a stratified probability sample, all general aviation aircraft registered in the United States. The term "general aviation," as used for this survey, is defined as all aircraft in the U.S. civil air fleet except those operated under Federal Aviation Regulations Parts 121 and 127. These two parts cover the operations of fixed wing aircraft and rotorcraft, respectively, that 1) have been issued a certificate of public convenience and necessity by the Civil Aeronautics Board authorizing the performance of scheduled air transportation over specified routes and a limited amount of nonscheduled operations, and 2) are used by large aircraft commercial operators. General aviation thus includes aircraft operated under:

Part 91: General operating and flight rules.

Part 123: Certification and operations: air travel clubs using large airplanes.

Part 133: Rotorcraft external load operations.

Part 135: Air taxi operators and commercial operators of small aircraft.

Part 137: Agricultural aircraft operations.

General aviation offers such varied services as air taxi, air cargo, industrial, agricultural, business, personal, instructional, research, patrol, and sport flying. General aviation aircraft range in complexity from simple gliders and balloons to four engine turbojets.

Certain aircraft meeting the general aviation criteria have been excluded from the survey. This group consists of aircraft registered to dealers, aircraft in the process of being sold or with registration pending, and aircraft for which not enough information was available to categorize them properly for sampling purposes.

### 1.2.2 Geographic

The sample survey conducted by the FAA covers general aviation aircraft registered with the United States Aircraft Registry as of December 31, 1984. Over 99 percent of these aircraft are registered to owners living in the 50 states and Washington, D.C., with about 0.20 percent (560 aircraft) registered in Puerto Rico and other U.S. territories, and 0.72 percent (1918 aircraft) registered to owners living in foreign countries.<sup>1</sup>

### 1.2.3 Content

Appendix A.3 contains a copy of the survey questionnaire, FAA Form 1800-54. The questionnaire requests the owner to provide the following information on the sampled aircraft's characteristics and uses for various periods:

<sup>1</sup>Source: FAA Aircraft Registration Master File as of December 31, 1984.

- 1) Hours by use, IFR hours, percentage of hours flown in Instrument Meteorological (IM) and Visual Meteorological (VM) conditions during the day and evening, and fuel consumption for entire calendar year 1984,
- 2) Airframe hour reading and location of aircraft base as of December 31, 1984, and
- 3) Avionics equipment currently on board.

### 1.3 SURVEY METHOD

The method of collecting data used by the FAA for this survey was the mail questionnaire, sent to the owners of the sampled aircraft in two mailings. The first mailing in April, 1985, covered all 33,996 aircraft in the sample and had a response rate of 47.6 percent as shown in Table 1-1. This was about 80 percent of the total responses to the survey. The second mailing conducted in May, 1985, included only those aircraft in the sample that had not yet responded. The second mailing had a response rate of 22.6 percent which accounted for 20 percent of the total responses to the survey. The combined response rate for the two mailings was 59.5 percent.

**TABLE 1-1. SUMMARY OF RESPONSE INFORMATION  
BY SURVEY PHASE**

SURVEY PHASE	SAMPLE SIZE (S)	NUMBER OF RESPONSES (R)	RESPONSE RATE (R/S X 100%)	PORTION OF TOTAL RESPONSE (R/(TOTAL R) X 100%)
FIRST MAILING	33,996	16,185	47.6%	80%
SECOND MAILING	17,811	4,033	22.6%	20%
TOTAL	33,996	20,218	59.5%	100%

## 1.4 SUMMARY OF SURVEY RESULTS

### 1.4.1 National Scene


Results of the General Aviation Activity and Avionics Survey at the national level revealed that during 1984 an estimated 36.1 million hours of flying time were logged by the 220,943 active general aviation aircraft in the U.S. fleet. The mean annual flight time per aircraft was 158 hours. These aircraft comprised 82.6 percent of the registered general aviation fleet. The statistics for 1984 showed a 2.5 percent increase in flying hours, a 3.6 percent increase in the number of active aircraft in the general aviation fleet, and a 3.7 percent decrease in mean hours per aircraft over the comparable figures for 1983. Longer-term trends for these variables are found in Figures 1.2, 1.3, and 1.4. In past years, as the number of active aircraft has increased, the other activity measures have shown a steady decrease. In 1984, while the number of active aircraft has continued to increase and the mean hours per aircraft continued to decrease, the total hours flown showed a slight increase over 1983. The increase in total hours did not result in an increase in mean hours flown per aircraft because the increase in the number of active aircraft more than offset the increase in total hours flown.

While results discussed above indicate certain trends in the number of active aircraft, the activity of the general aviation fleet (total hours flown) and the average hours flown per active aircraft, year to year changes may not be statistically significant. An examination of the standard errors and confidence intervals for the chosen level of confidence is needed to determine statistical significance (change not due to sampling variances). Figures 1.2, 1.3, and 1.4 give the confidence interval estimates over several years at the 95 percent level of confidence ( $\pm$  two standard errors).

### 1.4.2 Results by Aircraft Type

The most heavily used aircraft types were fixed wing turboprops with 13 or more seats, averaging over 1100 hours per aircraft, because of their heavy commercial usage as commuter air carriers and air taxis. There was a great deal of variation in activity among all types of general aviation aircraft in terms of three measures resulting from the survey: total hours flown, number of active aircraft, and mean hours flown. Figure 1.5 highlights the variation as well as the relationship of these three measures to each other. Distance along the vertical axis indicates mean flight hours per aircraft, distance along the horizontal axis indicates the relative portion of the active fleet belonging to each aircraft type, and the area within each box is proportional to the total flying time for the aircraft type. Thus, it is evident that in terms of sheer numbers, single engine piston aircraft dominated the active fleet and contributed the largest portion of total flying time, yet had one of the lowest mean flight times per aircraft. In contrast, the turboprops, turbojet aircraft, and rotorcraft had low representation in the active fleet but contributed a relatively high proportion of flight time resulting in the greatest mean flight hours of any of the major aircraft types.


Five-year trends from 1979 to 1984 for total flight time and number of active aircraft are shown by aircraft type in Tables 1-2 and 1-3. Even though the number of active aircraft has registered an annual growth rate of about 1.0 percent, the trend for total flight time is downward at an annual rate of -3.6 percent. Closer examination of the tables reveals that the fixed-wing single engine piston aircraft and small twin engine piston aircraft are largely



SOURCE: TABLE 1-3

1. THE DASHED LINES REPRESENT A 95% CONFIDENCE INTERVAL FOR THE 1980-1984 TRUE VALUES. SEE APPENDIX B


**FIGURE 1.2. GENERAL AVIATION ACTIVE FLEET SIZE, 1980 - 1984**



SOURCE: TABLE 2-1

1. THE DASHED LINES REPRESENT A 95% CONFIDENCE INTERVAL FOR THE 1980-1984 TRUE VALUES. SEE APPENDIX B


FIGURE 1.3. GENERAL AVIATION TOTAL FLYING TIME, 1980 - 1984



SOURCE: TABLE 2-1

1. THE DASHED LINES REPRESENT A 95% CONFIDENCE INTERVAL FOR THE 1980 - 1984 TRUE VALUES. SEE APPENDIX B

**FIGURE 1.4. GENERAL AVIATION MEAN ANNUAL FLYING TIME FOR ACTIVE AIRCRAFT, 1980 - 1984**



SOURCE: TABLE 2-1

FIGURE 1.5. 1984 GENERAL AVIATION ACTIVITY BY AIRCRAFT TYPE

**TABLE 1-2. GROWTH OF GENERAL AVIATION TOTAL HOURS FLOWN  
BY AIRCRAFT TYPE, 1979 - 1984 (Thousands of Hours)**

AIRCRAFT TYPE	1979 (Standard Error)	1980 (Standard Error)	1981 (Standard Error)	1982 (Standard Error)	1983 (Standard Error)	1984 (Standard Error)	Compound Annual Growth Rate in %
<b>FIXED WING</b>							
1-engine piston 1 - 3 seats	11,180 (384)	10,044 (399)	10,185 (399)	8,325 (374)	8,189 (399)	8,586 (327)	-5.14
1-engine piston 4+ seats	19,109 (420)	18,295 (428)	17,506 (432)	15,934 (472)	14,959 (441)	14,919 (508)	-4.83
2-engine piston 1-6 seats	4,006 (148)	3,730 (172)	3,606 (144)	3,040 (177)	3,013 (192)	2,984 (114)	-5.72
2-engine piston 7+ seats	2,855 (137)	2,547 (143)	2,762 (153)	2,617 (197)	2,717 (235)	2,600 (165)	-1.85
Other piston	152 (15)	130 (18)	24 (63)	33 (10)	32 (10)	102 (30)	-7.67
2-engine turboprop 1 - 12 seats	1,254 (57)	1,489 (55)	1,549 (68)	1,576 (116)	1,431 (93)	1,715 (88)	6.46
2-engine turboprop 13+ seats	572 (45)	964 (55)	542 (45)	520 (84)	659 (118)	736 (75)	5.17
Other turboprop	45 (2)	56 (10)	62 (11)	71 (20)	83 (31)	54 (13)	3.71
2-engine turbojet	1,125 (39)	1,163 (52)	1,238 (48)	1,347 (98)	1,350 (92)	1,328 (66)	3.37
Other turbojet	134 (9)	169 (27)	149 (16)	264 (46)	124 (31)	237 (32)	12.08
<b>ROTORCRAFT</b>							
Piston	892 (97)	736 (75)	930 (108)	579 (58)	572 (49)	591 (66)	-7.90
Turbine	1,664 (108)	1,603 (115)	1,754 (150)	1,771 (145)	1,700 (151)	1,903 (120)	2.72
<b>OTHER</b>							
	353 (29)	359 (21)	391 (34)	379 (40)	420 (49)	358 (23)	28
<b>TOTAL AIRCRAFT</b>	<b>43,340</b> (627)	<b>41,016</b> (650)	<b>40,704</b> (659)	<b>36,456</b> (701)	<b>35,249</b> (712)	<b>36,118</b> (561)	<b>-3.58</b>

NOTE: Column summations may differ from printed totals due to estimation procedures.

**TABLE 1-3. GROWTH OF ACTIVE GENERAL AVIATION FLEET  
BY AIRCRAFT TYPE, 1979 - 1984 (Number of Aircraft)**

AIRCRAFT TYPE	1979 (Standard Error)	1980 (Standard Error)	1981 (Standard Error)	1982 (Standard Error)	1983 (Standard Error)	1984 (Standard Error)	Compound Annual Growth Rate in %
<b>FIXED WING</b>							
1-engine piston 1 - 3 seats	62,362 (594)	60,505 (688)	59,914 (748)	57,670 (910)	59,199 (976)	61,989 (724)	-1.2
1-engine piston 4+ seats	106,028 (450)	107,930 (538)	107,983 (656)	106,503 (687)	107,228 (778)	109,933 (603)	.73
2-engine piston 1-6 seats	16,891 (157)	16,224 (246)	16,749 (246)	16,381 (303)	16,249 (315)	16,539 (231)	-4.2
2-engine piston 7+ seats	7,958 (90)	8,141 (153)	8,607 (181)	8,501 (168)	8,660 (150)	8,719 (193)	1.84
Other piston	229 (11)	212 (17)	114 (29)	140 (24)	143 (14)	262 (35)	2.73
2-engine turboprop 1 - 12 seats	2,944 (13)	3,339 (41)	3,968 (46)	4,427 (45)	4,733 (72)	4,992 (47)	11.14
2-engine turboprop 13+ seats	538 (15)	627 (18)	557 (17)	610 (28)	578 (48)	640 (29)	3.53
Other turboprop	96 (3)	123 (10)	134 (5)	149 (23)	142 (38)	176 (15)	12.89
2 engine turbojet	2,309 (29)	2,551 (37)	2,808 (68)	3,309 (84)	3,447 (92)	3,780 (50)	10.36
Other turbojet	343 (6)	441 (13)	362 (23)	687 (73)	451 (91)	540 (45)	9.50
<b>ROTORCRAFT</b>							
Piston	3,123 (127)	2,794 (133)	3,250 (173)	2,419 (178)	2,541 (191)	2,936 (185)	-1.23
Turbine	2,740 (50)	3,207 (49)	3,724 (73)	3,749 (140)	3,998 (153)	4,160 (115)	8.71
<b>OTHER</b>	4,770 (114)	4,945 (142)	5,049 (179)	5,233 (211)	5,923 (207)	6,275 (172)	5.64
<b>TOTAL AIRCRAFT</b>	210,339 (789)	211,045 (945)	213,226 (1,078)	209,779 (1,238)	213,293 (1,345)	220,943 (1,032)	99

NOTE: Column summations may differ from printed totals due to estimation procedures.

responsible for the decline in hours, and have exhibited little growth over the last 5 years. On the other hand, fixed wing twin engine turboprops and twin engine turbojets have shown growth in both numbers and usage. In the rotorcraft area, piston-powered rotorcraft have been declining in number and hours flown, while turbine-powered rotorcraft have shown gains in both measures of activity from 1979 to 1984.

The general aviation aircraft fleet consumed an estimated 1,201 million gallons of fuel during 1984: 462 million gallons of aviation gasoline and 739 million gallons of jet fuel. From Figure 1.6, it is evident that turbojet and turboprop engines consume fuel at much higher rates than piston engines. The high rates account for turbojet's burning 36 percent of all fuel consumed in 1984, as shown in Figure 1.7 even though they represent only 2 percent of active aircraft. Fixed wing piston aircraft account for 38 percent of the fuel consumed in 1984 due to their high representation in the general aviation fleet. Table 2-21 shows more detailed fuel consumption estimates and their standard errors.

The general aviation aircraft fleet flew an estimated 4,393 billion miles over the land during 1984. The estimate is based on a mathematical model, incorporating speed differentials by phase of flight, cruising speed by manufacturer/model group of aircraft, and the number of hours flown by manufacturer/model group. Detailed estimates by aircraft type and primary use can be found in Table 2-22.


#### 1.4.3 Results by Primary Use

Like aircraft types, primary uses were differentiated by their activity characteristics, as shown in Figure 1.8. Distance along the vertical axis indicates mean hours per aircraft. Distance along the horizontal axis indicates the relative portion of the active fleet engaged in each primary use, and the area within each box is proportional to the total flying time for each primary use. Aircraft used as commuter air carriers showed the highest individual usage with a mean of 1,104 hours flown per aircraft. Aircraft used for instructional purposes, as air taxis and for rental purposes, also had fairly high levels of individual usage with mean hours flown per aircraft of 300, 401 and 307, respectively. General aviation aircraft were used most commonly for personal and business purposes, representing 48 and 21 percent of the active fleet. As mentioned above, total hours flown increased by 2.5 percent from 1983 to 1984. This was due to the moderate increases in the business, aerial applications and observations, air taxi and rental categories. The categories of executive, instructional, commuter air carrier, and other work, however, showed a slight decline in hours flown from last year.

#### 1.4.4 Results by Flying Conditions


Survey results indicate that about 77 percent of the total hours logged by the 1984 general aviation fleet were flown in Visual Meteorological (VM) conditions during the day. Aircraft flown in VM night, Instrument Meteorological (IM) day, and IM night conditions accounted for 11 percent, 9 percent, and 3.5 percent of the total hours flown, respectively. These results are illustrated in Figure 1.9.

Not surprisingly, fixed wing single engine piston aircraft and rotorcraft spend the bulk of their flying time in VM conditions. Single engine piston aircraft fly 91 percent of their flight hours in VM conditions. Fixed wing piston aircraft with two engines, turboprops, and turbojets spend considerably more of their flying time in IM conditions, approximately 27, 30, and 37 percent, respectively. Table



SOURCE: TABLE 2.21

**FIGURE 1.6. 1984 MEAN FUEL CONSUMPTION RATES BY AIRCRAFT TYPE**



SOURCE: TABLE 2-21

FIGURE 1.7. 1984 ESTIMATED FUEL CONSUMPTION BY AIRCRAFT TYPE





FIGURE 1.8. 1984 GENERAL AVIATION ACTIVITY BY PRIMARY USE



VMC = Visual Meteorological Conditions  
 IMC = Instrument Meteorological Conditions

**KEY**  
 [Hatched Box] NIGHT  
 [White Box] DAY

SOURCE: TABLE 2-12

**FIGURE 1.9. 1984 GENERAL AVIATION ANNUAL HOURS FLOWN BY WEATHER AND LIGHT CONDITIONS**

2-12 contains more data on general aviation annual hours flown by weather and light conditions by aircraft type. In addition, Tables 2-13 and 2-14 give detailed breakdowns of general aviation annual hours flown by weather and light conditions by region of based aircraft and by SDR manufacturer/model group, respectively.

#### 1.4.5 Results by FAA Region

Although the total mean hours have decreased from 164 to 158 hours per aircraft in the past year, mean aircraft usage did not change significantly for any particular region from 1983 to 1984 with the exception of the European (Foreign) Region which decreased its mean hours of flying time per aircraft by almost 15 percent. In Figure 1.10, distance along the vertical axis indicates mean annual hours per aircraft, distance along the horizontal axis indicates the relative portion of the active fleet based in each region, and the area within each box is proportional to the total flying time occurring in each region. It can be seen that the Great Lakes Region accounted for more active aircraft than any other region. However, the Western-Pacific and Southwestern Regions accounted for more total flight time. The smallest region in continental United States was New England, with only 3.8 percent of the active aircraft and about 4 percent of the fleet's total flight time.


Tables 2-3 and 2-8 contain more estimates by region; Tables 2-2 and 2-7 show similar estimates by state of based aircraft.

#### 1.4.6 Results by Avionics Capability

1.4.6.1 Individual Avionics Components - The extent to which general aviation aircraft are furnished with on-board avionics equipment was a principal finding of the survey. A summary appears in Figure 1.11. Eighty-four percent of the aircraft have two-way VHF communications, 64 percent are equipped with 4096-code transponders, 56 percent have at least one component of an instrument landing system, and 79 percent have some form of navigation equipment. It is evident from comparing the 1984 and 1979 avionics estimates that the general aviation fleet is becoming more sophisticated in terms of its avionics equipment. Within two-way communications, for example, there was a significant shift from 360 channel to 720 channel equipment. In terms of transponder equipment, there was a substantial increase in the percentage of the general aviation aircraft containing 4096 code transponders and altitude encoding equipment, while the percentage of aircraft containing no transponder equipment declined considerably over the 5 year period. The proportion of the general aviation fleet with transponders increased from 59 percent in 1979 to 64 percent in 1984, and the proportion with at least one part of an ILS increased from 54.2 percent to 56 percent. The proportion of aircraft having two or more communications systems increased by about 4 percent from 1979 to 1984. The proportion with two or more VOR receivers increased by 4 percent over the same 5 year period. More detailed breakdowns of avionics by aircraft type, state, region, and primary use are provided in Tables 2-15 through 2-18.


The three new categories of avionics equipment added to this year's survey were Weather Radar, LORAN-C, and Omega. LORAN-C and Omega are two specific types of Long Range Navigation equipment. The impact on the number of aircraft with Long Range Navigation equipment by the addition of these two specific categories will be discussed later in this chapter.

MEAN ANNUAL HOURS PER AIRCRAFT



SOURCE: TABLE 2-3

FIGURE 1.10. 1984 GENERAL AVIATION ACTIVITY BY FAA REGION



SOURCE: TABLE 2.16

**FIGURE 1.11. AVIONICS EQUIPMENT IN THE 1984 GENERAL AVIATION AIRCRAFT FLEET**

Figure 1.12 shows the portion of active aircraft of each type which engaged in IFR (Instrument Flight Rules) flight during 1984 and further: the portions that flew IFR with and without transponder equipment. It can be seen that almost all active twin engine piston aircraft, turboprops, and turbojets flew IFR at some time during 1984 and were equipped with transponders. Although a much lower proportion of the active single engine piston aircraft and rotorcraft in the fleet flew IFR during the year, almost all that did were equipped with transponders. In fact, almost 100 percent of IFR flying was performed by aircraft equipped with transponders.

**1.4.6.2 Avionics Capability Groups** - Estimates of the number of aircraft containing individual pieces of avionics equipment are somewhat limited because they do not provide the means to determine an aircraft's overall ability to use the National Airspace System (NAS). Often, several pieces of equipment are required to obtain a certain capability in the NAS; it thus becomes necessary to study groups of avionics, rather than individual pieces. Therefore, avionics capability groups were developed to provide a framework for the GA fleet relating airborne avionics equipment to aircraft capability to perform in the NAS, and within this framework to analyze the activity and other characteristics of the GA fleet.


The methodology and assumptions for developing avionics capability groups are detailed in General Aviation Avionics Statistics.<sup>1</sup> This report also contains a glossary which explains numerous terms relating to avionics equipment and the National Airspace System.

Two classifications of capability groups (CG's) were developed. The first type consists of avionics equipment meeting FAA requirements for use of various aspects of the NAS. FAA regulations deal with three basic capabilities: (1) to fly in different segments of the airspace, (2) to fly under visual flight rules (VFR) and instrument flight rules (IFR) type of flight, and (3) to land at different classes of airports. In the formation of CG's of avionics equipment which relate to these three capabilities, the groups take on a hierarchical nature; that is, there is an order to the groups. Thus, the first type of CG became known as hierarchical. In general, the avionics equipment and the associated capabilities for one capability group are a subset of the avionics equipment and the associated capabilities for the next higher group.

The second type of capability group, non-hierarchical, consists of avionics which give an aircraft additional capability but which are not required equipment according to FAA regulations. The formation of the second type of CG involved grouping component pieces of avionics equipment which together would form a complete avionics system for enabling an aircraft to make full use of a landing, communications, or navigation system in the NAS.

Hierarchical CG's are described in Table 1-4 in terms of avionics equipment and associated capabilities. Non-hierarchical CG's are described in Table 1-5.

<sup>1</sup>General Aviation Avionics Statistics (1979 Data), U.S. Department of Transportation, Federal Aviation Administration, (Washington, DC, 1981), pp. 5-10.



SOURCE: TABLE 2.10

**FIGURE 1.12. 1984 GENERAL AVIATION ACTIVE AIRCRAFT FLOWN IFR AND TRANSPONDER EQUIPPED**

**TABLE 1-4. HIERARCHICAL CAPABILITY GROUPS**

AVIONICS	CAPABILITIES
<p><u>Group 1</u> No regulatory avionics</p>	<ol style="list-style-type: none"> <li>1. Up to and including 12,500 feet mean sea level (MSL) Gliders...Up to and including 18,000 feet MSL ADF...Colored airways below 12,500 feet MSL VOR or RNAV ...VOR airways below 12,500 feet MSL RNAV...Low altitude RNAV airways below 12,500 feet MSL</li> <li>2. VFR flight, day and night</li> <li>3. Uncontrolled airports</li> </ol>
<p><u>Group 2</u> Two-way communications</p>	<ol style="list-style-type: none"> <li>1. Up to and including 12,500 feet MSL Gliders...Up to and including 18,000 feet MSL</li> <li>2. VFR flight, day and night</li> <li>3. Non-TCA controlled airports Group III TCA's Helicopters with 4096 code transponders Group III TCA's All helicopters...Group I and II TCA's below 1,000 feet above ground level (AGL)</li> </ol> <p>NOTE: Air taxis with navigation system and transponder: Group II TCA's</p> <p>Air taxis with navigation system, transponder and altitude reporting: Group I TCA's and non-positive controlled airspace</p> <p>Air taxis with navigation system, DME, transponder and altitude reporting: Group I TCA's and positive controlled airspace</p>

**TABLE 1-4. HIERARCHICAL CAPABILITY GROUPS (CONTINUED)**

AVIONICS	CAPABILITIES
<p><b>Group 3</b>                      Two-way communications                      Two systems--air taxis                      VOR or Automatic Direction Finder (ADF) or RNAV</p>	<ol style="list-style-type: none"> <li>1. Up to and including 12,500 feet MSL                              Gliders...Up to and including 18,000 feet MSL                              ADF...Colored airways below 12,500 feet MSL                              VOR or RNAV...VOR airways below 12,500 feet MSL                              RNAV...Low altitude RNAV airways below 12,500 feet MSL</li> <li>2. IFR flight</li> <li>3. Non-TCA controlled airways                              Group III TCA's                              Helicopters with 4096 code transponders...Group II TCA's                              All helicopters...Group I and II TCA's below 1,000 feet AGL</li> </ol>
<p><b>Group 4</b>                      Two-way communications                      Two systems--air taxis                      4096 code transponder                      VOR or RNAV</p>	<ol style="list-style-type: none"> <li>1. Up to and including 12,500 feet MSL                              Gliders...Up to and including 18,000 feet MSL                              VOR airways below 12,500 feet MSL                              RNAV...Low altitude RNAV airways below 12,500 feet MSL</li> <li>2. IFR flight</li> <li>3. Non-TCA controlled airports                              Group II TCA's                              Helicopters...Group I TCA's below 1,000 feet AGL</li> </ol>
<p><b>Group 5</b>                      4096 code transponder                      Altitude encoding equipment</p>	<ol style="list-style-type: none"> <li>1. Non-positive controlled airspace</li> <li>2. VFR flight, day and night</li> <li>3. Uncontrolled airports                              Group III TCA's</li> </ol>

**TABLE 1-4. HIERARCHICAL CAPABILITY GROUPS (CONTINUED)**

AVIONICS	CAPABILITIES
<p><u>Group 6</u>                      Two-way communications                      4096 code transponder                      Altitude encoding equipment</p>	<ol style="list-style-type: none"> <li>1. Non-positive controlled airspace</li> <li>2. VFR flight, day and night</li> <li>3. Non-TCA controlled airports                      Group III TCA's                      Helicopters...Group I TCA's</li> </ol>
<p><u>Group 7</u>                      Two-way communications                      Two systems--air taxis                      4096 code transponder                      Altitude encoding equipment                      VOR</p>	<ol style="list-style-type: none"> <li>1. Non-positive controlled airspace                      VOR airways</li> <li>2. IFR flight</li> <li>3. Group I TCA's</li> </ol>
<p><u>Group 8</u>                      Two-way communications                      Two systems--air taxis                      4096 code transponder                      Altitude encoding equipment                      VOR                      or RNAV                      DME</p>	<ol style="list-style-type: none"> <li>1. Positive controlled airspace                      Jet routes                      RNAV...RNAV routes</li> <li>2. IFR flight</li> <li>3. Group I TCA's</li> </ol>

**TABLE 1-5. NON-HIERARCHICAL CAPABILITY GROUPS**

AVIONICS	CAPABILITIES
<p><u>Group 1</u> Localizer</p>	<p>Partial use of airport ILS</p>
<p><u>Group 2</u> Localizer Marker Beacon</p>	<p>Partial use of airport ILS</p>
<p><u>Group 3</u> Localizer Marker Beacon Glide Slope</p>	<p>Full use of airport ILS</p>
<p><u>Group 4</u> ILS Radar Altimeter</p>	<p>Landing approach in Category III<sup>1</sup> weather conditions at airports with Category III equipment</p>
<p><u>Group 5</u> Long Range RNAV (LORAN-C, Omega, or other)</p>	<p>Area navigation over long distances and large bodies of water</p>
<p><u>Group 6</u> Radar Altimeter</p>	<p>Determination of altitude above level of terrain</p>
<p><u>Group 7</u> Microwave Landing System (MLS)</p>	<p>More accurate and flexible landing approaches, especially at airports with mountains and large buildings nearby</p>
<p><u>Group 8</u> ILS MLS</p>	<p>Backup landing systems</p>
<p><u>Group 9</u> Long Range RNAV (LORAN-C, Omega, or other) MLS</p>	<p>Sophisticated navigational and landing capabilities</p>

<sup>1</sup>See Appendix D, "Weather Category Definitions," General Aviation Avionics Statistics (1979 Data), (Washington, DC, 1981)

Table 2-23 presents the estimates of the number of GA aircraft found in the hierarchical and non-hierarchical CG's. Examination of Table 2-23 reveals the following on the GA fleet:

- a. About 25.5 percent of GA aircraft have avionics equipment enabling them to fly above 18,000 feet in positive controlled airspace. Approximately 68 percent of the GA fleet cannot fly above 12,500 feet due to avionics limitations alone.
- b. About 77 percent of GA aircraft are equipped to fly IFR.
- c. About 16 percent of the GA fleet are limited to landing at uncontrolled airports. Approximately 22 percent can land at either non-TCA controlled airports or Group III TCA's. Approximately 30 percent can land at any type of airport except a Group I TCA. About 31 percent can land at Group I TCA's.
- d. In general, Table 2-23 indicates that those aircraft in the least sophisticated non-hierarchical CG's also comprise the bulk of the least sophisticated hierarchical CG's. Of the aircraft possessing none of the non-hierarchical CG equipment (i.e. NO GROUP), 75.8 percent fall into hierarchical CG's 1, 2, and 3. Similarly, those aircraft in the most sophisticated non-hierarchical CG's are also in the most sophisticated hierarchical CG's. For example, 88 percent of the aircraft possessing a complete ILS and a radar altimeter fall into hierarchical CG 8.
- e. As mentioned previously, LORAN-C and Omega, two types of Long Range Navigation equipment, were added to the avionics section of the 1984 survey. These additions have had a strong impact on the reported total number of aircraft with Long Range Navigation equipment. In 1983 only 9,393 aircraft (3.6% of the total population) reported any type of Long Range Navigation equipment. In 1984, however, the reported number increased to 23,337 (8.7% of the total population). It is believed this increase reflects the specific addition of LORAN-C and Omega to the survey form, rather than a dramatic rise in the number of aircraft containing Long Range Navigation equipment.

Tables 2-24 through 2-33 show distributions of hierarchical and non-hierarchical capability groups versus aircraft characteristics. These characteristics include: primary use of the aircraft, hours flown during 1984, age of the aircraft, and computed aircraft type. The 13 computed aircraft types listed in Table 1-6 combine the four aircraft characteristics of engine type, number of engines, aircraft type (simple), and number of seats into meaningful combinations for the GA fleet.

Generally, those aircraft in low order CG's have less sophisticated characteristics than those in high order capability groups as follows:

- a. As in prior years, as the hierarchical CG's increase in sophistication, the predominant uses also change from personal, to business and personal, to executive and business (Table 2-24).
- b. As non-hierarchical CG's increase in sophistication, the predominant primary uses of aircraft change from personal, to business and personal, to business and executive. For example, executive aircraft alone composes

about 46 percent of the aircraft reporting both a radar altimeter and a complete ILS yet executive aircraft compose only 7.3 percent of the fleet (Table 2-29).


- c. In the case of both hierarchical and non-hierarchical capability groups, aircraft containing more avionics equipment and capabilities are flown more hours on the average than those with smaller investments in avionics equipment (Tables 2-25 and 2-30).
- d. Aircraft in the more sophisticated groups contain newer aircraft on the average than less sophisticated CG's (Tables 2-26 and 2-31).
- e. Computed aircraft type increases in sophistication as the level of avionics increases. (Tables 2-27 and 2-32).

**TABLE 1-6. COMPUTED AIRCRAFT TYPE**

TYPE	DESCRIPTION
1.	Fixed wing single engine piston 1-3 seats
2.	Fixed wing single engine piston 4+ seats
3.	Fixed wing two engine piston 1-6 seats
4.	Fixed wing two engine piston 7+ seats
5.	Fixed wing piston other
6.	Fixed wing two engine turboprop 1-12 seats
7.	Fixed wing two engine turboprop 13+ seats
8.	Fixed wing turboprop other
9.	Fixed wing two engine turbojet
10.	Fixed wing turbojet other
11.	Rotorcraft piston
12.	Rotorcraft turbine
13.	Other aircraft

#### 1.4.7 Other Results

Additional results to those discussed above are found in the tables in Section 2. Estimates of total hours, mean hours, lifetime airframe hours, and number of active aircraft for over 360 SDR manufacturer/model groups of general aviation aircraft are found in Tables 2-5, 2-11, and 2-19. Appendix D contains definitions of these groups. The report also includes a table (Table 2-20) on mean hours and number of active engines for 76 different manufacturer/model groups of engines. Appendix E contains definitions of these groups.



**2. TABLES OF RESULTS**

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
TYPE OF AIRCRAFT  
1984

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF NUMBER ACTIVE	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
FIXED WING									
FIXED WING - PISTON									
1 ENG: 1-3 SEATS	86532	61889	724	8586922	327381	3.8	139.4	5.3	3.8
1 ENG: 4+ SEATS	121884	108933	603	14919421	358164	2.4	136.8	3.2	2.4
1 ENGINE: TOTAL	208516	171922	942	23506340	485242	2.1	137.7	2.8	2.0
2 ENG: 1-6 SEATS	18930	16539	231	2984389	114793	3.8	180.6	6.6	3.7
2 ENG: 7+ SEATS	10180	8719	193	2600555	165255	6.4	302.8	17.2	5.7
2 ENGINE: TOTAL	29109	25258	301	5584943	201213	3.6	218.2	7.0	3.2
PISTON: OTHER	392	262	35	102329	30196	29.5	433.4	107.4	24.8
PISTON: TOTAL	238017	197442	990	29193610	526174	1.8	147.1	2.6	1.8
FIXED WING - TURBOPROP									
2 ENG: 1-12 SEATS	5131	4992	47	1715165	88730	5.2	342.2	18.8	5.5
2 ENG: 13+ SEATS	691	640	29	736682	75454	10.2	1111.8	83.5	7.5
2 ENGINE: TOTAL	5822	5633	55	2451847	116474	4.8	416.0	18.8	4.5
TURBOPROP: OTHER	195	176	15	54420	13678	25.1	339.3	58.1	17.1
TURBOPROP: TOTAL	6017	5809	58	2506267	117275	4.7	414.2	18.4	4.4

TABLE 2 - 1

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
TYPE OF AIRCRAFT  
1984

PAGE 2 OF 2

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF NUMBER ACTIVE	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
FIXED WING - TURBOJET									
2 ENGINE TURBOJET	3948	3780	50	1328491	66783	5.0	348.6	14.2	4.1
TURBOJET: OTHER	900	540	45	237125	32819	13.8	392.6	57.7	14.7
TURBOJET: TOTAL	4848	4320	67	1565616	74412	4.8	353.6	14.2	4.0
FIXED WING: TOTAL	248880	207571	894	33265490	544196	1.6	156.0	2.6	1.6
ROTORCRAFT									
PISTON	5516	2936	185	591988	66924	11.3	186.8	18.2	9.8
TURBINE	4774	4160	115	1903315	120680	6.3	488.7	29.8	6.4
ROTORCRAFT: TOTAL	10290	7096	218	2495303	137994	5.5	343.6	18.5	5.4
OTHER	8259	6275	172	358017	23742	6.6	56.5	3.6	6.4
TOTAL	267429	220943	1032	36118816	561921	1.6	158.1	2.5	1.6

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
STATE OF BASED AIRCRAFT  
1984

PAGE 1 OF 3

STATE	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
ALABAMA	3234	381	564511	113690
ALASKA	7684	490	1248714	127685
ARIZONA	5177	479	792410	142508
ARKANSAS	2920	338	472351	78170
CALIFORNIA	30494	1070	4983289	355808
COLORADO	5180	469	804448	115094
CONNECTICUT	1863	283	333203	85017
DELAWARE	533	144	71273	24435
DIST. OF COLUMBIA	31	28	9266	15528
FLORIDA	12720	722	2377712	247690
GEORGIA	4450	437	773334	121770
HAWAII	463	143	205967	95327
IDAHO	2328	322	240484	49516
ILLINOIS	9087	633	1557025	169999
INDIANA	3797	394	715804	162246
IOWA	3416	384	474444	89159
KANSAS	3713	398	475145	70593
KENTUCKY	1802	289	273660	64197
LOUISIANA	4627	419	1294062	220930
MAINE	1055	206	142635	37466
MARYLAND	2870	356	434351	72442

GENERAL AVIATION TOTAL HOURS FLOWN  
By  
STATE OF BASED AIRCRAFT  
1984

PAGE 2 OF 3

STATE	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
MASSACHUSETTS	3318	384	579089	101344
MICHIGAN	7068	548	998185	144619
MINNESOTA	5139	458	667595	93776
MISSISSIPPI	2082	300	327286	67278
MISSOURI	4398	444	618448	89633
MONTANA	2472	330	308743	71267
NEBRASKA	1805	278	238642	50226
NEVADA	1823	277	282247	84869
NEW HAMPSHIRE	1298	236	188475	52715
NEW JERSEY	4041	413	702804	122291
NEW MEXICO	2300	303	373030	75915
NEW YORK	8599	531	1085738	181287
NORTH CAROLINA	4412	441	761159	108887
NORTH DAKOTA	1572	264	214605	47932
OHIO	7553	572	1115400	138448
OKLAHOMA	5345	489	886375	166881
OREGON	5032	462	559295	77748
PENNSYLVANIA	6205	508	1055132	137471
RHODE ISLAND	396	135	76877	34091
SOUTH CAROLINA	1661	273	214130	46080
SOUTH DAKOTA	1393	247	207404	56293

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
STATE OF BASED AIRCRAFT  
1984

PAGE 3 OF 3

STATE	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
TENNESSEE	2884	360	511589	98852
TEXAS	19941	891	3405101	281851
UTAH	1337	245	209494	59300
VERMONT	468	127	87011	38210
VIRGINIA	3137	371	582078	123903
WASHINGTON	6685	525	865172	125676
WEST VIRGINIA	890	188	120883	45289
WISCONSIN	4180	425	582865	93834
WYOMING	1474	259	191753	46048
PUERTO RICO	422	134	72257	25021
OTHER U. S. TERRITORIES	76	55	27783	24088
FOREIGN	1489	241	571730	163855
TOTAL	220843	1032	38118816	561921

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 3

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
REGION OF BASED AIRCRAFT  
1984

REGION	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF TOTAL HOURS	STANDARD ERROR
ALASKAN	7684	490	1246714	127685
CENTRAL	13331	746	1818788	147151
EASTERN	24287	973	4076987	272183
EUROPEAN OFFICE	527	154	125186	59666
GREAT LAKES	39788	1212	6050488	319709
NEW ENGLAND	8393	591	1402418	140677
NORTHWEST MT.	24502	974	3204480	197354
SOUTHERN	34007	1132	6004974	319307
SOUTHWESTERN	35341	1131	6672130	393384
WESTERN-PACIFIC	38414	1181	6358262	409283
TOTAL	220943	1032	36116816	561921

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
AIRCRAFT TYPE AND PRIMARY USE  
1984

AIRCRAFT TYPE	EXECUTIVE	BUSINESS	PERSONAL	INSTRUCTIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	TOTAL
FIXED WING - PISTON												
1 ENG: 1-3 SEATS												
EST. TOT. HOURS	4794	350956	2487615	2713237	1637247	284767	151274	0	0	80703	876333	8586925
% STD. ERROR	80.9	15.1	3.7	9.7	5.2	24.8	26.2	0.0	0.0	20.6	22.0	3.8
1 ENG: 4+ SEATS												
EST. TOT. HOURS	557914	4174407	5309564	1518144	121665	577368	83891	87542	629822	99546	1759560	14919428
% STD. ERROR	15.1	4.3	4.2	13.3	43.1	19.6	38.3	42.1	15.0	32.1	10.5	2.4
1 ENGINE: TOTAL												
EST. TOT. HOURS	582707	4525363	7797179	4231380	1758911	862135	235165	87542	629822	180248	2635894	23506346
% STD. ERROR	15.0	4.1	3.1	7.9	5.2	15.4	21.9	42.1	15.0	15.9	10.0	2.1
2 ENG: 1-6 SEATS												
EST. TOT. HOURS	702956	1144197	327086	69621	5181	57504	0	125872	454214	28192	69765	2984368
% STD. ERROR	11.3	8.1	11.3	27.2	66.0	38.2	0.0	43.4	16.7	33.9	27.9	3.8
2 ENG: 7+ SEATS												
EST. TOT. HOURS	754018	461457	51831	19218	32076	30213	4152	486314	705946	16233	39088	2600555
% STD. ERROR	12.3	17.2	31.2	70.3	42.7	36.4	102.8	22.5	16.6	48.1	62.3	6.4
2 ENGINE: TOTAL												
EST. TOT. HOURS	1456974	1605654	378918	88839	37257	87717	4152	611987	1160160	44425	108863	5584943
% STD. ERROR	8.3	6.3	10.7	28.1	37.0	28.1	102.8	20.0	11.7	26.8	28.6	3.6
PISTON: OTHER												
EST. TOT. HOURS	919	776	168	0	8492	45	275	1963	56337	143	33211	102329
% STD. ERROR	122.9	70.7	253.0	0.0	43.5	352.5	293.0	352.5	48.2	217.3	44.3	29.5
PISTON: TOTAL												
EST. TOT. HOURS	2020600	6131794	8176266	4320219	1804660	949898	239591	701492	1846318	224816	2777988	29193618
% STD. ERROR	7.4	3.5	3.0	7.7	5.3	14.4	21.6	17.9	9.0	13.8	9.6	1.8
FIXED WING - TURBOPROP												
2 ENG: 1-12 SEATS												
EST. TOT. HOURS	1131004	299545	11291	0	0	12744	3438	43904	172601	31176	9464	1715165
% STD. ERROR	8.4	19.6	53.0	0.0	0.0	29.4	64.4	58.8	23.4	29.7	88.5	5.2

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
AIRCRAFT TYPE AND PRIMARY USE  
1984

AIRCRAFT TYPE	EXECUTIVE	BUSINESS	PERSONAL	INSTRUMENTAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	TOTAL
2 ENG: 13+ SEATS												
EST. TOT. HOURS	122231	2201	0	337	0	1508	514	589379	10711	9750	51	736882
% STD. ERROR	15.8	146.5	0.0	92.6	0.0	116.6	304.4	12.8	75.3	83.1	304.4	10.2
2 ENGINE: TOTAL												
EST. TOT. HOURS	1253235	301746	11291	337	0	14252	3949	633284	183311	40926	9515	2451847
% STD. ERROR	7.7	19.5	53.0	92.6	0.0	42.5	60.7	14.0	22.6	27.7	88.6	4.8
TURBOPROP: OTHER												
EST. TOT. HOURS	5125	2295	0	0	36450	535	0	0	0	9767	247	54420
% STD. ERROR	38.5	93.2	0.0	0.0	12.8	278.4	0.0	0.0	0.0	151.0	278.1	25.1
TURBOPROP: TOTAL												
EST. TOT. HOURS	1258360	304041	11291	337	36450	14788	3949	633284	183311	50893	9762	2506267
% STD. ERROR	7.7	19.5	53.0	92.6	12.8	43.7	60.7	14.0	22.6	30.0	86.0	4.7
FIXED WING - TURBOJET												
2 ENGINE TURBOJET												
EST. TOT. HOURS	1056367	79605	8771	66	0	0	0	67910	100534	14421	817	1328491
% STD. ERROR	5.0	28.9	50.8	190.8	0.0	0.0	0.0	57.4	23.3	37.9	91.4	5.0
TURBOJET: OTHER												
EST. TOT. HOURS	87059	36703	378	213	0	0	0	93268	809	14675	4022	237125
% STD. ERROR	17.7	57.9	404.4	90.7	0.0	0.0	0.0	0.0	284.9	41.5	262.5	13.8
TURBOJET: TOTAL												
EST. TOT. HOURS	1143426	116307	9147	279	0	0	0	161178	101343	29096	4839	1585616
% STD. ERROR	4.8	27.1	50.4	94.0	0.0	0.0	0.0	24.4	23.2	26.3	205.9	4.8
FIXED WING: TOTAL												
EST. TOT. HOURS	4422386	6552142	8196705	4320835	1841111	954685	243541	1485954	2130973	304606	2792569	33265498
% STD. ERROR	4.5	3.4	3.0	7.7	5.2	14.2	20.9	11.6	8.1	11.4	9.6	1.6
MOTORCRAFT												
PISTON												
EST. TOT. HOURS	14056	27103	35705	162400	94302	128398	1863	0	13881	11237	3020	591986
% STD. ERROR	45.2	20.1	22.2	19.6	27.0	27.2	78.7	0.0	100.0	33.1	122.7	11.3

GENERAL AVIATION TOTAL HOURS FLOWN  
BY  
AIRCRAFT TYPE AND PRIMARY USE  
1984

AIRCRAFT TYPE	EXECUTIVE	BUSINESS	PERSONAL	INSTRUMENTAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER	RENTAL	TOTAL
TURBINE												
EST. TOT. HOURS	329544	48783	5626	15677	72753	211285	43960	8111	873270	276207	18100	1903315
% STD. ERROR	20.1	29.7	85.5	43.8	45.4	30.6	37.6	149.7	15.8	26.2	69.8	6.3
ROTORCRAFT: TOTAL												
EST. TOT. HOURS	343602	75886	41331	178077	167055	339683	45843	8111	887151	387443	21121	2495303
% STD. ERROR	18.5	20.0	21.0	18.6	23.7	18.6	35.2	149.7	15.6	19.9	58.4	5.5
OTHER												
EST. TOT. HOURS	7385	6771	179482	53731	0	9545	22811	0	937	36674	40880	358017
% STD. ERROR	49.7	36.5	9.0	27.0	0.0	36.0	29.1	0.0	70.0	26.0	25.2	6.8
TOTAL												
EST. TOT. HOURS	4773373	6634800	8417519	4552643	2008165	1313913	311895	1504065	3019061	728722	2854569	36118816
% STD. ERROR	4.3	3.3	2.9	7.4	5.1	11.6	16.3	11.6	7.2	10.2	9.3	1.6

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.  
ROW SUMMATIONS MAY DIFFER FROM PRINTED TOTALS BECAUSE SOME ACTIVE AIRCRAFT DID NOT REPORT USE.

**NOTE: OTHER XX REFERS TO ALL GENERAL AVIATION AIRCRAFT BELONGING TO MANUFACTURER/MODEL GROUPS OF FEWER THAN 20 AIRCRAFT IN SIZE FOR AIRCRAFT TYPE XX WHERE XX STANDS FOR:**

- 01 FIXED WING PISTON, 1 ENGINE, 1-3, SEATS.
- 02 FIXED WING PISTON, 1 ENGINE, 4+ SEATS.
- 03 FIXED WING PISTON, 2 ENGINE, 1-6 SEATS.
- 04 FIXED WING PISTON, 2 ENGINE, 7+ SEATS.
- 05 FIXED WING PISTON, OTHER.
- 06 FIXED WING TURBOPROP, 2 ENGINES, 1-12 SEATS.
- 07 FIXED WING TURBOPROP, 2 ENGINES, 13+ SEATS.
- 08 FIXED WING TURBOPROP, OTHER.
- 09 FIXED WING TURBOJET, 2 ENGINES.
- 10 FIXED WING TURBOJET, OTHER.
- 11 ROTORCRAFT, PISTON.
- 12 ROTORCRAFT, TURBINE.
- 13 OTHER AIRCRAFT.

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
OTHER 1	14004	407480	62695	15.4	53.5	7.7	14.4
OTHER 2	1404	133204	26793	20.1	152.5	28.0	18.4
OTHER 3	335	7508	3530	47.0	82.9	22.1	26.6
OTHER 4	285	43383	13863	32.0	253.0	71.9	28.4
OTHER 5	158	59230	25760	43.5	649.5	249.1	38.4
OTHER 6	360	129460	24816	19.2	408.1	68.4	16.8
OTHER 7	190	188088	62549	33.3	1200.9	346.6	28.9
OTHER 8	99	13583	12831	94.5	166.3	154.1	92.7
OTHER 9	569	139141	29647	21.3	270.2	53.8	19.9
OTHER 10	250	34965	18925	57.0	169.8	94.0	55.4
OTHER 11	1578	33442	9424	28.2	55.9	12.1	21.7
OTHER 12	316	69091	29892	43.3	405.3	115.7	28.5
OTHER 13	2289	48929	9936	21.2	33.7	6.4	18.8
ADAMS A50S	103	7651	2264	29.6	80.9	23.3	28.7
AERORSJ2	35	426	291	68.2	44.7	22.1	49.5
AEROSPSA316	139	95512	15405	16.1	703.5	92.4	13.1
AGUSTA A109	54	3485	3578	102.7	64.5	66.3	102.7
AIRSPACE 18	22	110	128	116.3	40.0	0.0	0.0
AIRPTSA	233	8641	4256	49.3	104.8	38.2	36.5
AIRTRCAT300	407	127213	16468	12.9	359.3	34.7	9.7
AIRTRCAT400	50	19943	1786	9.0	398.9	35.7	9.0

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 2 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
AMD FALC10	143	51944	5720	11.0	363.2	40.0	11.0
AMD FALC20	208	73321	10373	14.1	358.3	49.3	13.8
AMD FALC50	100	51095	5727	11.2	511.0	57.3	11.2
AMTR TMK	26	149	339	228.0	60.0	18.1	31.8
ARCTICS1A	91	1928	854	44.3	52.9	18.3	34.7
ARCTICS1B1	23	318	107	33.7	21.4	3.5	16.5
ARONCA15	198	7563	2227	29.4	46.2	8.9	19.3
ARONCA58	149	1652	770	46.6	48.1	9.7	21.0
ARONCA65	147	2197	838	38.2	36.4	9.2	25.2
ARONCAC3	60	238	93	38.9	14.4	3.2	22.5
AVIANFALCON	27	388	91	23.4	18.3	3.5	19.2
AVIANWSKYRK	39	856	267	31.2	21.9	6.8	31.2
AYRES S2	903	253612	45587	18.0	349.3	49.7	14.2
BAC 111	26	5937	1450	24.4	228.3	55.8	24.4
BAG B206	32	2785	678	24.5	93.9	12.1	12.9
BAG DH125	69	31012	2675	8.6	449.4	38.8	8.6
BALMKSFIREFY	1253	55410	9115	16.4	49.3	7.6	15.3
BBAVIA11	830	27413	10222	37.3	103.9	29.8	28.6
BBAVIA7	3488	153671	21420	13.9	63.6	7.7	12.0
BBAVIA8	238	24340	5697	23.4	104.7	24.3	23.2
BEECH 100	275	90292	15398	17.1	328.3	56.0	17.1

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
BEECH 17	195	4179	2207	52.8	57.9	18.8	32.5
BEECH 18	867	147093	63535	43.2	338.1	118.1	35.1
BEECH 200	864	410883	59920	14.6	475.6	69.4	14.6
BEECH 23	2843	276380	29124	10.5	107.2	10.9	10.2
BEECH 300	21	2689	676	25.3	127.1	32.2	25.3
BEECH 33	1720	215885	20371	9.4	128.8	11.9	9.2
BEECH 35	6913	608189	42350	7.0	98.7	6.3	6.4
BEECH 36	2101	370376	38565	10.4	178.7	18.4	10.3
BEECH 45	295	45503	13038	28.6	240.9	57.9	24.0
BEECH 50	336	24989	6617	26.5	103.1	20.5	19.9
BEECH 55	2277	347797	28758	8.3	159.7	12.7	7.9
BEECH 56	64	4888	1388	27.4	115.2	23.4	20.3
BEECH 58	1515	361746	31889	8.8	243.4	20.8	8.6
BEECH 60	429	68591	12550	18.3	164.3	29.3	17.8
BEECH 65	132	33332	19624	58.9	265.5	154.7	58.3
BEECH 76	329	54075	11351	21.0	168.5	34.6	20.5
BEECH 77	248	62630	11776	18.8	260.1	47.4	18.2
BEECH 80	180	39665	32646	82.3	246.1	198.6	80.7
BEECH 90	1119	330008	31209	9.5	294.9	27.9	9.5
BEECH 95	487	36426	10541	28.9	84.2	23.4	27.8
BEECH 99	94	113365	19490	17.2	1258.5	201.8	16.0

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
BELL 47	1260	207649	44492	21.4	233.6	41.8	17.9
BELL 204	25	4250	1930	45.4	212.5	86.6	40.8
BELL 205	25	1081	1355	125.3	173.0	8.6	5.0
BELL 206	2237	1051552	106176	10.1	510.8	46.8	9.2
BELL 212	122	49634	9020	18.2	406.8	73.9	18.2
BELL 222	57	17409	5448	31.3	317.6	98.8	30.5
BELL 412	26	22360	6657	29.8	860.0	256.0	29.8
BLANCA11	80	1713	686	40.0	46.4	12.0	25.8
BLANCA1413	267	2052	818	39.9	16.9	5.0	29.7
BLANCA1419	271	9527	3092	32.5	43.7	13.2	30.2
BLANCA17	1066	124956	13379	10.7	122.1	12.4	10.2
BLANCA7	2352	142903	23253	16.3	60.9	11.7	14.5
BLANCA8	479	41559	5828	14.0	94.1	12.7	13.5
BNDRM BN2	115	54012	6728	12.5	660.8	67.7	10.2
BOEING707	78	2948	3667	124.4	236.3	28.1	11.9
BOEING720	24	0	0	0.0	0.0	0.0	0.0
BOEING727	109	36974	24361	65.9	589.9	281.9	47.8
BOEING737	15	15000	0	0.0	1000.0	0.0	0.0
BOEING747	30	2310	0	0.0	77.0	0.0	0.0
BOEING75	1915	35457	8080	22.8	57.5	7.4	13.0
BOEING767	4	0	0	0.0	0.0	0.0	0.0

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
BOLKMS117	23	1863	692	37.1	126.0	0.0	0.0
BRANTLY B2	128	4560	2328	51.0	81.7	30.3	37.1
BRASOVIS28	51	3292	827	25.1	73.1	17.5	23.9
BRWSTRFLEET2	28	599	177	29.5	48.1	7.3	15.1
BRWSTRFLEET7	23	243	107	44.0	29.6	7.2	24.3
BUKER 131	30	212	164	77.3	33.0	7.3	22.0
CARRONMODELO	188	6743	2040	30.3	40.1	11.3	28.3
CESSNA120	876	16452	3806	23.1	36.0	4.4	12.3
CESSNA140	2358	63936	10038	15.7	38.6	5.3	13.6
CESSNA150	19858	3778140	284712	7.5	211.5	15.5	7.3
CESSNA170	2473	130975	17157	13.1	66.6	7.5	11.3
CESSNA172	25365	3829809	226252	5.9	160.4	9.3	5.8
CESSNA175	1325	68178	8575	12.6	56.9	6.4	11.2
CESSNA177	2891	299627	21789	7.3	109.1	7.6	7.0
CESSNA180	2720	245768	18363	7.5	103.6	7.3	7.0
CESSNA182	13954	1566188	98979	6.3	121.7	7.4	6.1
CESSNA185	1615	304641	23400	7.7	202.2	15.1	7.5
CESSNA188	1838	429686	39154	9.1	253.7	20.6	8.1
CESSNA190	65	3163	852	26.9	47.1	11.4	24.3
CESSNA195	485	15838	3653	23.1	48.5	8.4	17.3
CESSNA205	250	16372	5818	35.5	125.2	22.3	17.8

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 8 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
CESSNA206	3085	589320	85238	11.5	195.3	21.9	11.2
CESSNA207	411	226381	33226	14.7	600.8	84.6	14.1
CESSNA210	6355	887013	72967	8.2	143.1	11.5	8.1
CESSNA303	180	43700	8829	20.2	250.9	49.5	19.7
CESSNA305	278	41882	24723	59.0	208.7	117.2	56.7
CESSNA310	3237	530252	53986	10.2	189.7	18.2	9.8
CESSNA320	330	36213	2577	7.1	120.0	7.4	6.2
CESSNA335	52	12490	2222	17.8	240.2	42.7	17.8
CESSNA336	90	5399	1734	32.1	64.3	19.8	30.9
CESSNA337	1253	160325	24272	15.1	145.5	19.9	13.7
CESSNA340	988	186602	29973	16.1	211.2	31.1	14.7
CESSNA401	240	31146	8610	27.6	133.4	36.1	27.1
CESSNA402	709	429487	79705	18.6	614.2	112.7	18.3
CESSNA404	165	42314	24619	58.7	260.3	151.9	58.4
CESSNA411	158	17297	6978	40.3	122.7	45.1	38.8
CESSNA414	804	203576	23829	11.7	253.2	29.6	11.7
CESSNA421	1308	244936	46638	19.0	208.8	37.5	18.0
CESSNA425	165	47799	7083	14.8	297.1	42.7	14.4
CESSNA441	248	74070	11753	15.9	288.7	47.4	15.9
CESSNA500	547	189284	19998	10.6	346.0	36.6	10.6
CESSNA501	54	11652	1929	16.6	221.8	35.6	16.1

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 7 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
CESSNA850	49	15175	1995	13.1	309.7	40.7	13.1
CESSNA750	67	146	103	70.8	10.2	3.2	32.0
CESSNAUC84	35	746	286	38.4	63.9	11.3	17.7
CHILD S1	62	6180	1542	25.0	121.3	27.3	22.5
CHILD S2	175	16813	2628	15.6	104.1	15.1	14.5
CNDAIRCL600	67	40572	7398	18.2	605.5	110.4	18.2
COMWTH185	107	1927	670	34.8	43.5	10.0	23.1
COMAERLA4	491	35858	6728	18.9	82.9	13.4	16.2
CURTISC46	50	3438	2608	75.9	249.0	130.9	52.6
CURTISJR	24	71	27	38.2	12.5	2.1	17.0
CURTISROBIN	37	63	45	71.6	11.0	0.0	0.0
CURTISTRVAIR	185	687	717	104.4	38.0	18.0	47.3
CVAC 22	35	0	0	0.0	0.0	0.0	0.0
CVAC 240	34	127	191	149.7	60.0	0.0	0.0
CVAC 340	20	0	0	0.0	0.0	0.0	0.0
CVAC 440	23	321	107	33.3	20.0	0.0	0.0
CVAC BT13	100	1289	689	53.4	24.2	8.7	36.0
CVAC L13	21	2	2	90.4	1.0	0.0	0.0
CVAC STCS80	38	20433	5218	25.5	564.6	127.6	22.6
DART G	25	320	102	31.8	29.9	1.2	3.9
DHAV DMC1	88	4426	721	16.3	64.3	8.9	13.9

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 8 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
DHAV DHC2	284	22831	7432	32.6	118.1	31.4	27.1
DHAV DHC3	25	3378	898	26.5	245.9	37.6	15.3
DHAV DHC8	75	86570	14285	16.5	1206.5	185.3	15.4
DHAVXXDH82	78	3032	710	23.4	48.8	8.9	18.3
DOUG A28	27	884	211	24.4	40.8	7.5	18.4
DOUG DC10	28	93288	0	0.0	3331.0	0.0	0.0
DOUG DC3	373	83485	43126	51.7	300.8	139.4	46.4
DOUG DC4	84	8238	4394	70.4	88.5	58.2	65.7
DOUG DC8	111	35258	15122	42.9	425.9	139.2	32.7
DOUG DC7	39	1603	471	29.4	91.2	15.8	17.3
DOUG DC8	88	0	0	0.0	0.0	0.0	0.0
DOUG DC9	61	72519	46665	64.3	2311.6	980.2	42.4
EAGLE DW	79	16878	3670	21.7	213.8	48.5	21.7
EAGLEBC7	41	2701	470	17.4	70.3	11.5	16.3
EIRVON20	114	6374	1669	26.2	58.7	14.7	25.0
EMAIR MA1	20	2782	1579	56.8	255.0	91.7	36.0
EMB 110	57	108459	27353	25.2	2122.3	381.2	18.0
ENSTRM280	137	35532	14580	41.0	309.2	119.6	38.7
ENSTRMF28	312	46168	13278	28.8	174.5	48.6	27.9
FLEET 168	23	209	77	36.8	23.6	4.3	18.3
FRCHLD24	285	2048	917	44.8	24.3	8.1	33.5

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 9 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
FRCHLDC119	34	387	108	29.3	12.0	0.0	0.0
FRCHLDF27	30	15141	2912	19.2	504.7	97.1	19.2
FRCHLDFH1100	81	1967	1887	101.2	89.2	21.1	23.7
FRCHLDM82	224	12217	5151	42.2	87.6	30.7	35.1
GENBALAX6	68	2235	402	18.0	41.2	6.2	15.0
GLASFL201	36	1394	259	18.6	42.8	7.5	17.5
GLASFLH301	116	8752	3694	42.2	84.8	34.7	40.9
GR08 103CAT	59	8749	1330	15.2	160.6	23.0	14.3
GR08 109	53	4344	460	11.1	84.5	9.0	10.7
GR08 ASTIR	63	5553	972	17.5	102.1	16.4	16.1
GRTLKS2T1	188	4308	2196	51.0	45.7	19.9	43.5
GRUMAVAA1	587	49341	15770	32.0	89.5	27.9	31.2
GRUMAVAA5	1063	129288	23808	18.4	125.9	22.8	18.1
GRUMAVG1159	41	19328	2991	15.5	471.4	73.0	15.5
GRUMAVG164	1288	353946	32458	9.2	324.9	24.3	7.5
GRUMAVG21	52	7511	2890	38.5	256.5	65.3	25.5
GRUMAVT8M	33	232	112	48.2	15.4	4.5	29.4
GULSTM112	695	63051	10151	16.1	110.6	13.9	12.5
GULSTM500	325	88109	14736	16.7	329.6	53.2	16.1
GULSTM520	58	1517	880	58.0	52.6	21.6	41.1
GULSTM580	122	6310	4210	66.7	169.3	45.4	26.8

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
GULSTM880	321	32345	12796	39.6	149.7	53.5	35.7
GULSTM880TP	118	21113	8368	30.2	243.3	49.0	20.1
GULSTM890TC	30	11381	1363	12.0	379.4	45.4	12.0
GULSTM890TP	499	187428	29423	17.6	335.5	59.0	17.6
GULSTMAA1	610	39805	8841	22.2	73.2	16.0	21.8
GULSTMAA5	653	85821	9907	15.1	108.4	15.1	13.9
GULSTMG1159	189	57173	7995	14.0	338.3	47.3	14.0
GULSTMG159	125	86050	18342	21.3	688.4	146.7	21.3
GULSTMG44	81	5925	1750	29.5	86.2	16.3	18.9
GULSTMG73	28	6758	2807	41.5	266.2	107.4	40.3
GULSTMGA7	58	6621	1255	19.0	125.6	21.2	16.9
H-1	145	9604	5428	56.5	107.8	54.3	50.4
H13/HTL	79	5528	2825	51.1	205.3	79.6	38.8
H19/45	77	3285	3320	101.1	255.2	56.1	22.0
H23/HTE	145	4919	5940	120.8	335.0	163.1	48.7
H34/55	63	1217	1313	107.9	270.5	24.0	8.9
H37	47	0	0	0.0	0.0	0.0	0.0
HELIO H295	102	7047	2394	34.0	140.1	28.2	20.1
HELIO H391	23	362	148	40.8	36.0	10.7	29.6
HELIO H395	21	1522	542	35.6	145.0	26.0	17.9
HILLERUH12	496	29812	18095	64.1	175.3	79.4	45.3

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 11 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
HUGHES269	729	130023	29462	22.7	277.2	50.5	18.2
HUGHES369	678	284781	30871	11.7	438.6	48.3	11.0
HWKSLYDH104	32	155	259	168.3	51.0	30.6	60.0
HWKSLYDH125	193	68342	6754	9.9	354.1	35.0	9.9
INTRCP200	30	1517	389	26.3	53.5	13.3	24.9
ISRAEL1121	107	23723	5808	24.5	254.6	52.3	20.5
ISRAEL1123	26	2480	405	16.3	106.0	12.4	11.7
ISRAEL1124	191	47003	6642	16.4	246.1	45.2	18.4
J8MSTRDGA15	81	172	183	106.1	19.5	4.7	24.3
LAIKFN10	37	84	43	51.4	16.7	2.6	15.5
LEAR 23	60	11743	2387	20.2	219.2	36.0	16.4
LEAR 24	172	37641	10336	27.5	300.9	66.0	21.9
LEAR 25	263	86491	8943	10.3	331.3	33.4	10.1
LEAR 35	409	162488	13334	8.2	397.3	32.6	8.2
LEAR 55	80	32987	5500	16.7	412.3	68.7	16.7
LET L13	173	13971	2993	21.4	87.2	17.9	20.5
LKHEED1011	17	0	0	0.0	0.0	0.0	0.0
LKHEED12A	21	183	94	51.3	20.3	7.5	36.9
LKHEED1329	95	15565	6279	40.3	202.6	73.3	36.2
LKHEED18	64	2444	972	39.8	52.5	13.5	25.7
LKHEEDPV1	36	0	0	0.0	0.0	0.0	0.0

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 12 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
LKHEEDT33	48	0	0	0.0	0.0	0.0	0.0
LUSCOM8	2165	72032	7013	9.7	58.8	4.8	8.4
MARTINA04	24	0	0	0.0	0.0	0.0	0.0
MAULE M4	275	12390	3011	24.3	51.0	11.6	22.8
MAULE M5	449	35867	3907	11.0	63.5	8.7	10.4
MAULE M6	68	10148	1308	12.9	155.2	18.9	12.2
MBB B0105	107	30241	7801	25.8	282.6	72.9	25.8
MCLISHFUNK8	141	2250	590	26.2	28.6	4.7	16.4
MEYERSOTW	52	1155	235	20.3	33.0	5.2	15.7
MNCOUP90	68	1864	708	38.0	57.4	16.1	28.1
MNMITEM18	149	1206	560	46.5	23.2	6.5	28.2
MOOFD47	69	19823	10362	52.3	308.6	159.1	51.6
MOOFDUH12	21	1617	1109	68.6	256.7	72.1	28.1
MOONEYM20	6122	712662	61014	8.6	125.0	10.3	8.2
MRCHTIS205	45	2388	375	15.7	68.8	7.2	10.8
MTSBSIMJ2	365	77742	17905	23.0	236.9	50.8	21.4
MTSBSIMJ300	77	17225	4201	24.4	228.6	53.9	23.6
MJLTCO16	46	2453	552	22.5	72.4	13.4	18.5
NAMER B25	55	1369	405	29.6	49.2	7.3	14.8
NAMER F51	137	3307	1521	46.0	51.3	12.9	25.2
NAMER NA260	60	3139	844	26.9	94.8	15.7	16.5

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 13 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
NAHER T6	538	18245	6357	34.8	60.4	13.2	21.9
NATBAL752	20	639	99	15.5	32.0	5.0	15.5
NAVAL N3N	142	3489	904	25.9	43.0	6.7	15.7
NAVIONNAVION	573	14772	3315	22.4	42.7	6.8	16.0
NORD SV4	45	487	488	98.0	52.0	25.3	48.6
NORWST85	58	1657	621	37.5	41.5	13.8	33.1
OTHEXMILPIST	23	239	169	70.8	52.0	0.0	0.0
PARTENP68	46	17885	2388	13.4	400.9	45.3	11.3
PICARDAX8	153	2204	272	12.3	24.1	2.4	10.1
PILATSB4	25	2248	405	18.0	89.9	16.2	18.0
PIPER 600	403	113340	21988	19.4	281.2	54.6	19.4
PIPER E2	20	205	117	56.9	23.4	11.6	49.3
PIPER J2	56	182	79	43.4	18.6	3.9	20.9
PIPER J3	4148	98996	12830	13.0	50.5	4.7	9.3
PIPER J4	243	3710	1213	32.7	33.6	7.0	20.7
PIPER J5	356	38775	27833	71.8	232.0	158.7	68.4
PIPER PA12	1344	82049	12640	15.4	96.5	13.5	14.0
PIPER PA14	105	7440	2280	30.6	113.1	29.2	25.9
PIPER PA15	188	4606	988	21.0	36.8	4.9	13.2
PIPER PA16	360	15558	3875	24.9	55.9	12.7	22.8
PIPER PA17	113	2360	729	30.9	49.0	8.8	18.0

TABLE 2 - 5

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 14 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
PIPER PA18	3532	442528	76959	17.4	147.2	24.4	16.6
PIPER PA20	446	17522	5290	30.2	55.0	14.3	26.0
PIPER PA22	4893	244834	37318	15.2	72.6	10.9	15.0
PIPER PA23	3517	435026	53672	12.3	158.7	17.5	11.0
PIPER PA24	3215	299706	25105	8.4	100.2	7.8	7.8
PIPER PA25	1355	226435	28557	12.6	186.0	20.8	11.2
PIPER PA28	22711	2951927	194441	6.6	138.1	9.0	6.5
PIPER PA30	1283	153114	18511	12.1	132.2	14.8	11.2
PIPER PA31	2131	755596	70658	9.3	367.6	32.6	8.9
PIPER PA31T	616	190052	28187	14.8	308.5	45.8	14.8
PIPER PA32	4527	747618	78554	10.5	175.1	17.8	10.2
PIPER PA34	2225	546741	83258	15.2	256.5	37.8	14.7
PIPER PA36	407	98009	11486	11.7	247.5	28.2	11.4
PIPER PA38	1563	518018	68690	13.3	345.6	45.1	13.0
PIPER PA42	88	26362	3165	11.2	322.3	36.0	11.2
PIPER PA44	352	71593	7809	10.9	219.2	23.3	10.6
PIPER PA46	84	13104	1640	12.5	158.1	19.3	12.2
PRATT PRG1	20	127	79	62.2	22.3	4.2	18.8
PROPTJ200	69	4634	1679	40.5	73.0	28.8	39.5
RAVEN RX6	208	4105	1057	25.8	36.6	6.2	16.9
RAVEN S50	87	901	359	39.9	17.1	5.3	31.1

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
RAVEN S55	782	31542	2529	8.0	46.4	3.6	7.7
RAVEN S60	157	9401	3217	34.2	61.8	21.0	34.0
RAVEN S66	36	2019	281	13.9	58.5	7.4	12.7
RKWELL500	39	10824	2499	23.5	272.4	64.1	23.5
RKWELL700	24	19207	10855	56.5	933.7	508.4	54.4
RKWELLNA265	346	116313	12099	10.4	338.2	35.0	10.4
ROBSINR22	258	88908	28745	32.3	360.5	113.9	31.6
ROLSCHLS	114	11833	1515	12.8	114.1	12.5	10.9
RYAN ST3	161	4877	1494	30.6	43.0	10.5	24.5
RYAN STA	34	616	284	46.1	24.2	9.9	41.0
SCHLERASW15	36	2289	302	13.2	63.6	8.4	13.2
SCHLERASW19	54	3791	583	15.4	74.0	11.1	14.9
SCHLERASW20	96	9593	1224	12.8	105.4	12.7	12.1
SCHLERK8	22	1201	269	22.4	58.0	12.7	21.9
SCHLERKA8	74	2152	312	14.5	38.3	3.9	10.2
SCHWZERG164	246	57539	5583	9.7	241.2	22.4	9.3
SCHWZERSG1	762	26789	7272	27.1	49.9	12.8	25.7
SCHWZERSG2	590	58103	16300	28.1	138.3	34.5	25.3
SEMCO CLINGER	27	179	152	85.1	26.5	14.3	54.0
SEMCO MODEL T	29	58	55	94.6	12.0	0.0	0.0
SKRSKY55	30	1409	592	42.0	106.7	20.9	19.6

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 16 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
SKRSKY58	63	2303	1518	65.9	82.2	41.7	50.6
SKRSKY578	138	57126	20088	35.2	414.0	145.6	35.2
SLINDS100	318	12416	3570	28.8	63.8	13.6	21.2
SMITH 600	373	74011	7407	10.0	210.3	20.5	9.7
SNIAS AS350	248	82128	14553	17.7	380.0	51.5	14.3
SNIAS AS355	148	101231	10486	10.4	683.4	71.8	10.4
SNIAS SA318	27	2412	42	1.7	89.3	1.6	1.7
SNIAS SA341	45	2356	1048	44.5	94.9	29.0	30.6
SOCATANS884	40	2273	380	16.7	62.5	8.9	14.2
SOCATARALLYE	20	1341	200	14.9	71.2	9.2	12.9
SPARTHICIRBUS	104	5270	908	17.2	60.9	9.6	15.8
SPARTHINIBUS	52	2667	467	17.5	66.0	8.7	13.2
SPARTHVENTUS	50	3981	509	12.8	83.6	10.1	12.1
STBROSS03	31	70402	3286	4.6	2271.0	105.3	4.6
STINSON10	157	1062	623	58.7	53.6	7.8	14.5
STINSONL5	131	4059	1849	40.8	63.5	18.6	29.3
STINSONSR9	28	241	105	43.6	27.8	10.0	35.8
STINSONV77	105	1151	916	79.6	56.8	35.4	62.2
STOLAMRC3	224	3206	1419	44.2	34.6	10.4	30.1
SUPAC LA	99	266	122	45.7	17.1	4.5	26.5
SUPAC V	29	116	63	54.5	16.0	6.5	40.7

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 17 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
SWRNGNSA226	166	96194	14028	14.6	575.2	81.2	14.1
SWRNGNSA227	75	23065	5323	23.1	307.5	71.0	23.1
SWRNGNSA28	104	29814	6472	21.7	298.0	61.2	20.5
TCRAFK21	20	3524	954	27.1	178.2	47.7	27.1
TCRAFKD	288	3580	1623	45.3	55.3	8.2	14.8
TCRAFTA	30	77	72	92.6	67.0	0.0	0.0
TCRAFTBC	1844	35001	5394	15.4	32.3	3.7	11.4
TCRAFTBF	40	1217	391	32.1	70.5	12.0	17.1
TCRAFTBL	231	1134	858	75.7	25.8	14.4	55.8
TEMCO 11A	30	469	130	27.8	33.8	4.7	14.0
TH55	43	2660	852	32.0	106.4	26.1	24.5
THUNDRAX7	55	1498	619	41.3	30.9	11.7	37.7
TMPSONNAVTON	642	35812	8950	25.0	82.6	20.1	24.3
TOMCAT	37	7892	1309	16.6	255.9	25.5	10.0
TRYTEK65	349	2393	1236	51.7	23.8	8.4	35.5
TRYTEKK	33	181	88	54.7	30.5	11.1	36.3
UNIVACGC1	664	21415	3807	17.8	58.0	6.8	12.2
UNIVAR108	2009	64200	10414	16.2	47.6	6.2	13.0
UNIVAR415	2409	82117	13735	16.7	54.0	8.2	15.2
VARGA 2150	132	7921	1703	21.5	65.1	12.8	19.7
VICKER745	21	4387	732	16.7	221.9	6.1	2.7

GENERAL AVIATION ANNUAL HOURS BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 18 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF TOTAL HOURS	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF MEAN HOURS	STANDARD ERROR	PERCENT STANDARD ERROR
WACO ASO	30	355	175	49.4	43.3	10.3	23.7
WACO GXE	36	308	188	54.8	47.8	18.2	34.0
WACO R	30	168	45	26.8	11.2	1.9	17.4
WACO U	20	258	110	42.9	72.7	1.2	1.7
WACO UPF7	184	4008	1298	32.4	57.2	14.9	26.0
WACO YK	55	408	258	62.9	46.6	20.5	44.0
WSK M18	40	7854	1489	18.7	204.4	37.3	18.2
WTHRLY201	88	12874	1887	13.1	217.4	23.4	10.8
TOTAL	267429	36118816	561921	1.6	158.1	2.5	1.6

GENERAL AVIATION ACTIVE AIRCRAFT  
BY  
TYPE OF AIRCRAFT  
1984

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
<b>FIXED WING</b>						
<b>FIXED WING - PISTON</b>						
1 ENG: 1-3 SEATS	86532	61889	723	1.2	71.6	0.8
1 ENG: 4+ SEATS	121884	109933	603	0.5	90.1	0.5
1 ENGINE: TOTAL	208516	171922	942	0.5	82.5	0.5
2 ENG: 1-6 SEATS	18930	16539	231	1.4	87.4	1.2
2 ENG: 7+ SEATS	10180	8719	193	2.2	85.6	1.9
2 ENGINE: TOTAL	29109	25258	301	1.2	86.8	1.0
PISTON: OTHER	392	262	35	13.2	66.8	8.9
PISTON: TOTAL	238017	197442	989	0.5	83.0	0.4
<b>FIXED WING - TURBOPROP</b>						
2 ENG: 1-12 SEATS	5131	4892	47	0.9	97.3	0.9
2 ENG: 13+ SEATS	691	640	29	4.5	92.7	4.1
2 ENGINE: TOTAL	5822	5833	55	1.0	98.7	0.9
TURBOPROP: OTHER	195	176	15	8.6	90.5	7.7
TURBOPROP: TOTAL	6017	5809	57	1.0	96.5	1.0

TABLE 2 - 6

GENERAL AVIATION ACTIVE AIRCRAFT  
BY  
TYPE OF AIRCRAFT  
1984

PAGE 2 OF 2

AIRCRAFT TYPE	POPULATION SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
FIXED WING - TURBOJET						
2 ENGINE TURBOJET	3948	3780	50	1.3	95.8	1.3
TURBOJET: OTHER	900	540	45	8.3	60.0	5.0
TURBOJET: TOTAL	4848	4320	67	1.6	89.1	1.4
FIXED WING: TOTAL	248880	207571	993	0.5	83.4	0.4
ROTORCRAFT						
PISTON	5516	2938	185	6.3	53.2	3.4
TURBINE	4774	4160	115	2.8	87.1	2.4
ROTORCRAFT: TOTAL	10290	7096	218	3.1	69.0	2.1
OTHER	8259	6275	171	2.7	76.0	2.1
TOTAL	267429	220843	1032	0.5	82.8	0.4

GENERAL AVIATION ACTIVE AIRCRAFT  
BY  
STATE OF BASED AIRCRAFT  
1984

STATE	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
ALABAMA	3886	411	3234	381	83.2	13.2
ALASKA	8741	519	7684	490	87.9	7.7
ARIZONA	6415	513	5177	479	80.7	9.9
ARKANSAS	3266	353	2920	338	89.4	14.2
CALIFORNIA	36477	1143	30494	1070	83.6	3.9
COLORADO	5810	492	5180	469	89.1	11.1
CONNECTICUT	2152	289	1863	283	86.6	17.8
DELAWARE	723	167	533	144	73.7	26.3
DIST. OF COLUMBIA	45	35	31	28	69.5	83.6
FLORIDA	14922	773	12720	722	85.2	6.5
GEORGIA	5406	472	4450	437	82.3	10.8
HAWAII	588	158	463	143	78.8	32.3
IDAHO	2764	344	2328	322	84.3	15.7
ILLINOIS	10334	662	9087	633	87.9	8.3
INDIANA	4772	445	3797	394	79.6	11.1
IOWA	3942	409	3416	384	86.7	13.3
KANSAS	4583	435	3713	398	81.0	11.6
KENTUCKY	1972	299	1802	289	91.4	20.2
LOUISIANA	5045	435	4627	419	91.7	11.5
MAINE	1271	226	1055	206	83.0	21.9
MARYLAND	3354	379	2870	356	85.6	14.4

GENERAL AVIATION ACTIVE AIRCRAFT  
BY  
STATE OF BASED AIRCRAFT  
1984

STATE	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
MASSACHUSETTS	3777	404	3316	384	87.8	13.8
MICHIGAN	8692	598	7088	548	81.3	8.4
MINNESOTA	6098	487	5139	458	84.3	10.1
MISSISSIPPI	2600	332	2082	300	80.1	15.4
MISSOURI	5237	474	4398	444	84.0	11.4
MONTANA	2698	341	2472	330	91.6	18.8
NEBRASKA	2075	293	1805	278	87.0	18.2
NEVADA	2024	287	1823	277	90.1	18.7
NEW HAMPSHIRE	1618	255	1298	236	80.2	19.3
NEW JERSEY	4703	439	4041	413	85.9	11.9
NEW MEXICO	2870	338	2300	303	80.1	14.1
NEW YORK	7865	569	6599	531	83.9	9.1
NORTH CAROLINA	4807	458	4412	441	91.8	12.7
NORTH DAKOTA	1910	289	1572	284	82.3	18.6
OHIO	9015	612	7553	572	83.8	8.5
OKLAHOMA	6137	516	5345	489	87.1	10.8
OREGON	6029	499	5032	462	83.5	10.3
PENNSYLVANIA	7608	548	6205	509	81.6	8.9
RHODE ISLAND	436	139	398	135	90.9	42.4
SOUTH CAROLINA	1954	281	1681	273	85.0	18.9
SOUTH DAKOTA	1642	268	1393	247	84.9	20.5

TABLE 2 - 7  
 GENERAL AVIATION ACTIVE AIRCRAFT  
 BY  
 STATE OF BASED AIRCRAFT  
 1984

PAGE 3 OF 3

STATE	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
TENNESSEE	3349	383	2884	380	86.1	14.6
TEXAS	23335	949	19941	891	85.5	5.2
UTAH	1439	251	1337	245	92.9	23.5
VERMONT	607	148	466	127	76.7	28.1
VIRGINIA	3619	393	3137	371	86.7	13.9
WASHINGTON	8123	573	6665	525	82.1	8.7
WEST VIRGINIA	1176	221	880	188	74.9	21.3
WISCONSIN	5392	472	4180	425	77.5	10.4
WYOMING	1849	269	1474	259	89.4	21.4
PUERTO RICO	467	140	422	134	90.4	39.4
OTHER U.S. TERRITORIES	93	63	76	55	82.1	81.3
FOREIGN	1918	272	1489	241	76.6	16.6
TOTAL	267429		220943	1032	82.6	0.4

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 8  
 GENERAL AVIATION ACTIVE AIRCRAFT  
 BY  
 REGION OF BASED AIRCRAFT  
 1984

REGION	ESTIMATE OF POPULATION	STANDARD ERROR	ESTIMATE OF ACTIVE POPULATION	STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
ALASKAN	8741	519	7684	490	87.9	7.7
CENTRAL	15836	788	13331	748	84.2	6.3
EASTERN	29082	1038	24297	973	83.5	4.5
EUROPEAN OFFICE	618	163	527	154	85.3	33.5
GREAT LAKES	47854	1280	39788	1212	83.1	3.4
NEW ENGLAND	9860	631	8393	591	85.1	8.1
NORTHWEST MT.	28544	1034	24502	974	85.8	4.6
SOUTHERN	39907	1204	34007	1132	85.2	3.8
SOUTHWESTERN	40935	1196	35341	1131	86.3	3.7
WESTERN-PACIFIC	48037	1256	38414	1181	83.4	3.4
TOTAL	267429		220943	1032	82.6	0.4

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION AIRCRAFT  
BY AIRCRAFT TYPE AND PRIMARY USE  
1984

AIRCRAFT TYPE	TOTAL ACTIVE	ACTIVE USE										IN-ACTIVE				
		EXECUTIVE	BUSINESS	PERSONAL	INSTRUMENTAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER		RENTAL			
FIXED WING																
FIXED WING - PISTON																
1 ENG: 1-3 SEATS																
EST. NO. ACTIVE	61889	39143	3104	7882	6145	1434	489	0	0	1622	2119	24543				
% STD. ERROR	1.2	1.8	11.2	6.9	2.7	17.9	25.3	0.0	0.0	15.8	15.2					
EST. % ACTIVE	71.6															
1 ENG: 4+ SEATS																
EST. NO. ACTIVE	109933	57495	31903	5888	229	2387	345	137	2026	424	6100	12051				
% STD. ERROR	0.5	1.9	3.1	8.9	41.0	13.5	35.2	42.0	14.0	30.8	8.8					
EST. % ACTIVE	90.1															
1 ENGINE: TOTAL																
EST. NO. ACTIVE	171922	96638	35007	13771	6374	3821	834	137	2026	2048	8219	36594				
% STD. ERROR	0.5	1.3	3.0	5.5	3.0	10.8	20.8	42.0	14.0	14.0	7.6					
EST. % ACTIVE	82.5															
2 ENG: 1-6 SEATS																
EST. NO. ACTIVE	16539	3238	7754	363	46	193	0	179	1299	380	276	2391				
% STD. ERROR	1.4	8.2	4.3	23.6	*	37.5	0.0	41.2	14.0	25.6	25.2					
EST. % ACTIVE	87.4															
2 ENG: 7+ SEATS																
EST. NO. ACTIVE	8719	472	2651	140	192	145	42	484	1546	129	196	1461				
% STD. ERROR	2.2	28.7	10.4	*	41.2	35.3	*	22.1	15.6	49.6	44.4					
EST. % ACTIVE	85.6															
2 ENGINE: TOTAL																
EST. NO. ACTIVE	25258	3710	10405	502	237	338	42	663	2845	509	472	3851				
% STD. ERROR	1.2	8.0	4.2	25.1	35.6	26.2	*	18.6	10.7	22.9	23.6					
EST. % ACTIVE	86.8															
PISTON: OTHER																
EST. NO. ACTIVE	262	3	23	0	68	2	5	2	53	5	60	130				
% STD. ERROR	13.3	*	*	0.0	49.4	*	*	*	38.9	*	44.3					
EST. % ACTIVE	66.8															
PISTON: TOTAL																
EST. NO. ACTIVE	197442	100352	45435	14273	6679	4161	881	801	4925	2560	8751	40575				
% STD. ERROR	0.5	1.3	2.5	5.4	3.2	10.1	20.2	17.7	8.5	12.1	7.3					
EST. % ACTIVE	83.0															

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

GENERAL AVIATION AIRCRAFT  
BY AIRCRAFT TYPE AND PRIMARY USE  
1984

AIRCRAFT TYPE	ACTIVE USE											IN- ACTIVE	
	TOTAL ACTIVE	EXECU- TIVE	BUSI- NESS	PER- SONAL	INSTRUC- TIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMMUTER CARRIER	AIR TAXI	OTHER RENTAL		RENTAL
FIXED WING - TURBOPROP													
2 ENG: 1-12 SEATS													
EST. NO. ACTIVE	4992	3376	712	89	0	0	29	45	50	498	163	31	139
% STD. ERROR	1.0	4.5	16.3	*	0.0	0.0	27.5	*	*	21.3	33.1	*	*
EST. % ACTIVE	97.3												
2 ENG: 13+ SEATS													
EST. NO. ACTIVE	640	239	5	0	10	0	13	3	326	17	25	3	51
% STD. ERROR	4.5	11.8	*	0.0	*	0.0	*	*	11.3	*	*	*	*
EST. % ACTIVE	92.7												
2 ENGINE: TOTAL													
EST. NO. ACTIVE	5633	3616	717	89	10	0	42	47	376	515	188	33	189
% STD. ERROR	1.0	4.3	16.2	*	*	0.0	42.4	*	12.3	20.7	30.6	*	*
EST. % ACTIVE	96.7												
TURBOPROP: OTHER													
EST. NO. ACTIVE	176	21	20	0	0	75	3	0	0	0	56	1	19
% STD. ERROR	8.6	39.9	*	0.0	0.0	0.0	*	0.0	0.0	0.0	35.0	*	*
EST. % ACTIVE	90.5												
TURBOPROP: TOTAL													
EST. NO. ACTIVE	5809	3637	737	89	10	75	44	47	376	515	244	34	208
% STD. ERROR	1.0	4.3	16.0	*	*	0.0	43.4	*	12.3	20.7	24.9	*	*
EST. % ACTIVE	98.5												
FIXED WING - TURBOJET													
2 ENGINE TURBOJET													
EST. NO. ACTIVE	3780	3018	223	71	3	0	0	0	21	329	113	3	162
% STD. ERROR	1.3	3.4	28.0	*	*	0.0	0.0	0.0	*	22.3	37.9	*	*
EST. % ACTIVE	95.9												
TURBOJET: OTHER													
EST. NO. ACTIVE	540	230	43	1	7	0	0	0	28	3	190	13	360
% STD. ERROR	8.3	14.7	*	*	*	0.0	0.0	0.0	0.0	*	20.3	*	*
EST. % ACTIVE	60.0												
TURBOJET: TOTAL													
EST. NO. ACTIVE	4320	3248	266	72	11	0	0	0	49	332	303	17	522
% STD. ERROR	1.6	3.3	24.8	49.7	*	0.0	0.0	0.0	24.7	22.2	19.0	*	*
EST. % ACTIVE	89.2												

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

GENERAL AVIATION AIRCRAFT  
BY AIRCRAFT TYPE AND PRIMARY USE  
1984

AIRCRAFT TYPE	ACTIVE USE											IN- ACTIVE
	TOTAL ACTIVE	EXECU- TIVE	BUSI- NESS	PER- SONAL	INSTRUC- TIONAL	AERIAL APPL	AERIAL OBS	OTHER WORK	COMPUTER CARRIER	AIR TAXI	OTHER	
<b>FIXED WING: TOTAL</b>												
EST. NO. ACTIVE	207571	15489	48438	100513	14294	8754	4205	928	1225	5772	3106	8802
% STD. ERROR	0.5	3.5	2.4	1.3	5.4	3.1	10.0	19.4	12.2	7.6	10.3	7.2
EST. % ACTIVE	83.4											
<b>ROTORCRAFT</b>												
<b>PISTON</b>												
EST. NO. ACTIVE	2936	154	263	645	469	369	509	10	0	32	462	23
% STD. ERROR	6.3	42.4	22.3	16.4	21.2	23.9	21.1	*	0.0	*	23.4	*
EST. % ACTIVE	53.2											
<b>TURBINE</b>												
EST. NO. ACTIVE	4160	881	278	60	64	209	330	145	7	147	641	72
% STD. ERROR	2.8	16.2	26.8	*	*	40.3	28.4	34.1	*	12.0	20.7	*
EST. % ACTIVE	87.1											
<b>ROTORCRAFT: TOTAL</b>												
EST. NO. ACTIVE	7096	1035	541	705	533	578	840	155	7	1504	1104	96
% STD. ERROR	3.1	15.1	17.6	16.0	20.1	21.1	17.0	32.4	*	12.0	15.5	*
EST. % ACTIVE	69.0											
<b>OTHER</b>												
EST. NO. ACTIVE	6275	141	119	4091	460	0	128	244	0	16	567	509
% STD. ERROR	2.7	47.9	32.9	4.1	17.7	0.0	33.8	26.7	0.0	*	19.7	19.1
EST. % ACTIVE	76.0											
<b>TOTAL</b>												
EST. NO. ACTIVE	220943	16675	47088	105309	15287	7332	5173	1328	1232	7292	4777	6406
% STD. ERROR	0.5	3.4	2.4	1.3	5.1	3.3	8.7	14.9	12.2	6.5	8.0	6.9
EST. % ACTIVE	82.6											

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.  
ROW SUMMATIONS MAY DIFFER FROM PRINTED TOTALS BECAUSE SOME ACTIVE AIRCRAFT DID NOT REPORT USE.

GENERAL AVIATION ACTIVE AIRCRAFT  
IFR FLOWN AND TRANSPONDER EQUIPPED  
1984

AIRCRAFT TYPE	ESTIMATED NUMBER OF A/C FLOWN IFR	PERCENT STANDARD ERROR	ESTIMATED PERCENT OF ACTIVE A/C FLOWN IFR	ESTIMATED NUMBER OF A/C FLOWN IFR WITH TRANSPONDER	PERCENT STANDARD ERROR	ESTIMATED PERCENT OF IFR WITH TRANSPONDER
<b>FIXED WING</b>						
<b>FIXED WING - PISTON</b>						
1 ENG: 1-3 SEATS	4097	11.2	6.6	3842	12.0	88.9
1 ENG: 4+ SEATS	51534	2.2	48.9	50611	2.2	98.2
1 ENGINE: TOTAL	55630	2.2	32.4	54253	2.2	97.5
2 ENG: 1-6 SEATS	15368	1.9	92.9	15229	2.0	99.1
2 ENG: 7+ SEATS	6382	2.8	98.1	8359	2.8	99.7
2 ENGINE: TOTAL	23750	1.6	94.0	23588	1.6	98.3
PISTON: OTHER	157	24.6	59.9	159	24.1	100.0
PISTON: TOTAL	79537	1.6	40.3	78000	1.6	98.1
<b>FIXED WING - TURBOPROP</b>						
2 ENG: 1-12 SEATS	5098	0.5	100.0	4935	1.4	98.8
2 ENG: 13+ SEATS	680	2.1	100.0	673	2.5	99.1
2 ENGINE: TOTAL	5776	0.5	100.0	5609	1.3	97.1
TURBOPROP: OTHER	120	0.0	88.0	120	0.0	100.0
TURBOPROP: TOTAL	5896	0.5	100.0	5729	1.3	97.2

TABLE 2 - 10

GENERAL AVIATION ACTIVE AIRCRAFT  
IFR FLOWN AND TRANSPONDER EQUIPPED  
1984

PAGE 2 OF 2

AIRCRAFT TYPE	ESTIMATED NUMBER OF A/C FLOWN IFR	PERCENT STANDARD ERROR	ESTIMATED PERCENT OF ACTIVE A/C FLOWN IFR	ESTIMATED NUMBER OF A/C FLOWN IFR WITH TRANSPONDER	PERCENT STANDARD ERROR	ESTIMATED PERCENT OF IFR WITH TRANSPONDER
FIXED WING - TURBOJET						
2 ENGINE TURBOJET	3934	0.3	100.0	3909	0.6	99.4
TURBOJET: OTHER	577	7.4	100.0	577	7.4	100.0
TURBOJET: TOTAL	4512	1.0	100.0	4486	1.1	99.4
FIXED WING: TOTAL	89944	1.4	43.3	88214	1.4	98.1
ROTORCRAFT						
PISTON	10	145.9	0.4	0	0.0	0.0
TURBINE	376	22.8	9.0	375	23.7	99.8
ROTORCRAFT: TOTAL	386	22.5	5.4	375	23.7	97.1
OTHER	107	49.4	1.7	16	83.0	15.0
TOTAL	90437	1.4	40.9	88605	1.4	98.0

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
OTHER 1	14004	7811	420	5.5	54.3	3.0
OTHER 2	1404	873	71	8.2	62.2	5.1
OTHER 3	335	91	35	38.8	27.0	10.5
OTHER 4	285	171	25	14.6	64.8	9.5
OTHER 5	158	91	19	20.5	57.7	11.8
OTHER 6	360	317	30	9.3	88.1	8.2
OTHER 7	190	157	26	16.5	82.4	13.6
OTHER 8	99	82	15	18.2	82.5	15.0
OTHER 9	569	515	39	7.6	90.5	6.9
OTHER 10	250	208	28	13.5	82.4	11.1
OTHER 11	1579	598	107	18.0	37.9	6.8
OTHER 12	316	170	55	32.5	53.9	17.5
OTHER 13	2289	1391	135	9.7	60.8	5.9
ADAMS A50S	103	95	7	7.0	91.8	6.4
AERORSJZ	35	10	4	46.9	27.3	12.8
AEROSPSA316	139	136	13	9.4	97.7	9.1
AGUSTA A109	54	54	0	0.0	100.0	0.0
AIRASPACE 18	22	3	3	116.3	12.5	14.5
AIRPTSA	233	82	27	33.1	35.4	11.7
AIRTRCAT300	407	354	31	8.6	87.0	7.5
AIRTRCAT400	50	50	0	0.0	100.0	0.0

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
AMD FALC10	143	143	0	0.0	100.0	0.0
AMD FALC20	208	205	7	3.3	98.4	3.2
AMD FALC50	100	100	0	0.0	100.0	0.0
AMTR TMK	28	2	6	225.8	9.5	21.5
ARCTICS1A	91	38	10	27.6	40.0	11.1
ARCTICS1B1	23	15	4	29.4	64.7	19.0
ARONCA15	198	164	38	22.2	82.8	18.4
ARONCA58	149	38	15	41.8	24.0	10.0
ARONCA65	147	60	17	28.6	41.1	11.8
ARONCAC3	60	17	5	31.8	27.6	8.8
AVIANWFALCON	27	21	3	13.5	78.7	10.6
AVIANWSKYHWK	39	39	0	0.0	100.0	0.0
AYRES S2	903	722	86	12.0	79.9	9.6
BAC 111	26	26	0	0.0	100.0	0.0
BAG B206	32	29	6	20.9	92.0	19.2
BAG DH125	69	69	0	0.0	100.0	0.0
BALWKSFIREFY	1253	1124	67	6.0	89.7	5.4
BBAVIA11	830	264	63	23.9	31.8	7.6
BBAVIA7	3488	2416	170	7.0	69.3	4.9
BBAVIA8	238	233	7	2.9	97.7	2.9
BEECH 100	275	275	0	0.0	100.0	0.0

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 3 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
BEECH 17	195	72	30	41.6	37.0	15.4
BEECH 18	887	417	122	29.3	48.2	14.1
BEECH 200	884	864	0	0.0	100.0	0.0
BEECH 23	2843	2579	73	2.8	90.7	2.6
BEECH 300	21	21	0	0.0	100.0	0.0
BEECH 33	1720	1678	34	2.0	97.4	2.0
BEECH 35	6913	6162	173	2.8	89.1	2.5
BEECH 36	2101	2072	32	1.5	98.6	1.5
BEECH 45	295	189	30	15.8	64.0	10.0
BEECH 50	338	242	42	17.5	72.2	12.6
BEECH 55	2277	2178	51	2.3	95.6	2.2
BEECH 56	64	43	8	18.5	67.6	12.5
BEECH 58	1515	1485	32	2.1	98.1	2.1
BEECH 60	429	417	17	4.1	97.3	4.0
BEECH 65	132	126	10	8.3	95.1	7.9
BEECH 76	329	321	14	4.4	97.5	4.3
BEECH 77	248	241	11	4.7	97.1	4.5
BEECH 80	180	161	26	16.3	89.5	14.6
BEECH 90	1119	1119	0	0.0	100.0	0.0
BEECH 95	467	432	34	7.9	92.6	7.4
BEECH 99	94	90	6	6.2	95.8	5.9

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
 MANUFACTURER/MODEL GROUP  
 1984

PAGE 4 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
BELL 47	1280	889	105	11.8	70.6	8.3
BELL 204	25	20	4	20.0	80.0	16.0
BELL 205	25	6	8	125.2	25.0	31.3
BELL 208	2237	2059	88	4.3	92.0	3.3
BELL 212	122	122	0	0.0	100.0	0.0
BELL 222	57	55	4	7.2	96.2	6.9
BELL 412	26	26	0	0.0	100.0	0.0
BLANCA11	80	37	11	30.6	46.2	14.1
BLANCA1413	267	121	32	26.7	45.4	12.1
BLANCA1419	271	218	26	11.8	80.5	9.5
BLANCA17	1066	1023	34	3.3	96.0	3.2
BLANCA7	2352	1766	131	7.4	75.1	5.6
BLANCA8	479	442	17	3.8	92.2	3.5
BNORM BIN2	115	82	6	7.1	71.1	5.0
BOEING707	78	12	15	123.8	16.0	19.8
BOEING720	24	24	0	0.0	100.0	0.0
BOEING727	109	63	28	45.4	57.5	26.1
BOEING737	15	15	0	0.0	100.0	0.0
BOEING747	30	30	0	0.0	100.0	0.0
BOEING75	1915	617	116	18.7	32.2	6.0
BOEING767	4	0	0	0.0	0.0	0.0

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 5 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
BOLKMS117	23	15	5	37.1	64.3	23.9
BRANTLY B2	128	56	20	35.0	43.6	15.3
BRASOVIS28	51	45	4	7.8	88.3	6.9
BRWSTRFLEET2	28	12	3	25.4	44.5	11.3
BRWSTRFLEET7	23	8	3	36.7	35.7	13.1
BUKER 131	30	6	5	74.1	21.4	15.9
CANRONMODELO	186	188	18	10.7	90.5	9.7
CESSNA120	876	457	90	19.6	52.1	10.2
CESSNA140	2358	1656	130	7.8	70.2	5.5
CESSNA150	19858	17864	330	1.8	90.0	1.7
CESSNA170	2473	1965	132	6.7	79.5	5.3
CESSNA172	25365	23883	285	1.2	94.2	1.1
CESSNA175	1325	1198	69	5.8	90.4	5.2
CESSNA177	2891	2745	57	2.1	95.0	2.0
CESSNA180	2720	2372	59	2.5	87.2	2.2
CESSNA182	13954	12873	225	1.8	92.3	1.6
CESSNA185	1615	1508	26	1.7	93.3	1.6
CESSNA188	1838	1693	70	4.1	92.1	3.8
CESSNA190	85	67	8	11.7	79.0	9.3
CESSNA195	485	326	50	15.2	67.3	10.3
CESSNA205	250	131	40	30.7	52.3	16.1

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 6 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
CESSNA208	3065	2915	88	2.3	95.1	2.2
CESSNA207	411	377	18	4.1	91.6	3.8
CESSNA210	6355	6199	100	1.6	97.5	1.6
CESSNA303	180	174	8	4.3	98.8	4.2
CESSNA305	278	203	33	16.4	72.9	12.0
CESSNA310	3237	2795	94	3.4	86.3	2.9
CESSNA320	330	302	11	3.5	91.4	3.2
CESSNA335	52	52	0	0.0	100.0	0.0
CESSNA338	90	84	7	8.9	93.3	8.3
CESSNA337	1253	1102	72	6.5	87.9	5.8
CESSNA340	988	884	58	8.4	91.3	5.8
CESSNA401	240	234	13	5.5	97.3	5.3
CESSNA402	709	699	20	2.8	98.7	2.8
CESSNA404	165	163	10	6.0	98.5	5.9
CESSNA411	158	141	23	16.6	89.2	14.8
CESSNA414	804	804	0	0.0	100.0	0.0
CESSNA421	1308	1173	74	6.3	89.7	5.7
CESSNA425	165	161	6	3.6	97.5	3.6
CESSNA441	248	248	0	0.0	100.0	0.0
CESSNA500	547	547	0	0.0	100.0	0.0
CESSNA501	54	53	2	3.9	97.4	3.8

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 7 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
CESSNA650	49	49	0	0.0	100.0	0.0
CESSNAT50	67	14	9	63.2	21.4	13.5
CESSNAUC94	35	12	4	34.1	33.3	11.4
CHILD S1	62	51	6	10.8	82.2	8.9
CHILD S2	175	162	9	5.8	92.3	5.4
CNDAIRCL600	67	67	0	0.0	100.0	0.0
COMWTH185	107	44	12	26.0	41.4	10.8
CONAERLA4	491	430	41	9.7	87.6	8.5
CURTISC46	50	14	8	54.7	27.6	15.1
CURTISJR	24	6	2	34.2	23.5	8.1
CURTISROBIN	37	6	4	71.6	15.4	11.0
CURTISTRVAIR	185	18	17	93.0	9.8	9.1
CVAC 22	35	0	0	0.0	0.0	0.0
CVAC 240	34	2	3	149.7	6.2	9.4
CVAC 340	20	11	7	56.7	57.1	33.5
CVAC 440	23	16	5	33.3	71.4	23.8
CVAC BT13	100	53	21	39.5	53.3	21.0
CVAC L13	21	2	2	90.4	11.1	10.0
CVAC STCS80	38	36	4	11.9	95.2	11.3
DART 6	25	11	3	31.5	42.9	13.5
DHAV DHC1	88	69	6	8.8	78.2	6.7

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 8 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
DHAV DHC2	284	197	36	18.1	69.2	12.5
DHAV DHC3	25	14	3	21.7	55.1	12.0
DHAV DHC8	75	72	4	6.0	95.7	5.8
DHAVXXDH82	78	62	9	14.6	80.0	11.6
DOUG A26	27	21	3	16.1	78.6	12.7
DOUG DC10	28	28	0	0.0	100.0	0.0
DOUG DC3	373	278	63	22.8	74.4	17.0
DOUG DC4	84	70	18	25.4	83.9	21.3
DOUG DC8	111	83	23	27.8	74.6	20.7
DOUG DC7	39	18	4	23.7	45.1	10.7
DOUG DC8	88	0	0	0.0	0.0	0.0
DOUG DC9	61	31	15	48.4	51.4	24.9
EAGLE DW	79	79	0	0.0	100.0	0.0
EAGLEBC7	41	38	2	6.0	93.8	5.6
EIRVON20	114	109	9	8.0	95.2	7.6
EMAIR MA1	20	11	5	43.9	54.5	24.0
EMB 110	57	51	9	17.7	89.7	15.9
ENSTRM280	137	115	16	13.7	83.9	11.5
ENSTRMF28	312	265	19	7.1	84.8	6.0
FLEET 168	23	9	3	31.9	38.5	12.3
FRCHLD24	285	84	25	29.4	29.6	8.7

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 9 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
FRCHLDC119	34	31	9	29.3	90.0	28.4
FRCHLDF27	30	30	0	0.0	100.0	0.0
FRCHLDFH1100	81	19	18	98.4	23.1	22.7
FRCHLDM62	224	139	33	23.4	62.2	14.6
GENBALAX6	68	54	5	10.0	79.7	7.9
GLASFL201	36	33	2	6.2	90.5	5.6
GLASFLH301	116	103	11	10.5	89.0	9.3
GROB 103CAT	59	54	3	5.1	92.2	4.7
GROB 109	53	51	1	2.8	97.0	2.7
GROB ASTIR	63	54	4	6.9	88.4	6.0
GRTLKS2T1	188	94	25	26.5	50.2	13.3
GRUMAVAA1	587	552	38	6.9	94.0	6.5
GRUMAVAA5	1063	1027	35	3.4	98.6	3.3
GRUMAVG1159	41	41	0	0.0	100.0	0.0
GRUMAVG164	1288	1089	58	5.3	84.6	4.5
GRUMAVG21	52	29	8	28.8	56.3	16.2
GRUMAVTBM	33	15	6	38.2	45.8	17.5
GULSTM112	695	570	58	10.1	82.1	8.3
GULSTM500	325	267	12	4.4	82.3	3.6
GULSTM520	58	29	12	41.0	49.7	20.4
GULSTM560	122	37	23	61.1	30.6	18.7

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 10 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
GULSTM880	321	218	37	17.0	67.3	11.4
GULSTM880TP	118	87	19	22.5	73.5	16.5
GULSTM890TC	30	30	0	0.0	100.0	0.0
GULSTM890TP	499	499	0	0.0	100.0	0.0
GULSTMAA1	610	543	22	4.1	89.1	3.6
GULSTMAA5	653	607	35	5.8	93.0	5.4
GULSTMG1159	169	169	0	0.0	100.0	0.0
GULSTMG159	125	125	0	0.0	100.0	0.0
GULSTMG44	81	69	16	22.7	84.9	19.3
GULSTMG73	28	25	3	9.9	90.7	9.0
GULSTMGA7	58	53	5	8.6	90.9	7.8
H-1	145	89	23	25.8	61.5	15.8
H13/MTL	79	27	9	33.3	34.1	11.3
H19/45	77	13	13	98.6	18.7	18.5
H23/HTE	145	15	18	110.5	10.1	11.2
H34/55	63	5	5	107.5	7.1	7.7
H37	47	0	0	0.0	0.0	0.0
HELIO H295	102	50	14	27.4	49.3	13.5
HELIO H391	23	10	3	28.0	43.7	12.3
HELIO H395	21	10	3	30.8	50.0	15.4
HILLERUH12	496	170	77	45.3	34.3	15.5

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 11 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
HUGHES289	729	489	63	13.5	64.3	8.7
HUGHES389	678	604	23	3.8	89.0	3.4
HMKSLYDH104	32	3	5	155.1	9.5	14.8
HMKSLYDH125	193	193	0	0.0	100.0	0.0
INTRCP200	30	28	2	8.6	94.4	8.1
ISRAEL1121	107	93	12	13.3	87.1	11.6
ISRAEL1123	28	23	3	11.4	90.0	10.3
ISRAEL1124	191	191	0	0.0	100.0	0.0
JRWSTRDGA15	81	9	9	103.3	10.9	11.3
LAIKFN10	37	5	2	49.0	13.8	6.7
LEAR 23	60	54	6	11.7	89.3	10.4
LEAR 24	172	125	21	16.5	72.7	12.0
LEAR 25	263	261	6	2.3	99.3	2.3
LEAR 35	409	409	0	0.0	100.0	0.0
LEAR 55	80	80	0	0.0	100.0	0.0
LET L13	173	160	10	6.3	92.6	5.8
LKHEED1011	17	0	0	0.0	0.0	0.0
LKHEED12A	21	9	3	35.6	42.9	15.3
LKHEED1329	95	77	14	17.9	80.9	14.4
LKHEED18	64	47	14	30.3	72.7	22.0
LKHEEDPV1	36	0	0	0.0	0.0	0.0

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP

PAGE 12 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
LKHEEDT33	46	0	0	0.0	0.0	0.0
LUSCOMB	2165	1288	61	4.8	58.6	2.8
MARTIN404	24	0	0	0.0	0.0	0.0
MAULE M4	275	243	20	8.4	88.3	7.4
MAULE M5	449	427	15	3.4	95.1	3.3
MAULE M6	68	65	3	4.1	96.2	3.9
MBB B0105	107	107	0	0.0	100.0	0.0
MCLISHFUNKB	141	79	16	20.5	55.9	11.4
MEYERSOTW	52	35	5	12.9	67.4	8.7
MNCOLUP90	68	32	8	25.6	47.7	12.2
MNMITEM18	149	52	19	36.9	34.8	12.9
MOOFD47	69	64	6	8.7	93.1	8.1
MOOFDUM12	21	6	4	62.5	30.0	18.8
MOONEYM20	6122	5699	133	2.3	93.1	2.2
MRCHTIS205	45	36	4	11.4	79.4	9.0
MTSBSIMU2	365	328	28	8.4	89.9	7.6
MTSBSIMU300	77	75	5	6.2	97.9	6.1
MULTECD16	46	34	4	12.8	73.7	9.4
NAMER B25	55	28	7	25.6	50.6	12.9
NAMER F51	137	64	25	38.5	47.1	18.1
NAMER NA260	60	33	7	21.2	55.2	11.7

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 13 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
NAMER T8	538	302	82	27.1	58.2	15.2
NATBAL752	20	20	0	0.0	100.0	0.0
NAVAL N3N	142	81	17	20.6	57.1	11.8
NAVIONNAVION	573	348	54	15.7	60.4	9.5
NORD SV4	45	9	8	82.8	20.8	17.3
NORWST85	58	40	7	17.5	68.8	12.0
OTHEXMILPIST	23	5	3	70.8	20.0	14.2
PARTENP88	46	45	3	7.1	97.0	6.9
PICARDAX6	153	92	8	7.0	59.9	4.2
PILATSB4	25	25	0	0.0	100.0	0.0
PIPER 600	403	403	0	0.0	100.0	0.0
PIPER E2	20	9	2	28.3	43.7	12.4
PIPER J2	56	10	4	38.1	17.5	6.7
PIPER J3	4148	1960	176	9.0	47.3	4.3
PIPER J4	243	110	28	25.3	45.5	11.5
PIPER J5	356	167	36	21.7	46.9	10.2
PIPER PA12	1344	850	54	6.3	63.3	4.0
PIPER PA14	105	66	11	16.4	62.6	10.3
PIPER PA15	186	125	20	16.3	67.2	11.0
PIPER PA16	360	279	28	10.1	77.4	7.8
PIPER PA17	113	48	12	25.1	42.7	10.7

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 14 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
PIPER PA18	3532	3008	160	5.3	85.1	4.5
PIPER PA20	448	318	49	15.4	71.4	11.0
PIPER PA22	4893	3379	106	3.1	69.1	2.2
PIPER PA23	3517	2741	153	5.6	77.9	4.4
PIPER PA24	3215	2992	93	3.1	93.0	2.9
PIPER PA25	1355	1217	71	5.8	89.8	5.2
PIPER PA28	22711	21438	248	1.2	94.4	1.1
PIPER PA30	1283	1158	54	4.7	90.3	4.2
PIPER PA31	2131	2067	37	1.8	97.0	1.7
PIPER PA31T	616	616	0	0.0	100.0	0.0
PIPER PA32	4527	4271	113	2.6	94.3	2.5
PIPER PA34	2225	2132	83	3.9	95.8	3.7
PIPER PA36	407	396	11	2.7	97.3	2.6
PIPER PA38	1563	1499	36	2.4	95.9	2.3
PIPER PA42	88	88	0	0.0	100.0	0.0
PIPER PA44	352	327	8	2.5	92.8	2.3
PIPER PA46	84	83	2	2.7	98.7	2.6
PRATT PRG1	20	6	3	59.3	28.6	17.0
PROPTJ200	69	63	6	9.1	92.0	8.4
RAVEN RX8	206	112	22	19.5	54.5	10.6
RAVEN S50	87	53	13	25.0	60.4	15.1

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984  
PAGE 15 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
RAVEN S55	782	679	16	2.3	86.9	2.0
RAVEN S60	157	152	6	4.0	96.9	3.9
RAVEN S68	36	35	2	5.7	95.8	5.4
RKWELL500	39	39	0	0.0	100.0	0.0
RKWELL700	24	21	3	15.2	85.7	13.0
RKWELLNA265	346	346	0	0.0	100.0	0.0
ROBSINR22	258	247	17	6.8	95.6	6.5
ROLSCHLS	114	104	7	6.6	91.0	6.0
RYAN ST3	161	113	21	18.4	70.4	12.9
RYAN STA	34	26	5	21.0	75.0	15.7
SCHLERASW15	36	36	0	0.0	100.0	0.0
SCHLERASW19	54	51	2	3.7	94.9	3.5
SCHLERASW20	96	91	4	4.1	94.8	3.9
SCHLERK8	22	21	1	4.9	94.1	4.6
SCHLERKA6	74	56	6	10.3	78.0	7.8
SCHZERG184	248	239	7	2.8	97.0	2.7
SCHZERSG1	762	537	48	8.6	70.5	6.1
SCHZERSG2	590	428	52	12.2	72.3	8.8
SEMCO CLINGER	27	7	4	65.7	25.0	16.4
SEMCO MODELT	29	5	5	94.6	16.7	15.8
SKRSKYSS5	30	13	5	37.2	44.0	16.4

TABLE 2 - 11

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984

PAGE 18 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
SKRSKYS58	63	28	12	42.2	44.4	18.8
SKRSKYS76	138	138	0	0.0	100.0	0.0
SLINDS100	316	195	38	19.4	61.6	11.9
SMITH 600	373	352	8	2.3	94.4	2.1
SNIAS AS350	248	228	24	10.5	92.7	9.7
SNIAS AS355	148	148	0	0.0	100.0	0.0
SNIAS SA318	27	27	0	0.0	100.0	0.0
SNIAS SA341	45	25	8	32.3	55.2	17.8
SOCATAMS884	40	36	3	8.8	90.9	8.0
SOCATARALLYE	20	19	1	7.4	94.2	7.0
SPRTHCIRRUS	104	87	6	6.9	83.3	5.7
SPRTHNIMBUS	52	40	5	11.5	77.7	9.0
SPRTHVENTUS	50	48	2	4.1	95.2	3.9
STBROSSD3	31	31	0	0.0	100.0	0.0
STNSON10	157	20	11	58.8	12.6	7.2
STNSONL5	131	64	18	28.2	48.8	13.7
STNSONSR9	26	9	2	25.0	33.3	8.3
STNSONV77	107	20	10	49.6	19.3	9.6
STOLAMRC3	224	93	30	32.4	41.4	13.4
SUPAC LA	99	16	6	37.3	15.8	5.9
SUPAC V	29	7	3	36.3	25.0	9.1

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
 MANUFACTURER/MODEL GROUP  
 1984

PAGE 17 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
SWRNGNSA226	166	151	10	6.9	91.0	6.3
SWRNGNSA227	75	75	0	0.0	100.0	0.0
SWRNGNSA28	104	100	7	7.0	96.2	6.7
TCRAFK21	20	20	0	0.0	100.0	0.0
TCRAFKD	286	65	28	42.8	22.6	9.7
TCRAFTA	30	1	1	92.6	3.8	3.6
TCRAFTBC	1844	1085	112	10.3	58.8	6.1
TCRAFTBF	40	17	5	27.2	43.2	11.7
TCRAFTBL	231	44	22	51.1	19.0	9.7
TEMCO 11A	30	14	3	24.0	46.3	11.1
TH55	43	25	5	20.6	58.2	12.0
THUNDRAX7	55	48	8	18.9	88.0	14.9
TMPSONNAVION	642	434	25	5.7	67.5	3.9
TOMCAT	37	31	4	13.3	83.3	11.0
TRYTEK65	349	101	38	37.6	28.8	10.8
TRYTEKK	33	5	2	40.9	16.0	6.5
UNIVACGC1	664	382	50	13.0	57.6	7.5
UNIVAR108	2009	1350	130	9.7	67.2	6.5
UNIVAR415	2409	1521	108	7.1	63.1	4.5
VARGA 2150	132	122	10	8.6	92.2	7.9
VICKER745	21	20	3	16.5	94.1	15.5

GENERAL AVIATION ACTIVE AIRCRAFT BY SDR AIRCRAFT  
MANUFACTURER/MODEL GROUP  
1984 PAGE 18 OF 18

MANUFACTURER/ MODEL GROUP	GROUP SIZE	ESTIMATE OF ACTIVE AIRCRAFT	STANDARD ERROR	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	STANDARD ERROR
WACO AS0	30	8	4	43.3	27.3	11.8
WACO GXE	38	6	3	42.9	17.9	7.7
WACO R	30	15	3	20.4	50.0	10.2
WACO U	20	4	2	42.9	17.6	7.6
WACO UPF7	164	70	14	19.3	42.7	8.2
WACO YK	55	9	4	45.0	15.9	7.2
WSK M18	40	38	2	4.2	97.3	4.1
WTHRLY201	68	59	4	7.5	87.1	6.5
TOTAL	287429	220943	1032	0.5	82.6	0.4

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	IMC DAY			IMC NIGHT			IMC TOTAL		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
<b>FIXED WING</b>									
<b>FIXED WING - PISTON</b>									
1 ENG: 1-3 SEATS	3502	417	68275	1177	250	11043	3505	417	79338
1 ENG: 4+ SEATS	45543	1116	1147317	26057	1008	319413	45932	1118	1468036
1 ENGINE: TOTAL	49045	1192	1215592	27234	1039	330456	49438	1193	1543372
2 ENG: 1-6 SEATS	13469	270	502728	10136	343	247546	13599	265	751111
2 ENG: 7+ SEATS	7302	222	481028	6118	274	259873	7399	212	740768
2 ENGINE: TOTAL	20771	350	983756	16254	439	507419	20998	339	1491880
PISTON: OTHER	162	38	10012	73	21	969	162	38	10981
PISTON: TOTAL	69979	1242	2209359	43561	1128	838843	70598	1241	3048232
<b>FIXED WING - TURBOPROP</b>									
2 ENG: 1-12 SEATS	4927	35	341647	4738	71	149797	4927	35	491427
2 ENG: 13+ SEATS	602	19	172228	593	27	86995	620	14	259120
2 ENGINE: TOTAL	5529	40	513874	5331	75	236792	5547	38	750547
TURBOPROP: OTHER	87	16	2258	45	20	1425	87	16	3682
TURBOPROP: TOTAL	5617	43	516132	5376	78	238216	5634	41	754328

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	IMC DAY				IMC NIGHT				IMC TOTAL			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
FIXED WING - TURBOJET												
2 ENGINE TURBOJET	3771	10	311342	35994	3626	48	128857	14275	3771	10	438159	47743
TURBOJET: OTHER	396	38	99194	11218	386	37	44430	5189	396	38	143824	15913
TURBOJET: TOTAL	4167	38	410538	37702	4013	80	171287	15189	4167	38	581783	50325
FIXED WING: TOTAL	79762	1244	3138028	108489	52950	1132	1248348	82282	80399	1242	4384244	147006
ROTORCRAFT												
PISTON	52	39	638	403	49	38	403	345	52	39	1039	708
TURBINE	338	74	14215	4191	281	82	8472	2649	399	77	22604	6005
ROTORCRAFT: TOTAL	389	83	14851	4210	310	73	8876	2671	451	88	23643	6047
OTHER AIRCRAFT	37	23	915	566	0	0	0	0	37	23	915	566
TOTAL	80189	1247	3202824	108554	53259	1135	1277577	82319	80888	1245	4480401	147131

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VMC DAY			VMC NIGHT			VMC TOTAL		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
FIXED WING									
FIXED WING - PISTON									
1 ENG: 1-3 SEATS	61598	7818732	307567	23717	553220	50332	81881	8374334	339343
1 ENG: 4+ SEATS	109276	11608563	266851	76626	1478352	67366	109643	13092708	299899
1 ENGINE: TOTAL	170834	19427296	407194	100343	2031572	84092	171524	21467044	452872
2 ENG: 1-6 SEATS	16328	1792159	71621	13909	427992	37256	16455	2222084	89841
2 ENG: 7+ SEATS	8500	1440766	108834	6757	408578	44817	8551	1847826	126555
2 ENGINE: TOTAL	24828	3232925	130286	20666	834570	58280	25006	4089890	155202
PISTON: OTHER	261	45393	13031	188	5656	1631	261	51435	14646
PISTON: TOTAL	19923	22705612	427728	121197	2871798	102326	196791	25588374	478952
FIXED WING - TURBOPROP									
2 ENG: 1-12 SEATS	4615	988399	66194	4396	213439	23422	4815	1211718	78620
2 ENG: 13+ SEATS	616	362087	43464	580	113309	16928	618	475395	52555
2 ENGINE: TOTAL	5431	1360486	79189	4976	326748	28899	5433	1687113	94669
TURBOPROP: OTHER	171	42071	13187	75	2288	1138	171	44360	13389
TURBOPROP: TOTAL	5602	1402557	80278	5051	329036	26921	5605	1731473	95512

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VMC DAY			VMC NIGHT			VMC TOTAL		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
FIXED WING - TURBOJET									
2 ENGINE TURBOJET	3380	682972	38482	3179	201232	20728	3380	884100	48074
TURBOJET: OTHER	449	65587	12632	293	24548	7810	449	90135	18686
TURBOJET: TOTAL	3829	748559	40483	3472	225780	22151	3829	974225	48764
FIXED WING: TOTAL	205354	24856720	437075	129719	3426615	108617	205225	28294078	490814
ROTORCRAFT									
PISTON	2904	514425	54007	1445	71472	23456	2933	587088	63286
TURBINE	4000	1593373	119948	2284	297003	55035	4121	1886721	115890
ROTORCRAFT: TOTAL	6904	2107799	131546	3729	368475	59825	7054	2483810	132044
OTHER AIRCRAFT	6201	352270	23100	163	2647	1743	6268	354938	23101
TOTAL	218459	27776736	457026	133611	3861680	124015	219545	31638415	508790

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	DAY TOTAL			NIGHT TOTAL		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN
<b>FIXED WING</b>						
<b>FIXED WING - PISTON</b>						
1 ENG: 1-3 SEATS	81866	126	7887408	23740	719	584279
1 ENG: 4+ SEATS	109649	114	12761822	77494	1046	1797838
1 ENGINE: TOTAL	171315	170	20649026	101234	1269	2382115
2 ENG: 1-6 SEATS	18468	42	2294748	14244	251	875258
2 ENG: 7+ SEATS	8676	38	1921798	7377	235	886409
2 ENGINE: TOTAL	25144	57	4216545	21621	344	1341667
PISTON: OTHER	262	0	57110	194	21	6625
PISTON: TOTAL	196720	179	24922662	123049	1315	3710409
<b>FIXED WING - TURBOPROP</b>						
2 ENG: 1-12 SEATS	4992	0	1339959	4876	48	363103
2 ENG: 13+ SEATS	638	4	534097	618	15	200226
2 ENGINE: TOTAL	5630	4	1874056	5494	50	563329
TURBOPROP: OTHER	176	0	44329	80	28	3713
TURBOPROP: TOTAL	5807	4	1918385	5574	58	587042
						40060
						1256
						1852
						95823
						60531
						74283
						98161
						81334
						51300

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	DAY TOTAL			NIGHT TOTAL		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
FIXED WING - TURBOJET						
2 ENGINE TURBOJET	3780	993390	44989	3680	327751	25886
TURBOJET: OTHER	540	164782	18252	389	68977	11322
TURBOJET: TOTAL	4320	1158171	48551	4070	396729	28254
FIXED WING: TOTAL	206847	27999246	464172	132692	4674181	144345
ROTORCRAFT						
PISTON	2907	515062	54032	1445	71875	23475
TURBINE	4076	1606180	119390	2284	305451	55367
ROTORCRAFT: TOTAL	6983	2121243	131047	3729	377327	60138
OTHER AIRCRAFT	6220	353184	23080	163	2647	1743
TOTAL	220051	30980587	482869	138584	5138229	156381

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY BASE REGION OF AIRCRAFT  
1984

REGION	IMC DAY			IMC NIGHT			IMC TOTAL		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
ALASKAN	1118	78422	37881	484	18690	7920	1188	95111	41882
CENTRAL	5028	161592	27038	3218	74327	19154	5063	235344	39750
EASTERN	9470	463308	53502	6544	175713	25990	9528	638747	76449
EUROPEAN OFFICE	302	21801	19480	207	5117	2632	302	26919	22010
GREAT LAKES	14588	608134	58157	9751	241729	33203	14728	849725	81176
NEW ENGLAND	2890	140607	26748	1986	40734	9304	2957	181594	33114
NORTHWEST MT.	6751	212691	34781	3843	81958	23925	6785	294644	49900
SOUTHERN	13848	570708	55442	10209	291955	43187	13945	862552	91417
SOUTHWESTERN	13495	576375	61032	9292	220431	31222	13587	798806	84910
WESTERN-PACIFIC	12867	286341	39370	7855	110609	18462	12953	386835	57005
TOTAL	80189	3202824	108554	53259	1277577	62319	80888	4480401	147131

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY BASE REGION OF AIRCRAFT  
1984

REGION	VMC DAY			VMC NIGHT			VMC TOTAL		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
ALASKAN	7317	947856	102477	3186	77217	15182	7351	1025186	108920
CENTRAL	13109	1383200	119183	8439	193982	27086	13118	1579817	135009
EASTERN	23239	2644788	188336	14385	517411	59880	23408	3181916	224664
EUROPEAN OFFICE	482	96583	50400	235	5574	2816	482	102156	52015
GREAT LAKES	38087	4095273	216683	23411	613267	48537	38293	4709496	250062
NEW ENGLAND	8120	1011475	109306	5126	134674	21623	8130	1146116	125424
NORTHWEST MT.	23962	2658669	171607	12772	241430	32818	24130	2900814	185953
SOUTHERN	32582	4329448	248387	21053	731287	85542	32795	5070081	292860
SOUTHWESTERN	34284	5022113	319387	21637	651013	85506	34360	5680437	347312
WESTERN-PACIFIC	37334	5172685	386366	24237	671755	69360	37541	5845594	428121
TOTAL	218459	27776735	457026	133611	3861680	124015	219545	31638415	508790

NOTE: ROW AND COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY BASE REGION OF AIRCRAFT  
1984

REGION	DAY TOTAL			NIGHT TOTAL		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	HOURS FLOWN	STD ERROR
ALASKAN	7384	506	1024302	118142	348	20484
CENTRAL	13131	784	1544782	131651	662	41689
EASTERN	23487	1006	3107778	216812	822	75903
EUROPEAN OFFICE	491	155	118384	54610	125	4130
GREAT LAKES	38338	1249	4704121	242983	1033	74154
NEW ENGLAND	8170	615	1152370	121276	507	27868
NORTHWEST MT.	24081	1022	2872170	184036	791	45829
SOUTHERN	32704	1168	4903253	273615	977	111872
SOUTHWESTERN	34739	1186	5800046	335792	976	101227
WESTERN-PACIFIC	37470	1222	5460299	394998	1036	75553
TOTAL	220051	195	30980567	492869	1339	156381

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC			VMC				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
OTHER 1	49	55	424	479	7811	0	429788	66240
OTHER 2	285	59	18111	6640	870	7	114912	21947
OTHER 3	22	13	481	594	91	0	6508	2032
OTHER 4	137	18	12467	4025	168	8	25849	12501
OTHER 5	51	19	6665	4825	91	0	11595	7888
OTHER 6	284	26	38032	9528	317	0	98730	18951
OTHER 7	154	8	83742	26300	157	0	109277	36705
OTHER 8	68	16	1113	899	82	0	12470	12127
OTHER 9	515	0	58528	19567	385	59	100241	25148
OTHER 10	100	35	13221	13910	196	15	21744	10666
OTHER 11	0	0	0	0	598	0	32851	9221
OTHER 12	41	25	2586	1945	170	0	66238	19875
OTHER 13	10	19	103	191	1391	0	46759	9288
ADAMS A50S	0	0	0	0	95	0	5596	2856
AERORSJ2	0	0	0	0	10	0	143	13
AEROSPSA318	0	0	0	0	136	0	98396	10388
AGUSTA A109	50	10	304	364	15	17	2882	3447
AIR&SPACE 18	0	0	0	0	3	0	110	0
AIRPTSA	0	0	0	0	82	0	8707	3350
AIRTRCAT300	0	0	0	0	354	0	120590	12126
AIRTRCAT400	0	0	0	0	50	0	20086	2307
AMD FALC10	137	8	18781	5062	138	7	34474	5166

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 2 OF 34

MANUFACTURER/ MODEL GROUP	IMC			VMC				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
AMD FALC20	205	0	12631	3142	200	9	49746	9277
AMD FALC50	100	0	18904	5544	77	12	30844	7235
AMTR TMK	0	0	0	0	2	0	149	50
ARCTICS1A	0	0	0	0	36	0	1944	879
ARCTICS1B1	0	0	0	0	15	0	318	81
ARONCA15	0	0	0	0	164	0	7578	1603
ARONCA58	0	0	0	0	38	0	1692	408
ARONCA85	0	0	0	0	60	0	2280	624
ARONCAC3	0	0	0	0	17	0	238	64
AVIANNFALCON	0	0	0	0	21	0	285	72
AVIANNSKYHWK	0	0	0	0	39	0	1127	333
AYRES S2	5	3	384	326	722	0	265086	39904
BAC 111	26	0	1614	487	20	4	3911	1418
BAG B206	5	9	56	96	29	0	2708	444
BAG DH125	69	0	7139	1511	68	2	23060	2425
BALMKSFIREFY	0	0	0	0	1124	0	59143	10034
BBAVIA11	0	0	0	0	264	0	28893	8872
BBAVIA7	69	52	75	303	2416	0	138396	16090
BBAVIA8	4	7	1237	1941	228	7	21624	6932
BEECH 100	275	0	31186	9949	242	24	51450	14509
BEECH 17	26	14	262	171	72	0	3918	1307
BEECH 18	276	63	46068	28338	398	29	90011	53842

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 3 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BEECH 200	864	0	100881	25227	825	36	295839	54653
BEECH 23	837	122	18014	4048	2568	17	260777	29961
BEECH 300	13	3	522	167	21	0	1654	458
BEECH 33	1215	103	29817	6643	1676	0	174100	18091
BEECH 35	3134	284	66234	10815	6156	18	532343	36612
BEECH 36	1630	118	64873	14098	2072	0	281019	31174
BEECH 45	118	23	8813	4648	189	0	38259	8360
BEECH 50	121	45	2139	1141	242	0	21657	4823
BEECH 55	1813	98	88727	15605	2176	7	272998	20230
BEECH 56	41	4	1051	764	43	0	3967	1186
BEECH 58	1464	31	97268	21250	1486	0	254082	26370
BEECH 60	389	29	18254	5060	417	0	43162	9114
BEECH 65	58	25	7979	4839	126	0	26476	15399
BEECH 76	292	27	5501	1254	321	0	49481	11144
BEECH 77	47	29	701	839	237	9	60627	12675
BEECH 80	159	10	8219	6235	157	14	31446	27984
BEECH 90	1119	0	97891	17929	1119	0	230819	26796
BEECH 95	322	59	6607	3188	432	0	28912	9320
BEECH 99	90	0	28468	14846	81	9	73027	21395
BELL 47	24	35	69	99	889	0	208514	42892
BELL 204	0	0	0	0	20	0	5460	3147
BELL 205	0	0	0	0	8	0	1081	55

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BELL 206	65	57	4677	4188	2059	0	1058048	104748
BELL 212	3	14	78	364	122	0	50877	7829
BELL 222	31	10	1088	472	55	0	16321	4970
BELL 412	23	7	3291	1004	28	0	8645	0
BLANCA11	0	0	0	0	37	0	1419	154
BLANCA1413	0	0	0	0	121	0	2118	653
BLANCA1419	14	17	479	636	218	0	8959	2896
BLANCA17	539	95	15003	6878	1023	0	108008	12815
BLANCA7	0	0	0	0	1788	0	138832	19090
BLANCA8	8	9	161	183	435	8	39899	5927
BNORM BN2	37	7	2104	650	82	0	47812	5850
BOEING707	12	0	2948	358	0	0	0	0
BOEING720	16	8	0	0	8	8	0	0
BOEING727	63	0	11575	5248	61	6	25389	12899
BOEING737	15	0	3000	0	15	0	12000	0
BOEING747	0	0	0	0	30	0	2310	0
BOEING75	0	0	0	0	617	0	32818	4764
BOLKMS117	0	0	0	0	15	0	1863	0
BRANTLY 82	8	9	218	226	58	0	4345	1588
BRASOVIS28	0	0	0	0	45	0	3292	832
BRWSTFLEET2	2	2	42	39	11	2	557	132
BRWSTFLEET7	0	0	0	0	8	0	243	70

GENERAL AVIATION ANNUAL HOURS FLOWN  
 BY WEATHER AND LIGHT CONDITIONS  
 BY SDR MANUFACTURER/MODEL GROUP  
 1984

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BUKER 131	0	0	0	0	6	0	212	53
CAMRONMODELO	0	0	0	0	168	0	7849	1781
CESSNA120	1	6	3	13	457	0	16259	2028
CESSNA140	26	31	185	216	1656	0	65948	9267
CESSNA150	1903	348	49651	16397	17861	14	3581685	293970
CESSNA170	119	72	553	350	1965	0	131880	15164
CESSNA172	7858	605	284207	37884	23695	114	3400263	203107
CESSNA175	35	40	1731	2043	1198	0	65187	7286
CESSNA177	1339	138	25814	4926	2745	0	274325	20109
CESSNA180	551	73	10928	3637	2358	13	237881	18445
CESSNA182	5239	413	166382	23556	12838	44	1396241	88968
CESSNA185	403	48	9144	1938	1504	4	304704	25288
CESSNA188	0	0	0	0	1693	0	471889	43029
CESSNA190	1	3	97	197	67	0	3096	730
CESSNA195	103	41	1062	729	326	0	15289	2643
CESSNA205	60	22	1311	547	131	0	16945	3122
CESSNA206	1418	167	43624	12947	2912	11	528311	68375
CESSNA207	167	30	20352	11555	377	0	199786	36737
CESSNA210	4787	292	153150	27770	6199	0	719346	65909
CESSNA303	162	12	6981	2251	174	0	34189	7744
CESSNA305	0	0	0	0	203	0	42626	26188
CESSNA310	2284	103	146134	25038	2743	36	392660	40455

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC			VMC				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
CESSNA320	223	12	4873	608	302	0	29753	2325
CESSNA335	50	3	3088	1269	52	0	9422	1705
CESSNA336	59	18	144	55	84	0	5725	2355
CESSNA337	902	92	28021	5880	1102	0	138841	22438
CESSNA340	884	0	84930	16344	884	0	126154	21390
CESSNA401	196	31	7910	5369	228	12	22738	5040
CESSNA402	681	30	149891	43805	694	17	280715	86779
CESSNA404	29	39	12379	17471	158	20	24732	21790
CESSNA411	135	16	3174	2387	141	0	14123	4648
CESSNA414	804	0	41548	10108	804	0	165049	25681
CESSNA421	1173	0	68937	20898	1173	0	172070	35131
CESSNA425	161	0	14800	3891	161	0	32190	8448
CESSNA441	248	0	31583	7512	188	25	42992	10134
CESSNA500	547	0	47130	13893	542	13	144589	18024
CESSNA501	53	0	2419	582	53	0	8985	2065
CESSNA650	49	0	5378	1561	40	5	10209	2272
CESSNA750	0	0	0	0	14	0	103	16
CESSNAUC94	0	0	0	0	12	0	746	161
CHILD S1	0	0	0	0	51	0	6236	1572
CHILD S2	12	9	116	89	162	0	16659	2678
CNDAIRCL600	67	0	7981	1667	67	0	32814	8040
COMINT185	0	0	0	0	44	0	1927	489

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC			VMC				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
CONAERLA4	19	24	125	169	430	0	35467	6221
CURTISC46	14	0	344	193	14	0	3094	1739
CURTISJR	0	0	0	0	6	0	90	9
CURTISROBIN	0	0	0	0	6	0	0	0
CURTISTRVAIR	0	0	0	0	18	0	985	253
CVAC 240	2	0	89	0	2	0	38	0
CVAC 440	0	0	0	0	16	0	321	0
CVAC BT13	0	0	0	0	53	0	1240	468
CVAC L13	2	0	2	0	0	0	0	0
CVAC STC580	36	0	5116	2811	36	0	16663	4488
DART G	0	0	0	0	11	0	327	12
DHAV DHC1	0	0	0	0	69	0	4628	683
DHAV DHC2	0	0	0	0	197	0	22831	6336
DHAV DHC3	0	0	0	0	14	0	3058	686
DHAV DHC6	66	6	23681	6335	72	0	64714	11671
DHAVXXDH82	0	0	0	0	62	0	3032	593
DOUG A26	4	3	17	14	21	0	841	160
DOUG DC10	28	0	93268	0	0	0	0	0
DOUG DC3	75	71	4082	5178	276	11	57401	18887
DOUG DC4	37	25	193	130	70	0	6288	4177
DOUG DC6	71	21	3948	1723	82	7	32123	11611
DOUG DC7	3	3	174	166	18	0	1428	188

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC			VMC				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
DOUG DC9	31	0	68886	34038	12	10	3632	4142
EAGLE DW	0	0	0	0	79	0	16864	4049
EAGLEBC7	0	0	0	0	38	0	2172	278
EIRVON20	0	0	0	0	109	0	6374	1807
EMAIR MA1	0	0	0	0	11	0	1200	0
EMB 110	47	9	50392	14008	47	9	55196	17840
ENSTRM280	0	0	0	0	115	0	38585	15693
ENSTRMF28	19	15	754	684	261	8	41386	13326
FLEET 168	0	0	0	0	9	0	265	45
FROCHLD24	0	0	0	0	84	0	2048	724
FROCHLDC119	0	0	0	0	31	0	367	0
FROCHLDF27	30	0	2668	288	30	0	12474	2932
FROCHLDFH1100	0	0	0	0	19	0	1667	400
FROCHLDWB2	0	0	0	0	139	0	12217	4420
GENBALAX6	0	0	0	0	54	0	2197	405
GLASFL201	0	0	0	0	33	0	1412	303
GLASFLH301	0	0	0	0	103	0	9447	4121
GR08 103CAT	0	0	0	0	54	0	8749	1271
GR08 109	3	2	3	2	51	0	4341	473
GR08 ASTIR	0	0	0	0	54	0	5715	1105
GRTLKS2T1	0	0	0	0	94	0	4457	2118
GRUBAVAA1	96	61	529	492	540	23	48817	15680

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC			VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
GRUMAA5	484	109	8902	1027	0	123791	27754
GRUMAVG1159	41	0	4792	39	3	14730	2424
GRUMAVG184	0	0	0	1089	0	360607	29414
GRUMAVG21	5	4	176	29	0	6341	2130
GRUMAVT8M	0	0	0	15	0	232	75
GULSTN112	357	63	10047	570	0	52230	6971
GULSTM500	236	10	18741	264	4	72917	14884
GULSTM520	15	6	116	29	0	1400	621
GULSTM560	31	6	1228	37	0	5082	1790
GULSTM680	179	29	7799	212	11	28518	12934
GULSTM880TP	87	0	6171	87	0	14289	3787
GULSTM90TC	30	0	5421	30	0	5734	1004
GULSTM90TP	482	20	50408	473	25	121194	25474
GULSTMAA1	62	26	423	543	0	40835	10574
GULSTMAA5	202	72	3748	607	0	61261	10873
GULSTMG1159	169	0	29662	103	24	26529	7479
GULSTMG159	125	0	12957	125	0	78058	20557
GULSTMG44	11	18	343	67	7	5663	1111
GULSTMG73	6	4	204	25	0	5553	2693
GULSTMGA7	44	7	1425	53	0	5621	1269
H-1	1	6	2	89	0	9932	5420
H13/HTL	0	0	0	27	0	5528	2362

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC			VMC				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
H19/45	0	0	0	0	13	0	3433	831
H23/HTE	0	0	0	0	15	0	4848	3725
H34/55	0	0	0	0	5	0	1217	120
HELIO H285	23	8	582	321	50	0	7478	1498
HELIO H391	1	2	0	0	10	0	362	142
HELIO H395	0	0	0	0	11	0	1523	312
HILLERUM12	0	0	0	0	170	0	30138	14211
HUGHES269	0	0	0	0	489	0	128266	27823
HUGHES389	80	28	1658	553	804	0	288729	30048
HMKSLYDH104	0	0	0	0	3	0	305	0
HMKSLYDH125	193	0	19878	5114	174	18	49212	8881
INTRCP200	4	4	10	11	28	0	1353	354
ISRAEL1121	93	0	4498	2145	89	7	17954	5204
ISRAEL1123	23	0	1226	366	23	0	1325	625
ISRAEL1124	191	0	14401	6333	173	16	31348	8551
JBMSTRDGA15	0	0	0	0	9	0	172	45
LAIKFN10	0	0	0	0	5	0	84	17
LEAR 23	54	0	6142	1898	36	11	6001	2019
LEAR 24	122	6	7672	2746	122	6	30299	7918
LEAR 25	261	0	26529	7904	252	13	55148	8841
LEAR 35	409	0	43251	14288	394	23	115503	17163
LEAR 55	80	0	17482	5243	66	8	15504	4261

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
LET L13	0	0	0	0	160	0	14005	3048
LKNEED12A	0	0	0	0	9	0	183	77
LKNEED1329	77	0	3707	1151	77	0	9838	4081
LKNEED18	41	11	352	197	47	0	2092	560
LUSCOM8	54	25	3777	2194	1222	23	70815	7368
MAULE M4	0	0	0	0	243	0	12622	3084
MAULE M5	76	28	1148	601	427	0	34080	3834
MAULE M6	16	7	119	63	65	0	9047	1254
MBB B0105	3	9	108	339	107	0	30433	8101
MCCLISHFUNKB	0	0	0	0	79	0	2097	428
MEYERSOTV	0	0	0	0	35	0	1045	217
MNCUP80	0	0	0	0	32	0	2264	601
MNMITEM18	0	0	0	0	52	0	1322	407
MODFD47	0	0	0	0	64	0	20540	11153
MODFDUH12	0	0	0	0	6	0	1617	495
MOONEYM20	2958	268	82430	12857	5899	0	614451	55951
MRCHTIS205	13	5	85	37	36	0	2296	342
MTSBSIMJ2	328	0	18642	7088	328	0	51674	15457
MTSBSIMJ300	75	0	5305	2265	31	20	8314	5442
MULTECD16	9	5	40	23	34	0	2413	523
NAMER B25	4	4	19	20	28	0	1382	265
NAMER F51	5	7	76	105	64	0	2966	727

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 12 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
NAMER NA260	21	5	1037	499	28	4	1935	459
NAMER T6	15	25	530	857	302	0	17881	3948
NATBAL752	0	0	0	0	20	0	639	99
NAVAL N3N	0	0	0	0	81	0	3628	581
NAVIONNAVION	65	37	1091	878	331	20	15166	2494
NORD SV4	0	0	0	0	9	0	938	0
NORWST65	0	0	0	0	40	0	2100	636
OTHEXMILPIST	0	0	0	0	5	0	239	0
PARTENP68	42	3	2331	558	45	0	15553	2070
PICARDAX6	2	2	98	93	80	2	2085	305
PILATSB4	0	0	0	0	25	0	2248	418
PIPER 600	398	12	55215	17915	385	22	61238	12453
PIPER E2	0	0	0	0	9	0	205	128
PIPER J2	0	0	0	0	10	0	250	59
PIPER J3	1	7	0	0	1959	7	98061	9750
PIPER J4	0	0	0	0	110	0	3319	725
PIPER J5	0	0	0	0	167	0	45338	32753
PIPER PA12	2	5	127	292	848	5	84953	13651
PIPER PA14	10	10	949	995	58	9	5134	1195
PIPER PA15	0	0	0	0	125	0	4844	669
PIPER PA16	10	12	154	178	279	0	14630	3814
PIPER PA17	0	0	0	0	48	0	2360	462

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
PIPER PA18	34	52	711	1243	3008	0	397143	87881
PIPER PA20	0	0	0	0	318	0	17015	4558
PIPER PA22	117	44	1673	780	3372	10	207246	13818
PIPER PA23	1874	159	98164	17385	2741	0	335162	43424
PIPER PA24	1217	184	24258	5329	2992	0	272389	21989
PIPER PA25	0	0	0	0	1217	0	227424	27998
PIPER PA28	8234	521	244673	29441	21438	0	2588400	131500
PIPER PA30	920	72	23762	4449	1158	0	114455	11452
PIPER PA31	1993	47	251578	38193	1960	46	512749	56302
PIPER PA31T	616	0	48284	9838	616	0	147746	25122
PIPER PA32	2952	244	158744	36046	4271	0	805068	61978
PIPER PA34	1743	171	159943	48267	2132	0	404982	52402
PIPER PA36	0	0	0	0	396	0	99743	14994
PIPER PA38	59	38	312	320	1499	0	513741	76733
PIPER PA42	88	0	8556	2313	78	7	20030	3150
PIPER PA44	302	10	13787	3453	325	3	58691	8483
PIPER PA46	83	0	2335	565	83	0	8976	1777
PRATT PRG1	0	0	0	0	6	0	127	28
PROPIJT200	29	11	593	291	63	0	4375	1844
RAVEN RX6	0	0	0	0	112	0	4113	756
RAVEN S50	0	0	0	0	53	0	892	308
RAVEN S55	8	6	302	241	674	5	30910	2920

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
RAVEN S80	0	0	0	0	152	0	7404	1818
RAVEN S86	0	0	0	0	35	0	1954	287
RKWE1500	39	0	3863	2052	39	0	6781	1429
RKWE1700	21	0	6977	5585	21	0	15495	7499
RKWE1NA265	348	0	25833	5489	336	14	88811	11577
ROBS1NR22	0	0	0	0	247	0	88908	28156
ROLSCHLS	0	0	0	0	104	0	10001	943
RYAN ST3	0	0	0	0	113	0	5110	1341
RYAN STA	0	0	0	0	25	0	616	272
SCHLERASW15	0	0	0	0	38	0	2289	308
SCHLERASW19	0	0	0	0	51	0	3964	636
SCHLERASW20	0	0	0	0	91	0	8573	814
SCHLERK8	0	0	0	0	21	0	1201	277
SCHLERKAB	0	0	0	0	58	0	2172	244
SCHWZERG184	2	4	2	4	239	0	55942	6128
SCHWZERSG1	8	11	331	459	537	0	24498	4389
SCHWZERSG2	0	0	0	0	428	0	59777	16328
SEMCO CLINGER	0	0	0	0	7	0	179	108
SEMCO MODEL T	0	0	0	0	5	0	58	0
SKRSKYS55	0	0	0	0	13	0	1409	307
SKRSKYS58	0	0	0	0	28	0	2830	1416
SKRSKYS78	88	22	8407	3502	138	0	50348	17401

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	IMC			VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
SLINDS100	58	24	683	195	0	13025	3178
SMITH 600	334	8	18644	349	3	51094	4987
SNIAS AS350	5	15	236	228	0	83393	13631
SNIAS AS355	5	12	123	148	0	101109	10681
SNIAS SA318	0	0	0	27	0	2511	0
SNIAS SA341	3	4	47	25	0	2309	763
SOCATAMS884	5	5	28	36	0	1872	368
SOCATARALLYE	3	2	24	19	0	1317	190
SPRTHCIRRUS	5	4	25	87	0	5287	960
SPRTHNIMBUS	2	3	54	39	3	2699	438
SPRTHVENTUS	0	0	0	48	0	3991	530
STBROSSD3	31	0	23295	31	0	47107	3887
STNSON10	0	0	0	20	0	1062	165
STNSONL5	0	0	0	64	0	4260	1298
STNSONSR9	0	0	0	9	0	241	119
STNSONV77	0	0	0	20	0	403	134
STOLAMRC3	0	0	0	93	0	3319	1033
SUPAC LA	0	0	0	16	0	300	92
SUPAC V	0	0	0	7	0	116	61
SWRNGNSA226	151	0	43335	136	11	55572	13982
SWRNGNSA227	71	6	10989	62	10	12098	3997
SWRNGNSA26	92	11	5538	100	0	25502	6035

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 16 OF 34

MANUFACTURER/ MODEL GROUP	IMC			VMC				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
TCRAFK21	0	0	0	0	20	0	3562	1114
TCRAFKD	0	0	0	0	65	0	3708	521
TCRAFTA	0	0	0	0	1	0	77	0
TCRAFTBC	0	0	0	0	1085	0	39362	4451
TCRAFTBF	0	0	0	0	17	0	1056	193
TCRAFTBL	0	0	0	0	44	0	968	614
TENCO 11A	0	0	0	0	14	0	469	79
TH65	0	0	0	0	25	0	2816	787
THUNDRA7	0	0	0	0	48	0	1338	236
TMPSONAVION	109	22	4144	2163	434	0	25412	2662
TOMCAT	0	0	0	0	31	0	7955	1020
TRYTEK65	0	0	0	0	101	0	2541	969
TRYTEK	0	0	0	0	5	0	42	0
UNIVACGC1	11	9	137	133	382	0	22030	2680
UNIVAR108	10	23	149	339	1350	0	72648	10148
UNIVAR415	20	23	184	223	1502	22	61887	5324
VARGA 2150	2	6	3	9	122	0	8500	1859
VICKER745	20	0	2569	601	15	6	1932	839
WACO ASO	0	0	0	0	8	0	355	102
WACO GXE	0	0	0	0	6	0	306	137
WACO R	0	0	0	0	15	0	167	36
WACO U	0	0	0	0	4	0	252	8

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 17 OF 34

MANUFACTURER/ MODEL GROUP	IMC				VMC			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
WACD UPF7	0	0	0	0	70	0	1942	502
WACD YK	0	0	0	0	9	0	408	220
WSK M1B	0	0	0	0	39	0	7786	1882
WTRRLY201	0	0	0	0	59	0	11905	1114
TOTALS	8088	1245	4480401	147131	218545	189	31638415	508790

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
OTHER 1	7543	65	427087	66301	487	169	3139	1585
OTHER 2	866	12	123386	27201	405	63	9392	2454
OTHER 3	91	0	6314	2029	32	15	654	464
OTHER 4	171	0	27642	10389	130	19	10674	4317
OTHER 5	91	0	17977	10680	32	18	1602	1333
OTHER 6	317	0	107272	18600	281	27	27490	9678
OTHER 7	157	0	136584	47696	154	8	56455	18206
OTHER 8	82	0	12291	12288	28	20	1292	999
OTHER 9	515	0	124559	22936	515	0	34211	9109
OTHER 10	206	0	28365	15027	101	35	6600	4482
OTHER 11	569	36	30386	8668	107	65	2465	1678
OTHER 12	170	0	46404	10628	61	28	20566	11992
OTHER 13	1391	0	45132	9261	63	48	1700	1692
ADAMS A50S	95	0	5596	2856	0	0	0	0
AERORSJ2	10	0	143	13	0	0	0	0
AEROSPSA318	136	0	95823	15080	10	24	2506	5853
AGUSTA A109	54	0	2795	3779	15	17	492	590
AIRSPACE 18	3	0	110	0	0	0	0	0
AIRPTSA	82	0	8707	3350	0	0	0	0
AIRTRCAT300	354	0	117870	12000	85	43	2720	1464
AIRTRCAT400	50	0	19035	2114	6	4	1051	821
AND FALC10	143	0	42360	4579	130	11	8895	1799

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
AMD FALC20	205	48450	7671	205	15900	6489
AMD FALC50	100	36152	5266	92	13596	2677
AMTR TMK	2	149	50	0	0	0
ARCTICS1A	36	1944	879	0	0	0
ARCTICS1B1	15	318	61	0	0	0
ARONCA15	164	7553	1579	4	25	112
ARONCA58	36	1892	408	0	0	0
ARONCAB5	0	2280	824	0	0	0
ARONCAC3	17	238	84	0	0	0
AVIANWALCON	21	295	72	0	0	0
AVIANWSKYHMK	39	1127	333	0	0	0
AYRES S2	717	263043	39981	139	2424	1014
BAC 111	28	4478	1157	19	1047	471
BAG B206	29	2234	313	28	531	117
BAG DH125	69	21720	2384	69	8437	1116
BALWKSFIREFY	1124	59143	10034	0	0	0
BBAVIA11	264	28893	8872	0	0	0
BBAVIA7	2375	136518	15987	247	1961	1003
BBAVIA8	233	22033	6731	30	828	546
BEECH 100	275	60457	14162	275	22179	6631
BEECH 17	72	3999	1358	48	181	105
BEECH 18	417	86822	50877	308	49256	24654

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
BEECH 200	864	0	319728	45885	864	0	76887	17723
BEECH 23	2575	11	243548	27370	2045	106	35213	6100
BEECH 300	21	0	1788	493	13	3	388	118
BEECH 33	1676	0	171738	15810	1337	92	31979	6384
BEECH 35	6089	62	519120	34870	4546	250	79424	11756
BEECH 36	2071	7	292436	29130	1635	117	53848	15520
BEECH 45	189	0	38050	8364	133	22	9022	4453
BEECH 50	242	0	16977	3754	209	31	6855	3044
BEECH 55	2178	0	277736	19167	2005	71	83975	20435
BEECH 56	43	0	4591	1188	25	9	427	223
BEECH 58	1486	0	275452	27824	1404	59	75898	16158
BEECH 60	417	0	48572	9490	347	43	12844	3986
BEECH 65	126	0	28111	15186	48	25	6343	4780
BEECH 76	321	0	50647	11167	255	39	4335	1176
BEECH 77	241	0	51724	10805	217	21	9635	2743
BEECH 80	161	0	28991	28049	161	0	10674	4756
BEECH 90	1119	0	245749	28165	1119	0	83061	14812
BEECH 95	432	0	30455	9537	331	57	5063	2567
BEECH 99	90	0	66615	17436	90	0	34667	7139
BELL 47	889	0	173005	34347	464	106	34711	21183
BELL 204	20	0	5410	3113	10	7	50	34
BELL 206	6	0	1027	52	6	0	54	3

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	HOURS FLOWN	STD ERROR	
BELL 206	1974	65	932374	113070	163	121192	43830
BELL 212	122	0	46382	6682	27	4373	1893
BELL 222	55	0	13433	3831	9	3976	1793
BELL 412	26	0	9880	0	7	2194	669
BLANCA11	37	0	1419	154	0	0	0
BLANCA1413	87	27	1723	790	28	393	268
BLANCA1419	218	0	8640	2601	33	799	479
BLANCA17	1023	0	104882	11925	55	18047	3371
BLANCA7	1768	0	132878	17955	133	5846	1888
BLANCA8	440	4	38173	5856	32	1886	559
BNORM BN2	82	0	42540	6170	5	7381	1901
BOEING707	12	0	1875	89	0	1273	270
BOEING720	24	0	0	0	8	0	0
BOEING727	63	0	20376	7944	0	18598	9973
BOEING737	15	0	12000	0	0	3000	0
BOEING747	30	0	2310	0	0	0	0
BOEING75	617	0	32511	4880	62	307	262
BOLKWS117	15	0	1770	0	0	93	0
BRANTLY B2	56	0	4402	1710	12	158	76
BRASOVIS28	45	0	3292	832	0	0	0
BRWSTFLEET2	11	2	557	132	2	42	39
BRWSTFLEET7	8	0	243	70	0	0	0

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
BUKER 131	6	212	53	0	0	0
CAMRONMODELO	168	7849	1781	0	0	0
CESSNA120	457	15989	1900	69	273	217
CESSNA140	1656	62830	8782	573	3404	1071
CESSNA150	17781	3287188	262039	11980	342381	48206
CESSNA170	1985	121009	13162	1102	11409	3136
CESSNA172	23793	3190033	192485	17350	494252	53818
CESSNA175	1198	62037	7176	799	4881	1277
CESSNA177	2745	285115	18843	1813	35070	5416
CESSNA180	2360	227281	17693	1270	21608	4882
CESSNA182	12873	1399677	86889	9178	162926	16505
CESSNA185	1500	288635	24028	802	25217	7619
CESSNA188	1693	462738	42935	207	9151	7606
CESSNA190	67	3041	743	18	122	92
CESSNA195	326	14631	2340	159	1720	766
CESSNA205	131	16651	3000	78	1605	722
CESSNA208	2910	530615	68835	1648	41884	8389
CESSNA207	377	199007	35113	276	21130	6518
CESSNA210	6199	753377	65740	5141	119056	24305
CESSNA303	174	33304	6888	149	7865	2425
CESSNA305	203	42385	26207	40	275	208
CESSNA310	2781	389210	38254	2520	149434	32157

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	HOURS FLOWN	STD ERROR
CESSNA320	302	0	30481	2514	4145	423
CESSNA335	52	0	9995	1608	2495	799
CESSNA338	84	0	4431	2476	1438	536
CESSNA337	1102	0	142338	22668	20323	6920
CESSNA340	884	0	152860	21837	38224	10362
CESSNA401	234	0	24745	6267	5879	2869
CESSNA402	699	0	261342	65908	169211	45507
CESSNA404	163	0	32026	29333	5084	11241
CESSNA411	141	0	14132	4361	3165	2784
CESSNA414	772	38	144907	20603	61691	22392
CESSNA421	1173	0	180342	31567	60684	19239
CESSNA425	161	0	37444	5415	9548	3456
CESSNA441	248	0	56780	8530	17795	6334
CESSNA500	547	0	157674	18955	33954	7879
CESSNA501	53	0	9526	1721	1858	509
CESSNA850	49	0	12144	2009	3443	739
CESSNA750	14	0	92	16	11	8
CESSNAUC94	12	0	661	106	85	56
CHILD S1	51	0	6238	1572	0	0
CHILD S2	162	0	16624	2880	151	116
CNDATRCL600	67	0	31128	6844	9468	2137
COMWTH185	44	0	1926	469	1	2

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
CONAERLA4	430	31500	5853	276	4082	1584
CURTISC46	14	3058	1878	7	381	255
CURTISUR	8	90	9	0	0	0
CURTISROBIN	8	0	0	0	0	0
CURTISTRVAIR	18	985	253	0	0	0
CVAC 240	2	102	0	2	25	0
CVAC 440	18	321	0	0	0	0
CVAC BT13	53	1238	470	3	2	7
CVAC L13	2	2	0	0	0	0
CVAC STCS60	39	19430	4472	24	3349	704
DART G	11	327	12	0	0	0
DHAV DHC1	89	4511	677	15	117	53
DHAV DHC2	197	21270	6156	84	1561	701
DHAV DHC3	14	2884	644	3	84	48
DHAV DHC8	89	71108	10673	66	17287	6774
DHAVXDH82	61	3025	604	2	12	29
DOUG A26	21	838	180	6	18	13
DOUG DC10	28	65288	0	28	27860	0
DOUG DC3	278	53368	16681	198	7570	10688
DOUG DC4	70	6027	4006	70	485	301
DOUG DC8	83	31825	11148	81	4546	1250
DOUG DC7	18	1581	323	10	22	17

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 25 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
DOUG DC9	31	0	50797	26	8	21722	11621
EAGLE DW	79	0	16789	8	8	95	93
EAGLEBC7	38	0	2172	0	0	0	0
EIRVON20	100	11	6127	8	11	247	322
EMAIR MA1	11	0	1200	0	0	0	0
EMB 110	51	0	59957	47	9	45631	12874
ENSTRM280	115	0	35165	80	20	4499	2290
ENSTRMF28	285	0	33357	111	29	8559	4361
FLEET 168	9	0	265	0	0	0	0
FRCHLD24	84	0	2048	0	0	0	0
FRCHLDC119	31	0	367	0	0	0	0
FRCHLDF27	30	0	13773	30	0	1368	259
FRCHLDFH1100	19	0	1594	9	5	73	43
FRCHLDM62	139	0	12217	0	0	0	0
GEMBALAX6	54	0	2197	0	0	0	0
GLASFL201	33	0	1412	0	0	0	0
GLASFLH301	103	0	9447	0	0	0	0
GROB 103CAT	54	0	8749	0	0	0	0
GROB 109	51	0	4262	16	4	82	29
GROB ASTIR	54	0	5715	0	0	0	0
GRTLKS2T1	94	0	4454	3	5	3	5
GRUMAVAA1	526	33	45582	332	78	3746	1307

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
GRUMAVAAS	1027	116948	22693	786	15702	5975
GRUMAVG1159	41	13838	2095	41	5492	1747
GRUMAVG184	1085	356382	29426	80	4204	3095
GRUMAVG21	29	5986	2135	12	531	287
GRUMAVTBN	15	226	71	4	6	6
GULSTM112	570	53673	8046	432	8595	2291
GULSTM500	267	60923	12645	224	30735	7585
GULSTM520	29	1353	670	14	184	95
GULSTM560	37	5535	1689	34	775	413
GULSTM680	216	33159	12432	171	3130	1581
GULSTM880TP	87	13886	4280	85	6584	2046
GULSTM890TC	30	9032	1244	30	2123	314
GULSTM890TP	499	144747	31590	477	26855	6278
GULSTMAA1	540	37259	9324	285	3988	1214
GULSTMAAS	607	57273	9626	538	7638	2301
GULSTMG1159	169	43336	6374	169	12079	2454
GULSTMG159	125	76665	17785	125	14351	5000
GULSTMG44	69	5688	1022	59	518	249
GULSTMG73	25	5645	2905	6	112	84
GULSTMGA7	53	5656	1433	40	1390	479
H-1	89	8638	5337	54	1276	1848
H13/HTL	27	5088	2139	16	440	279

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SOR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
H19/45	13	0	3433	831	0	0	0	0
H23/HTE	15	0	4788	3738	7	4	48	29
H34/55	5	0	1115	111	5	0	103	19
HELIO H295	50	0	7204	1538	20	8	856	444
HELIO H391	10	0	362	142	1	2	0	0
HELIO H395	11	0	1477	278	2	2	48	48
HILLERH12	170	0	28788	13630	72	34	1338	740
HUGHES269	469	0	114086	24808	351	52	14072	8404
HUGHES369	604	0	163392	19398	431	34	106944	27891
HMKSLYDH104	3	0	302	0	3	0	3	0
HMKSLYDH125	193	0	51446	6228	193	0	17645	3208
INTRCP200	28	0	1277	326	12	6	87	41
ISRAEL1121	93	0	14872	3786	93	0	7580	1799
ISRAEL1123	23	0	1945	87	23	0	606	379
ISRAEL1124	191	0	34825	7785	138	25	10824	2629
JBMSTRDGA15	9	0	172	45	0	0	0	0
LAIKFN10	5	0	84	17	0	0	0	0
LEAR 23	54	0	8577	914	36	11	3568	1588
LEAR 24	25	0	18850	2368	125	0	19122	8952
LEAR 25	1	0	57623	6636	259	7	24054	4978
LEAR 35	..	0	106485	14788	409	0	52259	13706
LEAR 55		0	25820	4146	60	0	7066	1910

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
LET L13	180	0	14005	3048	0	0	0	0
LKHEED12A	9	0	177	77	3	2	8	5
LKHEED1329	77	0	10816	4080	77	0	2930	1185
LKHEED18	47	0	1955	329	38	13	489	398
LUSCOM8	1263	8	71728	7242	182	44	2847	1207
MAULE M4	243	0	11472	2458	79	30	1150	883
MAULE M5	427	0	33131	3868	227	38	2097	551
MAULE M8	65	0	8785	1250	37	8	402	128
MBB B0105	107	0	29403	8030	66	27	1138	1196
MCLISHFUNKB	79	0	2087	425	4	6	10	18
MEYERSOTW	35	0	1045	217	0	0	0	0
MNCOUP90	32	0	2227	608	8	5	37	29
MNMITEM18	52	0	1320	407	2	5	2	8
MODFD47	64	0	19488	11357	18	11	1051	872
MODFDH12	8	0	1617	495	0	0	0	0
MOONEYM20	5899	0	629274	57858	4171	238	68787	9233
MRCHTIS205	36	0	2341	325	7	4	39	31
MTSBSIMJ2	328	0	49187	14504	328	0	21129	10810
MTSBSIMJ300	75	0	10907	4805	75	0	2712	1442
MULTECD16	34	0	2405	521	9	5	48	35
NAMER B25	28	0	1252	225	16	6	150	59
NAMER F51	64	0	2994	750	5	7	48	68

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 29 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
NAMER NA260	33	2717	492	17	255	141
NAMER T6	302	17401	3683	48	992	948
NATBAL752	20	639	99	0	0	0
NAVAL N3N	81	3622	580	2	6	14
NAVIONNAVION	332	13261	2118	118	2896	1846
NORD SV4	9	938	0	0	0	0
NORWST65	40	2100	636	0	0	0
OTHEXMILPIST	5	227	0	5	12	0
PARTENP68	45	1551	2188	45	2333	610
PICARDAX6	92	2160	306	2	4	4
PILATSB4	25	2248	419	0	0	0
PIPER 600	367	63922	11721	352	52532	26791
PIPER E2	9	205	128	0	0	0
PIPER J2	10	250	59	0	0	0
PIPER J3	1959	98076	9758	3	59	195
PIPER J4	110	3319	725	0	0	0
PIPER J5	167	45338	32753	0	0	0
PIPER PA12	844	83577	13685	195	1503	747
PIPER PA14	66	5950	904	38	134	78
PIPER PA15	125	4793	667	7	51	56
PIPER PA16	279	13750	3285	99	964	404
PIPER PA17	48	2343	460	6	16	14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

PAGE 30 OF 34

MANUFACTURER/ MODEL GROUP	DAY			NIGHT				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
PIPER PA18	3006	0	385808	86965	580	190	12044	11995
PIPER PA20	318	0	18828	4345	18	24	187	249
PIPER PA22	3373	10	195458	12919	1282	113	13498	2489
PIPER PA23	2741	0	341886	37624	2098	145	89468	21969
PIPER PA24	2968	33	255043	21093	2052	174	41602	7041
PIPER PA25	1217	0	224409	27935	233	108	3015	1459
PIPER PA28	21438	0	2459033	126758	18065	478	370589	29518
PIPER PA30	1158	0	113523	10689	1061	49	24693	4319
PIPER PA31	2067	0	582497	58502	1919	65	178625	28892
PIPER PA31T	616	0	163836	28807	803	24	32397	8440
PIPER PA32	4271	0	819424	59758	3593	193	142388	34416
PIPER PA34	2132	0	450887	60896	1694	179	114038	35452
PIPER PA36	394	6	98162	14162	41	27	1576	1185
PIPER PA38	1499	0	453145	71826	1238	74	61207	11037
PIPER PA42	88	0	22244	2529	88	0	6342	1185
PIPER PA44	327	0	59032	7540	293	11	13428	2706
PIPER PA46	83	0	10066	1746	72	8	1246	422
PRATT PRG1	6	0	127	28	0	0	0	0
PROPTJ200	63	0	4691	2079	22	11	276	165
RAVEN RX6	111	3	4108	763	1	3	9	20
RAVEN S50	51	4	871	319	2	4	21	44
RAVEN S55	674	5	31088	2916	15	8	128	81

TABLE 2 - 14

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT		
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR
RAVEN S60	117	7201	1596	38	204	110
RAVEN S66	35	1944	260	2	10	13
RKWELL500	39	9765	2432	34	859	338
RKWELL700	21	17859	10355	21	4613	2684
RKWELLNA265	346	91823	10990	346	22810	2666
ROBSINR22	247	80392	25342	216	8516	2966
ROLSCHLS	104	10001	943	0	0	0
RYAN ST3	113	5110	1341	0	0	0
RYAN STA	25	616	272	0	0	0
SCHLERASW15	36	2289	308	0	0	0
SCHLERASW19	51	3964	636	0	0	0
SCHLERASW20	91	8573	814	0	0	0
SCHLERK8	21	1201	277	0	0	0
SCHLERKA6	56	2172	244	0	0	0
SCHZERG164	235	53787	6170	27	1942	1328
SCHZERSG1	537	24828	4374	0	0	0
SCHZERSG2	426	59777	16326	0	0	0
SEMCO CLANGER	7	179	108	0	0	0
SEMCO MODELT	5	58	0	0	0	0
SKRSKYS55	13	1362	290	7	47	23
SKRSKYS58	28	2742	1455	17	87	45
SKRSKYS76	138	40421	13278	88	18568	9061

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT				
	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	HOURS FLOWN	STD ERROR		
SLINDS100	195	0	12277	3058	144	23	1431	457
SMITH 600	352	0	50111	3267	320	11	19833	4309
SNIAS AS350	228	0	86782	8158	156	48	16867	9438
SNIAS AS355	146	0	100865	10566	12	18	367	543
SNIAS SA318	27	0	2511	0	0	0	0	0
SNIAS SA341	25	0	2131	718	14	5	225	106
SOCATAMS884	36	0	1810	353	18	7	89	43
SOCATARALLYE	19	0	1133	128	17	2	208	71
SPRTHCIRRUS	83	3	5089	990	3	3	222	223
SPRTHNIMBUS	40	0	2732	406	13	6	21	9
SPRTHVENTUS	48	0	3991	530	0	0	0	0
STBROSSD3	31	0	53294	3681	31	0	17108	2094
STNSON10	20	0	1009	178	6	4	53	37
STNSONL5	64	0	4100	1205	16	16	78	79
STNSONR9	9	0	227	106	1	1	14	14
STNSONV77	20	0	402	133	2	4	1	1
STOLAMRC3	63	0	3261	1003	19	18	57	54
SUPAC LA	16	0	300	92	0	0	0	0
SUPAC V	6	1	99	64	3	2	17	13
SVRNGNSA226	151	0	75954	13792	151	0	22954	4252
SVRNGNSA227	75	0	19449	4167	53	12	3616	1198
SVRNGNSA26	100	0	26429	6127	90	12	4611	1567

GENERAL AVIATION ANNUAL HOURS FLOWN  
 BY WEATHER AND LIGHT CONDITIONS  
 BY SDR MANUFACTURER/MODEL GROUP  
 1984

MANUFACTURER/ MODEL GROUP	DAY				NIGHT			
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR
TCRAF21	20	0	3233	995	12	3	329	123
TCRAF2D	59	8	3428	890	6	8	282	382
TCRAFTA	1	0	77	0	0	0	0	0
TCRAFT8C	1085	0	39228	4452	78	53	133	93
TCRAFT8F	17	0	1058	193	0	0	0	0
TCRAFT8L	44	0	988	614	0	0	0	0
TEMCO 11A	14	0	444	86	3	2	25	18
TH55	25	0	2842	844	17	6	174	62
THUNDERAX7	48	0	1338	236	0	0	0	0
TRIPSONNAVION	434	0	26635	2788	189	25	3003	738
TOMCAT	31	0	7860	982	2	3	95	168
TRYTEK65	101	0	2541	969	0	0	0	0
TRYTEKK	5	0	42	0	0	0	0	0
UNIVACGC1	376	7	20431	2438	148	27	1737	568
UNIVAR108	1350	0	69257	9634	784	131	3838	1612
UNIVAR415	1481	32	58666	5185	573	98	3410	1256
VARGA 2150	122	0	7993	1699	51	23	510	251
VICKER745	20	0	2778	348	20	0	1724	110
WACO ASO	8	0	355	102	0	0	0	0
WACO GXE	6	0	306	137	0	0	0	0
WACO R	15	0	167	36	0	0	0	0
WACO U	4	0	252	8	0	0	0	0

GENERAL AVIATION ANNUAL HOURS FLOWN  
BY WEATHER AND LIGHT CONDITIONS  
BY SDR MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	DAY			NIGHT				
	NUMBER ACTIVE AIRCRAFT	STD ERROR	HOURS FLOWN	STD ERROR	HOURS FLOWN	STD ERROR		
WACO UPF7	70	0	1918	489	2	3	28	50
WACO YK	9	0	408	220	0	0	0	0
WSK M18	39	0	7778	1881	2	3	11	13
WTHRLY201	59	0	11805	1114	0	0	0	0
TOTALS	220051	195	30980987	482869	136584	1339	5138229	156381

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	VHF	4096 CODE	ALTIM ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
<b>FIXED WING</b>												
<b>FIXED WING - PISTON</b>												
1 ENG: 1-3 SEATS												
ESTIMATED POPULATION	37118	20538	10109	31034	24718	3401	61818	14846	7733	5699	255	70911
% STANDARD ERROR	2.4	4.0	6.0	2.2	3.0	11.5	1.2	4.9	7.0	8.6	40.2	1.0
% WITH CAPABILITY	42.9	23.7	11.7	35.9	28.6	3.9	71.4	16.9	8.9	6.6	0.3	81.9
1 ENG: 4+ SEATS												
ESTIMATED POPULATION	57105	72064	85741	41111	103088	48947	18918	90264	85941	77202	1178	28172
% STANDARD ERROR	2.0	1.5	1.1	8.9	0.7	2.2	3.8	1.0	1.1	1.3	20.2	3.0
% WITH CAPABILITY	46.8	59.1	70.3	3.4	84.5	40.1	15.5	74.0	70.5	63.3	1.0	23.1
1 ENGINE: TOTAL												
ESTIMATED POPULATION	94223	92599	95851	35145	127784	52348	80732	104910	93875	82901	1433	99083
% STANDARD ERROR	1.5	1.5	1.2	2.2	0.8	2.2	1.3	1.1	1.1	1.4	18.1	1.1
% WITH CAPABILITY	45.2	44.4	46.0	16.9	81.3	25.1	38.7	50.3	44.9	39.8	0.7	47.5
2 ENG: 1-6 SEATS												
ESTIMATED POPULATION	6216	14034	15954	458	18115	14542	815	18105	18062	17670	274	719
% STANDARD ERROR	5.6	2.3	1.6	21.3	0.7	2.0	16.1	0.7	0.7	0.9	35.1	15.8
% WITH CAPABILITY	32.8	74.1	84.3	2.4	95.7	76.8	4.3	95.6	95.4	93.3	1.4	3.8
2 ENG: 7+ SEATS												
ESTIMATED POPULATION	2673	8270	8098	284	9535	8233	645	9553	9011	9171	83	617
% STANDARD ERROR	11.3	3.1	3.2	37.5	1.6	2.7	24.0	1.6	2.2	1.9	*	25.3
% WITH CAPABILITY	26.3	81.2	79.6	2.8	93.7	80.8	6.3	93.8	88.5	90.1	0.8	6.1
2 ENGINE: TOTAL												
ESTIMATED POPULATION	8890	22304	24052	743	27650	22775	1460	27658	27073	26840	357	1336
% STANDARD ERROR	5.2	1.8	1.5	19.4	0.7	1.6	13.9	0.7	0.9	0.9	30.2	14.4
% WITH CAPABILITY	30.5	76.6	82.6	2.6	95.0	78.2	5.0	95.0	93.0	92.2	1.2	4.6
PISTON: OTHER												
ESTIMATED POPULATION	151	221	309	63	311	149	81	319	319	317	0	73
% STANDARD ERROR	23.6	19.6	12.7	*	13.6	23.1	*	12.3	12.3	12.3	0.0	*
% WITH CAPABILITY	38.6	58.5	78.8	16.1	79.3	37.9	20.7	81.3	81.3	80.9	0.0	18.7
PISTON: TOTAL												
ESTIMATED POPULATION	103264	115125	120212	35951	155745	75272	82272	132886	121066	110059	1790	100492
% STANDARD ERROR	1.5	1.2	1.0	2.2	0.7	1.6	1.3	0.9	0.9	1.0	15.7	1.1
% WITH CAPABILITY	43.4	48.4	50.5	15.1	65.4	31.6	34.6	55.8	50.9	46.2	0.8	42.2

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTTI ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
<b>FIXED WING - TURBOPROP</b>												
2 ENG: 1-12 SEATS												
ESTIMATED POPULATION	858	4641	4407	61	4956	4754	175	5089	5109	5042	137	13
% STANDARD ERROR	14.8	2.3	2.7	*	1.4	2.0	39.0	0.4	0.3	0.9	39.6	*
% WITH CAPABILITY	16.7	90.5	85.9	1.2	96.6	92.6	3.4	99.4	99.6	98.3	2.7	0.3
2 ENG: 13+ SEATS												
ESTIMATED POPULATION	42	664	626	5	677	646	14	684	684	661	5	5
% STANDARD ERROR	47.8	2.5	5.2	*	2.1	3.6	*	1.7	1.7	2.7	*	*
% WITH CAPABILITY	6.0	96.1	90.6	0.7	98.0	93.5	2.0	98.9	98.9	95.7	0.8	0.7
2 ENGINE: TOTAL												
ESTIMATED POPULATION	899	5305	5033	66	5633	5400	189	5782	5793	5703	143	18
% STANDARD ERROR	14.3	2.0	2.5	*	1.2	1.8	37.0	0.4	0.3	0.9	38.3	*
% WITH CAPABILITY	15.4	91.1	86.4	1.1	96.8	92.7	3.2	99.3	99.5	98.0	2.5	0.3
<b>TURBOPROP: OTHER</b>												
ESTIMATED POPULATION	37	93	77	70	113	103	82	113	113	113	0	82
% STANDARD ERROR	*	21.1	25.7	26.5	9.2	14.5	12.5	9.2	9.2	9.2	0.0	12.5
% WITH CAPABILITY	18.9	47.9	39.3	35.7	57.7	52.7	42.3	57.7	57.7	57.7	0.0	42.3
<b>TURBOPROP: TOTAL</b>												
ESTIMATED POPULATION	936	5399	5109	136	5745	5503	272	5895	5905	5815	143	100
% STANDARD ERROR	14.0	2.0	2.5	34.8	1.2	1.8	26.0	0.5	0.4	0.9	38.3	18.4
% WITH CAPABILITY	15.6	89.7	84.9	2.3	95.5	91.4	4.5	98.0	98.1	96.7	2.4	1.7
<b>FIXED WING - TURBOJET</b>												
2 ENGINE TURBOJET												
ESTIMATED POPULATION	442	3828	3577	12	3906	3656	36	3918	3918	3901	90	24
% STANDARD ERROR	20.6	1.2	2.1	*	0.7	2.0	*	0.5	0.5	0.6	32.3	*
% WITH CAPABILITY	11.2	97.1	90.7	0.3	99.1	92.8	0.9	99.4	99.4	99.0	2.3	0.6
<b>TURBOJET: OTHER</b>												
ESTIMATED POPULATION	129	577	613	217	679	605	221	630	625	625	0	270
% STANDARD ERROR	33.3	8.5	9.5	24.7	7.8	9.7	24.0	9.1	9.2	9.2	0.0	21.3
% WITH CAPABILITY	14.3	64.1	66.1	24.2	75.5	67.2	24.5	70.0	69.5	69.5	0.0	30.0
<b>TURBOJET: TOTAL</b>												
ESTIMATED POPULATION	571	4405	4189	229	4586	4261	256	4548	4543	4527	90	294
% STANDARD ERROR	17.7	1.5	2.3	24.7	1.3	2.2	23.4	1.3	1.3	1.4	32.3	20.7
% WITH CAPABILITY	11.8	91.0	86.5	4.7	94.7	88.0	5.3	93.9	93.8	93.5	1.9	6.1

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

GENERAL AVIATION AVIONICS EQUIPMENT

BY  
AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTTT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
<b>FIXED WING: TOTAL</b>												
ESTIMATED POPULATION	104771	124929	129511	36318	166076	85036	82800	143329	131515	120401	2023	100887
% STANDARD ERROR	1.5	1.2	0.9	2.2	0.8	1.4	1.3	0.8	0.8	1.0	14.2	1.1
% WITH CAPABILITY	42.1	50.2	52.0	14.6	66.7	34.2	33.3	57.6	52.8	48.4	0.8	40.5
<b>ROTORCRAFT</b>												
<b>PISTON</b>												
ESTIMATED POPULATION	1837	1305	615	2491	1197	117	4319	105	62	69	4	5407
% STANDARD ERROR	10.0	12.9	21.9	6.4	13.2	*	3.7	*	*	*	*	1.1
% WITH CAPABILITY	33.3	23.7	11.2	45.2	21.7	2.1	78.3	1.9	1.1	1.2	0.1	98.0
<b>TURBINE</b>												
ESTIMATED POPULATION	1151	3461	2143	254	3470	1345	1304	1583	1010	1099	13	3180
% STANDARD ERROR	14.4	4.8	8.8	27.0	4.9	12.8	13.1	11.4	14.7	13.6	*	5.7
% WITH CAPABILITY	24.1	72.5	44.9	5.3	72.7	28.2	27.3	33.2	21.2	23.0	0.3	66.6
<b>ROTORCRAFT: TOTAL</b>												
ESTIMATED POPULATION	2988	4766	2758	2745	4668	1461	5624	1688	1072	1168	17	8587
% STANDARD ERROR	8.3	5.0	8.4	6.3	5.0	12.6	4.1	11.2	14.5	13.4	*	2.2
% WITH CAPABILITY	29.0	46.3	26.8	26.7	45.3	14.2	54.7	16.4	10.4	11.3	0.2	83.5
<b>OTHER</b>												
ESTIMATED POPULATION	2148	1779	155	4341	431	256	7828	78	47	45	45	8176
% STANDARD ERROR	7.7	10.0	36.6	4.7	23.4	32.8	1.3	*	*	*	*	0.5
% WITH CAPABILITY	26.0	21.5	1.9	52.6	5.2	3.1	94.8	0.9	0.6	0.5	0.5	99.0
<b>TOTAL</b>												
ESTIMATED POPULATION	109906	131474	132424	43403	171173	86753	98252	145085	132634	121614	2085	117650
% STANDARD ERROR	1.4	1.1	0.9	1.9	0.6	1.4	1.1	0.8	0.8	1.0	14.0	1.0
% WITH CAPABILITY	41.1	49.2	49.5	16.2	64.0	32.4	36.0	54.3	49.6	45.5	0.8	44.0

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLYING COMPT	WEATHER RADAR	NO NAVEQ
<b>FIXED WING</b>														
<b>FIXED WING - PISTON</b>														
1 ENG: 1-3 SEA.S														
ESTIMATED POPULATION	27872	21978	9229	7800	1630	583	2089	93	178	110	122	188	308	37434
% STANDARD ERROR	3.1	3.7	6.2	7.2	16.9	24.7	14.9	*	49.6	*	*	43.0	33.6	1.8
% WITH CAPABILITY	32.0	25.4	10.7	9.0	1.9	0.7	2.4	0.1	0.2	0.1	0.1	0.2	0.4	43.3
1 ENG: 4+ SEATS														
ESTIMATED POPULATION	45906	78975	95182	86507	48880	11835	10185	307	384	3278	5510	1127	2580	4189
% STANDARD ERROR	2.4	1.4	0.9	1.1	2.1	5.6	6.3	31.3	33.9	11.5	8.2	20.3	13.3	8.2
% WITH CAPABILITY	37.6	64.7	78.0	70.9	40.1	9.7	8.3	0.3	0.3	2.7	4.5	0.8	2.1	3.4
1 ENGINE: TOTAL														
ESTIMATED POPULATION	73578	100851	104411	94307	50510	12418	12254	400	540	3388	5632	1312	2889	41602
% STANDARD ERROR	1.8	1.3	1.0	1.2	2.1	5.5	5.8	28.0	28.0	11.2	8.1	18.5	12.4	1.6
% WITH CAPABILITY	35.3	48.4	50.1	45.2	24.2	6.0	5.9	0.2	0.3	1.6	2.7	0.6	1.4	20.0
2 ENG: 1-8 SEATS														
ESTIMATED POPULATION	4885	15014	18052	17884	18784	6883	2170	51	18	4083	5300	1335	8044	444
% STANDARD ERROR	6.7	2.0	0.7	0.8	1.3	4.8	11.0	*	*	7.2	5.6	13.9	4.9	20.8
% WITH CAPABILITY	25.6	79.3	85.4	84.5	88.8	36.4	11.5	0.3	0.1	21.5	28.0	7.1	31.8	2.3
2 ENG: 7+ SEATS														
ESTIMATED POPULATION	1768	8281	9117	9235	8749	4688	1484	213	68	3894	4316	1221	5615	287
% STANDARD ERROR	14.4	2.9	2.0	1.9	1.9	6.1	14.8	47.8	*	6.1	6.3	15.4	4.6	35.9
% WITH CAPABILITY	17.4	81.4	89.6	90.7	86.0	48.1	14.4	2.1	0.8	36.0	42.4	12.0	55.2	2.8
2 ENGINE: TOTAL														
ESTIMATED POPULATION	6853	23305	27168	27120	25513	11571	3634	264	82	7727	9617	2858	11859	731
% STANDARD ERROR	6.2	1.6	0.8	0.9	1.1	3.8	8.9	41.0	*	4.8	4.2	10.3	3.4	18.8
% WITH CAPABILITY	22.9	80.1	93.3	93.2	87.6	39.6	12.5	0.9	0.3	26.5	33.0	6.8	40.1	2.5
<b>PISTON: OTHER</b>														
ESTIMATED POPULATION	88	308	301	244	204	14	22	1	0	32	1	2	128	82
% STANDARD ERROR	39.5	13.5	13.6	13.1	15.0	*	*	*	0.0	*	*	*	28.1	*
% WITH CAPABILITY	22.4	78.0	76.7	62.3	62.0	3.5	5.6	0.3	0.0	8.1	0.3	0.6	32.1	15.8
<b>PISTON: TOTAL</b>														
ESTIMATED POPULATION	80318	124562	131880	121670	78227	24004	15910	665	621	11144	15249	3870	14874	42395
% STANDARD ERROR	1.8	1.1	0.6	0.9	1.4	3.4	4.9	23.4	26.3	4.8	4.0	9.3	3.6	1.8
% WITH CAPABILITY	33.7	52.3	55.4	51.1	32.0	10.1	6.7	0.3	0.3	4.7	6.4	1.8	6.2	17.8

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 15

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	NO NAVEG
FIXED WING - TURBOPROP														
2 ENG: 1-12 SEATS														
ESTIMATED POPULATION	625	4839	5089	5056	5041	3895	720	440	230	4443	4527	755	4833	5
% STANDARD ERROR	19.2	2.3	0.7	0.8	0.9	3.3	15.2	20.9	33.9	2.5	2.4	16.5	2.1	*
% WITH CAPABILITY	12.2	90.4	98.8	98.5	98.2	77.9	14.0	8.6	4.5	86.6	88.2	14.7	90.3	0.1
2 ENG: 13+ SEATS														
ESTIMATED POPULATION	71	626	681	653	625	229	60	73	14	387	363	127	599	7
% STANDARD ERROR	30.4	3.5	2.0	4.1	5.0	19.1	49.2	41.2	*	10.6	10.6	28.7	5.8	*
% WITH CAPABILITY	10.3	90.6	98.6	94.5	90.5	33.2	8.7	10.5	2.1	56.0	52.5	18.4	86.7	1.1
2 ENGINE: TOTAL														
ESTIMATED POPULATION	696	5265	5749	5709	5668	4225	780	513	244	4830	4890	882	5232	13
% STANDARD ERROR	17.5	2.1	0.7	0.9	1.0	3.3	14.6	18.9	32.5	2.4	2.3	14.7	2.0	*
% WITH CAPABILITY	12.0	90.4	98.8	98.1	97.3	72.6	13.4	8.8	4.2	83.0	84.0	15.2	89.9	0.2
TURBOPROP: OTHER														
ESTIMATED POPULATION	28	88	113	113	110	5	0	15	45	63	83	15	88	79
% STANDARD ERROR	*	20.9	9.2	9.2	10.7	*	0.0	*	43.8	30.6	22.9	*	20.9	16.7
% WITH CAPABILITY	14.3	45.0	57.7	57.7	58.5	2.5	0.0	7.6	22.8	32.4	42.5	7.6	45.0	40.6
TURBOPROP: TOTAL														
ESTIMATED POPULATION	724	5352	5862	5822	5776	4229	780	528	289	4893	4972	897	5320	92
% STANDARD ERROR	17.0	2.1	0.7	0.8	1.0	3.3	14.6	18.5	28.3	2.4	2.3	14.5	2.0	22.0
% WITH CAPABILITY	12.0	89.0	97.4	96.8	98.0	70.3	13.0	8.8	4.8	81.3	82.6	14.9	88.4	1.5
FIXED WING - TURBOJET														
2 ENGINE TURBOJET														
ESTIMATED POPULATION	249	3754	3917	3928	3910	2091	343	2349	548	3740	3791	930	3796	14
% STANDARD ERROR	25.7	1.5	0.5	0.5	0.6	5.9	23.6	5.2	13.8	1.4	1.2	11.7	1.2	*
% WITH CAPABILITY	6.3	95.2	98.4	98.6	98.2	53.0	8.7	59.6	13.9	94.9	96.2	23.6	96.3	0.4
TURBOJET: OTHER														
ESTIMATED POPULATION	136	599	609	576	662	138	21	328	301	551	605	149	508	221
% STANDARD ERROR	32.6	10.1	9.6	10.0	8.3	26.6	*	12.7	16.6	10.4	9.6	21.7	11.1	24.0
% WITH CAPABILITY	15.1	66.6	67.7	64.0	73.6	15.4	2.3	36.5	33.5	61.3	67.2	16.6	56.2	24.5
TURBOJET: TOTAL														
ESTIMATED POPULATION	384	4353	4526	4504	4572	2229	364	2677	850	4282	4398	1079	4302	235
% STANDARD ERROR	20.2	1.9	1.4	1.3	1.3	5.7	22.7	4.6	10.7	1.8	1.6	10.5	1.7	23.9
% WITH CAPABILITY	7.9	89.6	93.5	93.0	94.4	46.0	7.5	55.3	17.5	88.6	90.8	22.3	86.8	4.6

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	NAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLYING COMPTR	WEATHER RADAR	NO NAVEQ
<b>FIXED WING: TOTAL</b>														
ESTIMATED POPULATION	81427	134287	142288	131898	88575	30482	17054	3889	1780	20329	24818	5847	24298	42722
% STANDARD ERROR	1.8	1.0	0.7	0.9	1.3	2.7	4.7	5.8	11.3	2.7	2.5	6.8	2.3	1.8
% WITH CAPABILITY	32.7	53.9	57.2	53.0	34.8	12.2	8.9	1.6	0.7	8.2	9.9	2.3	9.8	17.2
<b>ROTORCRAFT</b>														
<b>PISTON</b>														
ESTIMATED POPULATION	272	201	38	358	28	20	248	2	0	3	2	2	3	4581
% STANDARD ERROR	30.8	30.3	*	25.1	*	*	29.2	*	0.0	*	*	*	*	2.8
% WITH CAPABILITY	4.9	3.7	0.6	6.5	0.5	0.4	4.5	0.0	0.0	0.1	0.0	0.0	0.1	83.0
<b>TURBINE</b>														
ESTIMATED POPULATION	728	2507	1084	2696	1245	714	1544	64	101	922	427	69	318	799
% STANDARD ERROR	19.4	7.5	14.6	7.2	13.0	19.0	11.7	*	*	15.1	20.3	48.0	15.6	14.4
% WITH CAPABILITY	15.2	52.5	22.7	59.5	28.1	15.0	32.3	1.3	2.1	19.3	8.9	1.5	6.6	16.7
<b>ROTORCRAFT: TOTAL</b>														
ESTIMATED POPULATION	997	2708	1120	3053	1273	734	1793	65	101	925	428	71	319	5380
% STANDARD ERROR	18.5	7.3	14.5	7.0	13.0	18.6	10.8	*	*	15.1	20.3	47.3	15.6	3.2
% WITH CAPABILITY	9.7	28.3	10.9	29.7	12.4	7.1	17.4	0.6	1.0	9.0	4.2	0.7	3.1	52.3
<b>OTHER</b>														
ESTIMATED POPULATION	128	113	48	44	65	48	59	42	42	54	50	48	44	8018
% STANDARD ERROR	45.8	38.4	*	*	*	*	*	*	*	*	*	*	*	0.8
% WITH CAPABILITY	1.5	1.4	0.6	0.5	0.8	0.6	0.7	0.5	0.5	0.7	0.8	0.8	0.5	97.1
<b>TOTAL</b>														
ESTIMATED POPULATION	82552	137088	143438	135093	87913	31244	18908	3978	1903	21309	25097	5968	24659	56117
% STANDARD ERROR	1.8	1.0	0.7	0.8	1.3	2.7	4.3	5.9	11.0	2.7	2.5	6.7	2.2	1.4
% WITH CAPABILITY	30.9	51.3	53.6	50.5	32.9	11.7	7.1	1.5	0.7	8.0	9.4	2.2	9.2	21.0

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS  
DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4098 CODE	ALTT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
<b>ALABAMA</b>												
ESTIMATED POPULATION	1308	1786	1804	665	2413	1408	1298	2268	2020	1943	2	1401
% STANDARD ERROR	18.9	15.3	15.2	24.1	13.4	16.9	18.1	13.9	14.7	15.0	*	17.1
% WITH CAPABILITY	35.3	48.1	48.6	17.9	65.0	38.0	35.0	61.1	54.7	52.4	0.1	37.8
<b>ALASKA</b>												
ESTIMATED POPULATION	4799	3738	2829	651	3422	1060	5027	2904	2523	2234	166	5416
% STANDARD ERROR	8.2	9.5	10.6	24.0	9.7	18.1	7.9	10.1	11.2	11.7	39.1	7.8
% WITH CAPABILITY	56.8	44.2	33.5	7.7	40.5	12.6	59.5	34.4	29.9	26.4	2.0	64.1
<b>ARIZONA</b>												
ESTIMATED POPULATION	2323	2980	3079	1282	4302	1884	1903	3141	2776	2607	4	2880
% STANDARD ERROR	13.6	12.2	11.9	16.3	10.2	14.9	13.2	11.9	12.5	12.9	*	11.3
% WITH CAPABILITY	37.4	48.0	49.6	20.7	69.3	30.4	30.7	50.6	44.7	42.0	0.1	46.4
<b>ARKANSAS</b>												
ESTIMATED POPULATION	1197	1442	1334	705	1809	960	1310	1331	1308	1230	34	1783
% STANDARD ERROR	18.6	16.5	17.1	21.6	14.7	19.9	16.7	17.2	17.4	17.9	*	14.4
% WITH CAPABILITY	38.4	46.2	42.8	22.6	58.0	30.8	42.0	42.7	41.9	39.4	1.1	57.2
<b>CALIFORNIA</b>												
ESTIMATED POPULATION	14435	17969	17973	4873	24595	13373	10281	20587	18527	17332	304	13974
% STANDARD ERROR	5.2	4.7	4.6	8.2	3.9	5.4	5.7	4.3	4.5	4.7	41.1	5.0
% WITH CAPABILITY	41.4	51.5	51.5	13.4	70.5	38.3	29.5	59.0	53.1	49.7	0.9	40.1
<b>COLORADO</b>												
ESTIMATED POPULATION	1992	3112	2728	704	3678	2441	1818	3175	2862	2886	65	2234
% STANDARD ERROR	14.4	11.8	12.7	21.7	10.8	13.4	14.1	11.6	12.3	12.3	*	13.0
% WITH CAPABILITY	36.2	56.6	49.6	12.8	66.9	44.4	33.1	57.8	52.1	52.5	1.2	40.7
<b>CONNECTICUT</b>												
ESTIMATED POPULATION	676	1216	1088	327	1356	363	719	1182	1095	986	42	824
% STANDARD ERROR	25.1	18.7	20.0	32.9	18.0	22.8	22.1	19.3	20.0	21.1	*	20.9
% WITH CAPABILITY	32.6	58.6	52.4	15.8	85.3	41.6	34.7	57.0	52.8	47.5	2.0	39.7
<b>DELAWARE</b>												
ESTIMATED POPULATION	243	372	428	95	489	236	214	435	439	376	0	258
% STANDARD ERROR	42.3	31.2	30.2	*	28.1	35.1	41.1	29.8	29.6	31.7	0.0	38.0
% WITH CAPABILITY	34.6	52.9	60.9	13.6	69.5	33.5	30.5	61.9	62.5	53.5	0.0	36.7

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4098 CODE	ALTTT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
D.C.	16 *	32 *	33 *	5 *	30 *	21 *	14 *	30 *	30 *	29 *	0	13
ESTIMATED POPULATION	36.8	73.2	75.1	11.0	88.7	49.1	31.3	69.4	69.4	66.6	0.0	30.6
% STANDARD ERROR											0.0	*
% WITH CAPABILITY											0.0	30.6
FLORIDA	5314	8104	8295	1521	10129	6042	4108	9007	8081	7469	46	5145
ESTIMATED POPULATION	9.0	7.0	6.9	14.1	6.3	7.9	9.6	6.7	6.9	7.1	*	8.8
% STANDARD ERROR	37.3	58.9	58.3	10.7	71.1	42.4	28.8	63.3	56.8	52.5	0.3	36.1
% WITH CAPABILITY												
GEORGIA	2343	2315	2540	848	3362	1768	1728	2833	2745	2408	147	2052
ESTIMATED POPULATION	13.8	13.3	12.8	20.3	11.3	14.5	14.7	12.2	12.4	13.1	*	13.9
% STANDARD ERROR	46.0	45.5	49.9	16.7	66.1	34.7	33.9	55.7	53.9	47.3	2.9	40.3
% WITH CAPABILITY												
HAWAII	311	214	188	34	440	70	107	215	181	184	8	319
ESTIMATED POPULATION	37.5	45.5	48.4	*	31.5	*	*	44.5	48.5	48.9	*	37.4
% STANDARD ERROR	56.9	39.2	34.3	6.2	80.5	12.9	19.5	39.3	33.1	33.7	1.5	58.4
% WITH CAPABILITY												
IDAH0	1278	1050	936	547	1663	642	980	1087	1017	973	0	1524
ESTIMATED POPULATION	17.9	21.2	21.8	26.8	16.5	26.1	19.4	20.0	21.1	21.4	0.0	16.4
% STANDARD ERROR	48.4	39.8	35.4	20.7	62.9	24.3	37.1	41.2	38.5	36.8	0.0	57.7
% WITH CAPABILITY												
ILLINOIS	3680	5212	5631	1824	6555	3521	3391	6192	5981	5265	93	3527
ESTIMATED POPULATION	10.8	9.2	8.8	13.8	8.2	11.0	10.6	8.4	8.6	9.1	*	10.3
% STANDARD ERROR	37.0	52.4	56.6	18.3	65.9	35.4	34.1	62.3	60.1	52.9	0.9	35.5
% WITH CAPABILITY												
INDIANA	1827	2022	2386	792	2559	1160	1759	2334	2078	1821	10	1883
ESTIMATED POPULATION	15.0	14.4	13.4	22.4	12.8	18.5	14.7	13.5	14.4	15.2	*	14.0
% STANDARD ERROR	42.3	46.8	55.3	18.3	59.3	26.9	40.7	54.0	48.1	42.2	0.2	43.6
% WITH CAPABILITY												
IOWA	1319	1845	1603	819	2418	952	1408	1913	1678	1452	3	1847
ESTIMATED POPULATION	18.0	15.7	16.6	19.9	13.5	20.9	16.3	15.1	16.0	17.2	*	14.7
% STANDARD ERROR	34.5	48.2	41.9	21.4	63.2	24.9	36.8	50.0	43.8	38.0	0.1	48.3
% WITH CAPABILITY												

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS	
<b>KANSAS</b>													
ESTIMATED POPULATION	1599	1952	2221	875	2640	1239	1582	2248	2308	1930	5	1819	
% STANDARD ERROR	16.0	14.7	13.9	20.8	12.7	17.9	15.5	13.8	13.8	15.0	*	14.4	
% WITH CAPABILITY	37.9	46.2	52.6	20.7	82.5	29.4	37.5	53.2	54.7	45.7	0.1	43.1	
<b>KENTUCKY</b>													
ESTIMATED POPULATION	728	949	985	298	1368	501	511	1159	1096	999	5	670	
% STANDARD ERROR	25.1	21.6	21.2	38.0	18.3	27.3	28.8	19.9	20.5	21.3	*	25.1	
% WITH CAPABILITY	38.8	50.6	51.4	15.9	72.8	26.7	27.2	61.8	58.4	53.3	0.3	35.7	
<b>LOUISIANA</b>													
ESTIMATED POPULATION	1684	2421	2408	909	3059	1435	1689	2398	2164	1963	33	2291	
% STANDARD ERROR	16.2	12.2	12.8	18.9	11.3	15.9	14.5	12.9	13.8	14.4	*	12.1	
% WITH CAPABILITY	35.5	51.0	50.7	19.1	64.4	30.2	35.6	50.5	45.6	41.3	0.7	48.2	
<b>MAINE</b>													
ESTIMATED POPULATION	462	478	423	389	552	249	709	453	448	389	6	752	
% STANDARD ERROR	30.4	29.5	31.9	30.2	27.7	41.8	23.2	30.3	31.9	33.8	*	22.4	
% WITH CAPABILITY	36.7	37.9	33.5	30.8	43.8	19.7	56.2	35.9	35.5	30.9	0.5	59.6	
<b>MARYLAND</b>													
ESTIMATED POPULATION	1302	1493	1622	490	2252	1207	857	1709	1604	1502	4	1336	
% STANDARD ERROR	18.0	17.3	16.2	26.1	14.1	18.9	19.7	16.0	16.4	17.2	*	17.1	
% WITH CAPABILITY	41.9	48.0	52.2	15.7	72.4	38.8	27.6	55.0	51.6	48.3	0.1	43.0	
<b>MASSACHUSETTS</b>													
ESTIMATED POPULATION	1600	1817	1741	346	2371	1229	1189	1971	1849	1556	0	1486	
% STANDARD ERROR	16.4	15.4	16.1	30.6	13.5	18.8	18.6	14.8	15.5	16.8	0.0	16.4	
% WITH CAPABILITY	44.9	51.0	48.9	9.7	66.6	34.5	33.4	55.4	51.9	43.7	0.0	41.8	
<b>MICHIGAN</b>													
ESTIMATED POPULATION	3724	4032	3947	1122	5004	2308	3126	4281	3733	3411	76	3677	
% STANDARD ERROR	10.7	10.2	10.4	16.1	9.2	13.2	10.8	9.9	10.5	11.0	*	10.1	
% WITH CAPABILITY	45.8	49.6	48.5	13.8	61.5	28.4	38.5	52.4	45.9	42.0	0.9	45.2	
<b>MINNESOTA</b>													
ESTIMATED POPULATION	2403	2511	2241	1370	2927	1221	2933	2355	2042	1952	41	3435	
% STANDARD ERROR	12.8	12.9	13.5	15.8	12.0	17.9	10.8	13.2	14.1	14.5	*	10.4	
% WITH CAPABILITY	41.0	42.8	38.2	23.4	49.9	20.8	50.1	40.2	34.8	33.3	0.7	58.6	

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIIT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS	
<b>MISSISSIPPI</b>													
ESTIMATED POPULATION	1046	1094	1140	636	1271	598	1172	1010	932	887	53	1426	
% STANDARD ERROR	21.4	20.0	20.1	23.7	18.6	26.2	18.6	20.4	21.2	21.7	*	17.3	
% WITH CAPABILITY	42.8	44.8	46.7	26.1	52.0	24.5	48.0	41.3	38.2	36.3	2.2	58.4	
<b>MISSOURI</b>													
ESTIMATED POPULATION	2281	2314	2570	685	3393	1523	1647	2780	2691	2611	0	2170	
% STANDARD ERROR	14.0	13.8	13.3	20.4	11.4	16.8	15.2	12.9	13.0	13.2	0.0	13.1	
% WITH CAPABILITY	45.3	45.9	51.0	13.6	67.3	30.2	32.7	55.2	53.4	51.8	0.0	43.0	
<b>MONTANA</b>													
ESTIMATED POPULATION	1351	997	1015	453	1331	476	1222	995	949	863	61	1548	
% STANDARD ERROR	18.5	20.8	20.8	27.9	17.9	29.1	18.7	20.5	21.0	21.9	*	16.8	
% WITH CAPABILITY	52.9	39.1	38.8	17.8	52.1	18.6	47.9	39.0	37.2	33.8	2.4	60.6	
<b>NEBRASKA</b>													
ESTIMATED POPULATION	755	730	893	595	1056	348	929	960	908	816	0	1004	
% STANDARD ERROR	24.8	24.6	23.2	23.1	21.1	34.6	19.1	22.2	22.8	23.8	0.0	18.7	
% WITH CAPABILITY	38.1	36.8	45.0	30.0	53.2	17.5	46.8	48.4	45.8	41.1	0.0	50.6	
<b>NEVADA</b>													
ESTIMATED POPULATION	651	1106	970	296	1443	657	521	1034	1039	857	9	788	
% STANDARD ERROR	23.2	19.2	20.5	38.4	17.1	24.7	25.6	19.9	19.5	21.6	*	22.2	
% WITH CAPABILITY	33.2	56.3	49.4	15.1	73.5	33.5	26.5	52.7	52.9	43.6	0.5	40.1	
<b>NEW HAMPSHIRE</b>													
ESTIMATED POPULATION	811	585	793	257	895	563	627	915	766	697	0	593	
% STANDARD ERROR	23.9	25.2	23.2	33.3	21.8	27.1	24.2	21.5	23.2	24.7	0.0	25.0	
% WITH CAPABILITY	53.3	38.4	52.1	16.9	58.8	37.0	41.2	60.2	50.3	43.8	0.0	39.0	
<b>NEW JERSEY</b>													
ESTIMATED POPULATION	1735	2441	2529	565	3026	1808	1263	2742	2526	2286	66	1467	
% STANDARD ERROR	15.8	13.1	12.7	24.2	11.8	14.8	17.0	12.3	12.7	13.3	*	16.3	
% WITH CAPABILITY	40.3	56.7	58.7	13.1	70.2	42.0	28.8	63.7	58.6	53.0	1.5	34.1	
<b>NEW MEXICO</b>													
ESTIMATED POPULATION	1276	1113	1138	351	1761	841	888	1341	1194	1128	9	1295	
% STANDARD ERROR	18.4	18.7	18.6	29.5	15.7	21.7	19.2	17.6	18.6	19.2	*	17.2	
% WITH CAPABILITY	48.2	42.0	43.0	13.2	66.5	31.7	33.5	50.6	45.1	42.6	0.4	48.9	

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTIM ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS	
NEW YORK													
ESTIMATED POPULATION	3432	3268	3730	1380	4451	2389	3085	4096	3672	3393	50	3418	
% STANDARD ERROR	11.2	11.2	10.8	16.0	9.8	13.2	11.1	10.2	10.8	11.3	*	10.6	
% WITH CAPABILITY	45.5	43.3	49.5	18.3	59.1	31.4	40.9	54.4	48.7	45.0	0.7	45.3	
NORTH CAROLINA													
ESTIMATED POPULATION	1539	2782	2505	479	3459	1690	1119	2882	2680	2589	53	1843	
% STANDARD ERROR	16.7	12.4	13.0	29.0	11.2	15.5	19.0	12.2	12.5	12.7	*	16.2	
% WITH CAPABILITY	33.6	60.8	54.7	10.5	75.6	36.9	24.4	63.0	58.1	56.5	1.1	35.9	
NORTH DAKOTA													
ESTIMATED POPULATION	765	397	528	715	568	243	1217	559	512	498	14	1222	
% STANDARD ERROR	24.7	33.1	28.8	23.8	27.5	41.7	18.9	28.3	29.7	30.4	*	18.7	
% WITH CAPABILITY	42.9	22.2	29.6	40.0	31.8	13.6	68.2	31.3	28.7	27.8	0.8	68.4	
OHIO													
ESTIMATED POPULATION	3707	4432	4435	1305	5663	2673	3008	4962	4376	3842	3	3493	
% STANDARD ERROR	11.1	9.8	9.9	15.5	8.8	12.5	11.2	9.3	9.9	10.4	*	10.5	
% WITH CAPABILITY	42.8	51.1	51.2	15.0	65.3	30.8	34.7	57.2	50.5	44.3	0.0	40.3	
OKLAHOMA													
ESTIMATED POPULATION	2413	2892	3063	814	4198	2302	1667	3352	3036	2946	0	2400	
% STANDARD ERROR	13.6	12.3	12.0	21.1	10.3	13.7	15.3	11.4	12.0	12.2	0.0	13.2	
% WITH CAPABILITY	41.2	49.3	52.2	13.9	71.6	39.3	28.4	57.2	51.8	50.2	0.0	40.9	
OREGON													
ESTIMATED POPULATION	2582	2958	2472	686	3412	1499	2330	2582	2417	2296	0	3011	
% STANDARD ERROR	12.5	12.1	12.9	22.2	11.2	16.1	12.7	12.8	13.1	13.5	0.0	11.5	
% WITH CAPABILITY	45.0	51.5	43.0	11.9	59.4	26.1	40.6	45.0	42.1	40.0	0.0	52.4	
PENNSYLVANIA													
ESTIMATED POPULATION	3144	3047	3312	1366	4599	2441	2699	4077	3523	3239	91	3036	
% STANDARD ERROR	11.7	11.3	11.0	15.7	9.5	12.5	11.6	10.1	10.6	11.1	*	11.0	
% WITH CAPABILITY	43.1	41.8	45.4	18.7	63.0	33.4	37.0	55.9	48.3	44.4	1.2	41.6	
RHODE ISLAND													
ESTIMATED POPULATION	207	181	166	40	324	169	93	291	205	176	2	123	
% STANDARD ERROR	47.5	48.1	50.0	*	37.5	48.2	*	38.7	44.7	47.4	*	*	
% WITH CAPABILITY	49.8	43.5	40.0	9.6	77.8	40.6	22.2	69.9	49.3	42.2	0.4	29.5	

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTTI ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS	
SOUTH CAROLINA	ESTIMATED POPULATION	860	745	945	255	1263	510	521	1232	1076	946	13	553
	% STANDARD ERROR	23.7	22.7	21.3	34.5	18.6	26.5	26.7	18.9	19.9	20.8	*	26.1
	% WITH CAPABILITY	48.2	41.8	53.0	14.3	70.8	28.6	29.2	69.0	60.3	53.0	0.7	31.0
SOUTH DAKOTA	ESTIMATED POPULATION	584	692	680	373	746	237	770	726	661	683	36	784
	% STANDARD ERROR	27.1	26.5	26.5	30.2	24.7	41.4	22.6	25.5	26.6	26.5	*	22.0
	% WITH CAPABILITY	38.5	45.6	44.9	24.6	49.2	15.6	50.8	47.9	43.6	45.1	2.4	51.7
TENNESSEE	ESTIMATED POPULATION	1378	1679	1783	605	2240	1197	978	1962	1787	1495	0	1229
	% STANDARD ERROR	17.3	16.3	15.5	26.5	14.0	18.5	20.8	14.6	15.3	16.6	0.0	19.2
	% WITH CAPABILITY	42.8	52.2	55.4	18.8	69.6	37.2	30.4	81.0	55.5	46.4	0.0	38.2
TEXAS	ESTIMATED POPULATION	8049	11842	12095	3756	14951	8611	7088	13116	12269	11432	236	8440
	% STANDARD ERROR	7.3	5.7	5.6	10.0	5.1	6.5	7.3	5.4	5.6	5.7	42.3	6.7
	% WITH CAPABILITY	36.6	53.8	54.9	17.1	67.9	39.1	32.1	59.6	55.7	51.9	1.1	38.3
UTAH	ESTIMATED POPULATION	555	773	725	104	1003	498	392	799	713	647	4	569
	% STANDARD ERROR	27.7	23.5	24.0	*	20.8	29.5	32.5	23.3	24.3	25.7	*	27.7
	% WITH CAPABILITY	39.8	55.4	52.0	7.4	71.9	35.7	28.1	57.3	51.1	46.4	0.3	40.8
VERMONT	ESTIMATED POPULATION	188	299	298	140	307	241	277	325	283	274	0	252
	% STANDARD ERROR	43.1	34.3	35.3	*	33.1	37.8	37.6	33.9	34.9	35.7	0.0	37.3
	% WITH CAPABILITY	32.3	51.2	51.0	23.9	52.5	41.3	47.5	55.8	48.5	47.0	0.0	43.2
VIRGINIA	ESTIMATED POPULATION	1374	1643	1692	598	2268	1245	1190	1886	1725	1603	67	1509
	% STANDARD ERROR	18.1	15.9	15.6	25.6	13.7	18.0	18.8	15.0	15.5	16.1	*	16.8
	% WITH CAPABILITY	39.7	47.5	48.9	17.3	65.6	36.0	34.4	54.5	49.9	46.3	1.9	43.6
WASHINGTON	ESTIMATED POPULATION	3149	3514	3506	1478	4382	1605	3241	3630	3510	3070	35	3706
	% STANDARD ERROR	11.5	10.7	10.9	16.3	9.7	15.7	11.1	10.8	11.0	11.8	*	10.3
	% WITH CAPABILITY	41.3	46.1	46.0	19.4	57.5	21.1	42.5	47.6	46.0	40.3	0.5	48.6

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4098 CODE	ALTTT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
WEST VIRGINIA												
ESTIMATED POPULATION	338	509	572	204	617	320	402	618	561	504	72	334
% STANDARD ERROR	33.9	27.6	26.5	44.6	24.9	34.2	31.9	25.3	26.9	27.9	*	32.4
% WITH CAPABILITY	33.2	50.0	58.1	20.0	60.6	31.3	39.4	60.4	55.1	49.4	7.1	32.7
WISCONSIN												
ESTIMATED POPULATION	2167	2039	2188	1044	2592	1001	2426	2059	1948	1598	14	2852
% STANDARD ERROR	14.2	14.5	14.0	18.5	12.7	19.2	12.9	14.2	14.5	15.8	*	12.0
% WITH CAPABILITY	43.2	40.6	43.2	20.8	51.7	20.0	48.3	41.0	38.8	31.8	0.3	56.8
WYOMING												
ESTIMATED POPULATION	703	742	874	193	1096	548	505	796	701	659	0	800
% STANDARD ERROR	28.0	23.6	22.1	41.8	20.0	28.3	28.8	23.3	24.8	25.7	0.0	23.2
% WITH CAPABILITY	43.9	46.4	54.6	12.0	68.4	34.2	31.6	49.7	43.8	41.1	0.0	50.0
PUERTO RICO												
ESTIMATED POPULATION	310	228	289	15	292	90	161	252	228	220	2	190
% STANDARD ERROR	36.0	41.0	35.0	*	35.5	*	*	38.1	38.1	37.2	*	*
% WITH CAPABILITY	68.5	50.4	63.9	3.4	64.4	20.0	35.6	55.8	50.3	48.7	0.5	41.9
OTHER U.S. TERRITORIES												
ESTIMATED POPULATION	23	62	60	2	73	30	14	70	68	64	0	14
% STANDARD ERROR	*	*	*	*	*	*	*	*	*	*	0.0	*
% WITH CAPABILITY	26.0	72.0	68.7	1.9	83.7	34.3	16.3	80.2	76.1	73.4	0.0	16.6
FOREIGN												
ESTIMATED POPULATION	566	1003	1058	205	1154	701	572	1139	1082	1075	7	578
% STANDARD ERROR	26.0	18.8	18.4	45.0	17.5	22.0	27.3	17.7	17.9	18.0	*	27.2
% WITH CAPABILITY	32.8	58.1	61.2	11.9	66.9	40.6	33.1	66.0	62.7	62.3	0.4	33.5
TOTAL												
ESTIMATED POPULATION	109906	131474	132424	43403	171173	86753	98252	145095	132634	121614	2085	117650
% STANDARD ERROR	1.4	1.1	0.9	1.9	0.6	1.4	1.1	0.8	0.8	1.0	14.0	1.0
% WITH CAPABILITY	41.1	49.2	49.5	16.2	64.0	32.4	36.0	54.3	49.6	45.5	0.8	44.0

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS  
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	NO NAVEQ
ALABAMA	838	2083	2196	1948	1448	657	517	55	19	320	554	113	637	822
% ESTIMATED POPULATION	23.4	14.5	14.2	14.8	16.8	23.4	29.9	*	*	28.9	23.4	47.7	24.9	21.8
% STANDARD ERROR	22.6	56.1	58.2	52.5	39.0	17.7	13.9	1.5	0.5	8.6	14.9	3.1	17.2	22.2
% WITH CAPABILITY														
ALASKA	3737	3496	2691	4381	1498	533	866	156	153	472	286	184	283	1302
% ESTIMATED POPULATION	9.6	9.6	11.0	8.3	13.7	21.7	18.6	41.0	41.5	23.8	29.6	39.6	29.7	16.3
% STANDARD ERROR	44.2	41.4	31.9	51.9	17.7	6.3	10.2	1.8	1.8	5.6	3.4	1.9	3.4	15.4
% WITH CAPABILITY														
ARIZONA	1838	3240	3201	2782	1848	611	223	17	3	213	319	85	194	1346
% ESTIMATED POPULATION	15.4	11.7	11.7	12.5	15.2	26.6	47.2	*	*	41.2	32.9	*	35.7	15.2
% STANDARD ERROR	29.6	52.2	51.6	44.8	29.8	9.8	3.6	0.3	0.1	3.4	5.1	1.4	3.1	21.7
% WITH CAPABILITY														
ARKANSAS	762	1520	1590	1564	1093	465	215	32	2	270	313	25	306	923
% ESTIMATED POPULATION	23.3	16.3	16.0	16.0	19.0	26.3	38.5	*	*	34.5	31.3	*	30.8	18.8
% STANDARD ERROR	24.4	48.7	51.0	50.1	34.1	14.9	6.9	1.0	0.1	8.7	10.0	0.8	9.8	29.6
% WITH CAPABILITY														
CALIFORNIA	10203	18924	19293	15906	11949	2739	1960	488	235	2280	2784	1139	2053	6941
% ESTIMATED POPULATION	6.3	4.6	4.4	4.8	5.6	11.0	14.8	25.7	34.1	11.1	10.4	17.6	11.7	6.7
% STANDARD ERROR	29.3	53.4	55.3	45.3	34.3	7.9	5.7	1.4	0.7	6.5	8.0	3.3	5.9	19.9
% WITH CAPABILITY														
COLORADO	1420	3062	3157	2886	2308	670	152	60	2	544	407	233	339	1093
% ESTIMATED POPULATION	17.2	12.0	11.8	12.2	13.7	24.8	49.1	*	*	29.4	27.0	38.6	28.3	17.1
% STANDARD ERROR	25.8	55.7	57.5	52.5	42.0	12.2	2.8	1.1	0.0	9.9	7.4	4.2	6.2	19.9
% WITH CAPABILITY														
CONNECTICUT	462	1228	1172	1088	596	185	77	4	26	135	192	37	210	449
% ESTIMATED POPULATION	30.1	19.0	19.3	20.3	25.4	48.4	*	*	*	*	40.1	*	38.8	26.4
% STANDARD ERROR	22.3	59.2	58.5	51.5	28.2	8.9	3.7	0.2	1.3	6.5	9.2	1.8	10.1	21.7
% WITH CAPABILITY														
DELAWARE	211	346	419	424	288	140	70	33	34	123	128	47	127	112
% ESTIMATED POPULATION	47.6	31.7	29.6	30.9	33.7	40.7	*	*	*	38.8	37.6	*	37.2	48.9
% STANDARD ERROR	30.0	49.1	59.6	60.3	41.0	19.9	10.0	4.7	4.8	17.5	18.1	6.7	18.1	19.9
% WITH CAPABILITY														

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLYING COMPTR	WEATHER RADAR	NO NAVEQ
D.C.	11	30	28	25	24	15	7	0	0	11	11	2	11	12
ESTIMATED POPULATION	*	*	*	*	*	*	*	0.0	0.0	*	*	*	*	*
% STANDARD ERROR	25.7	68.0	60.6	56.6	54.9	35.1	18.1	0.0	0.0	24.8	24.8	4.8	24.8	27.1
% WITH CAPABILITY														
FLORIDA	4099	8595	8948	8299	5748	1705	1124	91	34	1685	1878	437	1887	2058
ESTIMATED POPULATION	10.4	6.8	6.6	6.9	7.8	14.1	17.4	45.6	*	13.0	13.4	28.6	11.4	12.4
% STANDARD ERROR	23.8	60.4	62.8	58.3	40.4	12.0	7.9	0.6	0.2	11.8	11.8	3.1	13.1	14.4
% WITH CAPABILITY														
GEORGIA	2024	2621	2885	2856	1851	618	724	83	62	340	498	67	557	1050
ESTIMATED POPULATION	14.9	12.7	12.1	12.1	14.8	22.5	22.8	43.6	*	27.4	23.7	41.1	22.4	18.5
% STANDARD ERROR	39.8	51.5	56.7	56.1	32.4	12.1	14.2	1.2	1.2	6.7	9.8	1.3	11.0	20.6
% WITH CAPABILITY														
HAWAII	232	224	187	163	150	20	7	1	0	14	17	4	5	81
ESTIMATED POPULATION	43.0	45.7	48.1	49.8	*	*	*	*	0.0	*	*	*	*	*
% STANDARD ERROR	42.5	41.0	34.3	29.9	27.4	3.6	1.2	0.3	0.0	2.6	3.0	0.8	0.9	14.8
% WITH CAPABILITY														
IDAHO	1068	1057	1079	1232	651	170	155	17	41	85	77	48	85	816
ESTIMATED POPULATION	20.0	20.7	20.4	19.3	26.2	*	*	*	*	*	*	*	*	24.2
% STANDARD ERROR	40.4	40.0	40.8	46.6	24.7	6.4	5.9	0.6	1.5	3.2	2.9	1.8	3.2	23.3
% WITH CAPABILITY														
ILLINOIS	2787	5365	6016	5741	3703	1554	715	159	41	824	810	120	979	2139
ESTIMATED POPULATION	12.8	9.0	8.5	8.8	10.7	15.9	23.8	39.9	*	19.7	19.1	46.0	17.8	12.6
% STANDARD ERROR	28.0	53.9	60.5	57.7	37.2	15.6	7.2	1.6	0.4	8.3	8.1	1.2	9.8	21.5
% WITH CAPABILITY														
INDIANA	1516	2044	2414	2215	1250	492	283	73	18	391	396	65	625	968
ESTIMATED POPULATION	17.0	14.1	13.4	13.6	17.7	26.4	43.0	*	*	26.5	28.0	*	20.3	19.4
% STANDARD ERROR	35.1	47.3	55.9	51.3	28.9	11.4	6.6	1.7	0.4	9.1	9.2	1.5	14.5	22.4
% WITH CAPABILITY														
IOWA	1236	1715	1775	1679	1160	380	169	17	27	260	333	30	388	961
ESTIMATED POPULATION	19.4	15.9	15.8	16.2	19.0	30.7	*	*	*	35.2	33.6	*	31.7	18.6
% STANDARD ERROR	32.3	44.8	46.4	43.9	30.3	9.9	4.4	0.4	0.7	6.8	8.7	0.8	10.1	25.1
% WITH CAPABILITY														

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	NO NAVEQ
<b>KANSAS</b>														
ESTIMATED POPULATION	1332	2082	2462	2351	1583	495	228	78	5	293	279	81	317	1081
% STANDARD ERROR	17.8	14.2	13.3	13.7	16.2	27.1	41.2	44.9	*	30.3	31.1	*	30.2	18.8
% WITH CAPABILITY	31.6	48.8	58.3	55.7	37.5	11.7	5.4	1.8	0.1	6.9	6.6	1.4	7.5	25.1
<b>KENTUCKY</b>														
ESTIMATED POPULATION	818	983	1135	1109	683	171	126	25	1	214	169	24	201	332
% STANDARD ERROR	27.8	21.3	20.2	20.2	25.3	48.2	*	*	*	37.6	40.2	*	35.5	35.3
% WITH CAPABILITY	32.8	52.4	60.5	59.1	36.4	9.1	6.7	1.3	0.1	11.4	9.0	1.3	10.7	17.7
<b>LOUISIANA</b>														
ESTIMATED POPULATION	1207	2349	2189	2599	1607	594	800	45	5	413	508	146	611	1011
% STANDARD ERROR	19.1	12.7	13.8	11.9	15.3	24.2	19.2	*	*	24.1	25.3	44.3	22.4	17.5
% WITH CAPABILITY	25.4	49.5	45.7	54.7	33.8	12.5	16.9	0.9	0.1	8.7	10.7	3.1	12.9	21.3
<b>MAINE</b>														
ESTIMATED POPULATION	414	468	462	523	117	50	100	2	7	78	35	11	48	420
% STANDARD ERROR	33.0	29.3	30.4	28.4	48.8	*	48.5	*	*	*	*	*	*	28.4
% WITH CAPABILITY	32.8	37.1	36.7	41.5	9.3	4.0	7.9	0.1	0.5	6.2	2.8	0.9	3.8	33.3
<b>MARYLAND</b>														
ESTIMATED POPULATION	1088	1534	1770	1694	898	251	343	15	13	114	127	32	161	573
% STANDARD ERROR	20.4	16.7	15.8	16.1	21.2	37.3	35.5	*	*	43.4	39.9	*	38.9	23.9
% WITH CAPABILITY	34.9	49.3	56.9	54.5	28.9	8.1	11.0	0.5	0.4	3.7	4.1	1.0	5.2	18.4
<b>MASSACHUSETTS</b>														
ESTIMATED POPULATION	1158	1870	1748	1768	873	187	346	32	14	233	183	48	166	540
% STANDARD ERROR	20.1	15.2	15.9	15.7	21.3	41.7	32.0	*	*	39.1	38.9	*	40.5	24.7
% WITH CAPABILITY	32.5	52.5	49.1	49.7	24.5	5.2	9.7	0.9	0.4	6.5	5.1	1.3	4.7	15.2
<b>MICHIGAN</b>														
ESTIMATED POPULATION	2549	4523	4143	3590	2574	831	618	106	32	573	705	142	824	1403
% STANDARD ERROR	12.8	9.8	10.0	10.7	12.5	21.1	26.1	41.7	*	21.4	19.7	49.5	19.7	14.5
% WITH CAPABILITY	31.4	55.6	51.0	44.2	31.7	10.2	7.6	1.3	0.4	7.1	8.7	1.8	10.1	17.3
<b>MINNESOTA</b>														
ESTIMATED POPULATION	1999	2443	2356	2440	1375	540	188	41	46	293	287	87	355	1600
% STANDARD ERROR	14.4	12.9	13.3	13.0	18.9	26.3	34.9	*	*	31.2	31.4	*	31.5	14.4
% WITH CAPABILITY	34.1	41.7	40.2	41.6	23.5	9.2	3.2	0.7	0.8	5.0	4.9	1.5	6.1	27.3

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 16

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT CMPTR	WEATHER RADAR	NO NAVEQ
MISSISSIPPI	675	1171	1179	936	712	250	126	6	4	145	188	19	275	881
% ESTIMATED POPULATION	28.8	19.7	19.6	21.2	23.5	34.9	*	*	*	47.2	40.9	*	33.9	21.0
% STANDARD ERROR	27.6	47.9	48.3	38.3	29.2	10.2	5.2	0.2	0.1	5.9	7.7	0.8	11.3	38.1
% WITH CAPABILITY														
MISSOURI	1435	2633	2894	2676	1629	824	210	80	35	492	620	65	493	1018
% ESTIMATED POPULATION	18.0	13.0	12.6	13.0	16.2	22.0	41.7	*	*	28.5	23.6	*	26.9	17.5
% STANDARD ERROR	28.5	52.2	57.4	53.1	32.3	16.3	4.2	1.6	0.7	9.8	12.3	1.3	9.8	20.2
% WITH CAPABILITY														
MONTANA	957	916	993	1245	675	171	184	10	0	79	118	14	77	689
% ESTIMATED POPULATION	21.4	21.7	20.3	18.5	25.1	49.0	48.5	*	0.0	*	*	*	*	24.1
% STANDARD ERROR	37.5	35.9	38.9	48.8	26.4	6.7	7.2	0.4	0.0	3.1	4.6	0.6	3.0	27.0
% WITH CAPABILITY														
NEBRASKA	504	632	870	947	402	216	39	10	1	145	144	25	162	720
% ESTIMATED POPULATION	30.1	23.9	23.4	22.4	32.3	42.9	*	*	*	44.9	47.5	*	45.3	20.9
% STANDARD ERROR	25.4	41.9	43.8	47.7	20.2	10.9	2.0	0.5	0.1	7.3	7.3	1.2	8.2	36.3
% WITH CAPABILITY														
NEVADA	626	891	1075	946	590	86	197	8	8	131	105	55	138	347
% ESTIMATED POPULATION	28.8	19.6	19.6	21.3	26.3	*	42.2	*	*	48.1	48.0	*	40.9	32.7
% STANDARD ERROR	31.9	50.5	54.7	48.2	30.1	4.4	10.0	0.4	0.4	6.6	5.4	2.8	7.0	17.7
% WITH CAPABILITY														
NEW HAMPSHIRE	535	800	867	757	557	289	135	10	8	89	172	25	115	281
% ESTIMATED POPULATION	30.0	23.2	22.3	23.0	26.1	37.5	47.1	*	*	*	48.0	*	*	30.6
% STANDARD ERROR	35.1	52.6	57.0	49.7	36.3	19.0	8.8	0.7	0.5	5.9	11.3	1.6	7.6	18.5
% WITH CAPABILITY														
NEW JERSEY	1353	2500	2712	2468	1581	514	92	100	123	347	519	77	340	727
% ESTIMATED POPULATION	18.3	12.7	12.3	13.0	15.6	26.8	*	44.5	35.9	25.0	23.7	*	25.1	21.2
% STANDARD ERROR	31.4	58.0	62.9	57.3	36.7	11.9	2.1	2.3	2.9	8.0	12.1	1.8	7.9	18.9
% WITH CAPABILITY														
NEW MEXICO	1155	973	1295	1321	926	505	142	34	15	263	336	58	298	576
% ESTIMATED POPULATION	19.2	20.1	17.6	17.9	20.5	28.3	*	*	*	32.8	34.0	*	30.6	23.2
% STANDARD ERROR	43.6	36.7	48.9	48.8	35.0	19.1	5.4	1.3	0.6	9.9	12.7	2.1	11.3	21.6
% WITH CAPABILITY														

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	NO NAVEQ
NEW YORK	2808	3365	4017	3607	2133	758	614	195	122	472	630	311	652	1642
ESTIMATED POPULATION	12.7	11.1	10.4	10.8	13.5	20.8	27.0	33.5	38.7	22.5	21.5	32.3	20.4	14.3
% STANDARD ERROR	37.2	44.6	53.3	47.9	28.3	10.1	8.1	2.6	1.6	6.3	8.4	4.1	8.7	21.8
% WITH CAPABILITY														
NORTH CAROLINA	1453	2567	2849	2886	1882	692	269	92	8	695	643	87	717	599
ESTIMATED POPULATION	16.9	13.2	12.1	12.4	14.4	22.5	38.2	*	*	22.9	21.8	*	21.0	25.2
% STANDARD ERROR	31.7	56.1	62.2	58.7	41.1	15.1	5.9	2.0	0.2	15.2	14.0	1.9	15.7	13.1
% WITH CAPABILITY														
NORTH DAKOTA	651	488	682	559	403	96	56	8	1	76	75	10	44	745
ESTIMATED POPULATION	26.8	30.3	25.9	28.0	32.9	*	*	*	*	*	*	*	*	23.2
% STANDARD ERROR	38.5	27.3	38.2	31.3	22.6	5.4	2.1	0.5	0.1	4.2	4.2	0.5	2.4	41.7
% WITH CAPABILITY														
OHIO	2316	4992	4856	3927	2491	919	467	150	25	536	799	166	824	1809
ESTIMATED POPULATION	13.8	9.3	9.5	10.5	12.7	20.0	29.1	32.6	*	21.6	20.3	40.7	19.0	13.9
% STANDARD ERROR	26.7	57.6	56.0	45.3	28.7	10.8	5.4	1.7	0.3	8.2	9.2	1.9	9.5	20.9
% WITH CAPABILITY														
OKLAHOMA	1883	3281	3532	3400	2215	1107	281	68	10	588	816	78	791	914
ESTIMATED POPULATION	15.8	11.5	11.3	11.4	14.0	19.4	38.9	40.7	*	23.4	21.4	*	22.5	19.6
% STANDARD ERROR	31.8	56.0	60.2	58.0	37.8	18.8	4.8	1.2	0.2	10.0	13.9	1.3	13.5	15.6
% WITH CAPABILITY														
OREGON	2258	2493	2574	2705	1512	545	718	133	25	365	468	166	331	1199
ESTIMATED POPULATION	14.2	13.0	12.8	12.0	16.0	26.4	22.3	*	*	29.2	24.3	40.3	30.4	17.0
% STANDARD ERROR	39.3	43.4	44.8	47.1	26.3	9.5	12.5	2.3	0.4	6.4	8.1	2.9	5.8	20.9
% WITH CAPABILITY														
PENNSYLVANIA	2095	3750	4024	3349	2505	1167	512	145	98	936	801	352	865	1576
ESTIMATED POPULATION	14.3	10.5	10.2	10.9	12.3	17.6	27.9	38.7	*	18.4	17.6	32.1	17.4	14.3
% STANDARD ERROR	28.7	51.4	55.1	45.9	34.3	16.0	7.0	2.0	1.3	12.8	12.4	4.8	11.9	21.6
% WITH CAPABILITY														
RHODE ISLAND	187	207	220	202	133	55	82	3	0	51	44	1	50	50
ESTIMATED POPULATION	*	45.6	43.4	44.1	*	*	*	*	0.0	*	*	*	*	*
% STANDARD ERROR	45.0	49.6	52.8	48.5	31.8	13.2	19.6	0.7	0.0	12.3	10.6	0.3	12.0	11.9
% WITH CAPABILITY														

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPT	WEATHER RADAR	NO NAVEQ
<b>SOUTH CAROLINA</b>														
ESTIMATED POPULATION	442	1128	1142	938	710	284	68	7	11	159	254	19	290	301
% STANDARD ERROR	33.7	19.4	19.4	20.9	23.4	34.3	*	*	*	38.0	34.4	*	31.8	30.8
% WITH CAPABILITY	24.8	63.2	64.0	52.8	39.8	15.9	3.7	0.4	0.6	8.9	14.3	1.1	18.3	18.9
<b>SOUTH DAKOTA</b>														
ESTIMATED POPULATION	502	608	702	644	379	158	43	40	38	121	119	39	119	444
% STANDARD ERROR	29.8	28.1	25.9	28.8	34.4	49.6	*	*	*	*	*	*	*	27.4
% WITH CAPABILITY	33.1	40.1	48.3	42.5	25.0	10.4	2.8	2.7	2.4	8.0	7.8	2.5	7.8	29.3
<b>TENNESSEE</b>														
ESTIMATED POPULATION	913	1811	1882	1818	1331	535	303	38	1	315	344	70	593	691
% STANDARD ERROR	22.0	15.5	15.1	15.2	17.4	28.9	33.7	*	*	28.4	31.0	*	23.5	24.2
% WITH CAPABILITY	28.4	56.3	57.8	58.4	41.4	18.6	9.4	1.2	0.0	8.8	10.7	2.2	18.4	21.5
<b>TEXAS</b>														
ESTIMATED POPULATION	5482	12582	12997	13150	9847	4280	1383	737	203	2713	3685	554	3862	4543
% STANDARD ERROR	8.7	5.8	5.4	5.4	6.2	9.3	17.0	15.5	30.6	9.7	9.4	19.6	9.1	8.9
% WITH CAPABILITY	24.9	57.1	59.0	59.7	43.8	19.4	8.3	3.3	0.9	12.3	16.8	2.5	16.6	20.8
<b>UTAH</b>														
ESTIMATED POPULATION	559	675	738	677	430	209	102	1	5	61	153	17	140	181
% STANDARD ERROR	29.0	24.3	24.0	25.1	30.3	42.8	*	*	*	*	44.2	*	48.1	48.9
% WITH CAPABILITY	40.1	48.4	52.9	48.5	30.8	15.0	7.3	0.1	0.4	4.4	11.0	1.2	10.0	11.5
<b>VERMONT</b>														
ESTIMATED POPULATION	160	289	272	303	217	41	57	1	3	57	88	5	77	191
% STANDARD ERROR	48.7	37.1	37.0	34.6	38.7	*	*	*	*	*	*	*	*	44.0
% WITH CAPABILITY	27.5	46.1	46.7	52.0	37.2	7.0	9.8	0.2	0.6	9.8	15.1	0.8	13.1	32.7
<b>VIRGINIA</b>														
ESTIMATED POPULATION	790	2047	1737	1674	1113	403	275	62	45	283	385	89	388	740
% STANDARD ERROR	23.2	14.6	15.2	15.7	18.6	29.0	41.3	*	*	33.7	28.9	45.8	27.4	23.5
% WITH CAPABILITY	22.8	59.2	50.2	48.4	32.2	11.6	8.0	1.8	1.3	7.6	10.8	2.0	11.2	21.4
<b>WASHINGTON</b>														
ESTIMATED POPULATION	2620	3886	3792	3399	1800	428	733	11	38	370	442	28	167	1870
% STANDARD ERROR	13.0	10.5	10.7	11.1	15.7	29.2	24.2	*	*	32.7	30.7	*	40.5	14.0
% WITH CAPABILITY	34.4	48.4	49.7	44.6	21.0	5.6	9.6	0.1	0.5	4.9	5.8	0.4	2.2	24.5

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE STATE OF AIRCRAFT  
1984

STATE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	NO NAVEQ
WEST VIRGINIA	209	572	578	562	353	149	169	13	11	58	128	17	101	241
ESTIMATED POPULATION	44.1	26.4	26.4	28.7	32.4	45.9	*	*	*	*	*	*	*	38.4
% STANDARD ERROR	20.5	58.1	58.6	55.1	34.7	14.6	16.8	1.3	1.0	5.7	12.6	1.7	9.9	23.6
% WITH CAPABILITY														
WISCONSIN	1779	2154	2412	2082	1143	478	173	107	41	493	304	48	341	1105
ESTIMATED POPULATION	15.9	14.0	13.5	14.1	18.4	27.3	45.7	47.3	*	27.0	29.8	*	27.4	17.7
% STANDARD ERROR	35.4	42.9	48.1	41.1	22.8	9.5	3.4	2.1	0.8	9.8	6.1	1.0	6.8	22.0
% WITH CAPABILITY														
WYOMING	532	885	958	854	695	233	64	3	0	140	104	53	62	271
ESTIMATED POPULATION	29.6	22.1	21.6	22.4	25.9	40.2	*	*	0.0	41.8	*	*	*	38.4
% STANDARD ERROR	33.2	55.3	59.7	53.4	43.4	14.6	4.0	0.2	0.0	8.8	6.5	3.3	3.9	18.9
% WITH CAPABILITY														
PUERTO RICO	285	228	280	315	126	17	0	1	0	21	21	3	61	20
ESTIMATED POPULATION	38.9	40.2	35.4	35.7	48.0	*	0.0	*	0.0	*	*	*	*	*
% STANDARD ERROR	62.9	50.3	61.9	69.6	27.7	3.9	0.0	0.3	0.0	4.7	4.6	0.7	13.4	4.4
% WITH CAPABILITY														
OTHER U.S. TERRITORIES	17	63	68	77	29	11	0	0	0	13	5	0	11	7
ESTIMATED POPULATION	19.2	72.6	78.5	89.0	33.0	12.5	0.0	0.0	0.0	15.5	5.4	0.0	12.2	8.2
% STANDARD ERROR														
% WITH CAPABILITY														
FOREIGN	430	1010	1180	1321	1028	151	193	178	84	272	318	112	305	270
ESTIMATED POPULATION	31.0	18.4	17.3	16.6	18.5	45.3	44.0	35.3	45.1	25.1	25.7	29.5	22.6	40.2
% STANDARD ERROR	24.9	58.5	67.2	78.5	59.4	8.7	11.2	10.2	5.4	15.8	18.5	6.5	17.7	15.6
% WITH CAPABILITY														
TOTAL	82552	137088	143436	135093	87913	31244	18906	3976	1903	21309	25097	5968	24859	58117
ESTIMATED POPULATION	1.8	1.0	0.7	0.8	1.3	2.7	4.3	5.9	11.0	2.7	2.5	6.7	2.2	1.4
% STANDARD ERROR	30.9	51.3	53.6	50.5	32.9	11.7	7.1	1.5	0.7	8.0	9.4	2.2	9.2	21.0
% WITH CAPABILITY														

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS  
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 17

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE REGION OF AIRCRAFT  
1984

REGION	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTTT ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
ALASKAN												
ESTIMATED POPULATION	4799	3738	2829	651	3422	1060	5027	2904	2523	2234	166	5416
% STANDARD ERROR	8.2	9.5	10.6	24.0	9.7	18.1	7.9	10.1	11.2	11.7	39.1	7.8
% WITH CAPABILITY	56.8	44.2	33.5	7.7	40.5	12.6	58.5	34.4	29.9	26.4	2.0	64.1
CENTRAL												
ESTIMATED POPULATION	5954	6841	7286	2975	9508	4062	5565	7898	7584	6808	8	6840
% STANDARD ERROR	8.5	7.9	7.7	10.4	8.7	10.0	8.0	7.4	7.5	7.9	*	7.3
% WITH CAPABILITY	39.5	45.4	48.3	19.7	63.1	27.0	36.9	52.4	50.3	45.2	0.1	45.4
EASTERN												
ESTIMATED POPULATION	11584	12803	13917	4703	17732	9646	9744	15591	14081	12931	350	11370
% STANDARD ERROR	6.0	5.5	5.3	8.4	4.7	6.3	6.0	5.0	5.2	5.5	35.1	5.6
% WITH CAPABILITY	42.2	46.8	50.7	17.1	64.5	35.1	35.5	56.7	51.2	47.1	1.3	41.4
EUROPEAN OFFICE												
ESTIMATED POPULATION	125	446	441	38	423	403	167	426	423	429	0	160
% STANDARD ERROR	*	30.1	30.9	*	30.9	31.3	*	30.8	30.9	30.6	0.0	*
% WITH CAPABILITY	21.3	75.7	74.8	6.5	71.7	68.4	28.3	72.3	71.8	72.6	0.0	27.2
GREAT LAKES												
ESTIMATED POPULATION	18856	21337	22014	8544	26614	12365	18630	23447	21330	19068	287	20872
% STANDARD ERROR	4.6	4.3	4.2	6.0	3.8	5.5	4.2	4.0	4.2	4.5	37.4	4.0
% WITH CAPABILITY	41.7	47.2	48.7	18.9	58.8	27.3	41.2	51.8	47.1	42.1	0.6	46.1
NEW ENGLAND												
ESTIMATED POPULATION	3945	4575	4509	1498	5804	3314	3613	5138	4648	4048	49	4030
% STANDARD ERROR	10.4	9.4	8.7	15.0	8.5	11.2	10.2	9.0	9.5	10.2	*	9.6
% WITH CAPABILITY	41.9	48.6	47.9	15.9	61.6	35.2	38.4	54.6	49.3	43.0	0.5	42.8
NORTHWEST MOUNTAIN												
ESTIMATED POPULATION	11615	13155	12270	4165	16578	7716	10488	13075	12181	11405	170	13394
% STANDARD ERROR	5.9	5.5	5.7	9.2	4.9	7.1	5.9	5.5	5.7	5.9	*	5.3
% WITH CAPABILITY	42.9	48.6	45.3	15.4	61.3	28.5	38.7	48.3	45.0	42.1	0.6	49.5
SOUTHERN												
ESTIMATED POPULATION	14855	19885	20535	5406	26116	13959	11770	22929	20944	19273	323	14477
% STANDARD ERROR	5.3	4.3	4.2	7.9	3.8	5.0	5.6	4.0	4.2	4.3	36.3	5.1
% WITH CAPABILITY	39.5	52.8	54.2	14.3	68.9	36.8	31.1	60.5	55.3	50.9	0.9	38.2

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE REGION OF AIRCRAFT  
1984

REGION	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT				
	360 CH	720 CH	2+ SYS	NO VHF	4088 CODE	ALTTT ENCODE	NO TRANS	LOCAL	INRKR BECN	GLIDE SLOPE	MLS	NO ILS	
<b>SOUTHWESTERN</b>													
ESTIMATED POPULATION	14734	19802	20228	6586	25981	14217	12656	21743	20175	18902	312	16241	
% STANDARD ERROR	5.3	4.3	4.3	7.0	3.7	5.0	5.2	4.1	4.2	4.3	36.7	4.6	
% WITH CAPABILITY	38.1	51.3	52.4	17.0	67.2	36.8	32.8	56.3	52.2	48.9	0.8	42.0	
<b>WESTERN-PACIFIC</b>													
ESTIMATED POPULATION	17934	22485	22413	6339	31045	18084	13024	25220	22716	21159	326	18189	
% STANDARD ERROR	4.6	4.1	4.0	7.1	3.4	4.8	4.9	3.8	4.0	4.2	38.9	4.3	
% WITH CAPABILITY	40.7	51.0	50.9	14.4	70.4	36.5	29.6	57.2	51.5	49.0	0.7	41.3	
<b>TOTAL</b>													
ESTIMATED POPULATION	109906	131474	132424	43403	171173	86753	86252	145066	132834	121614	2085	117850	
% STANDARD ERROR	1.4	1.1	0.9	1.9	0.6	1.4	1.1	0.8	0.8	1.0	14.0	1.0	
% WITH CAPABILITY	41.1	49.2	48.5	16.2	64.0	32.4	36.0	54.3	48.6	45.5	0.8	44.0	

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS  
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 17

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE REGION OF AIRCRAFT  
1984

REGION	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					NO NAVEQ
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	
<b>ALASKAN</b>														
ESTIMATED POPULATION	3737	3496	2691	4381	1498	533	868	156	153	472	286	164	283	1302
% STANDARD ERROR	9.6	9.6	11.0	8.3	13.7	21.7	19.6	41.0	41.5	23.8	29.6	39.6	29.7	16.3
% WITH CAPABILITY	44.2	41.4	31.9	51.9	17.7	8.3	10.2	1.8	1.8	5.6	3.4	1.9	3.4	15.4
<b>CENTRAL</b>														
ESTIMATED POPULATION	4508	7241	8000	7853	4774	1916	646	183	69	1190	1376	180	1361	3759
% STANDARD ERROR	9.9	7.7	7.4	7.5	9.3	14.0	25.2	30.0	*	16.1	15.4	39.5	15.8	9.3
% WITH CAPABILITY	28.9	48.0	53.1	50.8	31.7	12.7	4.3	1.2	0.5	7.9	9.1	1.2	9.0	24.9
<b>EASTERN</b>														
ESTIMATED POPULATION	8560	14142	15283	13802	8897	3398	2083	563	445	2324	2810	808	2645	5822
% STANDARD ERROR	7.1	5.3	5.0	5.3	8.4	9.9	14.2	18.5	20.2	10.6	9.8	18.4	9.6	7.5
% WITH CAPABILITY	31.2	51.5	55.6	50.2	32.4	12.4	7.6	2.0	1.6	8.5	10.2	3.3	9.6	20.5
<b>EUROPEAN OFFICE</b>														
ESTIMATED POPULATION	123	412	469	484	403	24	61	56	93	158	172	37	142	101
% STANDARD ERROR	*	30.8	28.8	28.5	31.3	*	*	*	45.6	34.6	39.6	47.1	33.4	*
% WITH CAPABILITY	20.8	69.9	79.6	82.2	68.4	4.0	10.4	9.6	15.7	26.5	29.1	6.2	24.1	17.2
<b>GREAT LAKES</b>														
ESTIMATED POPULATION	14098	22618	23581	21178	13318	5068	2543	686	240	3308	3497	676	4110	10211
% STANDARD ERROR	5.4	4.2	4.0	4.2	5.3	8.3	12.6	17.6	32.6	9.2	8.9	20.8	8.2	5.4
% WITH CAPABILITY	31.2	50.0	52.1	46.8	29.4	11.2	5.6	1.5	0.5	7.3	7.7	1.5	9.1	22.6
<b>NEW ENGLAND</b>														
ESTIMATED POPULATION	2914	4842	4741	4621	2478	807	797	53	58	643	715	127	666	1931
% STANDARD ERROR	12.4	9.3	9.4	9.5	12.3	21.5	21.4	*	46.3	23.4	20.9	49.9	20.9	12.9
% WITH CAPABILITY	30.9	51.4	50.3	49.1	26.3	8.6	8.5	0.6	0.6	6.8	7.6	1.4	7.1	20.5
<b>NORTHWEST MOUNTAIN</b>														
ESTIMATED POPULATION	9416	12785	13301	13012	7878	2433	2109	237	111	1650	1774	560	1206	5898
% STANDARD ERROR	6.7	5.6	5.5	5.5	7.1	12.5	13.6	33.0	*	14.0	13.4	23.6	15.2	7.5
% WITH CAPABILITY	34.6	47.2	49.1	48.1	29.1	9.0	7.8	0.9	0.4	6.1	6.6	2.1	4.5	21.8
<b>SOUTHERN</b>														
ESTIMATED POPULATION	11380	21495	22798	21304	14572	4957	3344	381	140	3942	4393	857	5262	6839
% STANDARD ERROR	6.1	4.2	4.0	4.1	4.8	8.1	10.6	22.0	48.7	8.2	7.9	18.6	7.0	7.0
% WITH CAPABILITY	30.0	56.7	60.2	56.2	38.5	13.1	8.8	1.0	0.4	10.4	11.6	2.3	13.9	18.1

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 17

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
BASE REGION OF AIRCRAFT  
1984

REGION	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.			OTHER NAVIGATION EQUIPMENT						
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	NO NAVEQ
SOUTHWESTERN	10550	20809	21778	22235	15851	6956	2830	1020	235	4308	5696	917	5730	7999
ESTIMATED POPULATION	8.3	4.2	4.1	4.0	4.7	7.1	11.2	13.3	28.6	7.6	7.4	15.6	7.1	8.2
% STANDARD ERROR	27.3	53.9	56.4	57.5	40.5	18.0	7.3	2.6	0.6	11.2	14.7	2.4	14.8	20.7
% WITH CAPABILITY														
WESTERN-PACIFIC	13103	23285	23982	19998	14708	3553	2437	527	248	2855	3287	1283	2434	8771
ESTIMATED POPULATION	5.5	4.0	3.8	4.3	5.0	9.8	13.3	24.4	33.0	10.3	9.5	16.7	10.5	5.8
% STANDARD ERROR	29.7	52.9	54.4	45.4	33.4	8.1	5.5	1.2	0.6	8.0	7.4	2.9	5.5	19.9
% WITH CAPABILITY														
TOTAL	82552	137088	143436	135093	87913	31244	18906	3976	1903	21309	25097	5966	24859	56117
ESTIMATED POPULATION	1.8	1.0	0.7	0.8	1.3	2.7	4.3	5.9	11.0	2.7	2.5	6.7	2.2	1.4
% STANDARD ERROR	30.9	51.3	53.6	50.5	32.9	11.7	7.1	1.5	0.7	8.0	9.4	2.2	9.2	21.0
% WITH CAPABILITY														

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS  
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
PRIMARY USE  
1984

PAGE 1 OF 4

PRIMARY USE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4096 CODE	ALTTT ENCODE	NO TRANS	LOCAL	MMWR BECH	GLIDE SLOPE	MLS	NO ILS
<b>EXECUTIVE</b>												
ESTIMATED POPULATION	3103	14859	14258	215	16123	14192	550	15570	15344	15170	312	1045
% STANDARD ERROR	9.9	3.6	3.8	39.4	3.5	3.7	22.7	3.5	3.5	3.5	26.9	16.2
% WITH CAPABILITY	18.6	89.1	85.5	1.3	98.7	85.1	3.3	93.4	92.0	91.0	1.9	6.3
<b>BUSINESS</b>												
ESTIMATED POPULATION	17215	33421	36659	582	43131	29875	4031	39917	39461	36737	485	6329
% STANDARD ERROR	4.6	3.0	2.8	24.8	2.5	3.1	9.3	2.6	2.7	2.8	29.7	7.5
% WITH CAPABILITY	36.5	70.9	77.7	1.2	91.5	63.3	8.5	84.6	83.7	77.9	1.0	13.4
<b>PERSONAL</b>												
ESTIMATED POPULATION	56452	45497	50196	11880	69063	21643	39578	52789	46915	40722	812	50180
% STANDARD ERROR	2.2	2.7	2.4	4.3	2.0	4.1	2.2	2.3	2.5	2.8	24.4	2.0
% WITH CAPABILITY	53.4	43.1	47.5	11.2	62.5	20.5	37.5	50.0	44.4	38.5	0.8	47.5
<b>INSTRUCTIONAL</b>												
ESTIMATED POPULATION	6729	6693	5591	788	11473	2735	3835	8099	5461	5030	168	7126
% STANDARD ERROR	8.3	7.1	9.4	19.2	6.1	13.3	10.6	7.5	9.4	9.7	46.3	7.7
% WITH CAPABILITY	44.0	56.8	36.5	5.1	74.9	17.9	25.1	52.9	35.7	32.9	1.1	46.5
<b>AERIAL APPLICATION</b>												
ESTIMATED POPULATION	684	1109	687	5651	691	255	6686	519	448	445	40	6863
% STANDARD ERROR	21.5	16.1	21.4	3.9	20.8	37.0	3.2	23.0	23.5	23.5	*	3.2
% WITH CAPABILITY	9.3	15.0	9.3	78.5	9.3	3.5	90.7	7.0	6.1	6.0	0.5	92.9
<b>AERIAL OBSERVATION</b>												
ESTIMATED POPULATION	2317	2700	2522	315	3297	1592	1854	2697	2070	1884	16	2435
% STANDARD ERROR	13.5	12.2	12.9	34.9	11.0	15.8	14.7	12.3	14.3	15.1	*	12.7
% WITH CAPABILITY	45.0	52.4	49.0	6.1	64.0	30.9	36.0	52.4	40.2	36.6	0.3	47.3
<b>OTHER WORK USE</b>												
ESTIMATED POPULATION	567	505	287	289	536	144	806	286	252	179	1	1036
% STANDARD ERROR	25.0	22.5	34.2	30.6	25.4	34.6	18.2	34.4	38.3	47.0	*	16.7
% WITH CAPABILITY	42.2	37.6	21.4	21.5	40.0	10.7	60.0	21.3	16.8	13.3	0.1	77.2
<b>COMMUTER AIR CARRIER</b>												
ESTIMATED POPULATION	366	1002	991	0	1207	816	30	1195	1138	1182	3	42
% STANDARD ERROR	25.5	13.3	13.0	0.0	12.4	14.0	*	12.3	12.3	12.4	*	*
% WITH CAPABILITY	31.2	61.1	60.2	0.0	97.6	66.0	2.4	96.6	92.1	95.7	0.2	3.4

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
PRIMARY USE  
1984

PRIMARY USE	VHF COMMUNICATIONS				TRANSPONDER EQUIPMENT				ILS RECEIVING EQUIPMENT			
	360 CH	720 CH	2+ SYS	NO VHF	4098 CODE	ALTIM ENCODE	NO TRANS	LOCAL	MRKR BECN	GLIDE SLOPE	MLS	NO ILS
<b>AIR TAXI</b>												
ESTIMATED POPULATION	1901	5869	4745	89	6471	4513	735	5557	5380	5200	35	1813
% STANDARD ERROR	14.0	7.4	8.5	*	7.1	8.7	19.0	7.8	7.9	8.0	*	12.3
% WITH CAPABILITY	28.4	81.4	65.8	1.0	89.8	62.6	10.2	77.1	74.4	72.2	0.5	22.4
<b>OTHER</b>												
ESTIMATED POPULATION	1424	2569	1837	803	2608	1845	2124	1885	1710	1888	8	2825
% STANDARD ERROR	16.1	10.8	12.7	20.1	10.6	13.1	12.8	12.6	13.4	13.4	*	10.8
% WITH CAPABILITY	30.1	54.3	38.8	17.0	55.1	39.0	44.9	39.8	36.1	35.7	0.2	59.7
<b>RENTAL</b>												
ESTIMATED POPULATION	2740	6102	5584	697	8044	4541	1115	6789	6178	5929	15	2200
% STANDARD ERROR	12.9	8.8	9.1	23.6	7.6	10.1	17.9	8.3	8.6	8.7	*	13.9
% WITH CAPABILITY	29.9	66.6	60.8	7.6	87.8	49.6	12.2	74.1	67.5	64.7	0.2	24.0
<b>INACTIVE</b>												
ESTIMATED POPULATION	15719	7184	7642	24222	9872	3208	36364	8833	7237	6549	185	36800
% STANDARD ERROR	3.9	7.0	5.8	2.4	4.7	9.6	1.3	5.0	5.8	6.1	*	1.2
% WITH CAPABILITY	34.0	15.5	18.5	52.4	21.4	6.9	78.6	19.1	15.7	14.2	0.4	79.6
<b>TOTAL</b>												
ESTIMATED POPULATION	109906	131474	132424	43403	171173	86753	96252	145095	132634	121614	2085	117650
% STANDARD ERROR	1.4	1.1	0.9	1.8	0.6	1.4	1.1	0.8	0.8	1.0	14.0	1.0
% WITH CAPABILITY	41.1	49.2	49.5	16.2	64.0	32.4	36.0	54.3	49.6	45.5	0.8	44.0

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS  
DUE TO ESTIMATION PROCEDURES.

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
PRIMARY USE  
1984

PRIMARY USE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLTMGT COMPTR	WEATHER RADAR	NO NAVEG
<b>EXECUTIVE</b>														
ESTIMATED POPULATION	2280	14502	15525	15922	14884	8939	1724	2607	886	9435	10277	2057	10929	294
% STANDARD ERROR	12.0	3.6	3.5	3.4	3.5	4.5	12.3	6.2	12.7	3.6	3.6	10.3	3.5	34.1
% WITH CAPABILITY	13.6	87.0	93.1	95.5	89.2	53.6	10.3	15.6	5.2	58.8	61.6	12.3	65.6	1.8
<b>BUSINESS</b>														
ESTIMATED POPULATION	13345	35166	40575	40514	31237	12204	5931	257	135	5278	8112	1942	7293	831
% STANDARD ERROR	5.4	2.9	2.8	2.8	3.0	5.3	8.0	30.4	49.4	7.4	6.3	12.9	6.5	18.0
% WITH CAPABILITY	28.3	74.6	88.0	85.9	68.2	25.9	12.6	0.5	0.3	11.2	17.2	4.1	15.5	1.8
<b>PERSONAL</b>														
ESTIMATED POPULATION	42314	50959	54436	46293	22378	4183	6749	259	298	2058	2079	787	1248	17581
% STANDARD ERROR	2.7	2.5	2.2	2.8	4.0	9.9	7.8	39.6	39.1	13.7	13.5	24.1	15.9	3.2
% WITH CAPABILITY	40.1	48.2	51.5	43.8	21.2	4.0	6.4	0.2	0.3	1.9	2.0	0.7	1.2	16.6
<b>INSTRUCTIONAL</b>														
ESTIMATED POPULATION	5838	8462	5897	5944	2123	613	624	109	111	243	355	111	129	1515
% STANDARD ERROR	9.0	7.3	9.1	9.0	14.2	24.1	24.0	43.9	43.4	34.4	28.9	43.4	40.2	14.4
% WITH CAPABILITY	38.1	55.3	38.5	38.8	13.9	4.0	4.1	0.7	0.7	1.6	2.3	0.7	0.8	9.9
<b>AERIAL APPLICATION</b>														
ESTIMATED POPULATION	297	518	447	539	179	72	234	150	36	76	40	39	42	6481
% STANDARD ERROR	32.0	23.2	23.5	25.6	43.0	*	39.3	48.6	*	*	*	*	*	2.8
% WITH CAPABILITY	4.0	7.0	6.1	7.3	2.4	1.0	3.2	2.0	0.5	1.0	0.5	0.5	0.6	87.7
<b>AERIAL OBSERVATION</b>														
ESTIMATED POPULATION	1990	2220	2301	2568	1015	322	563	18	63	224	76	52	50	958
% STANDARD ERROR	15.3	13.6	13.8	12.5	18.9	30.8	24.5	*	*	37.7	*	*	46.0	18.0
% WITH CAPABILITY	38.6	43.1	44.7	49.9	19.7	6.2	10.9	0.3	1.2	4.4	1.5	1.0	1.0	18.6
<b>OTHER WORK USE</b>														
ESTIMATED POPULATION	366	284	209	357	104	54	7	3	30	79	47	6	49	604
% STANDARD ERROR	32.3	31.6	41.0	28.5	43.4	*	*	*	*	49.3	*	*	*	21.5
% WITH CAPABILITY	27.3	21.1	15.6	28.6	7.7	4.0	0.5	0.2	2.2	5.9	3.5	0.4	3.6	45.0
<b>COMMUTER AIR CARRIER</b>														
ESTIMATED POPULATION	329	1072	1158	1133	1102	275	8	28	0	323	348	143	692	4
% STANDARD ERROR	26.9	13.3	12.6	12.7	13.0	31.2	*	0.0	0.0	23.0	25.2	34.5	18.4	*
% WITH CAPABILITY	26.8	86.7	93.7	91.6	89.1	22.2	0.6	2.3	0.0	26.1	28.2	11.6	55.9	0.4

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

TABLE 2 - 18

GENERAL AVIATION AVIONICS EQUIPMENT  
BY  
PRIMARY USE  
1984

PRIMARY USE	VOR NAVIGATION EQUIPMENT				LONG RANGE NAV. EQUIP.				OTHER NAVIGATION EQUIPMENT					
	VOR 100CH	VOR 200CH	2+ VOR	ADF	DME	RNAV	LORAN	OMEGA	OTHER LRNAV	RADAR ALTIM	FLIGHT DIRECT	FLYING COMPTR	WEATHER RADAR	NO NAVEQ
<b>AIR TAXI</b>														
ESTIMATED POPULATION	1342	5387	5417	5982	4855	1981	1081	155	33	1496	1560	416	2076	275
% STANDARD ERROR	15.1	8.0	7.9	7.4	8.4	13.1	18.0	39.6	*	13.6	12.5	25.9	10.9	23.6
% WITH CAPABILITY	18.6	74.7	75.2	83.0	64.6	27.5	15.0	2.1	0.5	20.8	21.6	5.8	28.8	3.8
<b>OTHER</b>														
ESTIMATED POPULATION	654	2180	1593	1694	1676	639	502	199	225	749	6.2	82	497	1833
% STANDARD ERROR	23.1	12.0	13.5	13.4	13.3	22.3	25.7	35.0	28.6	18.0	16.1	40.8	18.6	13.3
% WITH CAPABILITY	13.8	46.1	33.5	35.8	35.4	13.5	10.6	4.2	4.7	15.8	14.2	1.7	10.5	38.7
<b>RENTAL</b>														
ESTIMATED POPULATION	2615	6162	6368	5853	3436	850	468	1	0	257	508	20	459	656
% STANDARD ERROR	13.6	8.7	8.5	8.8	11.2	23.3	31.1	*	0.0	37.7	28.2	*	28.4	19.0
% WITH CAPABILITY	28.5	67.3	69.5	63.9	37.5	9.3	5.1	0.0	0.0	2.8	5.5	0.2	5.0	7.2
<b>INACTIVE</b>														
ESTIMATED POPULATION	10586	8650	8600	7235	4075	852	536	211	115	908	780	230	1054	26632
% STANDARD ERROR	5.2	5.9	5.1	5.9	7.9	19.9	27.3	22.7	*	11.0	14.5	27.8	11.6	2.0
% WITH CAPABILITY	22.9	18.7	18.6	15.6	8.8	1.4	1.2	0.5	0.2	2.0	1.7	0.5	2.3	58.0
<b>TOTAL</b>														
ESTIMATED POPULATION	82552	137088	143436	135093	87913	31244	18906	3976	1903	21309	25097	5966	24659	56117
% STANDARD ERROR	1.8	1.0	0.7	0.8	1.3	2.7	4.3	5.9	11.0	2.7	2.5	6.7	2.2	1.4
% WITH CAPABILITY	30.9	51.3	53.6	50.5	32.9	11.7	7.1	1.5	0.7	8.0	9.4	2.2	9.2	21.0

\* INDICATES A STANDARD ERROR GREATER THAN 50.0%

NOTE: COLUMN SUMMATIONS MAY DIFFER FROM PRINTED TOTALS  
DUE TO ESTIMATION PROCEDURES.

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 1 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
OTHER 1	4883.6	552.0	11.3
OTHER 2	2339.1	288.4	11.5
OTHER 3	430.2	158.1	36.7
OTHER 4	623.1	678.1	108.8
OTHER 5	2384.1	540.1	22.7
OTHER 6	568.8	159.1	28.1
OTHER 7	499.5	354.9	71.0
OTHER 8	76.0	79.9	105.1
OTHER 9	1132.4	387.6	32.5
OTHER 10	1122.9	573.4	51.1
OTHER 11	588.3	248.2	42.2
OTHER 12	1729.3	1261.0	72.9
OTHER 13	543.5	124.1	22.8
ADAMS A50S	14.4	2.3	16.1
AERORSJ2	10.6	2.1	20.1
AEROSPSA318	1098.7	310.2	28.2
AJUSTA A109	14.6	14.5	99.7
AIRSPACE 18	3.5	1.4	39.0
AIRPTSA	595.6	71.6	12.0
AIRTRCAT300	805.4	108.2	13.4
AIRTRCAT400	56.9	8.5	15.0

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
 BY  
 AIRCRAFT MANUFACTURER/MODEL GROUP  
 1984

PAGE 2 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
AMD FALC10	400.5	52.4	13.1
AMD FALC20	1287.6	113.0	8.9
AMD FALC50	109.4	9.9	9.1
ARCTICS1A	809.4	221.3	38.3
ARCTICS1B1	27.5	7.1	25.8
ARONCA15	373.2	45.2	12.1
ARONCA58	295.9	33.6	11.4
ARONCAB5	447.6	105.6	23.6
ARONCAC3	82.9	11.4	18.1
AVIANWALCON	2.9	0.9	30.7
AVIANWYHMK	5.0	1.2	24.8
AYRES S2	3073.2	422.4	13.7
BAC 111	307.5	50.2	16.3
BAG B208	79.9	7.9	9.9
BAG DH125	160.0	15.5	11.6
BALWKSFIREFY	209.6	41.7	19.9
BBAVIA11	1419.8	177.2	12.5
BBAVIA7	14857.8	4938.6	33.2
BBAVIAS	185.3	29.8	16.1
BEECH 100	908.5	129.7	14.3
BEECH 17	331.9	67.7	20.4

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 3 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
BEECH 18	7437.8	2384.6	32.1
BEECH 200	1523.9	157.4	10.3
BEECH 23	5529.9	320.8	5.8
BEECH 300	2.2	0.6	25.9
BEECH 33	4478.6	314.9	7.0
BEECH 35	21289.2	1663.1	7.8
BEECH 36	3286.9	494.9	15.1
BEECH 45	1567.7	109.7	7.0
BEECH 50	1502.0	176.2	11.7
BEECH 55	5356.5	380.2	7.1
BEECH 56	154.1	10.3	6.7
BEECH 58	2149.7	279.1	13.0
BEECH 60	634.5	105.0	16.5
BEECH 65	729.1	118.5	16.2
BEECH 76	341.2	210.3	61.7
BEECH 77	291.3	27.8	9.5
BEECH 80	751.0	149.1	19.8
BEECH 90	3944.8	469.6	11.9
BEECH 95	1447.0	178.7	12.3
BEECH 99	1437.5	268.1	18.6
BELL 47	8933.1	1425.6	16.0

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
 BY  
 AIRCRAFT MANUFACTURER/MODEL GROUP  
 1984

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR ERROR (%)
BELL 204	220.1	77.8	35.4
BELL 205	118.4	22.4	19.0
BELL 206	678.0	934.2	13.8
BELL 212	912.9	278.4	30.5
BELL 222	59.9	11.2	18.7
BELL 412	76.0	11.9	15.6
BLANCA11	127.3	18.9	13.3
BLANCA1413	351.6	40.5	11.5
BLANCA1419	582.0	55.5	9.5
BLANCA17	1539.3	202.9	13.2
BLANCA7	3845.9	522.0	13.6
BLANCA8	316.6	27.8	8.8
BNORM BN2	798.7	66.1	8.3
BOEING707	2831.7	272.7	9.6
BOEING720	7.7	0.0	0.0
BOEING727	2008.0	807.1	45.2
BOEING737	83.9	0.0	0.0
BOEING75	7314.5	727.1	9.9
BOLKMS117	5.8	2.2	39.0
BRANTLY 82	208.5	25.4	12.2
BRASOVIS28	37.4	14.0	37.5

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 5 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
BRWSTFLEET2	78.1	7.2	9.3
BRWSTFLEET7	104.1	14.5	13.9
BUKER 131	33.4	4.3	12.8
CAMPROMODELO	22.4	3.8	16.9
CESSNA120	2294.0	287.8	12.5
CESSNA140	6426.4	449.9	7.0
CESSNA150	53851.3	2406.7	4.5
CESSNA170	7641.4	576.4	7.5
CESSNA172	53575.4	1996.7	3.7
CESSNA175	2956.0	213.1	7.2
CESSNA177	4904.3	236.6	4.8
CESSNA180	7304.8	331.2	4.5
CESSNA182	27417.3	1173.2	4.3
CESSNA185	2836.1	163.9	5.8
CESSNA188	3343.1	212.3	6.4
CESSNA190	183.0	17.9	9.8
CESSNA195	1672.8	133.8	8.0
CESSNA205	611.1	70.8	11.6
CESSNA206	5615.1	510.9	9.1
CESSNA207	1355.6	158.5	11.7
CESSNA210	9319.3	713.4	7.7

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
 BY  
 AIRCRAFT MANUFACTURER/MODEL GROUP  
 1984

PAGE 6 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
CESSNA303	83.0	14.6	17.6
CESSNA305	1204.2	178.9	14.9
CESSNA310	10834.5	529.0	5.0
CESSNA320	1132.5	77.4	6.8
CESSNA335	46.3	13.0	28.1
CESSNA336	140.3	32.0	22.8
CESSNA337	2539.2	237.8	9.4
CESSNA340	1442.4	203.0	14.1
CESSNA401	833.8	110.5	13.3
CESSNA402	2367.1	539.1	22.8
CESSNA404	536.6	160.9	30.0
CESSNA411	611.8	73.3	12.0
CESSNA414	1646.0	188.5	11.5
CESSNA421	2721.9	283.9	10.4
CESSNA425	130.1	20.2	15.5
CESSNA441	349.4	45.1	12.9
CESSNA500	1408.7	154.6	11.0
CESSNA501	65.6	11.4	17.3
CESSNA650	18.8	3.5	18.7
CESSNA750	242.0	70.8	29.3
CESSNAJC94	88.9	9.7	10.9

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 7 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
CHILD S1	25.2	3.9	15.4
CHILD S2	93.0	14.6	15.7
CNDAIRCL800	59.5	7.7	12.9
COMNTH185	236.2	203.9	86.3
CONAERLA4	349.8	62.2	17.8
CURTISC46	890.0	0.0	0.0
CURTISJR	25.2	6.1	24.3
CURTISROBIN	73.8	19.1	25.9
CURTISTRVAIR	293.1	94.6	32.3
CVAC 22	1330.0	0.0	0.0
CVAC 240	444.7	217.9	49.0
CVAC 440	229.5	0.0	0.0
CVAC BT13	186.3	58.4	31.3
CVAC L13	32.9	14.1	42.9
CVAC STC580	637.8	110.9	17.4
DART G	23.4	1.4	6.0
DHAV DHC1	368.5	41.6	11.3
DHAV DHC2	2217.4	361.8	16.3
DHAV DHC3	120.7	22.6	18.7
DHAV DHC8	1091.3	190.9	17.5
DHAVXXDH82	269.1	34.4	12.8

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 8 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
DOUG A26	96.2	20.7	21.5
DOUG DC10	319.8	0.0	0.0
DOUG DC3	12875.1	3233.3	25.5
DOUG DC4	1148.3	166.0	14.5
DOUG DC8	3273.3	446.6	13.6
DOUG DC7	542.7	161.6	29.8
DOUG DC8	3883.6	0.0	0.0
DOUG DC9	895.1	341.1	38.1
EAGLE DW	47.4	11.4	24.0
EAGLEBC7	6.8	1.0	15.0
EIRVON20	53.2	14.0	26.3
EMAIR MA1	72.5	23.8	32.8
EMB 110	256.7	87.5	34.1
ENSTRM280	149.3	30.8	20.6
ENSTRMF28	493.5	149.1	30.2
FLEET 16B	24.5	5.6	22.9
FRCHLD24	493.6	49.8	10.1
FRCHLDC119	264.6	0.0	0.0
FRCHLDF27	393.7	37.4	9.5
FRCHLDFH1100	158.9	43.5	27.4
FRCHLDM62	578.9	98.5	17.0

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
 BY  
 AIRCRAFT MANUFACTURER/MODEL GROUP  
 1984

PAGE 9 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
GENBALAX6	18.8	4.9	29.4
GLASFL201	31.0	4.8	15.6
GLASFLH301	148.6	21.2	14.2
GROB 103CAT	17.6	3.5	19.9
GROB 109	8.6	1.0	11.9
GROB ASTIR	32.1	6.9	21.7
GRTLKS2T1	91.6	19.7	21.5
GRUMAVAA1	932.9	55.0	5.9
GRUMAVAA5	1485.6	193.0	13.0
GRUMAVG1159	144.7	35.4	24.5
GRUMAVG184	3977.7	328.3	8.3
GRUMAVG21	425.7	34.2	8.0
GRUMAVT8M	68.2	12.7	18.6
GULSTM112	561.7	63.2	11.2
GULSTM500	1872.9	261.7	14.0
GULSTM520	292.2	44.7	15.3
GULSTM580	657.8	108.0	16.4
GULSTM680	688.6	542.2	78.7
GULSTM680TP	639.8	112.0	17.5
GULSTM690TC	23.9	2.6	10.8
GULSTM690TP	860.1	129.0	15.0

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 10 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE ( IN THOUSANDS )	STANDARD ERROR ( IN THOUSANDS )	STANDARD ERROR (%)
GULSTMAA1	961.2	78.7	8.2
GULSTMAA5	988.7	107.4	10.9
GULSTMG1159	729.2	151.7	20.8
GULSTMG159	1876.6	150.0	8.9
GULSTMG44	250.2	78.1	31.2
GULSTMG73	310.8	35.7	11.5
GULSTMG7	56.8	9.2	16.2
H-1	582.2	93.1	16.0
H13/CITL	217.6	41.2	18.9
H19/45	295.2	28.2	9.6
H23/HTE	1109.3	263.4	23.7
H34/55	279.2	22.2	7.9
HELIO H295	210.5	41.7	19.8
HELIO H391	50.8	15.2	30.0
HELIO H395	77.5	15.6	20.1
HILLERH12	2475.9	576.6	23.3
HUGHES269	1754.3	437.4	24.9
HUGHES369	2070.4	262.8	12.7
HMKSLYDH104	189.0	77.1	40.8
HMKSLYDH125	594.4	133.2	22.4
INTRCP200	38.1	7.9	20.7

TABLE 2 - 18

## GENERAL AVIATION LIFETIME AIRFRAME HOURS

BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 11 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
ISRAEL 1121	479.4	63.0	13.1
ISRAEL 1123	87.4	8.7	9.9
ISRAEL 1124	203.9	56.9	27.9
JBMSTRDGA15	123.5	32.2	26.1
LAIKFN10	15.3	3.1	20.5
LEAR 23	407.2	64.4	15.8
LEAR 24	799.5	100.7	12.6
LEAR 25	568.4	166.0	29.2
LEAR 35	1162.5	223.2	19.2
LEAR 55	55.7	6.2	11.1
LET L13	169.0	26.2	15.5
LKHEED1011	496.7	0.0	0.0
LKHEED12A	188.7	7.8	4.1
LKHEED1329	679.9	61.2	9.0
LKHEED18	723.2	118.2	16.3
LKHEEDPV1	33.5	4.1	12.1
LUSCOMB	6292.6	671.3	10.7
MARTIN404	324.0	415.0	128.1
MAULE M4	264.6	26.1	9.9
MAULE M5	233.6	31.3	13.4
MAULE M8	19.1	1.8	9.7

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
 BY  
 AIRCRAFT MANUFACTURER/MODEL GROUP  
 1984

PAGE 12 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
MBB B0105	249.3	143.6	57.6
MCLISHFUNK8	211.1	48.7	23.1
MEYERSOTV	132.1	14.3	10.9
MNCOUP90	108.3	24.9	23.0
MNWHITEM18	188.6	20.2	12.0
MODFD47	259.0	50.0	19.3
MODFDUH12	74.9	17.7	23.6
MOONEYM20	12286.3	622.7	5.1
MROCHTIS205	37.2	2.6	7.0
MTSBSIMJ2	1135.2	149.6	13.2
MTSBSIMJ300	30.9	9.7	31.5
MULTECD16	92.2	10.9	11.8
NAMER B25	309.9	39.4	12.7
NAMER F51	155.6	76.6	49.2
NAMER NA260	156.6	14.1	9.0
NAMER T6	2505.5	337.9	13.5
NATBAL752	1.2	0.1	10.7
NAVAL N3N	450.2	77.3	17.2
NAVIONNAVION	1829.4	114.8	6.3
NORD SV4	126.0	0.0	0.0
NORWST65	145.9	26.9	18.4

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 13 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR ERROR (%)
OTHEXWILPIST	93.2	0.0	0.0
PARTENP88	21.2	8.9	41.9
PICARDAX6	33.5	2.2	6.4
PILATS84	13.9	2.0	14.4
PIPER 600	325.3	39.5	12.1
PIPER E2	26.2	5.0	19.1
PIPER J2	41.3	7.9	19.1
PIPER J3	11505.2	768.8	6.7
PIPER J4	395.4	59.1	14.9
PIPER J5	973.9	109.4	11.2
PIPER PA12	3502.8	303.8	8.7
PIPER PA14	289.6	36.8	12.7
PIPER PA15	279.5	26.2	9.4
PIPER PA16	821.0	60.9	7.4
PIPER PA17	230.7	19.8	8.6
PIPER PA18	10388.9	2586.2	24.9
PIPER PA20	901.3	150.4	16.7
PIPER PA22	12051.4	715.9	5.9
PIPER PA23	11640.8	761.9	6.5
PIPER PA24	9407.1	482.3	5.1
PIPER PA25	4015.6	384.5	9.8

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
 BY  
 AIRCRAFT MANUFACTURER/MODEL GROUP  
 1984

PAGE 14 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
PIPER PA28	51340.6	2113.1	4.1
PIPER PA30	3815.3	218.8	5.7
PIPER PA31	5858.9	488.0	8.3
PIPER PA31T	1091.0	142.3	13.0
PIPER PA32	8006.0	599.8	7.5
PIPER PA34	3838.0	542.1	14.1
PIPER PA38	601.1	60.6	10.1
PIPER PA38	2633.9	174.8	6.6
PIPER PA42	73.2	14.6	19.9
PIPER PA44	326.4	24.1	7.4
PIPER PA46	12.4	1.4	11.2
PRATT PRG1	8.9	1.6	23.8
PI10PJT200	107.7	6.9	6.4
RAVEN RX6	36.4	5.4	14.8
RAVEN S50	23.6	3.9	16.4
RAVEN S55	135.9	6.7	4.9
RAVEN S60	15.9	4.4	27.4
RAVEN S66	6.9	1.5	21.8
RKWELL500	96.0	15.1	15.7
RKWELL700	31.9	7.9	24.8
RKWELLNA265	1271.3	161.1	12.7

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 15 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
ROBSINR22	219.1	53.6	24.5
ROLSCHLS	45.1	8.7	19.2
RYAN ST3	360.2	52.7	14.6
RYAN STA	20.3	9.8	48.0
SCHLERASW15	30.9	2.2	7.0
SCHLERASW19	42.6	10.4	24.4
SCHLERASW20	52.4	13.9	26.5
SCHLERK8	28.5	3.3	11.5
SCHLERKAB	68.2	8.6	12.6
SCHZERG164	1212.4	72.1	5.9
SCHZERSG1	584.5	82.1	14.0
SCHZERSG2	1197.2	216.7	18.1
SEMCO CLINGER	3.7	0.9	24.1
SEMCO MODELT	5.3	0.6	10.9
SKRSKYS55	178.5	38.8	21.8
SKRSKYS58	127.3	86.9	68.3
SKRSKYS76	131.6	66.2	50.3
SLINDS100	478.2	49.0	10.3
SMITH 600	687.7	31.2	4.5
SNIAS AS350	184.8	44.8	27.2
SNIAS AS355	244.7	29.2	11.9

TABLE 2 - 19

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BYAIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 16 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
SNIAS SA318	153.5	8.2	5.4
SNIAS SA341	81.5	12.9	15.8
SOCATAMS884	29.8	3.1	10.5
SOCATARALLYE	14.9	5.0	33.3
SPRTHCIRRUS	95.3	10.3	10.8
SPRTHIMBUS	40.1	7.2	18.0
SPRTHVENTUS	11.8	1.2	10.4
STBROSSD3	321.0	5.9	1.8
STNSON10	381.9	51.2	14.1
STNSONL5	396.9	60.6	20.3
STNSONR9	79.8	5.4	6.7
STNSONV77	80.4	17.5	21.8
STOLAMRC3	253.0	84.9	33.6
SUPAC LA	105.0	15.4	14.7
SUPAC V	24.5	1.9	7.6
SVRNGNSA228	784.2	118.5	15.1
SVRNGNSA227	67.4	12.4	18.4
SVRNGNSA26	535.9	39.0	7.3
TCRAFK21	2.5	0.7	28.1
TCRAFKD	379.9	66.6	17.5
TCRAFTA	32.9	3.0	9.2

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

PAGE 17 OF 18

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
TCRAFTBC	3085.1	338.7	11.0
TCRAFTBF	84.7	7.2	8.4
TCRAFTBL	477.9	108.8	22.3
TEMCO 11A	48.7	4.7	10.1
TW55	148.5	1.4	0.9
THUNDERAX7	4.0	1.4	34.2
TMPSONNAVION	1741.7	172.2	9.9
TOMCAT	103.8	23.4	22.5
TRYTEK65	554.6	91.7	16.5
TRYTEK	50.0	7.8	15.6
UNIVACGC1	1127.4	73.4	6.5
UNIVAR108	4388.3	514.1	11.8
UNIVAR415	4079.6	194.5	4.8
VARGA 2150	143.7	34.3	23.9
VICKER745	347.3	0.0	0.0
WACO ASD	95.2	14.1	14.8
WACO GXE	25.1	3.7	14.7
WACO R	55.3	2.6	4.7
WACO U	29.5	4.5	15.3
WACO UPF7	888.8	99.5	14.2
WACO YK	107.4	8.2	7.7

GENERAL AVIATION LIFETIME AIRFRAME HOURS  
BY  
AIRCRAFT MANUFACTURER/MODEL GROUP  
1984

MANUFACTURER/ MODEL GROUP	HOURS ESTIMATE (IN THOUSANDS)	STANDARD ERROR (IN THOUSANDS)	STANDARD ERROR (%)
YSK M18	10.8	2.2	20.0
VTHRLY201	134.0	10.1	7.6
TOTAL AIRCRAFT	635492.2	9228.4	1.5

GENERAL AVIATION MEAN HOURS AND ACTIVE ENGINES  
BY ENGINE MANUFACTURER/MODEL GROUP  
1984

ENGINE MANUFACTURER/ MODEL GROUP	ESTIMATE OF ACTIVE POPULATION	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	ESTIMATE OF MEAN HOURS	PERCENT STANDARD ERROR
ALLSN 250C	2039	4.60	88.23	515	8.69
ALLSN 501D	110	5.81	98.55	585	15.98
AMTRMCKCULH	100	54.45	22.52	29	40.63
ARSRCITFE731	452	0.00	100.00	395	5.35
ARSRCITPE331	524	7.00	80.20	325	8.47
CONT 6285	138	5.97	91.01	217	16.85
CONT 975	28	0.00	100.00	385	24.28
CONT A40	33	26.60	25.15	21	29.05
CONT A65	5201	4.97	53.28	54	6.77
CONT A75	1215	9.31	57.44	43	10.09
CONT A80	4	273.83	4.88	38	21.13
CONT C125	206	19.19	52.66	55	15.39
CONT C145	1744	7.39	76.95	60	11.71
CONT C85	3453	6.12	55.80	51	9.64
CONT C90	1972	5.96	76.63	49	13.21
CONT E185	1723	6.07	83.03	70	15.66
CONT E225	1011	11.51	67.18	77	20.44
CONT 0200	13059	2.56	88.12	125	9.26
CONT 0300	9017	2.51	89.16	81	9.49
CONT 0346	296	5.98	93.91	59	16.64
CONT 0380	3348	3.73	90.82	148	10.14
CONT 0470	24277	1.29	89.23	122	4.00
CONT 0520	29306	0.64	96.70	207	2.71
CONT R670	521	15.61	49.01	60	15.59
DHAVXGIPSY	69	14.61	65.42	40	12.84
FCD 6440	179	18.09	51.88	38	24.79
FRKLN4AC150	25	0.00	100.00	4	1.32
FRKLN4AC176	10	118.27	9.17	27	18.19
FRKLN4AC199	16	68.49	8.78	47	21.48
FRKLNBA4150	579	16.71	56.54	36	29.51
FRKLNBA4165	841	10.46	73.73	54	13.08
FRKLNBA4200	22	0.00	100.00	100	0.00
FRKLNBA8215	89	32.41	41.74	35	30.10
FRKLNBAV335	106	14.48	90.62	89	10.68
FRKLNBAV350	204	12.02	89.80	58	38.19
FRKLNBSV4	112	32.18	58.87	150	53.85
FRKLNBSV6245	4	122.31	20.00	35	0.00
FRKLNBSVS335	46	31.01	74.58	50	7.17
GE CF700	405	2.07	98.70	359	7.86
GE CJ610	726	6.66	79.61	312	10.93
GLADENK5	4	129.32	9.43	16	0.00
GLADENR5	128	17.07	68.63	43	22.67

GENERAL AVIATION MEAN HOURS AND ACTIVE ENGINES  
BY ENGINE MANUFACTURER/MODEL GROUP  
1984

ENGINE MANUFACTURER/ MODEL GROUP	ESTIMATE OF ACTIVE POPULATION	PERCENT STANDARD ERROR	ESTIMATE OF PERCENT ACTIVE	ESTIMATE OF MEAN HOURS	PERCENT STANDARD ERROR
JACOBPR755	363	8.79	85.15	95	16.50
JACOBSTR755	143	27.26	38.74	35	21.75
JACOBSTR915	6	197.51	7.87	116	22.66
LYC 0540	7697	2.23	90.99	133	6.39
LYC LTS101	132	6.48	97.25	351	6.11
LYC 0145	493	15.11	58.89	28	22.35
LYC 0235	10582	2.32	85.52	266	8.01
LYC 0290	2020	7.88	61.37	58	11.92
LYC 0320	36780	1.08	90.80	150	4.45
LYC 0340	125	7.98	91.19	62	10.73
LYC 0360	25502	1.17	91.83	147	5.60
LYC 0435	1037	10.47	68.93	194	16.63
LYC 0480	900	11.07	63.12	165	15.24
LYC 0540	13507	1.62	89.50	242	4.25
LYC 0541	1129	3.10	95.68	200	12.27
LYC 0720	258	6.90	96.88	195	23.87
LYC R680	298	18.68	45.25	54	12.37
LYC T53	19	44.22	45.45	127	22.11
MNASCO4	18	30.41	73.68	18	16.96
ONAN B48	26090	2.06	71.57	254	3.45
PCKARDV1650	40	48.40	40.79	42	34.79
PWA JT12	404	5.64	88.12	267	10.56
PWA JT15	1061	1.32	99.49	288	7.47
PWA JT3D	60	60.16	18.18	236	5.96
PWA JT8	204	19.03	55.00	893	20.62
PWA PT8	2851	1.34	98.13	439	6.70
PWA R1340	1789	8.92	74.65	282	8.35
PWA R1830	455	10.99	87.77	279	33.08
PWA R2000	167	0.00	100.00	206	9.33
PWA R2800	513	13.45	66.82	385	16.25
PWA R985	1754	10.38	48.96	231	12.75
RROYCEDART	387	2.08	98.60	473	8.46
RROYCEGIPSY	9	50.44	14.29	51	42.46
RROYCEVIPER	92	0.00	100.00	453	13.36
ALL ENGINES	252555	0.42	83.51	175	1.34

NOTE: ENGINE MANUFACTURER/MODEL GROUPS FOR WHICH SEPARATE ESTIMATES ARE NOT AVAILABLE ARE NOT LISTED IN THE TABLE, BUT ARE INCLUDED IN THE "ALL ENGINES" ESTIMATES.

TABLE 2 - 21

GENERAL AVIATION FUEL CONSUMPTION  
BY AIRCRAFT TYPE  
1984

AIRCRAFT TYPE	MEAN RATE GPH	ESTIMATED FUEL USE (mil gal)	STANDARD ERROR (mil gal)
FIXED WING			
PISTON			
1 ENG 1-3 SEATS	10.05	86.28	3.6
1 ENG 4+ SEATS	11.26	167.97	4.1
TOTAL 1 ENG	10.82	254.25	5.5
2 ENG 1-6 SEATS	27.94	83.39	3.3
2 ENG 7+ SEATS	36.44	94.76	6.1
TOTAL 2 ENG	31.90	178.15	6.6
OTHER PISTON	207.74	21.25	6.4
TOTAL PISTON	15.54	453.65	8.5
TURBOPROP			
2 ENG 1-12 SEATS	79.40	136.19	7.2
2 ENG 13+ SEATS	130.35	86.05	10.4
TOTAL 2 ENG	94.71	232.24	11.5
OTHER TURBOPROP	120.69	6.57	2.0
TOTAL TURBOPROP	95.28	238.81	11.7
TURBOJET			
2 ENG	269.26	340.18	14.9
OTHER	646.26	92.97	21.6
TOTAL TURBOJET	307.80	433.15	19.9
TOTAL FIXED WING	34.00	1125.61	19.9
ROTORCRAFT			
PISTON	14.64	8.66	1.0
TURBINE	35.16	66.93	4.5
TOTAL ROTORCRAFT	30.29	75.59	4.5
OTHER	3.17	0.02	0.1
TOTAL AIRCRAFT	33.44	1201.22	20.3
TOTAL JET FUEL	127.02	738.89	23.5
TOTAL AVIATION GASOLINE	15.37	462.33	8.6

TABLE 2 - 22  
 GENERAL AVIATION MILES FLOWN  
 BY AIRCRAFT TYPE  
 NAUTICAL MILES (IN THOUSANDS)  
 1984

AIRCRAFT TYPE	EXEC	BUS	PERS	INSTR	APPL	OBSR	WORK	COMM	TAXI	OTHER	RENTAL	TOTAL
FIXED WING												
FIXED WING - PISTON												
1 ENG: 1-3 SEATS	317	32251	220074	213474	144798	22776	12456	0	0	6736	69623	722505
1 ENG: 4+ SEATS	45986	488136	563876	130071	12195	53992	10214	9837	65838	9904	161781	1551840
1 ENGINE: TOTAL	46313	520387	783950	343545	156993	76768	22670	9837	65838	16640	231403	2274345
2 ENG: 1-6 SEATS	95305	168179	49215	6967	851	9002	0	21986	67537	3589	9561	432193
2 ENG: 7+ SEATS	104123	69628	8141	2055	4832	5187	645	72599	103595	2144	5783	378732
2 ENG: TOTAL	199428	237807	57357	9022	5684	14189	645	94585	171131	5733	15344	810924
PISTON OTHER	178	182	37	0	1736	11	68	415	11902	25	6973	21526
PISTON TOTAL	245919	758375	841344	352567	164413	90967	23384	104837	248871	22398	253720	3108795
FIXED WING - TURBOPROP												
2 ENG: 1-12 SEATS	213874	65930	2316	0	0	1691	774	8403	35038	4391	1861	334278
2 ENG: 13+ SEATS	24206	496	0	69	0	312	106	105649	2073	1221	10	134142
2 ENGINE: TOTAL	238080	66426	2316	69	0	2003	880	114051	37111	5611	1871	468420
TURBOPROP: OTHER	1168	447	0	0	4202	106	0	0	0	1246	62	7228
TURBOPROP: TOTAL	239248	66873	2316	69	4202	2110	880	114051	37111	6857	1933	475649

TABLE 2 - 22  
 GENERAL AVIATION MILES FLOWN  
 BY AIRCRAFT TYPE  
 NAUTICAL MILES (IN THOUSANDS)  
 1984

AIRCRAFT TYPE	EXEC	BUS	PERS	INSTR	APPL	OBSER	WORK	COMM	TAXI	OTHER	RENTAL	TOTAL
FIXED WING - TURBOJET												
2 ENGINE TURBOJET	428665	32194	3709	16	0	0	0	32470	41622	6221	248	545147
TURBOJET: OTHER	40149	18929	178	63	0	0	0	15551	376	7171	1783	84200
TURBOJET: TOTAL	488815	51123	3887	79	0	0	0	48021	41999	13392	2032	829347
FIXED WING: TOTAL	953980	876371	847547	352716	188615	93077	24264	266909	327981	42646	257685	4211791
ROTORCRAFT:												
PISTON	811	1792	2026	8073	5840	7817	91	0	874	6342	179	33845
TURBINE	34303	4756	511	1085	8247	21291	3901	246	40348	21485	1806	137979
ROTORCRAFT: TOTAL	35114	6548	2537	9158	14087	29108	389	246	41222	27828	1985	171825
OTHER	105	104	6317	1341	0	0	0	0	0	452	1208	9527
TOTAL	989199	883023	856401	383215	182702	122185	28255	267155	389203	70926	260878	4393142

## NON-HIERARCHICAL VS. HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 2

	1	2	3	4	5	6	7	8	TOTALS
LOCALIZER	58	287	3674	10883	77	41	1105	605	16728
ESTIMATE	*	33.6	10.5	6.3	*	*	19.2	26.7	4.9
% STD ERR	0.3	1.7	22.0	85.1	0.5	0.2	6.6	3.6	
ROW %	0.1	1.7	9.0	13.5	10.8	2.5	6.8	0.9	6.3
COLUMN %									
LOCALIZER, MARKER	51	24	909	6900	39	58	897	1328	10202
ESTIMATE	*	*	22.1	8.0	*	*	22.8	18.3	6.5
% STD ERR	0.5	0.2	8.9	67.6	0.4	0.5	8.8	13.0	
ROW %	0.1	0.1	2.2	8.5	5.5	3.4	5.5	1.9	3.8
COLUMN %									
LOCALIZER, MARKER	285	190	2394	35228	222	543	11438	47498	97796
BEACON, GLIDE SLOPE	40.4	48.2	13.8	3.1	47.8	27.6	6.2	2.3	1.3
ESTIMATE	0.3	0.2	2.4	36.0	0.2	0.8	11.7	48.6	
% STD ERR	0.7	1.2	5.9	43.6	31.2	33.3	70.3	69.7	36.6
ROW %									
COLUMN %									
LOCALIZER, MARKER	38	23	205	1437	39	226	517	17881	20366
BEACON, GLIDE SLOPE,	*	*	36.5	15.0	*	34.0	29.6	2.9	2.7
RADAR ALTIMETER	0.2	0.1	1.0	7.1	0.2	1.1	2.5	87.8	
ESTIMATE	0.1	0.1	0.5	1.8	5.5	13.8	3.2	26.2	7.6
% STD ERR									
ROW %									
COLUMN %									
LONG RANGE NAV	206	1292	1227	5779	0	183	2428	12223	23337
(INCLUDES OMEGA,	47.9	18.2	19.0	8.3	0.0	44.5	13.1	4.7	3.6
LORAN-C)	0.9	5.5	5.3	24.8	0.0	0.8	10.4	52.4	
ESTIMATE	0.5	7.9	3.0	7.2	0.0	11.2	14.9	17.9	8.7
% STD ERR									
ROW %									
COLUMN %									
RADAR ALTIMETER	47	166	212	1854	42	236	641	18310	21307
ESTIMATE	*	49.7	35.5	14.0	*	32.9	26.3	2.8	2.7
% STD ERR	0.2	0.8	1.0	7.8	0.2	1.1	3.0	85.9	
ROW %	0.1	1.0	0.5	2.0	5.9	14.5	3.9	26.9	8.0
COLUMN %									
MICROWAVE LANDING	121	18	39	601	25	4	163	1113	2084
SYSTEM	*	*	*	28.2	*	*	*	18.2	13.9
ESTIMATE	5.8	0.9	1.9	28.8	1.2	0.2	7.8	53.4	
% STD ERR	0.3	0.1	0.1	0.7	3.5	0.2	1.0	1.6	0.8
ROW %									
COLUMN %									
LOCALIZER, MARKER	0	0	18	367	25	2	148	1105	1662
BEACON, GLIDE SLOPE,	0.0	0.0	*	35.3	*	*	*	18.3	15.3
MICROWAVE LANDING	0.0	0.0	1.0	22.1	1.5	0.1	8.9	66.5	
SYSTEM	0.0	0.0	0.0	0.5	3.5	0.1	0.9	1.6	0.8
ESTIMATE									
% STD ERR									
ROW %									
COLUMN %									

TABLE 2-23

NON-HIERARCHICAL VS. HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

		1984								
		1	2	3	4	5	6	7	8	TOTALS
LONG RANGE NAV, MICROWAVE LANDING SYSTEM	ESTIMATE	0	0	13	170	0	0	0	0	389
	% STD ERR	0.0	0.0	*	*	0.0	0.0	0.0	0.0	26.8
	ROW %	0.0	0.0	2.4	30.7	0.0	0.0	0.0	0.0	66.7
	COLUMN %	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5
NO REGULATORY AVIONICS	ESTIMATE	41971	14564	32762	24794	332	713	2066	604	117805
	% STD ERR	1.9	4.2	3.0	3.8	36.0	21.3	15.2	27.7	1.0
	ROW %	35.6	12.4	27.8	21.0	0.3	0.6	1.8	0.5	0.5
	COLUMN %	98.3	88.6	80.4	30.7	46.6	43.7	12.7	0.9	44.1
ALL AIRCRAFT	ESTIMATE	42689	16431	40743	80802	712	1632	16280	68129	267429
	% STD ERR	1.9	4.0	2.7	1.7	25.2	14.6	5.1	1.6	1.6
	ROW %	16.0	6.1	15.2	30.2	0.3	0.6	6.1	25.5	0.2
	COLUMN %									

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: VOR, ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR OR RNAV, DME

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-24

## PRIMARY USE VS. HIERARCHICAL CAPABILITY GROUPS

		1984								PAGE 1 OF 2	
		1	2	3	4	5	6	7	8	TOTALS	
EXECUTIVE	ESTIMATE	173	205	358	1847	45	13	670	13761	17071	
	% STD ERR	43.5	42.2	27.0	13.2	*	*	25.0	3.7	3.4	
	ROW %	1.0	1.2	2.1	10.8	0.3	0.1	3.9	80.6		
	COLUMN %	0.4	1.2	0.9	2.3	6.3	0.8	4.1	20.2	6.4	
BUSINESS	ESTIMATE	535	515	3346	13420	78	41	3506	26859	48398	
	% STD ERR	26.6	20.1	10.7	5.5	*	*	11.0	3.3	2.4	
	ROW %	1.1	1.1	6.9	27.7	0.2	0.1	7.2	55.7		
	COLUMN %	1.3	3.1	8.2	16.6	10.7	2.5	21.5	39.6	18.1	
PERSONAL	ESTIMATE	12826	6987	23783	44780	268	311	7364	14306	110625	
	% STD ERR	4.3	6.5	3.7	2.7	42.8	34.1	7.8	5.2	1.3	
	ROW %	11.6	6.3	21.5	40.5	0.2	0.3	6.7	12.9		
	COLUMN %	30.0	42.5	58.4	55.4	37.6	19.1	45.2	21.0	41.4	
INSTRUCTIONAL	ESTIMATE	844	855	2687	8729	0	47	1338	1415	15913	
	% STD ERR	18.2	20.5	13.9	7.2	0.0	*	20.6	17.6	5.1	
	ROW %	5.3	5.4	16.9	54.9	0.0	0.3	8.4	8.9		
	COLUMN %	2.0	5.2	6.6	10.8	0.0	2.9	8.2	2.1	6.0	
AERIAL APPLICATIONS	ESTIMATE	5988	1012	141	400	0	69	110	85	7805	
	% STD ERR	3.8	16.9	*	27.1	0.0	*	*	49.0	3.3	
	ROW %	78.7	13.0	1.8	5.1	0.0	0.9	1.4	1.1		
	COLUMN %	14.0	6.2	0.3	0.5	0.0	4.2	0.7	0.1	2.9	
AERIAL OBSERVATION	ESTIMATE	338	752	1154	1543	0	7	823	814	5431	
	% STD ERR	34.8	20.2	20.2	17.1	0.0	*	24.0	20.6	8.6	
	ROW %	6.2	13.8	21.2	28.4	0.0	0.1	15.2	15.0		
	COLUMN %	0.8	4.6	2.8	1.9	0.0	0.4	5.1	1.2	2.0	
OTHER WORK USE	ESTIMATE	307	315	287	363	0	23	25	101	1421	
	% STD ERR	30.4	31.7	28.8	35.3	0.0	*	*	45.3	14.7	
	ROW %	21.6	22.2	20.2	25.5	0.0	1.6	1.8	7.1		
	COLUMN %	0.7	1.9	0.7	0.4	0.0	1.4	0.2	0.1	0.5	
COMPUTER AIR CARRIER	ESTIMATE	0	6	28	414	0	0	42	805	1295	
	% STD ERR	0.0	*	*	25.8	0.0	0.0	*	14.4	12.0	
	ROW %	0.0	0.5	2.2	32.0	0.0	0.0	3.2	62.2		
	COLUMN %	0.0	0.0	0.1	0.5	0.0	0.0	0.3	1.2	0.5	

TABLE 2-24  
PRIMARY USE VS. HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

PAGE 2 OF 2

		1984								TOTALS
		1	2	3	4	5	6	7	8	
AIR TAXI	ESTIMATE	24	1613	86	1076	50	988	373	3247	7457
	% STD ERR	*	12.7	43.7	18.4	*	19.1	35.3	10.3	6.4
	ROW %	0.3	21.8	1.2	14.4	0.7	13.2	5.0	43.5	2.8
	COLUMN %	0.1	9.8	0.2	1.3	7.0	60.5	2.3	4.8	
OTHER USES	ESTIMATE	887	1180	624	500	29	69	239	1576	5105
	% STD ERR	20.3	17.7	27.7	21.2	*	*	42.5	14.1	8.1
	ROW %	17.4	23.1	12.2	9.8	0.6	1.4	4.7	30.9	
	COLUMN %	2.1	7.2	1.5	0.8	4.1	4.2	1.5	2.3	1.9
RENTAL	ESTIMATE	559	324	406	3494	168	0	1385	3096	9433
	% STD ERR	25.0	28.5	37.0	12.0	*	0.0	19.9	12.0	6.9
	ROW %	5.9	3.4	4.3	37.0	1.8	0.0	14.7	32.8	
	COLUMN %	1.3	2.0	1.0	4.3	23.6	0.0	8.5	4.5	3.5
INACTIVE	ESTIMATE	20451	2800	7236	4871	13	100	504	1892	37667
	% STD ERR	3.6	11.2	6.9	8.9	*	*	28.6	13.1	2.6
	ROW %	54.0	7.4	19.1	12.9	0.0	0.3	1.3	5.0	
	COLUMN %	47.9	17.0	17.8	6.0	1.8	6.1	3.1	2.8	14.2
TOTALS	ESTIMATE	42689	16431	40743	80802	712	1632	16280	68129	267429
	% STD ERR	1.9	4.0	2.7	1.7	25.2	14.6	5.1	1.6	
	ROW %	16.0	6.1	15.2	30.2	0.3	0.6	6.1	25.5	

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: VOR, ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR OR RNAV, DME

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-25

HOURS FLOWN VS. HIERARCHICAL CAPABILITY GROUPS

PAGE 1 OF 2

1984

	1	2	3	4	5	6	7	8	TOTALS
1 - 49 HOURS	10839 ESTIMATE 5.3 % STD ERR 17.8 ROW % 24.9 COLUMN %	5209 7.6 8.7 31.7	14423 5.1 24.2 35.4	20530 4.4 34.4 25.4	177 * 0.3 24.9	174 45.5 0.3 10.7	2425 13.4 4.1 14.9	6114 7.8 10.2 9.0	59691 2.2 22.3
50 - 99 HOURS	3984 ESTIMATE 9.1 % STD ERR 7.3 ROW % 9.3 COLUMN %	3093 10.4 5.7 18.8	9915 6.5 18.3 24.3	20575 4.4 38.0 25.5	199 47.9 0.4 27.9	212 35.9 0.4 13.0	3754 11.0 6.9 23.1	12387 5.6 22.9 18.2	54099 2.5 20.2
100 - 149 HOURS	1772 ESTIMATE 14.5 % STD ERR 4.9 ROW % 4.2 COLUMN %	1432 15.5 4.0 8.7	3196 11.3 8.8 7.8	13255 5.8 38.6 16.4	91 * 0.3 12.8	172 47.1 0.5 10.5	3144 12.1 8.7 19.3	13115 5.4 38.3 19.3	38177 3.2 13.5
150 - 199 HOURS	927 ESTIMATE 18.7 % STD ERR 5.1 ROW % 2.2 COLUMN %	645 23.1 3.8 3.9	1377 17.5 7.8 3.4	5763 8.8 31.9 7.1	1 * 0.0 0.1	63 * 0.3 3.9	1756 16.6 9.7 10.8	7556 6.9 41.8 11.1	18088 4.6 6.8
200 - 249 HOURS	1428 ESTIMATE 15.8 % STD ERR 8.8 ROW % 3.3 COLUMN %	786 22.1 4.8 4.8	917 22.7 5.6 2.3	4273 10.4 28.2 5.3	18 * 0.1 2.5	93 * 0.6 5.7	994 21.4 6.1 6.1	7802 7.0 47.8 11.5	18310 4.9 6.1
250 - 299 HOURS	435 ESTIMATE 24.4 % STD ERR 5.3 ROW % 1.0 COLUMN %	200 38.0 2.4 1.2	585 30.1 7.1 1.4	2224 14.7 28.9 2.8	125 * 1.5 17.6	76 * 0.9 4.7	730 27.4 8.8 4.5	3908 9.8 47.2 5.7	8283 7.1 3.1
300 - 349 HOURS	891 ESTIMATE 17.8 % STD ERR 9.1 ROW % 2.1 COLUMN %	478 28.5 4.9 2.9	828 24.2 8.4 2.0	2438 14.3 24.9 3.0	4 * 0.0 0.6	180 49.8 1.8 11.0	889 24.4 9.1 5.5	4076 9.5 41.7 6.0	9780 6.5 3.7
350 - 399 HOURS	489 ESTIMATE 26.1 % STD ERR 10.5 ROW % 1.1 COLUMN %	193 42.6 4.3 1.2	295 40.3 6.6 0.7	1028 22.0 22.9 1.3	0 0.0 0.0 0.0	67 * 1.5 4.1	219 48.9 4.9 1.3	2212 12.2 49.3 3.2	4483 9.2 1.7

TABLE 2-25

HOURS FLOWN VS. HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

PAGE 2 OF 2

1984

	1	2	3	4	5	6	7	8	TOTALS
400 - 449 HOURS	ESTIMATE	497	457	197	1639	57	329	2754	5948
	% STD ERR	27.2	28.2	*	17.0	*	40.2	11.8	8.3
	ROW %	8.4	7.7	3.3	27.6	0.3	5.5	48.3	2.2
450+ HOURS	ESTIMATE	1342	1220	1063	4751	468	1613	6209	16670
	% STD ERR	15.7	15.5	20.8	9.8	*	17.8	6.8	4.5
	ROW %	8.1	7.3	6.4	28.5	0.0	9.7	37.2	8.2
INACTIVE	ESTIMATE	20451	2800	7236	4871	100	504	1892	37887
	% STD ERR	3.6	11.2	6.9	8.9	*	28.8	13.1	2.6
	ROW %	54.0	7.4	19.1	12.9	0.3	1.3	5.0	14.2
TOTALS	ESTIMATE	42889	16431	40743	80802	1632	16280	68129	267429
	% STD ERR	1.9	4.0	2.7	1.7	25.2	5.1	1.8	2.6
	ROW %	16.0	6.1	15.2	30.2	0.3	6.1	25.5	14.2

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: VOR, ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS; 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR OR RNAV, DME

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-26  
AGE OF AIRCRAFT VS. HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 2

	1	2	3	4	5	6	7	8	TOTALS
0 - 4 YEARS	ESTIMATE	6951	4285	3133	6340	409	2839	17850	41827
	% STD ERR	7.1	8.8	12.7	8.2	31.4	13.3	4.1	2.7
	ROW %	18.6	10.2	7.5	15.2	1.0	6.8	42.2	15.6
5 - 9 YEARS	ESTIMATE	5923	2501	4984	19115	635	5485	22993	61830
	% STD ERR	7.4	11.3	9.7	4.5	24.4	9.3	3.8	2.2
	ROW %	9.6	4.0	8.0	30.9	1.0	8.9	37.2	23.1
10 - 14 YEARS	ESTIMATE	3592	2387	4079	12417	107	2428	9538	34843
	% STD ERR	10.1	12.8	10.9	5.9	48.8	14.1	6.1	3.3
	ROW %	10.4	6.9	11.8	35.8	0.3	7.0	27.5	13.0
15 - 19 YEARS	ESTIMATE	3494	1563	8221	18615	148	2210	10078	44330
	% STD ERR	11.3	15.8	7.5	4.6	37.4	14.2	5.4	2.7
	ROW %	7.9	3.5	18.5	42.0	0.3	5.0	22.7	16.6
20 - 24 YEARS	ESTIMATE	2438	946	3908	10580	128	1198	4795	24038
	% STD ERR	12.9	19.8	10.6	6.3	*	18.7	8.4	3.8
	ROW %	10.1	3.9	16.2	44.0	0.2	5.0	19.9	9.0
25 - 29 YEARS	ESTIMATE	1486	879	5208	7718	31	1328	1808	18555
	% STD ERR	15.1	20.5	8.5	6.7	*	18.8	14.1	4.1
	ROW %	8.1	4.7	28.1	41.6	0.2	7.1	9.7	6.9
30 - 34 YEARS	ESTIMATE	1203	637	3029	2559	0	232	659	8322
	% STD ERR	17.8	25.1	9.6	10.6	0.0	36.2	20.8	5.1
	ROW %	14.5	7.7	36.4	30.7	0.0	2.8	7.9	3.1
	ESTIMATE	2.8	3.9	7.4	3.2	0.0	1.4	1.0	

TABLE 2-26

AGE OF AIRCRAFT VS. HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

PAGE 2 OF 2

		1984								
		1	2	3	4	5	6	7	8	TOTALS
35+ YEARS	ESTIMATE	18772	3462	8397	3666	44	186	410	868	33808
	% STD ERR	2.9	8.7	4.4	8.4	*	44.1	29.1	17.0	1.4
	ROW %	49.6	10.2	24.8	10.8	0.1	0.6	1.2	2.6	
	COLUMN %	39.3	21.1	20.6	4.5	6.2	11.4	2.5	1.3	12.6
TOTALS	ESTIMATE	42689	16431	40743	80802	712	1632	16280	68129	267429
	% STD ERR	1.9	4.0	2.7	1.7	25.2	14.6	5.1	1.6	
	ROW %	16.0	6.1	15.2	30.2	0.3	0.6	6.1	25.5	

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: VOR, ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS, 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR OR RNAV, DME

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.



TABLE 2-27

COMPUTED AIRCRAFT TYPE VS. HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

1984

PAGE 2 OF 3

	1	2	3	4	5	6	7	8	TOTALS
FIXED WING - TURBOJET: 2 ENGINES	ESTIMATE	12	11	17	246	0	67	14	3575
	% STD ERR	*	*	*	28.3	0.0	45.8	*	2.2
	ROW %	0.3	0.3	0.4	8.2	0.0	1.7	0.4	90.7
	COLUMN %	0.0	0.1	0.0	0.3	0.0	4.1	0.1	5.2
OTHER	ESTIMATE	217	3	0	74	0	0	14	592
	% STD ERR	24.4	*	0.0	46.7	0.0	0.0	*	9.9
	ROW %	24.1	0.3	0.0	8.2	0.0	0.0	1.6	65.8
	COLUMN %	0.5	0.0	0.0	0.1	0.0	0.0	0.1	0.9
ROTORCRAFT: PISTON	ESTIMATE	2491	2259	393	257	0	71	26	20
	% STD ERR	8.3	7.5	20.7	29.9	0.0	*	*	*
	ROW %	45.2	41.0	7.1	4.7	0.0	1.3	0.5	0.4
	COLUMN %	5.8	13.7	1.0	0.3	0.0	4.4	0.2	0.0
TURBINE	ESTIMATE	250	1494	372	1313	3	51	401	891
	% STD ERR	27.1	11.8	28.4	12.7	*	*	27.2	16.4
	ROW %	5.2	31.3	7.8	27.5	0.1	1.1	8.4	18.7
	COLUMN %	0.6	9.1	0.8	1.6	0.4	3.1	2.5	1.3
OTHER AIRCRAFT	ESTIMATE	4307	3578	80	37	34	142	33	48
	% STD ERR	4.8	5.7	*	13.0	*	45.4	44.4	*
	ROW %	52.2	43.3	1.0	0.4	0.4	1.7	0.4	0.6
	COLUMN %	10.1	21.8	0.2	0.0	4.8	8.7	0.2	0.1

TABLE 2-27

COMPUTED AIRCRAFT TYPE VS. HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

ALL AIRCRAFT	ESTIMATE % STD ERR ROW %	1984							
		1	2	3	4	5	6	7	8
	42689	19431	40743	80802	712	1832	18280	68129	267429
	1.9	4.0	2.7	1.7	25.2	14.6	5.1	1.6	
	16.0	6.1	15.2	30.2	0.3	0.6	6.1	25.5	

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: VOR, ADF OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR OR RNAV, DME

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-28

BASE AIRPORT REGION VS. HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 2

	1	2	3	4	5	6	7	8	TOTALS
ALASKAN	ESTIMATE	687	1074	3760	2262	0	260	842	8904
	% STD ERR	24.1	17.0	9.8	12.2	0.0	41.9	20.0	6.0
	ROW %	7.7	12.1	42.2	25.4	0.0	2.8	9.5	
	COLUMN %	1.6	6.5	9.2	2.8	0.0	1.6	1.2	3.3
CENTRAL	ESTIMATE	3136	871	2116	5494	0	400	3675	15873
	% STD ERR	10.3	20.5	14.6	9.3	0.0	34.7	10.7	5.1
	ROW %	19.8	5.5	13.3	34.6	0.0	2.5	23.2	
	COLUMN %	7.3	5.3	5.2	6.8	0.0	2.5	5.4	5.9
EASTERN	ESTIMATE	4908	1201	4369	8336	67	2084	7797	28985
	% STD ERR	8.3	16.5	9.9	7.4	*	15.3	6.9	3.6
	ROW %	16.9	4.1	15.1	28.8	0.2	7.2	26.9	
	COLUMN %	11.5	7.3	10.7	10.3	9.4	12.8	11.4	10.8
EUROPEAN OFFICE	ESTIMATE	42	68	74	17	0	0	428	625
	% STD ERR	*	*	*	*	0.0	0.0	31.3	26.4
	ROW %	6.7	10.6	11.8	2.7	0.0	0.0	68.2	
	COLUMN %	0.1	0.4	0.2	0.0	0.0	0.0	0.6	0.2
GREAT LAKES	ESTIMATE	8939	2474	8808	14439	73	1863	10829	47638
	% STD ERR	6.0	12.3	6.9	5.5	*	16.5	6.0	2.7
	ROW %	18.8	5.2	18.5	30.3	0.2	3.9	22.7	
	COLUMN %	20.8	15.1	21.6	17.9	10.3	11.4	15.9	17.8
NEW ENGLAND	ESTIMATE	1571	589	1770	2492	4	1059	2364	9929
	% STD ERR	15.0	21.1	16.2	13.5	*	22.8	13.0	6.5
	ROW %	15.8	5.9	17.8	25.1	0.0	10.7	23.8	
	COLUMN %	3.7	3.6	4.3	3.1	0.6	6.5	3.5	3.7
NORTHWEST MOUNTAIN	ESTIMATE	4371	2299	4892	8866	66	1525	6313	28562
	% STD ERR	9.2	12.3	9.5	7.1	*	17.4	8.0	3.7
	ROW %	15.3	8.0	17.1	31.0	0.2	5.3	22.1	
	COLUMN %	10.2	14.0	12.0	11.0	9.3	9.4	9.3	10.7
SOUTHERN	ESTIMATE	5559	1829	5171	12626	133	2720	11590	39844
	% STD ERR	7.9	14.5	9.4	6.0	*	13.6	5.5	3.1
	ROW %	14.0	4.6	13.0	31.7	0.3	6.8	29.1	
	COLUMN %	13.0	11.1	12.7	15.6	18.7	16.7	17.0	14.9

TABLE 2-28  
 BASE AIRPORT REGION VS. HIERARCHICAL CAPABILITY GROUPS  
 (CONTINUED)

		1984								PAGE 2 OF 2	
		1	2	3	4	5	6	7	8	TOTALS	
SOUTHWESTERN	ESTIMATE	6707	2512	4750	11794	195	247	1737	12708	40647	
	% STD ERR	7.0	11.4	9.5	6.1	*	36.2	15.5	5.3	3.0	
	ROW %	16.5	8.2	11.7	29.0	0.5	0.6	4.3	31.3	15.2	
	COLUMN %	15.7	15.3	11.7	14.6	27.4	15.1	10.7	18.6	15.2	
WESTERN-PACIFIC	ESTIMATE	6495	3053	5173	14778	209	161	4210	12298	46376	
	% STD ERR	7.0	10.5	8.8	5.4	48.5	42.9	10.8	5.5	2.8	
	ROW %	14.0	6.6	11.2	31.9	0.5	0.3	9.1	26.5	17.3	
	COLUMN %	15.2	18.6	12.7	18.3	29.4	9.9	25.9	18.1	17.3	
TOTALS	ESTIMATE	42889	16431	40743	80802	712	1632	18280	68128	267429	
	% STD ERR	1.9	4.0	2.7	1.7	25.2	14.6	5.1	1.6		
	ROW %	16.0	6.1	15.2	30.2	0.3	0.6	8.1	25.5		
	COLUMN %										

HIERARCHICAL CAPABILITY GROUPS KEY

- 1 - NO REGULATORY AVIONICS
- 2 - TWO-WAY COMMUNICATIONS, AIR TAXIS: VOR, ADF OR RNAV
- 3 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, VOR OR RNAV
- 4 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, VOR OR RNAV
- 5 - 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 6 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT
- 7 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR OR RNAV, DME
- 8 - TWO-WAY COMMUNICATIONS, TWO SYSTEMS, AIR TAXIS: 4096 CODE TRANSPONDER, ALTITUDE ENCODING EQUIPMENT, VOR OR RNAV, DME

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-29

## PRIMARY USE VS. NON-HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 2

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
EXECUTIVE	ESTIMATE	275	325	5981	9329	4663	9581	319	110	895	17071
	% STD ERR	39.4	36.4	7.6	3.7	5.7	3.6	28.8	44.2	20.4	3.4
	ROW % COLUMN %	1.6 1.6	1.9 3.2	35.0 6.1	54.6 45.8	27.3 20.0	58.1 45.0	1.9 15.3	1.7 17.8	0.6 19.9	5.1 0.7
BUSINESS	ESTIMATE	1401	2230	31889	5351	6440	5430	495	16	6984	48398
	% STD ERR	17.0	14.5	3.1	7.4	7.6	7.3	29.7	*	7.4	2.4
	ROW % COLUMN %	2.9 8.4	4.6 21.9	65.9 32.6	11.1 26.3	13.3 27.6	11.2 25.5	1.0 23.8	1.0 28.8	0.0 2.9	14.4 5.9
PERSONAL	ESTIMATE	8785	5593	38010	1941	7236	2126	838	267	54505	110825
	% STD ERR	7.0	8.9	2.9	14.0	7.7	13.7	24.3	41.2	2.0	1.3
	ROW % COLUMN %	7.9 52.4	5.1 54.8	34.4 38.9	1.8 9.5	6.5 31.0	1.9 10.0	0.8 40.3	0.6 39.5	0.2 48.3	49.3 46.3
INSTRUCTIONAL	ESTIMATE	2750	563	4769	243	648	245	165	104	7365	15913
	% STD ERR	13.1	31.9	10.3	34.8	23.9	34.6	48.6	44.9	7.7	5.1
	ROW % COLUMN %	17.3 16.4	3.5 5.5	30.0 4.9	1.5 1.2	4.1 2.8	1.5 1.1	1.0 7.9	0.7 6.3	0.6 18.1	46.3 6.3
AERIAL APPLICATIONS	ESTIMATE	73	3	374	74	367	80	41	36	7075	7805
	% STD ERR	*	*	26.8	*	31.7	*	*	*	3.0	3.3
	ROW % COLUMN %	0.9 0.4	0.0 0.0	4.8 0.4	0.9 0.4	4.7 1.6	1.0 0.4	0.5 2.0	0.5 2.2	0.5 6.5	90.6 6.0
AERIAL OBSERVATION	ESTIMATE	662	246	1723	174	621	230	18	2	2558	5431
	% STD ERR	24.5	37.5	16.3	43.9	23.5	37.7	*	0.0	12.7	8.6
	ROW % COLUMN %	12.2 4.0	4.5 2.4	31.7 1.8	3.2 0.9	11.4 2.7	4.2 1.1	0.3 0.9	0.0 0.0	0.0 0.4	47.1 2.2
OTHER WORK USE	ESTIMATE	55	58	133	53	37	82	1	0	1119	1421
	% STD ERR	49.9	*	*	*	*	48.5	*	0.0	16.4	14.7
	ROW % COLUMN %	3.9 0.3	4.1 0.6	9.4 0.1	3.7 0.3	2.6 0.2	5.8 0.4	0.1 0.0	0.0 0.0	0.0 0.0	78.7 0.9
COMPUTER AIR CARRIER	ESTIMATE	60	0	848	338	36	338	3	0	49	1295
	% STD ERR	*	0.0	15.6	22.5	32.4	22.5	*	0.0	*	12.0
	ROW % COLUMN %	4.6 0.4	0.0 0.0	65.5 0.9	26.1 1.7	2.8 0.2	26.1 1.6	0.2 0.1	0.2 0.2	0.0 0.0	3.8 0.0

TABLE 2-29

PRIMARY USE VS. NON-HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

1984

PAGE 2 OF 2

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
<b>AIR TAXI</b>											
ESTIMATE	244	214	3928	1381	1299	1534	35	35	17	1070	7457
% STD ERR	34.1	45.7	9.7	13.9	18.2	13.6	*	*	45.2	15.8	6.4
ROW %	3.3	2.9	52.7	18.3	17.4	20.6	0.5	0.5	0.2	14.3	
COLUMN %	1.5	2.1	4.0	6.7	5.6	7.2	1.7	2.1	3.1	0.9	2.8
<b>OTHER USES</b>											
ESTIMATE	213	15	1012	717	849	767	8	1	1	3016	5105
% STD ERR	38.2	*	19.4	18.1	17.9	18.1	*	*	*	10.9	8.1
ROW %	4.2	0.3	19.8	14.0	16.6	15.0	0.2	0.0	0.0	59.1	
COLUMN %	1.3	0.1	1.0	3.5	3.6	3.6	0.4	0.1	0.2	2.6	1.9
<b>RENTAL</b>											
ESTIMATE	805	211	5888	258	477	261	15	12	0	2394	9433
% STD ERR	28.8	*	9.1	38.0	31.0	37.7	*	*	0.0	13.7	6.9
ROW %	8.5	2.2	60.3	2.7	5.1	2.8	0.2	0.1	0.0	25.4	
COLUMN %	4.8	2.1	5.8	1.3	2.0	1.2	0.7	0.7	0.0	2.0	3.5
<b>INACTIVE</b>											
ESTIMATE	1603	775	3791	591	613	712	185	46	1	30586	37867
% STD ERR	16.5	23.9	9.8	20.9	24.8	19.4	*	*	*	2.9	2.6
ROW %	4.2	2.0	10.0	1.6	1.6	1.9	0.4	0.1	0.0	80.8	
COLUMN %	9.6	7.6	3.9	2.9	2.6	3.3	7.9	2.8	0.2	26.0	14.2
<b>TOTALS</b>											
ESTIMATE	16728	10202	97796	20366	23337	21307	2064	1662	553	117805	267429
% STD ERR	4.9	6.5	1.3	2.7	3.6	2.7	13.9	15.3	24.3	1.0	
ROW %	6.3	3.8	36.6	7.8	8.7	8.0	0.8	0.6	0.2	44.1	

NON-HIERARCHICAL CAPABILITY GROUPS KEY

- GS - GLIDE SLOPE
- L - LOCALIZER
- LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
- MB - MARKER BEACON
- ML - MICROWAVE LANDING SYSTEM
- RA - RADAR ALTIMETER
- NO - NO REGULATORY AVIONICS

\* - % STANDARD ERROR GREATER THAN 50%  
NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-30

HOURS FLOWN VS. NON-HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 2

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
1 - 49 HOURS	4614	2878	14408	1372	2055	1552	355	258	85	35814	59891
ESTIMATE	9.6	12.5	5.3	14.0	13.6	13.9	31.8	36.5	*	2.9	2.2
% STD ERR	7.7	4.8	24.1	2.3	3.4	2.6	0.6	0.4	0.2	59.7	22.3
ROW %	27.6	28.2	14.7	6.7	8.8	7.3	17.0	15.4	17.2	30.2	22.3
COLUMN %											
50 - 99 HOURS	3762	2922	22027	2235	4985	2305	499	321	206	22178	54099
ESTIMATE	10.7	12.2	4.2	12.6	8.9	12.4	31.0	37.1	42.9	4.1	2.5
% STD ERR	7.0	5.4	40.7	4.1	9.2	4.3	0.9	0.8	0.4	41.0	20.2
ROW %	22.5	28.6	22.5	11.0	21.4	10.8	23.9	19.3	37.3	18.8	20.2
COLUMN %											
100 - 149 HOURS	1898	1687	20132	2583	4085	2642	404	401	70	9453	36177
ESTIMATE	16.2	17.1	4.4	11.1	9.7	10.9	33.6	33.8	*	6.5	3.2
% STD ERR	5.2	4.7	55.6	7.1	11.3	7.3	1.1	1.1	0.2	26.1	13.5
ROW %	11.3	16.5	20.8	12.7	17.5	12.4	19.4	24.1	12.7	8.0	13.5
COLUMN %											
150 - 199 HOURS	709	571	9958	2187	2188	2202	125	122	10	4388	18088
ESTIMATE	26.8	28.6	6.4	11.4	13.3	11.3	*	*	*	9.6	4.6
% STD ERR	3.9	3.2	55.0	12.1	12.1	12.2	0.7	0.7	0.1	24.3	6.8
ROW %	4.2	5.6	10.2	10.7	9.4	10.3	6.0	7.3	1.8	3.7	6.8
COLUMN %											
200 - 249 HOURS	709	331	8484	2671	2200	2671	251	246	52	3751	16310
ESTIMATE	25.5	40.3	7.2	10.4	13.2	10.4	43.3	44.0	*	10.4	4.9
% STD ERR	4.3	2.0	52.0	18.4	13.5	16.4	1.5	1.5	0.3	23.0	6.1
ROW %	4.2	3.2	8.7	13.1	9.4	12.5	12.0	14.8	8.4	3.2	6.1
COLUMN %											
250 - 299 HOURS	664	128	4494	1517	1331	1550	18	18	0	1343	8283
ESTIMATE	27.3	*	10.1	13.3	16.5	13.1	*	*	0.0	17.5	7.1
% STD ERR	8.0	1.5	54.3	18.3	16.1	18.7	0.2	0.2	0.0	16.2	3.1
ROW %	4.0	1.3	4.6	7.4	5.7	7.3	0.9	1.1	0.0	1.1	3.1
COLUMN %											
300 - 349 HOURS	587	287	4403	1855	1420	1861	120	117	20	2453	9780
ESTIMATE	29.8	45.6	10.3	12.0	14.6	12.0	*	*	*	12.6	6.5
% STD ERR	5.8	2.9	45.0	19.0	14.5	19.0	1.2	1.2	0.2	25.1	3.7
ROW %	3.4	2.8	4.5	9.1	6.1	8.7	5.8	7.0	3.6	2.1	3.7
COLUMN %											
350 - 399 HOURS	471	219	1779	1089	743	1132	8	3	0	871	4483
ESTIMATE	34.0	*	15.6	14.8	17.7	14.4	*	*	0.0	20.0	9.2
% STD ERR	10.5	4.9	39.7	24.3	16.6	25.3	0.2	0.1	0.0	19.4	1.7
ROW %	2.8	2.1	1.8	5.3	3.2	5.3	0.4	0.2	0.0	0.7	1.7
COLUMN %											

TABLE 2-30

HOURS FLOWN VS. NON-HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

1984

PAGE 2 OF 2

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
400 - 449 HOURS	470	2	2519	1292	848	1407	85	82	80	1586	5948
ESTIMATE	30.4	*	13.8	14.7	19.0	14.5	*	*	*	18.4	8.3
% STD ERR	7.9	0.0	42.4	21.7	14.3	23.7	1.4	1.4	1.3	26.7	
ROW %	2.8	0.0	2.6	6.3	3.6	6.6	4.1	4.9	14.5	1.3	2.2
COLUMN %											
450+ HOURS	1414	426	6086	3042	2801	3356	74	58	16	5088	16870
ESTIMATE	18.4	32.7	8.2	7.7	9.9	7.6	42.4	47.5	*	8.9	4.5
% STD ERR	8.5	2.6	36.4	18.2	18.8	20.1	0.4	0.3	0.1	30.4	
ROW %	8.5	4.2	6.2	14.9	12.0	15.8	3.6	3.5	2.9	4.3	6.2
COLUMN %											
INACTIVE	1603	775	3791	591	613	712	165	46	1	30586	37867
ESTIMATE	16.5	23.9	9.8	20.9	24.8	19.4	*	*	*	2.9	2.6
% STD ERR	4.2	2.0	10.0	1.6	1.6	1.9	0.4	0.1	0.0	80.8	
ROW %	9.6	7.6	3.9	2.9	2.6	3.3	7.9	2.8	0.2	26.0	14.2
COLUMN %											
TOTALS	16728	10202	97796	20366	23337	21307	2084	1662	553	117805	267429
ESTIMATE	4.9	6.5	1.3	2.7	3.6	2.7	13.9	15.3	24.3	1.0	
% STD ERR	6.3	3.8	36.6	7.6	8.7	8.0	0.8	0.6	0.2	44.1	
ROW %											

NON-HIERARCHICAL CAPABILITY GROUPS KEY

- GS - GLIDE SLOPE
- L - LOCALIZER
- LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
- MB - MARKER BEACON
- ML - MICROWAVE LANDING SYSTEM
- RA - RADAR ALTIMETER
- NO - NO REGULATORY AVIONICS

\* - % STANDARD ERROR GREATER THAN 50%  
NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-31

## AGE OF AIRCRAFT VS. NON-HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 2

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
0 - 4 YEARS	ESTIMATE	2453	14789	7649	6425	7988	222	204	43	15160	41827
	% STD ERR	14.3	5.2	4.8	6.5	4.7	34.3	35.9	48.9	4.6	2.7
	ROW %	5.9	35.4	18.3	15.4	19.0	0.5	0.5	0.1	36.2	0.1
	COLUMN %	14.7	6.7	15.1	27.5	37.4	10.7	12.3	7.8	12.9	15.6
5 - 9 YEARS	ESTIMATE	3788	30493	6082	5899	8289	634	552	153	19240	61830
	% STD ERR	11.1	19.5	3.4	8.1	6.9	27.0	28.9	47.2	4.3	2.2
	ROW %	6.1	2.2	49.3	9.2	10.2	1.0	0.9	0.2	31.1	0.2
	COLUMN %	22.5	13.4	31.2	24.4	29.5	30.4	33.2	27.7	16.3	23.1
10 - 14 YEARS	ESTIMATE	2251	14973	2695	2634	2793	472	459	106	12829	34643
	% STD ERR	14.7	17.7	5.2	11.6	10.0	30.4	30.9	*	5.5	3.3
	ROW %	6.5	4.3	43.2	8.2	8.1	1.4	1.3	0.3	37.0	0.3
	COLUMN %	13.5	14.7	15.3	12.1	13.1	22.6	27.6	19.2	10.9	13.0
15 - 19 YEARS	ESTIMATE	2380	18577	2411	4049	2485	183	128	1	17616	44330
	% STD ERR	14.3	13.4	9.9	9.9	9.9	48.5	*	*	4.8	2.7
	ROW %	5.4	5.9	41.9	9.1	5.8	0.4	0.3	0.0	39.7	0.0
	COLUMN %	14.2	25.8	19.0	17.4	11.7	8.8	7.7	0.2	15.0	16.6
20 - 24 YEARS	ESTIMATE	1784	10383	700	1835	818	156	70	80	9371	24038
	% STD ERR	15.6	17.1	5.8	14.1	19.1	*	*	*	6.7	3.8
	ROW %	7.4	6.3	43.2	7.6	3.4	0.6	0.3	0.3	39.0	0.3
	COLUMN %	10.7	14.8	10.6	7.9	3.8	7.5	4.2	14.5	8.0	9.0
25 - 29 YEARS	ESTIMATE	2003	5680	286	1215	368	156	57	0	8862	18555
	% STD ERR	14.3	18.4	7.8	17.3	30.2	*	*	0.0	8.2	4.1
	ROW %	10.8	6.9	30.6	6.5	2.0	0.8	0.3	0.0	47.8	0.0
	COLUMN %	12.0	12.6	5.8	5.2	1.7	7.5	3.4	0.0	7.5	6.9
30 - 34 YEARS	ESTIMATE	594	1330	117	251	124	44	44	0	5560	8322
	% STD ERR	22.5	25.6	14.4	27.8	46.9	*	*	0.0	6.9	5.1
	ROW %	7.1	7.6	16.0	3.0	1.5	0.5	0.5	0.0	66.8	0.0
	COLUMN %	3.6	6.2	1.4	1.1	0.6	2.1	2.6	0.0	4.7	3.1

TABLE 2-31

AGE OF AIRCRAFT VS. NON-HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

	1984										PAGE 2 OF 2	
	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP		ALL CRAFT
35+ YEARS												
ESTIMATE	1663	622	1705	298	1036	301	243	163	166	28939	33806	
% STD ERR	13.3	22.2	12.2	27.7	16.8	27.5	34.1	39.6	39.1	1.6	1.4	
ROW %	4.9	1.8	5.0	0.9	3.1	0.9	0.7	0.5	0.5	85.6	12.6	
COLUMN %	9.9	6.1	1.7	1.5	4.4	1.4	11.7	9.8	30.0	24.6		
TOTALS												
ESTIMATE	16728	10202	97796	20366	23337	21307	2084	1662	553	117805	267429	
% STD ERR	4.9	6.5	1.3	2.7	3.6	2.7	13.9	15.3	24.3	1.0		
ROW %	6.3	3.8	36.6	7.6	8.7	8.0	0.8	0.6	0.2	44.1		

NON-HIERARCHICAL CAPABILITY GROUPS KEY

- GS - GLIDE SLOPE
- L - LOCALIZER
- LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
- MB - MARKER BEACON
- ML - MICROWAVE LANDING SYSTEM
- RA - RADAR ALTIMETER
- NO - NO REGULATORY AVIONICS

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEEDURES.

TABLE 2-32

## COMPUTED AIRCRAFT TYPE VS. NON-HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 3

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, MI.	NO GROUP	ALL CRAFT
<b>FIXED WING - PISTON:</b>											
<b>SINGLE ENGINE</b>	7728	1845	4977	96	2159	110	255	91	89	70614	86531
% STD ERR	7.3	16.1	9.2	*	14.5	*	40.0	*	*	1.0	0.0
ROW %	8.9	2.1	5.8	0.1	2.5	0.1	0.3	0.1	0.1	81.8	
COLUMN %	46.2	18.1	5.1	0.5	9.3	0.5	12.2	5.5	16.1	50.1	32.4
<b>SINGLE ENGINE</b>	7846	7820	71983	3014	10620	3275	1177	52.3	262	29889	121332
% STD ERR	7.2	7.5	1.5	11.9	6.1	11.5	20.2	22.3	38.6	3.0	0.0
ROW %	6.3	6.2	59.0	2.5	8.7	2.7	1.0	0.9	0.2	24.5	
COLUMN %	45.7	74.7	73.6	14.8	45.5	15.4	56.5	57.0	47.4	25.4	45.6
<b>TWO ENGINES</b>	142	414	13537	4012	2204	4063	274	267	57	798	18929
% STD ERR	43.9	26.5	2.4	7.3	10.9	7.2	35.0	35.0	*	15.9	0.0
ROW %	0.8	2.2	71.5	21.2	11.6	21.5	1.4	1.4	0.3	4.2	
COLUMN %	0.8	4.1	13.8	19.7	9.4	19.1	13.1	16.1	10.3	0.7	7.1
<b>TWO ENGINES</b>	549	137	5284	3580	1800	3683	83	82	10	452	10177
% STD ERR	31.1	*	5.4	6.4	14.1	6.1	*	*	*	31.5	0.0
ROW %	5.4	1.3	51.9	35.2	15.7	36.0	0.8	0.8	0.1	4.4	
COLUMN %	3.3	1.3	5.4	17.6	6.9	17.2	4.0	4.9	1.8	0.4	3.8
<b>OTHER</b>	0	1	285	32	23	32	0	0	0	72	392
% STD ERR	0.0	*	15.0	*	*	*	0.0	0.0	0.0	*	0.0
ROW %	0.0	0.3	72.7	8.2	5.9	8.2	0.0	0.0	0.0	18.4	
COLUMN %	0.0	0.0	0.3	0.2	0.1	0.2	0.0	0.0	0.0	0.1	0.1
<b>FIXED WING -</b>	9	76	664	4350	1311	4443	137	137	10	13	5131
<b>TURBOPROP:</b>	*	*	16.4	2.7	10.8	2.5	39.5	39.5	*	*	0.0
% STD ERR	0.2	1.5	12.9	84.8	25.6	86.6	2.7	2.7	0.2	0.3	0.0
ROW %	0.1	0.7	0.7	21.4	5.6	20.9	6.6	8.2	1.8	0.0	1.9
COLUMN %											
<b>2 ENGINES</b>	0	25	296	362	129	387	5	5	0	7	681
% STD ERR	0.0	*	13.8	11.9	29.3	10.6	*	*	0.0	*	0.0
ROW %	0.0	3.8	42.8	52.4	18.7	58.0	0.7	0.7	0.0	1.0	0.0
COLUMN %	0.0	0.2	0.3	1.8	0.6	1.8	0.2	0.3	0.0	0.0	0.3
<b>13+ SEATS</b>	0	0	49	63	49	63	0	0	0	82	195
% STD ERR	0.0	0.0	37.2	30.5	39.8	30.5	0.0	0.0	0.0	12.6	0.0
ROW %	0.0	0.0	25.1	32.3	25.1	32.3	0.0	0.0	0.0	42.1	0.0
COLUMN %	0.0	0.0	0.1	0.3	0.2	0.3	0.0	0.0	0.0	0.1	0.1

COMPUTED AIRCRAFT TYPE VS. NON-HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

1984

	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
FIXED WING - TURBOJET: 2 ENGINES	ESTIMATE	0	16	181	3721	2784	3741	90	80	21	3942
	% STD ERR	0.0	*	26.7	1.4	4.1	1.4	32.2	33.4	*	0.0
	ROW %	0.0	0.4	4.6	94.4	70.9	94.9	2.3	2.0	0.5	0.0
	COLUMN %	0.0	0.2	0.2	18.3	12.0	17.8	4.3	14.5	0.0	1.5
OTHER	ESTIMATE	5	0	74	552	484	552	0	0	289	900
	% STD ERR	*	0.0	49.2	10.3	9.6	10.3	0.0	0.0	21.1	0.0
	ROW %	0.6	0.0	8.2	81.3	53.8	61.3	0.0	0.0	29.9	0.3
	COLUMN %	0.0	0.0	0.1	2.7	2.1	2.6	0.0	0.0	0.2	0.3
ROTORCRAFT: PISTON	ESTIMATE	43	0	62	0	250	3	4	0	5185	5516
	% STD ERR	*	0.0	*	0.0	28.9	*	*	0.0	1.7	0.0
	ROW %	0.8	0.0	1.1	0.0	4.5	0.1	0.1	0.0	94.0	0.0
	COLUMN %	0.3	0.0	0.1	0.0	1.1	0.0	0.2	0.0	4.4	2.1
TURBINE	ESTIMATE	573	67	401	543	1654	922	13	3	2053	4774
	% STD ERR	23.4	*	27.8	18.8	11.0	15.1	*	*	8.8	0.0
	ROW %	12.0	1.4	8.4	11.4	34.6	19.3	0.3	0.1	43.0	0.0
	COLUMN %	3.4	0.7	0.4	2.7	7.1	4.3	0.6	0.5	1.7	1.8
OTHER AIRCRAFT	ESTIMATE	32	0	3	42	59	54	45	42	8149	8258
	% STD ERR	44.2	0.0	*	*	*	*	*	*	0.5	0.0
	ROW %	0.4	0.0	0.0	0.5	0.7	0.7	0.5	0.5	98.7	0.0
	COLUMN %	0.2	0.0	0.0	0.2	0.3	0.3	2.2	7.6	8.9	3.1

TABLE 2-32

COMPUTED AIRCRAFT TYPE VS. NON-HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

	1984										NO GROUP	ALL CRAFT
	L	L, MB	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML			
ALL AIRCRAFT	18728	10202	97798	20368	23337	21307	2084	1882	553	117805	287429	
ESTIMATE	4.9	6.5	1.3	2.7	3.6	2.7	13.9	15.3	24.3	1.0		
% STD ERR	6.3	3.8	36.6	7.6	8.7	8.0	0.8	0.8	0.2	44.1		

PAGE 3 OF 3

NON-HIERARCHICAL CAPABILITY GROUPS KEY

- GS - GLIDE SLOPE
- L - LOCALIZER
- LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
- MB - MARKER BEACON
- ML - MICROWAVE LANDING SYSTEM
- RA - RADAR ALTIMETER
- NO - NO REGULATORY AVIONICS

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

TABLE 2-33

BASE AIRPORT REGION VS. NON-HIERARCHICAL CAPABILITY GROUPS

1984

PAGE 1 OF 2

	L	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT
ALASKAN	ESTIMATE	514	1837	426	911	495	172	159	5445	8904
	% STD ERR	21.6	37.1	24.0	19.5	23.7	38.8	41.2	7.9	6.0
	ROW %	5.8	3.0	4.8	10.2	5.6	1.8	1.8	61.2	3.3
	COLUMN %	3.1	2.7	2.1	3.9	2.3	8.3	28.8	4.6	
CENTRAL	ESTIMATE	677	587	1231	911	1238	8	2	7471	15873
	% STD ERR	28.9	28.2	16.1	18.9	16.0	*	0.0	7.2	5.1
	ROW %	4.3	3.7	7.8	5.7	7.8	0.1	0.0	47.1	5.9
	COLUMN %	4.0	5.8	6.0	3.9	5.8	0.4	0.1	6.3	
EASTERN	ESTIMATE	1988	1146	2374	2948	2476	385	216	12121	28985
	% STD ERR	15.6	19.8	10.4	11.2	10.3	35.2	40.8	5.6	3.6
	ROW %	6.9	4.0	8.2	10.2	8.5	1.3	0.7	41.8	10.8
	COLUMN %	11.9	11.2	11.7	12.6	11.6	17.5	13.0	10.3	
EUROPEAN OFFICE	ESTIMATE	3	0	163	154	163	0	0	176	625
	% STD ERR	*	0.0	34.6	40.7	34.6	0.0	0.0	*	26.4
	ROW %	0.5	0.0	28.1	24.8	26.1	0.0	0.0	28.2	0.2
	COLUMN %	0.0	0.0	0.8	0.7	0.8	0.0	0.0	0.1	
GREAT LAKES	ESTIMATE	3193	2099	3389	3453	3445	303	281	22558	47638
	% STD ERR	12.0	15.3	9.3	10.5	9.1	37.1	39.4	4.0	2.7
	ROW %	8.7	4.4	7.1	7.2	7.2	0.6	0.6	47.3	17.8
	COLUMN %	19.1	20.6	16.6	14.8	16.2	14.5	16.9	19.1	
NEW ENGLAND	ESTIMATE	759	419	660	921	677	51	31	4319	9929
	% STD ERR	24.7	32.2	23.4	19.7	23.1	*	*	9.8	6.5
	ROW %	7.6	4.2	6.6	9.3	6.8	0.5	0.3	43.5	3.7
	COLUMN %	4.5	4.1	3.2	3.9	3.2	2.4	1.9	3.7	
NORTHWEST MOUNTAIN	ESTIMATE	1500	9794	1723	2497	1758	180	108	14063	28562
	% STD ERR	17.1	25.2	13.6	12.6	13.4	*	*	5.2	3.7
	ROW %	5.3	2.6	6.0	8.7	6.2	0.6	0.4	49.2	10.7
	COLUMN %	9.0	7.4	8.5	10.7	8.3	8.6	6.5	11.9	
SOUTHERN	ESTIMATE	2499	1717	4054	4010	4120	338	252	15070	39844
	% STD ERR	14.4	17.0	8.2	9.6	8.1	36.3	39.4	5.1	3.1
	ROW %	6.3	39.7	10.2	10.1	10.3	0.5	0.6	37.8	14.9
	COLUMN %	14.8	16.8	19.9	17.2	19.3	16.2	15.2	12.6	

TABLE 2-33

BASE AIRPORT REGION VS. NON-HIERARCHICAL CAPABILITY GROUPS  
(CONTINUED)

	1984											PAGE 2 OF 2
	L	L, MB, GS	L, MB, GS, RA	LRN	RA	ML	L, MB, GS, ML	LRN, ML	NO GROUP	ALL CRAFT		
<b>SOUTHWESTERN</b>												
ESTIMATE	2338	1041	15194	4234	4166	4503	325	323	87	16863	40847	
% STD ERR	14.1	21.3	5.2	7.6	8.8	7.5	37.0	37.2	*	4.7	3.0	
ROW %	5.7	2.6	37.4	10.4	10.2	11.1	0.8	0.8	0.2	41.5	15.2	
COLUMN %	14.0	10.2	15.5	20.8	17.9	21.1	15.6	19.4	15.7	14.3	15.2	
<b>WESTERN-PACIFIC</b>												
ESTIMATE	3244	1870	18879	2483	3101	2763	340	270	49	19404	46376	
% STD ERR	12.1	16.2	4.6	10.6	11.6	10.2	38.7	45.6	*	4.3	2.8	
ROW %	7.0	4.0	40.7	5.4	6.7	6.0	0.7	0.6	0.1	41.8	17.3	
COLUMN %	19.4	18.3	19.3	12.2	13.3	13.0	16.3	16.2	8.9	16.5	17.3	
<b>TOTALS</b>												
ESTIMATE	16728	10202	97798	20368	23337	21307	2084	1662	553	117805	267429	
% STD ERR	4.9	6.5	1.3	2.7	3.6	2.7	13.9	15.3	24.3	1.0	44.1	
ROW %	6.3	3.8	36.6	7.6	8.7	8.0	0.8	0.6	0.2	44.1	17.3	

NON-HIERARCHICAL CAPABILITY GROUPS KEY

- GS - GLIDE SLOPE
- L - LOCALIZER
- LRN - LONG RANGE NAVIGATION - INCLUDES LORAN-C, OMEGA
- MB - MARKER BEACON
- ML - MICROWAVE LANDING SYSTEM
- RA - RADAR ALTIMETER
- NO - NO REGULATORY AVIONICS

\* - % STANDARD ERROR GREATER THAN 50%

NOTE: ROWS AND COLUMNS MAY NOT SUM TO PRINTED TOTALS DUE TO ESTIMATION PROCEDURES.

## APPENDIX A.1: FIRST MAILING COVER LETTER



US Department  
of Transportation

**Federal Aviation  
Administration**

800 Independence Ave., S.W.  
Washington, D.C. 20591

April 1985

Dear Aircraft Owner:

Enclosed is the annual General Aviation Activity and Avionics Survey for calendar year 1984. Data collected in the survey will be used for performing safety analyses, for determining the demand for air traffic facilities and services, and for assessing the impact of proposed regulatory changes on the general aviation fleet.

The survey of a statistical sample of around 10 percent of all general aviation aircraft is being mailed to owners. Because the sample is random it is possible that more than one of your aircraft may be selected or that your aircraft may be selected in successive years. This may happen in particular when there are a small number of aircraft of the type that you own. When more than one of your aircraft are selected, you will find a separate questionnaire provided for each aircraft. Please answer all questions for the aircraft identified. If you cannot determine precisely an answer to a question, please make your best estimate.

If your aircraft was not in use during the year (e.g., in storage, dismantled, destroyed, exported, etc.) please check item 5, indicating the aircraft was not flown. If the aircraft was sold prior to January 1984, it would be quite helpful if you would write a note indicating this on the survey questionnaire. If your aircraft is operated principally by another (leased, etc.), please obtain the necessary information from the operator or forward these materials to that person or firm for completion.

Please return this questionnaire in the enclosed self-addressed postpaid envelope within 10 days. Because the survey is based on a sample of general aviation aircraft, your response is especially important to the accuracy of the results. A prompt response will eliminate the need for additional follow-up contacts. A high response rate will ensure the continued use of sampling methods to collect activity and avionics data.

The data gathered from this survey will be used only to produce summary statistics and not to disclose individual operations on your aircraft. We appreciate your cooperation.

Sincerely,

Lawrence Kelly  
Manager, Management Standards  
and Statistics Division, AMS-400

Enclosure

APPENDIX A.2: SECOND MAILING COVER LETTER



U.S. Department  
of Transportation  
**Federal Aviation  
Administration**

800 Independence Ave. S.W.  
Washington, D.C. 20591

May 1985

Dear Aircraft Owner:

In April the Federal Aviation Administration sent aircraft owners a questionnaire as part of its program to gather statistical information on the use and characteristics of the general aviation fleet.

You were one of the aircraft owners selected at random to receive a questionnaire. As of this date, we have not received a response from you. In the event the survey questionnaire has been lost or misplaced, another copy is enclosed for your convenience in responding. If you have already responded, please disregard this notice. We appreciate your cooperation.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lawrence Kelly".

Lawrence Kelly  
Manager, Management Standards  
and Statistics Division, AMS-400

Enclosure

## APPENDIX A.3: SURVEY QUESTIONNAIRE

<b>1. CONTROL NUMBER</b>	<b>GENERAL AVIATION ACTIVITY AND AVIONICS SURVEY (As of December 31, 1984)</b>	Form Approved OMB NO. 2120-0060
U.S. Department of Transportation <b>Federal Aviation Administration</b>		
<p>This report is authorized by Section 311 of the Federal Aviation Act of 1958, as amended. While you are not required to respond, your cooperation is needed to make the results of this survey comprehensive, accurate and timely. Information collected in this survey will be used for statistical purposes only and not to disclose individual aircraft activity.</p>		
<p>2. <input type="checkbox"/> "X" here if you operate your aircraft principally as an air carrier (under FAR 121 or 127). If so, DO NOT complete remainder of form. However, please return to address shown below.</p>		
<b>3. AIRCRAFT CHARACTERISTICS</b>		
<p style="font-size: small;">INSTRUCTIONS: Please answer questions for the aircraft identified at right. Mail the completed questionnaire in the enclosed postage paid envelope to</p>		
<p>Transportation Systems Center—GAF Kendall Square Cambridge, Massachusetts 02142</p>		
<p>4. What were the total lifetime airframe hours as of December 31, 1984? .....</p>	HOURS	
<p>5. Was aircraft flown in Calendar Year 1984? (Check one) 1. <input type="checkbox"/> Yes    2. <input type="checkbox"/> No (Skip to question 11)</p>		
<p>6. Did you own this aircraft for the entire year of 1984? 1. <input type="checkbox"/> Yes    2. <input type="checkbox"/> No <i>If "No," include previous owner's hours for 1984 in your estimates below.</i></p>		
<p>7. How many hours did this aircraft fly in each of the categories below during Calendar Year 1984?</p>	HOURS	
<p><b>EXECUTIVE/CORPORATE TRANSPORTATION</b>-Company flying with a professional crew transporting company personnel, guests, and cargo .....</p>	a.	
<p><b>BUSINESS TRANSPORTATION</b>-Individual use of an aircraft for business transportation .....</p>	b.	
<p><b>PERSONAL</b>-Individual flying for personal reasons .....</p>	c.	
<p><b>INSTRUCTIONAL</b>-Flying with or under the supervision of a flight instructor (excludes proficiency flying) .....</p>	d.	
<p><b>AERIAL APPLICATION</b>-Agriculture, health, forestry, cloud seeding, firefighting, insect control, etc. ....</p>	e.	
<p><b>AERIAL OBSERVATION</b>-Aerial mapping/photography, survey, patrol, fish spotting, search and rescue, hunting, highway traffic advisory, sightseeing (not Part 135), etc. ....</p>	f.	
<p><b>OTHER WORK USE</b>-Construction work (not part 135), helicopter hoist, aerial advertising, towing gliders, parachuting, etc. ....</p>	g.	
<p><b>COMMUTER AIR CARRIER</b>-Performs at least five scheduled round trips per week between two or more points or carries mail .....</p>	h.	
<p><b>DEMAND AIR TAXI</b>-All Part 135 passenger and cargo operations, including charter and excluding commuter air carrier .....</p>	i.	
<p><b>OTHER</b>-Experimentation, R &amp; D, testing, demonstrations, government, air shows, air racing, etc. ....</p>	j.	
<p><b>AIRCRAFT RENTAL BUSINESS</b>-Commercial flying club, leased and rental aircraft activity. (If you know the purpose of flight, assign hours to categories above. If not, enter hours here) .....</p>	k.	
		<p>8. In Calendar Year 1984, what percentage of the flying time for this aircraft was flown in each of the following conditions? (a, b, c, and d should add to 100%) Instrument Meteorological Condition (IMC) Day ... a. Instrument Meteorological Condition (IMC) Night ... b. Visual Meteorological Condition (VMC) Day ... c. Visual Meteorological Condition (VMC) Night ... d. TOTAL .....</p>
		<p>9. Was this aircraft flown on an Instrument Flight Plan in 1984? 1. <input type="checkbox"/> Yes    2. <input type="checkbox"/> No <i>If "Yes," how many hours were flown on an Instrument Flight Plan?</i></p>
		<p>10. What was this aircraft's average rate of fuel consumption (gal./hr.) during 1984? (Report whole gals. only)</p>
		<p>11. In what state (Abbreviation) or foreign country was this aircraft based as of December 31, 1984? .....</p>
		<p><b>12. AVIONICS EQUIPMENT CAPABILITY</b> (*X* ALL boxes that reflect this aircraft's current capability. If none, check the last box in each group.)</p> <p><b>VHF COMMUNICATIONS EQUIPMENT</b> VHF Communications System: 360 Channels or less ..... a. 720 Channels or more ..... b. More than one Communications System ..... c. No VHF Communications Equipment ..... d.</p>
		<p><b>TRANSPONDER EQUIPMENT</b> 4096 Code ..... e. Altitude Encoding Equipment ..... f. No Transponder Equipment ..... g.</p>
		<p><b>NAVIGATION EQUIPMENT</b> VOR Receiver: 100 Channels ..... h. 200 Channels ..... i. More Than One VOR Receiver ..... j. Automatic Direction Finder (ADF) ..... k. Distance Measuring Equipment (DME) ..... l. Area Navigation Equipment (RNAV) ..... m. Long Range Navigation Equipment: LORAN C ..... n. OMEGA-VLE ..... o. Other (Doppler, INS, Other) ..... p. Radar Altimeter ..... q. Flight Director ..... r. Flight Management Computer ..... s. Weather Radar ..... t. No Navigation Equipment ..... u.</p>
		<p><b>ILS RECEIVING EQUIPMENT</b> Localizer ..... v. Marker Beacon ..... w. Glide Slope ..... x. Microwave Landing System ..... y. No ILS Receiving Equipment ..... z.</p>

## APPENDIX B SAMPLE DESIGN

### B.1 SAMPLE FRAME AND SIZE

The Aircraft Registration Master File, maintained by the FAA Mike Monroney Aeronautical Center in Oklahoma City, provided the sample frame, the list of aircraft from which the sample was selected, for the survey. This file is the official record of registered civil aircraft in the U.S., containing one record per aircraft.

Between the 1977 and 1978 survey cycles several changes occurred to this file which had an impact on the sample population and frame, and ultimately on the survey results. In January 1978, FAA implemented a new procedure for maintaining the file, known as triennial revalidation. Instead of requiring all owners to revalidate and update their aircraft registration annually, FAA required revalidation for only those owners who had not contacted the registry for 3 years. The less frequent updating affected the accuracy of the file and its representativeness. Two major consequences for the survey results are discussed below:

- 1) The accuracy of owners' addresses deteriorated, causing the percentage of questionnaires returned by the post office to almost triple from 1977 to 1982. This partially accounted for the lower survey response rates experienced since 1977.
- 2) The file contained a residue of aircraft which under the old revalidation system would have been deregistered and purged from the file, but remained under the new system. Consequently, the population counts were inflated resulting in artificially large increases in the estimates of the number of active general aviation aircraft from 1977 to 1978, and from 1978 to 1979.

Also during this period the entire Aircraft Registration System was installed on a new computer system. At the same time, FAA modified many of the updating and processing procedures. It is quite possible that these changes affected the registration file, although it is not known in what way.

Finally, new legislation required two categories of aircraft, formerly ineligible, to be registered with the U.S. Registry, namely:

- 1) aircraft owned by individual citizens of foreign countries who are permanent residents of the U.S., and
- 2) aircraft owned by non-U.S. corporations which are organized and doing business under U.S. law as long as the aircraft are based and used primarily in the U.S.

The definition of a registered general aviation aircraft changed from 1977 to 1978 to include the two new groups. It is estimated that these aircraft comprise less than one half percent of the general aviation fleet.

Thus, these changes discussed above affected the contents of the Aircraft Registration Master File and consequently the survey results. While it is difficult

to quantify the effects of the changes, FAA estimates that they caused the survey results to overestimate population and hours flown by not more than five percent.

All aircraft identified as general aviation in the file according to the definition in Section 1.2.1 comprise the sample frame with the following exceptions:

- 1) Aircraft registered to dealers.
- 2) Aircraft with "Sale Reported" or "Registration Pending" appearing in the record instead of the owner's name.
- 3) Aircraft with a known inaccurate owner's address.
- 4) Aircraft with missing state of registration, aircraft make-model-series code, or aircraft type information.

For calendar year 1984, the sample frame consisted of 267,429 general aviation aircraft records from which 33,996 records were sampled, yielding a 12.7 percent sample. Table B-1 and Figure B.1 show the distribution of the sample compared to that of the population by aircraft type. Table B-2 and Figure B.2 show similar distributions by FAA region. (See Appendix C for the FAA regional map.) These displays clearly demonstrate the disproportionality of the sample to the population, an intended result of the sample design to gain efficiency and to control errors.

## **B.2 DESCRIPTION OF SAMPLE DESIGN**

The sample design employed was a stratified, systematic design from a random start. The sample was selected from a two-way stratified frame matrix. The two stratification criteria were:

- 1) State or territory of aircraft registration.
- 2) A variable called the make-model index constructed from a combination of the computed aircraft type and the Service Difficulty Reporting (SDR) aircraft manufacturer/model group.

The 54 levels of the state criterion and the 375 levels of the make-model index yielded a matrix of 54 by 375 or 20,250 cells (strata) among which the frame was divided for sampling.

The FAA's primary requirement was for estimates of mean annual flight hours per aircraft, necessitating optimal determination of sample sizes based on flight hour variation by state and by make-model index, and not on population. Hence, the sample was not proportional to size, and a sampling fraction was determined for each cell with a non-zero population. Sampling was then performed systematically from a random start within individual cells, yielding a final sample size of 33,996 general aviation aircraft.

Initially, each aircraft in the sample was given a weight which was the inverse of its cell's sampling fraction, and which corresponded to the number of aircraft in


**TABLE B-1. SAMPLE AND POPULATION DISTRIBUTIONS BY AIRCRAFT TYPE**

TYPE	POPULATION	SAMPLE SIZE	SAMPLE AS % OF POPULATION
<b>Fixed Wing</b>			
<u>Piston</u>			
1 engine, 1 - 3 seats	86,532	9,919	11.5
1 engine, 4+ seats	121,984	12,228	10.0
2 engines, 1 - 6 seats	18,930	3,170	16.8
2 engines, 7+ seats	10,180	2,077	20.4
Other Piston	392	165	42.1
<u>Turboprop</u>			
2 engines, 1-12 seats	5,131	753	14.7
2 engines, 13+ seats	691	219	31.7
Other Turboprop	195	46	23.6
<u>Turbojet</u>			
2 engines	3,946	767	19.4
Other Turbojet	900	204	22.7
<b>Rotorcraft</b>			
Piston	5,516	996	18.1
Turbine	4,774	936	19.6
Other	8,259	2,516	30.5
<b>TOTAL</b>	<b>267,429</b>	<b>33,996</b>	<b>12.7</b>


**TABLE B-2. SAMPLE AND POPULATION DISTRIBUTIONS BY REGION OF REGISTERED AIRCRAFT**

REGION	APPROXIMATE POPULATION	SAMPLE SIZE	SAMPLE AS % OF POPULATION
Alaskan	8,741	2,142	24.5
Central	15,836	2,140	13.5
Eastern	29,092	4,451	15.3
European (Foreign)	618	68	11.0
Great Lakes	47,854	4,930	10.3
New England	9,860	3,255	33.0
Northwest Mountain	28,544	3,505	12.3
Southern	39,907	4,910	12.3
Southwestern	40,935	3,333	8.1
Western-Pacific	46,037	5,262	11.4
<b>TOTAL</b>	<b>267,429</b>	<b>33,996</b>	<b>12.7</b>

Note: Column summations may differ from printed totals due to estimation procedures.



**FIGURE B.1. COMPARISON OF POPULATION AND SAMPLE DISTRIBUTIONS BY AIRCRAFT TYPE**



**FIGURE B.2. COMPARISON OF POPULATION AND SAMPLE DISTRIBUTION BY REGION OF REGISTERED AIRCRAFT**

the sample frame represented by that aircraft. When all responses to the survey were tallied, each weight was adjusted according to the response rate for the cell, counting an aircraft for which no survey questions were answered as a non-respondent and an aircraft for which at least one question was answered as a respondent. The weight adjustment is described below:

- 1) Non-respondents' weights were changed to zero.
- 2) The weights of all responding aircraft were adjusted uniformly by dividing the initial weight by the response rate for the cell.

This method of weight adjustment has several attributes. It actually incorporates the response rates into the final weights and simplifies estimation procedures.

### **B.3 ERROR**

Errors associated with estimates derived from sample survey results fall into two categories: sampling and non-sampling errors.<sup>1</sup> Sampling errors occur because the estimates are based on a sample -- not the entire population. Non-sampling errors arise from a number of sources such as non-response, inability or unwillingness of respondents to provide correct information, differences in interpretation of questions, mistakes in recording or coding the data obtained, and others. The following sections discuss the two types of errors.

#### **B.3.1 Sampling Error**

In a designed survey, the sampling error associated with an estimate is generally unknown, but a measurable quantity known as the standard error is often used as a guide to the magnitude of sampling error. The standard error measures the variation which would occur among the estimates from all possible samples of the same design from the same population. It thus measures the precision with which an estimate approximates the average result of all possible samples or the result of a survey in which all elements of the population were sampled.

Through sample design techniques, the statistician can control the sizes of standard errors on a few key variables, known as design variables, in the survey. In the General Aviation Activity and Avionics Survey, the design variables were the mean annual hours flown per aircraft by aircraft type, by aircraft manufacturer/model characteristics, and by state of aircraft registration. The sample was designed to produce standard errors on these variables at levels specified by the FAA. No controls were placed on the standard errors of the non-design variables.

Thus, every estimate resulting from a sample survey, whether it be for a design or non-design variable, has sampling error associated with it. The user of survey results must consider this error along with the point estimate itself when making inferences or drawing conclusions about the sample population. A large standard error relative to an estimate indicates lack of precision and, inversely, a small standard error indicates precision. To facilitate the comparison of estimates and their errors, the tables in Section 2 of this publication display standard errors for

<sup>1</sup>Standards for Discussion and Presentation of Errors in Data, U.S. Department of Commerce, Bureau of the Census, (Washington, DC, 1974), pp. 11-14.

all estimated quantities. In some cases, the tables contain the percent standard error, which is the standard error multiplied by 100 divided by the corresponding estimate. The paragraphs below explain the proper interpretation and use of the errors.

An estimate and its standard error make it possible to construct an interval estimate with prescribed confidence that the interval will include the average value of the estimate from all possible samples of the population. Table B-3 below shows selected interval widths and their corresponding confidence.

**TABLE B-3. CONFIDENCE OF INTERVAL ESTIMATES**

WIDTH OF INTERVAL	APPROXIMATE CONFIDENCE THAT INTERVAL INCLUDES AVERAGE VALUE
1 Standard error	68%
2 Standard errors	95%
3 Standard errors	99%

As an example, from Table 2-6 a 95 percent confidence interval for the number of active rotorcraft with piston engines would be  $2936 \pm 2(185)$  or (2566, 3306). One would say that the number of active rotorcraft with piston engines lies somewhere between 2566 and 3306 with 95 percent confidence.

**B.3.2 Non-Sampling Error**

Non-sampling error can be reduced through survey design, although the amount of reduction is difficult, if not impossible, to quantify in any given design. Nevertheless, through controlled experiments, various techniques have been identified which limit non-sampling error. Several of these techniques were incorporated into the design of the general aviation survey and are itemized below:

- A second mailing to non-respondents was conducted in addition to the original mailing to improve the response rate, since a low response rate is a major cause of non-sampling error. A total of 59.5 percent of those aircraft sampled responded to a least one question of the survey. The 1984 rate marks a decline over the 80 percent response achieved in 1977, the first year of the survey. Possible causes of the decrease include:
  - 1) The deterioration of the currency of aircraft owners' addresses in the Aircraft Registration Master File, the sample frame. This caused a gradual increase in the percentage of questionnaires returned undelivered by the postmaster from around 1.6 percent in 1977 to 6.8 percent in 1981, hence decreasing the response rate. The percentage of post-master returns for 1984 (5.9%) shows a slight decline from the 1981 level, but is still significantly higher than in 1977.

- 2) Repeated sampling of aircraft in 2 and possibly 3 or 4 successive years. Due to the design of the sample to achieve specified precision in estimates for states and manufacturer/model groups of aircraft, it is impossible to avoid sampling some of the same aircraft in consecutive years. Owners of such aircraft may have been less willing to respond in 1984 than in previous years.

Tables B-4 and B-5 show the response rates broken down by FAA region and aircraft type, respectively. The lowest response rate for any region was 44.1 percent for the European (Foreign) region due to mail delivery difficulties. The Alaskan Region rate was low at 49.7 percent for similar reasons. These two regions together, however, represented only about 3.5 percent of the U.S. general aviation fleet. Three aircraft types had response rates of less than 50 percent, fixed wing twin engine piston aircraft with seven or more seats, the other fixed wing turboprop group, and the rotorcraft turbine group. These three groups, however, represent only 5.7 percent of the fleet.

- The survey questionnaire was designed and tested to minimize misinterpretation of questions by the aircraft owners.
- To assure the owners of the confidentiality of their responses, the questionnaire cover letter informed them that the intended use of the responses was "only to produce summary statistics and not to disclose individual operations nor to make changes to your aircraft records."<sup>1</sup>
- Comprehensive editing procedures insured the accuracy of the data transcription to machine readable form and the internal consistency of responses.
- The official and most accurate source of information available on the general aviation fleet, the FAA Aircraft Registration Master File, was used as the sampling frame.

---

<sup>1</sup>See Appendix A.1.

**TABLE B-4. RESPONSE RATES BY REGION**



REGION	RESPONSE RATE (%)	REGION	RESPONSE RATE (%)
Alaskan	49.7	New England	63.1
Central	66.0	Northwest Mountain	57.9
Eastern	59.4	Southern	56.6
European (Foreign)	44.1	Southwestern	57.6
Great Lakes	65.0	Western-Pacific	58.4
		<hr/> TOTAL	<hr/> 59.5

**TABLE B-5. RESPONSE RATES BY AIRCRAFT TYPE**

AIRCRAFT TYPE	RESPONSE RATE (%)	AIRCRAFT TYPE	RESPONSE RATE (%)
Fixed Wing			
Piston		Turbojet	
1 engine, 1-3 seats	64.1	2 engines	62.3
1 engine, 4+ seats	60.2	Other	52.5
2 engines, 1-6 seats	56.0		
2 engines, 7+ seats	46.8	Rotorcraft	
Other	52.1	Piston	54.7
Turboprop		Turbine	49.9
2 engines, 1-12 seats	60.7	Other	58.4
2 engines, 13+ seats	53.0		
Other	47.8	<hr/> TOTAL	<hr/> 59.5

# APPENDIX C: FAA REGIONAL BOUNDARIES

## U.S. DEPARTMENT OF TRANSPORTATION Federal Aviation Administration FAA REGIONAL BOUNDARIES Including Locations of Regional Headquarters and Centers



**APPENDIX D**  
**SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES**

THE FOLLOWING TABLE SHOWS THE CORRESPONDENCE BETWEEN THE SERVICE DIFFICULTY REPORTING (SDR) AIRCRAFT GROUP NAMES AND THE FAA AIRCRAFT MANUFACTURER/MODEL/SERIES (MMS) CODES AND APPEARS IN ALPHABETICAL ORDER BY SDR NAME. THE SDR NAMES COMBINE MMS CODES FOR AIRCRAFT OF SIMILAR DESIGN INTO GROUPS FOR ANALYTIC PURPOSES. THE TABLE CONTAINS ENTRIES FOR ALL THE SDR NAMES APPEARING IN SEVERAL OF THE TABLES IN THE BODY OF THIS REPORT.

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES

SDR	FAA	SDR	FAA	SDR	FAA
ADAMS A50S	050101	AMTR 850	566042	ARONCA65	190802
ADAMS A50S	050103	AMTR A4C	710110	ARONCA65	190902
ADAMS A50S	050105	AMTR AA4	5637P8	ARONCA65	190906
ADAMS AB	050100	AMTR AN1	0401RZ	ARONCA65	190908
ADAMSTT11	950104	AMTR AOP	881210	ARONCA65	190910
AERORSJ2	500604	AMTR B	564405	ARONCA65	190914
AEROSP282	380502	AMTR B10	566605	ARONCA65	190918
AEROSP282	380524	AMTR BIPE	5601ZE	ARONCA65	191014
AEROSP282	380526	AMTR C2	563781	ARONCA65	191016
AEROSP601	680661	AMTR DK1	564406	ARONCAC2	190102
AEROSPAS355	680810	AMTR EASY2	563804	ARONCAC2	190104
AEROSPAS316	680207	AMTR H2	301806	ARONCAC3	190302
AEROSPAS316	680515	AMTR HP11	564752	ARONCAF	190702
AEROSPAS316	680605	AMTR HUMMER	564475	ARONCALB	190804
AEROSPAS318	680607	AMTR JM101	5601UN	ARONCALC	190806
AEROSPAS316	680615	AMTR KV3	560887	ARONCAM	190504
AEROSPAS360	680862	AMTR LGTHZR	564573	AUGSBGK1680	020101
AEROSPAS365	680669	AMTR P51X	690462	AUGSBUK630	5604MR
AERPEGM100S	200506	AMTR QCKSLV	5655P4	AVIANWCLIPPR	900108
AERSPC377	160208	AMTR REPDGA	566171	AVIANWFALCON	900102
AETNA 2SA	220102	AMTR RICE	5601YQ	AVIANWSKYHWK	900104
AGUSTA A109	280109	AMTR RS15	5647AL	AYRES S2	143006
AGUSTA20BAGS	280301	AMTR S14	566157	AYRES S2	143010
AIR&SPACE 18	440104	AMTR SCMFRT	56134R	AYRES S2	143012
AIRBLDPRNCX	320102	AMTR SHARK	564522	AYRES S2	143022
AIRBUS300	930104	AMTR SNOOP2	56130Z	AYRES S2	970100
AIRBUS300	930106	AMTR SPAD7	5608A7	AYRES S2	970101
AIRBUS300	930306	AMTR SPTBPL	565501	AYRES S2	970105
AIRMECA1	400102	AMTR TMK	220120	AYRES S2	970106
AIRMECA1	400106	AMTR TRPBRD	561338	AYRES S2	970107
AIRMECA1	400108	AMTR VAN	561383	AYRES S2	970202
AIRMECA1	400113	AMTR W06	56013R	AYRES S2	970210
AIRMECA1	400302	AMTR ZIA	130240	AYRES S2	970215
AIRPTSA	144202	AMTR ZUNI	130202	AYRES S2	630202
AIRPTSA	144204	AMTR ZUNI	130230	AYRES S2	630203
AIRPTSA	144206	AMTRBSCONCPT	240104	AYRES S2	630303
AIRPTSA	850102	AMTRDNBD2	5601GX	AYRES S2	380202
AIRPTSA	850104	AMTRPIAX3	5604T4	AYRES S2	380204
AIRPTSA	850106	AMTRPIAX3	5604T8	AYRES S2	380206
AIRPTSA	850108	AMTRPIAX3	5604UQ	AYRES S2	380302
AIRPTSA	850110	AMTRPIAX3	5637C2	AYRES S2	380306
AIRPTSA	850112	AMTRPIAX3	5637C9	BAC 111	480202
AIRPTSA	850114	AMTRPIAX3	001213	BAC 111	480204
AIRPTSA	850118	AMTRSAPLAYBY	6502M1	BAC 111	480208
AIRPTSA	850120	AMTRWTFDA	7901B1	BAC 111	480210
AIRPTSA	850122	AMTRXPCUBEAA	5611B6	BAC 111	480218
AIRPTSA	570620	ANDGRN14	740102	BAC 111	480268
AIRPTSA	570624	ARACFTSPORT	840102	BAC 111	480273
AIRTRCAT300	390101	ARACFTSPORT	840110	BAC 111	480277
AIRTRCAT300	390103	ARCTICS1A	850202	BAC 111	480283
AIRTRCAT300	390104	ARCTICS1A	850204	BAG B206	121223
AIRTRCAT400	390202	ARCTICS1A	850206	BAG B206	121224
AIRTRCAT400	390203	ARCTICS1A	850208	BAG DH125	230170
ALCAIRARGO	530102	ARCTICS1A	850210	BALWKSFIREFY	050100
AMD FALC10	730101	ARCTICS1A	850212	BALWKSFIREFY	050101
AMD FALC20	720302	ARCTICS1A	850216	BALWKSFIREFY	050103
AMD FALC20	720304	ARCTICS1B1	850302	BALWKSFIREFY	050104
AMD FALC20	720305	ARCTICS1B1	850308	BALWKSFIREFY	050107
AMD FALC20	720306	ARCTICS1B2	850303	BALWKSFIREFY	050109
AMD FALC20	730103	ARMWHT650101	820122	BALWKSFIREFY	0501A9
AMD FALC50	730106	AROCARAROCAR	100102	BARNADD01	030104
AMEGLEEAGLET	650102	AROCARAROCAR	100104	BARTLTLC13	050102
AMEGLEEAGLET	650104	ARONCA15	191202	BBAVIA11	191102
AMEGLEEAGLET	650106	ARONCA15	191204	BBAVIA11	191104
AMEGLEEAGLET	650108	ARONCA58	191002	BBAVIA11	191106
AMERANS56	580104	ARONCA58	191008	BBAVIA11	191112
AMERAPPILGRM	620104	ARONCA58	191008	BBAVIA11	140404
AMTR 3A	5601BP	ARONCA58	191010	BBAVIA402	110204

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL  
CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
BBAVIA7	110102	BEECH 18	151042	BEECH 45	152008
BBAVIA7	110108	BEECH 18	151044	BEECH 45	152010
BBAVIA7	110108	BEECH 1900	154180	BEECH 45	152012
BBAVIA7	110116	BEECH 1900	154181	BEECH 45	152013
BBAVIA7	110120	BEECH 200	152920	BEECH 45	152014
BBAVIA7	110124	BEECH 200	152921	BEECH 50	152502
BBAVIA7	110128	BEECH 200	152922	BEECH 50	152508
BBAVIA7	110130	BEECH 200	152924	BEECH 50	152510
BBAVIA7	1101MW	BEECH 200	152928	BEECH 50	152512
BBAVIA7	1101N8	BEECH 200	152928	BEECH 50	152518
BBAVIA7	1101NG	BEECH 23	151202	BEECH 50	152518
BBAVIA7	1101NN	BEECH 23	151204	BEECH 50	152520
BBAVIA7	1101NS	BEECH 23	151208	BEECH 50	152522
BBAVIA7	1101F3	BEECH 23	151212	BEECH 50	152524
BBAVIA7	1101PH	BEECH 23	151214	BEECH 50	152530
BBAVIA7	1101PK	BEECH 23	151216	BEECH 50	152532
BBAVIA7	1101PN	BEECH 23	151218	BEECH 50	152534
BBAVIA7	1101PT	BEECH 23	151228	BEECH 50	152538
BBAVIA7	1101PY	BEECH 23	151240	BEECH 55	152702
BBAVIA8	220803	BEECH 23	151242	BEECH 55	152704
BBAVIA8	110812	BEECH 23	151250	BEECH 55	152708
BCRAFTHB	110102	BEECH 23	151252	BEECH 55	152708
BEAGLE 121	120424	BEECH 23	151253	BEECH 55	152729
BEAGLE 121	120425	BEECH 23	151254	BEECH 55	152730
BEECH 100	152915	BEECH 300	152930	BEECH 55	152732
BEECH 100	152918	BEECH 33	151402	BEECH 58	152738
BEECH 100	152919	BEECH 33	151404	BEECH 58	152738
BEECH 17	150504	BEECH 33	151408	BEECH 58	152740
BEECH 17	150508	BEECH 33	151408	BEECH 58	152744
BEECH 17	150512	BEECH 33	151410	BEECH 58	152748
BEECH 17	150518	BEECH 33	151422	BEECH 60	153802
BEECH 17	150524	BEECH 33	151423	BEECH 60	153804
BEECH 17	150534	BEECH 33	151424	BEECH 60	153805
BEECH 17	150538	BEECH 33	151425	BEECH 65	152802
BEECH 17	150550	BEECH 33	151432	BEECH 65	152803
BEECH 17	150554	BEECH 33	151434	BEECH 65	152805
BEECH 17	150556	BEECH 33	151435	BEECH 76	153005
BEECH 17	150558	BEECH 35	151802	BEECH 77	153007
BEECH 17	150564	BEECH 35	151504	BEECH 80	152808
BEECH 18	150202	BEECH 35	151508	BEECH 80	152807
BEECH 18	150204	BEECH 35	151508	BEECH 80	152808
BEECH 18	150702	BEECH 35	151510	BEECH 80	152809
BEECH 18	150902	BEECH 35	151512	BEECH 80	152812
BEECH 18	150904	BEECH 35	151514	BEECH 90	152908
BEECH 18	150909	BEECH 35	151516	BEECH 90	152909
BEECH 18	150911	BEECH 35	151518	BEECH 90	152912
BEECH 18	150913	BEECH 35	151520	BEECH 90	152913
BEECH 18	151001	BEECH 35	151522	BEECH 90	152914
BEECH 18	151004	BEECH 35	151524	BEECH 95	153402
BEECH 18	151008	BEECH 35	151528	BEECH 95	153404
BEECH 18	151007	BEECH 35	151528	BEECH 95	153408
BEECH 18	151008	BEECH 35	151530	BEECH 95	153408
BEECH 18	151010	BEECH 35	151532	BEECH 95	153410
BEECH 18	151011	BEECH 35	151538	BEECH 99	154002
BEECH 18	151012	BEECH 35	151540	BEECH 99	154003
BEECH 18	151013	BEECH 35	151544	BEECH 99	154004
BEECH 18	151014	BEECH 35	151548	BEECH 99	154008
BEECH 18	151018	BEECH 35	151548	BELL 206	181579
BEECH 18	151018	BEECH 38	151802	BELL 214	182100
BEECH 18	151019	BEECH 38	151803	BELL 214	182105
BEECH 18	151020	BEECH 38	151804	BELL 222	182124
BEECH 18	151021	BEECH 38	151805	BELL 222	182140
BEECH 18	151022	BEECH 38	151808	BELL 47	180802
BEECH 18	151023	BEECH 38	151807	BELL 47	180804
BEECH 18	151024	BEECH 38	151809	BELL 47	180808
BEECH 18	151026	BEECH 45	152002	BELL 47	180702
BEECH 18	151040	BEECH 45	152008	BELL 47	180802

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
BELL 47	180813	BLANCA51	225051	BOEING707	38365H
BELL 47	181002	BLANCA7	220438	BOEING707	38365K
BELL 47	181008	BLANCA7	220480	BOEING707	38366B
BELL 47	181011	BLANCA7	220501	BOEING707	38366C
BELL 47	181012	BLANCA7	220801	BOEING707	38366F
BELL 47	181014	BLANCA7	220701	BOEING707	38366H
BELL 47	181024	BLANCA7	110104	BOEING707	38367B
BELL 47	181025	BLANCA7	110110	BOEING707	38367C
BELL 47	181028	BLANCA7	110112	BOEING707	38367D
BELL 47	181028	BLANCA7	110114	BOEING707	38367F
BELL 47	181029	BLANCA7	110122	BOEING707	38367G
BELL 47	181030	BLANCA7	110138	BOEING707	38367M
BELL 47	181031	BLANCA7	110140	BOEING707	38367N
BELL 47	181032	BLANCA7	110144	BOEING707	38367S
BELL 47	181034	BLANCA7	110148	BOEING707	38368D
BELL 47	181102	BLANCA7	110150	BOEING707	38368H
BELL 47	181104	BLANCA7	110154	BOEING720	383810
BELL 47	181106	BLANCA7	110158	BOEING720	383818
BELL 47	181202	BLANCA7	110182	BOEING720	383822
BELL P63	180202	BLANCA7	110184	BOEING720	383828
BELL P63	180204	BLANCA7	110188	BOEING720	383830
BELL 204	181402	BLANCA7	110188	BOEING720	383857
BELL 204	181404	BLANCA7	110170	BOEING720	383869
BELL 205	181414	BLANCA7	110172	BOEING720	383877
BELL 206	181502	BLANCA7	1101MA	BOEING727	384002
BELL 206	181508	BLANCA7	1101ML	BOEING727	384003
BELL 206	181508	BLANCA7	1101N2	BOEING727	384004
BELL 206	181511	BLANCA7	1101N7	BOEING727	384006
BELL 206	181522	BLANCA7	1101NB	BOEING727	384008
BELL 206	182107	BLANCA7	1101NM	BOEING727	38400C
BELL 206	182108	BLANCA7	1101NX	BOEING727	38400E
BELL 212	181420	BLANCA7	1101PC	BOEING727	38400F
BELL 214ST	182108	BLANCA8	220801	BOEING727	38400H
BELL 222	182122	BLANCAPACMKR	200202	BOEING727	38400K
BELL 412	182202	BLANCAPACMKR	200702	BOEING727	384010
BIMONDCB1	370152	BLANCASKYRKT	200402	BOEING727	384012
BLANCA11	191110	BLANCASKYRKT	200802	BOEING727	384014
BLANCA1412	200902	BNORM BN2	520202	BOEING727	384016
BLANCA1413	201002	BNORM BN2	520204	BOEING727	384017
BLANCA1413	201004	BNORM BN2	520205	BOEING727	384030
BLANCA1413	201008	BNORM BN2	520207	BOEING727	384035
BLANCA1419	220402	BNORM BN2	520209	BOEING727	384036
BLANCA1419	220404	BNORM BN2	520210	BOEING727	384058
BLANCA1419	220406	BNORM BN2	520215	BOEING727	384063
BLANCA1419	220408	BNORM BN2	520220	BOEING727	384073
BLANCA1419	080102	BNORM BN2	520221	BOEING727	384074
BLANCA1419	080104	BNORM BN2	520228	BOEING727	384075
BLANCA1419	080106	BNORM BN2	520227	BOEING727	384078
BLANCA1419	080108	BNORM BN2	520302	BOEING727	384077
BLANCA1419	080112	BNORM BN2	520350	BOEING727	384078
BLANCA1419	080114	BNORM BN2	080221	BOEING727	384079
BLANCA1419	080116	BNORM BN2	080227	BOEING727	38407E
BLANCA1419	080118	BNORM BN2MK3	520203	BOEING727	38407G
BLANCA1419	080118	BNORM BN2MK3	520208	BOEING727	384082
BLANCA1419	080122	BOARD XJL1	320104	BOEING727	384084
BLANCA1419	080124	BOEING100	381902	BOEING727	38408B
BLANCA1419	080128	BOEING107	420602	BOEING727	38408D
BLANCA1419	580808	BOEING107	420604	BOEING727	38408F
BLANCA1419	580808	BOEING234	385049	BOEING727	38408J
BLANCA149	200802	BOEING307	381102	BOEING727	38408N
BLANCA149	200804	BOEING42	420102	BOEING727	38408S
BLANCA17	220432	BOEING707	38360H	BOEING727	3840XY
BLANCA17	220433	BOEING707	38360N	BOEING727	384481
BLANCA17	220434	BOEING707	38360P	BOEING737	384435
BLANCA17	220435	BOEING707	38360T	BOEING737	384453
BLANCA17	220436	BOEING707	38361G	BOEING737	384454
BLANCA17	220437	BOEING707	38365B	BOEING737	384459
BLANCA51	740151	BOEING707	38365D	BOEING737	384473

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
BOEING737	384479	BRAERO748	500248	CESSNA170	072304
BOEING737	384480	BRAERO748	231001	CESSNA170	072308
BOEING737	384488	BRAERODH125	500205	CESSNA172	072202
BOEING737	38448D	BRANTLY B2	440502	CESSNA172	072402
BOEING737	38448G	BRANTLY B2	440504	CESSNA172	072404
BOEING737	38448M	BRANTLY B2	440506	CESSNA172	072408
BOEING737	38448P	BRASOVIS28	490102	CESSNA172	072408
BOEING737	38448R	BRASOVIS29	490106	CESSNA172	072410
BOEING737	38448V	BRWSTRFLEE10	482004	CESSNA172	072412
BOEING737	384492	BRWSTRFLEET1	481104	CESSNA172	072413
BOEING737	384550	BRWSTRFLEET2	481202	CESSNA172	072414
BOEING737	384560	BRWSTRFLEET2	481204	CESSNA172	072416
BOEING747	384802	BRWSTRFLEET7	481504	CESSNA172	072418
BOEING747	384807	BRWSTRFLEET7	481504	CESSNA172	072420
BOEING747	384810	BRWSTRFLEET7	481512	CESSNA172	072421
BOEING747	384813	BRWSTRFLEET8	481802	CESSNA172	072424
BOEING747	384815	BRWSTRFLEET8	481804	CESSNA172	072426
BOEING747	384823	BRWSTRFLEET9	481902	CESSNA172	072429
BOEING747	384856	BUHL CA3	650302	CESSNA172	072430
BOEING747	384866	BUHL LA1	651002	CESSNA172	072431
BOEING747	384871	BUKER 131	590104	CESSNA172	072432
BOEING747	384873	BUKER 131	590114	CESSNA172	072434
BOEING747	384874	BUKER 133	590326	CESSNA172	072436
BOEING747	384881	BURNS BA42	560103	CESSNA172	072437
BOEING747	384888	BUSHMS2000	350406	CESSNA172	072438
BOEING747	384890	BUTLERBHAWK	720102	CESSNA175	072502
BOEING747	384895	CAMAIR480	890102	CESSNA175	072504
BOEING747	384896	CAMROND50	880114	CESSNA175	072506
BOEING747	384903	CAMRONMODELO	880104	CESSNA175	072508
BOEING747	384920	CAMRONMODELO	880106	CESSNA177	073704
BOEING75	380102	CAMRONMODELO	880108	CESSNA177	073706
BOEING75	380104	CAMRONMODELO	880110	CESSNA177	073708
BOEING75	380106	CAMRONMODELO	880112	CESSNA177	073709
BOEING75	380108	CAMRONMODELO	880113	CESSNA180	072802
BOEING75	380112	CAMRONMODELO	880120	CESSNA180	072804
BOEING75	380116	CAMRONMODELO	880122	CESSNA180	072606
BOEING75	380118	CAMRONMODELO	880201	CESSNA180	072608
BOEING75	380120	CAMRONMODELO	880202	CESSNA180	072610
BOEING75	380122	CAMRONMODELO	880203	CESSNA180	072612
BOEING75	380124	CAMRONMODELO	880204	CESSNA180	072614
BOEING75	380131	CAMRONMODELO	880225	CESSNA180	072616
BOEING75	380132	CARMAMM200	981008	CESSNA180	072618
BOEING75	380134	CASA C212	410200	CESSNA180	072622
BOEING75	380136	CASA C212	410202	CESSNA180	072624
BOEING75	380137	CASA C212	410304	CESSNA182	072702
BOEING75	380140	CENTRL28	180604	CESSNA182	072704
BOEING75	380142	CESSNA120	071402	CESSNA182	072706
BOEING75	380144	CESSNA140	071802	CESSNA182	072708
BOEING75	380146	CESSNA140	071804	CESSNA182	072710
BOEING75	380148	CESSNA150	071802	CESSNA182	072712
BOEING75	380150	CESSNA150	071804	CESSNA182	072714
BOEING75	380152	CESSNA150	071806	CESSNA182	072716
BOEING75	380154	CESSNA150	071808	CESSNA182	072718
BOEING757	384950	CESSNA150	071810	CESSNA182	072722
BOEING757	384959	CESSNA150	071812	CESSNA182	072724
BOEING767	385122	CESSNA150	071814	CESSNA182	072726
BOEING767	385123	CESSNA150	071816	CESSNA182	072728
BOEING767	385132	CESSNA150	071818	CESSNA182	072730
BOEINGB17	380204	CESSNA150	071820	CESSNA182	072731
BOEINGC97	381604	CESSNA150	071822	CESSNA182	072732
BOEINGC97	381605	CESSNA150	071824	CESSNA182	072734
BOEINGC97	381611	CESSNA150	071826	CESSNA182	072735
BOEINGYL15	380810	CESSNA150	071828	CESSNA182	072736
BOEINXH47	090202	CESSNA150	071830	CESSNA182	075802
BOLKMS117	626010	CESSNA150	071831	CESSNA182	075806
BOLKMS209	626007	CESSNA150	071835	CESSNA182	075814
BOLKOWJR	400202	CESSNA150	071836	CESSNA182	075816
		CESSNA170	072302	CESSNA185	072802

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
CESSNA185	072804	CESSNA210	073438	CESSNA337	075723
CESSNA185	072808	CESSNA210	073439	CESSNA337	075724
CESSNA185	072808	CESSNA210	073440	CESSNA337	075725
CESSNA185	072812	CESSNA210	073448	CESSNA337	075728
CESSNA185	072818	CESSNA210	073447	CESSNA337	075727
CESSNA185	072818	CESSNA210	073448	CESSNA337	075730
CESSNA185	072821	CESSNA210	073449	CESSNA337	075731
CESSNA188	073002	CESSNA210	073450	CESSNA337	075732
CESSNA188	073004	CESSNA210	073451	CESSNA337	075733
CESSNA188	073005	CESSNA210	073453	CESSNA340	076404
CESSNA188	073008	CESSNA210	073454	CESSNA340	076405
CESSNA188	073007	CESSNA210	073455	CESSNA401	07590C
CESSNA188	073008	CESSNA210	073456	CESSNA401	07590D
CESSNA188	073010	CESSNA305	073802	CESSNA401	07590E
CESSNA188	073011	CESSNA305	074001	CESSNA402	07590K
CESSNA188	073012	CESSNA305	074002	CESSNA402	07590L
CESSNA190	072902	CESSNA305	074003	CESSNA402	07590M
CESSNA195	073102	CESSNA305	074004	CESSNA402	07590P
CESSNA195	073108	CESSNA305	074005	CESSNA402	07590R
CESSNA195	073108	CESSNA305	074008	CESSNA404	075901
CESSNA195	073110	CESSNA305	074008	CESSNA411	075902
CESSNA195	073112	CESSNA305	074012	CESSNA411	075904
CESSNA205	073202	CESSNA305	074014	CESSNA414	075907
CESSNA205	073204	CESSNA305	074018	CESSNA414	075908
CESSNA205	073302	CESSNA305	074018	CESSNA421	078010
CESSNA205	073304	CESSNA305	074030	CESSNA421	078012
CESSNA205	073308	CESSNA310	074202	CESSNA421	078014
CESSNA205	073308	CESSNA310	074204	CESSNA421	078018
CESSNA205	073309	CESSNA310	074208	CESSNA425	078018
CESSNA205	073310	CESSNA310	074208	CESSNA441	078020
CESSNA205	073311	CESSNA310	074210	CESSNA500	078802
CESSNA205	073312	CESSNA310	074212	CESSNA500	078804
CESSNA205	073313	CESSNA310	074214	CESSNA501	078805
CESSNA205	073318	CESSNA310	074218	CESSNA850	078802
CESSNA205	073318	CESSNA310	074218	CESSNAAW	070502
CESSNA205	073322	CESSNA310	074220	CESSNAT303	073803
CESSNA205	073324	CESSNA310	074222	CESSNAT37	074321
CESSNA205	073332	CESSNA310	074224	CESSNAT50	071302
CESSNA205	073333	CESSNA310	074228	CESSNAT50	071308
CESSNA205	073334	CESSNA310	074228	CESSNAT50	071308
CESSNA205	073338	CESSNA310	074230	CESSNAUC77	070702
CESSNA205	073340	CESSNA310	074234	CESSNAUC77	070802
CESSNA205	073342	CESSNA310	074238	CESSNAUC84	070902
CESSNA205	073344	CESSNA310	074240	CESSNAUC84	071002
CESSNA205	073348	CESSNA310	074242	CESSNAUC84	071102
CESSNA205	073348	CESSNA310	074244	CHILD S1	110100
CESSNA205	073350	CESSNA310	074245	CHILD S1	110301
CESSNA205	073352	CESSNA310	074248	CHILD S1	110303
CESSNA205	073353	CESSNA320	074502	CHILD S2	110201
CESSNA205	073358	CESSNA320	074504	CHILD S2	110202
CESSNA205	073357	CESSNA320	074508	CHILD S2	110304
CESSNA207	073802	CESSNA320	074508	CLARK 1000	230102
CESSNA207	073804	CESSNA320	074510	CLARK 12	230302
CESSNA207	073812	CESSNA320	074512	CNDAIRCL44	900102
CESSNA207	073814	CESSNA320	074514	CNDAIRCL800	900302
CESSNA210	073402	CESSNA320	074518	COAIRE3C	350102
CESSNA210	073404	CESSNA325	074802	COAIRE3C	350104
CESSNA210	073408	CESSNA335	075801	COAIRE3C	350108
CESSNA210	073408	CESSNA338	075802	COAIRE5C	350202
CESSNA210	073410	CESSNA337	075702	COLT 77A	300102
CESSNA210	073412	CESSNA337	075704	COMWTH175	370402
CESSNA210	073414	CESSNA337	075708	COMWTH180	370502
CESSNA210	073418	CESSNA337	075707	COMWTH180	370504
CESSNA210	073418	CESSNA337	075712	COMWTH185	370802
CESSNA210	073422	CESSNA337	075714	COMWTH185	370804
CESSNA210	073430	CESSNA337	075717	COMWTH185	370808
CESSNA210	073432	CESSNA337	075719	COMWTH190	370704
CESSNA210	073438	CESSNA337	075721	COMWTH7000	371208

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA	
COMWTH9000	371422	CURTISTRVAIR	621904	DHAV	DHC2	800104
CONAERC1	110102	CURTISTRVAIR	621908	DHAV	DHC2	800105
CONAERC2	110202	CVAC	22	DHAV	DHC2	800107
CONAERLA4	400102	CVAC	22	DHAV	DHC2	800108
CONAERLA4	400108	CVAC	240	DHAV	DHC2	800109
CONAERLA4	110302	CVAC	240	DHAV	DHC2	801830
CONAERLA4	110304	CVAC	240	DHAV	DHC3	800202
CONAERLA4	110306	CVAC	240	DHAV	DHC4	800302
CONAERLA4	110310	CVAC	240	DHAV	DHC4	800304
CONAERLA4	110312	CVAC	240	DHAV	DHC6	802606
CONAERLA4	110320	CVAC	240	DHAV	DHC7	802706
CORCRNGLIDER	480102	CVAC	240	DHAV	DHC7	802710
CORCRNGLIDER	480122	CVAC	240	DHAVXXDH82		801002
CORCRNGLIDER	480126	CVAC	240	DHAVXXDH89		801015
CUNHAMPT6	580104	CVAC	240	DOMION800		970102
CURTIS22	620202	CVAC	30	DORNER133		999006
CURTISC46	622601	CVAC	30	DORNERD028		990102
CURTISC46	622602	CVAC	340	DORNERD028		990202
CURTISC46	622604	CVAC	340	DORNERD028		991404
CURTISC46	622608	CVAC	340	DOUG	A20	020302
CURTISC46	622610	CVAC	340	DOUG	A20	020306
CURTISC46	622701	CVAC	440	DOUG	A24	020406
CURTISC46	622702	CVAC	440	DOUG	A26	020504
CURTISC46	622708	CVAC	440	DOUG	A26	020506
CURTISC46	622710	CVAC	B24	DOUG	A26	020506
CURTISFLGLNG	620302	CVAC	BT13	DOUG	B23	020702
CURTISJR	620502	CVAC	BT13	DOUG	B26	020514
CURTISO52	622002	CVAC	BT13	DOUG	DC10	022110
CURTISP40	622202	CVAC	BT13	DOUG	DC10	022111
CURTISP40	622203	CVAC	BT13	DOUG	DC10	022114
CURTISP40	622206	CVAC	BT13	DOUG	DC10	022118
CURTISROBIN	620802	CVAC	BT13	DOUG	DC10	023501
CURTISROBIN	620806	CVAC	BT15	DOUG	DC10	023503
CURTISROBIN	620812	CVAC	BT15	DOUG	DC10	023508
CURTISSEDAN	620904	CVAC	L13	DOUG	DC2	021302
CURTISTRVAIR	621004	CVAC	L13	DOUG	DC3	021401
CURTISTRVAIR	621006	CVAC	L13	DOUG	DC3	021404
CURTISTRVAIR	621010	CVAC	LB30	DOUG	DC3	021424
CURTISTRVAIR	621012	CVAC	P4Y	DOUG	DC3	021433
CURTISTRVAIR	621104	CVAC	PBY5	DOUG	DC3	021440
CURTISTRVAIR	621108	CVAC	PBY5	DOUG	DC3	021454
CURTISTRVAIR	621204	CVAC	PBY5	DOUG	DC3	021457
CURTISTRVAIR	621302	CVAC	PBY5	DOUG	DC3	021458
CURTISTRVAIR	621304	CVAC	PBY6	DOUG	DC3	021460
CURTISTRVAIR	621308	CVAC	STC580	DOUG	DC3	021461
CURTISTRVAIR	621402	CVAC	STC580	DOUG	DC3	021462
CURTISTRVAIR	621404	CVAC	STC580	DOUG	DC3	021466
CURTISTRVAIR	621502	CVAC	STC580	DOUG	DC3	021467
CURTISTRVAIR	621506	CVAC	STC600	DOUG	DC3	021468
CURTISTRVAIR	621508	CVAC	STC840	DOUG	DC3	021470
CURTISTRVAIR	621602	CVAC	V1A	DOUG	DC3	021471
CURTISTRVAIR	621604	DART	G	DOUG	DC3	021472
CURTISTRVAIR	621606	DART	G	DOUG	DC3	021474
CURTISTRVAIR	621702	DART	G	DOUG	DC3	021476
CURTISTRVAIR	621704	DART	G	DOUG	DC3	021478
CURTISTRVAIR	621802	DART	G	DOUG	DC3	021481
CURTISTRVAIR	621804	DAVIS	D1	DOUG	DC4	021502
CURTISTRVAIR	621806	DAVIS	D1	DOUG	DC4	021506
CURTISTRVAIR	621808	DAVIS	D1	DOUG	DC4	021510
CURTISTRVAIR	621810	DAVIS	V3	DOUG	DC4	021516
CURTISTRVAIR	621814	DHAV	DH82	DOUG	DC4	021518
CURTISTRVAIR	621818	DHAV	DHC1	DOUG	DC4	021522
CURTISTRVAIR	621820	DHAV	DHC1	DOUG	DC4	021524
CURTISTRVAIR	621822	DHAV	DHC1	DOUG	DC4	021528
CURTISTRVAIR	621824	DHAV	DHC1	DOUG	DC4	021530
CURTISTRVAIR	621826	DHAV	DHC1	DOUG	DC4	021534
CURTISTRVAIR	621830	DHAV	DHC1	DOUG	DC4	021536
CURTISTRVAIR	621902	DHAV	DHC1	DOUG	DC8	021702
		DHAV	DHC2	DOUG	DC8	021706
				DOUG	DC8	021710

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA	
DOUG	DC8	021712	ENTWICPHEBUS	321210	FRCHLDKR34	371506
DOUG	DC7	021802	EVNAIR4500	340104	FRCHLDM62	371604
DOUG	DC7	021804	EVNAIR4500	340106	FRCHLDM62	371606
DOUG	DC7	021806	FARZWKD IAMAT	550802	FRCHLDM62	371608
DOUG	DC8	021906	FARZWKD IAMAT	550806	FRCHLDM62	371618
DOUG	DC8	021908	FLEET 16B	480502	FRCHLDM62	371620
DOUG	DC8	021910	FLTCHR24	530204	FRCHLDM62	371622
DOUG	DC8	021912	FLTCHRFD25	530102	FRCHLDM62	371624
DOUG	DC8	021918	FLYGSTWEIHE	802219	FRCHLDM62	371628
DOUG	DC8	02191D	FOKKERF27	990617	FRCHLDM62	371628
DOUG	DC8	021920	FOKKERF27	990620	FRCHLDM62	371630
DOUG	DC8	021922	FOKKERF27	990626	FRCHLDM62	371632
DOUG	DC8	021924	FOKKERF27	990629	FRCHLDM62	374004
DOUG	DC8	021926	FOKKERF28	990808	FRCHLDM62	374006
DOUG	DC8	021927	FOKKERF28	990810	FUNK FUNKC	720202
DOUG	DC8	021928	FOMOCO4AT	590102	GARCIATROJAN	270102
DOUG	DC8	021952	FOMOCO4AT	590104	GEM 205	380102
DOUG	DC8	021953	FOMOCO5AT	590202	GENBALAX6	780102
DOUG	DC8	021970	FOMOCO5AT	590204	GENBALAX6	780202
DOUG	DC8	021972	FRANK 90	680102	GENBALSPRINT	780402
DOUG	DC8	02197B	FRCHLD21	371302	GLASFL201	800344
DOUG	DC8	02197D	FRCHLD22	370104	GLASFL304	800347
DOUG	DC8	02198A	FRCHLD22	370108	GLASFLBS1	8003FB
DOUG	DC8	02198B	FRCHLD22	370110	GLASFLH301	800335
DOUG	DC8	02198F	FRCHLD22	370112	GLASFLH301	800337
DOUG	DC8	02198H	FRCHLD22	370114	GLASFLH301	800339
DOUG	DC8	02199A	FRCHLD22	370116	GLASFLH301	800341
DOUG	DC9	022034	FRCHLD24	370202	GLASFLKESTRL	800343
DOUG	DC9	022036	FRCHLD24	370204	GLASFLLIBELL	800346
DOUG	DC9	022037	FRCHLD24	370206	GOLDENCHIEF	840102
DOUG	DC9	02203H	FRCHLD24	370208	GOODYR813	870148
DOUG	DC9	02203K	FRCHLD24	370216	GOODYRFG1D	870512
DOUG	DC9	022051	FRCHLD24	370220	GOODYRGZ20	870220
DOUG	DC9	022065	FRCHLD24	370302	GOODYRS30	870139
DOUG	DC9	022066	FRCHLD24	370402	GOODYRTZ	870218
DOUG	DC9	02206C	FRCHLD24	370408	GOVT N22	880102
DOUG	DC9	02206E	FRCHLD24	370414	GROB 103CAT	660202
DOUG	DC9	02207A	FRCHLD24	370502	GROB 109	660204
DOUG	DC9	022080	FRCHLD24	370506	GROB 109	660205
DOUG	DC9	022081	FRCHLD24	370514	GROB ASTIR	660104
DOUG	DC9	022082	FRCHLD24	370516	GRTLKS2T1	910101
DOUG	DOLPHN	020104	FRCHLD24	370520	GRTLKS2T1	910102
DRIGGSSKYLK3	180502	FRCHLD24	370602	GRTLKS2T1	910104	
DURMOLF48	200502	FRCHLD24	370606	GRTLKS2T1	910106	
EAA SA9	650747	FRCHLD24	370614	GRTLKS2T1	910107	
EAGLE DW	230203	FRCHLD24	370620	GRTLKS2T1	910108	
EAGLEBAX7	240107	FRCHLD24	370626	GRUMANF2S	950104	
EAGLEBC7	240207	FRCHLD24	370628	GRUMANF6F	950602	
EIRVON20	780102	FRCHLD71	370802	GRUMANF6F	950614	
EIRVON20	780104	FRCHLDC119	372102	GRUMANF6F	95068G	
EIRVON20	780202	FRCHLDC119	372106	GRUMANF7F	950704	
EIRVON20	780204	FRCHLDC119	372108	GRUMANF8F	950801	
EIRVON20	780206	FRCHLDC123	372202	GRUMANF8F	950802	
EIRVON20	780207	FRCHLDC82	372002	GRUMANF9	950905	
EMAIR MA1	280103	FRCHLDC82	372004	GRUMANFM	950102	
EMAIR MA1	070102	FRCHLDF27	373002	GRUMANG134	951000	
EMB 110	280122	FRCHLDF27	373004	GRUMANG21	951205	
ENSTRM280	300502	FRCHLDF27	373006	GRUMANG44	951602	
ENSTRM280	300505	FRCHLDF27	373016	GRUMANG73	951902	
ENSTRM280	300510	FRCHLDF45	371202	GRUMANSA16	950404	
ENSTRM280	300550	FRCHLDFC2	371102	GRUMANSA16	950405	
ENSTRMF28	300404	FRCHLDFH1100	376502	GRUMANSA16	950406	
ENSTRMF28	300406	FRCHLDFH1100	361405	GRUMANSA16	950410	
ENSTRMF28	300407	FRCHLDFH1100	361415	GRUMANSA16	950412	
ENSTRMF28	300412	FRCHLDFH227	373042	GRUMANSA16	950413	
ENSTRMF28	300430	FRCHLDFH227	373050	GRUMANSA16	950414	
ENTWICPHEBUS	403014	FRCHLDKR31	371402	GRUMANSA16T	950407	
ENTWICPHEBUS	321206	FRCHLDKR34	371504	GRUMANSA16T	950408	

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
GRUMANTS2	951102	GULSTMAA5	631410	HELIO H295	300803
GRUMAVAA1	630820	GULSTMAA5	960106	HELIO H295	301101
GRUMAVAA1	960100	GULSTMG1159	953505	HELIO H295	301102
GRUMAVAA1	960103	GULSTMG1159	953535	HELIO H295	301104
GRUMAVAA5	960104	GULSTMG1159	970109	HELIO H391	300102
GRUMAVAA5	960105	GULSTMG159	952202	HELIO H391	300106
GRUMAVG1159	960302	GULSTMG44	951502	HELIO H395	300202
GRUMAVG164	952702	GULSTMG44	951508	HELIO H395	300206
GRUMAVG164	952801	GULSTMG73	951802	HELIO H800	300500
GRUMAVG164	952802	GULSTMGA7	960401	HELIO HST550	301002
GRUMAVG164	952803	H-1	181401	HELIO HST550	301006
GRUMAVG164	952804	H-1	181405	HILLERUH12	360102
GRUMAVG164	960201	H-1	181407	HILLERUH12	360104
GRUMAVG164	960202	H-1	181408	HILLERUH12	360110
GRUMAVG164	960203	H-1	181409	HILLERUH12	360116
GRUMAVG164	960204	H-1	181410	HILLERUH12	360118
GRUMAVG164	979904	H-1	181411	HILLERUH12	360122
GRUMAVG21	951202	H13/HTL	180806	HILLERUH12	360124
GRUMAVG21	951204	H13/HTL	180808	HILLERUH12	360125
GRUMAVG21	951216	H13/HTL	180809	HILLERUH12	360126
GRUMAVG89	951006	H13/HTL	180810	HILLERUH12	360128
GRUMAVJ2F	950208	H13/HTL	180814	HILLERUH12	360128
GRUMAVTBM	950306	H13/HTL	180820	HILLERUH12	360131
GRUMAVTBM	950308	H13/HTL	180904	HILLERUH12	360132
GRUMAVTBM	950310	H13/HTL	181005	HILLERYROE1	362402
GULSTM112	144701	H13/HTL	181006	HNLYPGHP137	130402
GULSTM112	630302	H13/HTL	181007	HOWARD500	390102
GULSTM112	630306	H13/HTL	181010	HUGHES269	470402
GULSTM112	630307	H13/HTL	181585	HUGHES269	470403
GULSTM112	630314	H13/HTL	930102	HUGHES269	470404
GULSTM112	630315	H13/HTL	930103	HUGHES269	470502
GULSTM112	630316	H13/HTL	930105	HUGHES269	470504
GULSTM500	141102	H18/45	141608	HUGHES269	471004
GULSTM500	141104	H19/45	141609	HUGHES369	470702
GULSTM500	141106	H18/45	141610	HUGHES369	470704
GULSTM500	141107	H19/45	141614	HUGHES369	470706
GULSTM500	141108	H19/45	141615	HUGHES369	470707
GULSTM520	141202	H19/45	141616	HUGHES369	470708
GULSTM580	141402	H19/45	141618	HUGHES369	470718
GULSTM580	141404	H19/45	14161E	HUGHES369	470720
GULSTM580	141406	H19/45	14161G	HUGHES369	470722
GULSTM580	141408	H19/45	14161J	HUGHES369	470726
GULSTM580	141602	H23/HTE	360108	HUGHES369	470730
GULSTM580	141604	H23/HTE	360109	HUGHES369	470731
GULSTM580	141606	H23/HTE	360111	HUGHES500	470805
GULSTM580	141608	H23/HTE	360119	HUGHES500	470806
GULSTM580	141610	H23/HTE	360120	HWKSLY80A	800902
GULSTM580	141611	H23/HTE	360121	HWKSLYDH104	800402
GULSTM580	141612	H23/HTE	360123	HWKSLYDH104	800404
GULSTM580	141802	H23/HTE	360135	HWKSLYDH104	800406
GULSTM580	630513	H23/HTE	362303	HWKSLYDH104	800410
GULSTM580TP	141712	H23/HTE	362305	HWKSLYDH104	800412
GULSTM580TP	141714	H34/55	141810	HWKSLYDH104	800414
GULSTM580TP	141716	H34/55	141812	HWKSLYDH106	800308
GULSTM580TP	141718	H34/55	141813	HWKSLYDH114	800504
GULSTM590TC	970404	H34/55	141815	HWKSLYDH114	800506
GULSTM590TP	141720	H34/55	141818	HWKSLYDH125	500204
GULSTM590TP	141722	H34/55	141819	HWKSLYDH125	210101
GULSTM590TP	970405	H34/55	141823	HWKSLYDH125	230106
GULSTM590TP	970410	H37	141817	HWKSLYDH125	230110
GULSTM590TP	970411	H37	142302	HWKSLYDH125	230126
GULSTM590TP	630515	H37	142801	HWKSLYDH125	230136
GULSTM590TP	630516	HAMFLUHF320	071204	HWKSLYDH125	23013M
GULSTM590TP	630517	HARTMNOW5M	200102	HWKSLYDH125	23013P
GULSTM590TP	630518	HEATH CNA40	250102	HWKSLYDH125	230140
GULSTM590TP	630519	HEATH LNB4	250202	HWKSLYDH125	230158
GULSTMAA1	630610	HELIO H250	300302	HWKSLYDH125	230160
GULSTMAA1	630710	HELIO H295	300802	HYNES 305	440602

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
INDAERP166	960202	LKHEED12A	261402	MAULE M4	460105
INLANDR400	550502	LKHEED1329	263102	MAULE M4	460106
INLANDS300	551002	LKHEED1329	263108	MAULE M4	460108
INLANDW500	552002	LKHEED1329	263125	MAULE M4	460112
INTRCP200	650304	LKHEED1649	262204	MAULE M4	460114
INTRCP200	650306	LKHEED18	261602	MAULE M4	460128
INTRCP200	650308	LKHEED18	261624	MAULE M4	460132
INTRCP200	650310	LKHEED18	261634	MAULE M5	460133
ISRAEL 101	500204	LKHEED18	261638	MAULE M5	460134
ISRAEL 1121	142002	LKHEED18	261640	MAULE M5	460135
ISRAEL 1121	142006	LKHEED18	261642	MAULE M5	460204
ISRAEL 1121	142010	LKHEED188	262602	MAULE M8	460180
ISRAEL 1123	500101	LKHEED188	262604	MBB B0105	626005
ISRAEL 1124	500102	LKHEED282	262504	MBB B0105	626006
ISRAEL 1124	500103	LKHEED300	264504	MCBEMSLARK95	331020
JAMISNJ1	650502	LKHEED382	264104	MCBEMSLARK95	160202
JAMISNJ2	651004	LKHEED382	26413U	MCKINNG2 1	550202
JBMSTRDGA 11	690302	LKHEED382	26414U	MCKINNG2 1T	550105
JBMSTRDGA 15	690502	LKHEED49	261702	MCKINNG2 1T	550120
JBMSTRDGA 15	690506	LKHEED49	262002	MCLISHFUNKB	480102
JBMSTRDGA 15	690516	LKHEED49	262004	MCLISHFUNKB	480104
JBMSTRDGA 18	690804	LKHEED49	262008	MCLISHFUNKB	480108
JBMSTRDGA 8	690102	LKHEEDP2V	260110	MCLISHFUNKB	480202
KAISERF5	762002	LKHEEDP2V	260112	MCLISHFUNKB	480204
KAMAN K800	800802	LKHEEDP2V	269601	MCLISHFUNKB	480208
KAWSKIKV107	820101	LKHEEDP38	260201	MEYERSMAC 145	650104
KELLETKD1	850106	LKHEEDP38	260203	MEYERSOTW	650202
KINNERB	940202	LKHEEDP38	260204	MEYERSOTW	650206
KINNERB	940204	LKHEEDP38	260205	MEYERSOTW	650208
KINNERR	940102	LKHEEDP38	260206	MILLERUT 1	720102
LAIKFN10	090204	LKHEEDP38	260207	MITCHL 101	000102
LAIKFNBA100	0901FB	LKHEEDP38	260214	MITCHL 101	000104
LAIRD LC	070102	LKHEEDPV1	260102	MNCOUP 110	810202
LAIRD LC	070104	LKHEEDPV1	260106	MNCOUP 110	810204
LAIRD LCB	070110	LKHEEDT33	260401	MNCOUP90	810102
LAISTRLP15	100108	LKHEEDT33	260402	MNCOUP90	810104
LAISTRLP15	100202	LKHEEDT33	260406	MNCOUP90	810107
LAISTRLP15	100203	LKHEEDVEGA1	261002	MNCOUP90	810110
LAISTRLP46	100101	LKHEEDVEGA5	261202	MNITEM18	870102
LAISTRLP49	100102	LKHEEDY03A	269501	MNITEM18	870104
LEAR 23	170102	LKINTL402	263406	MNITEM18	870106
LEAR 24	170302	LUSCOMB 1	350102	MNITEM18	870108
LEAR 24	170304	LUSCOMB 4	350202	MNSLNRMS760	910102
LEAR 24	170306	LUSCOMB 8	190102	MNSLNRMS760	910106
LEAR 24	170307	LUSCOMB 8	190104	MODFD47	180822
LEAR 24	170310	LUSCOMB 8	190106	MODFD47	180843
LEAR 24	170311	LUSCOMB 8	190108	MODFD47	180845
LEAR 25	170506	LUSCOMB 8	190110	MODFD47	180847
LEAR 25	170509	LUSCOMB 8	190112	MODFD47	18084C
LEAR 25	170511	LUSCOMB 8	190114	MODFD47	18084F
LEAR 25	170513	LUSCOMB 8	190116	MODFD47	18084G
LEAR 25	170514	LUSCOMB 8	190118	MODFD47	18084P
LEAR 28	170528	LUSCOMB 8	190120	MODFD47	18084R
LEAR 28	170529	LUSCOMB 8	190122	MODFD47	18084V
LEAR 35	170600	LUSCOMB 8	190124	MODFD47	181001
LEAR 35	170601	LUSCOMB 8	190126	MODFD47	181003
LEAR 35	170602	LUSCOMB 8	190128	MODFD47	18100V
LEAR 55	170702	LUSCOMB 8	190130	MODFD47	181013
LET L13	380306	LUSCOMB 8	190132	MODFD47	181023
LKHEED10	261302	LUSCOMB 8	190154	MODFD47	181027
LKHEED10	261314	MACCHIAL60	400106	MODFD47	181033
LKHEED1011	265010	MACCHIAL60	400108	MODFD47	18103H
LKHEED1011	265015	MAEL BA42	430102	MODFD47	18103Z
LKHEED1011	265020	MARTIN202	450602	MODFD47	181080
LKHEED1049	262118	MARTIN202	450604	MODFD47	181081
LKHEED1049	262121	MARTIN404	450702	MODFD47	181083
LKHEED1049	262131	MAULE M4	460102	MODFD47	181085
LKHEED1049	262140	MAULE M4	460104	MODFD47	181086

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
MODFD47	181087	NAMER B25	400713	NICBEZ8G	280202
MODFD47	181088	NAMER B25	400714	NIHON YS11	310406
MODFD47	181089	NAMER B25	400718	NIHON YS11	310418
MODFD47	181071	NAMER F51	402301	NOORDNUC84	330204
MODFD47	181074	NAMER F51	402302	NORD SV4	383008
MODFD47	181308	NAMER F51	402303	NORD SV4	470102
MODFD47	181310	NAMER F51	402304	NORWST35	480102
MODFDUH12	380103	NAMER F51	402305	NORWST35	480104
MODFDUH12	380105	NAMER F51	402307	NORWST35	480108
MODFDUH12	380113	NAMER F51	402308	NORWST35	480128
MODFDUH12	380118	NAMER F51	402309	NORWST40	480110
MODFDUH12	380117	NAMER F82	401522	NORWST50	480114
MODFDUH12	380130	NAMER NA280	402502	NORWST85	480118
MODFDUH12	380801	NAMER NA280	402504	NORWST85	480118
MODFDUH12	380701	NAMER NA280	402505	NORWST85	480122
MODFDUH12	380702	NAMER O47	402202	NORWST85	480124
MODFDUH12	380704	NAMER P84	402408	NORWSTEAGLE	880120
MODFDUH12	380801	NAMER T8	822828	OBERNRMG23SL	801049
MODFDUH12	380809	NAMER T8	400402	OTHEXMILPIST	385008
MODFDUH12	380810	NAMER T8	400404	OTHEXMILPIST	800702
MODFDUH12	381101	NAMER T8	400405	OTHEXMILPIST	800803
MODFDUH12	381301	NAMER T8	400406	OTHEXMILPIST	800804
MODFDUH12	381501	NAMER T8	400407	OTHEXMILPIST	800805
MOONEYM20	870202	NAMER T8	400410	OTHEXMILPIST	140102
MOONEYM20	870204	NAMER T8	400412	OTHEXMILPIST	140304
MOONEYM20	870208	NAMER T8	400414	OTHEXMILPIST	141108
MOONEYM20	870208	NAMER T8	400415	OTHEXMILPIST	141812
MOONEYM20	870210	NAMER T8	400418	OTHEXMILPIST	420108
MOONEYM20	870212	NAMER T8	400417	OTHEXMILTURB	181504
MOONEYM20	870214	NAMER T8	400418	OTHEXMILTURB	385080
MOONEYM20	870219	NAMER T8	400419	OTHEXMILTURB	385084
MOONEYM20	870220	NAMER T8	400420	OTHEXMILTURB	470904
MOONEYM20	870308	NAMER T8	400422	OTHEXMILTURB	470905
MOONEYM20	870312	NAMER T8	400423	OTHEXMILTURB	800704
MOONEYM20	870314	NAMER T8	400424	OTHEXMILTURB	800708
MOONEYM20	870801	NAMER T8	400428	OTHEXMILTURB	141308
MOONEYM20	870805	NAMER T8	400430	OTHEXMILTURB	142109
MOONEYM22	870402	NAMER T8	400431	PARKS P1T	770102
MOONEYM30	872030	NAMER T8	400432	PARMNTCABAIR	750102
MORISY2000	940102	NAMER T8	400434	PARTENP88	780101
MOTH 60	000102	NAMER T8	400438	PARTENP88	780105
MOTH 60	000104	NAMER T8	400441	PARTENP88	780108
MRCHTIF280	121208	NAMER T8	400442	PASPEDW1	790102
MRCHTIS205	120412	NARDI FN333	080102	PDMILRY1S	740102
MTSBSIMU2	780404	NARDI FN333	120704	PECOCKPJC	180204
MTSBSIMU2	780405	NATBAL752	113310	PERTH BIRD	840122
MTSBSIMU2	780406	NATBAL752	113312	PERTH BIRD	840128
MTSBSIMU2	780407	NATBAL752	113317	PERTH BIRD	840132
MTSBSIMU2	780408	NATBAL752	113320	PHEFNTH10	880102
MTSBSIMU2	780409	NAVAL N3N	120202	PIAGIOP138	880102
MTSBSIMU2	780410	NAVIONNAVION	150108	PIAGIOP138	880104
MTSBSIMU2	780411	NAVIONNAVION	150108	PIAGIOP138	880108
MTSBSIMU2	780412	NAVIONNAVION	150110	PIASEXHUP2	980320
MTSBSIMU2	780413	NAVIONNAVION	150118	PICARDA5	001218
MTSBSIMU2	780414	NAVIONNAVION	150132	PICARDA8	001218
MTSBSIMU300	780802	NAVIONNAVION	150134	PIGMANREARWN	070104
MULTECD18	230802	NAVIONNAVION	150138	PIGMANREARWN	070302
MULTECD18	230804	NAVIONNAVION	150140	PIGMANREARWN	070308
MULTECD18	230806	NAVIONNAVION	150142	PILATSB4	090103
MULTECD18	230808	NAVIONNAVION	150148	PILATSB4	090104
MULTECD18	230810	NAVIONNAVION	150180	PILATSPC8	375014
MULTECD18	230812	NAVIONNAVION	150182	PILATSPC8	090102
NAMER A36	400102	NAVIONNAVION	150188	PILATSPC8	090110
NAMER B25	400702	NAVIONNAVION	150170	PILATSPC8	090114
NAMER B25	400704	NAVIONNAVION	150172	PILATSPC8T	375011
NAMER B25	400705	NAVIONNAVION	150174	PILATSPC8T	090202
NAMER B25	400708	NAVIONNAVION	150178	PILATSPC8T	090210
NAMER B25	400710	NELSONB51	200102	PINAIRSUPERV	100102
NAMER B25	400712				

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
PIPER 600	106001	PIPER PA18	101828	PIPER PA31T	103128
PIPER 600	106010	PIPER PA18	101832	PIPER PA32	103206
PIPER 600	106012	PIPER PA18	101834	PIPER PA32	103207
PIPER 600	106014	PIPER PA18	101836	PIPER PA32	103209
PIPER 600	106015	PIPER PA18	101837	PIPER PA32	103211
PIPER 600	106023	PIPER PA18	101838	PIPER PA32	103212
PIPER 600	360607	PIPER PA18	101880	PIPER PA32	103213
PIPER E2	100302	PIPER PA18	101902	PIPER PA32	103214
PIPER F2	100304	PIPER PA18	101904	PIPER PA32	103215
PIPER J2	100402	PIPER PA20	102002	PIPER PA32	103216
PIPER J3	100501	PIPER PA20	102004	PIPER PA32	103218
PIPER J3	100502	PIPER PA20	102006	PIPER PA32	103220
PIPER J3	100506	PIPER PA20	102010	PIPER PA34	103405
PIPER J3	100508	PIPER PA20	102012	PIPER PA34	103406
PIPER J3	100510	PIPER PA22	102202	PIPER PA34	103420
PIPER J3	100511	PIPER PA22	102204	PIPER PA36	103610
PIPER J3	100512	PIPER PA22	102206	PIPER PA36	103612
PIPER J3	100514	PIPER PA22	102208	PIPER PA36	103620
PIPER J3	100516	PIPER PA22	102210	PIPER PA38	103812
PIPER J3	100518	PIPER PA22	102212	PIPER PA42	104202
PIPER J3	100519	PIPER PA22	102214	PIPER PA42	104212
PIPER J3	100520	PIPER PA22	102216	PIPER PA44	104402
PIPER J3	100522	PIPER PA23	102302	PIPER PA44	104404
PIPER J3	100526	PIPER PA23	102303	PIPER PA48	104605
PIPER J3	100528	PIPER PA23	102304	PIPER TG8	100102
PIPER J3	10052T	PIPER PA23	102305	PIRTLEROC185	140107
PIPER J3	100532	PIPER PA23	102306	PIRTLEROC185	140189
PIPER J3	100536	PIPER PA23	102308	PITCANPA4	180102
PIPER J3	100542	PIPER PA23	102309	PITCANPA5	180202
PIPER J3	100546	PIPER PA23	102310	PITCANPA6	180302
PIPER J3	100550	PIPER PA24	102402	PITCANPA7	180402
PIPER J3	100552	PIPER PA24	102403	PITCANPA7	180406
PIPER J3	101102	PIPER PA24	102404	POST A	280102
PIPER J3	101104	PIPER PA24	102406	PRATT PRG1	300102
PIPER J4	100602	PIPER PA24	102408	PRATT PRG1	300106
PIPER J4	100604	PIPER PA24	102409	PROPJT200	140302
PIPER J4	100605	PIPER PA25	102502	PROPJT200	140312
PIPER J4	100606	PIPER PA25	102504	PROPJT200	140314
PIPER J4	100608	PIPER PA25	102508	PROPJT400	560404
PIPER J4	100610	PIPER PA28	102802	RAVEN MG1000	483202
PIPER J4	100614	PIPER PA28	102803	RAVEN RX8	480502
PIPER J5	100202	PIPER PA28	102804	RAVEN S40	480104
PIPER J5	100702	PIPER PA28	102805	RAVEN S50	5604XW
PIPER J5	100706	PIPER PA28	102806	RAVEN S50	480204
PIPER J5	100708	PIPER PA28	102807	RAVEN S55	480402
PIPER J5	100712	PIPER PA28	102808	RAVEN S60	480606
PIPER L14	100902	PIPER PA28	102809	RAVEN S60	480610
PIPER PA12	101202	PIPER PA28	102810	RAVEN S66	480612
PIPER PA12	101204	PIPER PA28	102811	RAWDONT1	500102
PIPER PA14	101402	PIPER PA28	102813	REIMS 150	530128
PIPER PA15	101502	PIPER PA28	102814	REIMS 150	530132
PIPER PA16	101602	PIPER PA28	102815	REIMS 150	530134
PIPER PA17	101702	PIPER PA28	102816	REIMS 172	530136
PIPER PA18	101802	PIPER PA28	102817	REIMS 172	530139
PIPER PA18	101804	PIPER PA28	102818	REIMS 172	530203
PIPER PA18	101806	PIPER PA28	102818	REIMS 172	530204
PIPER PA18	101808	PIPER PA28	102819	REIMS 172	530206
PIPER PA18	101808	PIPER PA28	102830	REIMS 172	530209
PIPER PA18	101809	PIPER PA30	103002	REIMS 172	530210
PIPER PA18	101812	PIPER PA30	103002	REIMS 172	530210
PIPER PA18	101813	PIPER PA30	104002	REIMS 177	530211
PIPER PA18	101814	PIPER PA31	103102	REIMS 337	535726
PIPER PA18	101815	PIPER PA31	103104	REPBLCP47	570405
PIPER PA18	101816	PIPER PA31	103105	RHNFLURW3	600504
PIPER PA18	101818	PIPER PA31	103110	RKWELL500	630410
PIPER PA18	101818	PIPER PA31	103110	RKWELL700	630520
PIPER PA18	101820	PIPER PA31	103120	RKWELLNA265	402608
PIPER PA18	101822	PIPER PA31T	103124	RKWELLNA265	402612
PIPER PA18	101824	PIPER PA31T	103126	RKWELLNA265	402614
PIPER PA18	101826	PIPER PA31T	103127		

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
RKWELLNA285	402818	SCWZERSG1	050112	SKRSKYS70	143001
RKWELLNA285	830101	SCWZERSG1	050114	SKRSKYS78	143008
RKWELLNA285	830104	SCWZERSG1	050118	SKRSKYS78	143010
RKWELLNA285	830106	SCWZERSG1	050118	SLINDS100	140202
RKWELLNA285	830107	SCWZERSG1	050120	SLINDS100	140208
RKWELLNA285	830108	SCWZERSG1	050122	SLINDS100	550102
ROBSINR22	840102	SCWZERSG1	050124	SLINDS100	550104
ROBSINR22	840104	SCWZERSG1	050148	SLINDSB	144308
ROLSCHLS	801208	SCWZERSG1	050147	SLINDSB	144308
ROLSCHLS	801208	SCWZERSG1	050148	SLINDSB	571008
FOLSCHLS	801211	SCWZERSG1	050149	SLNSBY43	320208
ROLSCHLS	801214	SCWZERSG1	050151	SLNSBYKITE	320102
ROLSCHLS	801250	SCWZERSG1	050153	SLNSBYT45	320304
ROOS 129	880108	SCWZERSG1	050502	SLNSBYT49	321008
ROOS 1928	880204	SCWZERSG2	050202	SLNSBYT50	320402
ROOS A1	880102	SCWZERSG2	050208	SLNSBYT51	320802
ROOS A1	880104	SCWZERSG2	050210	SLNSBYT53	321508
ROOS PT	880312	SCWZERSG2	050802	SLNSBYT59	321510
ROSE A1	710102	SCWZERSG2	050804	SMITH 800	710802
RYAN SCW	830302	SCWZERSG2	050808	SMITH 800	710808
RYAN ST3	830502	SCWZERSG2	050810	SMITH 800	380802
RYAN ST3	830504	SCWZERSG2	050812	SMITH 800	380804
RYAN STA	830402	SCWZERSG2	050814	SMITH 800	380805
RYAN STA	830404	SCWZERSG2	051404	SMITH 800	380808
RYANARB	840102	SCWZERSG2	051804	SMITH 800	380808
SAAB SF340	850100	SCWZERSG2	051808	SNIAS AS332	880808
SCBFLG111	801381	SCWZERTG3A	050902	SNIAS AS332	880809
SCBFLGBERGFK	801315	SEMCO 30	070504	SNIAS AS350	880801
SCBFLGFSF25	801322	SEMCO CLNGER	070802	SNIAS AS350	880802
SCBFLGFSF25	801325	SEMCO MARKV	071802	SNIAS AS350	880803
SCBFLGFSF27	80135F	SEMCO MODEL T	071701	SNIAS AS355	880805
SCBFLGFSF27	80135V	SEMCO TC4	071408	SNIAS AS355	880808
SCBFLGFSF28	80135X	SEMCO TC4	071409	SNIAS CONCRD	890102
SCHLER13	8015GS	SIQUX 80	250102	SNIAS SA318	880508
SCHLERASK14	8015GW	SIQUX 80	250108	SNIAS SA318	880508
SCHLERASK21	8015GY	SIREN C30	270302	SNIAS SA318	880511
SCHLERASW12	8015HR	SKRSKYS39	140502	SNIAS SA330	880612
SCHLERASW15	8015H2	SKRSKYS51	141102	SNIAS SA341	880610
SCHLERASW15	8015H2	SKRSKYS52	141308	SNIAS SE313	880502
SCHLERASW17	801507	SKRSKYS55	141802	SOCATAMS880	910304
SCHLERASW19	801505	SKRSKYS55	141803	SOCATAMS893	402838
SCHLERASW19	801508	SKRSKYS55	141804	SOCATAMS894	402842
SCHLERASW20	801503	SKRSKYS55	141808	SOCATARALLYE	400125
SCHLERASW20	801506	SKRSKYS55	141800	SOCATARALLYE	400131
SCHLERII	801581	SKRSKYS58	141801	SPARTN7W	430302
SCHLERK	801551	SKRSKYS58	141803	SPARTNC2	430102
SCHLERK2K7	801554	SKRSKYS58	141804	SPARTNC3	430208
SCHLERK8	801559	SKRSKYS58	141805	SPARTNC3	430208
SCHLERK8	801563	SKRSKYS58	141808	SPARTNC3	430210
SCHLERK8	801567	SKRSKYS58	141807	SPHRTHCIRRUS	8019VC
SCHLERK8	8019VK	SKRSKYS58	141808	SPHRTHCIRRUS	8019VE
SCHLERK8	8019VL	SKRSKYS58	141809	SPHRTHJANUS	802002
SCHLERKAB	801525	SKRSKYS58	141811	SPHRTHNIMBUS	801923
SCHLERKAB	801528	SKRSKYS58	141814	SPHRTHNIMBUS	801925
SCHLERKAB	801530	SKRSKYS58	141837	SPHRTHNIMBUS	801950
SCHLERKAB	801535	SKRSKYS58	141839	SPHRTHNIMBUS	8019VD
SCHLERKAB	801537	SKRSKYS58T	141840	SPHRTHNIMBUS	8019VF
SCHLERKAB	801540	SKRSKYS58T	141842	SPHRTHNIMBUS	8019VG
SCHLERKAB	801542	SKRSKYS58T	141844	SPHRTHNIMBUS	8019VJ
SCHLERKAB	801545	SKRSKYS81	142101	SPHRTHS	801933
SCHZOWMODEL8	580221	SKRSKYS81	142102	SPHRTHS	801939
SCUZERSG2	050207	SKRSKYS81	142103	SPHRTHSH1	801945
SCWZERG184	952704	SKRSKYS81	142104	SPHRTHSHK	801920
SCWZERSG1	050102	SKRSKYS81	142107	SPHRTHVENTUS	802050
SCWZERSG1	050104	SKRSKYS81	14210C	SPHRTHVENTUS	802051
SCWZERSG1	050108	SKRSKYS82	142202	SPORT GEOPEN	802433
SCWZERSG1	050108	SKRSKYS84	142804	SPTPUZRF4D	451012
SCWZERSG1	050110	SKRSKYS70	143000	SPTPUZRF5	451014

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA
SPTPUZRF5	451018	STRMAN8	580402	TEMCO T35	890801
STAR CAVALR	480102	SUD QY80	881008	TEMCO T35	890802
STAR CAVALR	480104	SUD SE210	880208	TEMCO TT1	890502
STAR CAVALR	480108	SUPAC 14	730402	TH55	471002
STATE F	521004	SUPAC 14	730404	THUNDRAX5	5804UK
STBROSMK111	100102	SUPAC LA	730202	THUNDRAX5	5804UM
STBROSS2B	100525	SUPAC LA	730204	THUNDRAX5	5804UN
STBROSSC7	100512	SUPAC LA	730208	THUNDRAX5	5804UP
STBROSSD3	100802	SUPAC LA	730208	THUNDRAX5	970100
STLOUSC2	820304	SUPAC V	730302	THUNDRAX6	970102
STLOUSYPT15	820302	SUPAC V	730308	THUNDRAX6	970104
STNSON10	832002	SWALOWSWALOW	750102	THUNDRAX7	970105
STNSON10	832004	SWALOWTP	780202	THUNDRAX7	970108
STNSON10	832102	SWRNGNSA228	780122	THUNDRAX7	970107
STNSON10	832104	SWRNGNSA228	780404	THUNDRAX7	970108
STNSON8000	830904	SWRNGNSA228	780405	THUNDRAX7	970110
STNSONA	830901	SWRNGNSA228	780408	THUNDRAX7	970120
STNSONJR	830402	SWRNGNSA227	780803	THUNDRAX8	970111
STNSONJR	830404	SWRNGNSA227	780810	THUNDRAX8	970112
STNSONJR	830408	SWRNGNSA227	780815	THUNDRAX9	970115
STNSONL1	830102	SWRNGNSA227	780820	TIMM COLEGT	980102
STNSONL1	830114	SWRNGNSA28	780102	TIMM N2T	980202
STNSONL5	830202	SWRNGNSA28	780112	TMPSONNAVION	150104
STNSONL5	830204	SZD 41	821841	TMPSONNAVION	150112
STNSONL5	830208	SZD 45	822002	TMPSONNAVION	150114
STNSONL5	830210	SZD 48	821848	TMPSONNAVION	150120
STNSONL5	830212	TCRAFK21	850908	TMPSONNAVION	150122
STNSONL5	830214	TCRAFKD	850402	TMPSONNAVION	150130
STNSONSM2	830804	TCRAFKD	850404	TOMCAT	180818
STNSONSM7	830702	TCRAFKD	850408	TOMCAT	181082
STNSONSM7	830704	TCRAFKD	850410	TOMCAT	390101
STNSONSM8	830802	TCRAFKD	850412	TOMCAT	390202
STNSONSR10	831802	TCRAFKD	850414	TOMCAT	390204
STNSONSR10	831804	TCRAFKD	850415	TOMCAT	390301
STNSONSR10	831808	TCRAFKD	850418	TOMCAT	390302
STNSONSR10	831814	TCRAFKD	850420	TOMCAT	390303
STNSONSR10	831818	TCRAFT15A	850702	TOMCAT	390304
STNSONSR10	831820	TCRAFT20	851002	TOMCAT	390305
STNSONSR5	831102	TCRAFTA	850202	TRYTEK85	190408
STNSONSR5	831104	TCRAFTBC	850302	TRYTEK85	190712
STNSONSR5	831108	TCRAFTBC	850304	TRYTEK85	190718
STNSONSR5	831110	TCRAFTBC	850308	TRYTEK85	190920
STNSONSR5	831112	TCRAFTBC	850308	TRYTEK85	190922
STNSONSR6	831202	TCRAFTBC	850310	TRYTEK85	190928
STNSONSR6	831204	TCRAFTBC	850314	TRYTEK85	190928
STNSONSR7	831304	TCRAFTBC	850318	TRYTEK85	190930
STNSONSR7	831308	TCRAFTBC	850318	TRYTEK85	190932
STNSONSR8	831404	TCRAFTBC	850320	TRYTEKCF	190202
STNSONSR8	831408	TCRAFTBC	850322	TRYTEKK	190402
STNSONSR8	831412	TCRAFTBC	850323	TRYTEKK	190404
STNSONSR8	831418	TCRAFTBC	850324	TRYTEKKC	190204
STNSONSR9	831502	TCRAFTBC	230918	UNIPRO113	250302
STNSONSR9	831504	TCRAFTBC	230920	UNIPRO70	250202
STNSONSR9	831508	TCRAFTBC	230924	UNIPROD145	250502
STNSONSR9	831518	TCRAFTBC	230928	UNIVACGC1	230102
STNSONSR9	831528	TCRAFTBF	850328	UNIVACGC1	230104
STNSONV77	831802	TCRAFTBF	850332	UNIVACGC1	230108
STNSONV77	831804	TCRAFTBF	850338	UNIVACGC1	230108
STNSONW	831902	TCRAFTBF	850340	UNIVACGC1	230110
STOLACUC1	840202	TCRAFTBL	850348	UNIVACGC1	230112
STOLACUC1	220102	TCRAFTBL	850350	UNIVAR108	230402
STOLAMRC3	080202	TCRAFTBL	850354	UNIVAR108	230404
STOLAMRC3	080204	TCRAFTBL	850358	UNIVAR108	230408
STOLAMRC3	080208	TCRAFTTC8	850102	UNIVAR108	230408
STRMAN3	580202	TEAL TSC1A	880102	UNIVAR108	230412
STRMAN3	580208	TEAL TSC1A	960404	UNIVAR108	230414
STRMAN4	580302	TEMCO 11A	890402	UNIVAR108	230418
STRMAN4	580308	TEMCO 11A	890404	UNIVAR108	230418

TABLE D-1. SDR AIRCRAFT GROUP NAME - FAA MANUFACTURER/MODEL CODES (CONTINUED)

SDR	FAA	SDR	FAA	SDR	FAA		
UNIVAR4 15	420104	WACO	BSO	601204	WACO	YK	600834
UNIVAR4 15	420202	WACO	CRG	601001	WACO	YK	600835
UNIVAR4 15	420204	WACO	CSO	601208	WACO	YK	600838
UNIVAR4 15	420302	WACO	CTO	601214	WACO	YMF	600412
UNIVAR4 15	420304	WACO	DSO	601208	WACO	YOC	600622
UNIVAR4 15	420306	WACO	EGC	600610	WACO	YOC	600624
UNIVAR4 15	420308	WACO	GC7	600808	WACO	YPF	601602
UNIVAR4 15	420310	WACO	GXE	600702	WACO	YPF	601606
UNIVAR4 15	420312	WACO	INF	600416	WACO	YPF	601608
UNIVAR4 15	420314	WACO	JC	600802	WACO	YPF	601610
UNIVAR4 15	420316	WACO	JC	600806	WACO	ZGC	600609
UNIVAR4 15	420318	WACO	JYM	601504	WACO	ZGCB	600604
UNIVAR4 15	420320	WACO	KNF	600418	WESTLD30		650160
UNIVAR4 15	420322	WACO	P	600302	WHITE D25		670102
UNIVAR4 15	420324	WACO	P	600402	WING D1		690302
UNIVAR4 15	420326	WACO	Q	600408	WNDKR AC7		720209
UNIVAR4 15	420328	WACO	Q	600504	WSK M18		810102
UNIVAR4 15	420330	WACO	Q	601210	WTHRLY201		630404
UNIVAR4 15	420332	WACO	QCB	600640	WTHRLY201		630406
UNIVAR4 15	420334	WACO	QCB	600642	WTHRLY201		630408
UNIVAR4 15	420336	WACO	QCB	600644	WTHRLY201		630410
UNIVAR4 15	420338	WACO	QCB	600646	WTHRLY620		630602
UNIVAR4 15	420402	WACO	QCB	600648	WTHRLY620		630604
UNIVAR4 15	420406	WACO	R	600304	ZENITH26		950102
UNIVAR4 15	420502	WACO	R	600422	ZLIN 526		970212
UNIVAR4 15	420504	WACO	RE	600902	ZLIN 526		970222
UNIVAR4 15	420702	WACO	RE	600906			
UNIVAR4 15	420722	WACO	RE	600910			
UNIVAR4 15	540102	WACO	RPT	600340			
UNIVAR4 15	540104	WACO	S3HD	601102			
UNIVAR4 15	872014	WACO	U	600306			
UNIVAR4 15	872018	WACO	U	600404			
VARGA 2150	940202	WACO	U	600405			
VARGA 2150	940204	WACO	U	600508			
VARGA 2150	350102	WACO	U	600510			
VARGA 2180	350104	WACO	UC	600662			
VARGA 2180	350105	WACO	UC	600664			
VICKER745	470204	WACO	UKC	600808			
VICKER745	470402	WACO	UKC	600810			
VICKER745	470404	WACO	UKC	600820			
VICKER745	470602	WACO	UKC	600822			
VIKINGB	520102	WACO	UKS	600824			
VIKINGB	520104	WACO	UKS	600826			
VIZOLAA21	870101	WACO	UKS	600830			
VLGTBWSAGITA	550201	WACO	UMF	600410			
VOUGHTF4U	152608	WACO	UPF7	601302			
WACO 125	600202	WACO	UPF7	601304			
WACO 9	600102	WACO	YK	600816			
WACO AGC8	600602	WACO	YK	600818			
WACO ASO	601202	WACO	YK	600832			
WACO ATO	601212						
WACO AVN8	601402						

**APPENDIX E**  
**SDR ENGINE GROUP NAME - FAA MANUFACTURER/MODEL CODES**

THE FOLLOWING TABLE SHOWS THE CORRESPONDENCE BETWEEN THE SERVICE DIFFICULTY REPORTING (SDR) ENGINE GROUP NAMES AND THE FAA ENGINE MANUFACTURER/MODEL/SERIES (MMS) CODES AND APPEARS IN ALPHABETICAL ORDER BY SDR NAME. THE SDR NAMES COMBINE MMS CODES FOR AIRCRAFT OF SIMILAR DESIGN INTO GROUPS FOR ANALYTIC PURPOSES. THE TABLE CONTAINS ENTRIES FOR ALL THE SDR NAMES APPEARING IN THE ENGINE STATISTICS TABLE IN THE BODY OF THIS REPORT.

TABLE E-1. SDR ENGINE GROUP NAME - FAA MANUFACTURER/MODEL CODES

SDR	FAA	SDR	FAA	SDR	FAA
ALLSN 250B	03003	FRNKLN8V8245	27036	PIGMAN5	37002
ALLSN 250C	03002	FRNKLN8VS335	27040	PORSCH8784	51001
ALLSN 250C	03011	GE CF8	30020	PWA JFTD12	52047
ALLSN 250C	03013	GE CF700	30010	PWA JT12	52042
ALLSN 501D	03004	GE CJ810	30002	PWA JT15	52060
ALLSN 501D	03008	GE CJ810	30008	PWA JT15	52112
AMES TRS	04501	GE CJ805	30004	PWA JT3C	52038
AMTRMCMCCULH	42501	GE CJ805F	30005	PWA JT3D	52039
ARSRCHTFE731	01518	GE CT58	30001	PWA JT4	52037
ARSRCHTPE331	01502	GE CT58	30008	PWA JT8	52044
ARSRCHTPE331	01508	GE CT7	30030	PWA JT8	52046
ARSRCHTPE331	01508	GLADENK5	37503	PWA JT8	52048
ARSRCHTPE331	01510	GLADENR5	37504	PWA JT8	52049
ARSRCHTPE331	01512	GULF R870	31701	PWA JT8	52051
ARSRCHTSE331	01505	JACOBPR755	35006	PWA JT9	52050
BRSDLYGIPSY	20003	JACOBPR755	35007	PWA PT8	52043
CFMINTCFM58	13802	JACOBPR755	35008	PWA PT6	52053
CONT 8285	17038	JACOBSR755	35003	PWA PT6T	52045
CONT 975	17037	JACOBSR915	35005	PWA R1340	52009
CONT A40	17001	LYC 0540	41532	PWA R1340	52010
CONT A50	17002	LYC AL5512	41581	PWA R1340	52012
CONT A85	17003	LYC LTS101	41560	PWA R1340	52018
CONT A75	17005	LYC 0145	41501	PWA R1890	52001
CONT A80	17006	LYC 0145	41502	PWA R1830	52017
CONT C125	17011	LYC 0145	41503	PWA R1830	52018
CONT C145	17012	LYC 0235	41505	PWA R1830	52019
CONT C85	17008	LYC 0280	41508	PWA R1830	52020
CONT C90	17009	LYC 0320	41500	PWA R2000	52021
CONT E185	17013	LYC 0320	41508	PWA R2000	52023
CONT E185	17014	LYC 0320	41509	PWA R2800	52024
CONT E225	17015	LYC 0340	41510	PWA R2800	52025
CONT 0200	17020	LYC 0360	41511	PWA R2800	52026
CONT 0300	17022	LYC 0360	41513	PWA R4360	52027
CONT 0300	17024	LYC 0360	41514	PWA R985	52006
CONT 0348	17033	LYC 0360	41515	PWA R985	52007
CONT 0360	17023	LYC 0360	41522	PWA R985	52008
CONT 0360	17025	LYC 0360	41524	PWA T34	52055
CONT 0470	17026	LYC 0435	41518	RROYCEDART	54503
CONT 0470	17027	LYC 0435	41517	RROYCEDART	54504
CONT 0470	17028	LYC 0435	41518	RROYCEDART	54505
CONT 0470	17029	LYC 0435	41519	RROYCEDART	54506
CONT 0520	17032	LYC 0435	41520	RROYCEDART	54507
CONT 0520	17035	LYC 0435	41521	RROYCEDART	54508
CONT 0520	17040	LYC 0435	41523	RROYCEDART	54509
CONT 0526	17030	LYC 0435	41525	RROYCEGIPSY	20005
CONT R870	17018	LYC 0435	41526	RROYCEGIPSY	20006
CONT R870	17018	LYC 0480	41527	RROYCEGIPSY	20007
DHAVXXGIPSY	20004	LYC 0480	41529	RROYCETINE	54510
FCD 8410	28002	LYC 0540	41530	RROYCEVIPER	10201
FCD 8440	28003	LYC 0540	41531		
FRNKLN4A235	27011	LYC 0540	41533		
FRNKLN4AC150	27002	LYC 0540	41534		
FRNKLN4AC150	27003	LYC 0540	41535		
FRNKLN4AC150	27004	LYC 0540	41538		
FRNKLN4AC171	27005	LYC 0541	41536		
FRNKLN4AC178	27006	LYC 0541	41539		
FRNKLN4AC178	27007	LYC 0720	41548		
FRNKLN4AC199	27008	LYC R880	41540		
FRNKLN4AC199	27009	LYC R880	41541		
FRNKLN4AC199	27010	LYC R880	41542		
FRNKLN8A4150	27024	LYC R880	41543		
FRNKLN8A4185	27025	LYC R880	41544		
FRNKLN8A4200	27027	LYC R880	41545		
FRNKLN8A8215	27030	LYC T53	41552		
FRNKLN8AG4	27026	LYC T55	41555		
FRNKLN8AV335	27020	MNASCOC4	43504		
FRNKLN8AV350	27043	ONAN B48	99999		
FRNKLN8V4	27033	PCKARDV1850	48001		

## BIBLIOGRAPHY

Census of U.S. Civil Aircraft, Calendar Year 1984, U.S. Department of Transportation, Federal Aviation Administration, Washington, DC: U.S. Government Printing Office, 1985.

Code of Federal Regulations, Aeronautics and Space, Title 14, Parts 60 to 199, U.S. General Services Administration, National Archives and Records Service, Washington, DC: U.S. Government Printing Office, 1978.

FAA Air Traffic Activity, Fiscal Year 1984, Federal Aviation Administration, Washington, DC, 1985.

General Aviation Avionics Statistics (1979 Data), U.S. Department of Transportation, Federal Aviation Administration, Washington, DC: U.S. Government Printing Office, 1981.

Standards for Discussion and Presentation of Errors in Data, U.S. Department of Commerce, Bureau of the Census, Washington, DC: U.S. Government Printing Office, 1974.

United States Code Annotated, Title 49, Section 1401, St. Paul, Minnesota: West Publishing Co., 1978.