

AD-A172 383


CAI (COMPUTER-AIDED INSTRUCTION) EVALUATION CHECKLIST:
HUMAN FACTORS GUID. (U) NAVAL TRAINING SYSTEMS CENTER
ORLANDO FL C J HAMEL ET AL. AUG 86
NAVTRASYSCEN-TR86-002


1/1

UNCLASSIFIED

F/G 5/9

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A172 383

Technical Report: NAVTRASYSSEN TR86-002

CAI EVALUATION CHECKLIST: HUMAN FACTORS
GUIDELINES FOR THE DESIGN OF
COMPUTER-AIDED INSTRUCTION

DMC FILE COPY

SEP 29 1986

This document has been approved
for public release and its
distribution is unlimited.

86

9

21

92

③

Technical Report: NAVTRASYSSEN TR86-002

CAI EVALUATION CHECKLIST: HUMAN FACTORS
GUIDELINES FOR THE DESIGN OF
COMPUTER-AIDED INSTRUCTION

Cheryl J. Hamel
Stacie L. Clark
Human Factors Division
Naval Training Systems Center

August 1986

Final Report

DoD Distribution Statement

Approved for Public Release:
distribution is unlimited

DTIC
ELECTE
SEP 29 1986
S A D

REPORT DOCUMENTATION PAGE

1. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release, distribution is unlimited.		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report NTSC TR86-002			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Naval Training Systems Center		6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and Zip Code) Human Factors Division Orlando, FL 32813-7100			7b. ADDRESS (City, State, and Zip Code)		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State and Zip Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.
11. TITLE (Include Security Classification) CAI Evaluation Checklist: Human Factors Guidelines for the Design of Computer-Aided Instruction (U)					
12. PERSONAL AUTHOR(S) Hamel, Cheryl J., and Stacie L. Clark					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day) 1986/August	
15. PAGE COUNT 38					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Man-Machine interface; computer-assisted instruction; training effectiveness; computer-based training; evaluation; instructional design		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Human Factors design guidelines for the development of computer-aided instruction (CAI) are suggested. A checklist for CAI evaluation is provided. The discussion focuses on user-computer interaction in CAI. The guidelines are organized around five human factors design principles for computer systems: brevity, consistency; flexibility; responsiveness; and compatability. Research plans are proposed to validate these guidelines and checklist and improve the scoring and diagnostics feedback features.					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL CHERYL J, HAMEL			22b. TELEPHONE (Include Area Code) (305) 646-5130		22c. OFFICE SYMBOL NTSC, Code 711

TABLE OF CONTENTS

SECTION	PAGE
I INTRODUCTION	1
Purpose	2
II DEVELOPMENT OF THE CHECKLIST	3
Basic Principles of Good Computer System Design	3
Brevity	3
Consistency	3
Flexibility	4
Compatibility	4
Responsiveness	5
Organization of the Guidelines	5
Scoring Method	5
Rater Reliability	6
Automated Checklist	7
III CONCLUSIONS AND RESEARCH RECOMMENDATIONS	8
Checklist Improvements	8
Diagnostic Feedback	9
Empirical Validation	9
Military Specifications	9
Conclusions	10
REFERENCES	11
APPENDIX A--DESIGN GUIDELINES AND ASSOCIATED REFERENCES	15
APPENDIX B--CAI EVALUATION CHECKLIST	21



Accession For	
NTIS	DA&I
DTIC	AD
DDI	DDI
DDI	DDI
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A-1	

LIST OF TABLES

Table		Page
1	BREVITY Items and Associated References	16
2	CONSISTENCY Items and Associated References	17
3	FLEXIBILITY Items and Associated References	18
4	COMPATIBILITY Items and Associated References	19
5	RESPONSIVENESS Items and Associated References	20

ACKNOWLEDGMENTS

The authors wish to thank Drs. Richard Braby and Mark Pfeiffer from the Naval Training Systems Center, who contributed their technical assistance in support of this effort. Dr. Braby, an education specialist, reviewed an initial version of the checklist for clarity and relevance to computer-based instruction. Dr. Pfeiffer, a human factors psychologist, reviewed the checklist for its relevance to interactive videodisk training and collected data for the study of rater reliability.

SECTION I

INTRODUCTION

The Navy is cautiously expanding the use of computer-aided instruction (CAI) in classrooms and embedded training in operational environments. If the effectiveness of such instruction is to be maximized, attention must be given to the user-computer interface (UCI). The ease with which students communicate with the computer, in part, will determine how well they learn. In the case of embedded training, the UCI may determine whether the training is used at all.

Learning complex job tasks consumes students' attention and memory resources. Additional demands simply to understand the complex system serving as the medium of instruction should be minimized. Design of CAI according to human factors principles will lead to a good match between cognitive processes of students and the information-processing capabilities of computers. The result will be instruction which uses all the advantages of the computer as a training medium to produce high information transfer, reduced mental work load, reduced human error and efficient learning.

Research articles and guidelines on the design of CAI and on the UCI have proliferated in recent years. These studies and guidelines have not been organized and evaluated for their relevance to training effectiveness.

The Naval Training Systems Center is conducting research to produce human factors guidelines for the design and evaluation of computer-based training systems. The first product of this research effort, reported here, is a set of draft guidelines, with accompanying references, for the design of CAI. These guidelines were derived from literature reviews, existing guidelines and standards, and empirical and theoretical research pertaining to CAI and the UCI. Special attention has been given to information-processing theory which focuses on the cognitive demands placed upon an operator of a computer system.

The guidelines presented in this report are organized according to a set of human-computer dialogue principles proposed by Williges and Williges (1984) and are formatted as the CAI Evaluation Checklist. The checklist format was chosen to examine its potential for evaluating the interaction of a student with a computer. Additional research will be conducted to validate the instrument's ability to predict the training effectiveness of CAI. Future research will examine the checklist's ability to measure the quality of CAI courseware and hardware, in terms of how well a system displays information, how easy it is for students to

operate a system, and how well the CAI capitalizes on the advantages of the computer as a training medium.

PURPOSE

This report provides guidelines in checklist format for the design of the user-computer interface (UCI) for computer-assisted instruction (CAI). As such, it will be of interest to human factors professionals, instructional technologists and engineers who design or develop computer-based training systems or authoring systems for CAI.

The checklist format is useful for evaluating CAI as part of the final acceptance process for the government acquisition of CAI systems and also to those doing research on CAI or the UCI who need quantitative methods of evaluation.

SECTION II

DEVELOPMENT OF THE CHECKLIST

The guidelines were produced from a review of the behavioral research literature, existing guidelines, and verbal reports of experienced CAI developers. Information on the design of CAI was combined with studies of the UCI in an effort to merge the two areas. Appendix A includes the guidelines and specific references from which they were derived.

BASIC PRINCIPLES OF GOOD COMPUTER SYSTEM DESIGN

The Williges and Williges (1984) report on human factors consideration in the design of human-computer dialogue provided an organizational structure for the material. All guidelines were organized using five of the Williges' principles: brevity, consistency, flexibility, compatibility, and responsiveness. From the Williges' (1984) review of existing standards and guidelines on the human-computer interface, they concluded that these principles are fundamental to "good computer system design." The definition of each principle was modified to fit the requirements of CAI as a particular form of human-computer interaction. The modified principles are described below.

BREVITY

Information a student must maintain in short-term memory or attend to should be minimized. Methods of chunking and focusing information aid in reducing mental workload. Early research on information processing in humans supports this principle (Miller, 1960; Norman, 1976). Humans have a limited capacity to process quantities of information at one time and therefore must selectively attend or use other control processes to receive and remember information.

CONSISTENCY

Task demands must be consistent within a training system to develop user expectations. If a student develops a correct mental model of the system, there will be a dramatic reduction in cognitive processing expended on understanding the computer and how it works.

Recent studies invoke the concept of mental models to explain skilled interaction with a system. These models explain learning as the development of successive mental representations of the system and the acquisition of a set of rules for interacting with that system (Card, Moran, and Newell (1980). With repetition of particular combinations of actions, cognitive processing becomes proceduralized, or automatic (Anderson, 1981).

Theories on the development of automatic skills stress the importance of training the consistent components of the training tasks (Schneider and Shiffrin, 1977).

FLEXIBILITY

A system, including the instruction, must accommodate individual differences among students. A computer system must have the capabilities for review and branching, and the instruction should include skill diagnosis and remediation. Flexibility also includes capabilities for student control over the instruction, such as pacing.

Individual differences is a central concern in human learning and performance. The cognitive processes (e.g., memory operations such as storing, searching and retrieving) that intervene during learning and performance are individual difference variables to be considered in designing adaptive instruction (Glaser & Resnick, 1972; Hunt & Lansman, 1975).

COMPATIBILITY

To minimize the information processing between stimulus and response, input and output formats must be compatible with each other and with established behavior patterns of the students using the system. There must be a minimum of translation, decoding, and other forms of cognitive processing necessary to understand computer output of information and to know what response (input) is required.

First, how information is presented must be compatible with the required format for student responses. When tasks are designed such that the response mode is cognitively compatible with the presentation mode, performance is faster and more accurate than when incompatibility exists. Stimulus-Central processing-Response (S-C-R) Compatibility theory and related empirical research support these contentions (Wickens, Sandry, & Vidulich, 1983). The theory maintains that when a stimulus is presented, central processing of that stimulus will either be verbal or spatial in nature. Verbal responses are cognitively compatible with verbal processing tasks and motor responses with spatial processing tasks.

Second, input and output must conform to population stereotypes, e.g., red=stop, green==go. If cues used in the training material must be encoded in memory such that they conflict with previous encoding of those cues, the result will be increased information processing (interference) during retrieval from memory (Tulving, 1976).

RESPONSIVENESS

The system must provide informative feedback about student performance and system condition. Optimal timing of system responses to student input will help the students to know where they are, what they have done, whether or not it was successful, and how to take corrective action as necessary.

Research indicates that feedback which provides information, not simply immediate feedback, is the key to performance change (Cohen, 1985). Knowledge of results in the form of immediate feedback like "CORRECT" or "ERROR," are often not enough to correct the problem. Informational feedback helps the student locate the error and construct an alternative response, e.g., "The first part of your answer is not valid, check your arithmetic."

ORGANIZATION OF THE GUIDELINES

The authors used the five principles described above to sort 50 guidelines into five categories, and then obtained expert opinion on the assignment of guidelines to the categories. The categorized checklist items were distributed to one specialist each in computer software, education, and human factors for their review and comments. They provided constructive comments on the clarity and importance of items and their appropriateness to a given category. The author used these comments to make appropriate modifications to the checklist.

The unique categorization opened up possibilities of measuring the quality of the UCI through the measurement of five characteristics--brevity, consistency, flexibility, compatibility, and responsiveness. A simplified scoring method was derived to begin a study of these possibilities.

SCORING METHOD

The number of guidelines in each category was kept to a maximum of ten items. A yes/no format was used to make the checklist easy to use. The user is asked to mark "yes" if the system contains the feature for the most part, and "no" if the system rarely or never incorporates this

feature. The "n/a" response was added for those cases where an item does not apply. The items were given equal weighting since a weighting method is not yet developed. A score in each category can be obtained by the following formula:

$$\text{Score} = \frac{\text{Number of "yes" responses}}{\text{Total number of items} - \text{"n/a" responses}} \times 100\%$$

This scoring method results in scores for each category ranging from 0% to 100%. Criterion scores for acceptable design of computer-aided instruction, currently unknown, will be developed and refined through empirical research.

RATER RELIABILITY

In an initial attempt to obtain rater reliability, education and psychology professionals were asked to use the CAI Evaluation Checklist to evaluate two articles of interactive video courseware: Trace-A-Ground and AC Switchboard developed for the Electrician's Mate Navy "A" school. The content was introductory material for electronics training.

Four evaluators viewed the Trace-A-Ground courseware and five evaluators viewed the AC Switchboard material. Rater reliability was assessed using the analysis of variance approach to correlation (Winer, 1962). The scores on each of the five principles were set up for a 2 x 2 ANOVA with the principles as one factor and judges as the other factor. Two analyses were performed, one for each set of materials. The obtained mean squares were substituted into the Spearman-Brown prophecy formula to obtain estimated reliability of the averaged scores on the five principles for two, three, four, and five raters. The first ANOVA showed that the reliability of the average of the four raters who evaluated Trace-A-Ground was $r=.87$. This means that an average score on brevity, consistency, flexibility, compatibility, and responsiveness from four raters will correlate $r=.87$ with the averages obtained from a second set of four raters. The second ANOVA showed the reliability of the average of the five raters who evaluated AC Switchboard to be $r=.91$. The Spearman-Brown prophecy formula indicated that acceptable reliability (.80) can be achieved with only two raters. Further information can be obtained from Pfeiffer, Miller, Platt, Green, Monroe, and Traxler (1986).

AUTOMATED CHECKLIST

For the purposes of simplifying data collection, the CAI Evaluation Checklist has been programmed in BASIC on a TRS-80 Model 200 lap-top portable computer. The computer weighs about 4 lbs. and can be battery-operated. The machine uses a 40 x 16 character LCD screen and has a full-size "QWERTY" keyboard. Data storage is in the 72k byte RAM and additional portable disk drives are available. Programs are available to interface the Model 200 with other microcomputers so that files can be written directly to disk.

The automated checklist is useful for large-scale data collection and data analysis. Data are stored for each rater and the averages of all raters are computed. Plans are to program computations for obtaining reliability scores, and to program diagnostic feedback. As an example, the diagnostic feedback will contain information on how best to revise the materials considering what changes should have the highest priority. Prioritizing will be possible when further research produces a method for weighting individual checklist items.

SECTION III

CONCLUSIONS AND RESEARCH RECOMMENDATIONS

The goal of subsequent research in this project is to provide human factors professionals, engineers, and education specialists with a valid and reliable checklist for computer-assisted instruction evaluation. An additional effort could produce military specifications from the checklist items.

The following areas will receive attention in continuing research to determine the validity of the checklist:

- 1) Addition of guidelines to the item pool, and determination of the appropriateness of guidelines to a category,
- 2) Improvement of the scoring method by the weighting of items in each category,
- 3) Interpretation of scores and diagnostic feedback through automation.
- 4) Empirical tests of the checklist's ability to predict training effectiveness.

CHECKLIST IMPROVEMENTS

Further review of the literature and on-going research will add to the data base on the human-computer interface and computer-assisted instruction. The reviews may produce additional items for the checklist.

To determine the categorization of items, human factors experts, software engineers, and education specialists will be asked to categorize the items using the five dimensions described earlier (Williges and Williges, 1984). Items will be shifted to another category if there is high agreement among the experts that a change is warranted. Items not reliably assigned to a category will be revised or dropped from the checklist.

A new method of scoring based on weighted items will be developed. After items have been categorized, the Likert scaling technique will be used to weight each item within the categories. Experts will be asked to rate each item on its importance for effective learning. The weighted scoring method will increase the capability of the checklist to predict

training effectiveness, and will contribute to more accurate diagnostic feedback.

The Likert-scaling format will replace the yes-no format of the checklist if research indicates improvement in the instrument's validity.

DIAGNOSTIC FEEDBACK

Weighted checklist items will prioritize for the user those items most significantly related to training effectiveness. If scores are entered on the automated version of the checklist, it will be possible to obtain automated diagnostic feedback. This feedback will interpret each of the five scores in terms of what revisions are most crucial for increasing the quality of the CAI.

EMPIRICAL VALIDATION

Empirical research will be conducted to evaluate the potential of the CAI Evaluation Checklist to predict training effectiveness. Over 50 government agencies and private firms involved in the development or evaluation of computer-assisted instruction have been given a copy of the CAI Evaluation Checklist. Data will be obtained on the applicability of the checklist to various types of CAI (e.g., tutorial, drill and practice, simulation, games). If measures of student performance are available, or other evaluative measures, they will be reported along with checklist measures.

The next major research effort will focus on experimental designs to test the ability of the checklist to predict training effectiveness. One research plan is to compare two versions of CAI with the same instructional content, one designed with the checklist guidelines and one without. The two CAI versions will be rated independently with the checklist after all the design and development have been completed. The two CAI versions will then be compared on training effectiveness.

Using a between subjects design, students will learn one of the two versions and statistical techniques will be used to correlate student performance with the CAI Evaluation Checklist measures.

MILITARY SPECIFICATIONS

Another research effort is to rewrite the design guidelines in the form of military specifications. A team of education specialists involved in front-end analysis and human factors experts will use the checklist items as the basis for a Data Item Description (DID). The DID could accompany contractual agreements with the Naval Training Systems Center

when the item to be delivered is computer-based instruction or interactive videodisk instruction.

CONCLUSIONS

The CAI Evaluation Checklist has been derived from research and guidelines on the design of the human-computer interface for computer-aided instruction. The guidelines have been formatted as a checklist to be used as an evaluation tool. Proposed research should improve the validity of the checklist and improve the scoring procedure.

A checklist that is easy to administer, has high face validity, and is correlated with real world performance should gain wide acceptance as an extremely cost-effective evaluation tool.

It is proposed that the checklist items be rewritten as military specifications for computer-based instruction delivered to the Naval Training Systems Center.

REFERENCES

- Anderson, J.R. (1981). Cognitive skills and their acquisition. Hillsdale, N.J.: Erlbaum.
- Barnard, P.J., Hammond, N.V., Morton, J., & Long, J.B. (1981). Consistency and compatibility in human-computer dialogue. International Journal of Man-Machine Studies, 15, 87-134.
- Belezzam, F., & Cheney, T.L. (1973) Isolation effect in immediate and delayed recall. Journal of Experimental Psychology, 99(1), 55-60.
- Boyd, W.A. & Eldridge, J.R. (1984). Beyond user friendly. Training and Development Journal, 38, 36-38.
- Caldwell, R.M. (1980). Guidelines for developing basic skills instructional materials for use with microcomputer technology. Educational Technology, 20, 7-12.
- Card, S.K., Moran, T.P., & Newell, A. (1983). The psychology of human-computer interaction. Hillsdale, N.J.: Erlbaum.
- Cohen, V.B. (1985). A reexamination of feedback in computer-based instruction: Implications for instructional design. Educational Technology, 25, 33-37.
- Eberts, & Schneider, W. (1985). Internalizing the system dynamics for a second-order system. Human Factors, 27, 371-394.
- Gilmore, W.E. (1985). Human Engineering Guidelines for the Evaluation and Assessment of Video Display Units. U.S. Regulatory Commission, NUREG/CR-4227.
- Glaser, R., & Resnick, L. (1972). Instructional psychology. In P.H. Mussen & M.R. Rosenweig (Eds.), Annual review of psychology. Palo Alto, CA: Annual Reviews.
- Glynn, S.M. & Britton, B.K. (1984). Supporting readers' comprehension through effective text design. Educational Technology, 24, 40-43.
- Hathaway, M.D. (1984). Variables of computer screen display and how they affect learning. Educational Technology, 24, 7-11.

- Heines, J.M. (1984). Screen Design Strategies for Computer-Assisted Instruction. Bedford, MA: Digital Press.
- Hunt, E., & Lansman, M. Cognitive theory applied to individual differences. In W.K. Estes (Ed.), Handbook of learning and cognitive processes. Volume 1: Introduction to concepts and issues. Hillsdale, N.J.: Erlbaum.
- Karlsrud, J. (1985). Creative screen design. Paper presented at the Computer-Based Training Conference, Dallas, TX.
- Kearsley, G.P. & Hillelsohn, M.J. (1982). Human factors considerations for computer-based training. Journal of Computer-Based Instruction, 4, 74-84.
- Lee, E. & MacGregor, J. (1985). Minimizing user search time in menu-retrieval systems. Human Factors, 27, 157-162.
- Mahoney, F.X. & Lyday, N.L. (1984). Design is what counts in computer-based training. Training and Development Journal, 38, 40-41.
- McCann, P.H. (1983). Development of the user-computer interface. Computer Education, 7, 189-196.
- McPherson-Turner, C. (1979). CAI readiness checklist: Formative author-evaluation of CAI lessons. Journal of Computer-Based Instruction, 2, 47-49.
- Military Handbook: Human Engineering Guidelines for Management Information Systems, DOD-HDBK-761, 28 June 1985, Washington, D.C.: Department of Defense.
- Military Standard: Human Engineering Requirements for Military Systems, Equipment, and Facilities, MIL-STD-1472C, 2 May 1981, Washington, D.C.: Department of Defense.
- Miller, G.A. (1956). The magical number seven, plus or minus two: Some limits on our capacity for processing information. Psychological Review, 63, 81-97.
- Norman, D.A. (1976). Memory and attention. New York: Wiley.
- Pfeiffer, M.G., Miller, H.E., Platt, W.A., Green, E.K., Monroe, R.T., & Traxler, R.S. (1986). Evaluation of interactive videodisc (Device No. 11H89). Naval Training Systems Center, Technical Report TR86-003, Orlando, FL.

- Ramsey, H.R., & Atwood, M.E. (1979). Human Factors in Computer Systems: A Review of the Literature. Technical Report SAI-79-111- DEN, Englewood, Co.: Science Applications, Inc.
- Sawyer, T.A. (1985). Human factors consideration in computer-assisted instruction. Journal of Computer-Based Instruction, 12, 17-20.
- Schneider, W. & Shiffrin, R.M. (1977). Controlled and automatic information processing: I. Detection, search, and attention. Psychological Review, 84, 1-66.
- Schwartz, D.R., & Howell, W.C. (1985). Optimal stopping performance under graphic and numeric CRT formatting. Human Factors, 27, 433-444
- Shinar, D., & Stern, H.I., Bubis, G., & Ingram, D. (1985). The relative effectiveness of alternative selection strategies in menu driven computer programs. Proceedings of the Human Factors Society - 29th Annual Meeting, Baltimore, MD.
- Snyder, K.M., Happ, A.J., Malcus, L., Paap, K.R., & Lewis, J.R. (1985). Using cognitive models to create menus. Proceedings of the Human Factors Society - 29th Annual Meeting, Baltimore, MD.
- Swezey, R.W. & Davis, E.G. (1983). A case study of human factors guidelines in computer graphics. Computer Graphics and Applications, Proceedings IEEE, 71, 22-30.
- Tijerina, L., Chevalaz, G. & Myers, L.B. (1985). Human factors aspects of computer menus and displays in military equipment. Columbus, OH: Batelle.
- Tullis, T.S. (1983). The formatting of alpha-numeric displays: A review and analysis. Human Factors, 25, 657-682.
- Tulving, E. (1974). Cue-dependent forgetting. American Scientist, 62, 74-82.
- Verle, Dennis (1979). The effect of display rate and memory support on correct responses, trials, total instructional time and response latency in a computer-based learning environment. Journal of Computer Based Instruction, 6, 50-54.
- Wickens, C.D., Sandry, D.L., & Vidulich, M. (1983) Compatibility and resource competition between modalities of input, central processing, and output. Human Factors, 25, 227-248.

Williges, B.H. & Williges, R.C. (1984). Dialogue design considerations for interactive computer systems. In Muckler, F.A. (Ed.) Human Factors Review: 1984, Santa Monica, CA: The Human Factors Society.

Winer, B.J. (1971) Statistical Principles in Experimental Design. New York: McGraw-Hill.

APPENDIX A

DESIGN GUIDELINES AND ASSOCIATED REFERENCES

Table 1. BREVITY items and associated references.

BREVITY ITEM	REFERENCES
Large portions of text are broken into meaningful "chunks".	Caldwell, 1980; Kearsley and Hillelsohn, 1982
No more than seven lines of text per screen.	Gilmore, 1985; Karlsrud, 1985
Graphic displays activate from 15% to 25% of the screen area.	Tullis, 1983
Main menus and sub-menus have 3 to 9 choices.	Lee and McGregor, 1985; Tijerina, Chevalaz, and Meyers, 1985
Use of color, boxing, and highlighting, rather than blinking to focus attention on important segments of text.	Caldwell, 1980; Williges and Williges, 1984; Belezza and Cheney, 1973
No more than 3 or 4 text screens without interactivity.	Mahoney and Lyday, 1984
No more than 10% of the screen display is highlighted at one time.	Gilmore, 1985
The time required for a typical session (or lesson) is within the attention span of the target audience.	Kearsley and Hillelsohn, 1982
Sentences have simple syntax: active voice, not compounded.	Boyd and Eldridge, 1984; Glynn and Britton, 1984

Table 2. CONSISTENCY items and associated references.

CONSISTENCY ITEM	REFERENCES
Functionally alike screens are formatted in the same way.	Sawyer, 1985; Williges and Williges, 1984
When functional areas are erased, they are consistently rewritten in the same order.	Heines, 1984
Consistent use of labels and graphics keeps the same types of frames identified as such.	Gilmore, 1985; Military Standard MIL-STD-1472C, 1981
Critical information is always presented at the beginning of a message or centered on the screen.	Gilmore, 1985; Swezey and Davis, 1983
Students receive constant delay of feedback (no more than 2 seconds) rather than variable delays.	Kearsley and Hillelsohn, 1982; McCaan, 1983
Consistency in the way questions are asked and the required format for responses.	Sawyer, 1985; Williges and Williges, 1984
The structure of the presentation is evident to the user through the use of menus and concepts maps.	McCaan, 1983; Snyder, Happ, Malcus, Paap, and Lewis, 1985
A symbol has the same meaning at all times.	Gilmore, 1985

Table 3. FLEXIBILITY items and associated references.

FLEXIBILITY ITEM	REFERENCES
A page-back capability allows the student to review previous material.	Caldwell, 1980
Students can easily exit lessons, return to menus, and exit the program.	Caldwell, 1980; Mahoney and Lyday, 1984
Student has control over the rate of presentation of frames.	Caldwell, 1980
Flexibility in recognizing correct responses (e.g., misspellings, partial answers).	Caldwell, 1980; Kearsley and Hillelsohn, 1982; McPherson-Turner, 1979
The student can request more lengthy messages, through helps, if further clarification is needed.	Gilmore, 1985
The program contains activities for diagnosis of skills already mastered.	Caldwell, 1980
There are remedial exercises for skill deficiencies.	Caldwell, 1980
Modularized program (with menus) allows the student to begin at a point appropriate to past achievement.	Caldwell, 1980; Sawyer, 1985
The student can choose the difficulty level of problems or exercises (achieved by variation in the use of prompts).	Boyd and Eldridge, 1984; Caldwell, 1980; Sawyer, 1985
The student can correct an input error (e.g., with BACKSPACE) or recover from input errors without disrupting the lesson sequence.	Williges and Williges, 1984

Table 4. COMPATIBILITY items and associated references.

COMPATIBILITY ITEM	REFERENCES
The response mode is appropriate to the target audience.	Williges and Williges, 1984
Students are required to use codes for responding only when necessary, as in multiple choice answering (e.g., 1=yes, 2=no is unnecessary coding).	Caldwell, 1980
Visual information and visual tasks such as locating or repositioning are presented graphically.	Wickens, Sandry, and Vidulich, 1983
Where frames are labeled, title not number is used for identification.	Boyd and Eldridge, 1984
If commands are entered by keyboard, the student types the first letter rather than numeric code (e.g., h=help).	Williges and Williges, 1984; Shinar, Stern, Bubis, and Ingram, 1985
Input, output is consistent with user population stereotypes (e.g., correct (e.g., correct response feedback in green).	Barhard, Hammond, Morton, and Long, 1981
Where order of lessons is important, menu options are listed by number not by letter.	Tijerina, et al., 1985
To clarify drill or test instructions, a sample item is answered before the drill or quiz begins.	Caldwell, 1980
A response is demanded while the instructions on how to respond are still on the screen.	Caldwell, 1980
Routing menus are limited to a maximum of three levels.	Heines, 1984

Table 5. RESPONSIVENESS items and associated references.

RESPONSIVENESS ITEM	REFERENCES
When the student must stand by, periodic feedback indicates normal operation.	Military Standard MIL-STD-1472C, 1981; Williges and Williges, 1984
The computer tracks response patterns and lists areas where the student remediation.	Cohen, 1985; Mahoney and Lyday, 1984
Feedback and directions are clearly distinguishable from other text through use of color, boxing, reverse video, etc.	Williges and Williges, 1984
Students can obtain a score.	Cohen, 1985; McPherson-Turner, 1979
At higher mastery levels, students are given immediate knowledge of right and wrong responses, and more lengthy feedback is delayed until the end of the session.	Cohen, 1985
There is a pause after feedback, before the lesson continues, to allow time for consolidation of the newly acquired material.	Kearsley and Hillelsohn, 1982; Ramsey and Atwood, 1979
Access to helps, references, or resources is easily available.	Gilmore, 1985
At the beginning of training, feedback is response informative (e.g., the --- part of your answer is incorrect.")	Caldwell, 1980
The student gets more than one chance to give the answer (with prompts).	Caldwell, 1980; Military Standard MIL-STD-1472C, 1981
It takes no more than 5 seconds for text and graphics to fill the screen.	Gilmore, 1985; Kearsley and Hillelsohn, 1982

APPENDIX B

CAI EVALUATION CHECKLIST

HUMAN-COMPUTER INTERFACE DESIGN BASED UPON
INFORMATION PROCESSING PRINCIPLES

by

Cheryl J. Hamel
Human Factors Division
Naval Training Systems Center

March 26, 1986

Presented at the Southeastern Psychological Association Meeting, Kissimmee, Florida as part of a symposium entitled, "Emerging Solutions to Problems in the Use of Computer-Assisted Instruction for Military Training."

CAI EVALUATION CHECKLIST

The CAI Evaluation Checklist examines the user-computer interaction involved in computer aided instruction. The checklist is based on five human factors design guidelines for computer systems proposed by Williges and Williges (1984): brevity, consistency, flexibility, responsiveness and compatibility.

High scores on these factors purport to lead to high information transfer, low mental workload, and reduction of human error.

If you use this checklist to evaluate CAI courseware, please return the following information to me.

1. Name of your organization _____

2. Name of CAI course or lesson _____

3. Type of CAI (You may check more than one.)

Drill and practice _____

Game _____

Tutorial _____

Intelligent CAI _____

Simulation _____

Embedded Training _____

4. Rate the courseware based on your own expert opinion:

_____ poor

_____ average

_____ very good

5. Record the scores you obtained from the checklist:

	yes	no	n/a
Brevity	_____	_____	_____
Consistency	_____	_____	_____
Flexibility	_____	_____	_____
Compatibility	_____	_____	_____
Responsiveness	_____	_____	_____

Return this page to:

Cheryl J. Hamel, Ph.D.
Human Factors Division, Code 711
Naval Training Systems Center
Orlando, FL 32813

CAI EVALUATION CHECKLIST

INSTRUCTIONS

For each item on the checklist, check:

- "yes" if the instructional system contains this feature, for the most part.
- "no" if the instructional system rarely or never incorporates this feature.
- "N/A" if the item does not apply.

CONSISTENCY

In a consistent system, the user will develop a conceptual model of how the system works and will gain confidence.

yes no n/a

- | | | | |
|----|----|----|---|
| -- | -- | -- | 1. Functionally alike screens are formatted in the same way. |
| -- | -- | -- | 2. When functional areas are erased, they are consistently rewritten in the same order. |
| -- | -- | -- | 3. Consistent use of labels and graphics keeps the same types of frames identified as such. |
| -- | -- | -- | 4. Critical information is always presented at the beginning of a message or centered on the screen. |
| -- | -- | -- | 5. Students receive constant delay of feedback (no more than 2 seconds) rather than variable delays. |
| -- | -- | -- | 6. Consistency in the way questions are asked and the required format for responses. |
| -- | -- | -- | 7. The structure of the presentation is evident to the user through the use of menus and concepts maps. |
| -- | -- | -- | 8. A symbol has the same meaning at all times. |

COMPATIBILITY

The input-output format focuses attention on the task to be learned, not on the task of learning the system.

yes no n/a

- -- -- 1. The response mode is appropriate to the target audience.
- -- -- 2. Students are required to use codes for responding only when necessary, as in multiple choice answering (e.g., 1=yes, 2=no is unnecessary coding).
- -- -- 3. Visual information and visual tasks such as locating or repositioning are presented graphically.
- -- -- 4. Where frames are labeled, title not number is used for identification.
- -- -- 5. If commands are entered by keyboard, the student types the first letter rather than numeric code (e.g., h=help).
- -- -- 6. Input, output is consistent with user population stereotypes (e.g., correct response feedback in green).
- -- -- 7. Where order of lessons is important, menu options are listed by number, not by letter.
- -- -- 8. To clarify drill or test instructions, a sample item is answered before the drill or quiz begins.
- -- -- 9. A response is demanded while the instructions on how to respond are still on the screen.
- -- -- 10. Routing menus are limited to a maximum of three levels.

BREVITY

Displays are simple and well-organized
for high information transfer.

yes no n/a

- -- -- 1. Large portions of text are broken into meaningful "chunks".
- -- -- 2. No more than seven lines of text per screen.
- -- -- 3. Graphic displays activate from 15% to 25% of the screen area.
- -- -- 4. Main menus and sub-menus have 3 to 9 choices.
- -- -- 5. Use of color, boxing, and highlighting, rather than blinking,
to focus attention on important segments of text.
- -- -- 6. No more than 3 or 4 text screens without interactivity.
- -- -- 7. No more than 10% of the screen display is highlighted
at one time.
- -- -- 8. The time required for a typical session (or lesson) is within
the attention span of the target audience.
- -- -- 9. Sentences have simple syntax: active voice, not compounded.

FLEXIBILITY

The program adapts to individual differences among users.

yes no n/a

- | | | | |
|----|----|----|--|
| -- | -- | -- | 1. A page-back capability allows the student to review previous material. |
| -- | -- | -- | 2. Students can easily exit lessons, return to menus, and exit the program. |
| -- | -- | -- | 3. Student has control over the rate of presentation of frames. |
| -- | -- | -- | 4. Flexibility in recognizing correct responses (e.g., misspellings, partial answers). |
| -- | -- | -- | 5. The student can request more lengthy messages, through helps, if further clarification is needed. |
| -- | -- | -- | 6. The program contains activities for diagnosis of skills already mastered. |
| -- | -- | -- | 7. There are remedial exercises for skill deficiencies. |
| -- | -- | -- | 8. Modularized program (with menus) allows the student to begin at a point appropriate to past achievement. |
| -- | -- | -- | 9. The student can choose the difficulty level of problems or exercises (achieved by variation in the use of prompts). |
| -- | -- | -- | 10. The student can correct an input error (e.g., with BACKSPACE) or recover from input errors without disrupting the lesson sequence. |

RESPONSIVENESS

Feedback is informative and
timing is optimal.

yes no n/a

- -- -- 1. When the student must stand by, periodic feedback indicates normal operation.
- -- -- 2. The computer tracks response patterns and lists areas where the student needs remediation.
- -- -- 3. Feedback and directions are clearly distinguishable from other text through use of color, boxing, reverse video, etc.
- -- -- 4. Students can obtain a score.
- -- -- 5. At higher mastery levels, students are given immediate knowledge of right and wrong responses, and more lengthy feedback is delayed until the end of the session.
- -- -- 6. There is a pause after feedback, before the lesson continues, to allow time for consolidation of the newly acquired material.
- -- -- 7. Access to helps, references, or resources is easily available.
- -- -- 8. At the beginning of training, feedback is response informative (e.g., the --- part of your answer is incorrect.")
- -- -- 9. The student gets more than one chance to give the correct answer (with prompts).
- -- -- 10. It takes no more than 5 seconds for text and graphics to fill the screen.

SCORING

A score on each factor (brevity, consistency, flexibility, responsiveness and compatibility) can be obtained. To obtain a score on a factor:

1. Add the total number of "Yes" responses.
2. Subtract the number of "N/A" responses from the total.
3. Divide to obtain a percentage of "Yes" responses, and multiply by 100%.

$$\text{Example: Brevity Score} = \frac{\text{Number of "Yes" responses}}{9 - \text{"N/A" responses}} \times 100\%$$

DISTRIBUTION LIST

Commanding Officer
Naval Training Systems Center
Orlando, FL 32813-7100

Edward A. Martin
Technical Advisor
ASD/ENETS
Wright-Patterson Air Force Base

LTC Mike McGaugh
PM Training Devices
ATTN: AMPCM-AVD
Orlando, FL 32813-7100

Naval Personnel Research and
Development Center
ATTN: Russel M. Vorce, Code 31
San Diego, CA 92152

AFHRL/FTR
ATTN: Robert S. Kellogg, Ph.D.
Bldg 588 (UDRI)
Williams Air Force Base
Chandler, AZ 85224-5000

Naval Aerospace Medical Institute
ATTN: Code 00L, COL F. S. Pettyjohn
Naval Air Station
Pensacola, FL 32505

Naval Training Systems Center
ATTN: Code 002, COL R. C. Baker
Orlando, FL 32813-7100

Dr. Patrick McCann
Human Factors, Code 71
Naval Personnel & Research Laboratory
San Diego, CA 92152-6800

Naval Training Systems Center
Aviation Plans & Analysis Branch
Code 111
ATTN: Brenda Hubbard
Orlando, FL 32813-7100

Air Force Human Resources Laboratory
ATTN: Mike Venturino
Wright-Patterson Air Force Base
Dayton, OH 45433

Defense Technical Information
Center
Cameron Station
Alexandria, VA 22310

B. G. Williams
Naval Training Systems Center
Code L02
Pensacola, FL 32508

Mike Frazier
AFTEC/TELH
Air Force Test & Evaluation Center
Kirtland Air Force Base, NM 87717

Air Force Human Resources Laboratory
ATTN: Thomas H. Killion, Ph.D.
Williams Air Force Base
Chandler, AZ 85224-5000

Air Force Human Resources Laboratory
OT Division
ATTN: CDR M. R. Wellick
Williams Air Force Base
Chandler, AZ 85224-5000

William J. Thomas
Fleet Analysis Center
Corona, CA 91720

Michael A. Vidulich
NASA - Ames Research Center
Moffett Field, CA 94035

Gilbert L. Neal, Ph.D.
USA TRADOC Systems Analysis Activity
ATTN: ATOR-TH
White Sands Missile Range, NM 88002-5002

Thomas E. Ulrich, MAJ, USAF
Chief, Training Research Branch
Department of the Air Force
Headquarters Air Training Command
Randolph Air Force Base, TX 78150-5001

Dr. Gavin Lintern
Aviation Research Laboratory
University of Illinois
Willard, IL 61874

Mr. Chuck Gainer
Chief, ARI, Field Unit- Ft. Rucker
ATTN: PERI-SR
Fort Rucker, AL 36362

CAPT Kevin Smith, USNR
COMFITAEWINGPAC
Naval Air Station
Miramar, CA 92145

Dr. Alva C. Bittner, Jr
U.S. Naval Biodynamics Laboratory
Box 20189 Michoud Street
New Orleans, LA 70189

LCDR Thomas Crosby, MSC, USN
Naval Air Systems Command
ATTN: 930J
Washington, DC 20361

LT Dan Dolgin, MSC, USNR
Operartional Psychology Dept
Code 11
Naval Air Station
Pensacola, FL 32508

CAPT Thomas Gallagher, MSC, USN
Naval Air Development Center
Code 60A
Warminster, PA 18974

Dr. Roger Whiteway
Naval Strike Warfare Center
Naval Air Station
Fallon, Nevada 89406

LCDR Steve Harris, MSC, USN
Naval Air Test Center
Code SY70H
Patuxent River, MD 20670

CDR Chuck Hutchins, MSC, USN
Naval Post Graduate School
Code 55MP
Monterey, CA 93940

CAPT James Goodson, MSC, USN
Operational Psychology Dept
Naval Aerospace Medical Institute
Code 11
Naval Air Station
Pensacola, FL 32508

Dr. John Chippendale
PERI-SR
Bldg 501
For Rucker, AL 36362

Ray Cavallero
Pacific Missile Test Center
Code 1042
Pt Mugu, CA 93042

CAPT Paul Chatelier, MSC, USN
OUSDR&E (R&AT)
The Pentagon (Room 3D129)
Washington, DC 20361

LCDR Larry Frank, MSC, USN
715 Broce Drive
Blacksburg, VA 24060

CDR Wade Helm, MSC, USN
Naval Aerospace Medical Research
Laboratory (Code 05)
Naval Air Station
Pensacola, FL 32508

CAPT Joseph Funaro, MSC, USN
Naval Training Systems Command
Code 71
Orlando, FL 32813-7100

LT James Hooper, MSC, USNR
Naval Air Systems Command
ATTN: APC205-ON
Washington, DC 20361

LT Lee Goodman, MSC, USN
Naval Air Development Center
Code 6002
Warminster, PA 18975

LCDR Dennis McBride, MSC, USN
Pacific Missile Test Center
Code 4025
Point Mugu, CA 93042

CDR Thomas Jones, MSC, USN
Office of Naval Research
Code 125
800 N. Quincy Street
Arlington, VA 22217

CAPT William Moroney, MSC, USN
Naval Air Development Center
Code 602
Warminster, PA 18974

LCDR Dave Norman, MSC, USN
DTDAC
3280 Progress Drive
Orlando, FL 32826

CDR W. Shaw
Naval Warfare (OP-953)
Navy Department
Washington, DC 20350

Doug Wetzel, Ph.D.
Naval Personnel Research &
Development Center
San Diego, CA 92152

Commanding Officer
Air Force Office of Scientific
Research
Technical Library
Washington, DC 20319

National Defense Institute
Research Directorate
Fort McNair, DC 20319

Naval Research Laboratory
ATTN: Library
Washington, DC 20375

Susan Chipman
Office of Naval Research
Code 1142PT
800 N. Quincy Street
Arlington, VA 22217-5000

Ms Heidi Fiedler
NUSC
Code 3512, Bldg 1171-1
Newport, RI 02841-5047

Stan Collyer
Office of Naval Technology
OCNR 222
800 N. Quincy Street
Arlington, VA 22217-5000

LCDR Tom Singer, MSC, USN
Naval Air Development Center
Code 60B5
Warminster, PA 18974

CDR Jerry Owens, MSC, USN
Naval Air Systems Command
ATTN: Code APC205-OM
Washington, DC 20361

American Psychology Association
Psyc. Info., Document Control Unit
1200 Seventeenth Street
Washington, DC 20036

Commander
Naval Weapons Center
Human Factors Branch
3194/R. A. Erickson
China Lake, CA 93555

Dr. Jesse Orlansky
Institute for Defense Analyses
Science and Technology Division
400 Army-Navy Drive
Arlington, VA 22202

Technical Library
Naval Training Systems Center
Orlando, FL 32813-7100

Naval Trainign Systems Center
ATTN: Code 114, Dennis Duke
Orlando, FL 32813-7100

Dr. John O'Hare
Office of Naval Research
Code 1142 EP
800 N. Quincy Street
Arlington, VA 22217-5000

LTCOL Dave Pohlman
AMD/RDIT
Brooks Air Force Base, TX 78235-5000

Larry Peterson
USAHEL, Bldg 459
ATTN: SLCHE-CC
Human Engineering Laboratory
Aberdeen Proving Ground, MD 21005-5001

END

DTIC

10-86