

AD-A174 363

PEAKS FROM RANDOM DATA(U) CALIFORNIA UNIV BERKELEY
OPERATIONS RESEARCH CENTER S M ROSS OCT 86 ORC-86-18
AFOSR-86-0153


1/1

UNCLASSIFIED

F/G 8/7

NL






MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A174 363

12



PEAKS FROM RANDOM DATA*

by


Sheldon M. Ross¹

ORC 86-18

October 1986

*This research was supported by the Air Force Office of Scientific Research (AFOSR) USAF, under grant AFOSR-86-0153 with the University of California. Reproduction in whole or in part is permitted for any purpose of the United States Government.

¹Department of Industrial Engineering & Operations Research, University of California, Berkeley, California 94720.



DTIC FILE COPY

86 11 21 006

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY NA			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for Public Release; Distribution Unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE NA					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) ORC 86-18			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Operations Research Center University of California		6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION AFOSR/NM		
6c. ADDRESS (City, State and ZIP Code) 3115 Etcheverry Hall Berkeley, CA 94720			7b. ADDRESS (City, State and ZIP Code) Bldg. 410 Bolling AFB, DC 20332-6448		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR		8b. OFFICE SYMBOL (If applicable) NM	8. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-86-0153		
8c. ADDRESS (City, State and ZIP Code) BLDG. 410 Bolling AFB, DC			10. SOURCE OF FUNDING NOS.		
			PROGRAM ELEMENT NO. 6.1102F	PROJECT NO. 2304	TASK NO.
			WORK UNIT NO.		
11. TITLE (Include Security Classification) Peaks from Random Data					
12. PERSONAL AUTHOR(S) Sheldon M. Ross					
13a. TYPE OF REPORT technical		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Yr., Mo., Day) 10/86	
15. PAGE COUNT 8					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB. GR.	Keywords: Random Sample, Peaks, Stationary Sequence, Normality, Interpeak Times		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) (Please see Abstract)					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS ☐			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL Brian W. Woodruff, Major			22b. TELEPHONE NUMBER (Include Area Code) 202 767-5027		22c. OFFICE SYMBOL AFOSR/NM

PEAKS FROM RANDOM DATA

Sheldon M. Ross⁺

Department of Industrial Engineering and Operations Research

University of California, Berkeley

1. INTRODUCTION

In an influential and controversial paper, Raup and Sepkoski [2]⁹ defined an event of mass extinction to have occurred in any time period (of roughly 6.4 million years) for which the data value for that time period (equal to the proportion of the families existing at the beginning of that period that went extinct during the period) exceeded that of its immediate neighbors. In this note we analyze the occurrence of such events when the data are randomly generated from a continuous distribution.

⁺This research was supported by the Air Force Office of Scientific Research (AFOSR) USAF, under grant AFOSR-86-0153 with the University of California.

2. THE PROCESS OF EVENTS UNDER RANDOM DATA

Let $X_1, X_2, \dots$ be a sequence of independent and identically distributed continuous random variables, and define an event to occur at time period j if

$X_{j-1} < X_j > X_{j+1}$, $j \geq 2$. Let

$$I_j = \begin{cases} 1 & \text{if an event occurs at time } j \\ 0 & \text{otherwise} \end{cases}$$

and set

$$N(n) = \sum_{j=2}^n I_j.$$

In words, $N(n)$ is the number of events by time n .

Proposition 1: With probability 1,

$$\lim_{n \rightarrow \infty} N(n)/n = 1/3$$

Proof: This follows from the ergodic theorem since $\{I_j, j \geq 2\}$ is a stationary ergodic sequence and $E[I_j] = 1/3$. A simpler proof is obtained by noting that $\{I_2, I_5, I_8, \dots\}$, $\{I_3, I_6, I_9, \dots\}$, and $\{I_4, I_7, I_{10}, \dots\}$ are each iid sequences whose average value converges, by the strong law of large numbers, to $1/3$. QED

The mean and variance of $N(n)$ are easily obtained:

$$E[N(n)] = \sum_{j=2}^n E[I_j] = (n-1)/3$$

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution	
Availability Codes	
Dist	Avail and/or Special
A-1	



$$\text{Var}[N(n)] = \sum_{j=2}^n \text{Var}(I_j) + 2 \sum_{i < j} \text{Cov}(I_i, I_j)$$

As

$$\text{Var}(I_j) = 2/9$$

$$\text{Cov}(I_1, I_{1+1}) = -E[I_1] E[I_{1+1}] = -1/9$$

$$\begin{aligned} \text{Cov}(I_1, I_{1+2}) &= P\{X_{1-1} < X_1 > X_{1+1} < X_{1+2} > X_{1+3}\} - 1/9 \\ &= \int_{x_1 < x_2 > x_3 < x_4 > x_5} \int_0^1 \int_0^1 \int_0^1 \int_0^1 \int_0^1 dx_1 dx_2 dx_3 dx_4 dx_5 - 1/9 = 1/45 \end{aligned}$$

$$\text{Cov}(I_1, I_{1+j}) = 0, \quad j \geq 3$$

we see from the above that, for $n \geq 3$,

$$\begin{aligned} \text{Var}[N(n)] &= 2(n-1)/9 - 2(n-2)/9 + 2(n-3)/45 \\ &= (2n + 4)/45 \end{aligned}$$

It follows from the above and the central limit theorem for stationary ergodic processes that

$$\frac{N(n) - (n-1)/3}{\sqrt{(2n+4)/45}} \longrightarrow N(0,1)$$

Terminology If $X_{j-1} < X_j > X_{j+1}$ call X_{j+1} the end-of-peak value.

3. INTEREVENT TIMES

Let T_i , $i \geq 1$, denote the time between the i^{th} and $(i+1)^{\text{st}}$ event - for instance, if $I_2=I_4=1$ then $T_1=2$. Even though the T_i are neither independent nor identically distributed we will show that the proportion of them that equal j will, with probability 1, converge to a constant value which we shall call p_j . To determine the values p_j , call an event a j -event if the event preceding it occurred exactly j time periods earlier, and note that by the same argument as used in Proposition 1, the rate at which j -events occur, call it $r(j)$, will equal the limiting probability of a j -event at time period n . Let

$$\bar{R}(k) = \sum_{j \geq k} r(j) .$$

That is, $\bar{R}(k)$ denotes the rate at which interevent times of length greater than k occur. Now, an interevent time will exceed k if, for some $r=0,1,\dots,k$, the next r values after an end of peak are each less, and the next $k-r$ values are each greater, than their preceding values. Therefore, for $k \geq 2$,

$$\begin{aligned} \bar{R}(k) &= P\{X_{-2} < X_{-1} > X_0 < X_1 < \dots < X_k\} + P\{X_{-2} < X_{-1} > X_0 > X_1 > \dots > X_k\} \\ &+ \sum_{r=1}^{k-1} P\{X_{-2} < X_{-1} > X_0 > X_1 > \dots > X_r < X_{r+1} < \dots < X_k\} \\ &= \int_0^1 \frac{(1-x)^k}{k!} \frac{(1-x^2)}{2} dx + \int_0^1 \frac{x^{k+2}}{(k+1)!} dx + \sum_{r=1}^{k-1} \int_0^1 \int_0^x \frac{(x-y)^r}{r!} x \frac{(1-y)^{k-r}}{(k-r)!} dy dx \end{aligned}$$

where the last equality obtains from conditioning the first probability on the value of X_0 , the second on X_{-1} , and the remaining on both X_{-1} and X_r .

As the rate at which events occur is $1/3$ it follows that the proportion of events that are j -events is $3r(j)$. That is,

$$p_j = 3 r(j).$$

A direct integration of the above yields, upon using the identity

$$\sum_{j=2}^k r(j) = 1 - \bar{R}(k) ,$$

that

$$p_2 = 2/5$$

$$p_3 = 1/3$$

$$p_4 = 6/35$$

$$p_5 = 1/15$$

$$p_6 = .02116401$$

and so on. The quantities p_j also represent the limiting distribution of the T_1 . A simple, though tedious, summing of the values $\bar{R}(k)$ yields the (already known) result that the mean of this limiting distribution is 3.

Remark: The above could also have been obtained by consideration of the Markov Chain of successive end-of-peak values. The limiting value of T_1 could then be computed by conditioning on X , the limiting end-of-peak value (whose density is given by $f(x)=3(1-x^2)/2$, $0 < x < 1$), and then computing the probability density of the time between peaks when the initial one has an end-of-peak value X .

References

1. Billingsley, P., MEASURE AND PROBABILITY, John Wiley, New York, 1982
2. Raup, D.M. and J. Sepkoski, "Periodicity of Extinctions in the Geologic Past," Proceedings of the National Academy of Sciences, 81, 801-805, 1984.
3. Ross, S.M. "Are Mass Extinctions Really Periodic," Probability in the Engineering and Informational Sciences, January 1987.

END

12-86

DTIC