

AD-A177 549

MATHEMATICAL PROBLEMS OF NONLINEAR WAVE PROPAGATION AND 1/1
OF WAVES IN HETER. <U> STANFORD UNIV CA APPLIED
MATHEMATICS GROUP J B KELLER 22 OCT 86

UNCLASSIFIED


AFOSR-TR-87-0215 AFOSR-85-0007A

F/G 12/1

NL



IND
4 8/
D/H



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

Unclassified

(2)

SECURITY CLASSIFICATION OF THIS PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified		REPORT DTIC AD-A177 549	
2a. SECURITY CLASSIFICATION Unclassified		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; Distribution unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE MAR 03 1987			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) D		5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR-87-0215	
6a. NAME OF PERFORMING ORGANIZATION Applied Mathematics Group Stanford University	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION AFOSR/NM	
6c. ADDRESS (City, State and ZIP Code) Stanford California 94305		7b. ADDRESS (City, State and ZIP Code) Bld. 410 Bolling AFB, DC 20332	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR	8b. OFFICE SYMBOL (If applicable) NM	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-85-0007A	
8c. ADDRESS (City, State and ZIP Code) BLDG. 410 Bolling AFB, DC 20332		10. SOURCE OF FUNDING NOS.	
		PROGRAM ELEMENT NO. 61102F	PROJECT NO. 2304
		TASK NO. A4	WORK UNIT NO.
11. TITLE (Include Security Classification) Mathematical Problems of Nonlinear Wave Propagation and of Waves in Heterogeneous Media			
12. PERSONAL AUTHOR(S) Professor Joseph B. Keller			
13a. TYPE OF REPORT FINAL	13b. TIME COVERED FROM Oct. 1, 1984-Sep.	14. DATE OF REPORT (Yr., Mo., Day) 30, 1986) Oct. 23, 1986	15. PAGE COUNT 12
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB. GR.	
		nonlinear waves, heterogeneous media, reciprocal theorems, effective parameters	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
This is the final report of a project carried out in the Applied Mathematics Groups of the Department of Mathematics at Stanford University. Results were obtained on the stability of nonlinear waves and of solutions of nonlinear amplitude equations of the Ginzburg-Landau type. New results were obtained on solutions of the Kortweg-de Vries equation. Uniform solutions for scattering of waves by a potential barrier were constructed. The stability regions for Hill's equation were determined, which can be used to describe waves in periodic media.			
DTIC FILE COPY			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT ☐ DTIC USERS ☐		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Mgi Crawley		22b. TELEPHONE NUMBER (Include Area Code) 202-767-5025	22c. OFFICE SYMBOL nm

AFOSR-TR- 87-0215

**MATHEMATICAL PROBLEMS OF NONLINEAR WAVE PROPAGATION
AND OF WAVES IN HETEROGENEOUS MEDIA**

FINAL REPORT

October 1, 1984 - September 30, 1986

Professor Joseph B. Keller

October 22, 1986

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH

Grant: AFOSR 85 0007 A

Approved for public release;
distribution unlimited.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR)
NOTICE OF INFORMATIONAL TO DTIC
THIS REPORT HAS BEEN REVIEWED AND IS
APPROVED FOR RELEASE UNDER E.O. 12958-2.
DISTRIBUTION IS UNLIMITED.
KATHLEEN J. WOODRUFF
Chief, Technical Information Division

87 2 27 016

I. BRIEF OUTLINE OF RESEARCH FINDINGS

Most of our findings during the last years of research are contained in the research papers listed in Section II. Some of them have been published already, others have been submitted for publication and accepted, and others have not yet been accepted. The status of each paper is indicated after its title. In addition in Section III we give abstracts of papers submitted during this period. Now we shall mention some of the findings explicitly.

Concerning nonlinear wave propagation, Dr. Newton and Prof. Keller have analyzed the stability of a large class of nonlinear waves, and Prof. Keller has derived amplitude equations for resonantly interacting water waves. Dr. Newton studied instabilities of solutions of amplitude equations of the Ginzburg-Landau type by examining secondary bifurcation. Professor Venakides has completed two papers on the Korteweg-de Vries equation. One shows how step-like initial data produce a train of solitons by continually emitting them one at a time. The other shows how oscillatory waves are produced from smooth initial data in the weak dispersion limit. This latter paper fills a gap in the theory of wave production, and should ultimately enable one to connect Whitham's modulation theory to initial non-oscillatory data.

Another work by Professor Keller provides uniform solutions for scattering of waves by a potential barrier. This well known problem is not usually solved by uniform methods in the literature. In particular the phases of the reflection and transmission coefficients are not available. These quantities are needed to calculate the discriminant of Hill's equation containing a periodic distribution of barriers. This in turn can be used to examine the linear stability of nonlinear waves.

In the theory of waves in heterogeneous media, Dr. Weinstein and Professor Keller have written two papers on the stability regions for Hill's equation, which governs waves in periodic media. Mr. Nevard and Professor Keller have proved

a reciprocal theorem and an inequality for the effective conductivities of heterogeneous anisotropic media. It generalizes the previous theorems on the topic, and can be used to treat low frequency waves.

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



93. A. Spence
 A. Jepson The numerical computation of turning points of
 nonlinear equations
 Pub: Treatment of Integral Equations by Numerical
 Methods, 169-183, London, 1982.

94. J. B. Keller
 R. Burridge Biot's poroelasticity equations by homogenization
 Pub: Springer Lecture Notes, in Macroscopic
 Properties of Disordered Media, NY, 51-57, 1982.

95. J. B. Keller Capillary waves on a vertical jet
 Pub: J. Fluid Mech., 135, 171-173, 1983.

96. J. B. Keller
 A. S. Whittemore Survival Estimations Using Splines
 Pub: Biometrics, 42, 495-506, 1986.

97. J. B. Keller
 J. F. Geer Eigenvalues of slender cavities and waves in
 slender tubes
 Pub: J. Acoust. Soc. Am., 74, 1895-1904, 1983.

98. J. B. Keller
 R. Voronka Valuation of stocks and options
 To be submitted.

99. M. Cheney Inverse scattering in dimension two
 Pub: J. Math. Phys., 25 (1), 94-107, 1984.

100. K. C. Nunan
 J. B. Keller Effective viscosity of a periodic suspension
 Pub: J. Fluid Mech., 142, 269-287, 1984.

101. K. C. Nunan
 J. B. Keller Effective elasticity Tensor of a Periodic Composite
 Pub: J. Mech. Phys. Solids, 32, 259-280, 1984.

102. J. B. Keller Breaking of liquid films and threads
 Pub: Phys. Fluids, 26, 3451-3453, 1983.

103. J. B. Keller
 G. R. Verma Hanging rope of minimum elongation
 Pub: SIAM Rev., 26, 569-571, 1984.

104. M. Cheney
S. Coen
A. Weglein
Velocity & density of a two-dimensional acoustic medium from point source surface data
Pub: J. Math. Phys., 25, 1857-1861, 1984.
105. J. B. Keller
Probability of a shutout in racquetball
Pub: SIAM Rev., 26, 267-268, 1984.
106. S. Venakides
The Zero Dispersion Limit of the Korteweg-de Vries Equation for Initial Potentials with Non-trivial Reflection Coefficient
Pub: Comm. Pure Appl. Math. 38, 125-155, 1985.
107. J. H. Maddocks
Stability of Nonlinearly Elastic Rods
Pub: Arch. Rat. Mech. Anal., 85, 311-354, 1984.
108. J. B. Keller
Genetic Variability Due to Geographical Inhomogeneity
Pub: J. Math. Biol., 20, 223-230, 1984.
109. J. B. Keller
M. S. Falkovitz
Precipitation pattern formation
In preparation.
110. V. Twersky
Scattering and Nonscattering Obstacles
Pub: SIAM J. Appl. Math., 43, No 4, 1983.
111. R.E. Caflisch
J.H. Maddocks
Nonlinear Dynamical Theory of the Elastica
Pub: Proc. Roy. Soc. Edin., 99A, 1-23, 1984.
112. J.B. Keller
J.G. Watson
Rough Surface Scattering via the Smoothing Method
Pub: J. Acoust. Soc. Am., 75, 1705-1708, 1984.
113. J.B. Keller
Free boundary problems in mechanics
Pub: Lectures in Partial Differential Equations
S.S. Chern, editor, Springer New York, 99-115, 198
114. J.B. Keller
Newton's second law
Sub: Am. J. Physics

115. L.L. Bonilla Effective elastic constants of polycrystalline aggregates
 Pub: J. Mech. and Phys. Solids, 33, 227-240, 1985.
116. J. Fawcett On the Stability of Inverse Scattering Problems
 Pub: Wave Motion 6, 489-499, 1984.
117. J. Fawcett Two Dimensional Modelling and Inversion of the Acoustic Wave Equation in Inhomogeneous Media
 Pub: Stanford Exploration Project, Dept. of Geophysics, Stanford University, 38, 297-313, May 1984.
118. J. Fawcett Three Dimensional Ray Tracing and Geophysical Inversion in Layered Media
 H.B. Keller
 Sub: SIAM J. Appl. Math.
119. L.L. Bonilla Acousto-elastic effects and sound wave propagation in heterogeous anisotropic materials
 J.B. Keller
 Pub: J. Mech. and Phys. Solids, 33, 241-261, 1985.
120. J. Fawcett Tomographic Reconstruction of Velocity Anomalies
 R.W. Clayton
 Sub: Bulletin of the Seismological Soc. Am.
121. J. Fawcett Inversion of N Dimensional Spherical Averages
 Pub: SIAM J. Appl. Math., 45, 336-341, 1985.
122. M.I. Weinstein Hill's equation with a large potential
 J.B. Keller
 Pub: SIAM J. Appl. Math., 45, 200-214, 1985.
123. M. Cheney Inversion of the 2.5-D Acoustic Equation
 S. Coen
 A. Weglein
 Pub: Proceedings of the Conference on Inverse Scattering Theory and Application, Tulsa, 1983.
124. M. Cheney The connection between time- and frequency- domain three-dimensional inverse scattering methods
 J.H. Rose
 B. DeFacio
 Acc: J. Math. Phys.
125. M. Cheney A rigorous derivation of the 'Miracle' of three-dimensional inverse scattering theory
 Pub: J. Math. Phys., 25, 2988-2990, 1984.
126. E.O. Tuck Small Gap Flows (A Lecture Series)
 Pub: Applied Mathematics Group, Dept. of Mathematics, Stanford University, AMG-84-126, March 84.
 and
 Dept. of Naval Architecture & Offshore Engineering, University of California, Berkeley, NAOE 84-1, April 1984.

127. J.B. Keller Discriminant, transmission coefficient and stability
bands of Hill's equation
Pub: J. Math. Phys. 25, 2903-2904, 1984.
128. J.B. Keller One hundred years of diffraction theory
Pub: Trans. IEEE PGAP-33, 123-126, 1985.
129. J.B. Keller Soliton generation and nonlinear wave propagation
Pub: Phil. Trans. R. Soc. Lond. A 315, 367-377, 1985.
130. J.B. Keller Semiclassical Mechanics
Pub: SIAM Review 27, 485-504, 1985.
131. S. Venakides The generation of modulated wavetrains in the
solution of the KdV equation
Pub: Comm. Pure Appl. Math. 38, 883-909, 1985.
132. S. Venakides Long-time asymptotics of the KdV equation
Acc: AMS Transactions
133. J.B. Keller Computers and chaos in mechanics
Pub: in Theoretical and Applied Mechanics, F.I.
Nioordson and N. Olhoff, eds., Elsevier,
31-41, 1985.
134. J.B. Keller Reciprocal relations for effective conductivities
J. Nevard of anisotropic media
Pub: J. Math. Phys. 26, 2761-2765, 1985.
135. J.B. Keller Irreversibility and nonrecurrence
Luis Bonilla
Pub: J. Statistical Physics 42, 1115-1125,
1986.
136. J.B. Keller Inverse elastic scattering in three dimensions
W. Boyse
Pub: J.A.S.A. 79, 215-218, 1986
137. J.B. Keller Reaction kinetics on a lattice
Pub: J. Chem Phys. 84, 4108-4109, 1986
138. J.B. Keller Impact with friction
Pub: ASME J. Appl. Mech 53, 1-4, 1986
139. J.B. Keller Uniform Solutions for scattering by a potential
well.
Pub: AM. J. Phys., 54, 546-550, 1986

140. J.B. Keller The Probability of heads
Pub: Am. Math. Monthly 93, 191-197, 1986.
141. J.B. Keller Melting and freezing at constant speed
Pub: Physics Fluids, 29, 2013, 1986.
142. J.B. Keller "Acoustoelasticity"
Pub: in Amorphorous Polymers and Newton Fluids, J. Ericksen, U. Kinderlehrer, S. Prager and M. Tirrell, eds., Springer, Berlin, 1987.
143. J.B. Keller Effective conductivities of reciprocal media
Acc: Random Media, G. Papanicolaou, ed. Springer, Berlin, 1986.
Pub: Impact with an impulsive frictional moment
Acc: ASME J. Appl. Mech.
145. J.B. Keller Ropes in Equilibrium
J. Maddocks
Acc: SIAM J. Appl. Math
146. J.B. Keller Weir Flows
J.M. Vanden-Broeck
Acc: J. Fluid Mechanics
147. Walter Craig An existence theory for water-waves and the Boussinesq and Kortweg-deVries Scaling limits
Pub: C.P.D.E. 10 (8), 787-1003, 1985.
148. Walter Craig The Lyapunov index and the integrated density of states for Stochastic Schrödinger operations
Pub: Infinite dimensional analysis and Stochastic Process 45, 16-27, 1986.
149. P.K. Newton Instabilities of the Ginzburg-Landau equation: Periodic solutions
L.K. Sirovich
Pub: Quarterly of Applied Mathematics, 49-58, 1986.
150. P.K. Newton Periodic Solutions of the Ginzburg-Landau equation
L.K. Sirovich
Pub: Physica 21D, 115-125, 1986.

151. P.K. Newton

"Ginzberg-Landau equation: Stability and Bifurcations," in Stability of Time Dependent and spatially varying flows, Y. Houssani and D.L. Dwoyer, eds., Springer: Berlin, 1986.

III. ABSTRACTS OF MANUSCRIPTS SUBMITTED DURING REPORT PERIOD

Reciprocal relations for effective conductivities of anisotropic media

by: J. Nevard and J. B. Keller

We consider any pair of two-dimensional anisotropic media with local conductivity tensors which are functions of position and which are related to one another in a certain reciprocal way. We prove that their effective conductivity tensors are related to each other in the same way for both spatially periodic media and statistically stationary random media. We also prove an inequality involving the effective conductivity tensors of two three-dimensional media which are reciprocally related. These results extend the corresponding results for locally isotropic media obtained by Keller, Mendelsohn, Hansen, Schulgasser and Kohler and Papanicolau. They also yield a relation satisfied by the effective conductivity tensor of a medium reciprocal to a translated or rotated copy of itself.

Uniform solutions for scattering by a potential barrier

by: J. B. Keller

The one dimensional Schrödinger equation is solved asymptotically for scattering of a particle by a potential barrier and for bound states of a potential well, when the potentials change little in a wavelength. Both solutions are represented uniformly in space, rather than nonuniformly as in the WKB method. This avoids matching expansions and using connection formulas. The scattering solution and the complex reflection and transmission coefficients are also uniform in the particle energy.

Irreversibility and nonrecurrence

by: L. L. Bonilla and J. B. Keller

Can the irreversible, nonrecurrent equations of macroscopic physics be derived exactly from the reversible recurrent equations of classical mechanics? We show by an example that it is possible to derive an irreversible equation from reversible ones exactly, with no approximations. However the resulting equation has a damping coefficient which can have any value, positive or negative, depending upon the initial conditions. By choosing the initial conditions in a particular way, we derive the Langevin equation with an external force satisfying the fluctuation-dissipation theorem. We then describe the general projection method for deriving irreversible equations, and some of its applications. We also show, in an example, how to get nonrecurrent reversible equations from recurrent reversible ones, by letting the number N of degrees of freedom become infinite. For this example, we compare the solutions of the equations with various finite values of N with those for $N = \infty$ to show how long they are close to one another.

Long-time asymptotics of the KdV equation

by: S. Venakides

We study the long time evolution of the solution to the Korteweg-de Vries equation with initial data $v(x)$ which satisfy:

$$\lim_{x \rightarrow -\infty} v(x) = -1 \quad \lim_{x \rightarrow +\infty} v(x) = 0$$

We show that as $t \rightarrow \infty$ the step emits a wavetrain of solitons which asymptotically have twice the amplitude of the initial step. We derive a lower bound on the number of solitons generated up to time t for t large.

The Generation of modulated wavetrains in the solution of the KdV equation

by: S. Venakides

We study the solution $u(x, t, \epsilon)$ of the initial value problem for the Korteweg-de Vries equation:

$$u_t - 6uu_x + \epsilon^2 u_{xxx} = 0 \quad u(x, 0, \epsilon) = v(x)$$

where $v(x) \leq 0$ is a single well. We introduce a method which can be generally applied to the solution of completely integrable systems in the continuum limit of the spectral data. We recover the weak limit of $u(x, t, \epsilon)$ as $\epsilon \rightarrow 0$, computed earlier by Lax and Levermore. Furthermore, we show the mechanism by which fast oscillations emerge in regions of the x - t plane, called shock regions, and we describe the nature of these oscillations.

REACTION KINETICS ON A LATTICE

by: Joseph B. Keller

The kinetics of an irreversible first order reaction at the points of a lattice is examined. A "mean field" approximation is used.

WEIR FLOWS

by: Joseph B. Keller and Jean-Marc Vanden-Broeck

The flow of a liquid with a free surface over a weir in a channel is calculated numerically for thin weirs in channels of various depths, and for broad crested weirs in channels of infinite depth. The results show that the upstream velocity, as well as the entire flow, are determined by the height of the free surface far upstream and by the geometry of the weir and channel, in agreement with observation. The discharge coefficient is computed for a thin weir, and a formula for it is given which applies when the height of the weir is large compared to the height of the upstream free surface above the top of the weir. The coefficients in this formula are close to those found empirically.

SEMICLASSICAL MECHANICS

by Joseph B. Keller

Classical mechanics and the quantum conditions of Planck, Bohr, Sommerfeld, Wilson and Einstein are presented. The virtues and defects of this "old quantum theory" are pointed out. Its replacement by quantum mechanics is described leading to the Schrödinger equation for the wave function and the corresponding energy eigenvalues. For separable systems, the reduction of this equation to ordinary differential equations and their asymptotic solution by WKB method are described, as well as the resulting corrected quantum conditions with integer or half-integer quantum numbers. For nonseparable systems, the analogous asymptotic solution constructed by the author is described, together with the corrected quantum conditions to which it leads. Examples of the use of these conditions in the solution of eigenvalue problems are presented. It is explained that difficulties arise in using this method when the classical motion is stochastic or chaotic. Suggestions for overcoming these difficulties are mentioned.

END

4-87

DTIC