

AD-A181 107

DMA (DEFENSE MAPPING AGENCY) ORBIT DETERMINATION OF THE
NAVY NAVIGATION S. (U) DEFENSE MAPPING AGENCY
HYDROGRAPHIC/ TOPOGRAPHIC CENTER WASHI..


1/1


UNCLASSIFIED

J K MURPHY ET AL. 01 APR 87

F/G 8/5

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

8c. ADDRESS (City, State, and ZIP Code)

6500 Brookes Lane
Washington, DC 20315-0030

10 SOURCE OF FUNDING NUMBERS

PROGRAM ELEMENT NO	PROJECT NO	TASK NO	WORK UNIT ACCESSION NO
N/A	N/A	N/A	N/A

11. TITLE (Include Security Classification)

Annual Report on DMA Orbit Determination of the Navy Navigation Satellite System 1986

12. PERSONAL AUTHOR(S)

Murphy, J. Kenneth and Jones, Robert J.

13a. TYPE OF REPORT
final

13b. TIME COVERED
FROM Jan 86 TO Dec 86

14. DATE OF REPORT (Year, Month, Day)
1987 April 1

15. PAGE COUNT
42

16. SUPPLEMENTARY NOTATION

This annual report is the second annual report in this series.

17. COSATI CODES

FIELD	GROUP	SUB-GROUP
8	5	

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

Tracking Stations Nova Satellite Ephemeris Availability
Tracking Network Oscar Satellite Time Stability
Transit Satellite Doppler Polar Positions

(1)

ANNUAL REPORT ON
DMA ORBIT DETERMINATION OF THE
NAVY NAVIGATION SATELLITE SYSTEM
1986

J. KENNETH MURPHY
ROBERT J. JONES
DEFENSE MAPPING AGENCY
WASHINGTON, DC 20305 - 3000 USA

DTIC
ELECTE
S MAY 11 1987
A

87 5 7 031

TABLE OF CONTENTS

	<u>Page</u>
Introduction	<u>1</u>
1986 Tracking Station (Table 1)	2
1986 Tracking Network (Figure 1)	3
Status Report on Usable Satellites As of December 1986 (Table 2)	4
TRANSIT Orientation Chart (Figure 2)	5
Ephemerides	6
1986 TRANSIT Ephemeris Availability (Table 3)	8
Summary of Ephemeris Quality (Table 4)	9
Time Stability	10
Satellite Frequency Error Plots (Figures 3, 4, 5, 6 and 7)	12
1986 Mean Frequency Stability (Table 5)	17
Polar Motion	18
1986 Polar Motion Processing Scheme (Table 6)	19
1986 Polar Motion Plots (Figures 8, 9, 10, 11, 12 and 13)	20
Comparison Of Doppler and BIH Polar Motion 1986 (Table 7)	26
Acknowledgements	27
Bibliography	28
Appendix: DMAHTC Pole Position Values 1986	29



TABLES

<u>Number</u>		<u>Page</u>
1	1986 Tracking Stations	2
2	Status Report On Usable Satellites As Of December 1986	4
3	1986 TRANSIT Ephemeris Availability	8
4	Summary Of Ephemeris Quality	9
5	1986 Mean Frequency Stability	17
6	1986 Polar Motion Processing Scheme	19
7	Comparison of Doppler and BIH Polar Motion 1986	26

INTRODUCTION

The Defense Mapping Agency Hydrographic/Topographic Center (DMAHTC) performs precise orbit computations for Navy Navigation Satellite System (NNSS) satellites, also called TRANSIT, using Doppler observations collected by a worldwide network of stations. Equipment at these sites is configured around either a Tranet II or a Magnavox 1502 DS receiver. Table 1 lists the current stations while Figure 1 shows the tracking network configuration. Recorded Doppler counts, surface weather measurements, and other appropriate data are transmitted daily via satellite communications or over other telecommunication links to DMAHTC for processing, time corrections and orbit determination. There are two classes of NNSS satellites - the "Oscar" and the "Nova". The Nova satellites represent the latest generation of TRANSIT satellites. For Nova satellite 30480 and Oscar satellites 30110, 30130, 30200 and 30300, data were processed in two-day fits. For Nova satellite 30500, data were processed in one-day fits. Table 2 and Figure 2 provide additional information on these satellites.

1986 TRACKING STATIONS

1502 DS Stations

<u>Station Number</u>	<u>Station Location</u>
30690	Herndon, Virginia
35000	Ascension Island
35004	St. Helena Island
35006	Dhekelia, Cyprus
35007	Ewa Beach, Hawaii
35010	Diego Garcia Island
35011	Cambridge Bay, Canada
35012	Bahrain, Persian Gulf
35013	Asuncion, Paraguay
35015	Wichita Falls, Texas
35017	Sioux City, Iowa
35018	Shemya, Alaska
35021	Las Cruces, New Mexico
35022	Quito, Ecuador
35024	Sigonella, Italy
35025	Santiago, Chile
35026	Kinshasa, Zaire
35027	Aurora, Colorado
35028	Bangkok, Thailand
35029	Rapid City, South Dakota
35036	Idaho Falls, Idaho
35037	Flagstaff, Arizona
35038	NAS Fallon, Nevada
35039	NAS Meridian, Mississippi
35040	Grissom AFB, Indiana

Tranet II Stations

545	Smithfield, Australia
547	Brussels, Belgium
548	Mizusawa, Japan
549	Wettzell, West Germany
550	Herndon, Virginia
552	Las Cruces, New Mexico
553	Guam (U.S.)
554	Pretoria, South Africa
555	Sao Jose, Brazil
556	Anchorage, Alaska
557	Thule, Greenland
558	Mahe, Seychelles
559	San Miguel, Philippines
560	Tafuna, American Samoa
561	Austin, Texas
562	McMurdo, Antarctica
563	Calgary, Canada
564	Ottawa, Canada
567	Kerguelen Island
568	Papeete, Tahiti
570	Hermitage, United Kingdom
590	San Fernando, Spain
591	Kourou, French Guiana

FIGURE 1: 1986 TRACKING NETWORK

THE WORLD





TABLE 2: STATUS REPORT ON USABLE SATELLITES AS OF DECEMBER 1986

<u>TRANSIT Satellite Number</u>	<u>Launched</u>	<u>Status</u>
30130	18 May 1967	Operational for 234 months
30200	29 Oct 1973	Operational for 157 months
30110	28 Oct 1977	Operational for 109 months
30480	15 May 1981	Operational for 64 months
30500	12 Oct 1984	Operational for 24 months
30300	3 Aug 1985	Operational for 16 months

These satellites are controlled by the Navy Astronautics Group (NAG)
headquartered at Point Mugu, California.

FIGURE 2: TRANSIT ORIENTATION CHART



Right Ascension Epoch 86342

EPHEMERIDES

Orbits for the six TRANSIT satellites were computed in 1986 on a one-day or two-day basis as previously mentioned, using the CELEST orbit determination program. Ephemerides were computed for the days provided in Table 3.

The orbit computation program provides sufficient diagnostic information to judge the overall quality of estimated ephemerides, the stability of satellite and tracking station clocks, and the performance of the tracking network. One quantity computed within the CELEST program, used as a measure of ephemeris quality, is the station navigation solution. After the satellite ephemeris is estimated, each individual pass of Doppler data acquired during the fit span is used to adjust the geodetic coordinates of the tracking station in directions along and perpendicular to the slant range vector to the satellite at its time of closest approach during the pass. These individual two - parameter station adjustments provide a measure of the consistency of the data with the estimated ephemeris. From these station navigation estimates, a weighted root mean square (RWS) is computed, where the weighting factor for each pass is chosen as the variance of the pass navigation solution.

Table 4 provides the average of the RWS station navigation results for all orbit determinations computed during 1986. These average values, labeled tangential (along - track direction) and radial (slant - range direction), are a measure of the internal consistency of computed ephemerides with the acquired Doppler data.

A measure of orbit repeatability can be obtained by comparing the estimated satellite position at the beginning of each fit span with the estimated satellite position at the end of the previous span. These comparisons are made in the radial, tangential and normal directions using the satellite position and velocity vectors to define the coordinate system. Averages for these quantities for the year 1986 are found in Table 4 under orbit consistency.

TABLE 3: 1986 TRANSIT EPHEMERIS AVAILABILITY

<u>TRANSIT Satellite Number</u>	<u>Day Numbers</u>
30110	1 - 365
30130	1 - 365
30200	1 - 98, 101 - 152, 155 - 365
30300	154 - 365
30480	1 - 365
30500	1 - 365

TABLE 4: SUMMARY OF EPIHEMERIS QUALITY
UNITS: METERS

	SATELLITE 30110			SATELLITE 30130			SATELLITE 30200		
	TANGENTIAL	RADIAL	NORMAL	TANGENTIAL	RADIAL	NORMAL	TANGENTIAL	RADIAL	NORMAL
DATA CONSISTENCY	2.4	2.2		1.9	2.4		2.0	2.4	
ORBIT CONSISTENCY	8.0	3.2	1.4	2.7	0.7	1.3	3.3	0.8	1.3

	SATELLITE 30300			SATELLITE 30480			SATELLITE 30500		
	TANGENTIAL	RADIAL	NORMAL	TANGENTIAL	RADIAL	NORMAL	TANGENTIAL	RADIAL	NORMAL
DATA CONSISTENCY	1.6	1.6		1.6	1.6		1.3	1.1	
ORBIT CONSISTENCY	3.0	0.9	0.9	2.2	0.7	1.5	2.2	0.5	0.9

TIME STABILITY

Time stability for the Navy Navigation Satellite System is maintained through the operations of the Naval Astronautics Group at Point Mugu, California. Time is maintained for Oscar satellites through the deletion of cycle counts generated by a satellite crystal oscillator operating at a frequency slightly above a nominal frequency. Fractional frequency fluctuations are compensated for by estimating oscillator instability and by adjusting cycle counts appropriately. An actual time drift will still occur; however, the time error will be maintained within prescribed limits. For Nova satellites time stability is maintained by varying the frequency of the satellite crystal oscillator. This frequency steering occurs daily, as necessary, for 30500 but is not used on 30480 due to a partial failure of the frequency steering mechanism.

As part of the DMAHTC orbit determination solution, satellite frequency bias and drift are estimated. Frequency bias causes a time drift to occur equal to the ratio of the frequency bias to oscillator base frequency multiplied by the effective time span of the bias. Frequency drift causes a quadratic time error equal to the ratio of the frequency drift to oscillator base frequency multiplied by one - half the square of the effective time span of the drift. The long - term frequency stability for the Navy navigation satellites was calculated using the estimated daily frequency bias from CELEST orbit processing. Since this value is readily available on a one or two - day basis, long - term trends in frequency stability were obtained. Figures 3 through 6 give the plots of estimated frequency bias for Oscar satellites 30110, 30130, 30200 and 30300 respectively. Figure 7 gives similar results

for Ncva satellite 30480. Based on these data, average annual frequency drifts for each satellite were computed and are given in Table 5.

FIGURE 3. SATELLITE 30110 FREQUENCY ERROR




FIGURE 4. SATELLITE 30130 FREQUENCY ERROR




FIGURE 5. SATELLITE 30200 FREQUENCY ERROR




FIGURE 6: SATELLITE 30300 FREQUENCY ERROR




FIGURE 7. SATELLITE 30480 FREQUENCY ERROR




TABLE 5: 1986 MEAN FREQUENCY STABILITY

<u>TRANSIT Satellite Number</u>	<u>Daily Mean Drift *</u>
30110	-37 x 10 ⁻⁵
30130	36 x 10 ⁻⁵
30200	40 x 10 ⁻⁶
30300	11 x 10 ⁻⁵
30480	13 x 10 ⁻⁶
30500	**

* Units: Cycles per second per day at 1 MHz

** Stability is maintained by active frequency steering.

POLAR MOTION

Included among the parameters estimated in the orbit determination program is the position of the Earth's spin axis with respect to the pole of the adopted Naval Surface Weapons Center (NSWC) 9Z - 2 terrestrial frame. The scheme used to compute daily pole values is as follows: each satellite for which two-day spans of data are used for orbit determination is designated to have an odd or even starting day number. Consequently, for each day of the year, pole positions are determined using less than six satellites. The fit span and two-day designator are provided in Table 6 for each satellite. Satellite data processed daily produce pole position estimates on both odd and even days. Figures 8 through 13 are plots of the 1986 DMAHTC Doppler pole position values for each NNSS satellite. Much of the detail of the plot for Nova satellite 30500 is lost due to the density of data points and their scatter. Table 7 is a comparison of Doppler and BIH polar motion values for 1986.

TABLE 6: 1986 POLAR MOTION PROCESSING SCHEME

<u>TRANSIT Satellite Number</u>	<u>Processing Interval (Days)</u>		<u>Designator</u>
	<u>One - Day</u>	<u>Two - Day</u>	
30110	----	1 - 365	Even
30130	----	1 - 365	Even
30200	----	1 - 98 101 - 152 155 - 365	Odd
30300	----	154 - 365	Even
30480	----	1 - 365	Odd
30500	1 - 365	----	Even, Odd

FIGURE 8:
SATELLITE 30110
DOPPLER POLAR MOTION
RESULTS DURING
1986




FIGURE 9:
SATELLITE 30130
DOPPLER POLAR MOTION
RESULTS DURING
1986




FIGURE 10:
SATELLITE 30200
DOPPLER POLAR MOTION
RESULTS DURING
1986




FIGURE 11:
SATELLITE 30308
DOPPLER POLAR MOTION
RESULTS DURING
1986




FIGURE 12:
SATELLITE 30480
DOPPLER POLAR MOTION
RESULTS DURING
1986




FIGURE 13:
SATELLITE 30500
DOPPLER POLAR MOTION
RESULTS DURING
1986




TABLE 7. COMPARISON OF DOPPLER AND BIH POLAR MOTION 1986

TRANSIT Satellite Number	X Component		Y Component		Number of Spans
	Mean*	RMS	Mean*	RMS	
30110	.0082	.0214	.0074	.0184	132
30130	.0045	.0223	.0100	.0222	135
30200	.0043	.0211	.0100	.0184	110
30300	.0055	.0154	.0012	.0151	41
30480	.0013	.0114	.0112	.0159	116
30500	.0069	.0237	.0134	.0214	264

* Mean of Doppler minus BIH

Units are arc seconds.

ACKNOWLEDGEMENTS

The authors wish to acknowledge Mr. Milo Robinson for his contributions to the polar motion section of this report, Mr. Frank Mueller for the frequency error plots and Ms. Carolyn Gray for her preparation of the manuscript.

BIBLIOGRAPHY

Murphy, J. K. and Fell, P. J. (1986) Proceedings of the 4th International Geodetic Symposium of Satellite Positioning, Austin, TX.

Stansell, T. A. (1978) The TRANSIT Navigation Satellite System.

APPENDIX

DMAHTC POLE POSITION VALUES

1986

DMATTC POLE POSITION VALUES
UNITS: ARC SECONDS

YEAR	DAY	X POLE (ARCSECS)					Y POLE (ARCSECS)						
		30110	30130	30200	30300	30480	30500	30110	30130	30200	30300	30480	30500
86	1	.151	.215				.175	.124	.181				.199
86	2	.181	.171				.152	.211	.216				.178
86	3			.184		.194	.174			.183		.188	.167
86	4	.177	.208	.178		.170	.162	.179	.184	.170		.175	.166
86	5	.175	.183	.192		.184	.165	.171	.192	.187		.168	.172
86	6	.168	.184	.164		.166	.167	.171	.187	.160		.169	.167
86	7	.168	.184	.164		.166	.164	.159	.176	.160		.183	.152
86	8	.184	.185	.198		.160	.146	.164	.154	.149		.146	.146
86	9	.138	.174	.137		.148	.125	.173	.163	.149		.169	.163
86	10	.187	.159	.137		.148	.150	.173	.163	.147		.152	.168
86	11	.165	.119	.185		.167	.155	.157	.164	.154		.159	.159
86	12	.162	.150	.116		.136	.139	.163	.140	.154		.164	.146
86	13	.162	.150	.116		.136	.122	.163	.140	.154		.164	.153
86	14	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	15	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	16	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	17	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	18	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	19	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	20	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	21	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	22	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	23	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	24	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	25	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	26	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	27	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	28	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	29	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	30	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	31	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	32	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	33	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	34	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	35	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	36	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	37	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	38	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	39	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	40	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	41	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	42	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	43	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	44	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	45	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	46	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	47	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	48	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	49	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	50	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153
86	51	.162	.150	.116		.136	.130	.163	.140	.154		.164	.153
86	52	.162	.150	.116		.136	.128	.163	.140	.154		.164	.153

DYNAMIC POLE POSITION VALUES UNITS: ARC SECONDS

YEAR	DAY	X POLE (ARCSECS)					Y POLE (ARCSECS)				
		30110	30130	30200	30300	30480	30500	30110	30130	30200	30300
86	53			.040		.047	.039			.115	
86	54	.075	.086	.059		.062	.030	.111	.116	.139	
86	55	.053	.055	.038		.029	.021	.122	.159	.129	
86	57	.042	.041	.041		.040	.028	.106	.132	.129	
86	58	.024	.007	.030			.037	.144	.109	.122	
86	59	.064	.069	.032			.009	.118	.148	.121	
86	61	.021	.029				.014	.131	.112	.120	
86	62	.033	.003	.010		.023	.015	.132	.120	.151	
86	63	.021	.014	.028		.001	.011	.141	.102	.118	
86	64	.002	.006	.005		.000	.007	.136	.123	.156	
86	65	.032	.004	.023		.016	.001	.145	.122	.145	
86	66	.040	.004	.027		.012	.005	.121	.134	.129	
86	67	.019	.004	.024		.012	.012	.139	.126	.118	
86	68	.037	.001	.032		.015	.023	.130	.129	.128	
86	69	.013	.034	.014		.009	.031	.141	.143	.157	
86	70		.010	.007		.020	.021	.124	.123	.149	
86	71		.017	.040		.025	.037		.157	.139	
86	72	.030	.046			.026	.046	.147	.142	.121	
86	73	.031	.049	.043		.028	.016	.127	.179	.121	
86	74	.033	.023	.039		.033	.029	.146	.157	.139	
86	75	.045	.011	.036		.045	.020	.161	.159	.145	
86	76	.043	.040	.043		.055	.033	.149	.133	.187	
86	77	.086	.055	.030		.041	.056	.148	.149	.131	
86	78	.077	.032			.053	.062	.162	.175	.154	
86	79	.062	.063			.053	.059	.187	.169	.163	
86	80	.061	.083			.060	.077	.170	.171	.190	
86	81	.088	.077			.075	.070	.184	.203	.169	
86	82						.075				
86	83										
86	84										
86	85										
86	86										
86	87										
86	88										
86	89										
86	90										
86	91										
86	92										
86	93										
86	94										
86	95										
86	96										
86	97										
86	98										
86	99										
86	100										
86	101										
86	102										
86	103										
86	104										

		DYNAMIC POLE POSITION VALUES UNITS ARC SECONDS										X POLE (ARCSECS)					Y POLE (ARCSECS)						
YEAR	DAY	30110	30130	30200	30300	30480	30500	30110	30130	30200	30300	34800	30500	30110	30130	30200	30300	34800	30500				
86	105						.080						.180						.190				
86	106	.083	.033				.055	.157	.213				.194						.188				
86	107						.070						.188						.199				
86	108	.052	.103				.075	.178	.174				.225						.212				
86	109						.074						.186						.186				
86	110	.087	.089				.075	.193	.186				.219						.202				
86	111						.072						.202						.210				
86	112	.082	.070			.070	.082	.201	.173			.202	.199						.212				
86	113						.084	.208	.199				.203						.203				
86	114	.087	.091				.095	.208	.199				.198						.226				
86	115			.103			.075	.213	.201			.204	.203						.217				
86	116	.067	.083	.079		.079	.080	.213	.201				.211						.200				
86	117						.096	.194	.221			.208	.211						.224				
86	118	.077	.088	.072		.059	.102	.194	.221			.224	.212						.237				
86	119						.088	.203	.233			.226	.211						.199				
86	120	.064	.057	.081		.078	.083	.221	.247			.231	.236						.243				
86	121						.090	.232	.231			.231	.254						.208				
86	122	.080	.066	.079		.087	.080	.240	.256			.220	.247						.247				
86	123	.083	.090			.084	.094	.218	.253			.231	.254						.248				
86	124			.094			.105	.216	.272			.220	.247						.252				
86	125	.073	.122	.077		.077	.058	.227	.267				.244						.242				
86	126						.102	.229	.255				.252						.244				
86	127	.079	.085	.101		.080	.102	.248	.252			.266	.242						.242				
86	128						.085	.270	.272			.234	.260						.242				
86	129	.077	.101	.060		.101	.097	.270	.272				.260						.242				
86	130						.087	.227	.267				.257						.242				
86	131	.081	.083				.071	.229	.255				.251						.242				
86	132						.098	.248	.252				.264						.242				
86	133	.087	.041			.076	.091	.248	.252				.264						.242				
86	134			.096			.105	.248	.252				.264						.242				
86	135	.074	.032			.095	.093	.270	.272				.264						.242				
86	136			.094			.093	.270	.272				.264						.242				
86	137	.081	.103			.089	.086	.270	.272				.264						.242				
86	138			.088			.086	.270	.272				.264						.242				
86	139	.085	.121			.101	.092	.241	.280				.257						.242				
86	140			.085			.101	.241	.280				.257						.242				
86	141	.074	.057			.122	.107	.252	.247				.257						.242				
86	142			.108			.086	.252	.247				.257						.242				
86	143	.067	.060			.075	.088	.248	.255				.257						.242				
86	144			.086			.088	.248	.255				.257						.242				
86	145	.077	.078	.107		.086	.093	.268	.256				.257						.242				
86	146					.086	.106	.268	.256				.257						.242				
86	147	.069	.051				.114	.288	.267				.257						.242				
86	148						.077	.288	.267				.257						.242				
86	149	.067	.074			.082	.092	.274	.244				.257						.242				
86	150			.131			.092	.274	.244				.257						.242				
86	151	.087	.081			.086	.105	.260	.258				.257						.242				
86	152					.086	.105	.260	.258				.257						.242				
86	153	.096	.090			.101	.090	.292	.253				.257						.242				
86	154			.113		.101	.068	.292	.253				.257						.242				
86	155						.109	.281	.263				.257						.242				
86	156	.079	.051				.109	.281	.263				.257						.242				

		DMAHTC POLE POSITION VALUES UNITS: ARC SECONDS										Y POLE (ARCSECS)							
		X POLE (ARCSECS)																	
YEAR	DAY	30110	30130	30200	30300	30480	30500	30110	30130	30200	30300	30480	30500	30110	30130	30200	30300	30480	30500
86	157			.083		.093	.092			.273		.278							.30500
86	158	.066	.070	.105		.101	.088	.300	.277	.300		.281							.294
86	159	.073	.047	.079		.115	.079	.288	.305	.248		.280							.284
86	160	.097	.049	.091			.063	.287	.304	.345									.297
86	161	.064	.072	.090		.093	.061	.315	.286	.281									.298
86	162	.073	.080	.093		.078	.075	.324	.268	.313		.288							.277
86	163	.091	.099	.081		.084	.094	.292	.271	.295									.307
86	164	.042	.056	.067		.077	.054	.339	.272	.321									.306
86	165	.070	.079	.095		.083	.068	.299	.286	.315									.287
86	166	.073	.090	.071		.077		.338	.271	.318									.320
86	167	.066	.080			.077	.078	.326	.301										.299
86	168	.062	.069			.077	.032	.336	.303										.323
86	169	.062	.067			.077	.064	.340	.306										.296
86	170	.059	.061			.077	.050	.353	.293										.316
86	171	.054	.059			.077	.048	.339	.315										
86	172	.071	.057				.052	.355	.378										
86	173	.047	.030				.059	.364	.325	.329	.317								.315
86	174		.051				.029			.363	.362								.332
86	175		.052				.038	.370	.370	.352	.351								.339
86	176		.053				.049	.370		.350	.341								.343
86	177	.055	.052				.045	.351	.361	.359	.373								.317
86	178	.039	.053				.040	.354	.346	.369	.351								.346
86	179	.027	.060				.035	.364	.367	.369	.380								.340
86	180	.057	.042				.022	.364	.355	.369	.357								.352
86	181	.041	.017				.000	.337	.379	.361	.349								.343
86	182	.040	.076				.010	.350	.368	.366	.352								.359
86	183	.035	.035				.007	.373	.379	.366	.352								.360
86	184	.044	.014				.016	.371	.384	.377	.340								.370
86	185	.030	.038				.023	.384	.379	.392	.389								.357
86	186						.029	.370	.389	.392	.354								.341
86	187						.002	.370	.389	.392	.351								.370
86	188						.004	.370	.389	.392	.351								.369
86	189						.019	.370	.389	.392	.351								.392
86	190																		
86	191																		
86	192																		
86	193																		
86	194																		
86	195																		
86	196																		
86	197																		
86	198																		
86	199																		
86	200																		
86	201																		
86	202																		
86	203																		
86	204																		
86	205																		
86	206																		
86	207																		
86	208																		

DMANTC POLE POSITION VALUES
UNITS: ARC SECONDS

YEAR	DAY	X POLE (ARCSECS)					Y POLE (ARCSECS)						
		30110	30130	30200	30300	30480	30500	30110	30130	30200	30300	30480	30500
86	209			.038	.016	.029	.023			.377	.375	.381	.382
86	210	.021	.040	.002	.016	.021	.009	.360	.376	.407	.375	.377	.389
86	211	.022	.021	.029	.014	.018	.023	.363	.364	.387	.390	.374	.386
86	212	.029	.010	.035	.027	.015	.008	.375	.365	.370	.379	.390	.395
86	213	.002	.033	.018	.017	.018	.026	.373	.373	.376	.379	.390	.367
86	214	.015	.013	.020	.011	.016	.025	.373	.382	.384	.353	.376	.391
86	215	.032	.021	.025	.010	.000	.010	.363	.388	.365	.371	.380	.390
86	216	.007	.009	.020	.008	.014	.033	.349	.388	.392	.410	.378	.378
86	217	.015	.013	.020	.011	.018	.003	.401	.392	.392	.388	.406	.388
86	218	.002	.014	.003	.007	.003	.036	.372	.392	.384	.368	.390	.379
86	219	.016	.025	.015	.007	.006	.002	.366	.394	.404	.364	.388	.385
86	220	.002	.013	.004	.003	.001	.046	.372	.392	.393	.390	.381	.377
86	221	.021	.015	.026	.005	.015	.010	.378	.378	.377	.367	.374	.375
86	222	.001	.022	.003	.005	.006	.032	.393	.393	.377	.395	.395	.384
86	223	.029	.004	.009	.007	.010	.057	.385	.405	.408	.403	.394	.394
86	224	.027	.048	.011	.020	.025	.046	.382	.394	.392	.415	.392	.385
86	225	.028	.009	.052	.030	.024	.057	.372	.406	.400	.385	.397	.387
86	226	.038	.017	.019	.029	.018	.047	.395	.392	.411	.380	.402	.392
86	227	.078	.041	.034	.017	.035	.017	.388	.393	.405	.391	.395	.385
86	228	.037	.012	.040	.023	.029	.064	.398	.393	.403	.392	.410	.408
86	229	.017	.012	.041	.014	.029	.036	.415	.391	.406	.428	.406	.380
86	230	.030	.029	.025	.020	.042	.048	.412	.399	.405	.411	.386	.398
86	231	.077	.056	.025	.053	.045	.071	.385	.394	.424	.407	.375	.385
86	232	.040	.047	.041	.039	.032	.044	.390	.399	.406	.402	.381	.375
86	233	.058	.046	.024	.014	.035	.066	.386	.383	.417	.392	.414	.390
86	234	.065	.044	.079	.020	.035	.051	.415	.402	.411	.399	.398	.381
86	235	.058	.084	.028	.043	.035	.072	.412	.413	.411	.413	.398	.375
86	236	.040	.050		.035	.041	.089	.411	.418	.418	.413	.408	.397
86	237						.073	.411			.421		.376
86	238				.035								.387

DMAHTC POLE POSITION VALUES
UNITS: ARC SECONDS

YEAR	DAY	X POLE (ARCSECS)					Y POLE (ARCSECS)						
		30110	30130	30200	30300	30480	30500	30110	30130	30200	30300	30480	30500
86	261			.085	.053	.046	.061			.412	.387	.407	.384
86	262	.087	.048	.046	.042	.038	.045	.382	.417	.415	.387	.387	.366
86	263	.055	.034	.097	.039	.051	.044	.374	.420	.413	.404	.406	.379
86	264	.110	.047	.069	.058	.057	.069	.366	.388	.424	.398	.412	.385
86	265	.097	.034	.069	.058	.048	.064	.398	.409	.409	.376	.389	.366
86	266	.070	.059	.091	.068	.065	.076	.421	.391	.406	.410	.388	.383
86	267	.060	.066	.101	.052	.049	.063	.395	.397	.406	.424	.402	.403
86	268	.099	.075	.083	.045	.049	.064	.412	.404	.421	.404	.416	.390
86	269	.081	.066	.083	.082	.065	.077	.390	.396	.421	.403	.388	.375
86	270	.057	.088	.059	.094	.073	.093	.410	.391	.376	.403	.413	.395
86	271	.089	.085	.103	.094	.054	.065	.398	.384	.394	.382	.409	.365
86	272	.097	.044	.078	.073	.077	.062	.405	.385	.371	.423	.409	.351
86	273	.075	.083	.093	.094	.079	.093	.404	.394	.389	.381	.401	.377
86	274	.113	.133	.077	.093	.071	.090	.410	.391	.378	.422	.405	.372
86	275	.103	.106	.120	.090	.088	.124	.398	.388	.405	.384	.402	.401
86	276	.081	.067	.090	.122	.088	.096	.396	.376	.416	.407	.406	.363
86	277	.105	.099	.118	.116	.093	.097	.396	.380	.389	.407	.397	.377
86	278	.105	.111	.120	.116	.100	.096	.396	.380	.401	.410	.397	.355
86	279	.089	.085	.107	.113	.102	.110	.403	.393	.381	.376	.388	.389
86	280	.089	.120	.110	.104	.078	.114	.401	.403	.405	.377	.388	.360
86	281	.092	.115	.106	.150	.114	.083	.399	.377	.384	.398	.400	.363
86	282	.122	.140	.116	.131	.105	.120	.402	.397	.395	.383	.409	.370
86	283	.092	.107	.111	.108	.103	.101	.402	.397	.366	.383	.366	.357
86	284	.119	.124	.132	.119	.109	.094	.396	.381	.401	.380	.416	.384
86	285	.131	.133	.123	.132	.113	.117	.400	.397	.394	.379	.395	.360
86	286	.093	.115	.130	.128	.120	.147	.385	.391	.405	.379	.385	.377
86	287	.115	.127	.126	.142	.120	.113	.393	.390	.397	.404	.404	.353
86	288				.142		.125				.378		.371
86	289												
86	290												
86	291												
86	292												
86	293												
86	294												
86	295												
86	296												
86	297												
86	298												
86	299												
86	300												
86	301												
86	302												
86	303												
86	304												
86	305												
86	306												
86	307												
86	308												
86	309												
86	310												
86	311												
86	312												

DMAHTC POLE POSITION VALUES
UNITS: ARC SECONDS

YEAR	DAY	X POLE (ARCSECS)					Y POLE (ARCSECS)						
		30110	30130	30200	30300	30480	30500	30110	30130	30200	30300	30480	30500
86	313			.128	.128	.103	.095			.391	.404	.407	.362
86	314	.139	.143	.137	.128	.120	.142	.384	.367	.395	.396	.374	.347
86	315	.089	.128	.119	.128	.133	.126	.386	.366	.388	.375	.375	.352
86	316	.115	.110	.138	.106	.116	.113	.369	.378	.384	.375	.374	.346
86	317	.124	.138	.125	.137	.126	.105	.379	.371	.406	.362	.393	.345
86	318	.109	.133	.157	.145	.145	.111	.391	.354	.387	.370	.376	.374
86	319	.100	.131	.146	.156	.117	.109	.369	.369	.397	.355	.387	.355
86	320	.123	.130	.136	.121	.129	.123	.361	.364	.334	.362	.387	.363
86	321	.123	.130	.136	.133	.129	.094	.353	.355	.334	.362	.389	.358
86	322	.099	.138	.150	.133	.131	.129	.353	.355	.348	.378	.370	.367
86	323	.108	.117	.130	.137	.131	.145	.354	.352	.363	.370	.370	.345
86	324	.128	.115	.140	.116	.124	.110	.359	.367	.375	.357	.360	.356
86	325	.104	.158	.121	.131	.120	.141	.373	.354	.365	.343	.357	.344
86	326	.101	.150	.148	.130	.130	.126	.349	.381	.362	.353	.354	.343
86	327	.120	.139	.095	.114	.123	.134	.345	.390	.396	.350	.354	.361
86	328	.141	.138	.147	.114	.123	.111	.348	.385	.362	.354	.369	.356
86	329	.102	.149	.161	.112	.154	.119	.342	.383	.354	.363	.350	.331
86	330	.104	.163	.140	.157	.136	.135	.335	.324	.339	.319	.364	.355
86	331	.131	.144	.129	.139	.142	.122	.348	.343	.371	.350	.351	.352
86	332	.117	.130	.142	.143	.140	.112	.346	.340	.372	.344	.343	.346
86	333	.099	.167	.138	.121	.140	.148	.343	.362	.364	.364	.349	.327
86	334	.126	.158	.139	.128	.140	.106	.295	.363	.327	.364	.346	.345
86	335	.139	.149	.152	.116	.127	.137	.333	.345	.319	.305	.339	.354
86	336	.123	.139	.152	.170	.146	.134	.306	.319	.340	.320	.338	.353
86	337	.133	.177	.151	.145	.155	.128	.315	.331	.334	.348	.343	.343
86	338	.137	.133	.143	.165	.137	.141	.332	.319	.339	.340	.339	.326
86	339	.132	.154	.134	.140	.154	.147	.328	.307	.339	.320	.314	.343
86	340	.180	.165	.180	.170	.162	.135	.310	.329	.314	.321	.328	.329
86	341						.154					.322	.315
86	342						.141						
86	343												
86	344												
86	345												
86	346												
86	347												
86	348												
86	349												
86	350												
86	351												
86	352												
86	353												
86	354												
86	355												
86	356												
86	357												
86	358												
86	359												
86	360												
86	361												
86	362												
86	363												
86	364												

OMAHTC POLE POSITION VALUES
UNITS: ARC SECONDS

YEAR	DAY	X POLE (ARCSECS)				Y POLE (ARCSECS)			
		30110	30130	30200	30300	30480	30500	30500	30500
86	365			.143		.127	.126	.307	.326
									.351

DISTRIBUTION LIST

HQ DMA

ATTN: PR (Mr. Russman) 1 cy
ATTN: RET (Dr. Fell) 1 cy
ATTN: REG (Dr. Smith) 1 cy
ATTN: AO (Ms. Campbell) 1 cy

National Geodetic Survey
ATTN: Dr. Remond
Rockville, MD 20878 1 cy

DMAHTC Geodetic Survey Squadron

ATTN: GSST (Mr. Rowe) 1 cy

Naval Surface Weapons Center
ATTN: Mr. Hill
Dahlgren, VA 22448 3 cys

DMAHTC

ATTN: PPTE (Mr. Anderson) 1 cy
ATTN: RET (Dr. Wooden) 1 cy
ATTN: GSG 2 cy
ATTN: GSGT 2 cy
ATTN: GST 2 cy
ATTN: GSGS 2 cy
ATTN: GSGA 2 cy
ATTN: GSM 2 cy
ATTN: GS 2 cy
ATTN: GSFA 2 cy
ATTN: GSGC 20 cy

Royal Greenwich Observatory
ATTN: Dr. Wilkins
Hailsham, East Sussex,
England BN27 1 RP 1 cy

US Naval Observatory
ATTN: Time Service
(Dr. McCarthy) 1 cy
Washington, DC 20309-5400

The University of Texas at Austin
ATTN: WRW 402 (Dr. Shutz)
Austin, TX 78712-1085 1 cy

Bureau International de l'Heure

ATTN: (Dr. Feissel)
75014 Paris, France 1 cy

IAGS

ATTN: TDS (Mr. Caddess) 1 cy

Jet Propulsion Laboratory

ATTN: Dr. Melbourne
Pasadena, CA 91109 1 cy

Massachusetts Institute of Technology

ATTN: MS 54-620 (Dr. King)
Cambridge, MA 02139 1 cy

END

7-87

DTIC