

AD-A181 490

AFOSR-TR- 87-0626

A STUDY OF SUPERMANEUVER AERODYNAMICS

by

David Nixon
Mohammad Farshchi

DEL
JUN

DTIC
SELECTED
JUN 12 1987

Approved for public release;
distribution unlimited.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF TRANSMITTAL TO DTIC
This technical report has been reviewed and is
approved for public release. IAW AFR 190-12
Distribution is Unlimited.
MATTHEW J. KERRER
Chief, Technical Information Division

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

NIELSEN ENGINEERING
AND RESEARCH, INC.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

ADA181490

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			APPROVED FOR PUBLIC RELEASE DISTRIBUTION IS UNLIMITED		
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR- 37-0626		
6a. NAME OF PERFORMING ORGANIZATION NEAR		6b. OFFICE SYMBOL (If applicable)		7a. NAME OF MONITORING ORGANIZATION AFOSR/NA	
6c. ADDRESS (City, State and ZIP Code) 510 CLYDE AVE MOUNTAINVIEW, CA 94043			7b. ADDRESS (City, State and ZIP Code) BUILDING 410 BOLLING AFB, DC 20332-6448		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR/NA		8b. OFFICE SYMBOL (If applicable) NA		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F49620-86-C-0071	
8c. ADDRESS (City, State and ZIP Code) BUILDING 410 BOLLING AFB, DC 20332-6448			10. SOURCE OF FUNDING NOS.		
			PROGRAM ELEMENT NO 61102F	PROJECT NO. 3005	TASK NO. A1
11. TITLE (Include Security Classification) (U) A STUDY OF SUPERMANEUVER AERODYNAMICS			WORK UNIT NO.		
12. PERSONAL AUTHOR(S) D NIXON, M FARSHCHI					
13a. TYPE OF REPORT FINAL		13b. TIME COVERED FROM 1 AUG 86 TO 31 JAN 87		14. DATE OF REPORT (Yr., Mo., Day) 87/01/31	
				15. PAGE COUNT 8	
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB GR			
			SUPERMANEUVERABILITY; HIGH-ANGLE AERODYNAMICS, POST-STALL AERODYNAMICS.		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
An innovative method of examining fluid flow phenomena is described and preliminary results are given. The technique uses a subproblem formulation which examines only those portions of the flow which are of interest. The particular flow examined is that of a stalled airfoil and the objective of the technique is to develop ways of controlling the stall. Both conventional and nonconventional means of stall control have been examined and it is concluded that the subproblem technique is a viable approach for the study of fluid flow phenomena.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT ☐ DTIC USERS ☐			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL HENRY E HELIN, CAPTAIN, USAF			22b. TELEPHONE NUMBER (Include Area Code) 202-767-4935		22c. OFFICE SYMBOL AFOSR/NA

A STUDY OF SUPERMANEUVER AERODYNAMICS

by

David Nixon
Mohammad Farshchi

DTIC
ELECTE
JUN 12 1987
S D D

NEAR TR 375

January 1987

Prepared Under Contract No. F49620-86-C-0071

for

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH

Building 410

Bolling AFB, DC 20332-6448

by

NIELSEN ENGINEERING & RESEARCH, INC.
510 Clyde Avenue, Mountaoin View, CA 94043-2287
Telephone (415) 968-9457

Approved for public release
Distribution Unlimited

Report AFOSR

A STUDY OF SUPERMANEUVER AERODYNAMICS

David Nixon
Mohammad Farshchi
NIELSEN ENGINEERING & RESEARCH, INC.
510 Clyde Avenue
Mountain View, CA 94043-2287

13 February 1987

Final Report for Period 1 August 1986 - 31 January 1987

Approved for public release;
distribution unlimited.

Prepared for

USAF, AFSC
AIR FORCE OFFICE OF SCIENTIFIC RESEARCH
Building 410
Bolling AFB, D.C. 20332-6448

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	



RESEARCH OBJECTIVES

The main objective of the work is to investigate the feasibility of an innovative method of understanding fluid flow phenomena. The method is based on a computational fluid dynamic (CFD) study of the flow. The idea is that interesting fluid flow phenomena can be examined by studying a "subproblem" that encompasses only the region of interest. Since the effect of the exterior flow or changes to the body is felt only through the impositions of boundary conditions any control device can be represented by some combination of boundary conditions. Since the mathematical theory of boundary conditions strictly limits the number of independent boundary conditions to much less than the number of possible control devices, a tractable parameter study can be formulated. Also, if the flow in the "subdomain" can only be affected by the boundary conditions a considerable insight into the causes of a particular flow phenomena can be achieved. The objective of the work is to test this idea for the flow over an oscillating airfoil at low speed, which can give dynamic stall.

STATUS OF THE RESEARCH EFFORT

After preliminary calculations it was decided that insufficient computer time was available for a study of dynamic stall and consequently a study of steady stall was initiated. The computer code ARC2D was used in the study. The airfoil is a NACA 0012 airfoil at $M_\infty = 0.3$ and 16 degrees angle of attack. The subproblem is the flow in a subdomain accompanying the seperated flow region of the airfoil.

In principle, the subproblem technique was validated. The validation process consisted of developing airfoil boundary conditions that would re-attach the flow on the airfoil and generally this objective was met by specifying a suction boundary condition on the airfoil surface. Initial and final pressure distributions and stream function contours for the subproblem are shown in Figures 1a, 1b and 2, respectively. To check the results, a complete airfoil calculation with suction was performed and the results, shown in Figure 3 confirm that the suction developed by the subproblem does, in fact, re-attach the flow.

An interesting variation on the suction boundary condition was the imposition of a normal velocity gradient boundary condition in the neighborhood of the separation point. This boundary condition produced a combination of suction and blowing that developed a vortex in this region that provided sufficient lift in the subdomain to compensate for the loss of lift due to the stall. Thus, a different way of alleviating stall may have been developed but further work is necessary before a definite conclusion can be reached.

Publications

Nixon, D. A Study of Stall on an Airfoil
Farshchi, M. Using a Subproblem Technique.
 Neilsen Engineering Research
 Paper No. 221, 1987

Professional Personnel

The work was performed by Dr. D. Nixon and Dr. Mohammad Farshchi.

No degrees were awarded as a result of the research.

Interactions

None.

New Discoveries

A new method of alleviating stall on an airfoil may have been developed but the results are not yet conclusive.

PRESSURE CONTOURS





Figure 1a.- Pressure distribution from subproblem solution with inflow downstream boundary conditions.

2D STREAM FUNCTION CONTOURS



CONTOUR LEVELS
 0.00000
 0.05000
 0.10000
 0.15000
 0.20000
 0.25000
 0.30000
 0.35000
 0.40000
 0.45000
 0.50000

0.300
 16.00°
 6.00x10⁴
 20x36
 H_∞
 α
 Re
 GRID

Figure 1b.- Streamlines from subproblem solution with inflow downstream boundary conditions.

2D STREAM FUNCTION CONTOURS




Figure 2.- Streamlines for a subproblem with $K = -0.06$ and modified out flow boundary conditions.

2D STREAM FUNCTION CONTOURS




Figure 3.- Streamlines for complete airfoil solution with suction just in subdomain region with $K=-0.06$.