AD-A181 909 COMMENT ON PAPER BY YAU AND CHOU TITLED NOTCHED STRENGTH OF WOVEN FABRIC (U) ARMY ARMAMENT RESEARCH DEVELOPMENT AND ENGINEERING CENTER WAT J H UNDERWOOD 1/1

UNCLASSIFIED DEC 86 ARCCB-MR-86040 F/G 11/4 NL

END
8-87
DTIC



MICROCOPY RESOLUTION TEST CHART

TECHNICAL LIBRARY
ATTN — SMCAR-CCB-TL

AD-A181 909

AD

MEMORANDUM REPORT ARCCB-MR-86040

DTIC FILE COPY

COMMENT ON PAPER BY YAU AND CHOU TITLED "NOTCHED STRENGTH OF WOVEN FABRIC COMPOSITES WITH MOLDED-IN HOLES"

J. H. UNDERWOOD

DTIC
ELECTE
JUN 2 2 1987
S D
E

DECEMBER 1986

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT CENTER
CLOSE COMBAT ARMAMENTS CENTER
BENÉT WEAPONS LABORATORY
WATERVLIET, N.Y. 12189-4050

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

87 6 16 197

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The use of trade name(s) and/or manufacturer(s) does not constitute an official indorsement or approval.

DESTRUCTION NOTICE

For classified documents, follow the procedures in DoD 5200.22-M, Industrial Security Manual, Section II-19 or DoD 5200.1-R, Information Security Program Regulation, Chapter IX.

For unclassified, limited documents, destroy by any method that will prevent disclosure of contents or reconstruction of the document.

For unclassified, unlimited documents, destroy when the report is no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-MR-86040	2. GOVT ACCESSION NO. AD-A181909	3. RECIPIENT'S CATALOG NUMBER
4. TITLE *(and Subtitle)* COMMENT ON PAPER BY YAU AND CHOU TITLED "NOTCHED STRENGTH OF WOVEN FABRIC COMPOSITES WITH MOLDED-IN HOLES"		5. TYPE OF REPORT & PERIOD COVERED Final 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. H. Underwood		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6940.00.6570.012 PRON No. 1A62ZH7QNMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE December 1986 13. NUMBER OF PAGES 5
14. MONITORING AGENCY NAME & ADDRESS(*if different from Controlling Office*)		15. SECURITY CLASS. (*of this report*) UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT *(of this Report)*

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

18. SUPPLEMENTARY NOTES

Submitted to ASTM publication, Composite Materials: Testing and Design (Eighth Conference).

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

Composites
Isotropic Mechanics
Stress Concentration
Hole Size

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

A comment is offered on the Yau and Chou paper, presented at the Eighth ASTM Conference on Composite Materials: Testing and Design, which discussed the failure strength of fabric composite plates with holes. Classical mechanics is used to describe the change in failure strength with hole size.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

TABLE OF CONTENTS

	Page
INTRODUCTION	1
DISCUSSION	1
CONCLUSION	2
REFERENCES	3
TABLE 1	4

Accession For
NTIS GRA&I
DTIC TAB
Unannounced
Justification
By
Distribution/
Availability Codes
Dist | Avail and/or Special
A-1

QUALITY INSPECTED 1

INTRODUCTION

The subject paper by Yau and Chou (ref 1) was presented at the Eighth ASTM Conference on Composite Materials: Testing and Design and will be published in the ASTM STP Conference Proceedings.

DISCUSSION

During the oral presentation on this study of notched strength of composites, it was noted by author Yau that the net-section strength of the specimens increased with hole size for some test conditions. The purpose of this comment is to compare this increase in net-section stress with the classic change in stress concentration factor due to hole size in a finite width plate (ref 2). Data for such a comparison are shown in Table 1 of this comment. The Yau and Chou values of failure strengh from their Tables 1 through 4 have been converted to net-section failure strengths by accounting for the hole size, and then normalized by the value for the 3.2 mm diameter hole, for ease of comparison. All the molded-in hole results are listed. The expected decrease in stress concentration factor, K, with increase in hole size is also shown in Table 1 of this comment, both as K and normalized K, taken from Reference 2 for the Yau and Chou specimen and hole dimensions.

The comparison shows that the increase in net-section strength for epoxy specimens follows the same trend as the decrease in stress concentration factor. For both tension and compression loading, the increase in net-section strength can be well described by the continuum mechanics, K approach. Of course this is not generally true, as shown by the PEEK specimen results. In this material, both tension and compression net-section strength decreases with increasing hole size. Since the PEEK composites

have a relatively tough matrix, correspondence between their failure strengths and elastic continuum mechanics is less expected than with the relatively brittle, epoxy-matrix composites.

CONCLUSION

This comparison indicates that continuum mechanics has a rightful place in the analysis of structural behavior of composites. Care must be taken in the application of continuum mechanics to "unbalanced" composite materials, those whose structural behavior is heavily biased by one component. A ductile matrix, such as the PEEK discussed here, or fibers predominantly in one direction, may make continuum approaches useless. Nevertheless, many composites, such as the woven carbon-epoxy discussed here, are close enough to a continuum to be well described by classical continuum mechanics.

REFERENCES

1. S. S. Yau and T. W. Chou, "Notched Strength of Woven Fabric Composites With Molded-In Holes," presented at the Eighth ASTM Conference on Composite Materials: Testing and Design (to be published in the Conference Proceedings).

2. S. Timoshenko, Strength of Materials, Part II: Advanced Theory and Problems, Krieger Publishing Company, Hungington, NY, 1976, pp. 306-308.

TABLE 1. COMPARISON OF FAILURE STRENGTH OF WOVEN COMPOSITES CONTAINING MOLDED-IN HOLES WITH STRESS CONCENTRATION FACTOR

Hole Diameter	Epoxy Specimens				PEEK Specimens				Stress Concentration Factor (Ref. 1)	
	Net Tension Strength		Net Compression Strength		Net Tension Strength		Net Compression Strength			
mm	σ MPa	$\sigma/\sigma_{3.2}$ -	σ MPa	$\sigma/\sigma_{3.2}$ -	σ MPa	$\sigma/\sigma_{3.2}$ -	σ MPa	$\sigma/\sigma_{3.2}$ -	K -	$K_{3.2}/K$ -
3.2	385	1.0	503	1.0	641	1.0	433	1.0	2.85	1.0
6.4	419	1.09	565	1.12	580	0.90	368	0.85	2.35	1.10
9.5	450	1.17	578	1.15	555	0.87	347	0.80	2.22	1.16

TECHNICAL REPORT INTERNAL DISTRIBUTION LIST

	NO. OF COPIES
CHIEF, DEVELOPMENT ENGINEERING BRANCH	
ATTN: SMCAR-CCB-D	1
-DA	1
-DP	1
-DR	1
-DS (SYSTEMS)	1
-DC	1
-DM	1
CHIEF, ENGINEERING SUPPORT BRANCH	
ATTN: SMCAR-CCB-S	1
-SE	1
CHIEF, RESEARCH BRANCH	
ATTN: SMCAR-CCB-R	2
-R (ELLEN FOGARTY)	1
-RA	1
-RM	1
-RP	1
-RT	1
TECHNICAL LIBRARY	5
ATTN: SMCAR-CCB-TL	
TECHNICAL PUBLICATIONS & EDITING UNIT	2
ATTN: SMCAR-CCB-TL	
DIRECTOR, OPERATIONS DIRECTORATE	1
DIRECTOR, PROCUREMENT DIRECTORATE	1
DIRECTOR, PRODUCT ASSURANCE DIRECTORATE	1

NOTE: PLEASE NOTIFY DIRECTOR, BENET WEAPONS LABORATORY, ATTN: SMCAR-CCB-TL, OF ANY ADDRESS CHANGES.

TECHNICAL REPORT EXTERNAL DISTRIBUTION LIST

	NO. OF COPIES
ASST SEC OF THE ARMY RESEARCH & DEVELOPMENT ATTN: DEP FOR SCI & TECH THE PENTAGON WASHINGTON, D.C. 20315	1
COMMANDER DEFENSE TECHNICAL INFO CENTER ATTN: DTIC-DDA CAMERON STATION ALEXANDRIA, VA 22314	12
COMMANDER US ARMY MAT DEV & READ COMD ATTN: DRCDE-SG 5001 EISENHOWER AVE ALEXANDRIA, VA 22333	1
COMMANDER ARMAMENT RES & DEV CTR US ARMY AMCCOM ATTN: SMCAR-FS	1
SMCAR-FSA	1
SMCAR-FSM	1
SMCAR-FSS	1
SMCAR-AEE	1
SMCAR-AES	1
SMCAR-AET-O (PLASTECH)	1
SMCAR-MSI (STINFO) DOVER, NJ 07801	2
DIRECTOR BALLISTICS RESEARCH LABORATORY ATTN: AMXBR-TSB-S (STINFO) ABERDEEN PROVING GROUND, MD 21005	1
MATERIEL SYSTEMS ANALYSIS ACTV ATTN: DRXSY-MP ABERDEEN PROVING GROUND, MD 21005	1
COMMANDER US ARMY AMCCOM ATTN: SMCAR-ESP-L ROCK ISLAND, IL 61299	1
COMMANDER ROCK ISLAND ARSENAL ATTN: SMCRI-ENM (MAT SCI DIV) ROCK ISLAND, IL 61299	1
DIRECTOR US ARMY INDUSTRIAL BASE ENG ACTV ATTN: DRXIB-M ROCK ISLAND, IL 61299	1
COMMANDER US ARMY TANK-AUTMV R&D COMD ATTN: TECH LIB - DRSTA-TSL WARREN, MI 48090	1
COMMANDER US ARMY TANK-AUTMV COMD ATTN: DRSTA-RC WARREN, MI 48090	1
COMMANDER US MILITARY ACADEMY ATTN: CHMN, MECH ENGR DEPT WEST POINT, NY 10996	1
US ARMY MISSILE COMD REDSTONE SCIENTIFIC INFO CTR ATTN: DOCUMENTS SECT, BLDG. 4484 REDSTONE ARSENAL, AL 35898	2
COMMANDER US ARMY FGN SCIENCE & TECH CTR ATTN: DRXST-SD 220 7TH STREET, N.E. CHARLOTTESVILLE, VA 22901	1

NOTE: PLEASE NOTIFY COMMANDER, ARMAMENT RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER, US ARMY AMCCOM, ATTN: BENET WEAPONS LABORATORY, SMCAR-CCB-TL, WATERVLIET, NY 12189-4050, OF ANY ADDRESS CHANGES.

TECHNICAL REPORT EXTERNAL DISTRIBUTION LIST (CONT'D)

	NO. OF COPIES
COMMANDER US ARMY LABCOM MATERIALS TECHNOLOGY LAB ATTN: SLCMT-IML WATERTOWN, MA 01272	2
COMMANDER US ARMY RESEARCH OFFICE ATTN: CHIEF, IPO P.O. BOX 12211 RESEARCH TRIANGLE PARK, NC 27709	1
COMMANDER US ARMY HARRY DIAMOND LAB ATTN: TECH LIB 2800 POWDER MILL ROAD ADELPHIA, MD 20783	1
COMMANDER NAVAL SURFACE WEAPONS CTR ATTN: TECHNICAL LIBRARY CODE X212 DAHLGREN, VA 22448	1
DIRECTOR US NAVAL RESEARCH LAB ATTN: DIR, MECH DIV CODE 26-27, (DOC LIB) WASHINGTON, D.C. 20375	1 1
COMMANDER AIR FORCE ARMAMENT LABORATORY ATTN: AFATL/MN AFATL/MNG EGLIN AFB, FL 32542-5000	1 1
METALS & CERAMICS INFO CTR BATTELLE COLUMBUS LAB 505 KING AVENUE COLUMBUS, OH 43201	1

NOTE: PLEASE NOTIFY COMMANDER, ARMAMENT RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER, US ARMY AMCCOM, ATTN: BENET WEAPONS LABORATORY, SMCAR-CCB-TL, WATERVLIET, NY 12189-4050, OF ANY ADDRESS CHANGES.

DEPARTMENT OF THE ARMY
ARMAMENT RESEARCH AND DEVELOPMENT CENTER
BENÉT WEAPONS LABORATORY, CCAC
US ARMY ARMAMENT, MUNITIONS AND CHEMICAL COMMAND
WATERVLIET, N.Y. 12189-4050

OFFICIAL BUSINESS

SMCAR-CCB-TL

BOOK RATE

END

8-87

DTIC