

AD-A182 065 INTEGRATED INFORMATION SUPPORT SYSTEM (IISS) VOLUME 7 1/2

1/2


COMMUNICATIONS SUBS (U) GENERAL ELECTRIC CO

D PHILLIPS

01 NOV 85 PS-620143200

ML

A 10x10 grid of squares. The top-left corner contains a pattern of white squares: the top row has the first two squares white and the rest black; the second row has the first three squares white and the rest black; the third row has the first four squares white and the rest black; the fourth row has the first five squares white and the rest black; the fifth row has the first six squares white and the rest black; the sixth row has the first seven squares white and the rest black; the seventh row has the first eight squares white and the rest black; the eighth row has the first nine squares white and the last square black; the ninth row has all ten squares white; and the tenth row has all ten squares white.



2

AD-A182 065

DTIC FILE COPY

**AFWAL-TR-86-4006
Volume VII
Part 3**



**INTEGRATED INFORMATION
SUPPORT SYSTEM (IISS)
Volume VII - Communications Subsystem
Part 3 - VAX IPC Product Specification**

**General Electric Company
Production Resources Consulting
One River Road
Schenectady, New York 12345**

**DTIC
ELECTE
JUL 06 1987**
S D

**Final Report for Period 22 September 1980 - 31 July 1985
November 1985**

Approved for public release; distribution is unlimited.

**MATERIALS LABORATORY
AIR FORCE WRIGHT AERONAUTICAL LABORATORIES
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AFB, OH 45433-6533**

NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This report has been reviewed by the Office of Public Affairs (ASD/PA) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report has been reviewed and is approved for publication.



DAVID L. JUDSON, PROJECT MANAGER
AFWAL/MLTC
WRIGHT PATTERSON AFB OH 45433

5 Aug 1986

DATE

FOR THE COMMANDER:



GERALD C. SHUMAKER, BRANCH CHIEF
AFWAL/MLTC
WRIGHT PATTERSON AFB OH 45433

7 Aug 86

DATE

"If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify AFWAL/MLTC, W-PAFB, OH 45433 to help us maintain a current mailing list."

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

A182 665

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION AVAILABILITY OF REPORT Approved for public release; distribution is unlimited.		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S) AFVAL-TR-86-4006 Vol VII, Part 3		
6a. NAME OF PERFORMING ORGANIZATION General Electric Company Production Resources Consulting		6b. OFFICE SYMBOL (If applicable) AFVAL/MLTC	7a. NAME OF MONITORING ORGANIZATION AFVAL/MLTC		
6c. ADDRESS (City, State and ZIP Code) 1 River Road Schenectady, NY 12345			7b. ADDRESS (City, State and ZIP Code) WPAFB, OH 45433-6533		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Materials Laboratory Air Force Systems Command, USAF		8b. OFFICE SYMBOL (If applicable) AFVAL/MLTC	8. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F33615-80-C-8185		
9a. ADDRESS (City, State and ZIP Code) Wright-Patterson AFB, Ohio 45433			9. SOURCE OF FUNDING NOS.		
			PROGRAM ELEMENT NO. 78011F	PROJECT NO. 7500	TASK NO. 62
					WORK UNIT NO. 01
11. TITLE (Include Security Classification) (See Reverse)					
12. PERSONAL AUTHOR(S) Phillips, Donna					
13a. TYPE OF REPORT Final Technical Report		13b. TIME COVERED 22 Sept 1980 - 31 July 1985		14. DATE OF REPORT (Yr., Mo., Day) 1985 November	
				15. PAGE COUNT 121	
16. SUPPLEMENTARY NOTATION ICAM Project Priority 6201 The computer software contained herein are theoretical and/or references that in no way reflect Air Force-owned or -developed computer software.					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB GR			
1508	0905				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) This document defines the Product Specification for the Interprocess Communication Primitives (IPC) configuration item of the Integrated Information Support System (IISS) Test Bed. The Test Bed is an integrated hardware/software environment in which various Integrated Computer Aided Manufacturing (ICAM) Program applications will function cooperatively.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS ☐			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL David L. Judson			22b. TELEPHONE NUMBER (Include Area Code) 813-255-8076		22c. OFFICE SYMBOL AFVAL/MLTC

DD FORM 1473, 83 APR

EDITION OF 1 JAN 73 IS OBSOLETE.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

11. Title

Integrated Information Support System (IISS)
Vol VII - Communications Subsystem
Part 3 - VAX IPC Product Specification

A S D 86 1438
17 Jul 1986

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	



PREFACE

This product specification covers the work performed under Air Force Contract F33615-80-C-5155 (ICAM Project 6201). This contract is sponsored by the Materials Laboratory, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Gerald C. Shumaker, ICAM Program Manager, Manufacturing Technology Division, through Project Manager, Mr. David Judson. The Prime Contractor was Production Resources Consulting of the General Electric Company, Schenectady, New York, under the direction of Mr. Alan Rubenstein. The General Electric Project Manager was Mr. Myron Hurlbut of Industrial Automation Systems Department, Albany, New York.

Certain work aimed at improving Test Bed Technology has been performed by other contracts with Project 6201 performing integrating functions. This work consisted of enhancements to Test Bed software and establishment and operation of Test Bed hardware and communications for developers and other users. Documentation relating to the Test Bed from all of these contractors and projects have been integrated under Project 6201 for publication and treatment as an integrated set of documents. The particular contributors to each document are noted on the Report Documentation Page (DD1473). A listing and description of the entire project documentation system and how they are related is contained in document FTR620100001, Project Overview.

The subcontractors and their contributing activities were as follows:

TASK 4.2

<u>Subcontractors</u>	<u>Role</u>
Boeing Military Aircraft Company (BMAC)	Reviewer.
D. Appleton Company (DACOM)	Responsible for IDEF support, state-of-the-art literature search.
General Dynamics/ Ft. Worth	Responsible for factory view function and information models.

Subcontractors

Role

Illinois Institute of
Technology

Responsible for factory view
function research (IITRI)
and information models of
small and medium-size business.

North American Rockwell

Reviewer.

Northrop Corporation

Responsible for factory view
function and information
models.

Pritsker and Associates

Responsible for IDEF2 support.

SofTech

Responsible for IDEF0 support.

TASKS 4.3 - 4.9 (TEST BED)

Subcontractors

Role

Boeing Military Aircraft
Company (BMAC)

Responsible for consultation on
applications of the technology
and on IBM computer technology.

Computer Technology
Associates (CTA)

Assisted in the areas of
communications systems, system
design and integration
methodology, and design of the
Network Transaction Manager.

Control Data Corporation
(CDC)

Responsible for the Common Data
Model (CDM) implementation and
part of the CDM design (shared
with DACOM).

D. Appleton Company
(DACOM)

Responsible for the overall CDM
Subsystem design integration
and test plan, as well as part
of the design of the CDM
(shared with CDC). DACOM also
developed the Integration
Methodology and did the schema
mappings for the Application
Subsystems.

PS 620143200
1 November 1985

Subcontractors

Role

Digital Equipment
Corporation (DEC)

Consulting and support of the
performance testing and on DEC
software and computer systems
operation.

McDonnell Douglas
Automation Company
(McAuto)

Responsible for the support and
enhancements to the Network
Transaction Manager Subsystem
during 1984/1985 period.

On-Line Software
International (OSI)

Responsible for programming the
Communications Subsystem on the
IBM and for consulting on the
IBM.

Rath and Strong Systems
Products (RSSP) (In 1985
became McCormack & Dodge)

Responsible for assistance in
the implementation and use of
the MRP II package (PIOS) that
they supplied.

SofTech, Inc.

Responsible for the design and
implementation of the Network
Transaction Manager (NTM) in
1981/1984 period.

Software Performance
Engineering (SPE)

Responsible for directing the
work on performance evaluation
and analysis.

Structural Dynamics
Research Corporation
(SDRC)

Responsible for the User
Interface and Virtual Terminal
Interface Subsystems.

Other prime contractors under other projects who have
contributed to Test Bed Technology, their contributing
activities and responsible projects are as follows:

<u>Contractors</u>	<u>ICAM Project</u>	<u>Contributing Activities</u>
Boeing Military Aircraft Company (BMAC)	1701, 2201, 2202	Enhancements for IBM node use. Technology Transfer to Integrated Sheet Metal Center (ISMC).

PS 620143200
1 November 1985

<u>Contractors</u>	<u>ICAM Project</u>	<u>Contributing Activities</u>
Control Data Corporation (CDC)	1502, 1701	IISS enhancements to Common Data Model Processor (CDMP).
D. Appleton Company (DACOM)	1502	IISS enhancements to Integration Methodology.
General Electric	1502	Operation of the Test Bed and communications equipment.
Hughes Aircraft Company (HAC)	1701	Test Bed enhancements.
Structural Dynamics Research Corporation (SDRC)	1502, 1701, 1703	IISS enhancements to User Interface/Virtual Terminal Interface (UI/VTI).
Systran	1502	Test Bed enhancements. Operation of Test Bed.

TABLE OF CONTENTS

		<u>Page</u>
SECTION 1.0	SCOPE	1-1
1.1	Identification	1-1
1.2	Functional Summary	1-1
SECTION 2.0	DOCUMENTS	2-1
2.1	Reference Documents	2-1
2.2	Terms and Abbreviations	2-1
SECTION 3.0	REQUIREMENTS	3-1
3.1	Structural Descriptions	3-1
3.1.1	Create a Mailbox	3-1
3.1.2	Send a Message to Another Program	3-1
3.1.3	Receive a Message from Another Program	3-1
3.1.4	Get a Message from Another Program	3-1
3.1.5	Delete a Mailbox	3-1
3.1.6	Release an Event Block	3-1
3.1.7	Start a Timer	3-2
3.1.8	Stop a Timer	3-2
3.1.9	Wait for an Event to Occur	3-2
3.1.10	Terminate a Run	3-2
3.2	Functional Flow Description	3-2
3.3	Interfaces	3-2
3.4	Interrupts	3-3
3.5	Timing and Sequence Description	3-3
3.6	Special Control Features	3-3
3.7	Storage Allocation	3-3
3.7.1	Data Base Definition	3-3
3.7.1.1	File Description	3-3
3.7.1.2	Table Description	3-3
3.7.1.3	Item and Constant Description	3-4
3.7.2	CPC Relationship	3-4
3.8	Object Code Creation	3-4
3.9	Adaption Data	3-4
3.10	Detailed Design Description	3-4
3.10.1	Main Program List	3-4
3.10.2	Module List	3-7
3.10.3	External Routines List	3-10
3.10.4	Include File List	3-12
3.10.5	Where Include File Used List	3-14
3.10.6	Where External Routine Used List	3-19

TABLE OF CONTENTS (Continued)

		<u>Page</u>
3.10.7	Main Program Parts List	3-23
3.10.8	Module Documentation	3-36
3.10.9	Include File Description	3-81
3.10.10	Hierarchy Chart	3-91
3.11	Program Listings Comments	3-108
SECTION 4.0	QUALITY ASSURANCE PROVISIONS	4-1
4.1	Introduction and Definitions	4-1
4.2	Computer Programming and Test Evaluation	4-1

SECTION 1

SCOPE

1.1 Identification

This specification establishes the 'as built' design of the Interprocess Communication Primitives (IPC's).

1.2 Functional Summary

The IPC's are the lowest level of common services in the IISS. Their function is to supply a standard interface to operating system services normally required by complex application systems. The implementation of these routines, therefore, is highly system dependent.

The services they support are passing messages between two programs, starting and stoping a timer, and responding to a series of asynchronous events.

SECTION 2

DOCUMENTS

2.1 Reference Documents

The following pertinent reference materials are available at the ICAM Program Office.

1. Interim Reports
2. Life Cycle Documents
 - (a) ITR620150002U Project Scope
 - (b) PMP620150000 Master Plan and Schedule
 - (c) SAD620150000 State-of-the-art Review
 - (d) SRD620140000 System Requirements Document
 - (e) SDS620140000 System Design Specifications
 - (f) DS6201430000 Development Specification - Communications Subsystem

The following reference materials are available from Digital Equipment Corporation.

- (a) VAX/VMS I/O User's Guide (Volume 1), Order No. AA-M540B-TE
- (b) VAX/VMS I/O User's Guide (Volume 2), Order No. AA-M541B-TE
- (c) VAX COBOL Language Reference Manual, Order No. AA-H631C-TE
- (d) VAX-11 FORTRAN Language Reference Manual, Order No. AA-DO34C-TE

2.2 Terms and Abbreviations

All the arguments for the IPC's are described in DS 620140004 for the Communication Subsystem; however, the more important ones are reiterated here.

1. Input Mailbox - the logical name for a section of memory from which a primitive obtains a message that was send to a program
2. Target Mailbox - the logical name for a section of memory into which a primitive stores a message
3. Event Block - a block of contiguous memory, local to a program, into which primitives store system dependent

PS 620143200
1 November 1985

information needed to perform their tasks

SECTION 3

REQUIREMENTS

3.1 Structural Descriptions

The description of each IPC along with its calling sequence, its inputs and its outputs is given in Sections 3.2.7 and 3.5 of the Communication Subsystem Development Specification, DS620140004. Thus, only a list of the IPC's and their functions will be presented here.

3.1.1 Create a Mailbox

The routine CRTMBX creates a mailbox (global storage in memory) through which a program may receive messages from another program executing on the same computer at the same time.

3.1.2 Send a Message to Another Program

The routine SNDMSG sends a message to another program executing on the same computer at the same time by placing it in the input mailbox (memory) allocated to the other program.

3.1.3 Receive a Message from Another Program

The routine RCVMSG records the fact that the program will accept messages sent from other programs to its input mailbox. The routine returns to the program allowing it to execute while other programs send messages.

3.1.4 Get a Message from Another Program

The routine GETMSG removes a message from the input mailbox (memory) of a program and moves it to the given buffer.

3.1.5 Delete a Mailbox

The routine DELMBX removes the capability of receiving messages through the given input mailbox. Whether the memory is released for other uses at this time depends upon the computer and operating system under which IISS runs.

3.1.6 Release an Event Block

The routine RELEVB reinitializes an event block (local

program storage) enabling it to be used with other primitives. It is needed to clear an event block when the same event block is used with different target mailboxes.

3.1.7 Start a Timer

The routine SETTIM invokes a timing mechanism that will cause an event when the time interval has elapsed. After noting the time, the routine returns to the program allowing it to continue executing.

3.1.8 Stop a Timer

The routine CNLTIM terminates the timing mechanism initiated by the SETTIM routine.

3.1.9 Wait for an Event to Occur

The routine WAITnn (where nn is the maximum number of events possible) waits for the completion of one of the outstanding requests that are associated with the list of event blocks. The program is suspended until an event occurs.

3.1.10 Terminate a Run

The routine ENDRUN terminates the executing of the program.

3.2 Functional Flow Description

Since the implementation of the IPC's are system dependent, the functional flow description must be described in context of the computer and operating system. The IPC's were implemented on the IBM 3084 under CICS and under MVS. They were implemented on the Honeywell Level 6 under Mod 400 and on the VAX under VMS.

3.3 Interfaces

On the IBM, under CICS, the IPC's were implemented using some CICS command level and some macro level system interfaces. The command level was written in COBOL, while the macro level was in assembler. This mixed mode format was required because not all the necessary functions were available at the command level. There is no mailbox facility under CICS, so the concept of mailbox had to be designed and implemented from scratch.

Under MVS, the IPC's were implemented in assembler as one task with different entry points for each routine. Again, there is no mailbox facility under MVS. The design developed for CICS was reimplemented for MVS.

On the Honeywell Level 6, the IPC's were again a mixture of COBOL and assembler because the only interface into the system services is through assembler. The Mod 400 operating system supports a mailbox facility so calls to it were used in the implementation of the IPC's.

The VAX also has a mailbox facility and its system services are accessible through high level languages. Therefore, the IPC's on the VAX were implemented using a combination of COBOL and FORTRAN.

3.4 Interrupts

This section does not apply to the IPS's.

3.5 Timing and Sequence Description

Timing and sequencing is only relevant to the Wait for an Event to Occur primitive, and then only when it is waiting on more than one event. If more than one event has occurred, the primitive will report to the program the one that has the highest priority based on event number.

3.6 Special Control Features

The Interprocess Communication Primitives do not include any special control features as defined in the ICAM Documentations Standards.

3.7 Storage Allocation

3.7.1 Data Base Definition

3.7.1.1 File Description

The IPC's do not use any files.

3.7.1.2 Table Description

The IPC's do not use any tables.

3.7.1.3 Item and Constant Description

The event block contains two variables that are common across all implementations. The first is the event type which indicates whether the block is being used by an IPC receive message, a timer, or a receive for the Communications Subsystem. The second variable indicates the possible states of the event--no event outstanding, event outstanding but not completed, event completed but not requested by the program.

3.7.2 CPC Relationship

The event block is used with every IPC except ENDRUN and LOCKEF.

3.8 Object Code Creation

To create the IPC's for the CICS environment requires the CICS preprocessor, the COBOL compiler, the Assembler and the standard link editor to create a load module that can be referenced when linking main modules. Except for the CICS preprocessor, the same mechanism applies for creating the IPC load library under MVS.

To create the IPC library on the Honeywell Level 6 requires the COBOL compiler, the Assembler and the standard linker.

To create the IPC library on the VAX requires the COBOL and FORTRAN compilers and the standard linker.

3.9 Adaption Data

The IPC's are system dependent; therefore, they must be reimplemented for each computer and/or operating system.

3.10 Detail Design Description

3.10.1 Main Program List

The following is a list of all "Main Programs" which are modules that are not called by any other module being documented here. These modules are either program entry points or, if they are hooked into another set of programs via subroutine calls, they are the points the external programs can call and therefore enter through. To differentiate between the two types of entry points, look at the individual Module

PS 620143200
1 November 1985

Documentation (section 3.10.8) and look at Module Type for each of the Main Program modules listed. Note whether the routine is a Program, Subroutine, or Function. If it is a Program, it is truly a main program entry point. If not, then it is merely called by other programs not being documented here.

PS 620143200
1 November 1985

IPC Main Program List

Module Name -----	Purpose -----
CNLTIM	CANCEL A TIMER
CRTMBX	CREATE A MAILBOX
DELMBX	DELETE A MAILBOX
ENDRUN	STOP THE PROGRAM
GETMSG	GET A MESSAGE FROM ANOTHER PROGRAM
LOCKEF	LOCK EVENT FLAG
RCVMSG	RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB	RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SETTIM	START A TIMER
SNDSMSG	SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01	WAIT FOR AN EVENT TO OCCUR
WAIT02	WAIT FOR AN EVENT TO OCCUR
WAIT03	WAIT FOR AN EVENT TO OCCUR

PS 620143200
1 November 1985

3.10.2 Module List

The following is a list of all the modules being documented here along with their purpose. Each module has a unique name, no matter what language it was written in.

IPC Module List

Module Name -----	Purpose -----
CNLTIM	CANCEL A TIMER
CNLTMR	CANCEL THE TIMER
CRTMBX	CREATE A MAILBOX
DELMBX	DELETE A MAILBOX
ENDRUN	STOP THE PROGRAM
ERRFTL	PROCESS FATAL ERROR
ERRPRO	PROCESS ERROR
FREVTF	FREE THE EVENT FLAG
GETMSG	GET A MESSAGE FROM ANOTHER PROGRAM
GETPNM	GET PROCESS NAME
LOCKEF	LOCK EVENT FLAG
RCVMSG	RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RDMAF	READ THE MAILBOX FOR EVENT FLAG SET
RELEVB	RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SASGCH	ASSIGN A CHANNEL TO A MAILBOX
SCRTMB	CREATE A MAILBOX
SDEACH	DEASSIGN CHANNEL FROM THE MAILBOX
SDEMB	DELETE THE MAILBOX
SETTIM	START A TIMER
SETTMR	SET A TIMER

IPC Module List

Module Name -----	Purpose -----
SNDMSG	SEND A MESSAGE TO ANOTHER PROGRAM
SWEVTF	WAIT FOR ONE OF POSSIBLY MANY EVENTS
VALMBE	VALIDATE THAT MAILBOX ALREADY EXISTS
WAIT01	WAIT FOR AN EVENT TO OCCUR
WAIT02	WAIT FOR AN EVENT TO OCCUR
WAIT03	WAIT FOR AN EVENT TO OCCUR
WRTERR	WRITE MESSAGE TO MAILBOX
WRTMAI	WRITE THE MESSAGE INTO THE MAILBOX

3.10.3 External Routines List

The following is a list of all routines or functions not documented here that are called by modules that are documented here. The first caller, in alphabetical order, is listed as well. The specification in which any module is documented may be found in the Module Documentation Index (Document Number CM 620100001). See section 3.10.6 for a list of the modules that call each of these external routines.

PS 620143200
1 November 1985

IPC External Routines List

Module Name	First User
-----	-----
LIB\$FREE EF	SWEVTF
LIB\$GET EF	WRTERR
SY\$ASSIGN	SASGCH
SY\$BINTIM	WRTERR
SY\$CANTIM	CNLTMR
SY\$CLREF	SWEVTF
SY\$CREMBX	SCRTMB
SY\$DASSGN	WRTERR
SY\$DELMXB	SDELMB
SY\$GETDEV	VALMBE
SY\$GETJPI	GETPNM
SY\$QIO	RDMALF
SY\$QIOW	WRTERR
SY\$SETIMR	SETTMR
SY\$SETRWM	SCRTMB
SY\$WAITFR	WRTERR
SY\$WFLOR	SWEVTF

3.10.4 Include File List

The following is a list of all include files called in by modules being documented here. Each include file has a unique name regardless of the language being used. The purpose of each include file is listed as well. A more complete description of each include file is given in section 3.10.9. The purpose listed is the one that is in the source code of the include file.

A purpose of "**** PURPOSE NOT FOUND BY STRIPPER ****" indicates that a purpose statement was not written into the include file itself. The most common reason for this is that the include file comes from system libraries that were not developed by the project, such as 'C' libraries that are provided with the 'C' compiler.

See section 3.10.6 for a set of lists which show all the modules which call in each of these include files.

PS 620143200
1 November 1985

IPC Include File List

File Name	Purpose
-----	-----
(\$JPIDEF)	**** PURPOSE NOT FOUND BY STRIPPER ****
CHKSTS	CHKSTS.INC -- CHECK STATUS
ERRPRO	PROCESS ERROR INCLUDE FILE
ERRSTS	ERRSTS.INC -- IISS ERROR CODES
ERRSTS.INF	**** PURPOSE NOT FOUND BY STRIPPER ****
KIPC	KIPC.INC -- CONSTAND BLOCK FOR IPC PRIMITIVES
MBEB01	MBEB01.INC -- MAILBOX EVENT BLOCK DESCRIPTION
MBEB02	MBEB02.INC -- MAILBOX EVENT BLOCK DESCRIPTION
MBEB03	MBEB03.INC -- MAILBOX EVENT BLOCK DESCRIPTION
MBXEBK	MBXEBK.INC -- MAILBOX EVENT BLOCK DESCRIPTION
TIMREB	TIMREB.INC -- TIME EVENT BLOCK DESCRIPTION

PS 620143200
1 November 1985

3.10.5 Where Include File Used List

The following lists each include file from 3.10.4 and all the modules documented in this specification which include them. The purpose of each module is listed as well.

IPC Where-include-file-used List

Include File	Module Name	Module Purpose
-----	-----	-----

(\$JPIDEF)

GETPNM	GET PROCESS NAME
--------	------------------

CHKSTS

CNLTIM	CANCEL A TIMER
CRTMBX	CREATE A MAILBOX
DELMBX	DELETE A MAILBOX
ERRFTL	PROCESS FATAL ERROR
ERRPRO	PROCESS ERROR
GETMSG	GET A MESSAGE FROM ANOTHER PROGRAM
RCVMSG	RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB	RELEASE A TARGET EVENT BLOCK (CLEAR IT)
	AND
SETTIM	START A TIMER
SNDMSG	SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01	WAIT FOR AN EVENT TO OCCUR
WAIT02	WAIT FOR AN EVENT TO OCCUR
WAIT03	WAIT FOR AN EVENT TO OCCUR

ERRPRO

CNLTIM	CANCEL A TIMER
CRTMBX	CREATE A MAILBOX
DELMBX	DELETE A MAILBOX
GETMSG	GET A MESSAGE FROM ANOTHER PROGRAM
RCVMSG	RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB	RELEASE A TARGET EVENT BLOCK (CLEAR IT)
	AND
SETTIM	START A TIMER
SNDMSG	SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01	WAIT FOR AN EVENT TO OCCUR
WAIT02	WAIT FOR AN EVENT TO OCCUR
WAIT03	WAIT FOR AN EVENT TO OCCUR

IPC Where-include-file-used List

Include File	Module Name	Module Purpose
-----	-----	-----

ERRSTS

CNLTIM	CANCEL A TIMER
CRTMBX	CREATE A MAILBOX
DELMBX	DELETE A MAILBOX
GETMSG	GET A MESSAGE FROM ANOTHER PROGRAM
RCVMSG	RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB	RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SETTIM	START A TIMER
SNDSMSG	SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01	WAIT FOR AN EVENT TO OCCUR
WAIT02	WAIT FOR AN EVENT TO OCCUR
WAIT03	WAIT FOR AN EVENT TO OCCUR

ERRSTS.INF

CNLTMR	CANCEL THE TIMER
GETPNM	GET PROCESS NAME
LOCKEF	LOCK EVENT FLAG
RDMALF	READ THE MAILBOX FOR EVENT FLAG SET
SASGCH	ASSIGN A CHANNEL TO A MAILBOX
SCRTMB	CREATE A MAILBOX
SDEACH	DEASSIGN CHANNEL FROM THE MAILBOX
SDELMB	DELETE THE MAILBOX
SETTMR	SET A TIMER
VALMBE	VALIDATE THAT MAILBOX ALREADY EXISTS
WRTErr	WRITE MESSAGE TO MAILBOX
WRTMAI	WRITE THE MESSAGE INTO THE MAILBOX

IPC Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
KIPC	CRTMBX	CREATE A MAILBOX
	GETMSG	GET A MESSAGE FROM ANOTHER PROGRAM
	RCVMSG	RECEIVE A MESSAGE FROM ANOTHER PROGRAM
	SNDMSG	SEND A MESSAGE TO ANOTHER PROGRAM
MBEB01	WAIT01	WAIT FOR AN EVENT TO OCCUR
	WAIT02	WAIT FOR AN EVENT TO OCCUR
	WAIT03	WAIT FOR AN EVENT TO OCCUR
MBEB02	WAIT02	WAIT FOR AN EVENT TO OCCUR
	WAIT03	WAIT FOR AN EVENT TO OCCUR
MBEB03	WAIT03	WAIT FOR AN EVENT TO OCCUR
MBXEBK	CRTMBX	CREATE A MAILBOX
	DELMBX	DELETE A MAILBOX
	GETMSG	GET A MESSAGE FROM ANOTHER PROGRAM
	RCVMSG	RECEIVE A MESSAGE FROM ANOTHER PROGRAM
	RELEVB	RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
	SNDMSG	SEND A MESSAGE TO ANOTHER PROGRAM

PS 620143200
1 November 1985

IPC Where-include-file-used List

Include File -----	Module Name -----	Module Purpose -----
TIMREB	CNLTIM	CANCEL A TIMER
	SETTIM	START A TIMER

PS 620143200
1 November 1985

3.10.6 Where External Routine Used List

The following lists each external function or routine listed in 3.10.3 and all the documented modules which call it. The purpose of each module is listed as well.

PS 620143200
1 November 1985

IPC Where-external-routine-used List

System Module	Module Name	Module Purpose
-----	-----	-----
LIB\$FREE	EF	
	FREVTf	FREE THE EVENT FLAG
	SWEVTf	WAIT FOR ONE OF POSSIBLY MANY EVENTS
	WRTERR	WRITE MESSAGE TO MAILBOX
LIB\$GET	EF	
	LOCKEF	LOCK EVENT FLAG
	RDMAIf	READ THE MAILBOX FOR EVENT FLAG SET
	SETTMR	SET A TIMER
	WRTERR	WRITE MESSAGE TO MAILBOX
SYs\$ASSIGN		
	SASGCH	ASSIGN A CHANNEL TO A MAILBOX
	WRTERR	WRITE MESSAGE TO MAILBOX
SYs\$BINTIM		
	SETTMR	SET A TIMER
	WRTERR	WRITE MESSAGE TO MAILBOX
SYs\$CANTIM		
	CNLTMR	CANCEL THE TIMER
SYs\$CLREF		
	SWEVTf	WAIT FOR ONE OF POSSIBLY MANY EVENTS

PS 620143200
1 November 1985

IPC Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
SYSS\$CREMBX	SCRTMB	CREATE A MAILBOX
SYSS\$DASSGN	SDEACH WRterr	DEASSIGN CHANNEL FROM THE MAILBOX WRITE MESSAGE TO MAILBOX
SYSS\$DELMBX	SDELMB	DELETE THE MAILBOX
SYSS\$GETDEV	VALMBE	VALIDATE THAT MAILBOX ALREADY EXISTS
SYSS\$GETJPI	GETPNM	GET PROCESS NAME
SYSS\$QIO	RDMALF	READ THE MAILBOX FOR EVENT FLAG SET
SYSS\$QIOW	WRterr WRTMAI	WRITE MESSAGE TO MAILBOX WRITE THE MESSAGE INTO THE MAILBOX

PS 620143200
1 November 1985

IPC Where-external-routine-used List

System Module -----	Module Name -----	Module Purpose -----
SYS\$SETIMR		
	SETTMR	SET A TIMER
	WRTERR	WRITE MESSAGE TO MAILBOX
SYS\$SETRWM		
	SCRTMB	CREATE A MAILBOX
SYS\$WAITFR		
	WRTERR	WRITE MESSAGE TO MAILBOX
SYS\$WFLOP		
	SWEVTF	WAIT FOR ONE OF POSSIBLY MANY EVENTS

3.10.7 Main Program Parts List

The following lists each Main Program listed in 3.10.1 and all the modules which are called either by that module itself or by any of the documented modules which it calls. It is possible for a non-main module to be listed more than once if it is called by multiple modules. The called modules, in this case known as program parts, are marked as to whether they are documented here. If so, the phrase "well-defined module" appears by the module name, if not it is an "external routine". The Purpose of the Main Program module is listed as well.

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
CNLTIM	Purpose-->	CANCEL A TIMER
	CNLTMR	Well-defined module
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	FREVTf	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SYs\$ASSIGN	External routine
	SYs\$BINTIM	External routine
	SYs\$CANTIM	External routine
	SYs\$DASSGN	External routine
	SYs\$GETJPI	External routine
	SYs\$QIOW	External routine
	SYs\$SETIMR	External routine
	SYs\$WAITFR	External routine
	WRTERR	Well-defined module

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
CRTMBX	Purpose--	CREATE A MAILBOX
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SCRTMB	Well-defined module
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$CREMBX	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETDEV	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$SETRWM	External routine
	SYSS\$WAITFR	External routine
	VALMBE	Well-defined module
	WRTERR	Well-defined module

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
DELMBX	Purpose-->	DELETE A MAILBOX
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SDEACH	Well-defined module
	SDELMB	Well-defined module
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$DASSGN	External routine
	SYSS\$DELMBX	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	WRTERR	Well-defined module

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
GETMSG	Purpose-->	GET A MESSAGE FROM ANOTHER PROGRAM
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	FREVTF	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE EF	External routine
	LIB\$GET EF	External routine
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	WRTERR	Well-defined module

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
LOCKEF	Purpose-->	LOCK EVENT FLAG
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	WRTERR	Well-defined module

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
RCVMSG		Purpose--> RECEIVE A MESSAGE FROM ANOTHER PROGRAM
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	RDMA LF	Well-defined module
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIO	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	WRTERR	Well-defined module

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
RELEVB	Purpose-->	RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE EF	External routine
	LIB\$GET EF	External routine
	SDEACH	Well-defined module
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	WRTERR	Well-defined module

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
SETTIM	Purpose-->	START A TIMER
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SETTMR	Well-defined module
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	WRTERR	Well-defined module

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
SNDMSG	Purpose--	SEND A MESSAGE TO ANOTHER PROGRAM
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SASGCH	Well-defined module
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	WRTERR	Well-defined module
	WRTMAI	Well-defined module

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
WAIT01	Purpose-->	WAIT FOR AN EVENT TO OCCUR
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SWEVTF	Well-defined module
	SYS\$ASSIGN	External routine
	SYS\$BINTIM	External routine
	SYS\$CLREF	External routine
	SYS\$DASSGN	External routine
	SYS\$GETJPI	External routine
	SYS\$QIOW	External routine
	SYS\$SETIMR	External routine
	SYS\$WAITFR	External routine
	SYS\$WFLOR	External routine
	WRTERR	Well-defined module

PS 620143200
1 November 1985

IPC Main Program Parts List

Main Pgm Name -----	Module Name -----	Module Type -----
WAIT02	Purpose--	WAIT FOR AN EVENT TO OCCUR
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE_EF	External routine
	LIB\$GET_EF	External routine
	SWEVTF	Well-defined module
	SYSS\$ASSIGN	External routine
	SYSS\$BINTIM	External routine
	SYSS\$CLREF	External routine
	SYSS\$DASSGN	External routine
	SYSS\$GETJPI	External routine
	SYSS\$QIOW	External routine
	SYSS\$SETIMR	External routine
	SYSS\$WAITFR	External routine
	SYSS\$WFLOR	External routine
	WRTERR	Well-defined module

IPC Main Program Parts List

Main Pgm Name	Module Name	Module Type
-----	-----	-----
WAIT03	Purpose--	WAIT FOR AN EVENT TO OCCUR
	ERRFTL	Well-defined module
	ERRPRO	Well-defined module
	GETPNM	Well-defined module
	LIB\$FREE EF	External routine
	LIB\$GET EF	External routine
	SWEVTF	Well-defined module
	SYS\$ASSIGN	External routine
	SYS\$BINTIM	External routine
	SYS\$CLREF	External routine
	SYS\$DASSGN	External routine
	SYS\$GETJPI	External routine
	SYS\$QIOW	External routine
	SYS\$SETIMR	External routine
	SYS\$WAITFR	External routine
	SYS\$WFLOR	External routine
	WRTERR	Well-defined module

3.10.8 Module Documentation

The following documentation describes information which is specific to each individual module being documented in this specification as listed in section 3.10.2. It provides a compact way of getting information that would be otherwise buried within each module's source code.

The specific items in this module documentation have the following meanings:

NAME:	Name of program Module.
PURPOSE:	Purpose of Module as detailed in the source code.
LANGUAGE:	Programming language source code is written in. The choices are: VAX-11 FORTRAN C (I/S-1 Workbench 'C') VAX-11 COBOL
MODULE TYPE:	Whether a Program, Subroutine, or Function.
SOURCE FILE:	Name of Source File from file specification.
SOURCE FILE TYPE:	Source File Extension from file specification.
HOST:	Whether this is a host-dependent routine (VAX or IBM) or blank if host-independent.
SUBSYSTEM:	IISS sub-system this file resides in.
SUBDIRECTORY:	Sub-directory of that subsystem in which this file resides.
DOCUMENTATION GROUP:	Name of documentation group of which this source file is a member.
DESCRIPTION:	A description of the module as obtained

from the source code.

ARGUMENTS: The arguments with which this routine is called if it is a Subroutine or a Function.

INCLUDE FILES: A list of all the files that are included into this module as well as their purposes.

ROUTINES CALLED: Subroutines or Functions, either documented or external, called by this module, if any.

CALLED DIRECTLY BY: The documented routines which call this module, if any.

USED IN MAIN PROGRAM(S): The documented Main Programs which contain this module in their parts list according to the list in section 3.10.7.

The Module Documentation is arranged alphabetically according to Module Name.

PS 620143200
1 November 1985

IPC Module Documentation

NAME: CNLTIM
PURPOSE: CANCEL A TIMER
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: CNLTIM
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

CANCEL A RUNNING TIMER

ARGUMENTS:

TIMER-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
TIMREB - TIMREB.INC -- TIME EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

FREVTf - FREE THE EVENT FLAG
CNLTMR - CANCEL THE TIMER
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: CNLTMR
PURPOSE: CANCEL THE TIMER
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: CNLTMR
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

CANCEL IISS TIMER
REQUEST IDENTIFICATION IS 4

ARGUMENTS:

RSTATS = CHAR
- RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
SYS\$CANTIM

CALLED DIRECTLY BY:

CNLTIM - CANCEL A TIMER

USED IN MAIN PROGRAM(S):

CNLTIM - CANCEL A TIMER

IPC Module Documentation

NAME: CRTMBX
PURPOSE: CREATE A MAILBOX
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: CRTMBX
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

IT CREATES A MAILBOX THROUGH WHICH THE
PROGRAM WILL RECEIVE MESSAGES FROM ANOTHER
PROGRAM RUNNING ON THE SAME COMPUTER.

ARGUMENTS:

INPUT-MAILBOX-NAME = DSPLY [X(14)]
MAILBOX-SIZE = DSPLY [9(5)]
MAILBOX-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
KIPC - KIPC.INC -- CONSTAND BLOCK FOR IPC PRIMITIVES
MBXEBC - MBXEBC.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

VALMBE - VALIDATE THAT MAILBOX ALREADY EXISTS
SCRTMB - CREATE A MAILBOX
ERRPRO - PROCESS ERROR

IPC Module Documentation

NAME: DELMBX
PURPOSE: DELETE A MAILBOX
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: DELMBX
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- IT DELETES A MAILBOX WHEREBY REMOVING
THE ABILITY TO RECEIVE MESSAGES FROM ANOTHER
PROGRAM THROUGH THE GIVEN INPUT MAILBOX

ARGUMENTS:

INPUT-MAILBOX-NAME = DSPLY [X(14)]
MAILBOX-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
MBXEBC - MBXEBC.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

SDELMB - DELETE THE MAILBOX
SDEACH - DEASSIGN CHANNEL FROM THE MAILBOX
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: ENDRUN
PURPOSE: STOP THE PROGRAM
LANGUAGE: VAX-11 COBOL
MODULE TYPE: PROGRAM
SOURCE FILE: ENDRUN
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- THE IBM NEEDS A SPECIAL ROUTINE TO
STOP THE PROGRAM, THEREFORE WE ALL DO.

PS 620143200
1 November 1985

IPC Module Documentation

NAME: ERRFTL
PURPOSE: PROCESS FATAL ERROR
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: ERRFTL
SOURCE FILE TYPE: .COB
HOST:
SUBSYSTEM: ERR
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- This module date and time stamps the
error message, assigns a function code
and writes the error message to a
file called ERRFTL
-
-

ARGUMENTS:

RET-STATUS = DSPLY [X(5)]
MODULE-NAME = DSPLY [X(6)]
MSG-DESC = DSPLY [X(60)]
ORIGINAL-ERR-MSG = DSPLY [X(109)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS

ROUTINES CALLED:

GETPNM - GET PROCESS NAME

CALLED DIRECTLY BY:

ERRPRO - PROCESS ERROR

USED IN MAIN PROGRAM(S):

CNLTIM - CANCEL A TIMER
CRTMBX - CREATE A MAILBOX
DELMBX - DELETE A MAILBOX
GETMSG - GET A MESSAGE FROM ANOTHER PROGRAM
LOCKEF - LOCK EVENT FLAG
RCVMSG - RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB - RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SETTIM - START A TIMER
SNDMSG - SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01 - WAIT FOR AN EVENT TO OCCUR
WAIT02 - WAIT FOR AN EVENT TO OCCUR
WAIT03 - WAIT FOR AN EVENT TO OCCUR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: ERRPRO
PURPOSE: PROCESS ERROR
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: ERRPRO
SOURCE FILE TYPE: .COB
HOST:
SUBSYSTEM: ERR
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

ARGUMENTS:

RET-STATUS = DSPLY [X(5)]
MODULE-NAME = DSPLY [X(6)]
MSG-DESC = DSPLY [X(60)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS

ROUTINES CALLED:

GETPNM - GET PROCESS NAME
WRERR - WRITE MESSAGE TO MAILBOX
ERRFTL - PROCESS FATAL ERROR

CALLED DIRECTLY BY:

CNLTIM - CANCEL A TIMER
CRTMBX - CREATE A MAILBOX
DELM BX - DELETE A MAILBOX

PS 620143200
1 November 1985

GETMSG	- GET A MESSAGE FROM ANOTHER PROGRAM
RCVMSG	- RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB	- RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SETTIM	- START A TIMER
SNDMSG	- SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01	- WAIT FOR AN EVENT TO OCCUR
WAIT02	- WAIT FOR AN EVENT TO OCCUR
WAIT03	- WAIT FOR AN EVENT TO OCCUR
CNLTMR	- CANCEL THE TIMER
FREVTf	- FREE THE EVENT FLAG
LOCKEF	- LOCK EVENT FLAG
RDMAIf	- READ THE MAILBOX FOR EVENT FLAG SET
SASGCH	- ASSIGN A CHANNEL TO A MAILBOX
SCRTMB	- CREATE A MAILBOX
SDEACH	- DEASSIGN CHANNEL FROM THE MAILBOX
SDELMb	- DELETE THE MAILBOX
SETTMR	- SET A TIMER
SWEVTf	- WAIT FOR ONE OF POSSIBLY MANY EVENTS
VALMBE	- VALIDATE THAT MAILBOX ALREADY EXISTS
WRTMAI	- WRITE THE MESSAGE INTO THE MAILBOX

USED IN MAIN PROGRAM(S):

CNLTIM	- CANCEL A TIMER
CRTMBX	- CREATE A MAILBOX
DELMbX	- DELETE A MAILBOX
GETMSG	- GET A MESSAGE FROM ANOTHER PROGRAM
LOCKEF	- LOCK EVENT FLAG
RCVMSG	- RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB	- RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SETTIM	- START A TIMER
SNDMSG	- SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01	- WAIT FOR AN EVENT TO OCCUR
WAIT02	- WAIT FOR AN EVENT TO OCCUR
WAIT03	- WAIT FOR AN EVENT TO OCCUR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: FREVTF
PURPOSE: FREE THE EVENT FLAG
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: FREVTF
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- THIS MODULE RELEASES AN EVENT FLAG THAT
WAS PREVIOUSLY OBTAINED FROM THE SYSTEM.
:-

ARGUMENTS:

EVTFLG = I*2
RSTATS = CHAR

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
LIB\$FREE_EF

CALLED DIRECTLY BY:

CNLTIM - CANCEL A TIMER
GETMSG - GET A MESSAGE FROM ANOTHER PROGRAM

USED IN MAIN PROGRAM(S):

CNLTIM - CANCEL A TIMER
GETMSG - GET A MESSAGE FROM ANOTHER PROGRAM

IPC Module Documentation

NAME: GETMSG
PURPOSE: GET A MESSAGE FROM ANOTHER PROGRAM
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: GETMSG
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- IT ACCEPTS THE MESSAGE THAT WAS SENT FROM
ANOTHER PORGRAM RUNNING ON THE SAME COMPUTER
AND MOVES IT INTO THE GIVEN BUFFER.

ARGUMENTS:

INPUT-MAILBOX-NAME = DSPLY [X(14)]
BUFFER = DSPLY [X(2000)]
BUFFER-SIZE = DSPLY [9(4)]
NUMBER-OF-BYTES = DSPLY [9(4)]
MAILBOX-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
KIPC - KIPC.INC -- CONSTAND BLOCK FOR IPC PRIMITIVES
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
MBXEBK - MBXEBK.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

FREVTf - FREE THE EVENT FLAG
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: GETPNM
PURPOSE: GET PROCESS NAME
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: GETPNM
SOURCE FILE TYPE: .FOR
HOST:
SUBSYSTEM: ERR
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

GET THE NAME OF THE CALLING PROCESS

ARGUMENTS:

PRCNAM = CHAR
 - Process name
RSTATS = CHAR
 - Return status

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****
(\$JPIDEF) - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

SYS\$GETJPI

CALLED DIRECTLY BY:

ERRFTL - PROCESS FATAL ERROR
ERRPRO - PROCESS ERROR

USED IN MAIN PROGRAM(S):

PS 620143200
1 November 1985

CNLTIM	- CANCEL A TIMER
CRTMBX	- CREATE A MAILBOX
DELMBX	- DELETE A MAILBOX
GETMSG	- GET A MESSAGE FROM ANOTHER PROGRAM
LOCKEF	- LOCK EVENT FLAG
RCVMSG	- RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB	- RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SETTIM	- START A TIMER
SNDMSG	- SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01	- WAIT FOR AN EVENT TO OCCUR
WAIT02	- WAIT FOR AN EVENT TO OCCUR
WAIT03	- WAIT FOR AN EVENT TO OCCUR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: LOCKEF
PURPOSE: LOCK EVENT FLAG
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: LOCKEF
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- LOCK EVENT FLAG FROM BEING USED UNTIL FREED.

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
LIB\$GET_EF

IPC Module Documentation

NAME: RCVMSG
PURPOSE: RECEIVE A MESSAGE FROM ANOTHER PROGRAM
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: RCVMSG
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

ARGUMENTS:

INPUT-MAILBOX-NAME = DSPLY [X(14)]
EVENT-NUMBER = DSPLY [99]
MAILBOX-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
KIPC - KIPC.INC -- CONSTAND BLOCK FOR IPC PRIMITIVES
MBXEBC - MBXEBC.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

RDMALF - READ THE MAILBOX FOR EVENT FLAG SET
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: RDMALF
PURPOSE: READ THE MAILBOX FOR EVENT FLAG SET
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: RDMALF
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- ISSUE QIO WITH EVENT FLAG TO READ MESSAGE
FROM MAILBOX USING THE CHANNEL NUMBER

ARGUMENTS:

CHANNL = I*2
 -CHANNEL NUMBER
EVTFLG = I*2
 -EVENT FLAG
EVTBLK = L*1 (1)
 -MAILBOX EVENT BLOCK
BUFLEN = I*2
 -MAXIMUM BUFFER LENGTH
RSTATS = CHAR
 -RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
LIB\$GET_EF
SYS\$QIO

PS 620143200
1 November 1985

CALLED DIRECTLY BY:

RCVMSG - RECEIVE A MESSAGE FROM ANOTHER PROGRAM

USED IN MAIN PROGRAM(S):

RCVMSG - RECEIVE A MESSAGE FROM ANOTHER PROGRAM

PS 620143200
1 November 1985

IPC Module Documentation

NAME: RELEV
PURPOSE: RELEASE A TARGET EVENT BLOCK (CLEAR IT)
AND
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: RELEV
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- DEASSIGN THE CHANNEL ASSIGNED TO THE
TARGET MAILBOX.

ARGUMENTS:

TARGET-MAILBOX-NAME = DSPLY [X(14)]
MAILBOX-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

ERRSTS - ERRSTS.INC -- IISS ERROR CODES
CHKSTS - CHKSTS.INC -- CHECK STATUS
MBXEBC - MBXEBC.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

SDEACH - DEASSIGN CHANNEL FROM THE MAILBOX
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: SASGCH
PURPOSE: ASSIGN A CHANNEL TO A MAILBOX
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: SASGCH
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:--ASSIGN A CHANNEL NUMBER TO MAILBOX

ARGUMENTS:

MBXNAM = CHAR
 -MAILBOX NAME
CHANNL = I*2
 -CHANNEL NUMBER
RSTATS = CHAR
 -RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
SYS\$ASSIGN

CALLED DIRECTLY BY:

SNDMSG - SEND A MESSAGE TO ANOTHER PROGRAM

USED IN MAIN PROGRAM(S):

PS 620143200
1 November 1985

SNDMSG - SEND A MESSAGE TO ANOTHER PROGRAM

IPC Module Documentation

NAME: SCRTMB
PURPOSE: CREATE A MAILBOX
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: SCRTMB
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- TO CREATE A MAILBOX USING THE NAME AND THE
SIZE SPECIFIED. IT ALSO DISABLES THE RESOURCE
WAIT MODE TO ALLOW CONTROL RETURN TO CALLING PROGRAM
IMMEDIATELY WITHOUT WAITING FOR THE RESOURCE
TO BE AVAILABLE, SUCH AS THE MAILBOX FULL.

ARGUMENTS:

MBXNAM = CHAR
 -MAILBOX NAME
MBXSIZ = I*2
 -MAILBOX SIZE
CHANNL = I*2
 -CHANNEL NUMBER
RSTATS = CHAR
 -RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
SYS\$CREMBX
SYS\$SETRWM

PS 620143200
1 November 1985

CALLED DIRECTLY BY:

CRTMBX - CREATE A MAILBOX

USED IN MAIN PROGRAM(S):

CRTMBX - CREATE A MAILBOX

IPC Module Documentation

NAME: SDEACH
PURPOSE: DEASSIGN CHANNEL FROM THE MAILBOX
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: SDEACH
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

: -DEASSIGN A MAILBOX CHANNEL NUMBER

ARGUMENTS:

CHANNL = I*2
 -CHANNEL NUMBER
RSTATS = CHAR
 -RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
SYS\$DASSGN

CALLED DIRECTLY BY:

DELMBX - DELETE A MAILBOX
RELEVB - RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND

USED IN MAIN PROGRAM(S):

PS 620143200
1 November 1985

DELMBX	- DELETE A MAILBOX
RELEVB	- RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND

PS 620143200
1 November 1985

IPC Module Documentation

NAME: SDELMB
PURPOSE: DELETE THE MAILBOX
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: SDELMB
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- TO DELETE A MAILBOX USING THE CHANNEL NUMBER

ARGUMENTS:

CHANNL = I*2
 -CHANNEL NUMBER
RSTATS = CHAR
 -RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
SYS\$DELMBX

CALLED DIRECTLY BY:

DELMBX - DELETE A MAILBOX

USED IN MAIN PROGRAM(S):

DELMBX - DELETE A MAILBOX

PS 620143200
1 November 1985

IPC Module Documentation

NAME: SETTIM
PURPOSE: START A TIMER
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: SETTIM
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

REQUEST A TIMER TO START RUNNING. THE
PROGRAM CONTINUES TO EXECUTE WITH THE
ELAPSED TIME BEING DISCOVERED IN THE
WAITEB PRIMITIVE.

ARGUMENTS:

TIME-INTERVAL = RECRD
EVENT-NUMBER = DSPLY [99]
TIMER-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
TIMREB - TIMREB.INC -- TIME EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

SETTMR - SET A TIMER
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: SETTMR
PURPOSE: SET A TIMER
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: SETTMR
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

SET A TIMER WITH AN EVENT FLAG
REQUEST IDENTIFICATION IS 4

ARGUMENTS:

INTVAL = CHAR
 - TIME INTERVAL - HHMMSS
EVTFLG = I*2
 - EVENT FLAG NUMBER
RSTATS = CHAR
 - RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
LIB\$GET EF
SYS\$BINTIM
SYS\$SETIMR

CALLED DIRECTLY BY:

SETTIM - START A TIMER

PS 620143200
1 November 1985

USED IN MAIN PROGRAM(S):

SETTIM - START A TIMER

IPC Module Documentation

NAME: SNDMSG
PURPOSE: SEND A MESSAGE TO ANOTHER PROGRAM
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: SNDMSG
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- IT SENDS A MESSAGE TO ANOTHER PROGRAM
RUNNING ON THE SAME COMPUTER THROUGH THE
INPUT MAILBOX OF THE OTHER PROGRAM.

ARGUMENTS:

TARGET-MAILBOX-NAME = DSPLY [X(14)]
BUFFER = DSPLY [X(2000)]
NUMBER-OF-BYTES = DSPLY [9(4)]
MAILBOX-EVENT-BLOCK = RECRD
RET-STATUS = DSPLY [X(5)]

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
KIPC - KIPC.INC -- CONSTAND BLOCK FOR IPC PRIMITIVES
MBXEBC - MBXEBC.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

WRTMAI - WRITE THE MESSAGE INTO THE MAILBOX
SASGCH - ASSIGN A CHANNEL TO A MAILBOX
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: SWEVTF
PURPOSE: WAIT FOR ONE OF POSSIBLY MANY EVENTS
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: SWEVTF
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- THIS MODULE SET UP THE EVENT CLUSTER AND WAITS
FOR ONE OF THE EVENT TO HAPPEN.
:-

ARGUMENTS:

ENARRY = I*2 (22)
EVTFLG = I*2 (22)
EVTNUM = I*2
RSTATS = CHAR

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
LIB\$FREE EF
SYS\$CLREF
SYS\$WFLOR

CALLED DIRECTLY BY:

WAIT01 - WAIT FOR AN EVENT TO OCCUR
WAIT02 - WAIT FOR AN EVENT TO OCCUR
WAIT03 - WAIT FOR AN EVENT TO OCCUR

USED IN MAIN PROGRAM(S):

WAIT01 - WAIT FOR AN EVENT TO OCCUR

PS 620143200
1 November 1985

WAIT02 - WAIT FOR AN EVENT TO OCCUR
WAIT03 - WAIT FOR AN EVENT TO OCCUR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: VALMBE
PURPOSE: VALIDATE THAT MAILBOX ALREADY EXISTS
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: VALMBE
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- THIS MODULE CHECKS TO SEE IF MAILBOX
ALREADY EXISTS.

ARGUMENTS:

INMBNM = CHAR
 -INPUT MAILBOX NAME
RSTATS = CHAR
 -RET STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
SYS\$GETDEV

CALLED DIRECTLY BY:

CRTMBX - CREATE A MAILBOX

USED IN MAIN PROGRAM(S):

PS 620143200
1 November 1985

CRTMBX - CREATE A MAILBOX

IPC Module Documentation

NAME: WAIT01
PURPOSE: WAIT FOR AN EVENT TO OCCUR
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: WAIT01
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- IT WAITS FOR ONE OF OUTSTANDING REQUESTS THAT
ARE ASSOCIATED WITH THE LIST OF EVENT BLOCKS
TO BE SATISFIED. THE EVENT NUMBER ASSOCIATED
WITH THE COMPLETED REQUEST IS RETURNED IN THE
EVENT NUMBER VARIABLE.

ARGUMENTS:

EVENT-NUMBER = DSPLY [99]
RET-STATUS = DSPLY [X(5)]
NUMBER-OF-EVENT-BLOCKS = DSPLY [99]
MBX-EVENT-BLOCK-01 = RECRD

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
MBEB01 - MBEBO1.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

SWEVTF - WAIT FOR ONE OF POSSIBLY MANY EVENTS
ERRPRO - PROCESS ERROR

IPC Module Documentation

NAME: WAITO2
PURPOSE: WAIT FOR AN EVENT TO OCCUR
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: WAITO2
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- IT WAITS FOR ONE OF OUTSTANDING REQUESTS THAT
ARE ASSOCIATED WITH THE LIST OF EVENT BLOCKS
TO BE SATISFIED. THE EVENT NUMBER ASSOCIATED
WITH THE COMPLETED REQUEST IS RETURNED IN THE
EVENT NUMBER VARIABLE.

ARGUMENTS:

EVENT-NUMBER = DSPLY [99]
RET-STATUS = DSPLY [X(5)]
NUMBER-OF-EVENT-BLOCKS = DSPLY [99]
MBX-EVENT-BLOCK-01 = RECRD
MBX-EVENT-BLOCK-02 = RECRD

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
MBEB01 - MBEB01.INC -- MAILBOX EVENT BLOCK DESCRIPTION
MBEB02 - MBEB02.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

SWEVTF - WAIT FOR ONE OF POSSIBLY MANY EVENTS

PS 620143200
1 November 1985

ERRPRO - PROCESS ERROR

IPC Module Documentation

NAME: WAIT03
PURPOSE: WAIT FOR AN EVENT TO OCCUR
LANGUAGE: VAX-11 COBOL
MODULE TYPE: SUBROUTINE
SOURCE FILE: WAIT03
SOURCE FILE TYPE: .COB
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

- IT WAITS FOR ONE OF OUTSTANDING REQUESTS THAT
ARE ASSOCIATED WITH THE LIST OF EVENT BLOCKS
TO BE SATISFIED. THE EVENT NUMBER ASSOCIATED
WITH THE COMPLETED REQUEST IS RETURNED IN THE
EVENT NUMBER VARIABLE.

ARGUMENTS:

EVENT-NUMBER = DSPLY [99]
RET-STATUS = DSPLY [X(5)]
NUMBER-OF-EVENT-BLOCKS = DSPLY [99]
MBX-EVENT-BLOCK-01 = RECRD
MBX-EVENT-BLOCK-02 = RECRD
MBX-EVENT-BLOCK-03 = RECRD

INCLUDE FILES:

CHKSTS - CHKSTS.INC -- CHECK STATUS
ERRSTS - ERRSTS.INC -- IISS ERROR CODES
MBEB01 - MBEB01.INC -- MAILBOX EVENT BLOCK DESCRIPTION
MBEB02 - MBEB02.INC -- MAILBOX EVENT BLOCK DESCRIPTION
MBEB03 - MBEB03.INC -- MAILBOX EVENT BLOCK DESCRIPTION
ERRPRO - PROCESS ERROR INCLUDE FILE

ROUTINES CALLED:

PS 620143200
1 November 1985

SWEVTF - WAIT FOR ONE OF POSSIBLY MANY EVENTS
ERRPRO - PROCESS ERROR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: WRterr
PURPOSE: WRITE MESSAGE TO MAILBOX
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: WRterr
SOURCE FILE TYPE: .FOR
HOST:
SUBSYSTEM: ERR
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- ISSUE QIO TO WRITE A MESSAGE TO MAILBOX

ARGUMENTS:

MBXNAM = CHAR
 -MAILBOX NAME
BUFLEN = I*2
 -MAXIMUM BUFFER LENGTH
INBUF = L*1 (1)
 -MESSAGE
RSTATS = CHAR
 -RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

LIB\$FREE_EF
LIB\$GET_EF
SYS\$ASSIGN
SYS\$BINTIM
SYS\$DASSGN
SYS\$QIOW
SYS\$SETIMR
SYS\$WAITFR

CALLED DIRECTLY BY:

ERRPRO - PROCESS ERROR

USED IN MAIN PROGRAM(S):

CNLTIM - CANCEL A TIMER
CRTMBX - CREATE A MAILBOX
DELM BX - DELETE A MAILBOX
GETMSG - GET A MESSAGE FROM ANOTHER PROGRAM
LOCKEF - LOCK EVENT FLAG
RCVMSG - RECEIVE A MESSAGE FROM ANOTHER PROGRAM
RELEVB - RELEASE A TARGET EVENT BLOCK (CLEAR IT) AND
SETTIM - START A TIMER
SNDMSG - SEND A MESSAGE TO ANOTHER PROGRAM
WAIT01 - WAIT FOR AN EVENT TO OCCUR
WAIT02 - WAIT FOR AN EVENT TO OCCUR
WAIT03 - WAIT FOR AN EVENT TO OCCUR

PS 620143200
1 November 1985

IPC Module Documentation

NAME: WRTMAI
PURPOSE: WRITE THE MESSAGE INTO THE MAILBOX
LANGUAGE: VAX-11 FORTRAN
MODULE TYPE: SUBROUTINE
SOURCE FILE: WRTMAI
SOURCE FILE TYPE: .FOR
HOST: VAX
SUBSYSTEM: IPC
SUBDIRECTORY:
DOCUMENTATION GROUP: IPC

DESCRIPTION:

:- ISSUE QIO TO WRITE A MESSAGE TO MAILBOX

ARGUMENTS:

CHANNL = I*2
 -CHANNEL NUMBER
BUFLN = I*2
 -MAXIMUM BUFFER LENGTH
INBUF = L*1 (1)
 -MESSAGE
RSTATS = CHAR
 -RETURN STATUS

INCLUDE FILES:

ERRSTS.INF - **** PURPOSE NOT FOUND BY STRIPPER ****

ROUTINES CALLED:

ERRPRO - PROCESS ERROR
SYS\$QIOW

CALLED DIRECTLY BY:

SNDMSG - SEND A MESSAGE TO ANOTHER PROGRAM

PS 620143200
1 November 1985

USED IN MAIN PROGRAM(S):

SNDMSG - SEND A MESSAGE TO ANOTHER PROGRAM

PS 620143200
1 November 1985

3.10.9 Include File Descriptions

The following list contains a purpose and description of each include file listed in 3.10.4 as specified in the source code. The language it is written in is also given.

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: CHKSTS
PURPOSE: CHKSTS.INC -- CHECK STATUS
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: ERRPRO
PURPOSE: PROCESS ERROR INCLUDE FILE
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

AD-A182 865

INTEGRATED INFORMATION SUPPORT SYSTEM (IIS) VOLUME 7 2/2

COMMUNICATIONS SUBS (U) GENERAL ELECTRIC CO

SCHENECTADY NY PRODUCTION RESOURCES CONSU


D PHILLIPS


UNCLASSIFIED

01 NOV 85 PS-620143208

F/G 12/7

NL





PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: ERRSTS
PURPOSE: ERRSTS.INC -- IISS ERROR CODES
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THIS FILE CONTAINS ALL IISS ERROR CODES DEFINED IN
COBOL FORMAT

*
*

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: KIPC
PURPOSE: KIPC.INC -- CONSTAND BLOCK FOR IPC PRIMITIVES
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THIS FILE CONTAINS ALL CONSTANT DATA ITEMS
USED IN THE IPC PRIMITIVES.

*
*

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: MBEB01
PURPOSE: MBEB01.INC -- MAILBOX EVENT BLOCK DESCRIPTION
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: MBEB02
PURPOSE: MBEB02.INC -- MAILBOX EVENT BLOCK DESCRIPTION
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: MBEB03
PURPOSE: MBEB03.INC -- MAILBOX EVENT BLOCK DESCRIPTION
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: MBXEBC
PURPOSE: MBXEBC.INC -- MAILBOX EVENT BLOCK DESCRIPTION
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

PS 620143200
1 November 1985

IPC Include File Description

FILE NAME: TIMREB
PURPOSE: TIMREB.INC -- TIME EVENT BLOCK DESCRIPTION
LANGUAGE: VAX-11 COBOL

DESCRIPTION:

3.10.10 Hierarchy Chart

The following hierarchy charts show the relationships between all of the modules mentioned in the above documentation. A module may call a subroutine several times within its code, but the call will only be shown once as a single relationship on this hierarchy chart. All modules shown at the top of the first page are considered Main Programs as described in section 3.10.1 above.

There is an internal paging scheme as marked by the numbers in the upper right corner of each page. An index after the last page of the chart shows where a routine and its calls are first defined. If a routine has no page reference, it either makes no calls or is an external routine. A continuation box on the end of a tree limb shows where that the tree continues on the page numbered mentioned. A number in a box with a routine name points to the page where the routine is further defined within the hierarchy tree. If there is no number in a box, the routine either makes no calls or is an external routine.

PS 620143200
1 November 1985


1

+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
CNLTIM	CRTMBX	DELMBX	GETMSG	LOCKEF	(CONT)
+-----2+	+-----3+	+-----4+	+-----5+	+-----6+	

|


+-----+
+-----+
FREVTf
+-----2+


+-----+
+-----+
ERRPRO
+-----7+



PS 620143200
1 November 1985

3





PS 620143200
1 November 1985

5

```
      +-----+
      | LOCKEF |
      +-----+
        |
    +-----+-----+
    |             |
+---+---+   +---+---+
| ERRPRO |   | LIB$GET_EF |
+---+---+   +---+---+
    |             |
    +-----+-----+
```


PS 620143200
1 November 1985

6

+-----+	+-----+	+-----+	+-----+	+-----+	+-----+
(CONT)	RCVMSG	RELEVB	SETTIM	SNDMSG	(CONT)
+-----1+	+-----8+	+-----+	+-----9+	+-----10+	+-----11+
		+-----+			
		+-----+	+-----+		
		SDEACH	ERRPRO		
		+-----4+	+-----7+		


PS 620143200
1 November 1985

7



PS 620143200
1 November 1985

8




PS 620143200
1 November 1985

9

```

+-----+
|SETTIM|
+-----+
|
+-----+
|
+-----+
|SETTMR| |ERRPRO|
+-----+ +-----7+
|
+-----+
|
+-----+
|ERRPRO| |LIB$GET_EF| |SYS$BINTIM| |SYS$SETIMR|
+-----7+ +-----+ +-----+ +-----+

```



PS 620143200
1 November 1985

11

```
+-----+ +-----+ +-----+ +-----+
|(CONT)| |WAIT01| |WAIT02| |WAIT03|
+-----6+ +-----13+ +-----+ +-----+
                        |
                    +-----+
                    |
+-----+ +-----+ +-----+ +-----+
|SWEVTF| |ERRPRO| |SWEVTF| |ERRPRO|
+-----13+ +-----7+ +-----13+ +-----7+
```

PS 620143200
1 November 1985

12

```
      +-----+  
      |WRTERR|  
      +-----+  
      |  
+-----+  
|      |      |      |  
+-----+ +-----+ +-----+ +-----+  
|LIB$FREE_EF| |LIB$GET_EF| |SYSS$ASSIGN| |(CONT)|  
+-----+ +-----+ +-----+ +-----14+
```

PS 620143200
1 November 1985

13

```

+-----+
|WAITO1|
+-----+
|
+-----+
|           |
+-----+ +-----+
|SWEVTF| |ERRPRO|
+-----+ +-----7+
|
+-----+
|           |           |           |
+-----+ +-----+ +-----+ +-----+
|ERRPRO| |LIB$FREE_EF| |SYS$CLREF| |SYS$WFLOR|
+-----7+ +-----+ +-----+ +-----+

```

PS 620143200
1 November 1985

14

+-----+
| WRTERR |
+-----+

```
+-----+-----+-----+-----+
```

+---+---+	+---+---+	+---+---+	+---+---+	+---+---+
(CONT)	SYS\$BINTIM	SYS\$DASSGN	SYS\$QIOW	(CONT)
+-----12+	+-----+-----+	+-----+-----+	+-----+-----+	+-----15+

PS 620143200
1 November 1985

15

```
      +-----+
      |WRTERR|
      +-----+
        |
+-----+-----+
|      |      |      |
+-----+-----+-----+
| (CONT) | |SYS$SETIMR| |SYS$WAITFR|
+-----14+ +-----+ +-----+
```

PS 620143200
1 November 1985

CNLTIM.....2
CNLTMR.....2
CRTMBX.....3
DELMBX.....4
ERRFTL.....7
ERRPRO.....7
FREVTf.....2
GETMSG.....1
GETPNM.....7
LIB\$FREE EF
LIB\$GET EF
LOCKEF.....5
RCVMSG.....8
RDMALF.....8
RELEVB.....6
SASGCH.....10
SCRTMB.....3
SDEACH.....4
SDELMB.....4
SETTIM.....9
SETTMR.....9
SNDMSG.....10
SWEVTf.....13
SYS\$ASSIGN
SYS\$BINTIM
SYS\$CANTIM
SYS\$CLREF
SYS\$CREMBX
SYS\$DASSGN
SYS\$DELMBX
SYS\$GETDEV
SYS\$GETJPI
SYS\$QIO
SYS\$QIOW
SYS\$SETIMR
SYS\$SETRWM
SYS\$WAITFR
SYS\$WFLOR
VALMBE.....3
WAIT01.....13
WAIT02.....11
WAIT03.....11
WRTERR.....12
WRTMAI.....10

PS 620143200
1 November 1985

3.11 Program Listings Comments

This information is contained in the Module Descriptions in section 3.10.

SECTION 4

QUALITY ASSURANCE PROVISIONS

4.1 Introduction and Definitions

"Testing" is a systematic process that may be preplanned and explicitly stated. Test techniques and procedures may be defined in advance, and a sequence of test steps may be specified. "Debugging" is the process of isolation and correction of the cause of an error.

"Antibugging" is defined as the philosophy of writing programs in such a way as to make bugs less likely to occur and when they do occur, to make them more noticeable to the programmer and the user. In other words, as much error checking as is practical and possible in each routine should be performed.

4.2 Computer Programming Test and Evaluation

The quality assurance provisions for test consists of the normal testing techniques that are accomplished during the construction process. They consist of design and code walk-throughs, unit testing, and integration testing. These tests are performed by the design team. Structured design, design walk-through and the incorporation of "antibugging" facilitate this testing by exposing and addressing problem areas before they become coded "bugs."

END

8-87

DTIC