

1/2

USER INTERFACE SUBS. (U) GENERAL ELECTRIC CO


SCENECTADY NY PRODUCTION RESOURCES CONSU.

SCHEENECTADY NY PRODUCTION RESOURCES CON
C MORENC ET AL. 01 NOV 85 UTP-620144700

F/G 12/5

NL

[illegible]




MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

ING FILE COPY

2

AFWAL-TR-86-4006
Volume VIII
Part 34

DTIC
ELECTE
JUL 20 1987
S D
C&D



AD-A182 663

INTEGRATED INFORMATION
SUPPORT SYSTEM (IISS)
Volume VIII - User Interface Subsystem
Part 34 - Application Interface Unit Test Plan

General Electric Company
Production Resources Consulting
One River Road
Schenectady, New York 12345

Final Report for Period 22 September 1980 - 31 July 1985
November 1985

Approved for public release; distribution is unlimited.

MATERIALS LABORATORY
AIR FORCE WRIGHT AERONAUTICAL LABORATORIES
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AFB, OH 45433-6533

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

A182 663

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution is unlimited.	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) AFWAL-TR-86-4006 Vol VIII, Part 34	
6a. NAME OF PERFORMING ORGANIZATION General Electric Company Production Resources Consulting	6b. OFFICE SYMBOL (If applicable) AFWAL/MLTC	7a. NAME OF MONITORING ORGANIZATION AFWAL/MLTC	
6c. ADDRESS (City, State and ZIP Code) 1 River Road Schenectady, NY 12345		7b. ADDRESS (City, State and ZIP Code) WPAFB, OH 45433-6533	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Air Force Materials Laboratory Air Force Systems Command, USAF	8b. OFFICE SYMBOL (If applicable) AFWAL/MLTC	8. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F33615-80-C-5155	
8c. ADDRESS (City, State and ZIP Code) Wright-Patterson AFB, Ohio 45433		10. SOURCE OF FUNDING NOS.	
		PROGRAM ELEMENT NO. 78011F	PROJECT NO. 7500
		TASK NO. 62	WORK UNIT NO. 01
11. TITLE (Include Security Classification) (See Reverse)			
12. PERSONAL AUTHOR(S) Cross, Valerie and Morenc, Carol and Robie, Penny			
13a. TYPE OF REPORT Final Technical Report	13b. TIME COVERED 22 Sept 1980 - 31 July 1985	14. DATE OF REPORT (Yr., Mo., Day) 1985 November	15. PAGE COUNT 183
16. SUPPLEMENTARY NOTATION ICAM Project Priority 6201		The computer software contained herein are theoretical and/or references that in no way reflect Air Force-owned or -developed computer software.	
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB GR	
1308	0905		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) This unit test plan establishes the methodology and procedures used to adequately test the capabilities of the computer program identified as the Application Interface (AI). The AI consists of a set of callable execution time routines that allows an application program to send/receive formatted screens to/from various terminals and to perform terminal control functions independent of the terminal type. The AI translates the application's call for form processing into a message which is then sent to the User Interface Monitor of the Form Processor. <i>Computer program used for form processing</i> <i>System software / Application</i>			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS ☐		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL David L. Judson		22b. TELEPHONE NUMBER (Include Area Code) 513-255-0976	22c. OFFICE SYMBOL AFWAL/MLTC

11. Title

Integrated Information Support System (IISS)
Vol VIII - User Interface Subsystem
Part 34 - Application Interface Unit Test Plan

A S D 86 0046
9 Jan 1986



Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

PREFACE

This unit test plan covers the work performed under Air Force Contract F33615-80-C-5155 (ICAM Project 6201). This contract is sponsored by the Materials Laboratory, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Gerald C. Shumaker, ICAM Program Manager, Manufacturing Technology Division, through Project Manager, Mr. David Judson. The Prime Contractor was Production Resources Consulting of the General Electric Company, Schenectady, New York, under the direction of Mr. Allan Rubenstein. The General Electric Project Manager was Mr. Myron Hurlbut of Industrial Automation Systems Department, Albany, New York.

Certain work aimed at improving Test Bed Technology has been performed by other contracts with Project 6201 performing integrating functions. This work consisted of enhancements to Test Bed software and establishment and operation of Test Bed hardware and communications for developers and other users. Documentation relating to the Test Bed from all of these contractors and projects have been integrated under Project 6201 for publication and treatment as an integrated set of documents. The particular contributors to each document are noted on the Report Documentation Page (LD1473). A listing and description of the entire project documentation system and how they are related is contained in document FTR620100001, Project Overview.

The subcontractors and their contributing activities were as follows:

TASK 4.2

Subcontractors

Role

Boeing Military Aircraft
Company (BMAC)

Reviewer

D. Appleton Company
(DACOM)

Responsible for IDEF support,
state-of-the-art literature
search

General Dynamics/
Ft. Worth

Responsible for factory view
function and information
models

<u>Subcontractors</u>	<u>Role</u>
Illinois Institute of Technology	Responsible for factory view function research (IITRI) and information models of small and medium-size business
North American Rockwell	Reviewer
Northrop Corporation	Responsible for factory view function and information models
Pritsker and Associates	Responsible for IDEF2 support
SofTech	Responsible for IDEF0 support

TASKS 4.3 - 4.9 (TEST BED)

<u>Subcontractors</u>	<u>Role</u>
Boeing Military Aircraft Company (BMAC)	Responsible for consultation on applications of the technology and on IBM computer technology.
Computer Technology Associates (CTA)	Assisted in the areas of communications systems, system design and integration methodology, and design of the Network Transaction Manager.
Control Data Corporation (CDC)	Responsible for the Common Data Model (CDM) implementation and part of the CDM design (shared with DACOM).
D. Appleton Company (DACOM)	Responsible for the overall CDM Subsystem design integration and test plan, as well as part of the design of the CDM (shared with CDC). DACOM also developed the Integration Methodology and did the schema mappings for the Application Subsystems.

UTP620144700
1 November 1985

<u>Subcontractors</u>	<u>Role</u>
Digital Equipment Corporation (DEC)	Consulting and support of the performance testing and on DEC software and computer systems operation.
McDonnell Douglas Automation Company (McAuto)	Responsible for the support and enhancements to the Network Transaction Manager Subsystem during 1984/1985 period.
On-Line Software International (OSI)	Responsible for programming the Communications Subsystem on the IBM and for consulting on the IBM.
Rath and Strong Systems Products (RSSP) (In 1985 became McCormack & Dodge)	Responsible for assistance in the implementation and use of the MRP II package (PIOS) that they supplied.
SofTech, Inc.	Responsible for the design and implementation of the Network Transaction Manager (NTM) in 1981/1984 period.
Software Performance Engineering (SPE)	Responsible for directing the work on performance evaluation and analysis.
Structural Dynamics Research Corporation (SDRC)	Responsible for the User Interface and Virtual Terminal Interface Subsystems.

Subcontractors and other prime contractors under other projects who have contributed to Test Bed Technology, their contributing activities and responsible projects are as follows:

<u>Subcontractors</u>	<u>Role</u>
General Dynamics/ Ft. Worth	Responsible for factory view

UTP620144700
1 November 1985

<u>Contractors</u>	<u>ICAM Project</u>	<u>Contributing Activities</u>
Boeing Military Aircraft Company (BMAC)	1701, 2201, 2202	Enhancements for IBM node use. Technology Transfer to Integrated Sheet Metal Center (ISMC)
Control Data Corporation (CDC)	1502, 1701	IISS enhancements to Common Data Model Processor (CDMP)
D. Appleton Company (DACOM)	1502	IISS enhancements to Integration Methodology
General Electric	1502	Operation of the Test Bed and communications equipment.
Hughes Aircraft Company (HAC)	1701	Test Bed enhancements
Structural Dynamics Research Corporation (SDRC)	1502, 1701, 1703	IISS enhancements to User Interface/Virtual Terminal Interface (UI/VTI)
Systran	1502	Test Bed enhancements. Operation of Test Bed.

TABLE OF CONTENTS

	<u>Page</u>
SECTION 1.0 GENERAL	1-1
1.1 Purpose	1-1
1.2 Project References	1-1
1.3 Terms and Abbreviations	1-2
SECTION 2.0 DEVELOPMENT ACTIVITY	2-1
2.1 Statement of Pretest Activity	2-1
2.2 Pretest Activity Results	2-1
SECTION 3.0 SYSTEM DESCRIPTION	3-1
3.1 System Description	3-1
3.2 Testing Schedule	3-3
3.3 First Location Testing	3-3
3.4 Subsequent Location Testing	3-4
SECTION 4.0 SPECIFICATIONS AND EVALUATIONS	4-1
4.1 Test Specifications	4-1
4.2 Test Methods and Constraints	4-5
4.3 Test Progression	4-6
4.4 Test Evaluation	4-6
SECTION 5.0 TEST PROCEDURES	5-1
5.1 Test Description	5-1
5.2 Test Control	5-1
5.3 Test Procedures	5-1

APPENDICES

A Commands for ARTEST	A-1
B FORMS FOR TESTING THE FORM PROCESSOR	B-1

FIGURES

3-1 Interface Block Diagram	3-2
4-1 Table of Functionality Testing	4-3
5-1a BEFORE	5-3
5-1b AFTER	5-4
5-1c BEFORE	5-5
5-2a BEFORE	5-6
5-2b AFTER	5-7
5-3a BEFORE	5-8

5-3b	AFTER	5-9
5-4a	BEFORE	5-10
5-4b	AFTER	5-11
5-5a	BEFORE	5-12
5-5b	AFTER	5-13
5-6a	BEFORE	5-14
5-6b	AFTER	5-15
5-7a	BEFORE	5-16
5-7b	AFTER	5-17
5-8a	BEFORE	5-18
5-8b	AFTER	5-19
5-9a	BEFORE	5-20
5-9b	AFTER	5-21
5-10a	BEFORE	5-22
5-10b	AFTER	5-23
5-11a	BEFORE	5-24
5-11b	AFTER	5-25
5-12a	BEFORE	5-26
5-12b	AFTER	5-27
5-13a	BEFORE	5-28
5-13b	AFTER	5-29
5-14a	BEFORE	5-30
5-14b	AFTER	5-31
5-15a	BEFORE	5-32
5-15b	AFTER	5-33
5-16a	BEFORE	5-34
5-16b	AFTER	5-35
5-17a	BEFORE	5-36
5-17b	AFTER	5-37
5-18a	BEFORE	5-38
5-18b	AFTER	5-40
5-19a	BEFORE	5-40
5-19b	AFTER	5-41
5-20a	BEFORE	5-42
5-20b	AFTER	5-43
5-21a	BEFORE	5-44
5-21b	AFTER	5-45
5-22a	BEFORE	5-46
5-22b	AFTER	5-47
5-23a	BEFORE	5-48
5-23b	AFTER	5-49
5-24a	BEFORE	5-50
5-24b	AFTER	5-51
5-25a	BEFORE	5-52
5-25b	AFTER	5-53
5-26a	BEFORE	5-54
5-26b	AFTER	5-55

5-27a BEFORE	5-56
5-27b AFTER	5-57
5-27c AFTER 5-27b PF key	5-58
5-28a BEFORE	5-59
5-28b AFTER	5-60
5-29a BEFORE	5-61
5-29b AFTER	5-62
5-30a BEFORE	5-63
5-30b AFTER	5-64
5-31a BEFORE	5-65
5-31b AFTER	5-66
5-32a BEFORE	5-67
5-32b AFTER	5-68
5-33a BEFORE	5-69
5-33b AFTER	5-70
5-34a BEFORE	5-71
5-34b AFTER	5-72
5-35a BEFORE	5-73
5-35b AFTER	5-74
5-36a BEFORE	5-75
5-36b AFTER	5-76
5-37a BEFORE	5-77
5-37b AFTER	5-78
5-38a BEFORE	5-79
5-38b AFTER	5-80
5-39a BEFORE	5-81
5-39b AFTER	5-82
5-39c AFTER 5-39b	5-83
5-40a BEFORE	5-84
5-40b AFTER	5-85
5-40c AFTER 5-40b	5-86
5-40d AFTER 5-40c	5-87
5-41a BEFORE	5-88
5-41b AFTER	5-89
5-42a BEFORE	5-90
5-42b AFTER	5-91
5-43a BEFORE	5-92
5-43b AFTER	5-93
5-44a BEFORE	5-94
5-44b AFTER	5-95
5-45a BEFORE	5-96
5-45b AFTER	5-97
5-46a BEFORE	5-98
5-46b AFTER	5-99
5-47a BEFORE	5-100
5-47b AFTER	5-101
5-48a BEFORE	5-102

UTP620144700
1 November 1985

5-48b AFTER	5-103
5-49a BEFORE	5-104
5-49b AFTER	5-105
5-50a BEFORE	5-106
5-50b AFTER	5-107
5-51a BEFORE	5-108
5-51b AFTER	5-109
5-52a BEFORE	5-110
5-52b AFTER	5-111
5-53a BEFORE	5-112
5-53b AFTER	5-113
5-54a BEFORE	5-114
5-54b AFTER	5-115
5-55a BEFORE	5-116
5-55b AFTER	5-117
5-56a BEFORE	5-118
5-56b AFTER	5-119
5-57a BEFORE	5-120
5-57b AFTER	5-121
5-58a BEFORE	5-122
5-58b AFTER	5-123
5-59a BEFORE	5-124
5-59b AFTER	5-125
5-60a BEFORE	5-126
5-60b AFTER	5-127
5-61a BEFORE	5-128
5-61b AFTER	5-129
5-62a BEFORE	5-130
5-62b AFTER	5-131
5-63a BEFORE	5-132
5-63b AFTER	5-133
5-64a BEFORE	5-134
5-64b AFTER	5-135
5-65a BEFORE	5-136
5-65b AFTER	5-137
5-66a BEFORE	5-138
5-66b AFTER	5-139
5-67a BEFORE	5-140
5-67b AFTER	5-141
5-68a BEFORE	5-142
5-68b AFTER	5-143
5-69a BEFORE	5-144
5-69b AFTER	5-145
5-70a BEFORE	5-146
5-70b AFTER	5-147
5-71a BEFORE	5-148
5-71b AFTER	5-149

SECTION 1

GENERAL

1.1 Purpose

This unit test plan establishes the methodology and procedures used to adequately test the capabilities of the computer program identified as the Application Interface known in this document as the AI. The AI is one configuration item of the Integrated Information Support System (IISS) User Interface (UI). It consists of Application Interface callable routines.

1.2 Project References

- [1] ICAM Documentation Standards, 15 September 1983, IDS150120000C.
- [2] Structural Dynamics Research Corporation, Form Processor Application Programmer Manual, UM 620144200B, 1 November 1985.
- [3] Structural Dynamics Research Corporation, Form Processor Computer Program Development Specification, DS 620144200B, 1 November 1985.
- [4] Structural Dynamics Research Corporation, Forms Language Compiler Unit Test Plan, UTP620144401, 1 November 1985.
- [5] Structural Dynamics Research Corporation, Forms Driven Form Editor Unit Test Plan, UTP620144402, 1 November 1985.
- [6] Structural Dynamics Research Corporation, Report Writer Unit Test Plan, UTP620144501, 1 November 1985.
- [7] Structural Dynamics Research Corporation, Rapid Application Generator Unit Test Plan, UTP620144502, 1 November 1985.
- [8] Structural Dynamics Research Corporation, Text Editor Unit Test Plan, UTP620144600, 1 November 1985.

- [9] Structural Dynamics Research Corporation, Application Interface Unit Test Plan, UTP620144700, 1 November 1985.
- [10] Structural Dynamics Research Corporation, User Interface Services Unit Test Plan, UTP620144100, 1 November 1985.
- [11] Structural Dynamics Research Corporation, Form Processor Unit Test Plan, UTP620144200, 1 November 1985.

1.3 Terms and Abbreviations

Application Interface: (AI), subset of the IISS User Interface that consists of the callable routines that are linked with applications that use the Form Processor or Virtual Terminal. The AI enables applications to be hosted on computers other than the host of the User Interface.

Application Process: (AP), a cohesive unit of software that can be initiated as a unit to perform some function or functions.

Communication Services: allows on host interprocess communication and inter-host communication between the various Test Bed subsystems.

Communication Subsystem: (COMM), IISS subsystem that provides communication services to the Test Bed and subsystems.

Computer Program Configuration Item: (CPCI), an aggregation of computer programs or any of their discrete portions, which satisfies an end-use function.

Field: two-dimensional space on a terminal screen.

Field Pointer: indicates the ITEM which contains the current cursor position.

Form: structured view which may be imposed on windows or other forms. A form is composed of fields. These fields may be defined as forms, items, and windows.

Form Definition: (FD), forms definition language after compilation. It is read at runtime by the Form Processor.

Forms Definition Language: (FDL), the language in which electronic forms are defined.

Form Hierarchy: a graphic representation of the way in which forms, items and windows are related to their parent form.

Form Processor: (FP), subset of the IISS User Interface that consists of a set of callable execution time routines available to an application program for form processing.

IISS Function Screen: the first screen that is displayed after logon. It allows the user to specify the function he wants to access and the device type and device name on which he is working.

Integrated Information Support System: (IISS), a test computing environment used to investigate, demonstrate and test the concepts of information management and information integration in the context of Aerospace Manufacturing. The IISS addresses the problems of integration of data resident on heterogeneous data bases supported by heterogeneous computers interconnected via a Local Area Network.

Message: descriptive text which may be returned in the standard message line on the terminal screen. They are used to warn of errors or provide other user information.

Message Line: a line on the terminal screen that is used to display messages.

Network Transaction Manager: (NTM), IISS subsystem that performs the coordination, communication and housekeeping functions required to integrate the Application Processes and System Services resident on the various hosts into a cohesive system.

Qualified Name: the name of a form, item or window preceded by the hierarchy path so that it is uniquely identified.

User Data: data which is either input by the user or output by the application programs to items.

User Interface: (UI), IISS subsystem that controls the user's terminal and interfaces with the rest of the system. The UI consists of two major subsystems: the User Interface Development System (UIDS) and the User Interface Management System (UIMS).

UTP620144700
1 November 1985

User Interface Management System: (UIMS), the runtime UI. It consists of the Form Processor, Virtual Terminal, Application Interface, the User Interface Services and the Text Editor.

User Interface/Virtual Terminal Interface: (UI/VTI), another name for the User Interface.

Virtual Terminal: (VT), subset of the IISS User Interface that performs the interfacing between different terminals and the UI. This is done by defining a specific set of terminal features and protocols which must be supported by the UI software which constitutes the virtual terminal definition. Specific terminals are then mapped against the virtual terminal software by specific software modules written for each type of real terminal supported.

Window: dynamic area of a terminal screen on which predefined forms may be placed at run time.

SECTION 2

DEVELOPMENT ACTIVITY

2.1 Statement of Pretest Activity

During system development, the computer programs were tested progressively. Functionality was incrementally tested, and as bugs were discovered by this testing, the software was corrected.

Each Application Interface callable routine was tested individually through Application Interface development. A test program, ARTEST, was developed as an easy means of testing changes to the Application Interface. This test program allows a developer to type in commands that are translated into the appropriate Application Interface calls. With this test program all Application Interface callable routines may be executed.

All pretesting activity was conducted by the individual program developer in a manual mode. The developer would manually enter data onto the screen and observe the results. Any errors were noted by the developer, and corrections to the Application Interface software were then made after a testing session.

2.2 Pretest Activity Results

The pretest activity was very successful in the elimination of programming bugs so that at release time only a few bugs were found in the Application Interface. The development of the test program, ARTEST, has proved very beneficial since as new functionality was added to the Application Interface, ARTEST was also updated to test this functionality. ARTEST is the major test tool for the Unit Test Plan of the Application Interface.

SECTION 3

SYSTEM DESCRIPTION

3.1 System Description

The Application Interface consists of a set of callable execution time routines that allows an application program to send/receive formatted screens to/from various terminals and to perform terminal control functions independent of the terminal type. The Application Interface translates the application's call for form processing into a message which is then sent to the User Interface Monitor of the Form Processor.

The following block diagram illustrates the Application Interface Test Configuration used in the Unit Test Plan.




Figure 3-1 Interface Block Diagram

The required input and the resulting output of these tests are documented in detail in Section 5.3. The general testing method is the entry of commands on the ARTEST form Command Line item and the translation of this command by the ARTEST program into a call to the appropriate Application Interface routine. Each Application Interface routine as found in the Application Interface Development Specification is to be exercised. The resulting output is observed on the ARTEST form. Appendix A

outlines the ARTEST command format and the various types of commands and function keys.

The following keys are used to move within forms (using the VT100 terminal as an example): the ENTER key is used to activate all commands; the TAB key is used to move from field to field within the form; and the arrow keys are used to move within fields. In addition, ESC TAB is a reverse TAB.

3.2 Testing Schedule

The execution of the Application is dependent upon the NTM subsystem of the IISS. Testing of the Application Interface must be done only after the NTM has been successfully tested. In this unit test, the Application Interface is dependent on the Form Processor (FP) and on the Virtual Terminal (VT). In fact, all three Configuration Items are to be tested together.

3.3 First Location Testing

These tests of the Application Interface require the following:

Equipment: Air Force VAX, terminals supported by the Virtual Terminal as listed in the UI Terminal Operator's Guide.

Support Software: the Integrated Information Support System, the Oracle database management system, C run-time libraries.

Personnel: One integrator familiar with the IISS.

Training: The AI User manual has been previously provided with the current release.

Deliverables: The Application Interface component of the IISS UI/VTI.

Test Materials: This test may be run interactively by inputting the appropriate data and observing the output as outlined in this test plan. A script file has been created to run this unit test plan and save the resulting output.

UTP620144700
1 November 1985

Security considerations: None.

3.4 Subsequent Location Testing

The requirements as listed above need to be met; however, in subsequent testing it is advantageous to create a script file of the outlined tests and run this saving the output of the test for future comparisons.

SECTION 4

SPECIFICATIONS AND EVALUATIONS

4.1 Test Specification

The Unit Test Plan is based on covering specific functionality as outlined in the Application Interface DS. The test uses the test program ARTEST.

The following chart has the functional requirements as outlined in the Application Interface Development Specification listed vertically and the test activities in the Unit Test Plan that demonstrate each functional requirement's testing listed horizontally. As can be seen in the figures in Section 5.3, the command line of the form used by ARTEST, has the actual Application Interface routine name specified or is annotated with what function key was pressed.

UTP620144700
1 November 1985

Functional Require- ments	Diagram Mapping																									
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
ADDFRM	X																									
CHGLDV		X																								
CLSFRM			X																							
CLSLDV				X																						
GDATA					X																					
GETATT						X																				
GETBAK							X																			
GETCUR								X																		
GPAGE									X																	
GWINDO										X																
INITFP											X															
INQLDV												X														
OISCR													X													
OPNFRM														X												
OPNLDV															X											
OUTSCR																X										
PARFQN																	X									
PDATA																		X								
PMSGLC																			X							
PMSGLS																				X						

-CONTINUED-

UTP620144700
1 November 1985

Functional Require- ments	Diagram Mapping																										
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	
PUTATT																						X					
PUTBAK																							X				
PUTCUR																								X			
RMVPAG																									X		
RPLFRM																										X	
TERMFP																											X

Figure 4-1 Table of Functionality Testing

The steps outlined in Section 5.3 presenting the BEFORE and AFTER forms of each test show the direct correspondence between the test and the functional requirements as listed in this section.

- A - Figure 5-3-a thru Figure 5-4-b
- B - Figure 5-43-a thru Figure 5-43-b
- C - Figure 5-11-a thru Figure 5-12-b
- D - Figure 5-69-a thru Figure 5-69-b
- E - Figure 5-16-a thru Figure 5-18-b
- F - Figure 5-19-a thru Figure 5-19-b
- G - Figure 5-23-a thru Figure 5-23-b
- H - Figure 5-27-a thru Figure 5-27-b
- I - Figure 5-7-a thru Figure 5-7-b
- J - Figure 5-8-a thru Figure 5-8-b
- K - Figure 5-2-a thru Figure 5-2-b
- L - Figure 5-41-a thru Figure 5-41-b
- M - Figure 5-29-a thru Figure 5-29-c
- N - Figure 5-4-a thru Figure 5-4-b
- O - Figure 5-42-a thru Figure 5-42-b
- P - Figure 5-29-a thru Figure 5-29-c
- Q - Figure 5-28-a thru Figure 5-28-b
- R - Figure 5-13-a thru Figure 5-13-b
- S - Figure 5-39-c
- T - Figure 5-40-c
- U - Figure 5-20-a thru Figure 5-21-b, 5-24-a thru 5-25-b
- V - Figure 5-22-a thru Figure 5-22-b, 5-26-a thru 5-26-b
- W - Figure 5-27-a thru Figure 5-27-b
- X - Figure 5-6-a thru Figure 5-6-b
- Y - Figure 5-5-a thru Figure 5-5-b
- Z - Figure 5-70-a thru the last figure

4.2 Testing Methods and Constraints

The tests as outlined in Section 5 must be followed. The required input is stated for each test. This testing uses the normal mode of operation of these functions and does not completely exercise all the error combinations that a user of the Application Interface might create by faulty entry of parameter information. Much of this testing has been done, however, through the normal testing done by the developer of these functions. No data recording is required. It is suggested that on further running of this test, scripting of the test may be done and the output from running the script be saved for future testing. No additional constraints are placed on this unit test besides those listed in Section 3.3 of this unit test plan.

4.3 Test Progression

The progression of testing of the Application Interface is fully outlined in Section 5 of this unit test plan. This progression should be followed exactly to insure the successful testing of this IISS configuration item.

4.4 Test Evaluation

The test results are evaluated by comparing the information returned on the various output screens to that specified as successful for the given test. As outlined in Section 5, each test of Application Interface functionality provides an input screen with the required data entry specified and the resulting output for a successful test. To speed up this testing and provide more accurate measurement of the test's success, scripting has been used. The resulting output of these tests is saved in a file FPUTP.SAV. The corresponding test script file is FPUTP.SCP. Both these files are under IISS Configuration Management. If scripting is used, these files should be copied over to the test directory. The .SAV file may be used for future comparison against subsequent running of this unit test using scripting. To compare the results use the command file DIFFILE.COM which was released as part of the acceptance testing done on the Air Force VAX and is under Configuration Management. The only differences should be the date/time stamps on the IISS function screen and the type of device on the window manager screen. The device type is given to the UIS by the NTM at run time. Note that the test script used to test the Application Interface is exactly the same one as was used to test the Form Processor. The latter part of that script which tests window management processing is not necessary for the testing of the Application Interface.

SECTION 5

TEST PROCEDURES

5.1 Test Description

A general description of this unit test was provided in Section 3.

5.2 Test Control

As outlined, this unit test may be done manually or run automatically using a supplied script file. To manually perform this unit test would require the tester to be logged into the IISS system and enter SDARTESTZZ on the Function Select Form. In section 5.3 the required input data is specified for each function being tested and the resulting successful output is also specified. The order of the testing is also completely specified. The test control information is completely described by the sequence of the input and output screens presented in this section. The successfulness of the test may be determined by doing a comparison on the .SAV files produced against the ones provided under IISS Configuration Management.

5.3 Test Procedures

To run the unit test plan as outlined in this section on a VAX, one must be logged on to an IISS account. The NTM must be up and running and the UI group logical names IISSFLIB and IISSMLIB must be set properly. IISSFLIB points to the directory containing production form definitions (FD files). IISSMLIB points to the directory containing error messages (.MSG files).

This unit test uses the program ARTEST and its associated forms ffl through ff9. The fdl source file for these forms is presented in Appendix B. The executable for ARTEST should exist in the NTM environment directory and the NTM dirtbl.dat should have its SD entry pointing to this directory. The NTM tables APITBL, APTTBL, and ACTTBL should have ARTEST set up as a normal IISS application program.

Assuming the NTM is up and running, an IISS user may start up this unit test plan as follows:

UTP620144700
1 November 1985

```
$ SET DEF <to directory containing your NTM environment>  
$ VT100 -RPUTP.SCP -SFPTST.SAV
```

This starts up the VT100 device driver with a source script as input and specifies a save file for output. If the User Interface system has been installed at your site with a different device driver, then this step is amended as appropriate. The test begins executing on the terminal. The results of this test are saved in the current directory in the file FPTST.SAV. The Before and After Figures show not only the form input and output but also the sequencing of the test.

UTP620144700
1 November 1985

USER ID:

PASSWORD:

ROLE:

Mag: ☐ 0

application

Figure 5-1a (BEFORE)

UTP620144700
1 November 1985

USER ID: MORENC

PASSWORD:

ROLE: MANAGER

Msg: 0

application

Figure 5-1b (AFTER)

UTP620144700
1 November 1985

I I S S T E S T B E D V E R S I O N 2.0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Msg: application

Figure 5-1c (BEFORE)

UTP620144700
1 November 1985

IISS TEST BED VERSION 2.0

DATE: 6/26/85 TIME: 10:33:09 USER ID: KORENC ROLE: MANAGER

FUNCTION: SDARTESTZZ DEVICE TYPE: DEVICE NAME:

Msg: 0 application

Figure 5-2a (BEFORE)

UTP620144700
1 November 1985




Figure 5-2b (AFTER)

UTP620144700
1 November 1985




Figure 5-3a (BEFORE)




Figure 5-3b (AFTER)

UTP620144700
1 November 1985




Figure 5-4a (BEFORE)




Figure 5-4b (AFTER)

UTP620144700
1 November 1985




Figure 5-5a (BEFORE)

Command Line

form f41

form f43

form f42

form f42

form f43

form f45

form f46

form f47

form f44

form f48

form f44

Display:

Msg:

application

Figure 5-5b (AFTER)

UTP620144700
1 November 1985




Figure 5-6a (BEFORE)

UTP620144700
1 November 1985




Figure 5-6b (AFTER)

UTP620144700
1 November 1985




Figure 5-7a (BEFORE)

UTP620144700
1 November 1985




Figure 5-7b (AFTER)

UTP620144700
1 November 1985




Figure 5-8a (BEFORE)

UTP620144700
1 November 1985




Figure 5-8b (AFTER)




Figure 5-9a (BEFORE)




Figure 5-9b (AFTER)

UTP620144700
1 November 1985

Command Line form ff1

form ff2

form ff4

form ff4

form ff2

form ff8

form ff3

form ff5

form ff6

form ff7

Display:
.....
.....

Msg: application

Figure 5-10a (BEFORE)

UTP620144700
1 November 1985





Figure 5-10b (AFTER)

UTP620144700
1 November 1985



UTP620144700
1 November 1985




Figure 5-11b (AFTER)

UTP620144700
1 November 1985




Figure 5-12a (BEFORE)

UTP620144700
1 November 1985




Figure 5-12b (AFTER)

UTP620144700
1 November 1985




Figure 5-13a (BEFORE)

UTP620144700
1 November 1985




Figure 5-13b (AFTER)

UTP620144700
1 November 1985




Figure 5-14a (BEFORE)

UTP620144700
1 November 1985




Figure 5-14b (AFTER)

UTP620144700
1 November 1985




Figure 5-15a (BEFORE)

UTP620144700
1 November 1985




Figure 5-15b (AFTER)

UTP620144700
1 November 1985




Figure 5-16a (BEFORE)

UTP620144700
1 November 1985




Figure 5-16b (AFTER)

UTP620144700
1 November 1985




Figure 5-17a (BEFORE)

UTP620144700
1 November 1985




Figure 5-17b (AFTER)




Figure 5-18a (FEFORE)

UTP620144700
1 November 1985




Figure 5-18b (AFTER)

UTP620144700
1 November 1985




Figure 5-19a (BEFORE)

UTP620144700
1 November 1985




Figure 5-19b (AFTER)

UTP620144700
1 November 1985




Figure 5-20a (BEFORE)

UTP620144700
1 November 1985




Figure 5-20b (AFTER)

UTP620144700
1 November 1985




Figure 5-21a (BEFORE)




Figure 5-21b (AFTER)

UTP620144700
1 November 1985




Figure 5-22a (BEFORE)

UTP620144700
1 November 1985




Figure 5-22b (AFTER)




Figure 5-23a (BEFORE)

UTP620144700
1 November 1985




Figure 5-23b (AFTER)

Command Line tapatt ff5.11 1 OUTPUT form ff1

form ff3

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display: WHITE

Mag: 0 application

Figure 5-24a (BEFORE)

UTP620144700
1 November 1985

Command Line form ff1

form ff3

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

Display: OUTPUT

.....

.....

Msg: application

Figure 5-24b (AFTER)




Figure 5-25a (BEFORE)

UTP620144700
1 November 1985

Command Line

form ff1

form ff3

form ff2

form ff2

form ff3

form ff5

form ff6

form ff7

form ff4

form ff8

form ff4

Display: type = 1, row = 1, col = 17, fqn = PSCREEN.SCREEN(1).FF1.141

Msg:

application

Figure 5-25b (AFTER)

UTP620144700
1 November 1985




Figure 5-26a (BEFORE)

UTP620144700
1 November 1985




Figure 5-26b (AFTER)

UTP620144700
1 November 1985




Figure 5-27a (BEFORE)

UTP620144700
1 November 1985




Figure 5-27b (AFTER)

UTP620144700
1 November 1985




Figure 5-27c (AFTER 5-27b PF key)

UTP620144700
1 November 1985




Figure 5-28a (BEFORE)

UTP620144700
1 November 1985




Figure 5-28b (AFTER)

UTP620144700
1 November 1985




Figure 5-29a (BEFORE)

Command Line descr w3 form ff1

(May only tab to items in
ff5 and the HSG item)
HIT ENTER

form ff5

form ff2 form ff2 form ff3 form ff3 form ff6 form ff7

form ff4 form ff8

form ff4

Display:
.....
.....

Msg: 0 application

Figure 5-29b (AFTER)

UTP620144700
1 November 1985




Figure 5-30a (BEFORE)

Command Line pdate f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

(Hit FP mode key to
get in scrll/page mode)

form f45

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:
.....
.....

Msg: 0 application

Figure 5-30b (AFTER)

Command Line pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ form ff1

(Hit PF5 SCROLL up)

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display:
.....
.....

Mag: 0 scroll/page

Figure 5-31a (BEFORE)

UTP620144700
1 November 1985

Command Line pdata f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

form f45

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:

Msg: ☐ scroll/page

Figure 5-31b (AFTER)

UTP620144700
1 November 1985

Command Line pdata f47 ABCDEFGH:JKLMNOPQRSTUVWXYZ form f41

(HIT PF6 SCROLL DOWN)

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:
.....
.....

Mag: 0 scroll/page

Figure 5-32a (BEFORE)

UTP620144700
1 November 1985

Command Line pdata f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:

Msg: 0

scr11/page

Figure 5-32b (AFTER)

Command Line pdata f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

(Hit PF7 SCROLL LEFT)

form f45

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:

Msg: 0 scroll/page

Figure 5-33a (BEFORE)

UTP620144700
1 November 1985

Command Line pdata ff7 ABCDEFGHIJKLMNOPQRSTUVWXYZ form ff1

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display:

Msg: ☐ scr11/page

Figure 5-33b (AFTER)

UTP620144700
1 November 1985

Command Line pdata f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

(Hit PF8 scroll Right)

form f45

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:
.....
.....

Mag: 0 scroll/page

Figure 5-34a (BEFORE)

AD-A182 663

INTEGRATED INFORMATION SUPPORT SYSTEM (IIS) VOLUME 8
USER INTERFACE SUBS. (U) GENERAL ELECTRIC CO
SCHENECTADY NY PRODUCTION RESOURCES CONSU.

2/2


UNCLASSIFIED

C MORENC ET AL. 01 NOV 85 UTP-620144700

F/G 12/5

NL

FN1
8.87
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

UTP620144700
1 November 1985

Command Line **data f17 ABCDEFGHIJKLMNOPQRSTUVWXYZ** form f11

form f12 form f12 form f13 form f15 form f16 form f17

form f14 form f18

form f14

Display:

Mag: ☐ 0

scrib/page

Figure 5-34b (AFTER)

Command Line pdata f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

(Hit PF9 Page UP)

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:

Mag: 0

scr11/page

Figure 5-35a (BEFORE)

Command Line pdata f77 ABCDEFGHIJKLMNOPQRSTUVWXYZ f77 f77

f77 f77

f77 f77

f77 f77 f77 f77 f77 f77 f77 f77 f77 f77 f77 f77

f77 f77 f77 f77

f77 f77

Display:

Mag: 0 scr11/page

Figure 5-35b (AFTER)

UTP620144700
1 November 1985

Command Line pdata f47 ABCDEFHIJKLMNOPSTUWVYZ form f41

(HIT PF10 PAGE DOWN)

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:

Tag: 0 scroll/page

Figure 5-36a (BEFORE)

UTP620144700
1 November 1985

Command Line pdate f17 ABCDEFHJ KLMNOPQRSTUWXYZ form f11

form f12 form f12 form f13 form f15 form f16 form f17

form f14 form f18

form f14

Display:
.....
.....

Mag: 0 scrl1/page

Figure 5-36b (AFTER)

UTP620144700
1 November 1985

Command Line pdata 117 ABCDEFHIJKLMNOPQRSTUVWXYZ form 111

(Hit PF11 Page LEFT)

form 112 form 112 form 113 form 113 form 116 form 117

form 114 form 118

form 114

Display:

Mag: 0

scri1/page

Figure 5-37a (BEFORE)

UTP620144700
1 November 1985

Command Line pdata f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

form f42

form f42

form f43

form f45

form f46

form f47

C	D
E	H
K	L

form f44

form f48

form f44

Display:
.....
.....

Mag: 0

scri1/page

Figure 5-37b (AFTER)

Command Line pdata f17 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f11

(Hrt PF12 Page Right)

form f12

form f12

form f13

form f15

form f16

form f17

C	D
E	H
K	L

form f14

form f18

form f14

Display:
.....
.....

Mag: 0scri1/page

Figure 5-38a (BEFORE)

UTP620144700
1 November 1985

Command Line pdata f17 ABCDEFHIJKLMNOPQRSTUVWXYZ form f11

form f12 form f12 form f13 form f15 form f16 form f17

form f14 form f18

form f14

Display:

Mag: 0 scrll/page

Figure 5-38b (AFTER)

UTP620144700
1 November 1985

Command Line pdate f17 ABCDEFHIJKLMNOPQRSTUVWXYZ form f11

(Hrt PF11 Page Left)

form f12 form f12 form f13 form f13 form f14 form f17

form f14 form f18

form f14

Display:

Mag: 0

scrib/page

Figure 5-39a (BEFORE)

UTP620144700
1 November 1985

Command Line pdata f17 ABCDEF GHI JKLMNOPQRSTUWXYZ form f11

(Hit PF11 Page Left)

form f12

form f12

form f13

form f15

form f16

form f17

C	D
G	H
K	L

form f14

form f18

form f14

Display:
.....
.....

Mag: 0scri1/page

Figure 5-39b (AFTER)

UTP620144700
1 November 1985

Command Line pdate f47 ABCDEF@HJLKNOPQRSTUWXYZ f47 f41

(Hit PF11 PAGE LEFT)

f42 f42 f43 f45 f46 f47

f44 f48

f44

Display:
.....
.....

Msg: 1 End of scrolling section reached scrl/page

Figure 5-39c (AFTER 5-39b)

Command Line data 117 ABCDEFHIJKLMNOPQRSTUVWXYZ form 111

(Hit PF9 PAGE UP)

form 112 form 112 form 113 form 115 form 116 form 117

form 114 form 118

form 114

Display:

Mag: ☐ 0 scroll/page

Figure 5-40a (BEFORE)

UTP620144700
1 November 1985

Command Line pdate f17 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f11

(Hit PF9 PAGE UP)

form f12 form f12 form f13 form f15 form f16 form f17

form f14 form f18

form f14

Display:

Mag: 0

scrib/page

Figure 5-40b (AFTER)

UTP620144700
1 November 1985

Command Line pdate f47 ABCDEFGHIJKLMNOPQRSTUVWXYZ form f41

(Hit PF 10 Page Down)

form f43

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display:
.....
.....

Msg: 1 End of scrolling section reached scrl/page

Figure 5-40c (AFTER 5-40b)

UTP620144700
1 November 1985

Command Line pdate 117 ABCDEFHIJKLMNOPSTUVWXYZ form 111

form 112 form 112 form 113 form 115 form 116 form 117

form 114 form 118

form 114

Display:

Mag: 0 scrib/page

Figure 5-40d (AFTER 5-40c)

UTP620144700
1 November 1985

Command Line inqldv form ff1

form ff5

form ff1 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display:

Mag: ☐ 0

scr11/page

Figure 5-41a (BEFORE)

UTP620144700
1 November 1985

Command Line form f11

form f12

form f12

form f13

form f15

form f16

X

form f17

A	B
E	F
I	J

form f14

form f18

Display: logical device number = 6

.....

.....

Msg: scrll/page

Figure 5-41b (AFTER)

UTP620144700
1 November 1985

Command Line opnldv form ff1

form ff5

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display: logical device number = 6

Msg: 0

scr11/page

Figure 5-42a (BEFORE)

Command Line						form f1
form f2	form f2	form f3	form f3	form f6	form f7	
form f4	form f8					
form f4						
Display: Opened and changed to logical device: 25						
.....						
.....						
Msg: 0	scr11/page					

Figure 5-42b (AFTER)

UTP620144700
1 November 1985

Command Line form f11

form f12 form f12 form f13 form f15 form f16 form f17

form f14 form f18

form f14

Display: Opened and changed to logical device: 25

.....

.....

Reg: scr11/page

Figure 5-43a (BEFORE)

UTP620144700
1 November 1985

Command Line form ff1

(all fields non enterable)

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display: Opened and changed to logical device: 25

Msg: scroll/page

Figure 5-43b (AFTER)

UTP620144700
1 November 1985

Command Line form ff1

(Hit PF1 MODE KEY till WINDOW MGR MODE)

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

Display: Opened and changed to logical device: 25

Mag: scrl1/page

Figure 5-44a (BEFORE)

UTP620144700
1 November 1985

Command Line form ff1

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display: Opened and changed to logical device: 25

.....

.....

Msg: window agr

Figure 5-44b (AFTER)

Command Line form f41

(Hit PF14 SELECT AP)

form f42 form f42 form f43 form f45 form f46 form f47

form f44 form f48

form f44

Display: Opened and changed to logical device: 25

Msg: window mgr

Figure 5-45a (BEFORE)

UTP620144700
1 November 1985

Command Line form ff1

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display: Opened and changed to logical device: 25

.....

.....

Msg: Window is selected window mgr

Figure 5-45b (AFTER)




Figure 5-46a (BEFORE)

UTP620144700
1 November 1985




Figure 5-46b (AFTER)

UTP620144700
1 November 1985

Command Line form ff1

(Press PF10 Location)
with cursor here

form ff2

form ff2

form ff3

form ff5

form ff6

X

X

form ff7

A	B
E	F
I	J

form ff4

form ff8

form ff4

Display: Changed to logical device: 6

.....

.....

Reg: Window is selectedwindow mgr

Figure 5-47a (BEFORE)

UTP620144700
1 November 1985




Figure 5-47b (AFTER)

UTP620144700
1 November 1985




Figure 5-48a (BEFORE)

UTP620144700
1 November 1985

Command Line form f11

Command L

Command Line

form f12

form f14 form f18

form f14

form f16

form f17

A	B
E	F
I	J

Display:
.....
.....

Reg: window mgr

Figure 5-48b (AFTER)

UTP620144700
1 November 1985




Figure 5-49a (BEFORE)

Command Line form ff1

Command Line Command L

form ff2

form ff4 form ff8

form ff4

form ff6 form ff7

A	B
E	F
I	J

Display:
.....
.....

Msg: Window is selected window mgr

Figure 5-49b (AFTER)




Figure 5-50a (BEFORE)

UTP620144700
1 November 1985

Command Line form ff1

Command Line

form ff2

form ff2

form ff6

form ff7

form ff4

form ff4

Display:

Mag: window mgr

Figure 5-50b (AFTER)




Figure 5-51a (BEFORE)

UTP620144700
1 November 1985

Command Line addfrm n3 ffl form ffl

Command Line chglav 6

form ffl

form ffl2

form ffl4 form ffl8

form ffl4

form ffl6

form ffl7

Display:

Msg: 0

window mgr

Figure 5-51b (AFTER)

UTP620144700
1 November 1985

Command Line form ff1

(PRESS PF15 Home View)

Command Line

form ff2

form ff4

form ff8

form ff6

form ff7

Display:

Mag: window mgr

A	B
E	F
I	J

X
X

Figure 5-52a (BEFORE)

UTP620144700
1 November 1985




Figure 5-52b (AFTER)

UTP620144700
1 November 1985

Command Line form f41

(PRESS PF7 Age left)
with cursor on L

Command

Command Line

form f42

form f44 for

form f44

form f46

form f47

Display:
.....
.....

Mag: window mgr

Figure 5-53a (BEFORE)

Command Line form ff1

Command Line Line

form ff2

form ff4 for

form ff4

Display:

Msg: window mgr

Figure 5-53b (AFTER)

Command Line form f41

(PRESS PF8 Page Right)
with cursor on L

Command Line

form f42

form f44

form f44

form f46

form f47

Display:

Page: window mgr

Figure 5-54a (BEFORE)

Command Line addfrm w3 ff1 form ff1

Command L

Command Line chgldv 6

form ff2

form ff4 for

form ff4

Display:

Msg: 0

form ff6

form ff7

window mgr

Figure 5-54b (AFTER)

UTP620144700
1 November 1985

Command Line form ff1

(Press PF12 UNSELECT WINDOW)

Command L

form ff2

form ff4 for

form ff4

form ff6

form ff7

Display:

Msg: window mgr

Figure 5-55a (BEFORE)

UTP620144700
1 November 1985

Command Line form f41

Command L

Command Line

form f42

form f44 for

form f44

form f46

form f47

A	B
E	F
I	J

Display:
.....
.....

Msg: ☐ Window is unselected window mgr

Figure 5-55b (AFTER)

UTP620144700
1 November 1985

Command Line form ff1

(Press PF13 UIS Function)

Command L

Command Line

form ff2

form ff4 for

form ff4

form ff6

form ff7

A	B
E	F
I	J

Display:
.....
.....

Msg: ☐ Window is unselected window mgr

Figure 5-56a (BEFORE)

UTP620144700
1 November 1985

ISIS TEST BED VERSION 2.0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Msg: Window is selected window mgr

Figure 5-56b (AFTER)

UTP620144700
1 November 1985

I I S S T E S T B E D V E R S I O N 2 . 0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Msg: Window is selected window mgr

Figure 5-57a (BEFORE)

UTP620144700
1 November 1985

Window Manager

Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTESTZZ	VT100	TT:	1		6	17	36	11	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	24	0	0
MENU				SCREEN	1	1	80	23	0	0

Msg: 0

window mgr

Figure 5-57b (AFTER)

UTP620144700
1 November 1985

Window Manager										
Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTESTZZ	SDPRINTZZZ	PRINT.DEV	1		6	17	34	11	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				MS	2	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				MS	2	60	10	8	0	0
SDARTESTZZ				MS	2	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	24	0	0
MENU				SCREEN	1	1	80	23	0	0

Msg: 0

window mgr

Figure 5-58a (BEFORE)

UTP620144700
1 November 1985

Command Line form ff1

Command L

form ff2 form ff2 form ff3 form ff5 form ff6 form ff7

form ff4 form ff8

form ff4

Display:
.....
.....

Msg: ☐ Window is selected window mgr

Figure 5-58b (AFTER)

Command Line form f1

(PRESS PF13 VIS Function)

Command L

form f2 form f2 form f3 form f5 form f6 form f7

form f4 form f8

form f4

Display:
.....
.....

Reg: ☐ Window is selected window mgr

Figure 5-59a (BEFORE)

UTP620144700
1 November 1985

IISS TEST BED VERSION 2.0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Msg: 3 Window is selected window mgr

Figure 5-59b (AFTER)

UTP620144700
1 November 1985

I I S S T E S T B E D V E R S I O N 2 . 0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Msg: Window is selected window msg

Figure 5-60a (BEFORE)

UTP620144700
1 November 1985

Window Manager

Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	M	D	Row	Col
SDARTESTZZ	SDPRINTZZ	PRINT.DEV	1		6	17	36	11	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				MS	2	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				MS	2	60	10	8	0	0
SDARTESTZZ				MS	2	60	10	8	0	0
MENB	VT100	TT:	3		1	1	80	24	0	0
MENU				SCREEN	1	1	80	23	0	0

Mag:

window mgr

Figure 5-60b (AFTER)

UTP620144700
1 November 1985

Window Manager										
Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	M	D	Row	Col
SEARTESTZZ			1		6	17	36	11	0	0
SEARTESTZZ				SCREEN	1	1	80	23	0	0
SEARTESTZZ				MS	2	60	10	8	0	0
SEARTESTZZ	VT100	TT:	2		1	1	80	24	0	0
SEARTESTZZ				SCREEN	1	1	80	23	0	0
SEARTESTZZ				MS	2	60	10	8	0	0
SEARTESTZZ				MS	2	60	10	8	0	0
FEUJ	VT100	TT:	3		1	1	80	24	0	0
FEUJ				SCREEN	1	1	80	23	0	0

Mag: window mgr

Figure 5-61a (BEFORE)

UTP620144700
1 November 1985




Figure 5-61b (AFTER)

UTP620144700
1 November 1985

Command Line form ff1

(press PF13 VIS Function)

Command L

Command Line

form ff2

form ff6

form ff7

A	B
E	F
I	J

form ff4 for

form ff4

Display:
.....
.....

Msg: Window is selected window mgr

Figure 5-62a (BEFORE)

UTP620144700
1 November 1985

I I S S T E S T B E D V E R S I O N 2.0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Msg: Window is selected

Window mgr

Figure 5-62b (AFTER)

UTP620144700
1 November 1985

IISS TEST BED VERSION 2.0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Reg: Window is selected window 89

Figure 5-63a (BEFORE)

UTP620144700
1 November 1985

Window Manager										
Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTESTZZ	VT100	TT:	1		6	17	36	11	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ	VT100	TT:	2		1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	24	0	0
MENU				SCREEN	1	1	80	23	0	0

Figure 5-63b (AFTER)

UTP620144700
1 November 1985

Window Manager

Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTESTZZ	VT100	TT:	2		6	17	36	11	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ	VT100	TT:	1		1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	24	0	0
MENU				SCREEN	1	1	80	23	0	0

Mag:

window mgr

Figure 5-64a (BEFORE)

UTP620144700
1 November 1985

Command Line form ff1

Command L

Command L

form ff2

form ff2

form ff3

form ff5

form ff6

form ff7

form ff4

form ff8

form ff4

Display:

.....

.....

Msg: ☒ Window is selected

WINDOW MSG

Figure 5-64b (AFTER)

UTP620144700
1 November 1985




Figure 5-65a (BEFORE)

UTP620144700
1 November 1985

IISS TEST BED VERSION 2.0

DATE: TIME: USER ID: ROLE:

FUNCTION: DEVICE TYPE: DEVICE NAME:

Msg: Window is selected

WINDOW MSG

Figure 5-65b (AFTER)

UTP620144700
1 November 1985

ISS TEST BED VERSION 2.0

DATE: 9/ 9/85 TIME: 11:51:58 USER ID: MORENC ROLE: MANAGER

FUNCTION: window DEVICE TYPE: DEVICE NAME:

Msg: 2 Window is selected window mgr

Figure 5-66a (BEFORE)

UTP620144700
1 November 1985

Window Manager										
Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTEST22	VT100	TT:	1		1	1	80	24	0	0
SDARTEST22				SCREEN	1	1	80	23	0	0
SDARTEST22				W3	2	60	10	8	0	0
SDARTEST22				W3	2	60	10	8	0	0
SDARTEST22	VT100	TT:	2		6	17	36	11	0	0
SDARTEST22				SCREEN	1	1	80	23	0	0
SDARTEST22				W3	2	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	24	0	0
MENU				SCREEN	1	1	80	23	0	0

Msg: 0

window mgr

Figure 5-66b (AFTER)

UTP620144700
1 November 1985

Window Manager

Device				Window Name	Location		Display Size		Viewport Offset	
Application	Type	Name	Pri		Row	Col	W	D	Row	Col
SDARTESTZZ	VT100	TT:	2		1	1	80	24	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
SDARTESTZZ	VT100	TT:	1		6	17	36	11	0	0
SDARTESTZZ				SCREEN	1	1	80	23	0	0
SDARTESTZZ				W3	2	60	10	8	0	0
MENU	VT100	TT:	3		1	1	80	24	0	0
MENU				SCREEN	1	1	80	23	0	0

Mag: 0

Window mgr

Figure 5-67a (BEFORE)

1 November 1985

Command Line address 111 fore 111

Command L

Command Line englev 6

fore 112

fore 114 fore

fore 114

fore 116

fore 117

Display:

Reg: 4 Window is selected window 117

Figure 5-67b (AFTER)

UTP620144700
1 November 1985

Command Line form 001

(Press PF12 unselect)

Command Line Command L

form 002

form 004 for

form 004

form 006

form 007

A	B
E	F
I	J

Display:
.....
.....

Msg: ☐ Window is selected window msg

Figure 5-68a (BEFORE)

Command Line		addire u3 ffl		form ffl							
				Command L							
Command Line		chglav 6									
form ffl2				form ffl6							
				form ffl7							
				<table border="1"> <tr> <td>A</td> <td>B</td> </tr> <tr> <td>E</td> <td>F</td> </tr> <tr> <td>I</td> <td>J</td> </tr> </table>		A	B	E	F	I	J
A	B										
E	F										
I	J										
form ffl4		for									
form ffl4											
Display:											
.....											
.....											
Key: ☐ window is unselected											
window mgr											

Figure 5-68b (AFTER)

UTP620144700
1 November 1985

Command Line csladv 25 form f11

Command L

Command Line chgladv 6

form f12

form f14 for

form f14

form f16

form f17

Display:

Msg: 6 Window is unselected window mgr

Figure 5-69a (BEFORE)

UTP620144700
1 November 1985

Command Line		c1s1dv 25		form f11							
		Command L									
form f12		form f12		form f13							
form f14		form f18		form f15							
form f14				form f16							
				form f17							
				<table border="1"> <tr><td>A</td><td>K</td></tr> <tr><td>E</td><td>F</td></tr> <tr><td>I</td><td>J</td></tr> </table>		A	K	E	F	I	J
A	K										
E	F										
I	J										
Display: Closed logical device: 25											
Msg: ☐		window mgr									

Figure 5-69b (AFTER)




Figure 5-70a (BEFORE)

UTP620144700
1 November 1985

ISIS TEST BED VERSION 2.0

DATE: 9/9/85 TIME: 11:51:50 USER ID: POFENC ROLE: MANAGER

FUNCTION: DEVICE TYPE: DEVICE NAME:

Page: 2 Window is selected window key

Figure 5-70b (AFTER)

UTP620144700
1 November 1985

1188 TEST BED VERSION 2.0

DATE: 9/ 9/85 TIME: 11:51:58 USER ID: FIDRENC ROLE: MANAGER

FUNCTION: DEVICE TYPE: DEVICE NAME:

(Press PF4 Quit key)

Msg: 2 Window is selected window msg

Figure 5-71a (BEFORE)

UTP620144700
1 November 1985

\$

Now at Vax Command level

Figure 5-71b (AFTER)

APPENDIX A

COMMANDS FOR ARTEST

Commands are of the form:
command arg1 arg2 ... argn

Where command is the form processor procedure implementing the command and arg1, etc. are the input arguments. Arguments are separated by blank(s) and arguments which contain blanks are enclosed in double quotes.

Window/Form Manipulation

add form to a window	addfrm window_path form_name
delete pages from window	rmvpag window_path page_number
replace page in window	rplfrm window_path page_number form_name
close form	clsfrm form_name

Window/Form Information

get name of form on page n	gpage window_path page_number
get number of pages in window	gwindo window_path

Attributes

change attributes	putatt path dur attribute
get attributes	getatt path dur
put and get temp attributes	tmpatt path dur attribute
change background attributes	putbak path dur attribute
get background attributes	getbak path dur
put and get background	tmpbak path dur attribute

dur is 0) permanent
1) temporary

attributes are:
INPUT, OUTPUT, TEXT, HIDDEN, ERROR

background attributes are:
WHITE, BLACK, XPARNT

Data Manipulation

put data to form/item/array pdata path data
get data from form/item/array gdata instance path
instance is 0=previous, 1=current

Miscellaneous

put cursor to field putcur path
window set(term within term) oisr window_path
parse fully qualified name parfqm level
 with level: 1=first, 2=second,...
 0=last, -1=next to last,...
 Must use pfl6(0) first!!!

Function Keys

pf0(enter) - do command on command line
pfl6(0) - display path name of cursor position
pfl - go to next form processor mode
pf2 - help
pf3 - display message screen
pf4 - quit

for scrolling, press pfl until the mode is scrll/page,
then:

pf5(7) - horizontal scroll forward
pf6(8) - horizontal scroll backward
pf7(9) - vertical scroll forward
pf8(-) - vertical scroll backward
pf9(4) - horizontal page forward
pfl0(5) - horizontal page backward
pfl1(6) - vertical page forward
pfl2(.) - vertical page backward

APPENDIX B

FORMS FOR TESTING THE FORM PROCESSOR

CREATE FORM ff1
PROMPT AT 1 2 "Command Line"
item i0
at 1 70
size 8
display as text
value "form ff1"

item i3
at 21 11
size 8
display as text
value "Display:"

item i4
at 1 20
size 40
display as input
help pathcom

WINDOW w1 (2 v 1)
AT 2 2
SIZE 10 BY 4
display as white

WINDOW w2(2 v 1, 2 H 1)
AT 2 15
SIZE 10 BY 4
display as xparnt

WINDOW w3 at 2 60
size 10 by 8
display as black

form ff2 (2 h 4)
at 12 1
size 12 by 4

form ff3
at 12 32
size 10 by 4

UTP620144700
1 November 1985

form ff4 (2 v 1)
at 16 2
size 10 by 2

form ff5
at 12 43
size 10 by 4

form ff6
at 12 55
size 10 by 4

form ff7
at 12 68
size 10 by 4

form ff8
at 16 13
size 10 by 4

item fqn
at 21 20
size 60 by 3
display as output

CREATE FORM ff2
prompt 1 2 "form ff2"

item 11(2 h 1)
at 2 2
size 2
display as input

item 12
at 3 2
size 3
display as input

create form ff3
prompt 1 2 "form ff3"
item 11(2 v 1, 2 h 1)
at 2 2
size 3
display as input

UTP620144700
1 November 1985

create form ff4
background black
prompt 1 2 "form ff4"

item 11
at 2 2
size 4
display as input

create form ff5
background white
prompt 1 2 "form ff5"

item 11
at 3 3
size 1 by 2
display as input

create form ff6
background xparnt
prompt 1 2 "form ff6"

item 11
at 3 6
size 1 by 4
display as input

create form ff7
prompt 1 2 "form ff7"
item 11(3/6 v 0, 2/4 h 1)
at 2 2
size 1
display as input

create form ff8
prompt 1 2 "form ff8"

item 11
at 1 2
size 8
display as input

create form ff9
prompt 1 2 "form ff9"

item 11
at 2 2
size 8
display as input

window w4
at 3 1
size 10 by 5
display as black

create form pathcom
prompt 1 9 "Commands for ARTEST"
prompt 2 9 "-----"
prompt 3 9 "add form to a window addrfm window form"
prompt 4 9 "delete pages from window rmvpag window page"
prompt 5 9 "replace page in window rplfrm window page form"
prompt 6 9 "close form clsfrm form"
prompt 7 9 "put data to form item array pdata path data"
prompt 8 9 "get data from form item array gdata
 inst(0-prev,1-cur) path"
prompt 9 9 "change attributes: foreground putatt path
 dur(prm=0,tmp=1) attrib"
prompt 10 9 "get attributes: foreground getatt path
 dur(prm=0,tmp=1)"
prompt 11 9 "put and get temp attributes(f) tmpatt path dur
 attrib"
prompt 12 9 "change attributes: background putbak path
 dur(prm=0,tmp=1) attrib"
prompt 13 9 "get attributes: background getbak path
 dur(prm=0,tmp=1)"
prompt 14 9 "put and get temp attributes(b) tmpbak path dur
 attrib"
prompt 15 9 "get name of form on page n gpage window page"
prompt 16 9 "get number of pages in window gwindo window"
prompt 17 9 "put cursor to field putcur path"
prompt 18 9 "window set(term within term) oiscr path"
prompt 19 9 "parse fully qualified name parfqn
 lev(0-1st,1-fst,-1-nxt21st,etc)"
prompt 20 9 " Must use pf16(0)
 first"
prompt 21 9 "Function Keys"
prompt 22 9 "-----"
prompt 23 9 "pf16(0) - display path name of cursor position"

END

8-87

DTIC