

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER IIHR Report No. 316	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Ship Hydrodynamics Research at Iowa Institute of Hydraulic Research 1982-1987		5. TYPE OF REPORT & PERIOD COVERED Final Technical Report Nov 1982 - May 1987
		6. PERFORMING ORG. REPORT NUMBER IIHR Report No. 316
7. AUTHOR(s) V.C. Patel, L. Landweber, A.T. Chwang, F. Stern, and H.C. Chen		8. CONTRACT OR GRANT NUMBER(s) N00014-83-K-0136
9. PERFORMING ORGANIZATION NAME AND ADDRESS Iowa Institute of Hydraulic Research The University of Iowa Iowa City, Iowa 52242-1585		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 432b-002
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research 800 N Quincy St, Arlington, VA 22217		12. REPORT DATE July 1987
		13. NUMBER OF PAGES 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Office of Naval Research 536 S. Clark Street Chicago, Illinois 60605		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Ship hydrodynamics; irrotational flow; waves; viscous-inviscid interactions; ship boundary layers; wakes; numerical solutions		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This Final Technical Report presents an overview of research conducted under ONR sponsorship during the period November 1982 through May 1987, and pro- vides a guide to the many publications which describe the results of the re- search in detail. The principal areas of research have included irrotational flows and free-surface waves, interactions between viscous and inviscid phen- omena in ship hydrodynamics, and numerical methods for the solution of viscous- flow equations with special reference to applications in ship hydrodynamics.		

DD FORM 1473

1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SHIP HYDRODYNAMICS RESEARCH AT IOWA INSTITUTE OF HYDRAULIC RESEARCH, 1982-1987.

by

✓ V. C. Patel, L. Landweber, A. T. Chwang,
F. Stern, and H. C. Chen

sponsored by

Office of Naval Research
Accelerated Research Initiative (Special Focus) Program in
Ship Hydrodynamics
Contract N00014-83-K-0136
Work Unit No. 432b-002



IIHR Report ~~No.~~ 316

Iowa Institute of Hydraulic Research
The University of Iowa
Iowa City, Iowa 52242-1585

July 1987

Approved for Public Release; Distribution Unlimited

**SHIP HYDRODYNAMICS RESEARCH AT
IOWA INSTITUTE OF HYDRAULIC RESEARCH
1982-1987**

sponsored by

**Office of Naval Research
Accelerated Research Initiative (Special Focus) Program in
Ship Hydrodynamics**

**Contract N00014-83-K-0136
Work Unit No. 432b-002**

by

**V.C. Patel, L. Landweber, A.T. Chwang,
F. Stern, and H.C. Chen**

IIHR Report No. 316

**Iowa Institute of Hydraulic Research
The University of Iowa
Iowa City, Iowa 52242-1585**

July 1987

Approved for Public Release; Distribution Unlimited

TABLE OF CONTENTS

I.	INTRODUCTION.....	1
II.	RESEARCH HIGHLIGHTS.....	1
A.	Irrotational Flow and Surface Waves.....	1
1.	Forces and moments on bodies.....	1
2.	Wave-trapping due to a porous plate.....	1
3.	Free-surface around a vertical cylinder.....	2
4.	An optimal finite-difference method.....	2
B.	Viscous-Inviscid Interaction.....	3
1.	Viscous effects on ship wavemaking resistance.....	3
2.	Free-surface flow ahead of two-dimensional bodies.....	4
3.	Effects of waves on the boundary layer of a surface- piercing body.....	5
4.	Viscous-inviscid interaction with higher-order viscous-flow equations.....	6
C.	Development of a Numerical Method for Viscous Flow Around Ship Hulls.....	6
1.	Stern and wake flows.....	7
2.	Fully-elliptic method.....	7
D.	Development of IIHR Research Facilities.....	9
III.	PUBLICATIONS RESULTING FROM THIS PROJECT.....	9
IV.	CONCLUDING REMARKS.....	14
	ACKNOWLEDGEMENTS.....	14

I. INTRODUCTION

The principal purpose of the Special Focus Research Program, later termed Accelerated Research Initiative Program, in Ship Hydrodynamics at the Institute of Hydraulic Research (IIHR) was to address a number of very basic fluid flow phenomena which are peculiar to ship hydrodynamics and which remained poorly understood. Among the topics identified for special attention were flow phenomena at the bow, the effects of the free surface on the hull boundary layer, and the complex turbulent shear flow over the stern and in the wake. The results of the research in these areas are summarized below.

II. RESEARCH HIGHLIGHTS

A. Irrotational Flow and Surface Waves

1. Forces and moments on bodies

Several contributions were made in continuation of research previously supported by ONR under a separate contract. Among these are the following:

- a) A previously published paper (Landweber and Miloh, "Unsteady Lagally Theorem for Multipoles and Deformable Bodies," J.Fluid Mech., Vol. 96, Part 1, 1980) did not include the derivations of residues of multipole integrals required in the treatment. These were presented at a 1985 Symposium at the University of Michigan, in Honor of Professor C.S. Yih, and published as an IIHR Report [1].
- b) A new, asymptotic formula for the force on a body in a weakly nonuniform flow has been derived. The result, expressed in terms of added masses, is similar to the one-dimensional formulas of G.I. Taylor and J.N. Newman for steady, one-dimensional motion, but is generalized to include body rotation and unsteady flow. This work has not yet been published.
- c) Formulas, expressing added masses and added moments of inertia of a single body, moving in an otherwise undisturbed fluid in terms of singularities within the body, have been extended to the case of a pair of bodies. A paper on this subject has been prepared [2].

2. Wave-trapping due to a porous plate

The reflection and transmission of small-amplitude surface waves by a vertical porous plate fixed in an infinitely long channel of constant depth, and the wave-trapping by a thin porous plate fixed near the end of a semi-infinitely long open channel of constant depth have been investigated. Analytical solutions in closed forms were obtained for the surface wave profile and the net hydrodynamic force acting on the plate. A porous-effect parameter and a Reynolds number associated with the flow passing through the plate were introduced. It was found that, when the distance between the plate and the channel end-wall is equal to a quarter-wavelength plus a multiple of half-wavelength of the incident wave, the reflected wave amplitude reduces to a minimum. Thus, the porous plate together with the fluid between it and the channel end-wall acts as a wave absorber or eliminator. The effect of nonlinear porous flow, governed by the square law of resistance, on the resulting surface waves was also studied. It is found that higher harmonic waves are generated by the nonlinearity. The results of these studies are reported in publications [3], [4] and [5].

3. Free-surface around a vertical cylinder

Analytical and experimental investigations have been carried out to study the nonlinear free-surface flow around an impulsively started vertical cylinder [6-9]. The analytical solutions for the velocity potential and free-surface elevation were derived up to the third order by the small-time-expansion method. The hydrodynamic pressure acting on the cylinder wall was also obtained. It was found that, during the initial stage of this impulsive motion, no travelling free-surface waves are present. The fluid simply piles up on the upwind face and a reverse motion appears on the downwind face. In the experiments, measurements of the free-surface elevation ahead of the cylinder and pressure distributions on the cylinder were made in an open channel of constant water depth. The experimental results of the free-surface elevation agreed fairly well with the analytical solutions, particularly in the far field. The pressure distributions on the cylinder were also in satisfactory agreement with the theoretical predictions.

4. An optimal finite-difference method

An "optimal" finite-difference (FD) method for two-dimensional potential flows was studied. The nine-point FD coefficients for Laplace equations were derived for rectangular cells with an arbitrary length-to-width ratio r . When the value of r^2 is between 5 and $1/5$, the present nine-point formula agrees exactly with the corresponding formula of Manohar and Stephenson, with a sixth-order truncation error. It reduces to the best nine-point formula of Bickley, Kantorovich and Krylov, and Greenspan for square cells with an eighth-order truncation error. For r^2 greater than 5 or less than $1/5$, the truncation error of the present formula is of the fourth order. The accuracy and performance of the present optimal FD formula was compared with the finite-analytic (FA) formula of Chen and Li and an alternative FA formula with trigonometric boundary approximations [10, 11]. It is found that the present FD formula gives the best result regardless of the value of r . An example of potential flow in a channel with an abrupt change in its width is also given.

B. Viscous-Inviscid Interaction

1. Viscous effects on ship wavemaking resistance

The primary goal of this project was to incorporate viscous effects into the calculation of ship wavemaking resistance. This has led to enhancements of both irrotational-flow theory, and experimental and numerical work on ship boundary layers. The Wigley parabolic ship form was selected for this study.

Measurements of the boundary-layer characteristics of a 10-ft Wigley model at various Froude numbers were undertaken in the Iowa Towing Tank. These were required in a procedure for correcting wave-resistance calculations for viscous effects, proposed by Landweber in his David Taylor and Georg Weinblum Lectures, and would also serve as a data base for evaluating algorithms for computing ship boundary layers. This work resulted in a paper on the boundary layer on the hull near the free surface [12] and culminated in the Ph.D. thesis by A. Shahshahan [13] and an IIHR report by Shahshahan and Landweber [14]. It was found that the correction for viscous effects greatly improved the agreement with the "measured" values of the wave resistance.

The aforementioned wavemaking-correction theory applies to a body with a centerplane singularity distribution. In order to use this theory, it was necessary to determine whether the Wigley form could be represented by a centerplane distribution. A new slender-body procedure, employing conformal mapping of ship sections, was developed to determine whether a centerplane distribution existed and to find it if it did exist [15, 16, 17]. It was found that the Wigley form did not have a centerplane distribution, but that a slightly modified form did. This new approach to slender-body theory has yielded the following additional results:

- a) Ellipsoids have an exact, closed-form, slender-body centerplane distribution.
- b) Ship forms with ogival sections have centerplane distributions.
- c) Computed values of ship wavemaking resistance, with or without the viscous correction, are in better agreement with measurements with the slender-body rather than the Michell thin-ship centerplane distribution at Froude numbers up to 0.3. This result is in sharp contrast with that from the established slender-body theory which has been judged to be useless for wave-resistance calculations [15, 16, 17].
- d) Since the integral equation for a centerplane distribution is of the first kind, a numerical solution by iteration may not converge to the exact solution even when it exists. It was shown [17], however, that one iteration, employing the slender-body solution as the previous approximation, yields an improved approximation over the entire body, especially near the bow and stern where the errors of the slender-body solution may be large.

2. Free-surface flow ahead of a two-dimensional body

This work is part of a continuing study of flow phenomena near a ship bow. At IIHR, the occurrence of a zone of separation ahead of surface piercing bodies and vortex formation around and along the bow had previously been reported in an M.S. thesis by A. Shahshahan in 1981. Analysis of the equations of viscous flow with the free-surface boundary conditions and the effects of surface tension yielded a prediction of the location of a stagnation

point ahead of a bow and, by applying an integral method, the characteristics of the free-surface boundary layer. This work is reported in the paper by Patel et al. [18]. Subsequently, this work was refined by Tang, who also developed numerical methods for the solution of both the steady and unsteady two-dimensional Navier-Stokes equations with the exact boundary conditions. He applied his computer programs to the case of solitary waves and several two-dimensional surface-piercing bodies. This work is reported in his Ph.D. thesis [19].

3. Effects of waves on the boundary layer of a surface-piercing body

This theoretical and experimental investigation was undertaken with the objectives of determining the fundamental aspects of the effects of waves on the boundary layer of a surface-piercing body and of developing a numerical method for calculating ship boundary layers for nonzero Froude numbers. The problem has been formulated in a rigorous manner in which proper consideration is given to the viscous free-surface boundary conditions. Order-of-magnitude estimates were derived for the body-boundary-layer/free-surface juncture region. These showed that this region is analogous to the flow in a stream-wise corner in that a consistent formulation requires the solution of higher-order viscous-flow equations. Numerical results have been obtained for both laminar and turbulent flow for the model problem of a combination Stokes-wave/flat-plate [20-23]. For this initial investigation, the usual thin-boundary-layer equations were solved using a three-dimensional implicit finite-difference method. The calculations demonstrated and quantified the influence of waves on boundary layer development, including the occurrence of wave-induced separation. Calculations were made using both small-amplitude-wave and more approximate free-surface boundary conditions. Both the external-flow pressure gradients and the free-surface boundary conditions were shown to have a significant influence. The former penetrates to a depth of about half the wave length and the latter is confined to a region very close to the free surface. Extensions of the theoretical work have been made for more practical ship forms.

A towing-tank experiment has been performed for the purposes of documenting wave effects on boundary-layer development and validating the aforementioned theoretical work. The model geometry was designed specifically to

simulate the Stokes-wave/flat-plate flow field. Detailed boundary-layer velocity-profile measurements have been made for three wave-steepness conditions. These experiments are the most detailed measurements, to date, documenting free-surface effects on boundary-layer development. The experimental and theoretical results are compared and discussed in [24].

4. Viscous-inviscid interaction with higher-order viscous-flow equations

The partially-parabolic Reynolds equations have been coupled with an inviscid-flow solution procedure to develop a viscous-inviscid interaction method to be used for three-dimensional flows which cannot be treated by means of the classical boundary-layer equations (e.g., ship sterns, bodies at incidence, interacting shear layers, and solid-solid and solid-fluid corners). The method has the following distinctive features: the governing equations are derived in nonorthogonal curvilinear coordinates with velocity components along the coordinate directions; an implicit finite-difference scheme is used with the SIMPLER algorithm for pressure-velocity coupling; interaction between the viscous and inviscid regions is accounted for using the displacement-body concept; the inviscid flow is calculated using a conforming-panel, source panel method; the $k-\epsilon$ model is used for turbulent-flow applications; and both algebraic and numerically-generated grids are used. The method has been used to evaluate the relative merits of interactive and global solution procedures by comparing the viscous-inviscid interaction solutions with large-domain solutions of only the viscous-flow equations. The method has been tested, thus far, for two-dimensional, axisymmetric, and simple three-dimensional flows [25-29].

C. Development of a Numerical Method for Viscous Flow Around Ship Hulls

Considerable effort has been devoted since the inception of this research program to the development of a general numerical method for the computation of the viscous flow around ship hulls. Initially it was decided to confine our attention to the flow over the stern and in the wake because it was generally assumed that established boundary-layer methods could be used quite effectively for the flow at the bow and over the middle body, at least for the case without a free surface. This led to the development of a method for the

solution of the so-called partially-parabolic, Reynolds-averaged Navier-Stokes equations. The generality of the approach used in the construction of this method, however, was such that it could be readily extended to solve the complete Reynolds equations. The achievements of the former and the progress made in the latter are summarized in the following two sections.

1. Stern and wake flows

Following a critical review of experimental information on thick boundary layers over ship sterns and on ship wakes, Patel [30] identified a number of important physical and numerical features which needed to be addressed and resolved in order to develop a comprehensive method for the prediction of such flows for practical configurations. As a result, a fully-implicit, time-marching numerical method was developed for the solution of the partially-parabolic Reynolds-averaged Navier-Stokes equations. This method incorporated state-of-the-art numerical grid-generation techniques, the novel finite-analytic discretization scheme for the transport equations of momenta and turbulence parameters, the two-equation k - ϵ turbulence model with a special treatment of the wall boundary conditions, and a rapidly converging global velocity-pressure coupling algorithm. With this method, solutions could be routinely obtained on a minicomputer, such as a Prime 9950, in a matter of minutes. This method, which is described in detail in [31], has been applied to solve a variety of two-dimensional [31] and axisymmetric [31, 32] trailing-edge and wake flows. Its applications to three-dimensional bodies and ship forms are reported in [31, 33, 34]. The development of this time-marching, three-dimensional, partially-parabolic method also made it possible to undertake the separately funded research program in propeller-hull interaction (Contract N00014-85-K-0347).

2. Fully-elliptic method

The partially-parabolic approximations are sufficient for a very large class of flows encountered in practice, including ship stern and wake flows. However, as a result of the generality that was incorporated in the formulation of our partially-parabolic method, it soon became evident that its numerical components could be readily generalized for the solution of the complete,

fully-elliptic, Reynolds-averaged Navier-Stokes equations without a significant penalty in computing times. The need for such fully-elliptic solutions arises in the treatment of separating and separated flows. Considerable progress has been made in refining the physical components of the method towards the goal of developing a method suitable for the solution of the flow around complete three-dimensional bodies, e.g., the flow around a ship form, or the flow past a body with appendages. Among the major accomplishments are the following:

- a) The fully-elliptic capabilities of the numerical method have been demonstrated through its applications in two-dimensional [35] and axisymmetric [36] laminar flows. The latter reference describes flow separation on a spheroid and closure of the bubble in the wake. Applications to a variety of ship forms are described in [37].
- b) There are many turbulent flows in which the popular wall-function approach of treating the boundary conditions on surfaces becomes unreliable. Among the most important are flows with regions of separation, and unsteady and three-dimensional flows. Previous attempts to formulate the so-called near-wall, or low Reynolds number, turbulence models have not been particularly successful. We have shown that this difficulty can be overcome in a very economical way by combining a simple turbulence model for the wall region with a more elaborate one for the flow farther from the wall. Several versions have been tested thus far [38, 39, 40, 41] together with the fully-elliptic numerical schemes. The results indicate that a major hurdle in the accurate resolution of complex three-dimensional flows can be removed by such two-layer treatments of turbulence models. Other model combinations are also possible.
- c) The original partially-parabolic method, like many other modern numerical methods for three-dimensional flows, employed partially-transformed equations, namely those in which the velocity components are left in a convenient orthogonal coordinate system. Since this approach may prove restrictive for certain types of applications (e.g., in the treatment of strongly three-dimensional flows), the fully-transformed equations for three-dimensional laminar and turbulent flows in generalized nonorthogonal coordinates have been derived

[42]. The fully-transformed elliptic equations have been solved for a variety of two-dimensional flows with highly curved surfaces [40, 43] in order to explore the advantages and difficulties before attempting more general three-dimensional flows.

D. Development of IIHR Research Facilities

The CRAY-XMP supercomputer at the Naval Research Laboratory (NRL) has been used to perform some of the ship-stern calculations mentioned in the previous section. In addition, some computer time was obtained at the Illinois and San Diego Supercomputer Centers, sponsored by NSF, in support of our computational effort in ship hydrodynamics. A terminal dedicated to work requiring supercomputers has been installed at IIHR. The University of Iowa is now an Affiliate of the National Center for Supercomputer Applications (NCSA) and will soon acquire a node on the NSFNET or MIDNET. When this becomes available, it will provide us with a high-speed access to several supercomputers and greatly increase our computational capabilities in ship hydrodynamics.

The three-component, fiber-optics, LDA system, financed in part by the DoD-University Research Instrumentation Program (Grant No. N00014-84-G-0156) in support of the research being performed under the present contract, was delivered by TSI Inc. to IIHR in August 1986. The design of this unique system was the result of a close collaboration between IIHR and TSI engineers. This system, which has generated worldwide interest, is now undergoing systematic evaluations. When these tests are completed, it will be available to conduct a variety of experiments in three-dimensional flows.

Construction of the Institute's 1.8 x 1.5 meter (6 x 5 ft) low-turbulence wind tunnel has been completed. The working section of this tunnel has been designed to facilitate the use of the three-component LDA system. Tunnel calibration is now in progress.

III. PUBLICATIONS RESULTING FROM THIS PROJECT

- [1] Landweber, L., "Residues of Integrals with Three-Dimensional Multipole Singularities, with Application to the Lagally Theorem," IIHR Report No. 290, July 1985.

- [2] Landweber, L. and Chwang, A.T., "Generalization of Taylor's Added-Mass Formula for Two Bodies," submitted to J. Ship Research, June 1987.
- [3] Chwang, A.T., "Wave-Trapping due to a Porous Wavemaker," Bull. American Physical Society, Vol. 28, 1983, pp. 1384-1385.
- [4] Chwang, A.T. and Li, W., "A Piston-Type Porous Wavemaker Theory," J. Engineering Mathematics, Vol. 17, 1983, pp. 301-313.
- [5] Chwang, A.T. and Dong, Z., "Wave-Trapping due to a Porous Plate," Proc. 14th ONR Symp. on Naval Hydrodynamics, Hamburg, MI, 1984, pp. 407-417.
- [6] Chwang, A.T. and Wang, K.H., "Nonlinear Impulsive Force on an Accelerating Container," ASME, J. Fluids Engineering, Vol. 106, 1984, pp. 233-240.
- [7] Wang, K.H. and Chwang, A.T., "Nonlinear Impulsive Force on a Vertical Cylinder," Proc. Fifth ASCE EMD Specialty Conference, Laramie, WY, 1984, pp. 859-862.
- [8] Wang, K.H. and Chwang, A.T., "Nonlinear Free-Surface Flow around a Vertical Cylinder," Bull. American Physical Society, Vol. 29, 1984, p. 1575.
- [9] Wang, K.H. and Chwang, A.T., "Flow around an Impulsively Starting Vertical Cylinder," Proc. ASCE Specialty Conference on Adv. in Aerodynamics, Fluid Mechanics, and Hydraulics, Minneapolis, MN, 1986, pp. 322-328.
- [10] Chwang, A.T. and Chen, H.C., "On Optimal Finite-Difference Method," Bull. American Physical Society, Vol. 31, p. 1700.
- [11] Chwang, A.T. and Chen, H.C., "Optimal Finite-Difference Method for Potential Flows," J. Engineering Mechanics, 1987 (in press).
- [12] Shahshahan, A. and Patel, V.C., "The Boundary Layer at Hull-Wave Intersection," Proc. 18th Midwestern Mech. Conference, Iowa City, IA, May 1983, pp. 421-423.

- [13] Shahshahan, A., "Effects of Viscosity on Wavemaking Resistance of a Ship Model," Ph.D. Thesis, The Univ. of Iowa, August 1985.
- [14] Shahshahan, A. and Landweber, L., "Interactions between Wavemaking and the Boundary Layer and Wake of a Ship Model," IIHR Report No. 302, May 1986.
- [15] Landweber, L., "Centerline Distributions as Solutions of Neumann Problems for Ogivelike Forms," Proc. 18th Midwestern Mech. Conference, Iowa City, IA May 1983, pp. 114-127. Also available as IIHR Report No. 265, August 1983.
- [16] Landweber, L. and Ju, S., "A Slender-Body Solution for the Centerplane Distribution for the Wigley Ship Form," Second Workshop on Ship Wave Resistance Calculations, DWTNSRDC, Nov. 1983.
- [17] Hsu, P.P., "Centerplane Source Distribution for Slender Bodies," Ph.D. Thesis, The Univ. of Iowa, May 1987.
- [18] Patel, V.C., Landweber, L. and Tang, C.J., "Free-Surface Boundary Layer and the Origin of Bow Vortices," Proc. Second Intern. Symp. on Ship Viscous Resistance, SSPA, Gothenburg, Sweden, 1985, pp. 23.1 - 23.13; also, IIHR Report No. 284, Oct. 1984.
- [19] Tang, C.J., "Free-Surface Flow Phenomena ahead of a Two-Dimensional Body in a Viscous Fluid," Ph.D. Thesis, The Univ. of Iowa, May 1987.
- [20] Stern, F., "Effects of Waves on the Boundary Layer of a Surface-Piercing Body," IIHR Report No. 288, May 1985.
- [21] Stern, F., "The Influence of Wavemaking by Surface-Piercing Bodies on Their Boundary-Layer Development," Proc. 4th Int. Conf. on Numerical Ship Hydro., Washington D.C., September 1985, pp. 383-406.

- [22] Stern, F., "The Effects of Waves on the Boundary Layer of a Surface-Piercing Flat Plate," Proc. ASCE Specialty Conf. in Adv. in Aerodynamics, Fluid Mechanics and Hydraulics, Minneapolis, MN, 1986, pp. 373-401.
- [23] Stern, F., "Effects of Waves on the Boundary Layer of a Surface-Piercing Body," J. Ship Research, Vol. 30 1986, pp. 256-274.
- [24] Stern, F., Hwang, W.S. and Jaw, S.Y., "Effects of Waves on the Boundary Layer of a Surface-Piercing Flat Plate: Experiment and Theory," IIHR Report in preparation. Also, to be submitted to J. Ship Research.
- [25] Stern, F., Yoo, S.Y. and Patel, V.C., "Viscous-Inviscid Interaction with Higher-Order Viscous-Flow Equations," IIHR Report No. 304, August 1986.
- [26] Stern, F., Yoo, S.Y. and Patel, V.C., "Interaction and Large-domain Solutions of Higher-Order Viscous-Flow Equations," submitted to AIAA Journal, October 1986.
- [27] Yoo, S.Y., "Viscous-Inviscid Interaction with Higher-Order Viscous-Flow Equations," Ph.D. Thesis, The University of Iowa, December 1986.
- [28] Yoo, S.Y., Stern, F. and Patel, V.C., "Viscous-Inviscid Interaction with Higher-Order Viscous-Flow Equations: Applications to Three-Dimensional Bodies," IIHR Report No. 307, March 1987.
- [29] Yoo, S.Y., Stern, F. and Patel, V.C., "Comparison of Interactive and Large-Domain Solutions of Higher-Order Viscous-Flow Equations for Three-Dimensional Bodies," submitted to AIAA Journal, March 1987.
- [30] Patel, V.C., "Some Aspects of Thick Three-Dimensional Boundary Layers," Proc. 14th ONR Sym. Naval Hydrodyn., Ann Arbor, MI, 1982, pp. 999-1040.
- [31] Chen, H.C. and Patel, V.C., "Calculation of Trailing Edge, Stern and Wake Flows by a Time-Marching Solution of the Partially-Parabolic Equations", IIHR Report No. 285, April 1985; revised Feb. 1987.

- [32] Patel, V.C. and Chen, H.C., "The Flow over Tail and in Wake of Axisymmetric Bodies: A Review of the State-of-the-Art," J. Ship Research, Vol. 30, 1986, pp. 201-214.
- [33] Chen, H.C. and Patel, V.C., "Calculation of Stern Flows by a Time-Marching Solution of the Partially-Parabolic Equations," Proc. 15th ONR Sym. Naval Hydrodyn., Hamburg, 1984, pp. 505-523.
- [34] Chen, H.C. and Patel, V.C., "Numerical Solutions of the Flow over the Stern and in the Wake of Ship Hulls," Proc. 4th Int. Conf. Numerical Ship Hydrodyn., Washington, D.C., 1985, pp. 492-511.
- [35] Chen, H.C. and Patel, V.C., "Laminar Flow at the Trailing Edge of a Flat Plate," AIAA Journal, Vol. 25, No. 7, 1987, pp. 920-928.
- [36] Patel, V.C. and Chen, H.C., "Fully-Elliptic Large-Domain Solutions of Trailing-Edge Flows, Including Separation," Proc. 11th USAF-FRG Data Exchange Agreement Meeting, Wright Patterson AFB, Dayton, OH, June 1986.
- [37] Patel, V.C., Chen, H.C. and Ju, S., "Fully-Elliptic Solutions of the Reynolds-Averaged Navier-Stokes Equations for Ship Stern and Wake Flows," IIHR Report in preparation, 1987.
- [38] Patel, V.C. and Chen, H.C., "Turbulent Wake of a Flat Plate," AIAA Journal, to appear, 1987.
- [39] Chen, H.C. and Patel, V.C., "Practical Near-Wall Turbulence Models for Complex Flows Including Separation," 19th AIAA Fluid Dynamics, Plasma Dynamics and Laser Conference, Hawaii, June 1987; AIAA-87-1300, submitted to AIAA Journal.
- [40] Richmond, M.C. and Patel, V.C., "Pressure Gradient and Surface Curvature Effects in Turbulent Boundary Layers", 19th AIAA Fluid Dynamics, Plasma Dynamics and Laser Conference, Hawaii, June 1987; AIAA-87-1301.

- [41] Chen, H.C. and Patel, V.C., "The Wake of an Axisymmetric Body With or Without Separation," Proc. 6th Sym. Turbulent Shear Flows, Toulouse, France, Sept. 1987.
- [42] Richmond, M.C., Chen, H.C. and Patel, V.C., "Equations of Laminar and Turbulent Flows in General Curvilinear Coordinates," IIHR Report No. 300, Feb. 1986.
- [43] Richmond, M.C., "Assessment of Pressure-Gradient and Curvature Effects in Boundary Layers from the Perspective of the Reynolds-Averaged Navier-Stokes Equations," Ph.D. Thesis, The University of Iowa, July 1987.

IV. CONCLUDING REMARKS

Research in ship hydrodynamics undoubtedly received a major boost as a result of the innovative Accelerated Research Initiative (Special Focus) Program of ONR. The accomplishments in the research conducted have been summarized above. It is expected that the effect of this high level of activity will be felt for a long time in the academic and research programs at The University of Iowa.

ACKNOWLEDGEMENTS

The research described herein was sponsored, either wholly or in part, by the Office of Naval Research (ONR) under the Accelerated Research Initiative (Special Focus) Program in Ship Hydrodynamics, Contract N00014-83-K-0136. The participants in this program, who have included faculty, research scientists, graduate and undergraduate students, and visiting scientists, are grateful to the ONR Program Managers, notably Dr. C.M. Lee and Mr. J. Fein, for their encouragement and support.

DISTRIBUTION LIST FOR TECHNICAL REPORTS
ONR FLUID DYNAMICS PROGRAM (HYDRODYNAMICS)

Defense Technical Information
Center
Information Facility
Alexandria, VA 22314
12 copies

NASA Scientific and Technical
Information Facility
P.O. Box 8757
Baltimore/Washington
International Airport
Maryland 21240

Office of Naval Research
Code 432F
800 N. Quincy Street
Arlington, VA 22217
3 copies

Professor Bruce Johnson
U.S. Naval Academy
Hydromechanics Laboratory
Annapolis, MD 21402

Library
David Taylor Naval Ship Research
and Development Center
Code 522.1
Bethesda, MD 20084

Library
U.S. Naval Academy
Annapolis, MD 21402

The Society of Naval Architects and
Marine Engineers
One World Trade Center, Suite 1369
New York, NY 10048

Technical Library
Naval Coastal System Center
Panama City, FL 32401

Technical Library
Naval Ship Engineering Center
Philadelphia Division
Philadelphia, PA 19112

Naval Research Laboratory
Code 2627
Washington, DC 20375

Library
Naval Sea Systems Command
Code 09GS
Washington, DC 20362

Dr. O.M. Griffin
Code 5841
Naval Research Laboratory
Washington, DC 20375

Dr. T.F. Zien
Code R44
Naval Surface Weapons Center
White Oak Lab.
Silver Spring, MD 20910

Dr. W.K. Blake
Code 1905.1
DTNSRDC
Bethesda, MD 20854

Dr. T.T. Huang
Code 1542
DTNSRDC
Bethesda, MD 20084

Dr. E.P. Rood
Code 1543
DTNSRDC
Bethesda, MD 20084

Prof. T. Sarpkaya
Dept. of Mechanical Engineering
Code 69-SL
Naval Postgraduate School
Monterey, CA 93940

Dr. W.C. Lin
Code 152
DTNSRDC
Bethesda, MD 20084

Mr. J.H. McCarthy
Code 154
DTNSRDC
Bethesda, MD 20084

Mr. D.S. Cieslowski
Code 156
DTNSRDC
Bethesda, MD 20084

Mr. V.J. Monacella
Code 1504
DTNSRDC
Bethesda, MD 20084

Dr. B. Yim
Code 154.1
DTNSRDC
Bethesda, MD 20084

Dr. Hans Lugt
Code 1802
DTNSRDC
Bethesda, MD 20084

Dr. H. Haussling
Code 1843
DTNSRDC
Bethesda, MD 22084

Mr. W.C. Sandberg
Code 55W33
Naval Sea Systems Command
Washington, DC 20362

Mr. E.N. Comstock
Code 55W3
Naval Sea Systems Command
Washington, DC 20362

Dr. A.L. Slafkosky
Scientific Advisor
Commandant of the Marine Corps
Code AX
Washington, DC 20380

Maritime Administration
Office of Maritime Technology
14th & E Streets, NW
Washington, DC 20230

Maritime Administration
Division of Naval Architecture
14th & E Streets, NW
Washington, DC 20230

Lorenz G. Straub Library
University of Minnesota
St. Anthony Falls Hydraulic
Laboratory
Minneapolis, MN 55414

Technical Library
Naval Ocean Systems Center
San Diego, CA 92152

Librarian
University of California
Department of Naval
Architecture and Offshore
Engineering
Berkeley, CA 94720

Technical Library
Webb Institute of Naval
Architecture
Glen Cove, NY 11542

Library
Stevens Institute of Tech.
Davidson Laboratory
Castle Point Station
Hoboken, NJ 07030

R.E. Gibson Library
The Johns Hopkins University
Applied Physics Laboratory
Johns Hopkins Road
Laurel, MD 20810

Library
Naval Postgraduate School
Monterey, CA 93940

Librarian
Naval Surface Weapons Center
White Oak Laboratory
Silver Spring, MD 20910

Technical Library
Naval Underwater Systems
Center
Newport, RI 02840

Library
Department of Ocean
Engineering
Massachusetts Institute of
Technology
Cambridge, MA 01778

Engineering Societies Library
345 East 47th Street
New York, NY 10017

Library
Dept. of Naval Architecture
and Marine Engineering
University of Michigan
Ann Arbor, MI 48109

Librarian Station 5-2
Coast Guard Headquarters
NASSIF Building
400 Seventh Street, SW
Washington, DC 20591

Library
Applied Research Laboratory
The Pennsylvania State University
P.O. Box 30
State College, PA 16801

Library of Congress
Science and Technology Division
Washington, DC 20540

Library
Marine Physical Laboratory
Scripps Institution of Oceanography
University of California @ San Diego
San Diego, CA 92152

Library
Applied Research Laboratories
University of Texas at Austin
Austin, TX 78712

Library
Woods Hole Oceanographic Institution
Woods Hole, MA 02543

Editor
Applied Mechanics Review
Southwest Research Institute
8500 Culebra Road
San Antonio, TX 78206

Library
Institute of Hydraulic Research
The University of Iowa
Iowa City, IA 52242

Library
Southwest Research Institute
8500 Culebra Road
San Antonio, TX 78228

Professor Robert E. Falco
Michigan State University
Department of Mechanical Engineering
East Lansing, MI 48824

Mr. Dennis Bushnell
NASA Langley Research Center
Langley Station
Hampton, VA 23365

Dr. A.K.M. Fazle Hussain
University of Houston
Department of Mechanical Engineering
Houston, TX 77004

Professor John L. Lumley
Cornell University
Sibley School of Mechanical and
Aerospace
Engineering
Ithaca, NY 14853

Professor W.W. Willmarth
The University of Michigan
Department of Aerospace Engineering
Ann Arbor, MI 48109

Professor A. Roshko
California Institute of Technology
Graduate Aeronautical Laboratories
Pasadena, CA 91125

Professor J.T.C. Liu
Brown University
Division of Engineering
Providence, RI 02912

Professor Patrick Leehey
Massachusetts Institute of
Technology
Department of Ocean Engineering
Cambridge, MA 02139

Professor Eli Reshotko
Case Western Reserve University
Department of Mechanical and
Aerospace Engineering
Cleveland, OH 44106

Dr. Steven A. Orszag
Cambridge Hydrodynamics, Inc.
P.O. Box 1403
Princeton, NJ 08542

Professor Tuncer Cebeci
California State University
Mechanical Engineering Department
Long Beach, CA 90840

Dr. C.W. Hirt
University of California
Los Alamos Scientific Laboratory
P.O. Box 1663
Los Alamos, NM 87544

Prof. Marshall P. Tulin
Department of Mechanical and
Environmental Engineering
University of California at Santa
Barbara
Santa Barbara, CA 93106

Prof. Jin Wu
College of Marine Studies
University of Delaware
Lewes, DE 19958

Dr. R.J. Hansen
Code 5844
Naval Research Laboratory
Washington, DC 20375

Prof. S.G. Rubin
Department of Aerospace
Engineering and
Applied Mechanics
University of Cincinnati
Cincinnati, OH 45221

Professor S.F. Shen
Sibley School of Mechanical and
Aerospace Engineering
Cornell University
Ithaca, NY 14850

Prof. J.E. Kerwin
Department of Ocean Engineering
Massachusetts Institute of
Technology
Cambridge, MA 01778

Prof. C.M. Ho
Department of Aerospace
Engineering
University of Southern
California
University Park
Los Angeles, CA 90007
2 copies

Dr. Do C. Kwak
Applied Computational
Aerodynamics Branch
NASA Ames Research Center
M/S 202A-14
Moffet Field, CA 94035

Prof. V.C. Patel
Institute of Hydraulic Research
The University of Iowa
Iowa City, IA 52242

Prof. P.G. Saffman
Department of Applied
Mathematics
California Institute of
Technology
Pasadena, CA 91125

Dr. N. Salvesen
Science Applications, Inc.
134 Holiday Court, Suite 318
Annapolis, MD 21401

Prof. O.M. Phillips
Department of Earth and
Planetary Science
Johns Hopkins University
Baltimore, MD 21218

Prof. P.M. Naghdi
Dept. of Mechanical Engineering
University of California
Berkeley, CA 94720

Dr. T.D. Taylor
Applied Physics Laboratory
Johns Hopkins University
Baltimore, MD 21218

Prof. W.G. Tiederman
School of Mechanical Engineering
Purdue University
West Lafayette, IN 47907

Prof. R.W. Yeung
Dept. of Naval Architecture
and Offshore Engineering
University of California
Berkeley, CA 94720
3 copies

Prof. R.L. Street
Dept. of Civil Engineering
Stanford University
Stanford, CA 94305

Prof. W.R. Schowalter
Dept. of Chemical Engineering
Princeton University
Princeton, NJ 08540

Prof. T. Maxworthy
Dept. of Mechanical Engineering
University of Southern California
University Park
Los Angeles, CA 90089-0192

Prof. J. Schetz
Dept. of Aerospace & Ocean
Engineering
Virginia Polytechnic Institute and
State University
Blacksburg, VA 24061
2 copies

Prof. D. Rockwell
Dept. of Mechanical Engineering
and Mechanics
Lehigh University
Bethlehem, PA 18015

Prof. J.B. Keller
Dept. of Mathematics
Stanford University
Stanford, CA 94305

Prof. A.J. Acosta
Dept. of Mechanical Engineering
California Institute of Technology
Pasadena, CA 91125

Prof. J.N. Newman
Dept. of Ocean Engineering
Massachusetts Institute of
Technology
Cambridge, MA 01778

Prof. J.E. Kerwin
Dept. of Ocean Engineering
Massachusetts Institute of
Technology
Cambridge, MA 01778

Dr. S.J. Shamroth
Scientific Research Associates,
Inc.
P.O. Box 498
Glastonburg, CT 06033

Prof. W.S. Vorus
Dept. of Naval Architecture and
Marine Engineering
University of Michigan
Ann Arbor, MI 48109

Prof. A.H. Nayfeh
Dept. of Engineering Sciences &
Mechanics
Virginia Polytechnic Institute and
State University
Blacksburg, VA 24061

Prof. T.Y. Wu
Dept. of Engineering Science
California Institute of Technology
Pasadena, CA 91125

Prof. C.C. Mei
Dept. of Civil Engineering
Massachusetts Institute of
Technology
Cambridge, MA 02139

Prof. S.A. Berger
Dept. of Mechanical Engineering
University of California
Berkeley, CA 94720

Prof. J.W. Miles
Dept. of Geophysics
University of California
La Jolla, CA 92093

Dr. J.H. Duncan
Flow Research Company
1320 Fenwick Lane, Suite 401
Silver Spring, MD 20910

Prof. C.E. Brennen
Dept. of Mechanical Engineering
California Institute of Technology
Pasadena, CA 91125

Prof. R.F. Beck
Dept. of Naval Architecture and
Marine Engineering
University of Michigan
Ann Arbor, MI 48109

U230218