


NAVAL SUBMARINE MEDICAL RESEARCH LABORATORY

SUBMARINE BASE, GROTON, CONN.



REPORT NUMBER 1096

A Comparison of the Comfort of Seats for Sonarmen

by

Matthew R. Miller and S. M. Luria

Naval Medical Research and Development Command
Research Work Unit M0100.001-1021

Released by:

C. A. HARVEY, CAPT, MC, USN

COMMANDING OFFICER

Naval Submarine Medical Research Laboratory

7 Jul 1987

A Comparison of the Comfort of Seats for Sonarmen

by

Matthew R. Miller and S. M. Luria


NAVAL SUBMARINE MEDICAL RESEARCH LABORATORY

REPORT NUMBER 1096

Naval Medical Research and Development Command
Research Work Unit M0100.001-1021

7 July 1987

Approved and Released by:



C. A. HARVEY, CAPT, MC, USN
COMMANDING OFFICER
Naval Submarine Medical Research Laboratory

Approved for public release; distribution
is unlimited.

SUMMARY PAGE

PROBLEM

To rate the suitability of various seating designs for sonar operators.

FINDINGS

Sonarmen undergoing refresher training in the Sonar Operational Trainer compared and rated a standard office chair, a standard office chair with an inflatable lumbar pillow, a highly contoured seat with an adjustable backrest taken from an automobile, and a forward-sloping chair for comfort. The ability to carry out their sonar duties while sitting in these chairs, and the overall desirability of these chairs for the sonar room was evaluated. The car-seat was the most highly rated chair and the forward-sloping chair the lowest. The lumbar pillow was a unanimously preferred addition to the standard office chair. Additional comments indicated that the ideal sonar chair would swivel, have an adjustable seat-height, a well contoured, adjustable backrest, armrests, and a lumbar support.

APPLICATION

These findings are relevant to the design of improved seats for sonarmen.

ADMINISTRATIVE INFORMATION

This manuscript was written under a research project performed under research work unit M0100.001-1021. It was submitted for review on 2 February 1987 and approved for publication as an NSMRL Report on 7 July 1987. It has been designated at Report No. 1096.

A Comparison of the Comfort of Seats for Sonarmen

Matthew R. Miller and S. M. Luria
Naval Submarine Medical Research Laboratory

Abstract

Sonarmen undergoing refresher training in the Sonar Operational Trainer compared, while on "sonar watch," the comfort of four seating designs: a contoured automobile seat with an adjustable backrest; a "kneeling" chair; a conventional office chair with an inflatable lumbar support pillow; and a conventional office chair. The subjects were asked to use each seat for an entire day --unless it was too uncomfortable-- and to use a different seat on successive days. The automobile seat was judged to be the most comfortable. It was concluded that significant improvements can be made in the design of the seats on submarines.

Introduction

The design of chairs has received a great deal of attention in recent years. One source of this renewed interest has been the widely publicized complaints of excessive fatigue and assorted pains and symptoms by individuals who use video display terminals (VDTs). A study by the National Academy of Sciences concluded that VDTs do not emit harmful radiation (Brown, et al 1982), and a number of subsequent articles asserted that most of the complaints could be attributed to poor design of the work stations (Kroemer and Hill, 1986; Polakoff, 1986; Reynolds, 1986).

One area which was said to be poorly designed was the chair, which, as one authority put it, "is perhaps the most important and most overlooked item in the modern office (Thompson, 1985). A 1984 survey of VDT users in New York State government departments found that complaints about chairs outnumbered all other complaints (Menke, 1986). Indeed, the need to carefully design chairs appears to be overlooked in most situations, for there have been several reports which have been critical of the quality of seats even in helicopters (Shanahan and Reading, 1984; Beach, 1985).

That criticism notwithstanding, a number of studies have attempted to specify the optimal design of chairs and work-stations, primarily for clerical occupations, of course (e.g., Barkla, 1964; Mandal, 1982; Life and Pheasant, 1984; Grandjean, et al, 1984; Branton, 1984; Corlett and Eklund, 1984). The interest in chair design has led to attempts to devise methods of evaluating them (Shackel, et al 1969; Drury and Coury, 1982) and innovative new designs. Beach (1985) noted that the most common criticisms were lack of adjustability of seat height, improper angle of the seat back, and lack of adequate lumbar and buttock support. One innovation, therefore, is a lumbar pillow which is inflated by the user to the shape which feels most comfortable. Beach (1985) recommended that these should be used on helicopter seats. Another innovation that has attracted a great deal of attention is the forward sloping chair (Mandal, 1981; Anon., 1976), but a recent evaluation reported mixed results (Drury and Francher, 1985).

Although there have been far more published complaints about, for example, helicopter and tractor seats (Donati, et al, 1984), sonarmen (and other submariners who spend their watches sitting) have also complained about the lack of comfort of the seats (Miller, 1986). We have, therefore, obtained subjective comfort ratings for three novel seats and compared them with the ratings for a standard office chair.




Figure 1. The test seats. (a) Automobile seat, (b) "Kneeling chair", (c) Conventional seat with inflatable lumbar pillow attached to the back.

Subjects were assigned a chair to sit in for the entire day, and they rated the chair at the end of the day. Such ratings are often obtained after a much shorter exposure. Barkla (1964) claimed that subjects reported different comfort ratings between chairs after 30 minutes of exposure. Shackel et al (1969) found that significant differences in comfort ratings appeared almost immediately; but as the exposure duration continued, further differences appeared. Donati et al (1984) used an exposure time of 30 minutes. This is probably not a particularly short experimental duration when several chairs are being compared. Drury's subjects sat in their experimental chairs for 2.5 hours (Drury and Coury, 1982). Other studies such as those by Drury and Francher (1985) and Shanahan and Reading (1984) used a total exposure time of 2 hours.

The evaluations in the present study were made while the subjects were engaged in the same tasks they performed at sea, with the same equipment, and in a compartment which was a mock-up of a sonar room on a submarine.

METHOD

Subjects

Thirty-six active duty U.S.N. sonarmen, undergoing refresher training in the Sonar Operational Trainer, volunteered to serve as subjects.

Chairs

Three experimental chairs, as well as the standard office chair, were tested (Figure 1). One was an automobile "bucket-seat" with an adjustable backrest which was placed on a set of legs, raising it to the height of the standard office chair (46 cm; 18 in). The second was a "kneeling chair". The third was a standard office chair which had an inflatable lumbar pillow attached to the back (each subject inflated the pillow to the extent most comfortable for him). These were compared to a conventional office chair.

Procedure

It was hoped that the sonar crews would be at the trainer for an entire week, but this was true for only one crew. Men were assigned randomly to the three experimental seats at the beginning of the day and requested to use that seat for the entire day. They were, however, told that they could abandon a chair at any time if it proved to be too uncomfortable and replace it with a standard chair. Only six subjects remained in the trainer long enough for each man to evaluate each of the chairs on successive days, and another 30 men evaluated only one chair; 7 rated the automobile seat, 5 the kneeling chair, 6 the lumbar pillow, and 12 the conventional chair. At the end of each day, the men filled out a short questionnaire giving their opinion of the chair they had used on that day. Those men who remained for the entire week also filled out a final questionnaire comparing the four chairs.

RESULTS

The subjects rated the chairs on a scale of 1 (poor) to 5 (good) for comfort, ease of carrying out the required duties in the chair, and overall desirability for the sonar room. Figure 2 shows the mean ratings of each chair. These are given separately for the six subjects who evaluated all four chairs and for the 30 subjects who evaluated only one of the three experimental chairs.

The conventional seat received the highest rating for comfort and also scored very well for ease of working and overall desirability. The car-seat was also rated highly by both groups on all three counts. The lumbar pillow was given the lowest rating by both groups for ease of carrying out their duties, but the kneeling chair was rated as least desirable overall. When the ratings for the two groups were combined, the ratings of comfort and overall desirability were significantly different ($p < .05$) for the chairs, according to the Kruskal-Wallis test.

The men who had sat in all the chairs filled out a paired-comparison evaluation at the end of the week. Table 1 shows the percentages of preferences for each seat being compared to the other seats. Despite the fact that the conventional seat was rated very highly, it fared much less well on the paired-comparisons. It received only 19% of the preferences compared to 43% for the car-seat, 27% for the lumbar pillow, and 11% for the kneeling chair. Compared to the standard seat, 15% of the responses preferred the car-seat, 13% preferred the lumbar pillow, and only 4% preferred the kneeling chair. The total percentage of responses preferring the car-seat was 43% compared to only 11% for the kneeling chair. The standard chair with the lumbar pillow was preferred to the standard chair without the pillow by a margin of 27% to 19%.




Figure 2. The mean ratings for each seat for comfort, ease of carrying out assigned duties, and overall desirability (1 = poor; 5 = good). The unshaded bars give the mean ratings for those subjects who evaluated all seats; the shaded bars give the mean ratings for the subjects who evaluated only one of the seats.

TABLE 1. Percentages of preferred seats in paired-comparison test

	Preferred Seat			
	Standard office	Car seat	Kneeling chair	Lumbar pillow
Comparison Office	-	15	4	13
Car	2	-	2	3
Kneel	13	14	-	11
Pillow	4	14	5	-
Total	19	43	11	27

DISCUSSION

The car-seat was the most popular seat in this group, both according to the paired-comparisons and to remarks made by the subjects at the end of the sessions. There were very few instances of another seat being preferred to it. The high ratings given to the conventional chair may have resulted simply from the fact that it is a familiar and generally unobjectionable chair. But when asked to compare it with the car-seat, only 2% of the subjects preferred the car-seat. The greatest criticism of the car-seat was the lack of arm-rests; had it also had arm-rests, the margin of preference would have been even greater.

Another shortcoming of all the seats was that there was no adjustment for the height of the seat. It was set at the standard height for office chairs. Mandal (1982) has made the unsurprising observation that the proper height of the seat depends on the height of the individual, and the standard height may not be correctly set. Although this observation must be completely obvious, adjustable seat-heights are by no means always available.

What apparently made the car-seat the most popular was that the backrest is much more satisfactorily contoured than the typical chair, and that it is also adjustable. One subject wrote, "The car seat was the first sonar seat that didn't cut me in the middle of the back."

Despite the various analyses that show that the forward sloping chair is more conducive to correct posture and produces less strain on the back (Mandal, 1981), this chair was not favorably received. As Drury and Francher (1985) concluded from their evaluation, "Overall, the chair was no better than conventional chairs and could be worse than well-designed conventional office chairs." Several subjects felt that this chair was comfortable for short periods of time ("no more than one hour"), but not for a complete submarine watch-period of six hours. "Starts out comfortable," wrote one subject, "but the longer you sit on it the less comfortable it becomes." Sonarmen typically move from one sonar position to another every hour, but they are, of course, moving from one seat to another one identical to it. Corlett and Eklund (1984) noted that a negative aspect of the kneeling seat is that "the sitter is intrinsically unstable." and, in fact, one subject wrote that the "difficulty of maintaining balance during sharp maneuvers could prove dangerous to the user."

The primary reason for downgrading the inflatable lumbar pillow was that it was too delicately manufactured; the opinion was widely shared that it would not last long. Of course, such a device can be made more sturdy. In the paired-comparisons everyone preferred the standard chair with the lumbar pillow to the chair without it.

SUMMARY

Well designed seats are much to be desired on submarines. As one subject wrote, "Standing watches can be more fatiguing than driving long distances at night with headlights shining in your eyes." Although one subject wrote, "Chairs presently on 688s are excellent," another one commented that the "car-seat is better than seats on submarines."

The ratings indicate that a standard seat is improved when an adjustable lumbar support is added, but the well-contoured car-seat with its adjustable backrest is better yet.

Taking into account the additional comments, it appears that the ideal seats would be better contoured than conventional seats, would swivel, have armrests, and adjustable seat-heights, backrests, and lumbar supports.

Interestingly, more than one subject expressed doubt that a perfectly comfortable chair would be most desirable. As one put it, "A very comfortable chair is not desirable-- it may lull you to sleep." Preliminary tests in the sonar trainers should indicate whether or not such seats would lull the operators to sleep.

REFERENCES

- Anon., (1976). Work chair developed in Denmark. Appl. Ergon. 7, 185-186.
- Barkla, D. M. (1964). Chair angles, duration of sitting, and comfort ratings. Ergonomics 7, 297-304.
- Beach, A. (1985). A review of the pilot backache problem in the CH113 Labrador helicopter. DCIEM Rept. No. 85-R-49, Downsview, Ontario: Defence and Civil Institute of Environmental Medicine.
- Branton, P. (1984). Backshapes of seated persons-- how close can the interface be designed? Appl. Ergonomics 15, 105-107.
- Brown, B.S., Dismukes, K. & Rinalducci, E.J. (1982). Video display terminals and vision of workers. Behavior and Information Technology, 1, 121-140.
- Corlett, E.N. and Eklund, J.A.E. (1984). How does a backrest work? Appl. Ergonom. 15, 111-114.
- Donati, P.M., Boldero, A.G., Whyte, R.T., and Stayner, R.M. (1984). The postural support of seats: A study of driver preferences during simulated tractor operation. Appl. Ergonom. 15, 2-10.
- Drury, C.G. and Coury, B.G. (1982). A methodology for chair evaluation. Appl. Ergonomics, 13, 195-202.
- Drury, C.G. and Francher, M. (1985). Evaluation of a forward-sloping chair. Appl. Ergonom. 16, 41-47.
- Grandjean, E., Hinting, W. and Nishiyama, K. (1984). Preferred VDT workstation settings, body posture and physical impairments. Appl. Ergonomics 15, 99-104.
- Kroemer, K.H.E. & Hill, S.G. (1986). Preferred line of sight angle. Ergonomics, 29, 1129-1134.
- Life, M.A. and Pheasant, S.T. (1984). An integrated approach to the study of posture in keyboard operation. Appl. Ergonomics 15, 83-90.
- Mandal, A.C. (1981). The seated man (Homo Sedens): The seated work position. Theory and practice. Appl. Ergon. 12, 19-26.
- Mandal, A.C. (1982). The correct height of school furniture. Human Factors 24, 257-269.

- Menke, S.M. (1986). Study finds chair discomfort is major complaint. Govt. Computer News 5(23), 31 (Nov. 21).
- Miller, M.R. (1986). A fleet survey of sonar use and operation. NSMRL Rep. No. 1088. Groton, CT: Naval Submarine Medical Research Laboratory.
- Polakoff, P.L. (1986). Research inconclusive on long-term health effects of VDTs. Occup. Health & Safety, p. 54.
- Reynolds, E. (1986). Responding to the ergonomics challenge. Govt. Data Systems, Sept/Oct. 64-66.
- Shackel, B., Chidsey, K.D. & Shipley, P. (1969). The assessment of chair comfort. Ergonomics, 12, 269-306.
- Shanahan, D.F. and Reading, T.E. (1984). Helicopter pilot back pain: A preliminary study. Aviat. Space & Environ. Med. 55, 117-121.
- Thompson, D.A. (1985). Where I stand on seating. Human Factors Soc. Bull. 28(9), 1-2.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NSMRL Report Number 1096	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A COMPARISON OF THE COMFORT OF SEATS FOR SONARMEN		5. TYPE OF REPORT & PERIOD COVERED Interim report
		6. PERFORMING ORG. REPORT NUMBER NSMRL Rpt. No. 1096
7. AUTHOR(s) Matthew R. MILLER and S. M. LURIA		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Submarine Medical Research Laboratory Naval Submarine Base New London Groton, CT 06349-5900		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 65856N M0100.001-1021
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Medical Research & Development Command Naval Medical Command, National Capital Region Bethesda, MD 20814-5044		12. REPORT DATE 7 Jul 1987
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 9
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) sonar watch; sonar operators		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Sonarmen undergoing refresher training in the Sonar Operational Trainer compared, while on "sonar watch," the comfort of four seating designs: a contoured automobile seat with an adjustable backrest; a "kneeling" chair; a conventional office chair with an inflatable lumbar support pillow; and a conventional office chair. The subjects were asked to use each seat for an entire day -- unless it was too uncomfortable -- and to use a different seat on successive days. The automobile seat was judged to be the most		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

comfortable. It was concluded that significant improvements can be made in the design of the seats on submarines.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)