

NO-A186 951

RE-USABLE THIN-LAYER SPECTROELECTROCHEMICAL CELL FOR
NON-AQUEOUS SOLVENT SYSTEMS(U) YORK UNIV TORONTO
(ONTARIO) DEPT OF CHEMISTRY M A NEVIN ET AL NOV 87


1/1


UNCLASSIFIED

TR-19 #N00014-84-G-0201

F/G 7/4

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

AD-A186 951

DTIC FILE COPY

4

OFFICE OF NAVAL RESEARCH

Contract N00014-84-G-0201

Task No. 0051-865

Technical Report #19

Re-Usable Thin-Layer Spectroelectrochemical Cell for
Non-Aqueous Solvent Systems

By

W. Andrew Nevin and A.B.P. Lever*

in

Analytical Chemistry

York University
Department of Chemistry, 4700 Keele St., North York
Ontario, Canada M3J 1P3

DTIC
ELECTE
DEC 14 1987
S H D

Reproduction in whole, or in part, is permitted for any purpose of the United States Government

*This document has been approved for public release and sale; its distribution is unlimited

*This statement should also appear in Item 10 of the Document Control Data-DD form 1473. Copies of the form available from cognizant contract administrator

87 12 3 003

ADA186951

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY Unclassified			3. DISTRIBUTION / AVAILABILITY OF REPORT As it appears on the report		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Report # 19			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION A.B.P. Lever, York University Chemistry Department		6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION Office of Naval Research		
6c. ADDRESS (City, State, and ZIP Code) 4700 Keele St., North York, Ontario M3J 1P3 Canada			7b. ADDRESS (City, State, and ZIP Code) Chemistry Division 800 N. Quincy Street Arlington, VA 22217 U.S.A.		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-84-G-0201		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.
11. TITLE (Include Security Classification) Re-Usable Thin-Layer Spectroelectrochemical Cell for Non-Aqueous Solvent Systems					
12. PERSONAL AUTHOR(S) W. Andrew Nevin and A.B.P. Lever*					
13a. TYPE OF REPORT Technical		13b. TIME COVERED FROM Aug/87 TO		14. DATE OF REPORT (Year, Month, Day) November 87	
15. PAGE COUNT 20					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Spectroelectrochemistry Thin Layer Cell		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			Accession For		
Please see attached sheet.			NTIS GRA&I ☒		
			DTIC TAB ☐		
			Unannounced ☐		
			Justification ☐		
			By		
			Distribution/		
			Availability Codes		
			Dist Avail and/or Special		
A-1					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified/unlimited		
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Robert K. Grasselli			22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL

DL/1113/87/2

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 92132	1

ABSTRACTS DISTRIBUTION LIST, 359/627

Dr. Manfred Breiter
Institut für Technische Elektrochemie
Technischen Universität Wien
9 Getreidemarkt, 1160 Wien
AUSTRIA

Dr. E. Yeager
Department of Chemistry
Case Western Reserve University
Cleveland, Ohio 44106

Dr. R. Sutula
The Electrochemistry Branch
Naval Surface Weapons Center
Silver Spring, Maryland 20910

Dr. R. A. Marcus
Department of Chemistry
California Institute of Technology
Pasadena, California 91125

Dr. J. J. Auborn
AT&T Bell Laboratories
600 Mountain Avenue
Murray Hill, New Jersey 07974

Dr. M. S. Wrighton
Chemistry Department
Massachusetts Institute
of Technology
Cambridge, Massachusetts 02139

Dr. B. Stanley Pons
Department of Chemistry
University of Utah
Salt Lake City, Utah 84112

Dr. Bernard Spielvogel
U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, NC 27709

Dr. Mel Miles
Code 3852
Naval Weapons Center
China Lake, California 93555

Dr. P. P. Schmidt
Department of Chemistry
Oakland University
Rochester, Michigan 48063

Dr. Roger Belt
Litton Industries Inc.
Airtron Division
Morris Plains, NJ 07950

Dr. Ulrich Stimming
Department of Chemical Engineering
Columbia University
New York, NY 10027

Dr. Royce W. Murray
Department of Chemistry
University of North Carolina
Chapel Hill, North Carolina 27514

Dr. Michael J. Weaver
Department of Chemistry
Purdue University
West Lafayette, Indiana 47907

Dr. R. David Rauh
EIC Laboratories, Inc.
Norwood, Massachusetts 02062

Dr. Edward M. Eyring
Department of Chemistry
University of Utah
Salt Lake City, UT 84112

Dr. M. M. Nicholson
Electronics Research Center
Rockwell International
3370 Miraloma Avenue
Anaheim, California

Dr. Nathan Lewis
Department of Chemistry
Stanford University
Stanford, California 94305

Dr. Hector D. Abruna
Department of Chemistry
Cornell University
Ithaca, New York 14853

Dr. A. B. P. Lever
Chemistry Department
~~York University~~
Downsview, Ontario M3J 1P3

ABSTRACTS DISTRIBUTION LIST, 359/627

Dr. Martin Fleischmann
Department of Chemistry
University of Southampton
Southampton SO9 5H UNITED KINGDOM

Dr. John Wilkes
Department of the Air Force
United States Air Force Academy
Colorado Springs, Colorado 80840-6528

Dr. R. A. Osteryoung
Department of Chemistry
State University of New York
Buffalo, New York 14214

Dr. Janet Osteryoung
Department of Chemistry
State University of New York
Buffalo, New York 14214

Dr. A. J. Bard
Department of Chemistry
University of Texas
Austin, Texas 78712

Dr. Steven Greenbaum
Department of Physics and Astronomy
Hunter College
695 Park Avenue
New York, New York 10021

Dr. Donald Sandstrom
Boeing Aerospace Co.
P.O. Box 3999
Seattle, Washington 98124

Mr. James R. Moden
Naval Underwater Systems Center
Code 3632
Newport, Rhode Island 02840

Dr. D. Rolison
Naval Research Laboratory
Code 6171
Washington, D.C. 20375-5000

Dr. D. F. Shriver
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Alan Bewick
Department of Chemistry
The University of Southampton
Southampton, SO9 5NH UNITED KINGDOM

Dr. Edward Fletcher
Department of Mechanical Engineering
University of Minnesota
Minneapolis, Minnesota 55455

Dr. Bruce Dunn
Department of Engineering &
Applied Science
University of California
Los Angeles, California 90024

Dr. Elton Cairns
Energy & Environment Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Dr. Richard Pollard
Department of Chemical Engineering
University of Houston
Houston, Texas 77004

Dr. M. Philpott
IBM Research Division
Mail Stop K 33/801
San Jose, California 95130-6099

Dr. Martha Greenblatt
Department of Chemistry, P.O. Box 939
Rutgers University
Piscataway, New Jersey 08855-0939

Dr. Anthony Sammells
Eltron Research Inc.
4260 Westbrook Drive, Suite 111
Aurora, Illinois 60505

Dr. C. A. Angell
Department of Chemistry
Purdue University
West Lafayette, Indiana 47907

Dr. Thomas Davis
Polymers Division
National Bureau of Standards
Gaithersburg, Maryland 20899

ABSTRACTS DISTRIBUTION LIST, 359/627

Dr. Stanislaw Szpak
Naval Ocean Systems Center
Code 633, Bayside
San Diego, California 95152

Dr. Gregory Farrington
Department of Materials Science
and Engineering
University of Pennsylvania
Philadelphia, Pennsylvania 19104

Dr. John Fontanella
Department of Physics
U.S. Naval Academy
Annapolis, Maryland 21402-5062

Dr. Micha Tomkiewicz
Department of Physics
Brooklyn College
Brooklyn, New York 11210

Dr. Lesser Blum
Department of Physics
University of Puerto Rico
Rio Piedras, Puerto Rico 00931

Dr. Joseph Gordon, II
IBM Corporation
5600 Cottle Road
San Jose, California 95193

Dr. Joel Harris
Department of Chemistry
University of Utah
Salt Lake City, Utah 84112

Dr. J. O. Thomas
University of Uppsala
Institute of Chemistry
Box 531 Baltimore, Maryland 21218
S-751 21 Uppsala, Sweden

Dr. John Owen
Department of Chemistry and
Applied Chemistry
University of Salford
Salford M5 4WT UNITED KINGDOM

Dr. O. Stafsudd
Department of Electrical Engineering
University of California
Los Angeles, California 90024

Dr. Boone Owens
Department of Chemical Engineering
and Materials Science
University of Minnesota
Minneapolis, Minnesota 55455

Dr. Johann A. Joebstl
USA Mobility Equipment R&D Command
DRDME-EC
Fort Belvoir, Virginia 22060

Dr. Albert R. Landgrebe
U.S. Department of Energy
M.S. 68025 Forrestal Building
Washington, D.C. 20595

Dr. J. J. Brophy
Department of Physics
University of Utah
Salt Lake City, Utah 84112

Dr. Charles Martin
Department of Chemistry
Texas A&M University
College Station, Texas 77843

Dr. Milos Novotny
Department of Chemistry
Indiana University
Bloomington, Indiana 47405

Dr. Mark A. McHugh
Department of Chemical Engineering
The Johns Hopkins University
Baltimore, Maryland 21218

Dr. D. E. Irish
Department of Chemistry
University of Waterloo
Waterloo, Ontario, Canada
N2L 3G1

ABSTRACTS DISTRIBUTION LIST, 359/627

Dr. Henry S. White
Department of Chemical Engineering
and Materials Science
151 Amundson Hall
421 Washington Avenue, S.E.
Minneapolis, Minnesota 55455

Dr. Daniel A. Buttry
Department of Chemistry
University of Wyoming
Laramie, Wyoming 82071

Dr. W. R. Fawcett
Department of Chemistry
University of California
Davis, California 95616

Dr. Peter M. Blonsky
Eveready Battery Company, Inc.
25225 Detroit Road, P.O. Box 45035
Westlake, Ohio 44145

ABSTRACTS DISTRIBUTION LIST, 051A

DL/1113/87/2

Dr. M. A. El-Sayed
Department of Chemistry
University of California
Los Angeles, California 90024

Dr. E. R. Bernstein
Department of Chemistry
Colorado State University
Fort Collins, Colorado 80521

Dr. J. R. MacDonald
Chemistry Division
Naval Research Laboratory
Code 6110
Washington, D.C. 20375-5000

Dr. G. B. Schuster
Chemistry Department
University of Illinois
Urbana, Illinois 61801

Dr. J. B. Halpern
Department of Chemistry
Howard University
Washington, D.C. 20059

Dr. M. S. Wrighton
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. W. E. Moerner
I.B.M. Corporation
Almaden Research Center
650 Harry Rd.
San Jose, California 95120-6099

Dr. A. B. P. Lever
Department of Chemistry
York University
Downsview, Ontario
CANADA M3J1P3

Dr. George E. Walrafen
Department of Chemistry
Howard University
Washington, D.C. 20059

Jr. Joe Brandelik
AFWAL/AADO-1
Wright Patterson AFB
Fairborn, Ohio 45433

Dr. Carmen Ortiz
Consejo Superior de
Investigaciones Cientificas
Serrano 121
Madrid 6, SPAIN

Dr. Kent R. Wilson
Chemistry Department
University of California
La Jolla, California 92093

Dr. G. A. Crosby
Chemistry Department
Washington State University
Pullman, Washington 99164

Dr. Theodore Pavlopoulos
NOSC
Code 521
San Diego, California 91232

Dr. John Cooper
Code 6173
Naval Research Laboratory
Washington, D.C. 20375-5000

Dr. Joseph H. Boyer
Department of Chemistry
University of New Orleans
New Orleans, Louisiana 70148

Dr. Harry D. Gafney
Department of Chemistry
Queens College of CUNY
Flushing, New York 11367-0904

Re-Usable Thin-Layer Spectroelectrochemical Cell for Non-Aqueous Solvent
Systems

W. Andrew Nevin and A.B.P. Lever[†]

Department of Chemistry, York University, 4700 Keele Street, North York
(Toronto), Ontario M3J 1P3, Canada.

Abstract

✓
A thin-layer spectroelectrochemical cell for use with aqueous or organic solvent systems is described and evaluated. The cell design, comprising a working chamber formed by sandwiching Teflon spacers between two optical windows and a Teflon body, allows versatility of the working electrode material, and is easily dismantled and reassembled. Variation of the window material permits measurements to be made over a wide spectroscopic range, from the uv/visible to the infrared regions. The performance of the cell is assessed for a gold minigrid working electrode in the uv-visible region using the oxidation of [2,9,16,23-tetra(neopentoxo)-phthalocyaninato]zinc to its π -cation radical in o-dichlorobenzene, and in the infrared region by investigating the reductions of bis(2,2'-bi-pyridine)(2,2'-azodipyridine)ruthenium(II) bis(hexafluorophosphate) in deuterated dimethylsulfoxide.



Thin-layer spectroelectrochemistry has become a widely used technique in many laboratories for the characterization of the redox and spectroscopic properties of electroactive species. A number of different designs of optically transparent thin-layer electrochemical cells have been reported, based on a variety of working electrode materials, such as gold minigrid, platinum gauze, vitreous carbon, metal foam, tin oxide, and thin metal or carbon films. Relatively simple cell designs have been used successfully with aqueous solutions; however, difficulties arise with organic solvents, since these attack the adhesives commonly used in cell construction, so that cell lifetime is severely limited. As a result, most cells designed for use with organic solvents have consisted of complex assemblies, with inconvenient construction and in which cleaning or replacement of the working electrode is often difficult, particularly with the fragile gold minigrid (2-6). An improved cell has recently been reported by Lin and Kadish (6) which shows excellent electrochemical behaviour; however, it requires a fairly robust platinum gauze working electrode. As yet, no design has been reported for organic solvents which allows convenient assembly, cleaning and versatility of working electrode material.

We report here a re-usable OTTLE cell in which a gold minigrid working electrode is sandwiched between Teflon spacers and a Teflon body without the use of epoxies or other adhesive materials. Leakage is not a problem over the normal experimental time periods. The cell is easily dismantled for cleaning or replacement of the gold minigrid and rapidly reassembled. It can be used under degassed conditions with aqueous solution or a variety of common organic electrochemical solvents, such as o-dichlorobenzene, N,N-dimethylformamide, propylene carbonate and dimethylsulphoxide. A useful feature of the cell is its

versatility over a wide spectroscopic range by varying the window material (e.g., from the uv-visible-near ir (quartz, Pyrex) to the infrared regions (NaCl, CaF₂, CsI)). Little use has been made of OTTEs in the infrared region, but interest appears to have been growing recently (3,14).

The use of the cell in the uv-visible region is illustrated by the oxidation of [2,9,16,23-tetra(neopentoxo)phthalocyaninato]zinc (ZnINPe-20) in o-dichlorobenzene, and in the infrared region by the reduction of [bis(2,2'-bipyridine)(2,2'-azodipyridine)ruthenium(II) bis(hexafluorophosphate)] (Ru(bpy)₂(Azdpy)(PF₆)₂) in deuterated dimethylsulfoxide.

Experimental Section

Cell Construction

The design of the thin-layer cell is shown in Figure 1. The working chamber is formed by sandwiching two Teflon spacers between two windows, and contains a semi-transparent gold minigrid (500 wires/inch, 60% transmittance, Buckbee Mears Co., St. Paul, MN) as the working electrode, platinum foil as the counter, and silver foil (Aldrich, 0.025 mm thick) or AgCl coated silver foil as the reference electrode. This last was prepared electrochemically by passing an anodic current of ca. 15 μ A/cm² for 30 min through the silver foil immersed in 0.1 M HCl (15). The pure silver foil reference will drift up to 100mV which can be an inconvenience. The AgCl coated foil is much more stable, and is preferred, especially if the solution can tolerate chloride ion as the supporting electrolyte anion.

The counter and reference electrodes are separated from each other and from the working electrode by two rolls of Teflon tape. The assembly is held between two Teflon holders which are tightened together to give a pressure seal between the Teflon spacers and windows. The dimensions of

the working chamber are defined by the size and thickness of the Teflon spacers. In this study the cell thickness was 0.45 mm, with a chamber volume of 100 μ l. Electrical contact to the gold minigrid is made outside the working chamber by attaching a tinned copper wire with molten indium metal using a soldering technique. Contacts to the counter and reference electrodes are made using microgator clips. Further information on the cell design may be obtained from the Authors.

The cell is filled via hypodermic needles inserted between the Teflon spacers, and in order to eliminate oxygen, cell filling may be carried out under an inert atmosphere using degassed solutions. An assembled cell can usually be used for several experiments, by cleaning each time with a suitable solvent, via the hypodermic needles.

Materials

ZnTNPC(-2) (16) and Ru(bpy)₂ (Azdp)(PF₆)₂ (17) were prepared as described elsewhere. o-Dichlorobenzene (DCB; Aldrich, Gold Label) and deuterated dimethylsulfoxide (DMSO-d₆; MSD Isotopes) were used as supplied. Tetrabutylammonium perchlorate (TBAP; Kodak) was recrystallised from absolute ethanol and dried in a vacuum oven at 50°C for 2 days. Lithium chloride (Anachemia, reagent grade) was dried at 120°C for 24 h. Water was purified by double distillation over KMnO₄, followed by passage through a Barnstead organic removal cartridge and two Barnstead mixed resin Ultrapure cartridges. All other chemicals used were of analytical grade.

Methods

Electronic spectra were recorded with a Hitachi Perkin-Elmer Microprocessor Model 340 spectrometer. Infrared spectra were recorded using a Nicolet Model SX20 Fourier Transform Infrared (FTIR) spectrometer.

A gain of 16 and 64 scans per spectrum were used for the FTIR measurements. Electrochemical measurements were made with a Princeton Applied Research (PAR) Model 174A polarographic analyzer coupled to a PAR Model 175 universal programmer. The thin-layer cell was filled under an atmosphere of nitrogen in a Vacuum Atmospheres Drilab (organic solutions) or a glove bag (aqueous solutions). DMSO-d₆ solutions were prepared in the dry box. DCB solutions were prepared in air, degassed by repeated freeze-pump-thaw cycles, and then transferred to the dry box. Aqueous solutions were degassed by purging with nitrogen gas.

The optical window material may be varied according to the spectroscopic range required. In this study, Pyrex windows were used for the uv-visible region, and sodium chloride windows for the infrared measurements.

Results and Discussion

The electrochemical characteristics of the cell were assessed for aqueous solution using the $[\text{Fe}(\text{CN})_6]^{3-}/[\text{Fe}(\text{CN})_6]^{4-}$ couple in 1 M KNO_3 solution, as shown in Figure 2. The cyclic voltammetric waves are almost symmetrical, and the current returns approximately to the baseline after each peak maximum, indicating that the cell closely follows the expected ideal thin-layer behaviour (18), and that edge effects are small. Some effects of the resistance of the thin solution layer are observed, as evidenced by an increase in peak to peak separation with increasing scan rate from 15 mV at 1mV/s to 100 mV at 100 mV/s. Peak to peak separations measured at several scan rates are given in Table 1.

Organic solutions give a greater deviation from ideal behaviour. Peak to peak separations are larger than for aqueous solution, reflecting a higher iR drop across the thin layer. Figures 3 and 4 show the results

obtained for the first oxidation of $\text{ZnTNPc}(-2)$ to its π -cation radical, $[\text{ZnTNPc}(-1)]^+$, in DCB solution with 0.3 M TBAP as supporting electrolyte. The cyclic voltammogram (Fig. 3) shows well defined fairly symmetrical waves, having a peak to peak separation of 240 mV at a scan rate of 1 mV/s. Figure 4 shows the formation of the π -cation radical species upon oxidation across this couple. The final spectrum is very similar to those recently reported (19) for the electrochemical and photochemical oxidation of the unsubstituted zinc phthalocyanine derivatives, $\text{ZnPc}(\text{im})$ (im = imidazole) and $\text{ZnPc}(\text{py})$ (py = pyridine), respectively, in dichloromethane solution. The spectroscopic changes are fully reversible to the initial species upon re-reduction. Time for equilibrium at each potential is ca. 15 min in DCB solution; however, in more conducting solvents such as N,N-dimethylformamide, equilibrium is reached within 5 min.

The OTTLE cell can easily be adapted for the infrared region by using NaCl or another suitable window material, and by choosing a solvent/electrolyte combination whose absorption is low in the region of interest for the compound under investigation. Use of the FTIR technique enables one to subtract out the solvent/electrolyte absorption from the sample solution to leave the pure sample spectrum.

As an example, we report the reduction of $\text{Ru}(\text{bpy})_2(\text{Azdpy})(\text{PF}_6)_2$ in DMSO- d_6 with LiCl as supporting electrolyte. This solvent/electrolyte combination gives a spectroscopic window in the region of 1100 - 1700 cm^{-1} , where important infrared bands of this complex occur. Spectra were obtained by subtraction of the spectrum of a 'blank' solution of LiCl in DMSO- d_6 in the OTTLE cell taken through the gold minigrid, from that containing the sample. The subtracted spectrum of the sample in solution was found to be almost identical to that measured in a KBr disc, with little shifting of the band frequencies. Table II lists the frequencies

of the main absorptions in the region of $1200 - 1600 \text{ cm}^{-1}$. The principal features (17) are the occurrence of a strong band at 1334 cm^{-1} due to the azo $\text{N}=\text{N}$ stretching mode, and several strong overlapping bands in the regions of $1430 - 1500 \text{ cm}^{-1}$ and $1560 - 1600 \text{ cm}^{-1}$, assigned to azopyridine ring and bipyridine modes. A shoulder at 1317 cm^{-1} is also associated with the azo group, and is probably an $(\text{N}=\text{C})$ mode (17,20). The cyclic voltammogram (17) of $\text{Ru}(\text{bpy})_2(\text{Azdpy})(\text{PF}_6)_2$ in DMSO/LiCl shows two reversible one-electron reductions, at -0.76 V and -1.29 V versus the ferrocenium/ferrocene couple, corresponding to the consecutive addition of electrons to the azo $\text{N}=\text{N}$ bond (17,21).

Figures 5(a) and 5(b) show the spectroscopic changes observed on reduction of a solution of $0.011 \text{ M Ru}(\text{bpy})_2(\text{Azdpy})(\text{PF}_6)_2$ in DMSO-d_6 with 0.09 M LiCl , across the first and second reduction couples, respectively. The main bands of the reduction products are given in Table II. Reduction across the first reduction wave results in several changes in the peaks between 1400 and 1600 cm^{-1} . The band at 1605 cm^{-1} shows a large decrease in intensity, while small shifts of $3-5 \text{ cm}^{-1}$ to lower energy are seen for the bands at 1583 and 1568 cm^{-1} . In the region of 1400 cm^{-1} , the 1467 and 1447 cm^{-1} bands disappear, while new bands appear at 1457 and 1418 cm^{-1} . Change in specific bands, however, are difficult to follow due to the overlapping nature of the azopyridine and bipyridine absorptions. The band assigned to the azo group shows a reduction in intensity relative to those at 1400 cm^{-1} , and is shifted by 20 cm^{-1} to lower energy, consistent with the addition of an electron to the $\text{N}=\text{N}$ bond (17,21). On forming the second reduction product, the azo peak at 1304 cm^{-1} disappears and a single relatively more intense band appears to lower energy, at 1295 cm^{-1} . Several changes also occur in the region of $1400-1600 \text{ cm}^{-1}$ as shown in Fig. 5(b), notably a merging of the bands near 1600 cm^{-1} into one broad

multiple band at 1602 cm^{-1} . These spectroscopic changes are reversible upon re-oxidation to the initial species.

The results reported here have been obtained using a gold minigrid working electrode. However, an attractive feature of the cell is that many other electrode materials can be easily incorporated. We have obtained satisfactory spectroelectrochemical performance using windows coated with a conducting layer of tin oxide or thin carbon film as the working electrode. Similarly, the cell may readily be used with semi-transparent metal film electrodes, or other electrode materials, such as platinum gauze.

In summary, the thin-layer cell described here has several advantages over many previous cell designs. These include versatility of the spectroscopic range and electrode material, good electrochemical behaviour, ease of cleaning and assembly, and suitability for use with aqueous or organic solutions. In particular, the cell allows the convenient and rapid acquisition of infrared data on redox species, an area which has been neglected in the past, but which can provide important information concerning the nature of the redox species and the electrochemical processes taking place.

No problems were experienced in recording the spectra of air sensitive materials even though there is evidence that Teflon is somewhat permeable to oxygen. Where extreme air sensitivity is a problem, Kel-F might be used for the spacer material.

Acknowledgements

We are grateful to Shafi Greenberg and Wei Liu for help with the synthesis of complexes.

Credit: We thank the Natural Sciences and Engineering Research Council (Ottawa, Canada) and the Office of Naval Research (Washington, DC) for financial support.

References

1. Kuwana, T; Winograd, N. In Electroanalytical Chemistry; Bard, A.J., Ed.; Marcel Dekker: New York, 1974; Vol.7, p.1.
2. Heineman, W.R.; Hawkridge, F.M.; Blount, H.N. In Electroanalytical Chemistry; Bard, A.J., Ed.; Marcel Dekker: New York, 1984; Vol.13, p.1.
3. Robinson, J. In Electrochemistry - Specialist Periodical Reports; Fletcher, D., Ed.; The Royal Society of Chemistry, Burlington House: London, 1984; Vol.9, p.101; Enger, S.K.; Weaver, M.J.; Walton, R.A. Inorg.Chim.Acta 1987, 129, L1; Bullock, J.P.; Boyd, D.C.; Mann, K.R. Inorg.Chem. 1987, 26, 3084.
4. Finklea, H.O.; Boggess, R.K.; Trogdon, J.W.; Schultz, F.A. Anal. Chem. 1983, 55, 1177.
5. Lin, X.Q.; Kadish, K.M. Anal. Chem. 1985, 57, 1498; 1986, 58, 1493.
6. Scherson, D.A.; Sarangapani, S.; Urbach, F.L. Anal. Chem. 1985, 57, 1501.
7. Hobart, D.E.; Norvell, V.E.; Varlashkin, P.G.; Hellwege, H.E.; Peterson, J.R. Anal. Chem. 1983, 55, 1634.
8. Zak, J.; Porter, M.D.; Kuwana, T. Anal. Chem. 1983, 55, 2219.
9. Condit, D.A.; Herrera, M.E.; Stankovich, M.T.; Curran, D.J. Anal. Chem. 1984, 56, 2909.
10. Kobayashi, N.; Nishiyama, Y. J. Phys. Chem. 1985, 89, 1167.
11. Smith, D.A.; Elder, R.C.; Heineman, W.R. Anal. Chem. 1985, 57, 2361.
12. Gu, Y.-P.; Kuwana, T. Langmuir 1986, 2, 471.
13. Sanderson, D.G.; Anderson, L.B. Anal. Chem. 1986, 57, 2388.
14. Heineman, W.R.; Burnett, J.N.; Murray, R.W. Anal. Chem. 1968, 40, 1974. Enger, S. K.; Weaver, M. J.; Walton, R.A. Inorg.Chim.Acta, 1987,

- 129, L1; Bullock, J. P.; Boyd, D. C.; Mann, K. R. Inorg.Chem., 1987, 26, 3084.
15. Shoemaker, D.P.; Garland, C.W.; Steinfeld, J.I. Experiments in Physical Chemistry, 3rd. ed.; McGraw-Hill: New York, 1974; p.677; Bailey, P.L. Analysis with Ion-Selective Electrodes; Heyden: London, 1976; p.20.
16. Leznoff, C.C.; Marcuccio, S.M.; Greenberg, S.; Lever, A.B.P.; Tomer, K.B. Can. J. Chem. 1985, 63, 623.
17. Nevin, W.A.; Liu, W.; Haga, M.; Lever, A.B.P. To be submitted for publication.
18. Hubbard, A.T.; Anson, F.C. In Electroanalytical Chemistry; Bard, A.J., Ed.; Marcel Dekker: New York, 1970; Vol.4, p.129; Bard, A.J.; Faulkner, L.R. Electrochemical Methods: Fundamentals and Applications; Wiley: New York, 1980.
19. Nyokong, T.; Gasyna, Z.; Stillman, M.J. Inorg. Chem. 1987, 26, 548.
20. Wolfgang, S.; Streckas, T.C.; Gafney, H.D.; Krausz, K. Inorg.Chem. 1984, 23, 2650.
21. Goswami, S.; Chakravarty, A.R.; Chakravorty, A. Inorg.Chem. 1983, 22, 602.

Figure Legends

Figure 1. Schematic diagram of the thin-layer spectroelectrochemical cell: (a) front view; (b) side view; (c) assembly of the cell.

Figure 2. Thin-layer cyclic voltammograms of 1 mM $K_3Fe(CN)_6$ in 1 M KNO_3 , recorded at potential scan rates of (a) 100 mV/s (___), and (b) 1mV/s (----). The reference electrode is AgCl-coated Ag foil.


Figure 3. Thin-layer cyclic voltammogram of 4.5×10^{-4} M ZnTNPc in DCB with 0.3 M TBAP. Scan rate = 1 mV/s. The reference electrode is AgCl-coated Ag foil.

Figure 4. Development of the thin-layer spectra with time for the oxidation of 1.6×10^{-4} M ZnTNPc(-2) in DCB with 0.3 M TBAP. The reference electrode is Ag foil. Reading from the top spectrum down, the percentage of un-oxidised material is 100, 95, 69, 56, 39, 21, 12, 6, 2, 0%. The experiment is complete in about 15 minutes.


Figure 5. Development of the thin-layer FTIR spectra with time for the reduction of 0.011 M $Ru(bpy)_2(Azdp)(PF_6)_2$ in $DMSO-d_6$ with 0.09 M LiCl: (a) first reduction; Reading from the top spectrum down, the percentage of un-reduced material is 100, 71, 54, 34, 0%. (b) second reduction. The reference electrode is Ag foil. The experiment is complete in about 15 minutes.

Table I. Peak to Peak Separations (E) of the $\text{Fe}(\text{CN})_6^{3-}/\text{Fe}(\text{CN})_6^{4-}$ Couple in 1 M KNO_3 Solution.


Scan rate (mV/s)	1	10	20	50	100
E (mV)	15	20	25	45	100



(a)





(b)





(c)

Fig 2










F. 55

(b)



END
DATE
FILMED
JAN
1988