


AD-A188 279 SUBPICOSECOND OPTICAL DIGITAL COMPUTATION USING PHASE 1/1
CONJUGATE PARAMETRI (U) CITY COLL NEW YORK INST FOR
ULTRAFAST SPECTROSCOPY AND LASERS R R ALFANO ET AL
UNCLASSIFIED 05 OCT 87 RF-447211 AFOSR-TR-87-1616 F/G 20/6 NL





MICROCOPY RESOLUTION TEST CHART

AD-A188 279

ECTE

V 1 8 1987

2b. DECLASSIFICATION/DOWNGRADING SCHEDULE

1b. RESTRICTIVE MARKINGS

3. DISTRIBUTION/AVAILABILITY OF REPORT

UNRESTRICTED

4. PERFORMING ORGANIZATION REPORT NUMBER(S)

RF-447211

5. MONITORING ORGANIZATION REPORT NUMBER(S)

AFOSR-TK-87-1616

6a. NAME OF PERFORMING ORGANIZATION
Department of Physics/EE
The City College of N.Y.6b. OFFICE SYMBOL
(if applicable)

7a. NAME OF MONITORING ORGANIZATION

AFOSR/NE

6c. ADDRESS (City, State, and ZIP Code)

138th Street & Convent Ave.
New York, N.Y. 10031

7b. ADDRESS (City, State, and ZIP Code)

Building 410
Bolling AFB DC 2033-6448

8a. NAME OF FUNDING/SPONSORING ORGANIZATION

AFOSR

8b. OFFICE SYMBOL
(if applicable)

NE

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

AFOSR-84-0144

8c. ADDRESS (City, State, and ZIP Code)

Lee Giles/ K. Malloy
Building 410
Bolling AFB DC 2033-6448

10. SOURCE OF FUNDING NUMBERS

PROGRAM
ELEMENT NO.

61102F

PROJECT
NO.

2305

TASK
NO.

B4

WORK UNIT
ACCESSION NO.

11. TITLE (Include Security Classification)

Subpicosecond Optical Digital Computation Using Phase Conjugate Parametric Generators,....

12. PERSONAL AUTHOR(S)

Alfano, Robert; Eichmann, George; Dorsinville, Roger; Li, Yao

13a. TYPE OF REPORT

Scientific

13b. TIME COVERED

FROM 12/86 TO 8/87

14. DATE OF REPORT (Year, Month, Day)

1987, October 5

15. PAGE COUNT

7

16. SUPPLEMENTARY NOTATION

17. COSATI CODES

FIELD

GROUP

SUB-GROUP

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

Ultrafast Technology, Optical Computation,
Phase Conjugation, Nonlinear Optics

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

Fundamental optical nonlinear processes based on X_2 and X_3 in different materials (liquids, polymers, and semiconductors) were investigated for size and speed. Ultrafast optical logic devices, switches, and processes based on these nonlinear optical materials were designed, built, and tested. Twenty one papers were published during this work in the period 1986-1987.

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION

UNCLASSIFIED

22a. NAME OF RESPONSIBLE INDIVIDUAL

R.R. Alfano

22b. TELEPHONE (Include Area Code)

212 690 6900

22c. OFFICE SYMBOL

NE

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted.

All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

**INSTITUTE FOR ULTRAFAST SPECTROSCOPY AND LASERS
ELECTRICAL ENGINEERING AND PHYSICS DEPARTMENTS**

THE CITY COLLEGE

FINAL SCIENTIFIC

and

Annual Report AFOSR-TR- 87 - 1616

AFOSR Grant# 84-0144 FQ8671-8401034

RF 447211

**Subpicosecond Optical Digital Computation using Phase Conjugate
Parametric Generators**

Senior Researchers: Professors R. Alfano, G. Eichmann, R. Dorsinville, and Y. Li

Ph. D. Graduate Students: P. Delfyett, L Yang.

October 1987

Accession For	
NTIS	CPA&I
DTIC	TAB
Unannounced	
Justification	
By	
Distribution	
Availability Codes	
Dist	Availability for Special
A-1	



87 10 28 059

Table of contents

Device Design and Construction	1
Fundamental Research	2
Publications	3

Progress Report

The purpose of the research program under grant AFOSR 84-0144 was twofold: to investigate basic fundamental optical nonlinear processes in different materials and use the acquired knowledge to design and build ultrafast optical logic devices, switches and processors. Substantial progress has been achieved in both areas.

A. Major Achievements

I. Device design and construction

- (1) A fundamental logic switch, a nonlinear Sagnac interferometric switch has been proposed and experimentally demonstrated. The device improvement in auto-isolation of retroreflection has been noted.
- (2) A modified switching device, a two port Sagnac interferometric switch (TPSIS) has been proposed. With two orthogonal polarization channels, the TPSIS can switch one of the two inputs to one of the two output ports. Various TPSIS based logic and arithmetic applications were described.
- (3) For the reason that a ternary number set is an optimum set in terms of storage complexity, various binary coded ternary (BCT) optical arithmetic and logic computing methods have been investigated. The BCT representation has two advantages. First it allows the use of well developed binary optical components. Second, in comparison with other optical multivalued number encoding schemes, it conserves the optical space bandwidth product. Correspondingly, various BCT arithmetic and logic processing architectures and algorithms were introduced.

- (4) A Fabry-Perot resonator with an active Sagnac interferometer as its retroreflector has been studied and the corresponding multistability results have been calculated. The device can be configured to be either an optical limiter, an amplifier, a logic or a memory element.
- (5) An optical parallel computing method using polarization and hybrid encoded optical shadow-casting has been proposed. One major advantage of this technique over its conventional black/white and its theta modulation encoding counterparts is that it allows the multiple data operations that are essential to general purpose optical computing.
- (6) An optical phase conjugation (OPC) logic device has been proposed. All three input ports are used to produce the spatially encoded logic output signal.
- (7) A conditional symbolic modified sign-digit (MSD) arithmetic processing method using content addressable memory (CAM) has been proposed. Compared to other MSD processing methods, the new method has the faster processing speed.
- (8) An electro-optical theta-modulation based A/D conversion technique has been proposed. Using an existing e-o waveguide deflector together with an array of precalculated geometrical masks, various non-cyclic binary codes can be generated. Other theta modulation based A/D conversion advantages found includes fast processing speed (ns or sub-ns), low conversion voltage (2-3 volts for each level), and compact geometry.

Fundamental research

The following highlights the major achievements during the past two years:

- (1) We have demonstrated the use of the Raman induced phase conjugate technique (RIPC) both to obtain strong Raman signals and to measure relaxation times in liquids and solids using picosecond laser pulses¹⁻⁵. We have obtained the picosecond RIPC spectra of carbon disulfide, benzene, nitrobenzene, nitrotoluene, calcite, and lithium niobate. This new time resolved spectroscopic method will not only allow to study the relaxation mechanisms of the materials used in new broadband switching devices but also can lead ultimately to the development of multispectral ultrafast optical processors.

- (2) Using the phase conjugation and Kerr techniques we have measured, the magnitude and response time of the third order nonlinear coefficient χ^3 of polymers such as PMMA and 4BCMU (a polydiacetylene) at 532, 620, and 1064 nm. These measurements have shown that the nonresonant nonlinear optical coefficient of 4BCMU is at least two order of magnitude larger than CS_2 with a response time of less than 0.5 ps. At resonance the nonlinear optical coefficient can be several order of magnitude larger ($> 1000 \cdot 10^{-11}$ esu) but an additional slow component (< 12 ps) appears in the Kerr relaxation process. These results confirm that polymers like 4BCMU appear to be perspective materials for future logic devices.
- (3) Similar measurements were carried out with several semiconductors² such as ZnO, ZnSe, and CdS. The values of χ^3 measured were 5 to ten times larger than CS_2 . However, the response times were in the nanosecond range.
- (4) The decay time of the phase conjugate signal in ZnSe was observed to decrease with increasing pump intensity². In wide band semiconductors several mechanisms are present and contribute to the transient four wave mixing process, i.e. bound electrons, free carriers and impurities. The decay dynamics will depend on which mechanism dominates. In ZnSe our measurements have shown that at relatively low intensities, near zero delay, the dynamics are due to the nonlinear response of bound and free carriers, while at long delay times, a slower decaying signal is observed due to recombination and diffusion of free carriers. The longer decay times at higher pump intensity indicates the presence of secondary impurity gratings which dominate the light scattering process. The impurity grating in ZnSe is due to the population of carriers in a shallow donor state which has a decay rate dependent on the population of carriers in a deep impurity level.
- (5) A 2 ps real time four wave mixing technique was demonstrated to measure phonon lifetimes and nonlinear optical response times. In this technique three pulses of different frequencies, one very short < 2 ps pulse derived from a nonlinear supercontinuum at $\omega - \Omega$ (where Ω corresponds to a vibrational frequency) and two 30 ps laser pulses at ω

interact in the nonlinear medium to generate a fourth beam nearly phase conjugate to one of the laser beams at $\omega - \Omega$. The generated phase conjugate pulse is then sent to a streak camera and a video computer system to record its time profile. The decay time of the generated pulse is directly related to the phonon lifetime and the nonlinear response time. The resolution of the technique is limited by the streak camera and the duration of the short pulse (about 2 ps). The technique was used to determine phonon and vibrational lifetimes in carbon disulfide and calcite. The measured lifetimes agree with earlier measurements using different techniques. We plan to continue our investigations using this new method to determine the relaxation mechanisms in semiconductor and polymer samples.

B. Publications to Date

- [1] G. Eichmann, Y. Li, and R. R. Alfano, "Digital Optical Logic of Sagnac Interferometer Switch," *Opt. Eng.* 25, 91 (1986).
- [2] Y. Li, G. Eichmann, and R. R. Alfano, "Pulsed Mode Laser Sagnac Interferometry with Applications in Nonlinear Optics and Optical Switching," *Appl. Opt.* 25, 209 (1986).
- [3] Y. Li and G. Eichmann, "Moire Deflectometry of Phase Objects Using a Single Grating," *Appl. Opt.* 25, 477 (1986).
- [4] G. Eichmann, Y. Li, M. Conner, and R. R. Alfano, "Optical Computing and Logic Using Two-port Sagnac Interferometric Switches," *Proc. SPIE*, 625, 79 (1986).
- [5] G. Eichmann, Y. Li, and R. R. Alfano, "Optical Binary Coded Ternary Arithmetic and Logic," *Appl. Opt.* 25, 3113 (1986).
- [6] Y. Li, G. Eichmann, and R. R. Alfano, "Optical Computing Using Hybrid Encoded Shadow Casting," *Appl. Opt.* 25, 2636 (1986).
- [7] G. Eichmann, Y. Li, and R. R. Alfano, "Optical Binary Encoded Multivalued Arithmetic and Logic Using Two-port Sagnac Interferometric Switches," *Proc. SPIE* 700, 251 (1986).

- [8] Y. Li, G. Eichmann, and R. R. Alfano, "Multistable Fabry Perot Resonator with An Active Sagnac Interferometer as Its Retroreflector," *Opt. Comm.* 61, 75 (1987).
- [9] G. Eichmann, Y. Li, and R. R. Alfano, "Parallel Optical Logic Generation Using Optical Phase Conjugation," *Appl. Opt.* 26, 194 (1987).
- [10] Y. Li, G. Eichmann, X. Luo, P. P. Ho, and R. R. Alfano, "Ultrafast Digital Optical Computing Using Optical Second Harmonic Generators," *Opt. Comm.* in press.
- [11] Y. Li, G. Eichmann, and R. R. Alfano, "Conditional Symbolic Modified Sign-digit Arithmetic Using Optical Content Addressable Memory Logic Elements," *Appl. Opt.* 26, 2328 (1987).
- [12] G. Eichmann, Y. Li, and R. R. Alfano, "Digital Optical Isochronous Array Processing," *Appl. Opt.* 26 (1987) in press.
- [13] Y. Li, G. Eichmann, and R. R. Alfano, "Fast Parallel Optical Digital Multiplication," *Opt. Comm.* 62, 2726 (1987).
- [14] J. T. Manassah, R. R. Alfano, M. Conner, and P. P. Ho, "Photon Echo in Direct Gap Semiconductor," *Physics Lett.* 106A, 65 (1984).
- [15] J. Buchert, R. Dorsinville, P. Delfyett, S. Krimchansky, and R. R. Alfano, "Determination of Temporal Correlation of Ultrafast Laser Pulses Using Phase Conjugation," *Opt. Comm.* 52, 433 (1985).
- [16] J. Buchert, R. Dorsinville, P. Delfyett, R. R. Alfano, "Determination of Single and Collective Partical Correlation Kinetics Using Time Resolved Picosecond Phase Conjugation," *Proc. of the International Conference on Lasers* 85 340 (1986).
- [17] P. Delfyett, R. Dorsinville, and R. R. Alfano, "Time Resolved Picosecond Raman Induced Phase Conjugation in Liquids and Solids," *Proc. of the International Laser Science Conference*, 590 (1986).
- [18] R. Dorsinville, P. Delfyett, and R. R. Alfano, "Ultrafast Raman Induced Phase Conjugation Spectroscopy," *Ultrafast Phenomena VI* (1986) Springer-Verlag.

- [19] P. P. Ho, R. Dorsinville, N. L. Yang, G. Odian, G. Eichmann, T. Jimbo, Q. Z. Wang, G. C. Tang, W. K. Kou, Y. Li, and R. R. Alfano, "Nonlinear Optical Processes in 4BCMU-Polydiacetylene," Proc. SPIE, 682, 36 (1986).
- [20] P. Delfyett, R. Dorsinville, and R. R. Alfano, "Intensity Dependent Diffusion in ZnSe Using Picosecond Time Resolved Phase Conjugation," Proc. SPIE (1987)
- [21] R. Dorsinville, P. Delfyett, and R. R. Alfano, "Time Resolved Picosecond Raman Induced Phase Conjugation in Liquids and Solids," Appl. Opt. 26, (1987) in press.

Presentations and Abstracts

- [1] Y. Li, G. Eichmann, and R. R. Alfano, "Optical Switching Using a Sagnac Interferometer," 1985 OSA Annual Meeting, Washing, D.C. Oct. 1985.
- [2] G. Eichmann, Y. Li, M. Conner, and R. R. Alfano, "Optical Computing and Logic Using Two-port Sagnac Interferometric PIE Conference on Digital Optical Computing, Los Angeles, CA. Jan. 1986.
- [3] G. Eichmann, Y. Li, and R. R. Alfano, "Optical Binary Encoded Multivalued Arithmetic and Logic Using Two-port Sagnac Interferometric Switches," International Conference on Digital Optical Computation, Israel, July, 1986.
- [4] Y. Li, G. Eichmann, P. P. Ho, and R. R. Alfano, "Optical Digital Computing Using Noncollinear Second Harmonic Generation," APS Annual Meeting, New York, March, 1987.
- [5] P. Delfyett, R. Dorsinville, and R. R. Alfano, "Timed Resolved Picosecond Raman Induced Phase Conjugation in Liquids and Solids," International Laser Science Conference (ILSC), Dallas, Texas, Nov. 1985.
- [6] R. Dorsinville, J. Buchert, P. Delfyett, and R. R. Alfano, "Single Shot Autocorrelator Based on Degenerate Four Wave Mixing," International Conference on LASERS' 85, Las Vegas, Nevada, Dec. 1985.
- [7] R. Dorsinville, J. Buchert, P. Delfyett, and R. R. Alfano, "Determination of Single and Collective Partical Correlation Kinetics Using Time Resolved Picosecond Phase Conjugation,"

International Conference on LASERS' 85, Las Vegas, Nevada, Dec. 1985.

- [8] P. Delfyett, R. Dorsinville, and R. R. Alfano, "Transient Gratings in Wide Bandgap Crystals," Conference on Ultrafast Laser-Probe Phenomena in Bulk and Microstructure Semiconductors, New York, Mar. 1987.
- [9] P. Delfyett, R. Dorsinville, and R. R. Alfano, "Picosecond Time Resolved Transient Gratings in ZnSe," APS Annual Meeting, New York, Mar. 1987.

END

FEB.

1988

DTic