

MICROCOPY RESOLUTION TEST CHART
NBS 1963-A

①

PUMPING-EROSION SUBIDENCE
OF A SEAFLOOR PLATE-FOOTING

AN ENGINEERING REPORT

OCEN 685
by

ALVIN E. GRIMMIG JR.

LT, CEC, USN

N00228-85-B-3303

Submitted to the Graduate College of
Texas A&M University
in partial fulfillment of the requirements for the degree of

MASTER OF ENGINEERING

NOVEMBER 1987

DTIC
ELECTE
S JAN 25 1988 D
E

Major Subject: Ocean Engineering

This document has been approved
for public release and since its
distribution is unlimited.

PUMPING-EROSION SUBSIDENCE
OF A SEAFLOOR PLATE-FOOTING

AN ENGINEERING REPORT

by

ALVIN E. GRIMMIG JR.

LT, CEC, USN

Approved as to style and content by:

John B. Herbich
(Chairman)

Wayne A. Dunlap
(Member)

Wilfred Gardner
(Member)



| | |
|--------------------|-------------------------------------|
| Accession For | |
| NTIS GRA&I | <input checked="" type="checkbox"/> |
| DTIC TAB | <input type="checkbox"/> |
| Unannounced | <input type="checkbox"/> |
| Justification | <i>form 50</i> |
| By | |
| Distribution/ | |
| Availability Codes | |
| Dist | Avail and/or Special |
| <i>A-1</i> | |

NOVEMBER 1987

ABSTRACT

PUMPING-EROSION SUBSIDENCE
OF A SEAFLOOR PLATE-FOOTING

(November 1987)

ALVIN EUGENE GRIMMIG JR., B.S. University of Washington
Chairman of Advisory Committee: Dr. John B. Herbich

Subsidence of objects that rest on the seafloor is an expected but not well understood phenomenon. Subsidence is the settlement of fixed structures and mobile structures (such as oceanographic packages) that are placed on the seafloor. A major concern involving bottom resting systems, in relatively shallow water (less than 200 meters) is wave induced motions. The system response of the structure in this dynamic environment can create substantial loadings at the structure-seafloor interface. Past works have addressed wave-induced and current scour as the major factors causing structural subsidence, neglecting the effects of pumping - erosion.

The research described is directed towards indentifying and understanding the phenomenological aspects of pumping-erosion. The work describes a new hypothesis concerning liquefaction as being the precursor to subsidence in a two cycle pumping-erosion process. Due to the complexity of

structure-soil interaction a multivariable linear regression was performed on the data to substantiate experimental observations.

ACKNOWLEDGEMENTS

The author is grateful to Dr. John B. Herbich, for serving as his Committee Chairman. Appreciation is also extended to Dr. Wayne Dunlap and Dr. Wilfred Gardner for their role as Committee Members and for their advice, interest and encouragement. A special thanks to Dr. Robert Randall, for his perspective and encouragement.

I am especially grateful to wife, Debra and sons Matt, Andy and Aaron, for their continuous love, faith and support during this course of study. In appreciation, I dedicate this work to them.

Thanks is also extended to technicians Randy Bush, Charles Carnes, and Carl Fredrickson for their assistance in the development and operation of equipment during research.

TABLE OF CONTENTS

| | |
|---|-----|
| ABSTRACT..... | iii |
| ACKNOWLEDGEMENTS..... | iv |
| TABLE OF CONTENTS..... | v |
| LIST OF TABLES..... | vi |
| LIST OF FIGURES..... | vii |
| CHAPTER I INTRODUCTION..... | 1 |
| CHAPTER II LITERATURE REVIEW..... | 7 |
| CHAPTER III PROCEDURES AND INSTRUMENTATION..... | 11 |
| CHAPTER IV RESULTS..... | 19 |
| CHAPTER V DISCUSSION OF RESULTS..... | 34 |
| CHAPTER VI SUMMARY and CONCLUSIONS..... | 65 |
| REFERENCES..... | 69 |
| APPENDIX A - SUBSIDENCE CURVES..... | 71 |
| APPENDIX B - EXPERIMENTAL RECORD (SAMPLE)..... | 104 |
| APPENDIX C - SCOUR CONTOURS..... | 110 |
| VITA..... | 154 |

LIST OF TABLES

| Table | Page |
|--|------|
| 1. Experimental Parameters..... | 20 |
| 2. Submerged Angle of Repose..... | 43 |
| 3. Variable Range of Values..... | 48 |
| 4. Variable Correlations..... | 49 |
| 5. Order of Variable Significance..... | 52 |
| 6. PROC REG - 8 variable..... | 55 |
| 7. PROC REG - 6 variable..... | 56 |
| 8. PROC REG - combined factors..... | 57 |
| 9. Multivariable Model Summary..... | 63 |

LIST OF FIGURES

| Figure | Page |
|--|------|
| 1. Structure-Soil Response of a Seafloor Plate-Footing.. | 3 |
| 2. Sediment Test Tank..... | 12 |
| 3. Grain Size Analysis..... | 13 |
| 4. Experimental Set-Up..... | 15 |
| 5(A-L). Typical Strip Chart Record of Pore Water Pressures and Exit Velocities..... | 22 |
| 6. Upward Plate Cycle..... | 36 |
| 7. Distorted Grain Skeleton..... | 37 |
| 8. Downward Plate Cycle..... | 39 |
| 9. Bed Profile Details..... | 40 |
| 10. Post Negative Pore Water Spikes..... | 42 |
| 11. Ranking of Experiments by Liquefaction Index..... | 45 |
| 12. Ranking of Experiments by (A_{2Ap}/WT)..... | 46 |
| 13. Predicted (8-variable) Model vs Actual..... | 60 |
| 14. Predicted (6-variable) Model vs Actual..... | 61 |
| 15. Predicted (2-variable) Model vs Actual..... | 62 |

CHAPTER I

INTRODUCTION

Structural subsidence can range from a few inches to several feet causing results varying from slight tilting and displacements of a structure to total and catastrophic structural failure. As a result of the petroleum and gas industries use of seafloor supported structures (i.e. jack-up rigs) much investigation has been directed at the structure-soil system and interaction. Although this area has been intensely investigated, the focus of attention has been on large oil rig structures.



The use of relatively small mobile submerged structures for oceanographic and industrial purposes has increased in the past several years. The ability to successfully deploy, operate and retrieve these instruments and equipment packages is largely dependent upon the structure-seafloor interaction. Bottom resting systems are subject to the dynamic response of the structure in the ocean regime which can produce significant dynamic loadings at the seafloor. The stability of a submerged seafloor structure is dependent upon the subsidence and orientation of the structure while subject to wave and current forces. These forces produce a footing response in a variety of bearing, tension, sliding,

rocking and torsional strains in the marine soil supporting the structure (Figure 1).

The central issue of this report involves the investigation of the phenomenon and mechanisms of pumping-erosion and its contribution to subsidence. Pumping-erosion is inherently non-linear as the structure is intermittently coupled and decoupled from the soil interface. In addition, the effects of the period of oscillation, amplitude of displacement, footing characteristics, hydrodynamic effects and soil parameters are simultaneously involved resulting in a very complicated and complex problem.

The basic pumping-erosion cycle involves an uplifting force vertically displacing the footing off the seafloor. Subsequently, a downward force will dynamically load the structure onto the soil again. This over simplified cycle is a Trojan horse, as it involves several discrete and intertwined forces which are not readily apparent.

Consideration must be given to the geometry and dynamics of the footing. The size, shape, and weight of the structure will determine such characteristics as center of mass, center of buoyancy, drag and lift forces and moments of inertia which will determine the structures response to the exciting force. The wave and current environment will produce the exciting force characteristics of period,



FOOTING RESPONSES

FIGURE 1

amplitude, and duration of excitation. Hydrodynamically, effects of exit and entrance velocities, water density and viscosity as well as the added mass of the interacting structure will influence the structure response and the sediment transport and settlement.

Soil parameters such as soil density, permeability, void ratio, grain size and shape, and pore water pressures will determine seafloor response to the structure-soil interaction.

Traditionally subsidence was attributed to the effects of scour resulting from the driving force of wave and currents with little regard to pumping-erosion. Any inference to pumping-erosion usually surrounds the latter half cycle where the water is displaced or "pumped" from under the footing as it makes contact with the soil surface. The soil transport has been attributed to the "jetting" action of the water escaping from under the footing.

But what of the first half of the cycle of the footing when it is uplifted from the seafloor? What forces are involved? And what contributions do these forces make to the process of subsidence? As the footing is uplifted, negative pore water pressures can be developed in the soil under the footing, possibly to the point of liquefaction.

Liquefaction, or fluidization, occurs when the pore-water pressure in a soil is equivalent to the total stress of the soil; in other words when the effective strength of the soil equals zero. Liquefaction of a soil requires considerable pore water pressures as compared to the relative ease of fluidization, which reduces the effective strength of the soil by the increase in the pore water pressure combined with the uplifting effect of the upward seepage flow. If the bed is considered deformable, the fluidization would then weaken the grain skeleton and distort the grain bed surface causing the grains to have a greater hydraulic profile making them readily available for transport during the downward half cycle of the footing.

Thus, it is hypothesized that subsidence is a two phase cycle. The first phase occurs on the uplifting of the footing causing sufficient negative pore water pressures to fluidize the bed which weakens and distorts the bed making the upper grain layers more susceptible to sediment transport. The second phase, occurs on the downward stroke of the footing where the velocities developed under the footing transport the sediment. The transport to the sediment will be accentuated at the edges where the water is jetted out from under the footing. The following research is designed to investigate the hypothesis on a phenomenological basis.

OBJECTIVES

The objectives of this research are as follows:

1. To determine which geometric, hydrodynamic and kinematic parameters are involved in pumping-erosion subsidence.
2. To evaluate the relative importance of the geometric, fluid and kinematic parameters involved in pumping-erosion subsidence.
3. To determine if sufficient negative pore water pressures can be developed under the footing to fluidize the foundation bed to the point of liquefaction.

CHAPTER II

LITERATURE REVIEW

There are a limited number of references dealing with soil/water/structure interaction. Even fewer address the soil/water/structure interactions and forces involved in structural subsidence. Furthermore, there are only two sited works that discuss the topic of pumping-erosion. Most structural subsidence is attributed to the effects of scour. Herbich et al.(3) has compiled an extensive bibliography on the topic of conventional scour.

Reimnitz and Kempema (10) in 1981, describes the effects of dynamic ice wallowing in the Alaskan nearshore areas. The report hypothesizes the occurrence of two types of hydraulic processes. In the first process the ice plays a passive role, acting as a flow obstacle in the current and wave regime. This particular aspect would account for the more conventional scour around structures. The second hydraulic process involves ice playing an active role, either by simple vertical oscillations or by wallowing (rocking). Dahlberg (1) discusses pumping erosion as it pertains to structures. He states that pumping erosion is associated with excess pore-water pressures set-up in the foundation soil during storm periods. Dahlberg suggests

that excess pore-water pressures develop to balance the overturning moments on the base of the structure. It is further stated that if there is free communication between the foundation soil and the seabed, the pore-water gradient may be high enough to liquefy the soil locally.

It was verified that a North Sea platform, Frigg CDPI, which had no protective scour skirts, was subject to pumping-erosion. Divers observed periodic puffs of sediment around the periphery of the structure base when the sediments were carried in suspension as the structure rocked in the storm environment. It is noted that the pumping-erosion described was solely attributed to the positive pore-water pressures escaping above the mudline due to the pressure gradient.

An extreme case of pumping-erosion involved the Christchurch Bay Tower located in 8.4 meters of water. The platform was subject to severe storm conditions. Due to the absence of protective scour skirts the platform was undermined by scour, which lead to a free rocking motion of the structure, resulting in pumping-erosion on the foundation soil.

Pumping-erosion of gravity structures is now rare, due to their size and the use of scour skirts. Most settlement

of gravity structures, as described by DiBiagio (2), is attributed to consolidation settlement.

Teramoto et al. (13) discussed the scour encountered with various sit-on-bottom type of structures. The study investigates the various scour patterns and contours for various footing designs and configurations.

However, pumping erosion is more applicable to lightweight mobile structures (i.e. oceanographic research instrumentation packages which can be deployed from research vessels) and is the focus of this topic.

Several works have dealt with wave induced pore water pressures. Approaches have varied from considering the soil skeleton to be rigid, to being compressible and pore water as being compressible or incompressible. Governing equations were usually derived from Darcy's Law of flow through a permeable bed or Biot's Law for three dimensional consolidation for a poro-elastic material. In addition, various studies have evaluated whether residual pore-water pressures exist in cohesionless soils or whether the pore pressures are merely transient.

Oldinziel and Brink (9), indicate that an upward flow of water through a porous sand bed reduces the apparent weight of the sand particles and therefore reduces the sand

particles' stability. The results of the study conclude that upward flow (blowing) through the bed increases the rate of sediment transport. The study relates the upward blowing forces to pressure gradients in the bed that depend on seepage velocities as defined by Darcy's Law.

Martin and Aral(5), 1971, indicates that the seepage force on a surface grain is only 50% of that for an embedded grain. However, the study concludes that it is clear that upward seepage will reduce the stability of surface grains, whereas the downward seepage will increase stability. Martin (4) in 1974, demonstrated that bed failure could also result from a horizontal pressure gradient.


CHAPTER III

PROCEDURES AND INSTRUMENTATION

When non-fixed seafloor systems are subjected to wave and current forces of sufficient levels, the structure will oscillate. The wave pressure forces, in conjunction with the current forces will lift the structure and then will load it again on the seafloor. The response of the structure and subsequent subsidence are a function of several geometric, hydrodynamic and kinematic factors.

Due to the amount of limited data concerning pumping-erosion subsidence a simple plate type footing employing purely vertical oscillations was chosen. The tests were conducted in a steel tank with a glass observation window. The dimensions of the tank were 8 feet long, 4 feet wide and 4 feet deep. The glass observation window was 57 inches long and 3/4 inches thick. A sand bed, 11.5 inches deep was placed in the steel tank. The test section (4 feet by 4 feet) was 11.5 inches deep. The remainder of the tank had 5.5 inches of sand overlying a false bottom (Figure 2).


The sand utilized for the test was an Ottawa sand with a specific gravity of 2.65 and a mean grain diameter (d_{50}) of .22mm (0.087 inches) (Figure 3). The sand had a static (pluviated) submerged angle of repose of 16.5o.



Sediment Test Tank
 w/False Bottoms

FIGURE 2

MECHANICAL ANALYSIS CHART



$d_{50} = .22 \text{ mm}$


FIGURE 3

Two steel plates were utilized in the experiments. A 12 inch square plate (1 square foot), 3/4 inch, 25 pound plate was utilized for experiments 1 through 6. A 10 gauge (0.132 inch) thick, 16.97 inch square (2 square feet) plate attached to the 1 square foot plate was utilized for the experiments 7 through 12.

The plate was uplifted by a cable and pulley system coupled to a 1/2 horsepower D.C. variable speed motor via a rotating cam follower that engaged lever arm attached to the cable (Figure 4). This particular arrangement allowed the plate to be uplifted from the sandbed to a predetermined amplitude and then the plate was released and allowed to free fall onto the test bed. The next cycle would engage the cam follower on the lever arm lifting the plate again, repeating the cycle. The plate was thus able to follow the contours of the scour caused by the pumping-erosion.

The amplitude of oscillation (1 or 0.8 inches) was obtained by eccentrically locating the cam follower from the center of rotation of the motor shaft. The selection of the amplitudes was restricted by equipment limitations.

Oscillation periods of 5, 10 and 20 seconds were selected to simulate general storm wave conditions that might be experienced by seafloor systems.



EXPERIMENTAL SET-UP
FIGURE 4

Pore-water pressures in the test bed were measured by a Statham P-22S-350 bi-directional pressure transducer (2 psid). The transducer was placed outside of the tank at the same equivalent hydrostatic depth as the sand bed. The transducer detected pressure fluctuations through the active port via a 1/8 inch clear PVC tubing coupled to a needle shaped copper probe fitted with a # 200 mesh screen to restrict the entrance of sand particles into the transducer port. The transducer probe was centered under the plate-footing at a depth of 0.276 inches (7mm).

To insure proper measurements, the active transducer port, PVC tubing, brass coupling and sensing probe were thoroughly cleaned with a strong detergent to remove any dirt, grease or oil that may have accumulated. After rinsing, the active pressure port and extensions were carefully flushed and filled with de-aired water. This procedure was followed to eliminate the possibility of entrapped air within the pressure sensing system.

A static load test was utilized to calibrate the pressure transducer. Readings were taken with the transducer submerged in still water at a predetermined depth. At a second predetermined depth readings were taken again. Since the pressure relationship is a linear, an average calibration factor of 0.043 psi/mv was obtained.

The 5 volt D.C. excitation voltage was supplied by a HP17403A pre-carrier amplifier. The output was recorded by a HP7402A dual channel strip chart recorder.

To record the near bed shear velocities at the plate edge, a Thermo-Systems Inc (TSI), hot film anemometer system was employed. The voltage output of the anemometer is proportional to heat loss across the cylindrical filament (film) as a result of the fluid flow across the filament. The actual velocities were determined from calibration curves developed prior to each experiment.

The calibration was performed by attaching the hot film probe to a motorized trolley carriage which rode on a rail system above a 120 foot wave flume. The carriage was operated at several different speeds over a predetermined distance. The voltage output from the TSI anemometer monitor was displayed on a Beckman 200 digital voltmeter and recorded. A calibration curve of millivolts versus ft/sec was thus developed. Temperature corrections based on Reynolds Number similarities were employed to compensate for the difference in water temperatures between the wave flume and the test tank.

The upward plate velocities (VPU) and the downward plate velocities (VPD) were determined from the hot-film anemometer velocity record.

The scour depth readings were recorded manually by observing a marker attached to a stanchion affixed to the plate traveling across a stationary rule. Horizontal deflections were minimized by extending a guide tube over the square tubing shaft welded to the plate surface.

Twelve experiments were conducted at various combinations of period (T), amplitude of oscillation (A), and plate dimensions (area (AP); weight (W); and thickness (T)).

CHAPTER IV

EXPERIMENTAL RESULTS

A total of 14 experiments were conducted. Two preliminary experiments were performed to observe the effects of the transducer probe position under the plate. As one might expect, the highest negative pore-water pressures were recorded at the center of the plate. Therefore, the center of the plate was chosen for the probe placement. It was the goal of these experiments to obtain a general understanding of the mechanisms involved in the phenomenon of pumping-erosion. The experiments were also designed to investigate whether negative pore-water pressures and possible fluidization of the foundation bed played a significant role in pumping-erosion. Therefore, it was necessary to discern the effects of the experimental parameters in pumping-erosion subsidence. Following is a table listing the controlled variables for each test run:

TABLE 1 - Controlled Parameters

| EXP NO. | PERIOD (T) sec | AMPLITUDE (A) inches | PLATE AREA (AP) ft ² | PLATE WEIGHT (W) lbs | PLATE THICKNESS (TH) inches |
|---------|-------------------|-------------------------|------------------------------------|-------------------------|--------------------------------|
| 1 | 10 | 1 | 1 | 25 | .75 |
| 2 | 20 | 1 | 1 | 25 | .75 |
| 3 | 5 | 1 | 1 | 25 | .75 |
| 4. | 20 | 1 | 1 | 25 | .75 |
| 5. | 10 | 1 | 1 | 25 | .75 |
| 6. | 5 | 1 | 1 | 25 | .75 |
| 7. | ..20 | 2 | .80 | 36 | .132 |
| 8. | 10 | 2 | .80 | 36 | .132 |
| 9. | 5 | 2 | .80 | 36 | .132 |
| 10. | 20 | 2 | .80 | 36 | .132 |
| 11. | 10 | 2 | .80 | 36 | .132 |
| 12. | 5 | 2 | .80 | 36 | .132 |

The soil used was an Ottawa sand with a mean grain diameter of .22mm. The average bed density of the foundation bed (the area directly under the plate) was 3.30 slugs/ft³. In addition the controlled parameters listed in Table 1, the following variables were also recorded: number of cycles(CYCS), positive pore water pressures (PPWP), negative pore water pressures (PPWS), plate exit velocities


(VE), plate upward velocities (VPU), and plate downward velocities (VPD).

Figures 1 through 12 in Appendix A plot the subsidence versus time and cycles. Figures 13 through 24 plot the subsidence versus the log of time and cycles.

Figures 25, 26 and 27 are group plots of subsidence versus cycles and Figures 28, 29 and 30 are group plots of subsidence versus time for the periods of 5, 10 and 20 seconds respectively. Figure 31, plots the subsidence curves versus cycles (Figure 32 versus time) for the first six experiments (1 sf plate). Figure 33, plots the subsidence versus cycles (Figure 34 versus time) for the last six experiments (2 sf plate).


Figures 5A through 5L show typical strip chart output records for the 12 experiments. The pore water pressure record output is recorded on channel 1 and the hot film anemometer output record on channel 2.

As noted in the experimental record, in Appendix B, the output of the hot film anemometer became unreliable as the water temperature increased above 86oF. Thus VE was not considered in the analysis described in Chapter V.




PRESSURE AND VELOCITY RECORD EXPERIMENT 1

FIGURE 5A




PRESSURE AND VELOCITY RECORD EXPERIMENT 2

FIGURE 5B




PRESSURE AND VELOCITY RECORD EXPERIMENT 3

FIGURE 5C




PRESSURE AND VELOCITY RECORD EXPERIMENT 4

FIGURE 5D




PRESSURE AND VELOCITY RECORD EXPERIMENT 5

FIGURE 5E




PRESSURE AND VELOCITY RECORD EXPERIMENT 6

FIGURE 5F




PRESSURE AND VELOCITY RECORD EXPERIMENT 7

FIGURE 5 G




PRESSURE AND VELOCITY RECORD EXPERIMENT 8

FIGURE 5 H




PRESSURE AND VELOCITY RECORD EXPERIMENT 9

FIGURE 51




PRESSURE AND VELOCITY RECORD EXPERIMENT 10

FIGURE 5 J



PRESSURE AND VELOCITY RECORD EXPERIMENT 11

FIGURE 5 K



PRESSURE AND VELOCITY RECORD EXPERIMENT 12

FIGURE 5 L

CHAPTER V

DISCUSSION OF RESULTS

As one reviews the results depicted by the figures (Appendix A), certain trends appear. The first observation is that the experiments that produce the most rapid subsidence have the larger plate areas, greater weights, larger amplitudes of oscillation, and shorter periods. Secondly, the experiments that subside more rapidly also had higher negative pore water pressures and thus higher liquefaction indexes as derived by Sleath (12), where the point of fluidization is regarded as :

$$\frac{1}{\rho_w g} \frac{\partial p}{\partial y} = \frac{\rho_b - \rho_w}{\rho_w}$$

ρ_w = water density

ρ_b = bed density

$\frac{\partial p}{\partial y}$ = pore-water pressure through the transducer depth dy

Failure of the bed could also result from too large a horizontal gradient :


$$\frac{1}{\rho g} \frac{\partial p}{\partial y} = \frac{\rho_s - \rho}{\rho} \tan \theta$$

where θ = internal angle of friction

As the plate is uplifted, as depicted in Figure 6, negative pore water pressures are developed locally in the foundation soil directly under the plate. The data indicate that the bed is indeed fluidized. Assuming that the pore-water pressure is incompressible and that the grain skeleton is compressible and deformable, the action of local fluidization of the bed would then cause distortion of the upper grain layers (see Figure 7).



Some of the loose grains were observed to be carried into suspension by the turbulent flow of fluid rushing in under the plate in response to the local negative pressures. The strip chart record reflects the velocity response to the pressure fluctuations which are in agreement with the Bernoulli equation :

$$p = -\frac{1}{2} \rho V^2 - \rho g x + C$$




UPWARD PLATE CYCLE

FIGURE 6



DISTORTED
GRAIN
LAYERS

FLUIDIZATION
FLOW




DISTORTED GRAIN SKELETON
FIGURE 7

During the downward cycle of the plate (Figure 8), the loosened grains as well as the sediment in suspension (as a result of the uplifting of the plate) can then be easily transported (Figure 8) at a much lower shear velocities (u^*) than would be required for normal initiation as predicted by the Shields' diagram (6). An interesting observation, derived from the pressure and velocity records, is that the slower periods have more pressure fluctuations and thus more velocity fluctuations but with lower negative pore water pressures than do the shorter period cycles which have greater negative pore water pressures but with a faster change in pressure and velocity with fewer fluctuations.


By careful observation three interesting details were discovered. First, a small ridge of sand developed along and under the perimeter edge of the plate. The second observation is that a trough was developed immediately adjacent to the perimeter edge of the plate (Figure 9). Thirdly, slope instability and sloughing was observed during the upstroke of the plate. These seemingly minor details may play a significant role in the pumping erosion process.

The small ridge under the perimeter of the plate probably results from the outflow of water and transported material attempting to exit from the underside of the plate during the last fraction of a second before plate impact. This small ridge of sand may account for the large negative



DOWNWARD PLATE CYCLE

FIGURE 8




BED PROFILE DETAILS

FIGURE 9

pore water spikes at the end of each cycle (Figure 10) in one of two ways. First, if the foundation bed is considered to be elastic, the negative pore water pressure may be due to plate-soil bounce with the small ridge acting to seal the plate so that the pressure response is localized. The second possibility, is that as the plate impacts on the foundation soil, the plate undergoes slight flexure and causes the negative pressure excursion. Again, the sand ridge would tend to seal off the plate to cause the event to be a local effect.

The trough is caused by the jetting of water from under the plate (Figure 9). During the uplifting of the plate, the lower portion of the slope became unstable and sloughed onto the aforementioned trough. The entire slope then cascaded down to form a new equilibrium slope. The slope failure was probably due to the pressure/velocity field near the edge of the plate. As the water rushes in, responding to the negative pressures under the plate, sand grains at the base of the slope could be enveloped by the turbulent flow causing a slope failure. An alternate explanation, is that there is flow out of the slope in response to the pressure fluctuation, which would also cause the slope failure.

TYPICAL PORE-WATER PRESSURE RECORD



NEGATIVE PORE-WATER PRESSURE SPIKE

FIGURE 10

In any event, the sand from the slope failure, which should be large grains due to preferential transportation (winnowing), loosely fall into the trough only to be expelled and transported during the downward stroke of the plate.

Topographical plots of the sand contours for the 12 experiments are in Appendix C. Of particular interest is the dynamic angle of repose of the scour mound slopes as listed in Table 2.

TABLE 2 DYNAMIC ANGLES OF REPOSE


| <u>EXP. NO.</u> | <u>DYNAMIC ANGLE OF REPOSE</u> |
|-----------------|--------------------------------|
| 1 | 21 |
| 2 | 24.3 |
| 3 | 24.9 |
| 4 | 24.2 |
| 5 | 23.4 |
| 6 | 25.8 |
| 7 | 23.3 |
| 8 | 22.2 |
| 9 | 23.8 |
| 10 | 22.2 |
| 11 | 22.4 |
| 12 | 22.7 |

Figure 11, ranks the experiments by the average initial liquefaction index. The ranking is in accordance with the observed subsidence rates (i.e. the tests with more rapid subsidence have higher liquefaction indexes). A relationship between the period, amplitude, plate weight and plate area (A^2Ap/WT^2) was then developed and ranked (Figure 12). Curiously enough, the ranking was the same as the liquefaction index except for the positions of experiments 2 and 4, which were reversed.

Although some general trends were developed from the plotted data and figures, a more sophisticated numerical analysis is required to ascertain the relationships between the experimental parameters.


MULTIVARIATE PROCEDURES

To determine the relationship and relative importance of the variables the Statistical Analysis System, or SAS, was employed. The SAS techniques were used to analyze the data because of the statistical integrity and ease of use. All of the statistical methods employed are explained in the SAS User's Manual : Statistics (11). The data from all 12 experiments were compiled into 234 observations, using 15 variables. The dependent variable was subsidence (SUBSID). The 14 independent variables were : period (T), amplitude of oscillation (A), plate area (AP), plate weight (W), plate thickness (TH), bed density (BRHO), kinematic viscosity



RANK BY EXPERIMENT NUMBER

FIGURE 11



RANK BY EXPERIMENT NUMBER

FIGURE 12

(VISC), number of cycles (CYCS), negative pore water pressures (PPWS), liquefaction index (LI), positive pore-water pressures (PPWP), plate upward velocity (VPU), plate downward velocity (VPD) and plate exit velocity (VE). Table 3 summarizes the range of values for each of the variables. A list of all the variable values can be found in Appendix B.

The SAS procedure, PROC CORR, was first used to determine simple linear correlations between the variables in the entire data record and are listed in Table 4. Due to the high correlation between the area of the plate (AP) and the plate weight (W) and plate thickness (TH), W and TH were *deleted from further analysis*. Also LI was deleted from analysis due to the high cross correlation with PPWS. Furthermore, PPWP was not considered for further analysis because of its low correlation (-0.016) with subsidence. This is an interesting event as data suggests that positive pore-water pressures have little to do with subsidence.

The next step was to determine the strength of the linear relationship determined by computing R^2 , the square of the multiple correlation coefficient (R-SQUARE in SAS). R^2 also known as the coefficient of determination, is interpreted as the portion of the variability that has been accounted for by the regression formula. The closer R^2 was to 1, the better the model equation fit the data. However,

6
OCTOBER 5, 1987

CORRELATION ANALYSIS FOR SUSIDENCE USING: T, A, AP, W, TH, BRHO, VISC, CYCS, PPWS, LI, PPWP, VPU, VPD
10:40 MONDAY, OCTOBER 5, 1987

| VARIABLE | N | MEAN | STD DEV | SUM | MINIMUM | MAXIMUM |
|----------|-----|-----------------|-----------------|----------------|-----------------|-----------------|
| SUBSID | 234 | 0.87252137 | 0.49662039 | 204.17000000 | 0.00000000 | 1.80000000 |
| T | 234 | 12.60683761 | 6.42214151 | 2950.00000000 | 5.00000000 | 20.00000000 |
| A | 234 | 0.90598291 | 0.10003484 | 212.00000000 | 0.80000000 | 1.00000000 |
| AP | 234 | 1.55555556 | 0.49796917 | 364.00000000 | 1.00000000 | 2.00000000 |
| W | 234 | 31.11111111 | 5.47766088 | 7280.00000000 | 25.00000000 | 36.00000000 |
| TH | 234 | 0.02279060 | 0.01508186 | 5.33300000 | 0.01100000 | 0.04200000 |
| BRHO | 234 | 3.30000000 | 0.00000000 | 772.20000000 | 3.30000000 | 3.30000000 |
| VISC | 234 | 8.643632479E-06 | 2.564751859E-07 | 0.00202261 | 8.572000000E-06 | 9.558000000E-06 |
| CYCS | 234 | 57.70512821 | 61.83645722 | 13503.00000000 | 0.00000000 | 330.00000000 |
| PPWS | 234 | -0.05997062 | 0.03383271 | -14.03312500 | -0.15050000 | 0.00000000 |
| LI | 234 | 5.82564440 | 3.28504000 | 1363.20078877 | 0.00000000 | 14.62002150 |
| PPWP | 234 | 0.13190342 | 0.04737528 | 30.86540000 | 0.00000000 | 0.27950000 |
| VPU | 234 | 1.23989104 | 0.77448035 | 290.13450288 | 0.00000000 | 3.31250000 |
| VPD | 234 | 3.45703568 | 1.27409096 | 808.94634921 | 0.00000000 | 6.62500000 |

TABLE 3

PEARSON CORRELATION COEFFICIENTS / PROB > |R| UNDER HO:RHO=0 / N = 234

| SUBSID | T | A | AP | W | TH | BRHO | VISC | CYCS | PPWS | LI | PPWP | VPU |
|--------|----------|----------|----------|----------|----------|---------|----------|----------|----------|----------|----------|----------|
| SUBSID | 1.0000 | -0.14989 | 0.33653 | -0.12561 | 0.17205 | 0.00000 | 0.16004 | 0.78867 | -0.26279 | 0.26263 | -0.01559 | 0.39556 |
| | 0.0000 | 0.0218 | 0.0001 | 0.0550 | 0.0084 | 1.00000 | 0.0142 | 0.0001 | 0.0001 | 0.0001 | 0.8125 | 0.0001 |
| T | -0.14989 | 1.00000 | -0.09787 | 0.14911 | 0.00411 | 0.00000 | -0.11386 | -0.10256 | 0.75520 | -0.75479 | -0.14508 | -0.44255 |
| | 0.0218 | 0.0000 | 0.1355 | 0.0225 | 0.9501 | 1.00000 | 0.0822 | 0.1177 | 0.0001 | 0.0001 | 0.0265 | 0.0001 |
| A | 0.33653 | -0.09787 | 1.00000 | -0.03255 | 0.17351 | 0.00000 | 0.26362 | 0.25034 | -0.13645 | 0.13843 | -0.05586 | -0.08521 |
| | 0.0001 | 0.1355 | 0.0000 | 0.6203 | 0.0078 | 1.00000 | 0.0001 | 0.0001 | 0.0370 | 0.0343 | 0.3950 | 0.1940 |
| AP | -0.12561 | 0.14911 | -0.03255 | 1.00000 | -0.87592 | 0.00000 | -0.31293 | -0.34269 | 0.20161 | -0.20266 | 0.08661 | 0.38359 |
| | 0.0550 | 0.0225 | 0.6203 | 0.0001 | 0.0001 | 1.00000 | 0.0001 | 0.0001 | 0.0019 | 0.0018 | 0.1867 | 0.0001 |
| W | -0.12561 | 0.14911 | -0.03255 | 1.00000 | -0.87592 | 0.00000 | -0.31293 | -0.34269 | 0.20161 | -0.20266 | 0.08661 | 0.38359 |
| | 0.0550 | 0.0225 | 0.6203 | 0.0001 | 0.0001 | 1.00000 | 0.0001 | 0.0001 | 0.0019 | 0.0018 | 0.1867 | 0.0001 |
| TH | 0.17205 | 0.00411 | 0.17351 | -0.87592 | 1.00000 | 0.00000 | 0.35726 | 0.35013 | -0.09894 | 0.09998 | -0.07254 | -0.36328 |
| | 0.0084 | 0.9501 | 0.0078 | 0.0001 | 0.0000 | 1.00000 | 0.0001 | 0.0001 | 0.1313 | 0.1272 | 0.2691 | 0.0001 |
| BRHO | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 | 0.00000 |
| | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 | 1.00000 |
| VISC | 0.16004 | -0.11386 | 0.26362 | -0.31293 | 0.35726 | 0.00000 | 1.00000 | 0.06324 | -0.13192 | 0.13385 | 0.23366 | -0.15482 |
| | 0.0142 | 0.0822 | 0.0001 | 0.0001 | 0.0001 | 1.00000 | 0.0000 | 0.3354 | 0.0438 | 0.0408 | 0.0003 | 0.0178 |
| CYCS | 0.78867 | -0.10256 | 0.25034 | -0.34269 | 0.35013 | 0.00000 | 0.06324 | 1.00000 | -0.18109 | 0.18093 | -0.25706 | 0.19966 |
| | 0.0001 | 0.1177 | 0.0001 | 0.0001 | 0.0001 | 1.00000 | 0.3354 | 0.0000 | 0.0055 | 0.0055 | 0.0001 | 0.0021 |
| PPWS | -0.26279 | 0.75520 | -0.13645 | 0.20161 | -0.09894 | 0.00000 | -0.13192 | -0.18109 | 1.00000 | -0.99989 | -0.46163 | -0.55476 |
| | 0.0001 | 0.0001 | 0.0370 | 0.0019 | 0.1313 | 1.00000 | 0.0438 | 0.0055 | 0.0000 | 0.0001 | 0.0001 | 0.0001 |
| LI | 0.26263 | -0.75479 | 0.13843 | -0.20266 | 0.09998 | 0.00000 | 0.13385 | 0.18093 | -0.99989 | 1.00000 | 0.46212 | 0.55323 |
| | 0.0001 | 0.0001 | 0.0343 | 0.0018 | 0.1272 | 1.00000 | 0.0408 | 0.0055 | 0.0001 | 0.0000 | 0.0001 | 0.0001 |
| PPWP | -0.01559 | -0.14508 | -0.05586 | 0.08661 | -0.07254 | 0.00000 | 0.23366 | -0.25706 | -0.46163 | 0.46212 | 1.00000 | 0.24294 |
| | 0.8125 | 0.0265 | 0.3950 | 0.1867 | 0.2691 | 1.00000 | 0.0003 | 0.0001 | 0.0001 | 0.0001 | 0.0000 | 0.0002 |
| VPU | 0.33956 | -0.44255 | -0.08521 | 0.38359 | -0.36328 | 0.00000 | -0.15482 | 0.19966 | -0.55476 | 0.55323 | 0.24294 | 1.00000 |
| | 0.0001 | 0.0001 | 0.1940 | 0.0001 | 0.0001 | 1.00000 | 0.0178 | 0.0021 | 0.0001 | 0.0001 | 0.0002 | 0.0000 |
| VPD | 0.63126 | -0.04687 | 0.21594 | 0.15387 | -0.09608 | 0.00000 | 0.06520 | 0.34825 | -0.35979 | 0.36016 | 0.40962 | 0.44448 |
| | 0.0001 | 0.4755 | 0.0009 | 0.0185 | 0.1428 | 1.00000 | 0.3207 | 0.0001 | 0.0001 | 0.0001 | 0.0001 | 0.0001 |

| SUBSID | T | A |
|--------|----------|--------|
| SUBSID | 0.63126 | 0.0001 |
| T | -0.04687 | 0.4755 |
| A | 0.21594 | 0.0009 |

TABLE 4

CORRELATION ANALYSIS FOR SUSIDENCE USING: T, A, AP, W, TH, BRHO, VISC, CYCS, PPWS, LI, PPWP, VPU, VPD 8
 10:40 MONDAY, OCTOBER 5, 1987
 PEARSON CORRELATION COEFFICIENTS / PROB > |R| UNDER HO:RHO=0 / N = 234

| | VPD |
|------|--------------------|
| AP | 0.15387 0.0185 |
| W | 0.15387 0.0185 |
| TH | -0.09608 0.1428 |
| BRHO | 0.00000 1.0000 |
| VISC | 0.06520 0.3207 |
| CYCS | 0.34825 0.0001 |
| PPWS | -0.35979 0.0001 |
| LI | 0.36016 0.0001 |
| PPWP | 0.40962 0.0001 |
| VPU | 0.44448 0.0001 |
| VPD | 1.00000 0.0000 |

TABLE 4 (cont.)

a large R2 did not necessarily mean that the proper model was chosen for the data. Therefore, R2 should be used with caution, since it is always possible to make R2 large by the addition of more variables to the model. The R-SQUARE routine was configured to give R2 and C(p) values for all possible combinations of 3, 4 and 5 variables. The results are listed in Appendix D. C(p), Mallows's statistic, is a criterion related to the mean square of a fitted value (7). As C(p) attempts to indicate the bias of the prediction, a small C(p) value is generally sought. The "best fit" model is determined by when C(p) first approaches p on a plot of C(p) versus p.

Next, the remaining 10 variables were incorporated into a SAS routine called STEPWISE. STEPWISE is a model building program which chooses variables that are to be included into the model. Ideally, a variable selection process should determine, for any given number of independent variables, a subset of the equation of predicted values produce the minimum residual sum of the squares. In PROC STEPWISE variables are added or deleted one at a time, depending on the Forward or Backward option selection, until all coefficients remaining in the model are statistically insignificant (P < .05).

The STEPWISE procedure, using the backward elimination method, gave results that are suspect. It indicated that the best model was produced when all the variables were significant at the $P < 0.001$ level when the variable AP (plate area) was removed. This result is contradictory to the forward selection process which adds variables in the order of their significance. The forward selection process ranked the variables in order of significance in the following manner:

TABLE 5 FORWARD SELECTION RANKING

| <u>Variables</u> | <u>C(p)</u> | <u>F</u> | <u>PROB>F</u> | <u>R2</u> |
|------------------|-------------|----------|------------------|-----------|
| CYCS | 185.049 | 381.754 | 0.0001 | 0.6220 |
| VPD | 28.146 | 143.304 | 0.0001 | 0.7667 |
| VISC | 20.663 | 8.842 | 0.0033 | 0.7754 |
| AP | 16.634 | 5.737 | 0.0174 | 0.7808 |
| T | 14.272 | 4.209 | 0.0414 | 0.7848 |
| PPWS | 11.090 | 5.091 | 0.0250 | 0.7895 |
| A | 9.307 | 3.761 | 0.0537 | 0.7930 |
| VPU | 9.000 | 2.307 | 0.1302 | 0.7951 |

The significance of the ranking is apparent in the manner in which the forward selection was constructed, in that it added the variables in the following order : CYCS, VPD, VISC, AP, T, PPWS, A and VPU. Each additional variable improved the overall fit of the model.

The strength of a linear relationship, an indication of how well the model fits the data, is indicated by the R2 value. The F-value is used by SAS to test the null hypothesis, which tests the linear association between Y and X1, X2, ... Xk . If the F-value is not significant (PROB F = 0.0001), for a system on "n" degrees of freedom (DF), the null hypothesis is accepted indicating that the model does not explain a significant portion of the variability. That is to say, as the F-value increases a greater portion of the variability is explained by the model (i.e. the spread of the model is lessened).

The PROB >F indicates the significance of the model (or the strength of the variables as in the R2 output). The lower the value of PROB>F , the more significant the model . A p-value of 0.0001 is highly significant.

The strength of the individual variables is indicated by, T and PROB>T, which denote the same inference as F and PROB>F.

Based on the above results, PROC REG was performed on the 8 remaining independent variables. Variables A (amplitude) and VPU (plate upward velocity) were then removed and PROC REG was run again. The results are shown in Tables 6 and 7.

Two variables, F1 and F2 were then created from the combination of the 8 variables where :

$$F1 = \{(144 \text{ PPWS VPU AP}/(g^2 T))\}^{1/3}$$

$$F2 = \{(1/2 \text{ VPD}^2 \text{ A W})/(144 \text{ VISC}^2 \text{ g}^2 \text{ T}^2)\}^{1/2}$$

F3 and F4 were created from the log of F1 and F2 taking into account the number of cycles. PROC CORR, PROC RSQUARE and PROC REG were then utilized on F1, F2 F3, and F4. The results are listed in Tables 8, 9 and 10.

Plots of the models (Figures 13, 14 & 15) listed in Tables 6, 7 and 10, graph the predicted values from the models against the actual values.

DEP VARIABLE: SUBSID

ANALYSIS OF VARIANCE

| SOURCE | DF | SUM OF SQUARES | MEAN SQUARE | F VALUE | PROB>F |
|---------|-----|----------------|-------------|---------|--------|
| MODEL | 8 | 45.68964740 | 5.71120592 | 109.126 | 0.0001 |
| ERROR | 225 | 11.77556499 | 0.05233584 | | |
| C TOTAL | 233 | 57.46521239 | | | |

| ROOT MSE | R-SQUARE |
|-----------|----------|
| 0.2287703 | 0.7951 |
| DEP MEAN | ADJ R-SQ |
| 0.8725214 | 0.7878 |
| C.V. | |
| 26.21945 | |

PARAMETER ESTIMATES

| VARIABLE | DF | PARAMETER ESTIMATE | STANDARD ERROR | T FOR HO: PARAMETER=0 | PROB > t | VARIANCE INFLATION |
|----------|----|--------------------|----------------|-----------------------|-----------|--------------------|
| INTERCEP | 1 | -1.73874055 | 0.57144946 | -3.043 | 0.0026 | 0 |
| T | 1 | -0.01095138 | 0.003935050 | -2.783 | 0.0058 | 2.84326286 |
| A | 1 | 0.42042178 | 0.17661015 | 2.381 | 0.0181 | 1.38960255 |
| AP | 1 | 0.01313021 | 0.04990345 | 0.263 | 0.7927 | 2.74930400 |
| CYCS | 1 | 0.005016776 | 0.000330433 | 15.182 | 0.0001 | 1.85871204 |
| PPWS | 1 | 2.51070987 | 0.91528286 | 2.743 | 0.0066 | 4.26914558 |
| VISC | 1 | 184744.67 | 65070.20512 | 2.839 | 0.0049 | 1.23997161 |
| VPU | 1 | 0.05393236 | 0.03550625 | 1.519 | 0.1302 | 3.36656485 |
| VPD | 1 | 0.45774911 | 0.01602032 | 9.847 | 0.0001 | 1.85481184 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 1 | 0 | 0 | 0.3511 | 0.0823 | 0.1890 | 0.5132 | -0.3511 |
| 2 | 0.3 | 0.3000 | 0.7218 | 0.0594 | 0.6048 | 0.8388 | -0.4218 |
| 3 | 0.5 | 0.5000 | 0.8237 | 0.0585 | 0.7085 | 0.9389 | -0.3237 |
| 4 | 0.7 | 0.7000 | 0.9916 | 0.0617 | 0.8700 | 1.1131 | -0.2916 |
| 5 | 0.9 | 0.9000 | 1.0515 | 0.0602 | 0.9329 | 1.1700 | -0.1515 |
| 6 | 1 | 1.0000 | 0.9851 | 0.0575 | 0.8718 | 1.0985 | 0.0149 |
| 7 | 1.1 | 1.1000 | 1.0489 | 0.0577 | 0.9352 | 1.1625 | 0.0511 |
| 8 | 1.15 | 1.1500 | 1.0097 | 0.0577 | 0.8961 | 1.1233 | 0.1403 |
| 9 | 1.2 | 1.2000 | 1.0507 | 0.0572 | 0.9381 | 1.1634 | 0.1493 |
| 10 | 1.3 | 1.3000 | 1.0886 | 0.0561 | 0.9781 | 1.1991 | 0.2114 |
| 11 | 1.45 | 1.4500 | 1.1895 | 0.0560 | 1.0792 | 1.2997 | 0.2605 |
| 12 | 1.5 | 1.5000 | 1.2638 | 0.0561 | 1.1533 | 1.3743 | 0.2362 |
| 13 | 1.6 | 1.6000 | 1.4106 | 0.0570 | 1.2982 | 1.5230 | 0.1894 |
| 14 | 1.65 | 1.6500 | 1.5451 | 0.0589 | 1.4292 | 1.6611 | 0.1049 |
| 15 | 1.75 | 1.7500 | 1.6938 | 0.0614 | 1.5728 | 1.8147 | 0.0562 |
| 16 | 1.75 | 1.7500 | 1.6874 | 0.0652 | 1.5590 | 1.8158 | 0.0626 |
| 17 | 1.8 | 1.8000 | 1.7372 | 0.0825 | 1.5746 | 1.8997 | 0.0628 |

TABLE 6

REGRESSION ANALYSIS FOR SUSIDENCE USING T, AP, CYCS, PPWS, VISC, VPD

DEP VARIABLE: SUBSID

ANALYSIS OF VARIANCE

| SOURCE | DF | SUM OF SQUARES | MEAN SQUARE | F VALUE | PROB>F |
|----------|-----|----------------|-------------|---------|--------|
| MODEL | 6 | 45.37093938 | 7.56182323 | 14.1929 | 0.0001 |
| ERROR | 227 | 12.09427301 | 0.05327874 | | |
| C TOTAL | 233 | 57.46521239 | | | |
| | | | | | |
| ROOT MSE | | 0.2308219 | R-SQUARE | 0.7895 | |
| DEP MEAN | | 0.8725214 | ADJ R-SQ | 0.7840 | |
| C.V. | | 26.45458 | | | |

PARAMETER ESTIMATES

| VARIABLE | DF | PARAMETER ESTIMATE | STANDARD ERROR | T FOR HO. PARAMETER=0 | PROB > T | VARIANCE INFLATION |
|----------|----|--------------------|----------------|-----------------------|-----------|--------------------|
| INTERCEP | 1 | -1.72105573 | 0.57516987 | -2.992 | 0.0031 | 0 |
| T | 1 | -0.01198702 | 0.003929845 | -3.050 | 0.0026 | 2.78556077 |
| AP | 1 | 0.07103360 | 0.03798907 | 1.870 | 0.0628 | 1.56503552 |
| CYCS | 1 | 0.005357586 | 0.000293743 | 18.239 | 0.0001 | 1.44286802 |
| PPWS | 1 | 1.85197583 | 0.82078459 | 2.256 | 0.0250 | 3.37236072 |
| VISC | 1 | 216545.59 | 63172.91467 | 3.428 | 0.0007 | 1.14803346 |
| VPD | 1 | 0.16325034 | 0.01596531 | 10.225 | 0.0001 | 1.80949475 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 1 | 0 | 0 | 0.2999 | 0.0795 | 0.1432 | 0.4565 | -0.2999 |
| 2 | 0.3 | 0.3000 | 0.7033 | 0.0594 | 0.5863 | 0.8203 | -0.4033 |
| 3 | 0.5 | 0.5000 | 0.8171 | 0.0589 | 0.7010 | 0.9331 | -0.2171 |
| 4 | 0.7 | 0.7000 | 0.9706 | 0.0614 | 0.8497 | 1.0916 | -0.2706 |
| 5 | 0.9 | 0.9000 | 1.0446 | 0.0606 | 0.9251 | 1.1641 | -0.1446 |
| 6 | 1 | 1.0000 | 0.9742 | 0.0578 | 0.8602 | 1.0882 | 0.0258 |
| 7 | 1.1 | 1.1000 | 1.0390 | 0.0580 | 0.9247 | 1.1534 | 0.0610 |
| 8 | 1.15 | 1.1500 | 0.9904 | 0.0573 | 0.8775 | 1.1032 | 0.1596 |
| 9 | 1.2 | 1.2000 | 1.0361 | 0.0572 | 0.9235 | 1.1488 | 0.1639 |
| 10 | 1.3 | 1.3000 | 1.0878 | 0.0566 | 0.9763 | 1.1993 | 0.2122 |
| 11 | 1.45 | 1.4500 | 1.1929 | 0.0564 | 1.0817 | 1.3041 | 0.2571 |
| 12 | 1.5 | 1.5000 | 1.2708 | 0.0565 | 1.1596 | 1.3821 | 0.2292 |
| 13 | 1.6 | 1.6000 | 1.4266 | 0.0571 | 1.3141 | 1.5391 | 0.1734 |
| 14 | 1.65 | 1.6500 | 1.5688 | 0.0584 | 1.4537 | 1.6839 | 0.0812 |
| 15 | 1.75 | 1.7500 | 1.7246 | 0.0604 | 1.6057 | 1.8435 | 0.0254 |
| 16 | 1.75 | 1.7500 | 1.7059 | 0.0653 | 1.5772 | 1.8346 | 0.0441 |
| 17 | 1.8 | 1.8000 | 1.7972 | 0.0777 | 1.6441 | 1.9503 | 0.027678 |
| 18 | 0 | 0 | -0.0335 | 0.0490 | -0.1301 | 0.0630 | 0.0335 |
| 19 | 0.4 | 0.4000 | 0.3438 | 0.0365 | 0.2720 | 0.4157 | 0.0562 |

TABLE 7

| VARIABLE | N | MEAN | STD DEV | SUM | MINIMUM | MAXIMUM |
|----------|-----|--------------|--------------|----------------|-------------|---------------|
| SUBSID | 234 | 0.87252137 | 0.49662039 | 204.17000000 | 0.00000000 | 1.80000000 |
| F1 | 234 | 0.07749594 | 0.04442540 | 18.13402693 | 0.00000000 | 0.20648259 |
| F2 | 234 | 306.56648784 | 246.26760224 | 71736.55815530 | 0.00000000 | 1321.26788358 |
| F3 | 234 | 0.39936874 | 0.55385457 | 93.45228467 | -1.31685812 | 1.52242192 |
| F4 | 234 | 3.76186847 | 1.07561958 | 880.27722131 | 0.00000000 | 5.19850802 |

PEARSON CORRELATION COEFFICIENTS / PROB > |R| UNDER H0:RHO=0 / N = 234

| SUBSID | F1 | F2 | F3 | F4 |
|--------|---------|---------|---------|---------|
| SUBSID | 1.00000 | 0.34619 | 0.83789 | 0.78081 |
| | 0.0000 | 0.0001 | 0.0001 | 0.0001 |
| F1 | 0.30010 | 1.00000 | 0.90915 | 0.52540 |
| | 0.0001 | 0.0000 | 0.0001 | 0.0001 |
| F2 | 0.34619 | 0.90915 | 1.00000 | 0.52613 |
| | 0.0001 | 0.0001 | 0.0000 | 0.0001 |
| F3 | 0.83789 | 0.52540 | 0.52613 | 1.00000 |
| | 0.0001 | 0.0001 | 0.0001 | 0.0000 |
| F4 | 0.78081 | 0.61492 | 0.56979 | 0.69315 |
| | 0.0001 | 0.0001 | 0.0001 | 0.0000 |

TABLE 3 A

N=234 REGRESSION MODELS FOR DEPENDENT VARIABLE: SUBSID MODEL: MODEL1

| NUMBER IN MODEL | R-SQUARE | C(P) | VARIABLES IN MODEL |
|-----------------|------------|----------|--------------------|
| 1 | 0.09006019 | 1500.011 | F1 |
| 1 | 0.11984469 | 1443.383 | F2 |
| 1 | 0.60967168 | 512.106 | F4 |
| 1 | 0.70205439 | 336.465 | F3 |
| 2 | 0.12107963 | 1443.036 | F1 F2 |
| 2 | 0.62410039 | 486.674 | F2 F4 |
| 2 | 0.66179646 | 415.005 | F1 F4 |
| 2 | 0.71444217 | 314.913 | F2 F3 |
| 2 | 0.72917656 | 286.899 | F1 F3 |
| 2 | 0.77907053 | 192.039 | F3 F4 |

TABLE 8 B

CORRELATION FOR VARIABLES: F1, F2, F3 AND F4
 RSQUARE FOR REGRESSION MODEL USING: F1, F2, F3 AND F4
 REGRESSION MODEL USING: F1 AND F4

DEP VARIABLE: SUBSID

ANALYSIS OF VARIANCE

| SOURCE | DF | SUM OF SQUARES | MEAN SQUARE | F VALUE | PROB>F |
|---------|-----|----------------|-------------|---------|--------|
| MODEL | 2 | 38.03027386 | 19.01513693 | 226.010 | 0.0001 |
| ERROR | 231 | 19.43493854 | 0.08413393 | | |
| C TOTAL | 233 | 57.46521239 | | | |


ROOT MSE 0.2900585 R-SQUARE 0.6618
 DEP MEAN 0.8725214 ADJ R-SQ 0.6589
 C.V. 33.24371

PARAMETER ESTIMATES

| VARIABLE | DF | PARAMETER ESTIMATE | STANDARD ERROR | T FOR HO: PARAMETER=0 | PROB > T |
|----------|----|--------------------|----------------|-----------------------|-----------|
| INTERCEP | 1 | -0.54206629 | 0.06980071 | -7.766 | 0.0001 |
| F1 | 1 | -3.23642674 | 0.54240887 | -5.967 | 0.0001 |
| F4 | 1 | 0.44270481 | 0.02240265 | 19.761 | 0.0001 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 1 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 2 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 3 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 4 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 5 | 0 | 0 | 0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 6 | 0 | 0 | 0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 7 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 8 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 9 | 0 | 0 | 0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 10 | 0 | 0 | 0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 11 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 12 | 0 | 0 | -0.5421 | 0.0698 | -0.6796 | -0.4045 | 0.5421 |
| 13 | 0.05 | 0.0500 | 0.0155 | 0.0448 | -0.0728 | 0.1038 | 0.0345 |
| 14 | 0.1 | 0.1000 | 0.0243 | 0.0365 | 0.1711 | 0.3151 | -0.1431 |
| 15 | 0.1 | 0.1000 | 0.2614 | 0.0345 | 0.1935 | 0.3294 | -0.1614 |
| 16 | 0.1 | 0.1000 | 0.3813 | 0.0361 | 0.3101 | 0.4524 | -0.2813 |
| 17 | 0.12 | 0.1200 | 0.4458 | 0.0279 | 0.3908 | 0.5008 | -0.3258 |
| 18 | 0.12 | 0.1200 | 0.3522 | 0.0317 | 0.2897 | 0.4148 | -0.2322 |
| 19 | 0.12 | 0.1200 | 0.4142 | 0.0289 | 0.3572 | 0.4712 | -0.2942 |
| 20 | 0.15 | 0.1500 | 0.4200 | 0.0313 | 0.3584 | 0.4817 | -0.2700 |
| 21 | 0.15 | 0.1500 | 0.5334 | 0.0268 | 0.4805 | 0.5863 | -0.3834 |

PLOT OF SUBSID*PRED SYMBOL USED IS *




NOTE 24 OBS HIDDEN

PREDICTED VS ACTUAL- 8 variable model

FIGURE 13

PLOT OF SUBSID+PRED SYMBOL USED IS *




PREDICTED VS ACTUAL - 6 variable model

NOTE 32 OBS HIDDEN

FIGURE 14

PLOT OF SUBSID*PRED SYMBOL USED IS *



PREDICTED VS ACTUAL - 2 term model
FIGURE 15

NOTE: 58 OBS HIDDEN

Multivariate Results

The SAS multiple regression was used to determine if the dependent variable Y (subsidence) was linearly related to two or more of the independent variables X_1, X_2, \dots, X_k . The solution takes the form of :

$$Y = a + b_1X_1 + b_2X_2 + \dots + b_kX_k$$

where "a" denotes the intercept term when X's equal zero. b_1, b_2, \dots, b_k are the partial regression coefficients of X_1, X_2, \dots, X_k , respectively.

Below is listed a summary of MOD1, the 3 variable model; MOD2, the 6 variable model; and MOD3, the 2 variable model containing F1 and F4.

TABLE 9 MODEL SUMMARY

| <u>MOD</u> | <u># VARS</u> | <u>R2</u> | <u>F-VALUE</u> | <u>SUM OF SQ. RESIDUALS</u> |
|------------|---------------|-----------|----------------|---------------------------------|
| 1 | 8 | 0.7951 | 109 | 11.78 |
| 2 | 6 | 0.7895 | 142 | 12.09 |
| 3 | 2* | 0.6618 | 226 | 19.43 |

* 2 terms containing 8 variables

From Table 11, the 6 variable model was selected as the best model where:

$$Y = -1.72105 - 0.11987 T + 0.7103 AP + 0.00536 CYCS + 1.85197 PPWS + 21645.59 VISC + 0.16325 VPD$$

The determination of the "best" linear model is not as important to this research as is the significance of the variables. From Tables 5 and 7, it can be seen that the two most significant variables are the number of cycles (CYCS) (F = 381.754, T = 18.39, p-value = 0.0001) and downward plate velocity (VPD) (F = 143.304, T = 10.225, p-value = 0.0001). The remaining variables listed in their order of significance are : viscosity (VISC), plate area (AP), Negative pore water pressure (PPWS) and period (T).

CHAPTER VI

SUMMARY AND CONCLUSIONS

The main objective of this research was to determine which mechanisms were involved in the phenomenon of pumping-erosion. The secondary objectives, involved the evaluation of the relative importance of each of the 14 independent variables, and in particular, the significance of negative pore-water pressures.

Of the original 14 independent variables, 6 variables (cycles (CYCS), downward plate velocity (VPD), viscosity (VISC), plate area (AP), negative pore water pressure (PPWS), and period (T)) were considered significant in the model constructed utilizing SAS. The number of cycles (CYCS) and the downward velocity of the plate (VPD) were highly significant and is in agreement with the accepted understanding of pumping-erosion and scour.

The result of negative pore water pressure (PPWS) remaining significant throughout the analysis supports the hypothesis that negative pore water pressures are a contributing factor in pumping-erosion. This is understandable if the experimental results of the

Liquefaction Index (fluidization index) associated with the negative pore water pressures is accepted.

This leads to the conclusion that the fluidization of the foundation soil, due to the negative pore water pressures developed during the upward cycle of the plate-footing is a precursor to the scour developed during the downward cycle of of the plate-footing and significantly contributes to the overall pumping-erosion subsidence .

As with many initial investigations, this research poses more questions than it answers. Such as :

- 1) If negative pore-water pressures and the subsequent fluidization are significant to the phenomenon of pumping-erosion, then what is the distribution of the negative pore water pressures under the footing ?
- 2) What is the distribution of velocities under the plate footing ?
- 3) Can the footing be designed to alter the pressure and flow nets under the footing to reduce subsidence ?

- 4) What effect does the shape of the scour mound have on the negative pore water pressures ?
- 5) How would the results vary in other cohesionless and cohesive soils ?
- 6) What are the effects on pivotal oscillations as opposed to vertical oscillation ?

RECOMMENDATIONS

To obtain a better understanding of pumping-erosion, more research is needed in this area. If the results are valid, the effect of negative pore water pressures may affect all dynamic structure-marine soil interactions including submarine pipelines.

For purposes of further research the following recommendations are proposed :

- 1) Employ hydraulic or pneumatic rams to load the soil at a constant rate with a constant amplitude.

- 2) Develop a method to record the dynamic formation of the scour mound slope.
- 3) Conduct the experiments with different grain sizes of cohesionless soils.
- 4) Conduct the experiments with cohesive soils.

REFERENCES

1. Dahlberg, R., "Observation of Scour Around Offshore Structures," Symposium of Geotechnical Aspects of Coastal and Offshore Structures, Dec. 1981, pp. 159-172.
2. DiBiago, Elmo, "Monitoring the Foundation Performance of Offshore Gravity Based Structures," Ground Engineering, Vol. 8 Nov. 1982.
3. Herbich, J.B., Schiller, R. E., Dunlap W.A. and Watanbe, R. K., "Seafloor Scour: Design Guidelines for Ocean-Founded Structures," Marcel Dekker Inc., New York, Basel, N.Y. (1984).
4. Martin, C.S., "Effects of a Porous Sand Bed on Incipient Sediment Motion," J. Water Resources 6(4), 1970, pp. 1162-1174.
5. Martin, C.S., and Aral, M.M., "Seepage Forces on Interfacial Bed Particles," PROC. A.S.C.E. J. Hydraul. Div. 97(HY7), 1971, pp. 1081-1100.
6. Middelton, G.V. and Southard, J.B., "Mechanics of Sediment Movement," 2nd Ed., Short Course No.3, Society of Economic Paleontologists and Mineralogists (S.E.P.M.), March 1984.
7. Montgomery, D.C., and Peck, E.A., "Introduction to Linear Regression Analysis," John Wiley & Sons, New York, N.Y., 1982.
8. Newman, J.N., "Marine Hydrodynamics," MIT Press, Cambridge, MA, 1986.
9. Oldenzel, D.M. and Brink, W.E., "Influence of Suction and Blowing on Entrainment of Sand Particles," PROC A.S.C.E. J. Hydraul. Div. 100, July 1974, pp.935-950.
10. Reimnitz, E. and Kempema, E., "Dynamic Ice-Wallowing Relief of Northern Alaska's Nearshore," J. Sedimentary Petrology, Vol. 52, No.2, June 1982, pp. 451-461.
11. SAS Institute Inc., "SAS/Statistics User's Guide, 1982 Edition," Cary, N.C., SAS Institute, Inc., 1982.
12. Sleath, J.F.A., "Sea Bed Mechanics," John Wiley & Sons, 1984, pp. 261-262.

13. Teramoto, S., Tagaya K., Murase, Y. and Nenomiya, K., "Study on Scouring of Sit-On-Bottom Type of Offshore Structures," Technical Review, Mitsubishi Heavy Industries, Vol. 10, No.1, Feb.1973, pp. 23-34.


14. Watters, G.Z. and Rao, M.V.P., "Hydrodynamic Effects of Seepage on Bed Particles," PROC A.S.C.E., J. Hydraul. Div.97 (HY3), March 1971, pp.421-439.

APPENDIX A

SUBSIDENCE CURVES

Subsidence vs Time

EXPERIMENT 2 $T = 20$ secs $A = 1$ inch



Subsidence vs Cycles

EXPERIMENT 2 $T = 20$ secs $A = 1$ inch





FIGURE 2

Subsidence vs Time

EXPERIMENT 3 T= 5 secs A= 1 inch



Subsidence vs Cycles

EXPERIMENT 3 T= 5 secs A= 1 inch





FIGURE 3

Subsidence vs Time

EXPERIMENT 11 T= 10 secs A= 0.8 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 11 T= 10 secs A= 0.8 inch Ap= 2sf Wp= 36lbs





FIGURE 11

Subsidence vs Time

EXPERIMENT 12 T= 5 secs A= 0.8 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 12 T= 5 secs A= 0.8 inch Ap= 2sf Wp= 36lbs





FIGURE 12

Subsidence vs Time

EXPERIMENT 1 T= 10 secs A= 1 inch



Subsidence vs Cycles

EXPERIMENT 1 T= 10 secs A= 1 inch





FIGURE 1

Subsidence vs Time

EXPERIMENT 1 T= 10 secs A= 1 inch



Subsidence vs Cycles

EXPERIMENT 1 T= 10 secs A= 1 inch





FIGURE 13

Subsidence vs Time

EXPERIMENT 2 T= 20 secs A= 1 inch



Subsidence vs Cycles

EXPERIMENT 2 T= 20 secs A= 1 inch





FIGURE 14

Subsidence vs Time

EXPERIMENT 3 T= 5 secs A= 1 inch



Subsidence vs Cycles

EXPERIMENT 3 T= 5 secs A= 1 inch





FIGURE 15

Subsidence vs Time

EXPERIMENT 4 T= 20 secs A= 0.8 inch Ap= 1sf Wp= 25lbs



Subsidence vs Cycles

EXPERIMENT 4 T= 20 secs A= 0.8 inch Ap= 1sf Wp= 25lbs





FIGURE 16

Subsidence vs Time

EXPERIMENT 5 T= 10 secs A= 0.8 inch Ap= 1sf Wp= 25lbs



Subsidence vs Cycles

EXPERIMENT 5 T= 10 secs A= 0.8 inch Ap= 1sf Wp= 25lbs





FIGURE 17

Subsidence vs Time

EXPERIMENT 6 T= 5 secs A= 0.8 inch Ap= 1sf Wp= 25lbs



Subsidence vs Cycle

EXPERIMENT 6 T= 5 secs A= 0.8 inch Ap= 1sf Wp= 25lbs





FIGURE 18

Subsidence vs Time

EXPERIMENT 7 $T = 20$ secs $A = 1.0$ inch $A_p = 2sf$ $W_p = 36lbs$



Subsidence vs Cycles

EXPERIMENT 7 $T = 20$ secs $A = 1.0$ inch $A_p = 2sf$ $W_p = 36lbs$





FIGURE 19

Subsidence vs Time

EXPERIMENT 8 T= 10 secs A= 1.0 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 8 T= 10 secs A= 1.0 inch Ap= 2sf Wp= 36lbs





FIGURE 20

Subsidence vs Time

EXPERIMENT 9 T= 5 secs A= 1.0 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 9 T= 5 secs A= 1.0 inch Ap= 2sf Wp= 36lbs





FIGURE 21

Subsidence vs Time

EXPERIMENT 10 T= 20 secs A= 0.8 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 10 T= 20 secs A= 0.8 inch Ap= 2sf Wp= 36lbs





FIGURE 22

Subsidence vs Time

EXPERIMENT 11 T= 10 secs A= 0.8 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 11 T= 10 secs A= 0.8 inch Ap= 2sf Wp= 36lbs




FIGURE 23

AD-A192 162


PUMPING-EROSION SUBSIDENCE OF A SEAFLOOR PLATE-FOOTING
(U) TEXAS A AND M UNIV COLLEGE STATION COLL OF
ENGINEERING A E GRIMMIG OCT 87 N80228-85-0-3303


2/2

UNCLASSIFIED

F/G 8/10

NL






MICROCOPY RESOLUTION TEST CHART

ANSI #1 - 1983

Subsidence vs Time

EXPERIMENT 12 T= 5 secs A= 0.8 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 12 T= 5 secs A= 0.8 inch Ap= 2sf Wp= 36lbs




FIGURE 24

Subsidence vs Cycles

T = 20 secs; Experiments 7, 4, 10, & 2




FIGURE 25

Subsidence vs Cycles

T = 10 secs; Experiments 8, 1, 11, & 5




FIGURE 26

Subsidence vs Cycle

T = 5 secs; Experiments 9, 3, 12, & 6




FIGURE 27

Subsidence vs Time

T = 5 secs; Experiments 9, 3, 12, & 6




FIGURE 28

Subsidence vs Time

T = 10 secs; Experiments 8, 1, 11, & 5




FIGURE 29

Subsidence vs Time

T = 20 secs; Experiments 7, 4, 10, & 2




FIGURE 30

Subsidence vs Cycle

Experiments 1,2,3,4,5,& 6





FIGURE 31

Subsidence vs Cycles

Experiments 7, 8, 9, 10, 11, & 12



CYCLES

FIGURE 32

APPENDIX B

EXPERIMENTAL DATA

| OBS | SUBSID | T | A | AP | W | TH | BRHD | VISC | CYCS | PPWS | LI | PPWP | VE | VPU | VPD |
|-----|--------|----|-----|----|----|-------|------|-------------|------|----------|---------|---------|----------|---------|---------|
| 1 | 0.00 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000009558 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 2 | 0.00 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 3 | 0.00 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 4 | 0.00 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 5 | 0.00 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 6 | 0.00 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 7 | 0.00 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 8 | 0.00 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 9 | 0.00 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 10 | 0.00 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 11 | 0.00 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 12 | 0.00 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 0.0 | 0.00000 | 0.0000 | 0.00000 | 0.000000 | 0.00000 | 0.00000 |
| 13 | 0.05 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 1.5 | -0.04300 | 4.1771 | 0.17200 | 2.900431 | 0.33062 | 0.70833 |
| 14 | 0.10 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 3.0 | -0.04300 | 4.1771 | 0.19350 | 2.900431 | 0.28125 | 1.12500 |
| 15 | 0.10 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 1.5 | -0.02150 | 2.0886 | 0.10750 | 0.000000 | 1.80000 | 2.25000 |
| 16 | 0.10 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 3.0 | -0.06450 | 6.2657 | 0.15050 | 0.000000 | 1.80000 | 2.25000 |
| 17 | 0.12 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 3.0 | -0.06450 | 6.2657 | 0.10750 | 1.160172 | 0.46000 | 2.30000 |
| 18 | 0.12 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 1.5 | -0.03225 | 3.1329 | 0.10750 | 1.740258 | 0.46667 | 2.80000 |
| 19 | 0.12 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 3.0 | -0.02580 | 2.5063 | 0.10750 | 0.000000 | 1.15000 | 2.30000 |
| 20 | 0.15 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 4.5 | -0.04300 | 4.1771 | 0.19350 | 3.480517 | 0.29688 | 1.90000 |
| 21 | 0.15 | 10 | 1.0 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 3.0 | -0.08600 | 8.3790 | 0.12900 | 1.160172 | 0.82143 | 3.83333 |
| 22 | 0.15 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 6.0 | -0.06450 | 6.2657 | 0.15050 | 0.000000 | 1.18750 | 2.37500 |
| 23 | 0.18 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 6.0 | -0.12900 | 12.5311 | 0.15050 | 0.000000 | 1.63333 | 2.45000 |
| 24 | 0.20 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 6.0 | -0.08600 | 8.3540 | 0.15050 | 2.204328 | 1.20000 | 3.00000 |
| 25 | 0.20 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 6.0 | -0.04300 | 4.1771 | 0.19350 | 3.480517 | 0.31250 | 2.00000 |
| 26 | 0.20 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 3.0 | -0.03225 | 3.1329 | 0.12900 | 1.740258 | 0.46154 | 3.00000 |
| 27 | 0.20 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 6.0 | -0.15050 | 14.6200 | 0.17200 | 0.000000 | 2.40000 | 3.00000 |
| 28 | 0.20 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 4.5 | -0.03225 | 3.1329 | 0.10750 | 0.000000 | 1.25000 | 2.50000 |
| 29 | 0.20 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 6.0 | -0.10750 | 10.4429 | 0.16125 | 0.000000 | 2.00000 | 2.50000 |
| 30 | 0.21 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 6.0 | -0.03225 | 3.1329 | 0.10750 | 0.000000 | 1.26250 | 2.52500 |
| 31 | 0.22 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 6.0 | -0.06450 | 6.2657 | 0.18275 | 9.281381 | 0.51000 | 2.55000 |
| 32 | 0.22 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 4.5 | -0.03225 | 3.1329 | 0.12900 | 1.740258 | 0.43571 | 3.05000 |
| 33 | 0.22 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 6.0 | -0.08600 | 8.3790 | 0.15050 | 1.160172 | 1.01667 | 2.44000 |
| 34 | 0.22 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 7.5 | -0.03225 | 3.1329 | 0.10750 | 0.000000 | 1.27500 | 2.55000 |
| 35 | 0.25 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 9.0 | -0.02472 | 2.4019 | 0.10750 | 0.000000 | 1.31250 | 2.62500 |
| 36 | 0.25 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 9.0 | -0.05375 | 5.2214 | 0.13975 | 0.000000 | 1.31250 | 2.62500 |
| 37 | 0.30 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 6.0 | -0.08600 | 8.3790 | 0.25800 | 1.144538 | 0.81250 | 3.25000 |
| 38 | 0.30 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 12.0 | -0.10750 | 10.4425 | 0.17200 | 9.281381 | 1.30000 | 3.25000 |
| 39 | 0.30 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 9.0 | -0.04300 | 4.1771 | 0.18275 | 2.900431 | 0.30556 | 2.20000 |
| 40 | 0.30 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 12.0 | -0.10750 | 10.4425 | 0.16125 | 0.000000 | 1.10000 | 2.20000 |
| 41 | 0.30 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 6.0 | -0.04300 | 4.1771 | 0.12900 | 1.624241 | 0.46429 | 3.25000 |
| 42 | 0.30 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 12.0 | -0.03225 | 3.1329 | 0.11825 | 0.000000 | 1.37500 | 2.75000 |
| 43 | 0.30 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 12.0 | -0.04945 | 4.8037 | 0.14620 | 0.000000 | 1.37500 | 2.75000 |
| 44 | 0.32 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 9.0 | -0.08600 | 8.3790 | 0.16125 | 1.160172 | 1.65000 | 2.64000 |
| 45 | 0.35 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 12.0 | -0.12900 | 12.5314 | 0.19350 | 0.000000 | 1.68750 | 3.37500 |
| 46 | 0.35 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 15.0 | -0.03225 | 3.1329 | 0.12900 | 0.000000 | 1.43750 | 2.87500 |
| 47 | 0.38 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 9.0 | -0.04300 | 4.1771 | 0.16125 | 1.508224 | 0.43125 | 3.45000 |
| 48 | 0.38 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 15.0 | -0.04730 | 4.5949 | 0.14620 | 0.000000 | 1.47500 | 2.95000 |
| 49 | 0.40 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 9.0 | -0.02795 | 2.7151 | 0.12900 | 4.640690 | 0.41176 | 2.33333 |
| 50 | 0.40 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 12.0 | -0.04300 | 4.1771 | 0.18275 | 3.480517 | 0.33333 | 2.00000 |
| 51 | 0.40 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 12.0 | -0.06450 | 6.2657 | 0.17200 | 9.281381 | 0.54545 | 3.00000 |
| 52 | 0.40 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 18.0 | -0.08600 | 8.3540 | 0.15050 | 0.000000 | 1.00000 | 3.00000 |
| 53 | 0.40 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 18.0 | -0.04300 | 4.1771 | 0.15050 | 0.000000 | 1.50000 | 3.00000 |
| 54 | 0.40 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 12.0 | -0.09675 | 9.3986 | 0.15050 | 0.000000 | 1.50000 | 3.00000 |
| 55 | 0.45 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 12.0 | -0.04300 | 4.1771 | 0.17200 | 1.508224 | 0.45313 | 3.62500 |

SAS

| OBS | SUBSID | T | A | AP | W | TH | BRHO | VISC | CYCS | PPWS | LI | PPWP | VE | VPU | VPD |
|-----|--------|----|-----|----|----|-------|------|-------------|------|----------|---------|---------|----------|---------|---------|
| 56 | 0.45 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 12.0 | -0.07525 | 7.3316 | 0.16125 | 9.281381 | 1.81250 | 2.90000 |
| 57 | 0.45 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 21.0 | -0.02150 | 2.0886 | 0.16125 | NODATA | 1.56250 | 3.12500 |
| 58 | 0.48 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 18.0 | -0.04730 | 4.5949 | 0.15265 | NODATA | 1.60000 | 3.20000 |
| 59 | 0.50 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000009558 | 12.0 | -0.08600 | 8.3790 | 0.27950 | 1.144538 | 0.68182 | 3.75000 |
| 60 | 0.50 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 18.0 | -0.02795 | 2.7151 | 0.05805 | 3.190474 | 0.39474 | 2.14286 |
| 61 | 0.50 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 18.0 | -0.10750 | 10.4425 | 0.12900 | 9.281381 | 1.50000 | 3.75000 |
| 62 | 0.50 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 15.0 | -0.04300 | 4.1771 | 0.17200 | 2.900431 | 0.32500 | 2.60000 |
| 63 | 0.50 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.000008572 | 24.0 | -0.08600 | 8.3540 | 0.15050 | 0.000000 | 1.00000 | 3.25000 |
| 64 | 0.50 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 15.0 | -0.04300 | 4.1771 | 0.17200 | 1.624241 | 0.46875 | 3.75000 |
| 65 | 0.50 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 18.0 | -0.12900 | 12.5314 | 0.18275 | NODATA | 1.87500 | 3.75000 |
| 66 | 0.50 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 24.0 | -0.02580 | 2.5063 | 0.17200 | NODATA | 1.62500 | 2.16667 |
| 67 | 0.52 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 27.0 | -0.02580 | 2.5063 | 0.17200 | NODATA | 1.32000 | 2.20000 |
| 68 | 0.52 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 21.0 | -0.04730 | 4.5949 | 0.17200 | NODATA | 1.65000 | 3.30000 |
| 69 | 0.52 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 18.0 | -0.10320 | 10.0252 | 0.15050 | NODATA | 1.65000 | 3.30000 |
| 70 | 0.55 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 18.0 | -0.06450 | 6.2657 | 0.15050 | 0.961035 | 0.61364 | 3.37500 |
| 71 | 0.55 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 15.0 | -0.08600 | 8.3790 | 0.17200 | 9.281381 | 0.96875 | 5.16667 |
| 72 | 0.60 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 24.0 | -0.10750 | 10.4425 | 0.12900 | 2.320345 | 1.60000 | 4.00000 |
| 73 | 0.60 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 21.0 | -0.04300 | 4.1771 | 0.16125 | 2.552379 | 0.33333 | 3.50000 |
| 74 | 0.60 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.000008572 | 30.0 | -0.08600 | 8.3540 | 0.15050 | 0.000000 | 1.00000 | 3.50000 |
| 75 | 0.60 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 18.0 | -0.04300 | 4.1771 | 0.18275 | 1.624241 | 0.50000 | 3.20000 |
| 76 | 0.60 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 18.0 | -0.06450 | 6.2842 | 0.17200 | 9.281381 | 0.88889 | 4.00000 |
| 77 | 0.60 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 30.0 | -0.02580 | 2.5063 | 0.17200 | NODATA | 1.40000 | 2.33333 |
| 78 | 0.60 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 24.0 | -0.04730 | 4.5949 | 0.17415 | NODATA | 1.75000 | 3.50000 |
| 79 | 0.65 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 24.0 | -0.08600 | 8.3543 | 0.15050 | 4.640690 | 0.65909 | 3.62500 |
| 80 | 0.65 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 33.0 | -0.03225 | 3.1329 | 0.17200 | NODATA | 1.81250 | 2.41667 |
| 81 | 0.67 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 36.0 | -0.03870 | 3.7594 | 0.16125 | NODATA | 1.47000 | 2.45000 |
| 82 | 0.70 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000009558 | 18.0 | -0.06450 | 6.2842 | 0.23650 | 1.144538 | 0.77273 | 4.25000 |
| 83 | 0.70 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 30.0 | -0.02795 | 2.7151 | 0.05805 | 3.190474 | 0.42500 | 2.42857 |
| 84 | 0.70 | 5 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 25.5 | -0.04300 | 4.1771 | 0.16125 | 2.552379 | 0.34091 | 3.75000 |
| 85 | 0.70 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.000008572 | 42.0 | -0.09675 | 9.3983 | 0.16125 | 0.000000 | 0.83333 | 3.00000 |
| 86 | 0.70 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 22.5 | -0.03225 | 3.1329 | 0.19350 | 1.624241 | 0.47222 | 4.25000 |
| 87 | 0.70 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 21.0 | -0.06450 | 6.2842 | 0.17200 | 9.281381 | 1.41667 | 1.70000 |
| 88 | 0.70 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 24.0 | -0.12900 | 12.5314 | 0.17200 | NODATA | 2.12500 | 4.25000 |
| 89 | 0.70 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 39.0 | -0.04300 | 4.1771 | 0.15050 | NODATA | 1.87500 | 3.75000 |
| 90 | 0.70 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 30.0 | -0.05375 | 5.2214 | 0.19350 | NODATA | 1.87500 | 3.75000 |
| 91 | 0.70 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 24.0 | -0.10750 | 10.4429 | 0.17200 | NODATA | 1.87500 | 3.75000 |
| 92 | 0.72 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 24.0 | -0.03225 | 3.1329 | 0.19350 | 1.392207 | 0.50588 | 4.30000 |
| 93 | 0.75 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 45.0 | -0.02795 | 2.7151 | 0.05805 | 3.190474 | 0.46053 | 2.50000 |
| 94 | 0.75 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 30.0 | -0.08600 | 8.3543 | 0.15050 | 4.640690 | 0.70455 | 3.87500 |
| 95 | 0.75 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 42.0 | -0.06450 | 6.2842 | 0.17200 | 1.160172 | 1.75000 | 3.87500 |
| 96 | 0.75 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 27.0 | -0.03225 | 3.1329 | 0.13975 | NODATA | 1.93750 | 3.75000 |
| 97 | 0.77 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 27.0 | -0.03225 | 3.1329 | 0.17200 | 1.392207 | 0.52059 | 4.42500 |
| 98 | 0.80 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 60.0 | -0.02795 | 2.7151 | 0.05805 | 3.190474 | 0.45000 | 2.57143 |
| 99 | 0.80 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 36.0 | -0.08600 | 8.3540 | 0.12900 | 2.320345 | 1.80000 | 3.60000 |
| 100 | 0.80 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 31.5 | -0.04300 | 4.1771 | 0.16125 | 2.552379 | 0.32000 | 4.00000 |
| 101 | 0.80 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.000008572 | 54.0 | -0.09675 | 9.3983 | 0.16125 | 0.000000 | 1.14286 | 4.00000 |
| 102 | 0.80 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 30.0 | -0.12900 | 12.5314 | 0.18275 | NODATA | 2.25000 | 4.50000 |
| 103 | 0.80 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 45.0 | -0.03225 | 3.1329 | 0.13975 | NODATA | 2.00000 | 4.00000 |
| 104 | 0.80 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 36.0 | -0.06020 | 5.8480 | 0.17200 | NODATA | 2.00000 | 4.00000 |
| 105 | 0.80 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 30.0 | -0.08600 | 8.3543 | 0.16125 | NODATA | 2.00000 | 4.00000 |
| 106 | 0.82 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 48.0 | -0.03225 | 3.1329 | 0.12900 | NODATA | 2.02500 | 4.05000 |
| 107 | 0.85 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 75.0 | -0.02795 | 2.7151 | 0.04300 | 3.190474 | 0.46250 | 2.64286 |
| 108 | 0.85 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.000008572 | 36.0 | -0.08600 | 8.3543 | 0.15050 | 4.640690 | 0.68750 | 4.12500 |
| 109 | 0.85 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 30.0 | -0.03225 | 3.1329 | 0.17200 | 1.392207 | 0.51389 | 4.62500 |
| 110 | 0.85 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.000008572 | 27.0 | -0.06450 | 6.2842 | 0.16125 | 2.320345 | 1.02778 | 4.62500 |

| OBS | SUBSID | T | A | AP | W | TH | BRHO | VISC | CYCS | PPWS | LI | PPWP | VE | VPU | VPD |
|-----|--------|----|-----|----|----|-------|------|------------|-------|----------|---------|---------|----------|---------|---------|
| 111 | 0.88 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 51.0 | -0.03225 | 3.1329 | 0.12900 | NODATA | 2.10000 | 4.20000 |
| 112 | 0.90 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 24.0 | -0.08600 | 8.3790 | 0.25750 | 1.144538 | 0.85364 | 4.75000 |
| 113 | 0.90 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 90.0 | -0.02795 | 2.7151 | 0.04300 | 3.190474 | 0.50000 | 2.37500 |
| 114 | 0.90 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 42.0 | -0.08600 | 8.3540 | 0.12900 | 2.320345 | 1.90000 | 3.80000 |
| 115 | 0.90 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 36.0 | -0.04300 | 4.1771 | 0.16125 | 2.552379 | 0.34000 | 4.25000 |
| 116 | 0.90 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 60.0 | -0.08600 | 8.3540 | 0.15050 | 0.000000 | 1.06250 | 3.40000 |
| 117 | 0.90 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 30.0 | -0.06450 | 6.2842 | 0.17200 | 1.160172 | 1.35714 | 2.37500 |
| 118 | 0.90 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 36.0 | -0.12900 | 12.5314 | 0.17200 | NODATA | 2.37500 | 4.75000 |
| 119 | 0.90 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 54.0 | -0.03225 | 3.1329 | 0.10750 | NODATA | 2.12500 | 4.25000 |
| 120 | 0.90 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 42.0 | -0.05375 | 5.2214 | 0.15695 | NODATA | 2.12500 | 2.83333 |
| 121 | 0.90 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 36.0 | -0.08600 | 8.3543 | 0.16125 | NODATA | 2.12500 | 4.25000 |
| 122 | 0.95 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 33.0 | -0.02150 | 2.0886 | 0.16125 | 1.392207 | 0.54167 | 4.87500 |
| 123 | 0.95 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 60.0 | -0.04300 | 4.1771 | 0.10750 | NODATA | 2.18750 | 4.37500 |
| 124 | 1.00 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 30.0 | -0.07525 | 7.3316 | 0.21500 | 1.248587 | 0.76923 | 4.00000 |
| 125 | 1.00 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 105.0 | -0.02795 | 2.7151 | 0.07955 | 3.480517 | 0.52632 | 2.85714 |
| 126 | 1.00 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 48.0 | -0.10750 | 10.4425 | 0.13975 | 2.320345 | 2.00000 | 3.33333 |
| 127 | 1.00 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 42.0 | -0.04300 | 4.1771 | 0.17200 | 2.552379 | 0.34615 | 4.50000 |
| 128 | 1.00 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 45.0 | -0.08600 | 8.3543 | 0.15050 | 4.640690 | 0.75000 | 4.50000 |
| 129 | 1.00 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 72.0 | -0.10750 | 10.4425 | 0.17200 | 0.000000 | 1.12500 | 4.50000 |
| 130 | 1.00 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 34.5 | -0.02150 | 2.0886 | 0.15050 | 1.392207 | 0.55556 | 5.00000 |
| 131 | 1.00 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 33.0 | -0.06450 | 6.2842 | 0.15050 | 2.320345 | 1.42857 | 2.50000 |
| 132 | 1.00 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 42.0 | -0.12900 | 12.5314 | 0.15050 | NODATA | 2.50000 | 5.00000 |
| 133 | 1.00 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 48.0 | -0.04300 | 4.1771 | 0.12900 | NODATA | 1.80000 | 3.00000 |
| 134 | 1.00 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 42.0 | -0.08600 | 8.3543 | 0.16125 | NODATA | 2.50000 | 4.50000 |
| 135 | 1.01 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 66.0 | -0.04300 | 4.1771 | 0.10750 | NODATA | 2.26250 | 4.52500 |
| 136 | 1.02 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 84.0 | -0.08600 | 8.3540 | 0.08600 | 0.000000 | 1.13750 | 2.27500 |
| 137 | 1.02 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 96.0 | -0.08600 | 8.3540 | 0.09675 | 0.000000 | 0.91000 | 2.27500 |
| 138 | 1.02 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 108.0 | -0.08600 | 8.3540 | 0.09675 | 0.000000 | 1.37500 | 2.27500 |
| 139 | 1.02 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 36.0 | -0.02150 | 2.0886 | 0.13975 | 1.392207 | 0.56111 | 5.05000 |
| 140 | 1.03 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 72.0 | -0.03225 | 3.1329 | 0.12900 | NODATA | 2.28750 | 4.57500 |
| 141 | 1.05 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 37.5 | -0.02150 | 2.0886 | 0.12900 | 1.392207 | 0.56944 | 5.12500 |
| 142 | 1.05 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 54.0 | -0.04300 | 4.1771 | 0.10750 | NODATA | 1.85000 | 3.08333 |
| 143 | 1.08 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 39.0 | -0.02150 | 2.0886 | 0.12900 | 1.392207 | 0.57778 | 5.20000 |
| 144 | 1.08 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 36.0 | -0.06450 | 6.2842 | 0.15050 | 2.320345 | 1.15556 | 4.16000 |
| 145 | 1.08 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 78.0 | -0.04300 | 4.1771 | 0.10750 | NODATA | 2.35000 | 4.70000 |
| 146 | 1.10 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 36.0 | -0.07525 | 7.3316 | 0.21500 | 1.248587 | 0.80769 | 4.20000 |
| 147 | 1.10 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 120.0 | -0.02795 | 2.7151 | 0.07955 | 4.060604 | 0.55263 | 3.00000 |
| 148 | 1.10 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 66.0 | -0.10750 | 10.4425 | 0.13975 | 2.320345 | 2.10000 | 3.50000 |
| 149 | 1.10 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 51.0 | -0.04300 | 4.1771 | 0.16125 | 2.552379 | 0.33929 | 4.75000 |
| 150 | 1.10 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 60.0 | -0.08600 | 8.3543 | 0.12900 | 1.160172 | 0.79167 | 3.80000 |
| 151 | 1.10 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 120.0 | -0.08600 | 8.3540 | 0.10750 | 0.000000 | 1.58333 | 2.11111 |
| 152 | 1.10 | 5 | 0.8 | 1 | 25 | 0.011 | 3.3 | 0.00008572 | 144.0 | -0.02150 | 2.0886 | 0.09675 | 0.000000 | 1.35714 | 4.75000 |
| 153 | 1.10 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 40.5 | -0.08600 | 8.3540 | 0.12900 | 1.392207 | 0.58333 | 5.25000 |
| 154 | 1.10 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 48.0 | -0.10750 | 10.4429 | 0.15050 | NODATA | 2.62500 | 5.25000 |
| 155 | 1.10 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 81.0 | -0.04300 | 4.1771 | 0.11825 | NODATA | 2.37500 | 4.75000 |
| 156 | 1.10 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 60.0 | -0.04300 | 4.1771 | 0.10750 | NODATA | 2.37500 | 3.16667 |
| 157 | 1.10 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 48.0 | -0.08600 | 8.3543 | 0.15050 | NODATA | 2.37500 | 4.75000 |
| 158 | 1.12 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 90.0 | -0.04300 | 4.1771 | 0.12900 | NODATA | 2.40000 | 4.80000 |
| 159 | 1.12 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 54.0 | -0.08600 | 8.3543 | 0.15050 | NODATA | 2.40000 | 4.80000 |
| 160 | 1.15 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 42.0 | -0.06450 | 6.2842 | 0.21500 | 1.300612 | 0.82692 | 3.58333 |
| 161 | 1.15 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 69.0 | -0.04300 | 4.1771 | 0.10750 | 2.320345 | 0.34821 | 3.25000 |
| 162 | 1.15 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 78.0 | -0.08600 | 8.3543 | 0.12900 | 1.160172 | 0.75000 | 3.90000 |
| 163 | 1.15 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 43.5 | -0.02150 | 2.0886 | 0.11825 | 1.392207 | 0.59722 | 5.37500 |
| 164 | 1.15 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 84.0 | -0.04300 | 4.1771 | 0.11825 | NODATA | 2.43750 | 4.87500 |
| 165 | 1.15 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 93.0 | -0.04300 | 4.1771 | 0.10750 | NODATA | 2.43750 | 4.87500 |

| OBS | SUBSID | T | A | AP | W | TH | BRHO | VISC | CYCS | PPWS | LI | PPWP | VE | VPU | VPD |
|-----|--------|----|-----|----|----|-------|------|------------|------|----------|---------|---------|----------|---------|---------|
| 166 | 1.15 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 66 | -0.04300 | 4.1771 | 0.10965 | NODATA | 1.95000 | 3.25000 |
| 167 | 1.15 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 60 | -0.07525 | 7.3100 | 0.16125 | NODATA | 2.43750 | 4.87500 |
| 168 | 1.18 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 96 | -0.04300 | 4.1771 | 0.10750 | NODATA | 2.47500 | 4.95000 |
| 169 | 1.18 | 20 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 99 | -0.04300 | 4.1771 | 0.10750 | NODATA | 2.47500 | 4.95000 |
| 170 | 1.20 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 48 | -0.06450 | 6.2842 | 0.15050 | 1.248587 | 0.78571 | 3.66667 |
| 171 | 1.20 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 78 | -0.10750 | 10.4425 | 0.19975 | 2.320345 | 2.00000 | 3.66667 |
| 172 | 1.20 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 84 | -0.04300 | 4.1771 | 0.10750 | 2.320345 | 0.34483 | 2.50000 |
| 173 | 1.20 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 84 | -0.08600 | 8.3543 | 0.12900 | 1.160172 | 0.76923 | 3.33333 |
| 174 | 1.20 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 45 | -0.02150 | 2.0886 | 0.11825 | 1.392207 | 0.61111 | 5.50000 |
| 175 | 1.20 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 42 | -0.04300 | 4.1895 | 0.12900 | 2.320345 | 1.22222 | 2.75000 |
| 176 | 1.20 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 54 | -0.10750 | 10.4429 | 0.15050 | NODATA | 2.75000 | 5.50000 |
| 177 | 1.20 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 72 | -0.04300 | 4.1771 | 0.11825 | NODATA | 2.50000 | 5.00000 |
| 178 | 1.20 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 72 | -0.09360 | 8.3543 | 0.15050 | NODATA | 2.50000 | 3.33333 |
| 179 | 1.21 | 10 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 78 | -0.04300 | 4.1771 | 0.11825 | NODATA | 2.51250 | 5.02500 |
| 180 | 1.25 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 150 | -0.03225 | 3.1328 | 0.07995 | 3.480517 | 0.56250 | 3.21429 |
| 181 | 1.25 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 102 | -0.04300 | 4.1771 | 0.10750 | 2.320345 | 0.35345 | 2.56250 |
| 182 | 1.25 | 20 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 105 | -0.04300 | 4.1771 | 0.10750 | 2.320345 | 0.35345 | 2.56250 |
| 183 | 1.25 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 48 | -0.02150 | 2.0886 | 0.11825 | 1.392207 | 0.62500 | 5.62500 |
| 184 | 1.25 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 60 | -0.10750 | 10.4429 | 0.15050 | NODATA | 2.81250 | 5.62500 |
| 185 | 1.30 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 60 | -0.08600 | 8.3790 | 0.15050 | 1.040489 | 0.88462 | 3.83333 |
| 186 | 1.30 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 96 | -0.10750 | 10.4425 | 0.13975 | 3.480517 | 2.09091 | 3.83333 |
| 187 | 1.30 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 102 | -0.08600 | 8.3543 | 0.12900 | 1.160172 | 0.80769 | 3.50000 |
| 188 | 1.30 | 10 | 0.8 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 132 | -0.06450 | 6.2657 | 0.08600 | 1.160172 | 0.75000 | 3.50000 |
| 189 | 1.30 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 51 | -0.02150 | 2.0886 | 0.12900 | 1.392207 | 0.63889 | 5.75000 |
| 190 | 1.30 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 48 | -0.04300 | 4.1895 | 0.11825 | 2.320345 | 1.15000 | 2.87500 |
| 191 | 1.30 | 5 | 0.8 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 84 | -0.07525 | 7.3100 | 0.15050 | NODATA | 2.10000 | 3.50000 |
| 192 | 1.35 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 180 | -0.04945 | 4.8036 | 0.05375 | 3.480517 | 0.58750 | 3.35714 |
| 193 | 1.35 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 54 | -0.02150 | 2.0886 | 0.12900 | 1.392207 | 0.65278 | 5.87500 |
| 194 | 1.35 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 66 | -0.12900 | 12.5314 | 0.16125 | NODATA | 2.93750 | 3.91667 |
| 195 | 1.40 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 108 | -0.10750 | 10.4425 | 0.15050 | 2.320345 | 2.18182 | 4.00000 |
| 196 | 1.40 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 57 | -0.02150 | 2.0886 | 0.12900 | 1.624241 | 0.66667 | 6.00000 |
| 197 | 1.40 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 54 | -0.05375 | 5.2369 | 0.11825 | 2.320345 | 1.50000 | 2.40000 |
| 198 | 1.40 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 72 | -0.11825 | 11.4872 | 0.15050 | NODATA | 2.40000 | 4.00000 |
| 199 | 1.45 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 72 | -0.08600 | 8.3790 | 0.15050 | 1.040489 | 0.90741 | 4.08333 |
| 200 | 1.45 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 60 | -0.02150 | 2.0886 | 0.12900 | 1.624241 | 0.64474 | 6.12500 |
| 201 | 1.50 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 84 | -0.08600 | 8.3790 | 0.15050 | 1.040489 | 0.92593 | 4.16667 |
| 202 | 1.50 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 210 | -0.04945 | 4.8036 | 0.05375 | 4.060604 | 0.59524 | 3.57143 |
| 203 | 1.50 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 126 | -0.10750 | 10.4425 | 0.15050 | 2.320345 | 2.27273 | 4.16667 |
| 204 | 1.50 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 60 | -0.04300 | 4.1895 | 0.11825 | 2.320345 | 1.13636 | 2.50000 |
| 205 | 1.50 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 78 | -0.11825 | 11.4872 | 0.15050 | NODATA | 2.50000 | 4.16667 |
| 206 | 1.55 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 144 | -0.10750 | 10.4425 | 0.15050 | 2.320345 | 2.12500 | 4.25000 |
| 207 | 1.55 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 66 | -0.04300 | 4.1895 | 0.10750 | 2.320345 | 0.98077 | 3.18750 |
| 208 | 1.55 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 84 | -0.10750 | 10.4429 | 0.15050 | NODATA | 3.18750 | 4.25000 |
| 209 | 1.60 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 108 | -0.08600 | 8.3790 | 0.15050 | 1.040489 | 0.92857 | 4.33333 |
| 210 | 1.60 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 240 | -0.04945 | 4.8036 | 0.06450 | 3.480517 | 0.56522 | 3.71429 |
| 211 | 1.60 | 20 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 270 | -0.02795 | 2.7151 | 0.04300 | 3.248483 | 0.56522 | 3.71429 |
| 212 | 1.60 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 168 | -0.10750 | 10.4425 | 0.10750 | 2.320345 | 2.16667 | 4.33333 |
| 213 | 1.60 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 72 | -0.02150 | 2.0886 | 0.08600 | 1.624241 | 0.65000 | 2.60000 |
| 214 | 1.60 | 20 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 90 | -0.02150 | 2.0886 | 0.06450 | 1.624241 | 1.00000 | 4.33333 |
| 215 | 1.60 | 5 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 90 | -0.10750 | 10.4429 | 0.15050 | NODATA | 2.60000 | 4.33333 |
| 216 | 1.62 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 84 | -0.04300 | 4.1895 | 0.12900 | 2.320345 | 1.19091 | 3.27500 |
| 217 | 1.65 | 10 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 132 | -0.08600 | 8.3790 | 0.15050 | 1.040489 | 0.94643 | 4.16667 |
| 218 | 1.65 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 180 | -0.10750 | 10.4425 | 0.10750 | 2.320345 | 2.20833 | 4.16667 |
| 219 | 1.65 | 5 | 1.0 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 204 | -0.08600 | 8.3540 | 0.08600 | 1.60172 | 1.89286 | 4.16667 |
| 220 | 1.65 | 10 | 1.0 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 90 | -0.04300 | 4.1895 | 0.12900 | 2.320345 | 1.47222 | 3.30000 |

SAS

| OBS | SUBSID | T | A | AP | W | TH | BRHO | VISC | CYCS | PPWS | LI | PPWP | VE | VPU | VPD |
|-----|--------|----|---|----|----|-------|------|------------|------|----------|---------|---------|----------|---------|---------|
| 221 | 1.65 | 5 | 1 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 108 | -0.15050 | 14.6200 | 0.08600 | NODATA | 3.31250 | 6.62500 |
| 222 | 1.70 | 20 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 300 | -0.04300 | 4.1770 | 0.08600 | 4.060604 | 0.54000 | 3.85714 |
| 223 | 1.70 | 20 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 330 | -0.03225 | 3.1328 | 0.08600 | 4.408656 | 0.51923 | 3.85714 |
| 224 | 1.70 | 5 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 216 | -0.08600 | 8.3540 | 0.08600 | 1.160172 | 1.92857 | 4.50000 |
| 225 | 1.70 | 5 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 240 | -0.08600 | 8.3540 | 0.10750 | 1.160172 | 1.92857 | 4.50000 |
| 226 | 1.70 | 10 | 1 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 96 | -0.04300 | 4.1895 | 0.11825 | 1.160172 | 1.03846 | 4.50000 |
| 227 | 1.72 | 10 | 1 | 2 | 36 | 0.011 | 3.3 | 0.00008572 | 102 | -0.03225 | 3.1421 | 0.11825 | 2.320345 | 1.51111 | 3.40000 |
| 228 | 1.75 | 10 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 156 | -0.08600 | 8.3790 | 0.12900 | 1.040489 | 0.98214 | 4.58333 |
| 229 | 1.75 | 10 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 180 | -0.06450 | 6.2842 | 0.10750 | UPDATE06 | 0.98214 | 3.43750 |
| 230 | 1.75 | 5 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 252 | -0.08600 | 8.3540 | 0.10750 | 1.160172 | 1.96429 | 4.58333 |
| 231 | 1.75 | 5 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 264 | -0.08600 | 8.3540 | 0.10750 | 1.160172 | 1.96429 | 4.58333 |
| 232 | 1.80 | 10 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00009558 | 210 | -0.10750 | 10.4737 | 0.12900 | 9.364406 | 0.93333 | 3.50000 |
| 233 | 1.80 | 5 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 276 | -0.08600 | 8.3540 | 0.10750 | 1.160172 | 2.00000 | 4.66667 |
| 234 | 1.80 | 5 | 1 | 1 | 25 | 0.042 | 3.3 | 0.00008572 | 288 | -0.08600 | 8.3540 | 0.10750 | 1.160172 | 2.00000 | 4.66667 |

APPENDIX C

SAND CONTOURS

SAND CONTOURS

EXPERIMENT 1




FIGURE C-1

SAND CONTOURS

EXPERIMENT 2




FIGURE C-2

SAND CONTOURS

EXPERIMENT 3




FIGURE C-3

SAND CONTOURS

EXPERIMENT 4




FIGURE C-4

SAND CONTOURS

EXPERIMENT 5




FIGURE C-5

SAND CONTOURS

EXPERIMENT 6




FIGURE C-6

SAND CONTOURS

EXPERIMENT 7




FIGURE C-7

SAND CONTOURS

EXPERIMENT 8




FIGURE C-8

SAND CONTOURS

EXPERIMENT 9




FIGURE C-9

SAND CONTOURS

EXPERIMENT 10




FIGURE C-10

SAND CONTOURS

EXPERIMENT 11




FIGURE C-11

SAND CONTOURS

EXPERIMENT 12




FIGURE C-12

APPENDIX D

SAS OUTPUT

1 SAS(R) LOG OS SAS 5.16 MVS/XA JOB DOIT STEP SAS
NOTE: COPYRIGHT (C) 1984, 1986 SAS INSTITUTE INC., CARY, N.C. 27511, U.S.A.
NOTE: THE JOB DOIT HAS BEEN RUN UNDER RELEASE 5.16 OF SAS AT TEXAS A&M UNIVERSITY (O1452001).

NOTE: CPUID VERSION = 21 SERIAL = 172328 MODEL = 3090
CPUID VERSION = 21 SERIAL = 272328 MODEL = 3090

NOTE: SAS OPTIONS SPECIFIED ARE:
SORT=4

1 DATA ONE; INFILE IN1;
2 INPUT #1 SUBSID #2 T #3 A #4 AP #5 W #6 TH #7 BRHO #8 VISC #9 CYCS
3 #10 PPWS #11 LI #12 PPMP #13 VE \$ #14 VPU #15 VPD;

NOTE: INFILE IN1 IS:
DSNAME=USR.N199.AR.EXP15VAR,
UNIT=DISK,VOL=SER=USR002,DISP=SHR,
DCB=(BLKSIZE=6226,LRECL=22,RECFM=FB)

NOTE: 3510 LINES WERE READ FROM INFILE IN1.
NOTE: DATA SET WORK.ONE HAS 234 OBSERVATIONS AND 15 VARIABLES. 378 OBS/TRK.
NOTE: THE DATA STATEMENT USED 0.12 SECONDS AND 144K.

4 PROC SORT;
5 BY SUBSID;

NOTE: 4 CYLINDERS DYNAMICALLY ALLOCATED ON SYSDA FOR EACH OF 3 SORT WORK DATA SETS.
NOTE: DATA SET WORK.ONE HAS 234 OBSERVATIONS AND 15 VARIABLES. 378 OBS/TRK.
NOTE: THE PROCEDURE SORT USED 0.16 SECONDS AND 296K.

6 PROC PRINT;
NOTE: THE PROCEDURE PRINT USED 0.16 SECONDS AND 212K AND PRINTED PAGES 1 TO 5.

7 PROC CORR;
8 VAR SUBSID T A AP W TH BRHO VISC CYCS PPWS LI PPMP VPU VPD;
9 TITLE 'CORRELATION ANALYSIS FOR SUSIDENCE USING: T,A,AP,W,TH BRHO VISC
10 CYCS PPWS LI PPMP VPU VPD';
NOTE: THE PROCEDURE CORR USED 0.09 SECONDS AND 192K AND PRINTED PAGES 6 TO 8.
NOTE: SAS USED 296K MEMORY.

NOTE: SAS INSTITUTE INC.
SAS CIRCLE
PO BOX 8000
CARY, N.C. 27511-8000

NOTE: COPYRIGHT (C) 1984, 1986 SAS INSTITUTE INC., CARY, N.C. 27511, U.S.A.
NOTE: THE JOB GOTIT HAS BEEN RUN UNDER RELEASE 5.16 OF SAS AT TEXAS A&M UNIVERSITY (01452001).

NOTE: CPUID VERSION = 21 SERIAL = 172328 MODEL = 3090
CPUID VERSION = 21 SERIAL = 272328 MODEL = 3090

NOTE: SAS OPTIONS SPECIFIED ARE:
SORT=4

1 DATA ONE; INFILE IN1;
2 INPUT #1 SUBSID #2 T #3 A #4 AP #5 W #6 TH #7 BRHO #8 VISC #9 CYCS
3 #10 PPWS #11 LI #12 PPWP #13 VE \$ #14 VPU #15 VPD;

NOTE: INFILE IN1 IS:
DSNAME=USR.N199.AR.EXP15VAR,
UNIT=DISK,VOL=SER=USR002,DISP=SHR,
DCB=(BLKSIZE=6226,LRECL=22,RECFM=FB)

NOTE: 3510 LINES WERE READ FROM INFILE IN1.
NOTE: DATA SET WORK.ONE HAS 234 OBSERVATIONS AND 15 VARIABLES. 378 OBS/TRK.
NOTE: THE DATA STATEMENT USED 0.12 SECONDS AND 144K.

4 PROC STEPWISE;
5 MODEL SUBSID=T A AP VISC CYCS PPWS VPU VPD
6 /FORWARD BACKWARD MAXR;
7 TITLE ' STEPWISE REGRESSION ANALYSIS FOR SUSIDENCE USING: T,A,AP,
8 VISC, CYCS, PPWS, VPU, AND VPD';

NOTE: THE PROCEDURE STEPWISE USED 0.09 SECONDS AND 272K AND PRINTED PAGES 1 TO 9.
NOTE: SAS USED 272K MEMORY.

NOTE: SAS INSTITUTE INC.
SAS CIRCLE
PO BOX 8000
CARY, N.C. 27511-8000

FORWARD SELECTION PROCEDURE FOR DEPENDENT VARIABLE SUBSID

STEP 1 VARIABLE CYCS ENTERED R SQUARE = 0.6219808 C(P) = 185.04939267

| DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|-----|----------------|-------------|--------|--------|
| 1 | 35.74325195 | 35.74325195 | 381.75 | 0.0001 |
| 232 | 21.72196044 | 0.09362914 | | |
| 233 | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|------------|------------|-------------|--------|--------|
| 0.50702011 | | | | |
| 0.00633395 | 0.00032418 | 35.74325195 | 381.75 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 1, 1

STEP 2 VARIABLE VPD ENTERED R SQUARE = 0.76671810 C(P) = 28.14555902

| DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|-----|----------------|-------------|--------|--------|
| 2 | 44.05961827 | 22.02980913 | 379.61 | 0.0001 |
| 231 | 13.40559413 | 0.05803288 | | |
| 233 | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|------------|------------|-------------|--------|--------|
| 0.02566960 | | | | |
| 0.00519890 | 0.00027226 | 21.16010561 | 364.62 | 0.0001 |
| 0.15818428 | 0.01321398 | 8.31636632 | 143.30 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 1.13802, 4.552079

STEP 3 VARIABLE VISC ENTERED R SQUARE = 0.77535431 C(P) = 20.66292315

| DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|-----|----------------|-------------|--------|--------|
| 3 | 44.55590002 | 14.85196667 | 264.61 | 0.0001 |
| 230 | 12.90931237 | 0.05612745 | | |
| 233 | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|-----------------|----------------|-------------|--------|--------|
| -1.52633020 | | | | |
| 180498.68302602 | 60701.23389595 | 0.49628176 | 8.84 | 0.0033 |
| 0.00516436 | 0.00026801 | 20.84070122 | 371.31 | 0.0001 |
| 0.15639905 | 0.01300910 | 8.11239810 | 144.54 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 1.140449, 9.860305

FORWARD SELECTION PROCEDURE FOR DEPENDENT VARIABLE SUBSID

STEP 4 VARIABLE AP ENTERED R SQUARE = 0.78084502 C(P) = 16.63407610

| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|------------|-----|----------------|-------------|--------|--------|
| ERROR | 4 | 44.87142482 | 11.21785621 | 203.98 | 0.0001 |
| TOTAL | 229 | 12.59378757 | 0.05499471 | | |
| | 233 | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|-----------|-----------------|-------------|--------|--------|
| INTERCEPT | | | | |
| AP | -2.09545892 | 0.03676436 | 5.74 | 0.0174 |
| VISC | 0.08806094 | 0.72959238 | 13.27 | 0.0003 |
| CYCS | 232913.68266887 | 18.91961464 | 344.03 | 0.0001 |
| VPD | 0.00547414 | 6.17340458 | 112.25 | 0.0001 |
| | 0.14517945 | | | |

BOUNDS ON CONDITION NUMBER: 1.420018, 21.04838

STEP 5 VARIABLE T ENTERED R SQUARE = 0.78481728 C(P) = 14.27249934

| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|------------|-----|----------------|-------------|--------|--------|
| ERROR | 5 | 45.09969163 | 9.01993833 | 166.31 | 0.0001 |
| TOTAL | 228 | 12.36552077 | 0.05423474 | | |
| | 233 | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|-----------|-----------------|----------------|--------|--------|
| INTERCEPT | -1.96399756 | 0.00241500 | 4.21 | 0.0414 |
| AP | -0.00495449 | 0.03670107 | 6.81 | 0.0097 |
| VISC | 0.09574488 | 63646.32176539 | 12.40 | 0.0005 |
| CYCS | 224153.17874265 | 0.00029327 | 345.77 | 0.0001 |
| VPD | 0.00545322 | 6.06426729 | 111.82 | 0.0001 |
| | 0.14401546 | | | |

BOUNDS ON CONDITION NUMBER: 1.434963, 31.59776

FORWARD SELECTION PROCEDURE FOR DEPENDENT VARIABLE SUBSID

STEP 6 VARIABLE PPWS ENTERED R SQUARE = 0.78953749 C(P) = 11.08966989

| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|------------|-----|----------------|-------------|--------|--------|
| ERROR | 227 | 45.37093938 | 7.56182323 | 141.93 | 0.0001 |
| TOTAL | 233 | 57.46521239 | 0.05327874 | | |

| INTERCEPT | B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|-----------|-----------------|----------------|-------------|--------|--------|
| T | -1.72105573 | 0.00392985 | 0.49570742 | 9.30 | 0.0026 |
| A | -0.01198702 | 0.03798907 | 0.18627917 | 3.50 | 0.0628 |
| AP | 0.07103360 | 0.03798907 | 0.18627917 | 3.50 | 0.0628 |
| VISC | 216545.59301691 | 63172.91466856 | 0.62602371 | 11.75 | 0.0007 |
| CYCS | 0.00535759 | 0.00029374 | 17.72379738 | 332.66 | 0.0001 |
| PPWS | 1.85197583 | 0.82078459 | 0.27124776 | 5.09 | 0.0250 |
| VPD | 0.16325034 | 0.01596531 | 5.57067245 | 104.56 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 3.372361, 72.74012

STEP 7 VARIABLE A ENTERED R SQUARE = 0.79298231 C(P) = 9.30722172

| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|------------|-----|----------------|-------------|--------|--------|
| ERROR | 226 | 45.56889700 | 6.50984243 | 123.67 | 0.0001 |
| TOTAL | 233 | 57.46521239 | 0.05263856 | | |

| INTERCEPT | B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|-----------|-----------------|----------------|-------------|--------|--------|
| T | -1.68510212 | 0.00390750 | 0.47910911 | 9.10 | 0.0028 |
| A | -0.01178866 | 0.16338603 | 0.19795762 | 3.76 | 0.0537 |
| AP | 0.06242312 | 0.03802030 | 0.14189394 | 2.70 | 0.1020 |
| VISC | 182235.98821051 | 65237.09835771 | 0.41075518 | 7.80 | 0.0057 |
| CYCS | 0.00523350 | 0.00029890 | 16.13720805 | 306.57 | 0.0001 |
| PPWS | 1.87373974 | 0.81591580 | 0.27760794 | 5.27 | 0.0226 |
| VPD | 0.16119877 | 0.01590432 | 5.40750652 | 102.73 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 3.372999, 94.48934

FORWARD SELECTION PROCEDURE FOR DEPENDENT VARIABLE SUBSID

STEP 8 VARIABLE VPU ENTERED R SQUARE = 0.79508359 C(P) = 9.00000000

| DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|------------|----------------|-------------|--------|--------|
| REGRESSION | 45.68964740 | 5.71120592 | 109.13 | 0.0001 |
| ERROR | 11.77556499 | 0.05233584 | | |
| TOTAL | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F | |
|-----------|-----------------|----------------|-------------|--------|--------|
| INTERCEPT | | | | | |
| T | -1.73874055 | 0.00393505 | 0.40535567 | 7.75 | 0.0058 |
| A | -0.01095138 | 0.17661015 | 0.29657758 | 5.67 | 0.0181 |
| AP | 0.42042178 | 0.04990345 | 0.00362311 | 0.07 | 0.7927 |
| VISC | 184744.67228012 | 65070.20511590 | 0.42187008 | 8.06 | 0.0049 |
| CYCS | 0.00501678 | 0.00033043 | 12.06375136 | 230.51 | 0.0001 |
| PPWS | 2.51070987 | 0.91528286 | 0.39380537 | 7.52 | 0.0066 |
| VPU | 0.05393236 | 0.03550625 | 0.12075040 | 2.31 | 0.1302 |
| VPD | 0.15774911 | 0.01602032 | 5.07447078 | 96.96 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 4.269146, 156.571

NO OTHER VARIABLES MET THE 0.5000 SIGNIFICANCE LEVEL FOR ENTRY INTO THE MODEL.

SUMMARY OF FORWARD SELECTION PROCEDURE FOR DEPENDENT VARIABLE SUBSID

| STEP | VARIABLE ENTERED | NUMBER IN | PARTIAL R**2 | MODEL R**2 | C(P) | F | PROB>F |
|------|------------------|-----------|--------------|------------|---------|----------|--------|
| 1 | CYCS | 1 | 0.6220 | 0.6220 | 185.049 | 381.7535 | 0.0001 |
| 2 | VPD | 2 | 0.1447 | 0.7667 | 28.146 | 143.3044 | 0.0001 |
| 3 | VISC | 3 | 0.0086 | 0.7754 | 20.663 | 8.8421 | 0.0033 |
| 4 | AP | 4 | 0.0055 | 0.7808 | 16.634 | 5.7374 | 0.0174 |
| 5 | T | 5 | 0.0040 | 0.7848 | 14.272 | 4.2089 | 0.0414 |
| 6 | PPWS | 6 | 0.0047 | 0.7895 | 11.090 | 5.0911 | 0.0250 |
| 7 | A | 7 | 0.0034 | 0.7930 | 9.307 | 3.7607 | 0.0537 |
| 8 | VPU | 8 | 0.0021 | 0.7951 | 9.000 | 2.3072 | 0.1302 |

BACKWARD ELIMINATION PROCEDURE FOR DEPENDENT VARIABLE SUBSID

| STEP 0 | ALL VARIABLES ENTERED | R SQUARE = 0.79508359 | C(P) = 9.00000000 |
|------------|-----------------------|-----------------------|-------------------|
| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE |
| ERROR | 8 | 45.68964740 | 5.71120592 |
| TOTAL | 225 | 11.77556499 | 0.052333584 |
| | 233 | 57.46521239 | |
| | B VALUE | STD ERROR | TYPE II SS |
| INTERCEPT | -1.73874055 | 0.00393505 | 0.40535567 |
| T | -0.01095138 | 0.17661015 | 5.67 |
| A | 0.42042178 | 0.04990345 | 0.07 |
| AP | 0.01313021 | 65070.20511590 | 8.06 |
| VISC | 184744.67228012 | 0.00033043 | 230.51 |
| CYCS | 0.00501678 | 0.91528286 | 7.52 |
| PPWS | 2.51070987 | 0.03550625 | 2.31 |
| VPU | 0.05393236 | 0.01602032 | 96.96 |
| VPD | 0.15774911 | | |

BOUNDS ON CONDITION NUMBER: 4.269146. 156.571

| STEP 1 | VARIABLE AP REMOVED | R SQUARE = 0.79502054 | C(P) = 7.06922804 |
|------------|---------------------|-----------------------|-------------------|
| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE |
| ERROR | 7 | 45.68602429 | 6.52657490 |
| TOTAL | 226 | 11.77918810 | 0.05212030 |
| | 233 | 57.46521239 | |
| | B VALUE | STD ERROR | TYPE II SS |
| INTERCEPT | -1.69563509 | 0.00392481 | 0.40832403 |
| T | -0.01098545 | 0.16619252 | 6.88 |
| A | 0.43589173 | 62878.50514305 | 8.24 |
| VISC | 180469.00022326 | 0.00026436 | 352.71 |
| CYCS | 0.00496481 | 0.79502023 | 10.94 |
| PPWS | 2.62927738 | 0.02691790 | 4.97 |
| VPU | 0.06000748 | 0.01558017 | 103.75 |
| VPD | 0.15869430 | | |

BOUNDS ON CONDITION NUMBER: 3.23429. 93.60242

ALL VARIABLES IN THE MODEL ARE SIGNIFICANT AT THE 0.1000 LEVEL.

SUMMARY OF BACKWARD ELIMINATION PROCEDURE FOR DEPENDENT VARIABLE SUBSID

| STEP | VARIABLE REMOVED | NUMBER IN | PARTIAL R**2 | MODEL R**2 | C(P) | F | PROB>F |
|------|------------------|-----------|--------------|------------|-------|--------|--------|
| 1 | AP | 7 | 0.0001 | 0.7950 | 7.069 | 0.0692 | 0.7927 |

MAXIMUM R-SQUARE IMPROVEMENT FOR DEPENDENT VARIABLE SUBSID

STEP 1 VARIABLE CYCS ENTERED R SQUARE = 0.62199808 C(P) = 185.04939267

| DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|-----|----------------|-------------|--------|--------|
| 1 | 35.74325195 | 35.74325195 | 381.75 | 0.0001 |
| 232 | 21.72196044 | 0.09362914 | | |
| 233 | 57.46521239 | | | |

B VALUE STD ERROR TYPE II SS F PROB>F

| | | | | |
|-----------|------------|------------|-------------|---------------|
| INTERCEPT | 0.50702011 | | | |
| CYCS | 0.00633395 | 0.00032418 | 35.74325195 | 381.75 0.0001 |

BOUNDS ON CONDITION NUMBER: 1, 1

THE ABOVE MODEL IS THE BEST 1 VARIABLE MODEL FOUND.

STEP 2 VARIABLE VPD ENTERED R SQUARE = 0.76671810 C(P) = 28.14555902

| DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|-----|----------------|-------------|--------|--------|
| 2 | 44.05961827 | 22.02980913 | 379.61 | 0.0001 |
| 231 | 13.40559413 | 0.05803288 | | |
| 233 | 57.46521239 | | | |

B VALUE STD ERROR TYPE II SS F PROB>F

| | | | | |
|-----------|------------|------------|-------------|---------------|
| INTERCEPT | 0.02566960 | | | |
| CYCS | 0.00519890 | 0.00027226 | 21.16010561 | 364.62 0.0001 |
| VPD | 0.15818428 | 0.01321398 | 8.31636632 | 143.30 0.0001 |

BOUNDS ON CONDITION NUMBER: 1.13802, 4.552079

THE ABOVE MODEL IS THE BEST 2 VARIABLE MODEL FOUND.

STEP 3 VARIABLE VISC ENTERED R SQUARE = 0.77535431 C(P) = 20.66292315

| DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|-----|----------------|-------------|--------|--------|
| 3 | 44.55590002 | 14.85196667 | 264.61 | 0.0001 |
| 230 | 12.90931237 | 0.05612745 | | |
| 233 | 57.46521239 | | | |

B VALUE STD ERROR TYPE II SS F PROB>F

| | | | | |
|-----------|-----------------|----------------|-------------|---------------|
| INTERCEPT | -1.52633020 | | | |
| VISC | 180498.68302602 | 60701.23389595 | 0.49628176 | 8.84 0.0033 |
| CYCS | 0.00516436 | 0.00026801 | 20.84070122 | 371.31 0.0001 |
| VPD | 0.15639905 | 0.01300910 | 8.11239810 | 144.54 0.0001 |

BOUNDS ON CONDITION NUMBER: 1.140449, 9.860305

THE ABOVE MODEL IS THE BEST 3 VARIABLE MODEL FOUND.

MAXIMUM R-SQUARE IMPROVEMENT FOR DEPENDENT VARIABLE SUBSID

| STEP 4 | VARIABLE AP ENTERED | R SQUARE = 0.78084502 | C(P) = 16.63407610 | |
|------------|---------------------|-----------------------|--------------------|--------|
| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | |
| ERROR | 4 | 44.87142482 | 11.21785621 | |
| TOTAL | 229 | 12.59378757 | 0.05499471 | |
| | 233 | 57.46521239 | | |
| | B VALUE | STD ERROR | TYPE II SS | |
| INTERCEPT | -2.09545892 | | | |
| AP | 0.08806094 | 0.03676436 | 0.31552480 | |
| VISC | 232913.68266887 | 63946.28193716 | 0.72959238 | |
| CYCS | 0.00547414 | 0.00029513 | 18.91961464 | |
| VPD | 0.14517945 | 0.01370261 | 6.17340458 | |
| | | | F | |
| | | | PROB>F | |
| | | | 5.74 | 0.0174 |
| | | | 13.27 | 0.0003 |
| | | | 344.03 | 0.0001 |
| | | | 112.25 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 1.420018, 21.04838

THE ABOVE MODEL IS THE BEST 4 VARIABLE MODEL FOUND.

| STEP 5 | VARIABLE T ENTERED | R SQUARE = 0.78481728 | C(P) = 14.27249934 | |
|------------|--------------------|-----------------------|--------------------|--------|
| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | |
| ERROR | 5 | 45.09969163 | 9.01993833 | |
| TOTAL | 228 | 12.36552077 | 0.05423474 | |
| | 233 | 57.46521239 | | |
| | B VALUE | STD ERROR | TYPE II SS | |
| INTERCEPT | -1.96399756 | | | |
| T | -0.00495449 | 0.00241500 | 0.22826680 | |
| AP | 0.09574488 | 0.03670107 | 0.36910613 | |
| VISC | 224153.17874265 | 63646.32176539 | 0.67269895 | |
| CYCS | 0.00545322 | 0.00029327 | 18.75258798 | |
| VPD | 0.14401546 | 0.01361942 | 6.06426729 | |
| | | | F | |
| | | | PROB>F | |
| | | | 4.21 | 0.0414 |
| | | | 6.81 | 0.0097 |
| | | | 12.40 | 0.0005 |
| | | | 345.77 | 0.0001 |
| | | | 111.82 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 1.434963, 31.59776

MAXIMUM R-SQUARE IMPROVEMENT FOR DEPENDENT VARIABLE SUBSID

STEP 5 AP REPLACED BY PPWS R SQUARE = 0.78629589 C(P) = 12.64897363

| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|------------|-----|----------------|-------------|--------|--------|
| ERROR | 5 | 45.18466022 | 9.03693204 | 167.78 | 0.0001 |
| TOTAL | 228 | 12.28055218 | 0.05386207 | | |
| | 233 | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|-----------|-----------------|----------------|--------|--------|
| INTERCEPT | -1.25807609 | | | |
| T | -0.01322978 | 0.00389438 | 11.54 | 0.0008 |
| VISC | 177139.01671971 | 59879.05660026 | 8.75 | 0.0034 |
| CYCS | 0.00510986 | 0.00026360 | 375.77 | 0.0001 |
| PPWS | 2.29442659 | 0.79022729 | 8.43 | 0.0041 |
| VPD | 0.17616005 | 0.01447385 | 148.13 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 3.092079, 47.19345

THE ABOVE MODEL IS THE BEST 5 VARIABLE MODEL FOUND.

STEP 6 VARIABLE A ENTERED R SQUARE = 0.79051310 C(P) = 10.01844077

| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F |
|------------|-----|----------------|-------------|--------|--------|
| ERROR | 6 | 45.42700306 | 7.57116718 | 142.77 | 0.0001 |
| TOTAL | 227 | 12.03820933 | 0.05303176 | | |
| | 233 | 57.46521239 | | | |

| B VALUE | STD ERROR | TYPE II SS | F | PROB>F |
|-----------|-----------------|----------------|--------|--------|
| INTERCEPT | -1.28023747 | | | |
| T | -0.01284627 | 0.00386841 | 11.03 | 0.0010 |
| A | 0.34817385 | 0.16287299 | 4.57 | 0.0336 |
| VISC | 144686.18493539 | 61324.52414431 | 5.57 | 0.0192 |
| CYCS | 0.00500650 | 0.00026599 | 354.26 | 0.0001 |
| PPWS | 2.25940702 | 0.78428387 | 8.30 | 0.0043 |
| VPD | 0.17218604 | 0.01448167 | 141.37 | 0.0001 |

BOUNDS ON CONDITION NUMBER: 3.093428, 64.45639

THE ABOVE MODEL IS THE BEST 6 VARIABLE MODEL FOUND.

MAXIMUM R-SQUARE IMPROVEMENT FOR DEPENDENT VARIABLE SUBSID

| STEP 7 | VARIABLE | VPU ENTERED | R SQUARE = 0.79502054 | C(P) = 7.06922804 | F | PROB>F |
|------------|-----------------|----------------|-----------------------|-------------------|--------|--------|
| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F | |
| ERROR | 7 | 45.68602429 | 6.52657490 | 125.22 | 0.0001 | |
| TOTAL | 226 | 11.77918810 | 0.05212030 | | | |
| | 233 | 57.46521239 | | | | |
| | B VALUE | STD ERROR | TYPE II SS | F | PROB>F | |
| INTERCEPT | -1.69563509 | 0.00392481 | 0.40832403 | 7.83 | 0.0056 | |
| T | 0.01098545 | 0.16619252 | 0.35854299 | 6.88 | 0.0093 | |
| A | 0.43589173 | 62878.50514305 | 0.42934630 | 8.24 | 0.0045 | |
| VISC | 180469.00022326 | 0.0026436 | 18.38321622 | 352.71 | 0.0001 | |
| CYCS | 0.00496481 | 0.79502023 | 0.57006367 | 10.94 | 0.0011 | |
| PPWS | 2.62927738 | 0.02691790 | 0.25902123 | 4.97 | 0.0268 | |
| VPU | 0.06000748 | 0.01558017 | 5.40735568 | 103.75 | 0.0001 | |
| VPD | 0.15869430 | | | | | |

BOUNDS ON CONDITION NUMBER 3 23429, 93.60242

THE ABOVE MODEL IS THE BEST 7 VARIABLE MODEL FOUND.

| STEP 8 | VARIABLE | AP ENTERED | R SQUARE = 0.79508359 | C(P) = 9.00000000 | F | PROB>F |
|------------|-----------------|----------------|-----------------------|-------------------|--------|--------|
| REGRESSION | DF | SUM OF SQUARES | MEAN SQUARE | F | PROB>F | |
| ERROR | 8 | 45.68964740 | 5.71120592 | 109.13 | 0.0001 | |
| TOTAL | 225 | 11.77556499 | 0.05233584 | | | |
| | 233 | 57.46521239 | | | | |
| | B VALUE | STD ERROR | TYPE II SS | F | PROB>F | |
| INTERCEPT | -1.73874055 | 0.00393505 | 0.40535567 | 7.75 | 0.0058 | |
| T | 0.01095138 | 0.17661015 | 0.29657758 | 5.67 | 0.0181 | |
| A | 0.42042178 | 0.04990345 | 0.00362311 | 0.07 | 0.7927 | |
| AP | 0.01313021 | 65070.20511590 | 0.42187008 | 8.06 | 0.0049 | |
| VISC | 184744.67228012 | 0.00033043 | 12.06375136 | 230.51 | 0.0001 | |
| CYCS | 0.00501678 | 0.91528286 | 0.39380537 | 7.52 | 0.0066 | |
| PPWS | 2.51070987 | 0.03550625 | 0.12075040 | 2.31 | 0.1302 | |
| VPU | 0.05393236 | 0.01602032 | 5.07447078 | 96.96 | 0.0001 | |
| VPD | 0.15774911 | | | | | |

BOUNDS ON CONDITION NUMBER 4 269146, 156.571

THE ABOVE MODEL IS THE BEST 8 VARIABLE MODEL FOUND.

NOTE: COPYRIGHT (C) 1984, 1986 SAS INSTITUTE INC., CARY, N.C. 27511, U.S.A.
NOTE: THE JOB TRY1 HAS BEEN RUN UNDER RELEASE 5.16 OF SAS AT TEXAS A&M UNIVERSITY (01452001).

NOTE: CPUID VERSION = 21 SERIAL = 172328 MODEL = 3090
CPUID VERSION = 21 SERIAL = 272328 MODEL = 3090

NOTE: SAS OPTIONS SPECIFIED ARE:
SORT=4

1 DATA ONE: INFILE IN1;
2 INPUT #1 SUBSID #2 T #3 A #4 AP #5 W #6 TH #7 BRHO #8 VISC #9 CYCS
3 #10 PPWS #11 LI #12 PPWP #13 VE \$ #14 VPU #15 VPD;

NOTE: INFILE IN1 IS:
DSNAME=USR.N199.AR.EXP15VAR,
UNIT=DISK,VOL=SER=USR002,DISP=SHR,
DCB=(BLKSIZE=6226,LRECL=22,RECFM=FB)

NOTE: 3510 LINES WERE READ FROM INFILE IN1
NOTE: DATA SET WORK.ONE HAS 234 OBSERVATIONS AND 15 VARIABLES. 378 OBS/TRK.
NOTE: THE DATA STATEMENT USED 0 12 SECONDS AND 144K.

4 PROC REG;
5 MODEL SUBSID = T A AP CYCS PPWS VISC VPU VPD / P CLM VIF;
6 TITLE ' REGRESSION ANALYSIS FOR SUSIDENCE USING: T,A,AP,W,TH';
7 ID SUBSID;
8 OUTPUT OUT=REGOUT P=PRED;
NOTE: ACOV AND SPEC OPTION ONLY VALID WITH RAWDATA
NOTE: THE DATA SET WORK.REGOUT HAS 234 OBSERVATIONS AND 16 VARIABLES. 354 OBS/TRK.
NOTE: THE PROCEDURE REG USED 0 17 SECONDS AND 456K AND PRINTED PAGES 1 TO 6.

9 PROC PLOT DATA=REGOUT;
10 PLOT SUBSID*PRED=***;
11 TITLE 'ACTUAL SUBSIDENCE VS PREDICTED SUBSIDENCE';
NOTE: THE PROCEDURE PLOT USED 0 06 SECONDS AND 204K AND PRINTED PAGE 7.
NOTE: SAS USED 456K MEMORY.

NOTE SAS INSTITUTE INC.
SAS CIRCLE
PO BOX 8000
CARY, N.C. 27511-8000

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR. PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|------------------|---------------|---------------|----------|
| 18 | 0 | 0 | 0.0594 | 0.0615 | -0.0618 | 0.1807 | -0.0594 |
| 19 | 0.4 | 0.4000 | 0.4247 | 0.0488 | 0.3285 | 0.5209 | -0.0247 |
| 20 | 0.5 | 0.5000 | 0.4389 | 0.0473 | 0.3456 | 0.5321 | 0.0611 |
| 21 | 0.7 | 0.7000 | 0.5458 | 0.0452 | 0.4568 | 0.6347 | 0.1542 |
| 22 | 0.75 | 0.7500 | 0.6342 | 0.0433 | 0.5489 | 0.7195 | 0.1158 |
| 23 | 0.8 | 0.8000 | 0.7202 | 0.0412 | 0.6391 | 0.8013 | 0.0798 |
| 24 | 0.85 | 0.8500 | 0.8074 | 0.0398 | 0.7289 | 0.8858 | 0.0426 |
| 25 | 0.9 | 0.9000 | 0.8424 | 0.0405 | 0.7626 | 0.9221 | 0.0576 |
| 26 | 1 | 1.0000 | 0.9951 | 0.0387 | 0.9188 | 1.0714 | 0.049005 |
| 27 | 1.1 | 1.1000 | 1.0943 | 0.0387 | 1.0180 | 1.1706 | 0.005694 |
| 28 | 1.25 | 1.2500 | 1.2683 | 0.0397 | 1.1901 | 1.3466 | -0.0183 |
| 29 | 1.35 | 1.3500 | 1.3996 | 0.0462 | 1.3085 | 1.4906 | -0.0496 |
| 30 | 1.5 | 1.5000 | 1.5843 | 0.0514 | 1.4830 | 1.6856 | -0.0843 |
| 31 | 1.6 | 1.6000 | 1.7557 | 0.0583 | 1.6407 | 1.8707 | -0.1557 |
| 32 | 1.6 | 1.6000 | 1.9602 | 0.0622 | 1.8376 | 2.0827 | -0.3602 |
| 33 | 1.7 | 1.7000 | 2.0941 | 0.0726 | 1.9511 | 2.2370 | -0.3941 |
| 34 | 1.7 | 1.7000 | 2.2704 | 0.0793 | 2.1142 | 2.4266 | -0.5704 |
| 35 | 0 | 0 | 0.2237 | 0.0779 | 0.0701 | 0.3772 | -0.2237 |
| 36 | 0.2 | 0.2000 | 0.5758 | 0.0462 | 0.4847 | 0.6670 | -0.3758 |
| 37 | 0.3 | 0.3000 | 0.5968 | 0.0440 | 0.5101 | 0.6835 | -0.2968 |
| 38 | 0.5 | 0.5000 | 0.7165 | 0.0454 | 0.6271 | 0.8060 | -0.2165 |
| 39 | 0.6 | 0.6000 | 0.7915 | 0.0461 | 0.7007 | 0.8822 | -0.1915 |
| 40 | 0.8 | 0.8000 | 0.8533 | 0.0517 | 0.7515 | 0.9551 | -0.0533 |
| 41 | 0.9 | 0.9000 | 0.9204 | 0.0533 | 0.8154 | 1.0253 | -0.0204 |
| 42 | 1 | 1.0000 | 0.8283 | 0.0477 | 0.7344 | 0.9222 | 0.1717 |
| 43 | 1.1 | 1.1000 | 0.9503 | 0.0466 | 0.8584 | 1.0422 | 0.1497 |
| 44 | 1.2 | 1.2000 | 1.0314 | 0.0426 | 0.9475 | 1.1153 | 0.1686 |
| 45 | 1.3 | 1.3000 | 1.1529 | 0.0421 | 1.0699 | 1.2359 | 0.1471 |
| 46 | 1.4 | 1.4000 | 1.2443 | 0.0427 | 1.1601 | 1.3285 | 0.1557 |
| 47 | 1.5 | 1.5000 | 1.3658 | 0.0432 | 1.2806 | 1.4509 | 0.1342 |
| 48 | 1.55 | 1.5500 | 1.4612 | 0.0399 | 1.3826 | 1.5399 | 0.0888 |
| 49 | 1.6 | 1.6000 | 1.5970 | 0.0412 | 1.5159 | 1.6781 | 0.029642 |
| 50 | 1.65 | 1.6500 | 1.6726 | 0.0424 | 1.5890 | 1.7562 | -0.0226 |
| 51 | 1.65 | 1.6500 | 1.8300 | 0.0452 | 1.7410 | 1.9190 | -0.1800 |
| 52 | 1.7 | 1.7000 | 1.9053 | 0.0471 | 1.8125 | 1.9980 | -0.2053 |
| 53 | 1.7 | 1.7000 | 2.0257 | 0.0509 | 1.9254 | 2.1259 | -0.3257 |
| 54 | 1.75 | 1.7500 | 2.1009 | 0.0532 | 1.9960 | 2.2059 | -0.3509 |
| 55 | 1.75 | 1.7500 | 2.1611 | 0.0556 | 2.0516 | 2.2707 | -0.4111 |
| 56 | 1.8 | 1.8000 | 2.2364 | 0.0582 | 2.1218 | 2.3511 | -0.4364 |
| 57 | 1.8 | 1.8000 | 2.2966 | 0.0608 | 2.1768 | 2.4164 | -0.4966 |
| 58 | 0 | 0 | -0.0247 | 0.0502 | -0.1237 | 0.0743 | 0.0247 |
| 59 | 0.05 | 0.0500 | 0.04658 | 0.0494 | -0.0929 | 0.1018 | 0.0455 |
| 60 | 0.1 | 0.1000 | 0.0751 | 0.0455 | -0.0145 | 0.1646 | 0.0249 |
| 61 | 0.15 | 0.1500 | 0.2057 | 0.0403 | 0.1263 | 0.2851 | -0.0557 |
| 62 | 0.2 | 0.2000 | 0.2298 | 0.0397 | 0.1515 | 0.3081 | -0.0298 |
| 63 | 0.3 | 0.3000 | 0.2760 | 0.0388 | 0.1996 | 0.3525 | 0.0240 |
| 64 | 0.4 | 0.4000 | 0.2610 | 0.0393 | 0.1837 | 0.3384 | 0.1390 |
| 65 | 0.5 | 0.5000 | 0.3703 | 0.0375 | 0.2964 | 0.4442 | 0.1297 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 66 | 0.6 | 0.6000 | 0.5428 | 0.0389 | 0.4661 | 0.6195 | 0.0572 |
| 67 | 0.7 | 0.7000 | 0.6052 | 0.0398 | 0.5267 | 0.6837 | 0.0948 |
| 68 | 0.8 | 0.8000 | 0.6737 | 0.0411 | 0.5926 | 0.7547 | 0.1263 |
| 69 | 0.9 | 0.9000 | 0.7367 | 0.0426 | 0.6528 | 0.8206 | 0.1633 |
| 70 | 1 | 1.0000 | 0.8066 | 0.0443 | 0.7194 | 0.8938 | 0.1934 |
| 71 | 1.1 | 1.1000 | 0.8908 | 0.0461 | 0.8000 | 0.9817 | 0.2092 |
| 72 | 1.15 | 1.1500 | 0.7450 | 0.0362 | 0.6736 | 0.8164 | 0.4050 |
| 73 | 1.2 | 1.2000 | 0.7017 | 0.0386 | 0.6257 | 0.7778 | 0.4983 |
| 74 | 1.25 | 1.2500 | 0.8024 | 0.0406 | 0.7224 | 0.8824 | 0.4476 |
| 75 | 1.25 | 1.2500 | 0.8174 | 0.0410 | 0.7365 | 0.8983 | 0.4326 |
| 76 | 0 | 0 | 0.0848 | 0.0591 | -0.0316 | 0.2013 | -0.0848 |
| 77 | 0.12 | 0.1200 | 0.3256 | 0.0354 | 0.2558 | 0.3954 | -0.2056 |
| 78 | 0.22 | 0.2200 | 0.3828 | 0.0351 | 0.3135 | 0.4520 | -0.1628 |
| 79 | 0.4 | 0.4000 | 0.4858 | 0.0360 | 0.4147 | 0.5568 | -0.0858 |
| 80 | 0.55 | 0.5500 | 0.5787 | 0.0372 | 0.5054 | 0.6520 | -0.0287 |
| 81 | 0.65 | 0.6500 | 0.5967 | 0.0392 | 0.5194 | 0.6740 | 0.0533 |
| 82 | 0.75 | 0.7500 | 0.6687 | 0.0396 | 0.5907 | 0.7467 | 0.0813 |
| 83 | 0.85 | 0.8500 | 0.7373 | 0.0413 | 0.6559 | 0.8187 | 0.1127 |
| 84 | 1 | 1.0000 | 0.8450 | 0.0430 | 0.7603 | 0.9297 | 0.1550 |
| 85 | 1.1 | 1.1000 | 0.8121 | 0.0371 | 0.7390 | 0.8851 | 0.2879 |
| 86 | 1.15 | 1.1500 | 0.9159 | 0.0391 | 0.8388 | 0.9930 | 0.2341 |
| 87 | 1.2 | 1.2000 | 0.8576 | 0.0378 | 0.7831 | 0.9321 | 0.3424 |
| 88 | 1.3 | 1.3000 | 0.9763 | 0.0394 | 0.8986 | 1.0540 | 0.3237 |
| 89 | 1.3 | 1.3000 | 1.0988 | 0.0396 | 1.0208 | 1.1768 | 0.2012 |
| 90 | 0 | 0 | 0.1396 | 0.0717 | -0.0160 | 0.2808 | -0.1396 |
| 91 | 0.18 | 0.1800 | 0.3204 | 0.0499 | 0.2221 | 0.4187 | -0.1404 |
| 92 | 0.3 | 0.3000 | 0.3363 | 0.0420 | 0.2536 | 0.4190 | -0.0363 |
| 93 | 0.4 | 0.4000 | 0.5412 | 0.0378 | 0.4667 | 0.6157 | -0.1412 |
| 94 | 0.5 | 0.5000 | 0.6107 | 0.0384 | 0.5350 | 0.6864 | -0.1107 |
| 95 | 0.6 | 0.6000 | 0.6802 | 0.0394 | 0.6026 | 0.7578 | -0.0802 |
| 96 | 0.7 | 0.7000 | 0.6256 | 0.0400 | 0.5469 | 0.7043 | 0.0744 |
| 97 | 0.8 | 0.8000 | 0.8602 | 0.0396 | 0.7822 | 0.9382 | -0.0602 |
| 98 | 0.9 | 0.9000 | 0.8183 | 0.0367 | 0.7461 | 0.8906 | 0.0817 |
| 99 | 1 | 1.0000 | 1.0015 | 0.0448 | 0.9132 | 1.0897 | -0.01453 |
| 100 | 1.02 | 1.0200 | 0.7653 | 0.0365 | 0.6934 | 0.8372 | 0.2547 |
| 101 | 1.02 | 1.0200 | 0.8132 | 0.0410 | 0.7326 | 0.8939 | 0.2068 |
| 102 | 1.02 | 1.0200 | 0.8857 | 0.0397 | 0.8076 | 0.9639 | 0.1343 |
| 103 | 1.1 | 1.1000 | 0.9441 | 0.0403 | 0.8646 | 1.0236 | 0.1559 |
| 104 | 1.1 | 1.1000 | 1.4686 | 0.0470 | 1.3760 | 1.5612 | -0.3686 |
| 105 | 0 | 0 | 0.0725 | 0.0566 | -0.0389 | 0.1840 | -0.0725 |
| 106 | 0.12 | 0.1200 | 0.4660 | 0.0364 | 0.3943 | 0.5376 | -0.3460 |
| 107 | 0.2 | 0.2000 | 0.5048 | 0.0357 | 0.4344 | 0.5752 | -0.3048 |
| 108 | 0.22 | 0.2200 | 0.5188 | 0.0359 | 0.4481 | 0.5894 | -0.2988 |
| 109 | 0.3 | 0.3000 | 0.5324 | 0.0389 | 0.4557 | 0.6091 | -0.2324 |
| 110 | 0.38 | 0.3800 | 0.5772 | 0.0391 | 0.5003 | 0.6542 | -0.1972 |
| 111 | 0.45 | 0.4500 | 0.6211 | 0.0385 | 0.5451 | 0.6970 | -0.1711 |
| 112 | 0.5 | 0.5000 | 0.6567 | 0.0383 | 0.5813 | 0.7321 | -0.1567 |
| 113 | 0.6 | 0.6000 | 0.5867 | 0.0386 | 0.5105 | 0.6628 | 0.0133 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 114 | 0.7 | 0.7000 | 0.8004 | 0.0367 | 0.7280 | 0.8727 | -0.1004 |
| 115 | 0.72 | 0.7200 | 0.8176 | 0.0364 | 0.7458 | 0.8893 | -0.0976 |
| 116 | 0.77 | 0.7700 | 0.8531 | 0.0368 | 0.7806 | 0.9257 | -0.0831 |
| 117 | 0.85 | 0.8500 | 0.8994 | 0.0382 | 0.8242 | 0.9746 | -0.0494 |
| 118 | 0.95 | 0.9500 | 0.9824 | 0.0407 | 0.9021 | 1.0626 | -0.0324 |
| 119 | 1 | 1.0000 | 1.0104 | 0.0417 | 0.9281 | 1.0926 | -0.0104 |
| 120 | 1.02 | 1.0200 | 1.0261 | 0.0421 | 0.9431 | 1.1090 | -.006064 |
| 121 | 1.05 | 1.0500 | 1.0459 | 0.0427 | 0.9617 | 1.1300 | .0041301 |
| 122 | 1.08 | 1.0800 | 1.0657 | 0.0433 | 0.9803 | 1.1510 | 0.0143 |
| 123 | 1.1 | 1.1000 | 1.0814 | 0.0437 | 0.9952 | 1.1675 | 0.0186 |
| 124 | 1.15 | 1.1500 | 1.1169 | 0.0448 | 1.0286 | 1.2052 | 0.0331 |
| 125 | 1.2 | 1.2000 | 1.1449 | 0.0460 | 1.0543 | 1.2355 | 0.0551 |
| 126 | 1.25 | 1.2500 | 1.1804 | 0.0472 | 1.0875 | 1.2733 | 0.0696 |
| 127 | 1.3 | 1.3000 | 1.2159 | 0.0484 | 1.1207 | 1.3112 | 0.0841 |
| 128 | 1.35 | 1.3500 | 1.2515 | 0.0496 | 1.1537 | 1.3492 | 0.0985 |
| 129 | 1.4 | 1.4000 | 1.2870 | 0.0509 | 1.1867 | 1.3872 | 0.1130 |
| 130 | 1.45 | 1.4500 | 1.3206 | 0.0525 | 1.2170 | 1.4241 | 0.1294 |
| 131 | 1.6 | 1.6000 | 0.8250 | 0.0371 | 0.7518 | 0.8982 | 0.7750 |
| 132 | 1.6 | 1.6000 | 1.2076 | 0.0336 | 1.1414 | 1.2737 | 0.3924 |
| 133 | 0 | 0 | 0.1821 | 0.0618 | 0.0603 | 0.3038 | -0.1821 |
| 134 | 0.15 | 0.1500 | 0.6302 | 0.0431 | 0.5452 | 0.7152 | -0.4802 |
| 135 | 0.22 | 0.2200 | 0.4360 | 0.0444 | 0.3485 | 0.5234 | -0.2160 |
| 136 | 0.32 | 0.3200 | 0.5167 | 0.0384 | 0.4410 | 0.5924 | -0.1967 |
| 137 | 0.45 | 0.4500 | 0.6086 | 0.0342 | 0.5412 | 0.6759 | -0.1586 |
| 138 | 0.55 | 0.5500 | 0.9087 | 0.0454 | 0.8193 | 0.9980 | -0.3587 |
| 139 | 0.6 | 0.6000 | 0.7894 | 0.0352 | 0.7200 | 0.8587 | -0.1894 |
| 140 | 0.7 | 0.7000 | 0.4700 | 0.0401 | 0.3910 | 0.5491 | 0.2300 |
| 141 | 0.75 | 0.7500 | 0.5110 | 0.0423 | 0.4276 | 0.5943 | 0.2390 |
| 142 | 0.85 | 0.8500 | 0.9406 | 0.0365 | 0.8686 | 1.0126 | -0.0906 |
| 143 | 0.9 | 0.9000 | 0.6185 | 0.0331 | 0.5532 | 0.6838 | 0.2815 |
| 144 | 1 | 1.0000 | 0.6571 | 0.0321 | 0.5939 | 0.7203 | 0.3429 |
| 145 | 1.08 | 1.0800 | 0.9193 | 0.0309 | 0.8583 | 0.9802 | 0.1607 |
| 146 | 1.2 | 1.2000 | 0.7845 | 0.0322 | 0.7211 | 0.8480 | 0.4155 |
| 147 | 1.3 | 1.3000 | 0.8305 | 0.0321 | 0.7672 | 0.8937 | 0.4695 |
| 148 | 1.4 | 1.4000 | 0.7775 | 0.0333 | 0.7119 | 0.8431 | 0.6225 |
| 149 | 1.5 | 1.5000 | 0.8308 | 0.0341 | 0.7636 | 0.8980 | 0.6692 |
| 150 | 1.55 | 1.5500 | 0.9609 | 0.0343 | 0.8934 | 1.0285 | 0.5891 |
| 151 | 1.62 | 1.6200 | 1.0764 | 0.0340 | 1.0094 | 1.1433 | 0.5436 |
| 152 | 1.65 | 1.6500 | 1.1256 | 0.0337 | 1.0592 | 1.1920 | 0.5244 |
| 153 | 1.7 | 1.7000 | 1.3216 | 0.0414 | 1.2400 | 1.4032 | 0.3784 |
| 154 | 1.72 | 1.7200 | 1.2306 | 0.0398 | 1.1522 | 1.3091 | 0.4894 |
| 155 | 0 | 0 | 0.2368 | 0.0727 | 0.0935 | 0.3801 | -0.2368 |
| 156 | 0.2 | 0.2000 | 0.4917 | 0.0662 | 0.3613 | 0.6222 | -0.2917 |
| 157 | 0.35 | 0.3500 | 0.5965 | 0.0527 | 0.4928 | 0.7003 | -0.2465 |
| 158 | 0.5 | 0.5000 | 0.6959 | 0.0487 | 0.5929 | 0.7920 | -0.1959 |
| 159 | 0.7 | 0.7000 | 0.8184 | 0.0449 | 0.7299 | 0.9069 | -0.1184 |
| 160 | 0.8 | 0.8000 | 0.8947 | 0.0436 | 0.8087 | 0.9806 | -0.0947 |
| 161 | 0.9 | 0.9000 | 0.9709 | 0.0428 | 0.8865 | 1.0553 | -0.0709 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 162 | 1 | 1.0000 | 1.0472 | 0.0425 | 0.9634 | 1.1310 | -0.0472 |
| 163 | 1.1 | 1.1000 | 1.1775 | 0.0394 | 1.0997 | 1.2552 | -0.0775 |
| 164 | 1.2 | 1.2000 | 1.2538 | 0.0417 | 1.1716 | 1.3359 | -0.0538 |
| 165 | 1.25 | 1.2500 | 1.3069 | 0.0426 | 1.2230 | 1.3909 | -0.0569 |
| 166 | 1.35 | 1.3500 | 1.0203 | 0.0490 | 0.9238 | 1.1169 | 0.3297 |
| 167 | 1.4 | 1.4000 | 1.0616 | 0.0400 | 0.9828 | 1.1403 | 0.3384 |
| 168 | 1.5 | 1.5000 | 1.1234 | 0.0396 | 1.0453 | 1.2014 | 0.3766 |
| 169 | 1.55 | 1.5500 | 1.2307 | 0.0471 | 1.1379 | 1.3234 | 0.3193 |
| 170 | 1.6 | 1.6000 | 1.2422 | 0.0366 | 1.1702 | 1.3143 | 0.3578 |
| 171 | 1.65 | 1.6500 | 1.6245 | 0.0551 | 1.5160 | 1.7330 | 0.0255 |
| 172 | 0 | 0 | -0.0115 | 0.0558 | -0.0115 | 0.0984 | 0.0115 |
| 173 | 0.1 | 0.1000 | 0.3940 | 0.0435 | 0.3083 | 0.4798 | -0.2940 |
| 174 | 0.12 | 0.1200 | 0.3636 | 0.0329 | 0.2987 | 0.4285 | -0.2436 |
| 175 | 0.2 | 0.2000 | 0.3919 | 0.0331 | 0.3266 | 0.4571 | -0.1919 |
| 176 | 0.21 | 0.2100 | 0.4040 | 0.0330 | 0.3390 | 0.4690 | -0.1940 |
| 177 | 0.22 | 0.2200 | 0.4161 | 0.0329 | 0.3513 | 0.4809 | -0.1961 |
| 178 | 0.25 | 0.2500 | 0.4564 | 0.0320 | 0.3934 | 0.5194 | -0.2064 |
| 179 | 0.3 | 0.3000 | 0.4757 | 0.0323 | 0.4121 | 0.5392 | -0.1757 |
| 180 | 0.35 | 0.3500 | 0.5138 | 0.0321 | 0.4506 | 0.5770 | -0.1638 |
| 181 | 0.4 | 0.4000 | 0.5249 | 0.0341 | 0.4577 | 0.5922 | -0.1249 |
| 182 | 0.45 | 0.4500 | 0.6171 | 0.0336 | 0.5509 | 0.6833 | -0.1671 |
| 183 | 0.5 | 0.5000 | 0.4735 | 0.0391 | 0.3965 | 0.5506 | 0.0265 |
| 184 | 0.52 | 0.5200 | 0.4774 | 0.0353 | 0.4078 | 0.5469 | 0.0426 |
| 185 | 0.6 | 0.6000 | 0.5178 | 0.0349 | 0.4489 | 0.5866 | 0.0822 |
| 186 | 0.65 | 0.6500 | 0.5520 | 0.0404 | 0.4724 | 0.6316 | 0.0980 |
| 187 | 0.67 | 0.6700 | 0.5377 | 0.0375 | 0.4637 | 0.6116 | 0.1323 |
| 188 | 0.7 | 0.7000 | 0.7688 | 0.0348 | 0.7003 | 0.8374 | -0.0688 |
| 189 | 0.75 | 0.7500 | 0.8340 | 0.0364 | 0.7623 | 0.9057 | -0.0840 |
| 190 | 0.8 | 0.8000 | 0.8721 | 0.0376 | 0.7981 | 0.9461 | -0.0721 |
| 191 | 0.82 | 0.8200 | 0.8964 | 0.0380 | 0.8216 | 0.9712 | -0.0764 |
| 192 | 0.88 | 0.8800 | 0.9392 | 0.0396 | 0.8611 | 1.0172 | -0.0592 |
| 193 | 0.9 | 0.9000 | 0.9634 | 0.0401 | 0.8845 | 1.0424 | -0.0534 |
| 194 | 0.95 | 0.9500 | 0.9896 | 0.0392 | 0.9124 | 1.0669 | -0.0396 |
| 195 | 1.01 | 1.0100 | 1.0474 | 0.0406 | 0.9674 | 1.0374 | -0.0374 |
| 196 | 1.03 | 1.0300 | 1.1138 | 0.0435 | 1.0280 | 1.1996 | -0.0838 |
| 197 | 1.08 | 1.0800 | 1.1400 | 0.0424 | 1.0564 | 1.2236 | -0.0600 |
| 198 | 1.1 | 1.1000 | 1.1643 | 0.0430 | 1.0796 | 1.2489 | -0.0643 |
| 199 | 1.15 | 1.1500 | 1.2024 | 0.0444 | 1.1148 | 1.2899 | -0.0524 |
| 200 | 1.12 | 1.1200 | 1.2186 | 0.0436 | 1.1328 | 1.3045 | -0.0986 |
| 201 | 1.15 | 1.1500 | 1.2475 | 0.0445 | 1.1599 | 1.3351 | -0.0975 |
| 202 | 1.18 | 1.1800 | 1.2765 | 0.0454 | 1.1871 | 1.3658 | -0.0965 |
| 203 | 1.18 | 1.1800 | 1.2915 | 0.0454 | 1.2020 | 1.3810 | -0.1115 |
| 204 | 0 | 0 | 0.0980 | 0.0628 | -0.0258 | 0.2218 | -0.0980 |
| 205 | 0.1 | 0.1000 | 0.4031 | 0.0323 | 0.3394 | 0.4668 | -0.3031 |
| 206 | 0.15 | 0.1500 | 0.4048 | 0.0354 | 0.3350 | 0.4747 | -0.2548 |
| 207 | 0.25 | 0.2500 | 0.4931 | 0.0306 | 0.4328 | 0.5533 | -0.2431 |
| 208 | 0.3 | 0.3000 | 0.5420 | 0.0301 | 0.4826 | 0.6014 | -0.2420 |
| 209 | 0.38 | 0.3800 | 0.5994 | 0.0301 | 0.5400 | 0.6588 | -0.2194 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 210 | 0.48 | 0.4800 | 0.6606 | 0.0305 | 0.6006 | 0.7206 | -0.1806 |
| 211 | 0.52 | 0.5200 | 0.6941 | 0.0308 | 0.6335 | 0.7547 | -0.1741 |
| 212 | 0.6 | 0.6000 | 0.7461 | 0.0318 | 0.6835 | 0.8088 | -0.1461 |
| 213 | 0.7 | 0.7000 | 0.8062 | 0.0306 | 0.7459 | 0.8665 | -0.1062 |
| 214 | 0.8 | 0.8000 | 0.8663 | 0.0301 | 0.8069 | 0.9256 | -0.0663 |
| 215 | 0.9 | 0.9000 | 0.7353 | 0.0331 | 0.6700 | 0.8006 | 0.1647 |
| 216 | 1 | 1.0000 | 0.8011 | 0.0330 | 0.7361 | 0.8662 | 0.1989 |
| 217 | 1.05 | 1.0500 | 0.8471 | 0.0336 | 0.7809 | 0.9133 | 0.2029 |
| 218 | 1.1 | 1.1000 | 0.9186 | 0.0415 | 0.8369 | 1.0004 | 0.1814 |
| 219 | 1.15 | 1.1500 | 0.9390 | 0.0351 | 0.8699 | 1.0081 | 0.2110 |
| 220 | 1.2 | 1.2000 | 1.2748 | 0.0506 | 1.1750 | 1.3746 | -0.0748 |
| 221 | 1.21 | 1.2100 | 1.3095 | 0.0507 | 1.2095 | 1.4095 | -0.0995 |
| 222 | 0 | 0 | 0.1527 | 0.0743 | .0062281 | 0.2992 | -0.1527 |
| 223 | 0.2 | 0.2000 | 0.4152 | 0.0448 | 0.3269 | 0.5035 | -0.2152 |
| 224 | 0.4 | 0.4000 | 0.5242 | 0.0439 | 0.4377 | 0.6106 | -0.1242 |
| 225 | 0.52 | 0.5200 | 0.5935 | 0.0440 | 0.5069 | 0.6801 | -0.0735 |
| 226 | 0.7 | 0.7000 | 0.6959 | 0.0419 | 0.6133 | 0.7786 | .0040846 |
| 227 | 0.8 | 0.8000 | 0.8262 | 0.0350 | 0.7572 | 0.8951 | -0.0262 |
| 228 | 0.9 | 0.9000 | 0.9025 | 0.0354 | 0.8326 | 0.9723 | -.002455 |
| 229 | 1 | 1.0000 | 0.9787 | 0.0365 | 0.9069 | 1.0506 | 0.0213 |
| 230 | 1.1 | 1.1000 | 1.0550 | 0.0381 | 0.9800 | 1.1300 | 0.0450 |
| 231 | 1.12 | 1.1200 | 1.0943 | 0.0384 | 1.0187 | 1.1700 | 0.0257 |
| 232 | 1.15 | 1.1500 | 1.1653 | 0.0424 | 1.0817 | 1.2488 | -0.0153 |
| 233 | 1.2 | 1.2000 | 0.9396 | 0.0380 | 0.8647 | 1.0145 | 0.2604 |
| 234 | 1.3 | 1.3000 | 1.0506 | 0.0384 | 0.9749 | 1.1263 | 0.2494 |

SUM OF RESIDUALS -7.87162E-13
 SUM OF SQUARED RESIDUALS 11.77556
 PREDICTED RESID SS (PRESS) 12.78771

NOTE: COPYRIGHT (C) 1984, 1986 SAS INSTITUTE INC., CARY, N.C. 27511, U.S.A.
NOTE: THE JOB TRY1 HAS BEEN RUN UNDER RELEASE 5.16 OF SAS AT TEXAS A&M UNIVERSITY (O1452001).

NOTE: CPUID VERSION = 21 SERIAL = 172328 MODEL = 3090
CPUID VERSION = 21 SERIAL = 272328 MODEL = 3090

NOTE: SAS OPTIONS SPECIFIED ARE:
SORT=4

1 DATA ONE: INFILE IN1;
2 INPUT #1 SUBSID #2 T #3 A #4 AP #5 W #6 TH #7 BRHO #8 VISC #9 CYCS
3 #10 PPWS #11 LI #12 PPWP #13 VE \$ #14 VPU #15 VPD;

NOTE: INFILE IN1 IS:
DSNAME=USR N199.AR.EXP15VAR,
UNIT=DISK,VOL=SER=USR002,DISP=SHR,
DCB=(BLKSIZE=6226,LRECL=22,RECFM=FB)

NOTE: 3510 LINES WERE READ FROM INFILE IN1
NOTE: DATA SET WORK ONE HAS 234 OBSERVATIONS AND 15 VARIABLES. 378 OBS/TRK.
NOTE: THE DATA STATEMENT USED 0 12 SECONDS AND 144K.

4 PROC REG;
5 MODEL SUBSID = T AP CYCS PPWS VISC VPD / P CLM VIF;
6 TITLE REGRESSION ANALYSIS FOR SUSIDENCE USING T,AP,CYCS,PPWS,VISC,VPD';
7 ID SUBSID;
8 OUTPUT OUT=REGOUT P=PRED;

NOTE: ACOV AND SPEC OPTION ONLY VALID WITH RAWDATA
NOTE: THE DATA SET WORK,REGOUT HAS 234 OBSERVATIONS AND 16 VARIABLES. 354 OBS/TRK
NOTE: THE PROCEDURE REG USED 0 16 SECONDS AND 456K AND PRINTED PAGES 1 TO 6

9 PROC PLOT DATA=REGOUT;
10 PLOT SUBSID*PRED=**';
11 TITLE ACTUAL SUBSIDENCE VS PREDICTED SUBSIDENCE';
NOTE: THE PROCEDURE PLOT USED 0 06 SECONDS AND 204K AND PRINTED PAGE 7
NOTE: SAS USED 456K MEMORY

NOTE: SAS INSTITUTE INC
SAS CIRCLE
PO BOX 8000
CARY, N C 27511-8000

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|------------------|--------------------|------------------|------------------|----------|
| 20 | 0.5 | 0.5000 | 0.3610 | 0.0355 | 0.2909 | 0.4310 | 0.1390 |
| 21 | 0.7 | 0.7000 | 0.4719 | 0.0341 | 0.4047 | 0.5391 | 0.2281 |
| 22 | 0.75 | 0.7500 | 0.5639 | 0.0329 | 0.4991 | 0.6287 | 0.1861 |
| 23 | 0.8 | 0.8000 | 0.6559 | 0.0322 | 0.5926 | 0.7193 | 0.1441 |
| 24 | 0.85 | 0.8500 | 0.7480 | 0.0319 | 0.6850 | 0.8109 | 0.1020 |
| 25 | 0.9 | 0.9000 | 0.7846 | 0.0333 | 0.7190 | 0.8502 | 0.1154 |
| 26 | 1 | 1.0000 | 0.9437 | 0.0328 | 0.8790 | 1.0084 | 0.0563 |
| 27 | 1.1 | 1.1000 | 1.0474 | 0.0339 | 0.9806 | 1.1142 | 0.0526 |
| 28 | 1.25 | 1.2500 | 1.2351 | 0.0372 | 1.1619 | 1.3084 | 0.0149 |
| 29 | 1.35 | 1.3500 | 1.3873 | 0.0443 | 1.3000 | 1.4746 | -0.0373 |
| 30 | 1.5 | 1.5000 | 1.5830 | 0.0494 | 1.4857 | 1.6803 | -0.0830 |
| 31 | 1.6 | 1.6000 | 1.7671 | 0.0555 | 1.6577 | 1.8764 | -0.1671 |
| 32 | 1.6 | 1.6000 | 1.9676 | 0.0610 | 1.8474 | 2.0879 | -0.3676 |
| 33 | 1.7 | 1.7000 | 2.1238 | 0.0687 | 1.9885 | 2.2591 | -0.4238 |
| 34 | 1.7 | 1.7000 | 2.3044 | 0.0757 | 2.1552 | 2.4537 | -0.6044 |
| 35 | 0 | 0 | 0.1463 | 0.0719 | 0.004555 | 0.2880 | -0.1463 |
| 36 | 0.2 | 0.2000 | 0.5089 | 0.0378 | 0.4344 | 0.5834 | -0.3089 |
| 37 | 0.3 | 0.3000 | 0.5420 | 0.0379 | 0.4673 | 0.6168 | -0.2420 |
| 38 | 0.5 | 0.5000 | 0.6558 | 0.0385 | 0.5800 | 0.7316 | -0.1558 |
| 39 | 0.6 | 0.6000 | 0.7288 | 0.0387 | 0.6524 | 0.8051 | -0.1288 |
| 40 | 0.8 | 0.8000 | 0.7676 | 0.0362 | 0.6963 | 0.8388 | 0.0324 |
| 41 | 0.9 | 0.9000 | 0.8324 | 0.0367 | 0.7600 | 0.9048 | 0.0676 |
| 42 | 1 | 1.0000 | 0.7485 | 0.0334 | 0.6827 | 0.8144 | 0.2515 |
| 43 | 1.1 | 1.1000 | 0.8722 | 0.0321 | 0.8089 | 0.9354 | 0.2278 |
| 44 | 1.2 | 1.2000 | 0.9637 | 0.0316 | 0.9013 | 1.0260 | 0.2363 |
| 45 | 1.3 | 1.3000 | 1.0873 | 0.0315 | 1.0253 | 1.1493 | 0.2127 |
| 46 | 1.4 | 1.4000 | 1.1788 | 0.0318 | 1.1161 | 1.2415 | 0.2212 |
| 47 | 1.5 | 1.5000 | 1.3024 | 0.0328 | 1.2378 | 1.3671 | 0.1976 |
| 48 | 1.55 | 1.5500 | 1.4125 | 0.0343 | 1.3448 | 1.4801 | 0.1375 |
| 49 | 1.6 | 1.6000 | 1.5547 | 0.0372 | 1.4813 | 1.6280 | 0.0453 |
| 50 | 1.65 | 1.6500 | 1.6326 | 0.0390 | 1.5557 | 1.7095 | 0.0174 |
| 51 | 1.65 | 1.6500 | 1.8010 | 0.0439 | 1.7145 | 1.8875 | -0.1510 |
| 52 | 1.7 | 1.7000 | 1.8789 | 0.0462 | 1.7879 | 1.9699 | -0.1789 |
| 53 | 1.7 | 1.7000 | 2.0074 | 0.0508 | 1.9074 | 2.1075 | -0.3074 |
| 54 | 1.75 | 1.7500 | 2.0853 | 0.0533 | 1.9803 | 2.1904 | -0.3353 |
| 55 | 1.75 | 1.7500 | 2.1496 | 0.0559 | 2.0395 | 2.2598 | -0.3996 |
| 56 | 1.8 | 1.8000 | 2.2275 | 0.0586 | 2.1121 | 2.3430 | -0.4275 |
| 57 | 1.8 | 1.8000 | 2.2918 | 0.0613 | 2.1710 | 2.4126 | -0.4918 |
| 58 | 0 | 0 | -0.0335 | 0.0490 | -0.1301 | 0.0630 | 0.0335 |
| 59 | 0.05 | 0.0500 | 0.0105 | 0.0493 | -0.0867 | 0.1077 | 0.0395 |
| 60 | 0.1 | 0.1000 | 0.0866 | 0.0454 | -0.02814 | 0.1759 | 0.0134 |
| 61 | 0.15 | 0.1500 | 0.2211 | 0.0399 | 0.1425 | 0.2998 | -0.0711 |
| 62 | 0.2 | 0.2000 | 0.2455 | 0.0393 | 0.1680 | 0.3229 | -0.0455 |
| 63 | 0.3 | 0.3000 | 0.2942 | 0.0382 | 0.2189 | 0.3695 | 0.057996 |
| 64 | 0.4 | 0.4000 | 0.2776 | 0.0388 | 0.2013 | 0.3540 | 0.1224 |
| 65 | 0.5 | 0.5000 | 0.3916 | 0.0367 | 0.3194 | 0.4639 | 0.1084 |
| 66 | 0.6 | 0.6000 | 0.5707 | 0.0375 | 0.4968 | 0.6446 | 0.0293 |
| 67 | 0.7 | 0.7000 | 0.6356 | 0.0382 | 0.5604 | 0.7109 | 0.0644 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 68 | 0.8 | 0.8000 | 0.7086 | 0.0389 | 0.6319 | 0.7853 | 0.0914 |
| 69 | 0.9 | 0.9000 | 0.7735 | 0.0402 | 0.6942 | 0.8528 | 0.1265 |
| 70 | 1 | 1.0000 | 0.8465 | 0.0416 | 0.7645 | 0.9284 | 0.1535 |
| 71 | 1.1 | 1.1000 | 0.9355 | 0.0428 | 0.8512 | 1.0198 | 0.1645 |
| 72 | 1.15 | 1.1500 | 0.7871 | 0.0323 | 0.7235 | 0.8506 | 0.3629 |
| 73 | 1.2 | 1.2000 | 0.7450 | 0.0347 | 0.6767 | 0.8133 | 0.4550 |
| 74 | 1.25 | 1.2500 | 0.8516 | 0.0356 | 0.7815 | 0.9218 | 0.3984 |
| 75 | 1.25 | 1.2500 | 0.8677 | 0.0359 | 0.7970 | 0.9384 | 0.3823 |
| 76 | 0 | 0 | 0.0863 | 0.0590 | -0.0298 | 0.2025 | -0.0863 |
| 77 | 0.12 | 0.1200 | 0.3584 | 0.0331 | 0.2933 | 0.4236 | -0.2384 |
| 78 | 0.22 | 0.2200 | 0.4153 | 0.0328 | 0.3506 | 0.4800 | -0.1953 |
| 79 | 0.4 | 0.4000 | 0.5209 | 0.0334 | 0.4552 | 0.5867 | -0.1209 |
| 80 | 0.55 | 0.5500 | 0.6143 | 0.0346 | 0.5461 | 0.6825 | -0.0643 |
| 81 | 0.65 | 0.6500 | 0.6474 | 0.0330 | 0.5824 | 0.7125 | 0.025689 |
| 82 | 0.75 | 0.7500 | 0.7204 | 0.0333 | 0.6547 | 0.7861 | 0.0296 |
| 83 | 0.85 | 0.8500 | 0.7933 | 0.0340 | 0.7263 | 0.8604 | 0.0567 |
| 84 | 1 | 1.0000 | 0.9028 | 0.0357 | 0.8324 | 0.9732 | 0.0972 |
| 85 | 1.1 | 1.1000 | 0.8689 | 0.0287 | 0.8122 | 0.9255 | 0.2311 |
| 86 | 1.15 | 1.1500 | 0.9816 | 0.0277 | 0.9271 | 1.0362 | 0.1684 |
| 87 | 1.2 | 1.2000 | 0.9213 | 0.0268 | 0.8684 | 0.9741 | 0.2787 |
| 88 | 1.3 | 1.3000 | 1.0449 | 0.0270 | 0.9917 | 1.0981 | 0.2551 |
| 89 | 1.3 | 1.3000 | 1.1638 | 0.0295 | 1.1057 | 1.2219 | 0.1362 |
| 90 | 0 | 0 | 0.1463 | 0.0719 | 0.004555 | 0.2880 | -0.1463 |
| 91 | 0.18 | 0.1800 | 0.3395 | 0.0492 | 0.2426 | 0.4363 | -0.1595 |
| 92 | 0.3 | 0.3000 | 0.3706 | 0.0399 | 0.2919 | 0.4493 | -0.0706 |
| 93 | 0.4 | 0.4000 | 0.5732 | 0.0358 | 0.5027 | 0.6436 | -0.1732 |
| 94 | 0.5 | 0.5000 | 0.6461 | 0.0359 | 0.5754 | 0.7169 | -0.1461 |
| 95 | 0.6 | 0.6000 | 0.7191 | 0.0364 | 0.6474 | 0.7908 | -0.1191 |
| 96 | 0.7 | 0.7000 | 0.6819 | 0.0322 | 0.6185 | 0.7453 | 0.0181 |
| 97 | 0.8 | 0.8000 | 0.9094 | 0.0345 | 0.8414 | 0.9774 | -0.1094 |
| 98 | 0.9 | 0.9000 | 0.8635 | 0.0321 | 0.8003 | 0.9267 | 0.0365 |
| 99 | 1 | 1.0000 | 1.0676 | 0.0355 | 0.9976 | 1.1375 | -0.0676 |
| 100 | 1.02 | 1.0200 | 0.8084 | 0.0323 | 0.7449 | 0.8720 | 0.2116 |
| 101 | 1.02 | 1.0200 | 0.8727 | 0.0330 | 0.8077 | 0.9377 | 0.1473 |
| 102 | 1.02 | 1.0200 | 0.9370 | 0.0341 | 0.8699 | 1.0042 | 0.0830 |
| 103 | 1.1 | 1.1000 | 0.9746 | 0.0368 | 0.9021 | 1.0470 | 0.1254 |
| 104 | 1.1 | 1.1000 | 1.5339 | 0.0392 | 1.4567 | 1.6111 | -0.4339 |
| 105 | 0 | 0 | 0.0375 | 0.0515 | -0.0640 | 0.1390 | -0.0375 |
| 106 | 0.12 | 0.1200 | 0.4429 | 0.0288 | 0.3861 | 0.4997 | -0.3229 |
| 107 | 0.2 | 0.2000 | 0.4836 | 0.0279 | 0.4287 | 0.5385 | -0.2836 |
| 108 | 0.22 | 0.2200 | 0.4998 | 0.0276 | 0.4453 | 0.5542 | -0.2798 |
| 109 | 0.3 | 0.3000 | 0.5206 | 0.0298 | 0.4618 | 0.5793 | -0.2206 |
| 110 | 0.38 | 0.3800 | 0.5693 | 0.0290 | 0.5121 | 0.6265 | -0.1893 |
| 111 | 0.45 | 0.4500 | 0.6139 | 0.0285 | 0.5577 | 0.6701 | -0.1639 |
| 112 | 0.5 | 0.5000 | 0.6504 | 0.0283 | 0.5947 | 0.7061 | -0.1504 |
| 113 | 0.6 | 0.6000 | 0.5767 | 0.0297 | 0.5181 | 0.6353 | 0.0233 |
| 114 | 0.7 | 0.7000 | 0.7921 | 0.0283 | 0.7365 | 0.8478 | -0.0921 |
| 115 | 0.72 | 0.7200 | 0.8083 | 0.0285 | 0.7523 | 0.8644 | -0.0883 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|-----------|
| 116 | 0.77 | 0.7700 | 0.8448 | 0.0291 | 0.7875 | 0.9021 | -0.0748 |
| 117 | 0.85 | 0.8500 | 0.8935 | 0.0304 | 0.8336 | 0.9534 | -0.0435 |
| 118 | 0.95 | 0.9500 | 0.9703 | 0.0357 | 0.9000 | 1.0407 | -0.0203 |
| 119 | 1 | 1.0000 | 0.9988 | 0.0370 | 0.9259 | 1.0716 | 0.0012292 |
| 120 | 1.02 | 1.0200 | 1.0150 | 0.0374 | 0.9413 | 1.0887 | 0.0050303 |
| 121 | 1.05 | 1.0500 | 1.0352 | 0.0381 | 0.9601 | 1.1104 | 0.0148 |
| 122 | 1.08 | 1.0800 | 1.0555 | 0.0389 | 0.9789 | 1.1321 | 0.0245 |
| 123 | 1.1 | 1.1000 | 1.0717 | 0.0393 | 0.9942 | 1.1493 | 0.0283 |
| 124 | 1.15 | 1.1500 | 1.1082 | 0.0406 | 1.0282 | 1.1882 | 0.0418 |
| 125 | 1.2 | 1.2000 | 1.1367 | 0.0420 | 1.0538 | 1.2195 | 0.0633 |
| 126 | 1.25 | 1.2500 | 1.1731 | 0.0434 | 1.0877 | 1.2586 | 0.0769 |
| 127 | 1.3 | 1.3000 | 1.2096 | 0.0447 | 1.1215 | 1.2977 | 0.0904 |
| 128 | 1.35 | 1.3500 | 1.2461 | 0.0461 | 1.1552 | 1.3370 | 0.1039 |
| 129 | 1.4 | 1.4000 | 1.2826 | 0.0475 | 1.1889 | 1.3762 | 0.1174 |
| 130 | 1.45 | 1.4500 | 1.3190 | 0.0490 | 1.2225 | 1.4156 | 0.1310 |
| 131 | 1.6 | 1.6000 | 0.8079 | 0.0327 | 0.7435 | 0.8723 | 0.7921 |
| 132 | 1.6 | 1.6000 | 1.1873 | 0.0312 | 1.1259 | 1.2487 | 0.4127 |
| 133 | 0 | 0 | 0.1574 | 0.0568 | 0.0455 | 0.2693 | -0.1574 |
| 134 | 0.15 | 0.1500 | 0.6400 | 0.0278 | 0.5851 | 0.6948 | -0.4900 |
| 135 | 0.22 | 0.2200 | 0.4286 | 0.0361 | 0.3575 | 0.4997 | -0.2086 |
| 136 | 0.32 | 0.3200 | 0.4773 | 0.0341 | 0.4101 | 0.5445 | -0.1573 |
| 137 | 0.45 | 0.4500 | 0.5557 | 0.0269 | 0.5028 | 0.6086 | -0.1057 |
| 138 | 0.55 | 0.5500 | 0.9219 | 0.0328 | 0.8574 | 0.9865 | -0.3719 |
| 139 | 0.6 | 0.6000 | 0.7874 | 0.0246 | 0.7390 | 0.8358 | -0.1874 |
| 140 | 0.7 | 0.7000 | 0.4280 | 0.0357 | 0.3576 | 0.4983 | 0.2720 |
| 141 | 0.75 | 0.7500 | 0.4522 | 0.0353 | 0.3827 | 0.5217 | 0.2978 |
| 142 | 0.85 | 0.8500 | 0.9376 | 0.0287 | 0.8810 | 0.9942 | -0.0876 |
| 143 | 0.9 | 0.9000 | 0.5864 | 0.0286 | 0.5301 | 0.6427 | 0.3136 |
| 144 | 1 | 1.0000 | 0.6228 | 0.0275 | 0.5686 | 0.6771 | 0.3772 |
| 145 | 1.08 | 1.0800 | 0.9099 | 0.0240 | 0.8626 | 0.9572 | 0.1701 |
| 146 | 1.2 | 1.2000 | 0.7517 | 0.0280 | 0.6955 | 0.8069 | 0.4483 |
| 147 | 1.3 | 1.3000 | 0.8042 | 0.0280 | 0.7490 | 0.8595 | 0.4958 |
| 148 | 1.4 | 1.4000 | 0.7389 | 0.0291 | 0.6815 | 0.7963 | 0.6611 |
| 149 | 1.5 | 1.5000 | 0.8073 | 0.0304 | 0.7474 | 0.8672 | 0.6927 |
| 150 | 1.55 | 1.5500 | 0.9517 | 0.0289 | 0.8947 | 1.0087 | 0.5983 |
| 151 | 1.62 | 1.6200 | 1.0624 | 0.0307 | 1.0019 | 1.1230 | 0.5576 |
| 152 | 1.65 | 1.6500 | 1.0986 | 0.0315 | 1.0366 | 1.1606 | 0.5514 |
| 153 | 1.7 | 1.7000 | 1.3267 | 0.0362 | 1.2553 | 1.3981 | 0.3733 |
| 154 | 1.72 | 1.7200 | 1.1992 | 0.0379 | 1.1244 | 1.2739 | 0.5208 |
| 155 | 0 | 0 | 0.2173 | 0.0683 | 0.0827 | 0.3519 | -0.2173 |
| 156 | 0.2 | 0.2000 | 0.4605 | 0.0647 | 0.3331 | 0.5879 | -0.2605 |
| 157 | 0.35 | 0.3500 | 0.5937 | 0.0470 | 0.5011 | 0.6862 | -0.2437 |
| 158 | 0.5 | 0.5000 | 0.6870 | 0.0446 | 0.5992 | 0.7749 | -0.1870 |
| 159 | 0.7 | 0.7000 | 0.8008 | 0.0424 | 0.7173 | 0.8843 | -0.1008 |
| 160 | 0.8 | 0.8000 | 0.8738 | 0.0416 | 0.7918 | 0.9557 | -0.0738 |
| 161 | 0.9 | 0.9000 | 0.9467 | 0.0411 | 0.8657 | 1.0278 | -0.0467 |
| 162 | 1 | 1.0000 | 1.0197 | 0.0410 | 0.9389 | 1.1004 | -0.0197 |
| 163 | 1.1 | 1.1000 | 1.1324 | 0.0351 | 1.0633 | 1.2016 | -0.0324 |

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|-----------|
| 164 | 1.2 | 1.2000 | 1.2054 | 0.0365 | 1.1334 | 1.2774 | -0.005404 |
| 165 | 1.25 | 1.2500 | 1.2580 | 0.0372 | 1.1846 | 1.3313 | -0.007956 |
| 166 | 1.35 | 1.3500 | 0.9714 | 0.0448 | 0.8831 | 1.0597 | 0.3786 |
| 167 | 1.4 | 1.4000 | 1.0371 | 0.0385 | 0.9611 | 1.1130 | 0.3629 |
| 168 | 1.5 | 1.5000 | 1.0964 | 0.0382 | 1.0212 | 1.1716 | 0.4036 |
| 169 | 1.55 | 1.5500 | 1.1621 | 0.0337 | 1.0956 | 1.2285 | 0.3879 |
| 170 | 1.6 | 1.6000 | 1.2078 | 0.0341 | 1.1407 | 1.2750 | 0.3922 |
| 171 | 1.65 | 1.6500 | 1.5987 | 0.0545 | 1.4914 | 1.7061 | 0.0513 |
| 172 | 0 | 0 | 0.0375 | 0.0515 | -0.0640 | 0.1390 | -0.0375 |
| 173 | 0.1 | 0.1000 | 0.3730 | 0.0304 | 0.3132 | 0.4329 | -0.02730 |
| 174 | 0.12 | 0.1200 | 0.3813 | 0.0306 | 0.3209 | 0.4416 | -0.02613 |
| 175 | 0.2 | 0.2000 | 0.4100 | 0.0307 | 0.3496 | 0.4704 | -0.02100 |
| 176 | 0.21 | 0.2100 | 0.4221 | 0.0305 | 0.3621 | 0.4821 | -0.02121 |
| 177 | 0.22 | 0.2200 | 0.4342 | 0.0303 | 0.3746 | 0.4939 | -0.02142 |
| 178 | 0.25 | 0.2500 | 0.4685 | 0.0283 | 0.4128 | 0.5241 | -0.02185 |
| 179 | 0.3 | 0.3000 | 0.4910 | 0.0289 | 0.4341 | 0.5479 | -0.01910 |
| 180 | 0.35 | 0.3500 | 0.5275 | 0.0281 | 0.4721 | 0.5828 | -0.01775 |
| 181 | 0.4 | 0.4000 | 0.5441 | 0.0309 | 0.4831 | 0.6050 | -0.01441 |
| 182 | 0.45 | 0.4500 | 0.6203 | 0.0263 | 0.5686 | 0.6721 | -0.01703 |
| 183 | 0.5 | 0.5000 | 0.4720 | 0.0323 | 0.4083 | 0.5357 | 0.0280 |
| 184 | 0.52 | 0.5200 | 0.4935 | 0.0322 | 0.4301 | 0.5569 | 0.0265 |
| 185 | 0.6 | 0.6000 | 0.5314 | 0.0311 | 0.4701 | 0.5927 | 0.0686 |
| 186 | 0.65 | 0.6500 | 0.5491 | 0.0323 | 0.4855 | 0.6127 | 0.1009 |
| 187 | 0.67 | 0.6700 | 0.5587 | 0.0346 | 0.4905 | 0.6268 | 0.1113 |
| 188 | 0.7 | 0.7000 | 0.7790 | 0.0277 | 0.7244 | 0.8336 | -0.0790 |
| 189 | 0.75 | 0.7500 | 0.8354 | 0.0259 | 0.7844 | 0.8864 | -0.0854 |
| 190 | 0.8 | 0.8000 | 0.8719 | 0.0261 | 0.8204 | 0.9234 | -0.0719 |
| 191 | 0.82 | 0.8200 | 0.8961 | 0.0263 | 0.8443 | 0.9479 | -0.0761 |
| 192 | 0.88 | 0.8800 | 0.9367 | 0.0268 | 0.8838 | 0.9895 | -0.0567 |
| 193 | 0.9 | 0.9000 | 0.9609 | 0.0270 | 0.9076 | 1.0142 | -0.0609 |
| 194 | 0.95 | 0.9500 | 0.9935 | 0.0282 | 0.9380 | 1.0491 | -0.0435 |
| 195 | 1.01 | 1.0100 | 1.0502 | 0.0288 | 0.9935 | 1.1069 | -0.0402 |
| 196 | 1.03 | 1.0300 | 1.1104 | 0.0291 | 1.0531 | 1.1677 | -0.0804 |
| 197 | 1.08 | 1.0800 | 1.1430 | 0.0299 | 1.0841 | 1.2020 | -0.0630 |
| 198 | 1.1 | 1.1000 | 1.1673 | 0.0303 | 1.1076 | 1.2269 | -0.0673 |
| 199 | 1.15 | 1.1500 | 1.2037 | 0.0310 | 1.1427 | 1.2648 | -0.0537 |
| 200 | 1.12 | 1.1200 | 1.2236 | 0.0311 | 1.1623 | 1.2850 | -0.1036 |
| 201 | 1.15 | 1.1500 | 1.2520 | 0.0316 | 1.1896 | 1.3143 | -0.1020 |
| 202 | 1.18 | 1.1800 | 1.2803 | 0.0322 | 1.2169 | 1.3437 | -0.1003 |
| 203 | 1.18 | 1.1800 | 1.2964 | 0.0325 | 1.2324 | 1.3603 | -0.1164 |
| 204 | 0 | 0 | 0.1574 | 0.0568 | 0.0455 | 0.2693 | -0.1574 |
| 205 | 0.1 | 0.1000 | 0.4213 | 0.0292 | 0.3639 | 0.4788 | -0.3213 |
| 206 | 0.15 | 0.1500 | 0.4578 | 0.0280 | 0.4026 | 0.5130 | -0.3078 |
| 207 | 0.25 | 0.2500 | 0.5346 | 0.0257 | 0.4839 | 0.5853 | -0.2846 |
| 208 | 0.3 | 0.3000 | 0.5790 | 0.0260 | 0.5278 | 0.6303 | -0.2790 |
| 209 | 0.38 | 0.3800 | 0.6317 | 0.0264 | 0.5798 | 0.6837 | -0.2517 |
| 210 | 0.48 | 0.4800 | 0.6886 | 0.0265 | 0.6363 | 0.7409 | -0.2086 |
| 211 | 0.52 | 0.5200 | 0.7210 | 0.0267 | 0.6685 | 0.7735 | -0.2010 |

REGRESSION ANALYSIS FOR SUSIDENCE USING: T, AP, CYCS, PPWS, VISC, VPD

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR. PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|------------------|---------------|---------------|----------|
| 212 | 0.6 | 0.6000 | 0.7697 | 0.0273 | 0.7160 | 0.8235 | -0.1697 |
| 213 | 0.7 | 0.7000 | 0.8307 | 0.0253 | 0.7808 | 0.8807 | -0.1307 |
| 214 | 0.8 | 0.8000 | 0.8918 | 0.0241 | 0.8442 | 0.9393 | -0.0918 |
| 215 | 0.9 | 0.9000 | 0.7454 | 0.0250 | 0.6960 | 0.7947 | 0.1546 |
| 216 | 1 | 1.0000 | 0.8247 | 0.0279 | 0.7697 | 0.8796 | 0.1753 |
| 217 | 1.05 | 1.0500 | 0.8704 | 0.0281 | 0.8150 | 0.9258 | 0.1796 |
| 218 | 1.1 | 1.1000 | 0.9161 | 0.0285 | 0.8600 | 0.9723 | 0.1839 |
| 219 | 1.15 | 1.1500 | 0.9619 | 0.0289 | 0.9049 | 1.0189 | 0.1881 |
| 220 | 1.2 | 1.2000 | 1.2797 | 0.0404 | 1.2000 | 1.3594 | -0.0797 |
| 221 | 1.21 | 1.2100 | 1.3160 | 0.0406 | 1.2359 | 1.3960 | -0.1060 |
| 222 | 0 | 0 | 0.2173 | 0.0683 | 0.0827 | 0.3519 | -0.2173 |
| 223 | 0.2 | 0.2000 | 0.4585 | 0.0415 | 0.3766 | 0.5404 | -0.2585 |
| 224 | 0.4 | 0.4000 | 0.5922 | 0.0330 | 0.5271 | 0.6573 | -0.1922 |
| 225 | 0.52 | 0.5200 | 0.6613 | 0.0336 | 0.5952 | 0.7275 | -0.1413 |
| 226 | 0.7 | 0.7000 | 0.7590 | 0.0333 | 0.6934 | 0.8245 | -0.0590 |
| 227 | 0.8 | 0.8000 | 0.8718 | 0.0295 | 0.8136 | 0.9299 | -0.0718 |
| 228 | 0.9 | 0.9000 | 0.9447 | 0.0302 | 0.8852 | 1.0042 | -0.0447 |
| 229 | 1 | 1.0000 | 1.0177 | 0.0313 | 0.9560 | 1.0794 | -0.0177 |
| 230 | 1.1 | 1.1000 | 1.0906 | 0.0328 | 1.0261 | 1.1552 | 0.093615 |
| 231 | 1.12 | 1.1200 | 1.1309 | 0.0329 | 1.0662 | 1.1957 | -0.0109 |
| 232 | 1.15 | 1.1500 | 1.1952 | 0.0368 | 1.1227 | 1.2678 | -0.0452 |
| 233 | 1.2 | 1.2000 | 0.9739 | 0.0326 | 0.9097 | 1.0380 | 0.2261 |
| 234 | 1.3 | 1.3000 | 1.0994 | 0.0322 | 1.0360 | 1.1627 | 0.2006 |

SUM OF RESIDUALS -7.99749E-13
 SUM OF SQUARED RESIDUALS 12.09427
 PREDICTED RESID SS (PRESS) 12.91795

1 SAS(R) LOG OS SAS 5.16 MVLXA JOB DOIT STEP SAS
 NOTE: COPYRIGHT (C) 1984, 1986 SAS INSTITUTE INC., CARY, N.C. 27511, U.S.A.
 NOTE: THE JOB DOIT HAS BEEN RUN UNDER RELEASE 5.16 OF SAS AT TEXAS A&M UNIVERSITY (01452001).

NOTE: CPUID VERSION = 21 SERIAL = 172328 MODEL = 3090
 CPUID VERSION = 21 SERIAL = 272328 MODEL = 3090

NOTE: SAS OPTIONS SPECIFIED ARE:
 SORT=4

1 DATA ONE; INFILE IN1;
 2 INPUT #1 SUBSID #2 T #3 A #4 AP #5 W #6 TH #7 BRHO #8 VISC #9 CYCS
 3 #10 PPWS #11 LI #12 PPWP #13 VE \$ #14 VPU #15 VPD;
 4 PF=AP*W;
 5 G=32.2;
 6 GSO=G**2;
 7 RHO=3.3;
 8 TSO=T**2;
 9 VDSQ=VPD**2;
 10 FO=(144*PPWS*VPU*AP/(RHO*GSO*T));
 11 FA=ABS(FO);
 12 F1=FA**0.33;
 13 F2=SQR(0.5*VDSQ*PF/(144*VISC**2*GSO*TSO*RHO));
 14 IF F1 NE 0 THEN F3=LOG10(F1*CYCS);
 15 ELSE F3 = 0;
 16 IF F2 NE 0 THEN F4=LOG10(F2*CYCS);
 17 ELSE F4 = 0;

NOTE: INFILE IN1 IS:
 DSNNAME=USR.N199.AR.EXP15VAR,
 UNIT=DISK,VOL=SER=USROO2,DISP=SHR,
 DCB=(BLKSIZE=6226,LRECL=22,RECFM=FB)

NOTE: 3510 LINES WERE READ FROM INFILE IN1.
 NOTE: DATA SET WORK.ONE HAS 234 OBSERVATIONS AND 27 VARIABLES. 212 OBS/TRK.
 NOTE: THE DATA STATEMENT USED 0.15 SECONDS AND 148K.

18 PROC SORT;
 19 BY SUBSID;

NOTE: 4 CYLINDERS DYNAMICALLY ALLOCATED ON SYSDA FOR EACH OF 3 SORT WORK DATA SETS.
 NOTE: DATA SET WORK.ONE HAS 234 OBSERVATIONS AND 27 VARIABLES. 212 OBS/TRK.
 NOTE: THE PROCEDURE SORT USED 0.17 SECONDS AND 296K.

20 PROC PRINT;
 21 VAR SUBSID F1 F2 F3 F4;
 NOTE: THE PROCEDURE PRINT USED 0.10 SECONDS AND 204K AND PRINTED PAGES 1 TO 5.

22 PROC CORR;
 23 VAR SUBSID F1 F2 F3 F4;
 24 TITLE 'CORRELATION FOR VARIABLES: F1, F2, F3 AND F4';
 NOTE: THE PROCEDURE CORR USED 0.05 SECONDS AND 200K AND PRINTED PAGE 6.

25 PROC RSQUARE CP;
 26 MODEL SUBSID = F1 F2 F3 F4
 27 /START=1 STOP=2;
 28 TITLE2 'RSQUARE FOR REGRESSION MODEL USING F1,F2,F3 AND F4';
 NOTE: THE PROCEDURE RSQUARE USED 0.06 SECONDS AND 328K AND PRINTED PAGE 7.

```
29 PROC REG;
30 MODEL SUBSID = F1 F4/P CLM;
31 TITLE 'REGRESSION MODEL USING F1 AND F4';
32 ID SUBSID;
33 OUTPUT OUT=REGOUT P=PRED;
NOTE: ACOV AND SPEC OPTION ONLY VALID WITH RAWDATA
NOTE: THE DATA SET WORK.REGOUT HAS 234 OBSERVATIONS AND 28 VARIABLES. 204 OBS/TRK.
NOTE: THE PROCEDURE REG USED 0.15 SECONDS AND 464K AND PRINTED PAGES 8 TO 13.

34 PROC PLOT DATA=REGOUT;
35 PLOT SUBSID*PRED=**';
36 TITLE 'ACTUAL SUBSIDENCE VS PREDICTED SUBSIDENCE USING F1 AND F4';
NOTE: THE PROCEDURE PLOT USED 0.06 SECONDS AND 212K AND PRINTED PAGE 14.
NOTE: SAS USED 464K MEMORY.

NOTE: SAS INSTITUTE INC.
      SAS CIRCLE
      PO BOX 8000
      CARY, N.C. 27511-8000
```

CORRELATION FOR VARIABLES: F1, F2, F3 AND F4
 RSQUARE FOR REGRESSION MODEL USING: F1, F2, F3 AND F4
 REGRESSION MODEL USING: F1 AND F4

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 22 | 0.15 | 0.1500 | 0.5671 | 0.0261 | 0.5156 | 0.6185 | -0.4171 |
| 23 | 0.18 | 0.1800 | 0.4910 | 0.0385 | 0.4151 | 0.5670 | -0.3110 |
| 24 | 0.2 | 0.2000 | 0.6140 | 0.0266 | 0.5616 | 0.6663 | -0.4140 |
| 25 | 0.2 | 0.2000 | 0.4835 | 0.0298 | 0.4248 | 0.5422 | -0.2835 |
| 26 | 0.2 | 0.2000 | 0.4992 | 0.0276 | 0.4448 | 0.5537 | -0.2992 |
| 27 | 0.2 | 0.2000 | 0.4309 | 0.0645 | 0.3039 | 0.5580 | -0.2309 |
| 28 | 0.2 | 0.2000 | 0.4905 | 0.0262 | 0.4388 | 0.5421 | -0.2905 |
| 29 | 0.2 | 0.2000 | 0.4904 | 0.0507 | 0.3905 | 0.5903 | -0.2904 |
| 30 | 0.21 | 0.2100 | 0.5471 | 0.0246 | 0.4986 | 0.5955 | -0.3371 |
| 31 | 0.22 | 0.2200 | 0.5931 | 0.0238 | 0.5462 | 0.6401 | -0.3731 |
| 32 | 0.22 | 0.2200 | 0.5829 | 0.0261 | 0.5314 | 0.6344 | -0.3629 |
| 33 | 0.22 | 0.2200 | 0.5595 | 0.0272 | 0.5059 | 0.6130 | -0.3395 |
| 34 | 0.22 | 0.2200 | 0.5913 | 0.0235 | 0.5450 | 0.6375 | -0.3713 |
| 35 | 0.25 | 0.2500 | 0.6458 | 0.0229 | 0.6008 | 0.6909 | -0.3958 |
| 36 | 0.25 | 0.2500 | 0.6720 | 0.0225 | 0.6275 | 0.7164 | -0.4220 |
| 37 | 0.3 | 0.3000 | 0.5701 | 0.0237 | 0.5234 | 0.6169 | -0.2701 |
| 38 | 0.3 | 0.3000 | 0.7293 | 0.0261 | 0.6778 | 0.7809 | -0.4293 |
| 39 | 0.3 | 0.3000 | 0.5805 | 0.0282 | 0.5249 | 0.6362 | -0.2805 |
| 40 | 0.3 | 0.3000 | 0.6731 | 0.0260 | 0.6219 | 0.7242 | -0.3731 |
| 41 | 0.3 | 0.3000 | 0.6344 | 0.0244 | 0.5844 | 0.6824 | -0.3344 |
| 42 | 0.3 | 0.3000 | 0.6915 | 0.0214 | 0.6492 | 0.7337 | -0.3915 |
| 43 | 0.3 | 0.3000 | 0.7396 | 0.0208 | 0.6985 | 0.7806 | -0.4396 |
| 44 | 0.32 | 0.3200 | 0.6007 | 0.0300 | 0.5417 | 0.6597 | -0.2807 |
| 45 | 0.35 | 0.3500 | 0.6793 | 0.0454 | 0.5899 | 0.7688 | -0.3293 |
| 46 | 0.35 | 0.3500 | 0.7401 | 0.0208 | 0.6992 | 0.7810 | -0.3901 |
| 47 | 0.38 | 0.3800 | 0.7273 | 0.0238 | 0.6804 | 0.7742 | -0.3473 |
| 48 | 0.38 | 0.3800 | 0.7936 | 0.0200 | 0.7541 | 0.8331 | -0.4136 |
| 49 | 0.4 | 0.4000 | 0.5962 | 0.0284 | 0.5402 | 0.6522 | -0.1962 |
| 50 | 0.4 | 0.4000 | 0.6146 | 0.0276 | 0.5601 | 0.6690 | -0.2146 |
| 51 | 0.4 | 0.4000 | 0.7538 | 0.0215 | 0.7115 | 0.7961 | -0.3538 |
| 52 | 0.4 | 0.4000 | 0.8436 | 0.0203 | 0.8036 | 0.8837 | -0.4436 |
| 53 | 0.4 | 0.4000 | 0.7611 | 0.0199 | 0.7219 | 0.8003 | -0.3611 |
| 54 | 0.4 | 0.4000 | 0.7203 | 0.0365 | 0.6483 | 0.7923 | -0.3203 |
| 55 | 0.45 | 0.4500 | 0.7898 | 0.0236 | 0.7433 | 0.8363 | -0.3398 |
| 56 | 0.45 | 0.4500 | 0.6786 | 0.0272 | 0.6251 | 0.7322 | -0.2286 |
| 57 | 0.45 | 0.4500 | 0.8403 | 0.0217 | 0.7976 | 0.8830 | -0.3903 |
| 58 | 0.48 | 0.4800 | 0.8368 | 0.0198 | 0.7977 | 0.8758 | -0.3568 |
| 59 | 0.5 | 0.5000 | 0.7434 | 0.0202 | 0.7035 | 0.7832 | -0.2434 |
| 60 | 0.5 | 0.5000 | 0.7144 | 0.0279 | 0.6594 | 0.7694 | -0.2144 |
| 61 | 0.5 | 0.5000 | 0.8179 | 0.0259 | 0.7669 | 0.8689 | -0.3179 |
| 62 | 0.5 | 0.5000 | 0.7088 | 0.0272 | 0.6552 | 0.7624 | -0.2088 |
| 63 | 0.5 | 0.5000 | 0.9143 | 0.0200 | 0.8750 | 0.9536 | -0.4143 |
| 64 | 0.5 | 0.5000 | 0.8376 | 0.0237 | 0.7909 | 0.8843 | -0.3376 |
| 65 | 0.5 | 0.5000 | 0.7595 | 0.0457 | 0.6694 | 0.8497 | -0.2595 |
| 66 | 0.5 | 0.5000 | 0.7824 | 0.0208 | 0.7414 | 0.8234 | -0.2824 |
| 67 | 0.52 | 0.5200 | 0.8204 | 0.0215 | 0.7779 | 0.8628 | -0.3004 |

CORRELATION FOR VARIABLES: F1, F2, F3 AND F4
 RSQUARE FOR REGRESSION MODEL USING : F1, F2, F3 AND F4
 REGRESSION MODEL USING: F1 AND F4

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWERS95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|----------------|---------------|-----------|
| 68 | 0.52 | 0.5200 | 0.8694 | 0.0197 | 0.8306 | 0.9082 | -0.3494 |
| 69 | 0.52 | 0.5200 | 0.7925 | 0.0378 | 0.7180 | 0.8670 | -0.2725 |
| 70 | 0.55 | 0.5500 | 0.8474 | 0.0211 | 0.8059 | 0.8889 | -0.2974 |
| 71 | 0.55 | 0.5500 | 0.8846 | 0.0199 | 0.8454 | 0.9238 | -0.3346 |
| 72 | 0.6 | 0.6000 | 0.8777 | 0.0258 | 0.8270 | 0.9285 | -0.2777 |
| 73 | 0.6 | 0.6000 | 0.8298 | 0.0277 | 0.7753 | 0.8843 | -0.2298 |
| 74 | 0.6 | 0.6000 | 0.9715 | 0.0201 | 0.9319 | 1.0111 | -0.3715 |
| 75 | 0.6 | 0.6000 | 0.8390 | 0.0235 | 0.7928 | 0.8852 | -0.2390 |
| 76 | 0.6 | 0.6000 | 0.9046 | 0.0190 | 0.8671 | 0.9422 | -0.3046 |
| 77 | 0.6 | 0.6000 | 0.8485 | 0.0214 | 0.8063 | 0.8907 | -0.2485 |
| 78 | 0.6 | 0.6000 | 0.9007 | 0.0198 | 0.8617 | 0.9398 | -0.3007 |
| 79 | 0.65 | 0.6500 | 0.8934 | 0.0201 | 0.8537 | 0.9330 | -0.2434 |
| 80 | 0.65 | 0.6500 | 0.8430 | 0.0198 | 0.8040 | 0.8819 | -0.1930 |
| 81 | 0.67 | 0.6700 | 0.8642 | 0.0199 | 0.8249 | 0.9034 | -0.1942 |
| 82 | 0.7 | 0.7000 | 0.8563 | 0.0203 | 0.8163 | 0.8963 | -0.1563 |
| 83 | 0.7 | 0.7000 | 0.8343 | 0.0284 | 0.7785 | 0.8902 | -0.1343 |
| 84 | 0.7 | 0.7000 | 0.8796 | 0.0282 | 0.8240 | 0.9351 | -0.1796 |
| 85 | 0.7 | 0.7000 | 1.0128 | 0.0203 | 0.9728 | 1.0529 | -0.3128 |
| 86 | 0.7 | 0.7000 | 0.9526 | 0.0265 | 0.9004 | 1.0048 | -0.2526 |
| 87 | 0.7 | 0.7000 | 0.7265 | 0.0226 | 0.6819 | 0.7710 | -0.0265 |
| 88 | 0.7 | 0.7000 | 0.8167 | 0.0474 | 0.7233 | 0.9101 | -0.1167 |
| 89 | 0.7 | 0.7000 | 0.9362 | 0.0196 | 0.8976 | 0.9748 | -0.2362 |
| 90 | 0.7 | 0.7000 | 0.9372 | 0.0207 | 0.8964 | 0.9780 | -0.2372 |
| 91 | 0.7 | 0.7000 | 0.8456 | 0.0401 | 0.7666 | 0.9246 | -0.1456 |
| 92 | 0.72 | 0.7200 | 0.9642 | 0.0264 | 0.9121 | 1.0163 | -0.2442 |
| 93 | 0.75 | 0.7500 | 0.9152 | 0.0292 | 0.8577 | 0.9728 | -0.1652 |
| 94 | 0.75 | 0.7500 | 0.9445 | 0.0205 | 0.9041 | 0.9849 | -0.1945 |
| 95 | 0.75 | 0.7500 | 0.7358 | 0.0240 | 0.6885 | 0.7830 | 0.0142 |
| 96 | 0.75 | 0.7500 | 0.9755 | 0.0209 | 0.9343 | 1.0166 | -0.2255 |
| 97 | 0.77 | 0.7700 | 0.9910 | 0.0269 | 0.9380 | 1.0440 | -0.2210 |
| 98 | 0.8 | 0.8000 | 0.9767 | 0.0305 | 0.9166 | 1.0369 | -0.1767 |
| 99 | 0.8 | 0.8000 | 0.9482 | 0.0240 | 0.9009 | 0.9956 | -0.1482 |
| 100 | 0.8 | 0.8000 | 0.9348 | 0.0293 | 0.8770 | 0.9926 | -0.1348 |
| 101 | 0.8 | 0.8000 | 1.0844 | 0.0223 | 1.0404 | 1.1285 | -0.2844 |
| 102 | 0.8 | 0.8000 | 0.8602 | 0.0480 | 0.7657 | 0.9547 | -0.0602 |
| 103 | 0.8 | 0.8000 | 0.9926 | 0.0211 | 0.9510 | 1.0341 | -0.1926 |
| 104 | 0.8 | 0.8000 | 0.9657 | 0.0218 | 0.9227 | 1.0087 | -0.1657 |
| 105 | 0.8 | 0.8000 | 0.9262 | 0.0358 | 0.8557 | 0.9966 | -0.1262 |
| 106 | 0.82 | 0.8200 | 1.0065 | 0.0213 | 0.9645 | 1.0485 | -0.1865 |
| 107 | 0.85 | 0.8500 | 1.0240 | 0.0315 | 0.9619 | 1.0861 | -0.1740 |
| 108 | 0.85 | 0.8500 | 0.9933 | 0.0214 | 0.9511 | 1.0355 | -0.1433 |
| 109 | 0.85 | 0.8500 | 1.0204 | 0.0276 | 0.9659 | 1.0748 | -0.1704 |
| 110 | 0.85 | 0.8500 | 0.9977 | 0.0199 | 0.9586 | 1.0369 | -0.1477 |
| 111 | 0.88 | 0.8800 | 1.0225 | 0.0215 | 0.9801 | 1.0649 | -0.1425 |
| 112 | 0.9 | 0.9000 | 0.9051 | 0.0195 | 0.8668 | 0.9435 | -0.005148 |
| 113 | 0.9 | 0.9000 | 1.0359 | 0.0315 | 0.9737 | 1.0980 | -0.1359 |

CORRELATION FOR VARIABLES: F1, F2, F3 AND F4
RSQUARE FOR REGRESSION MODEL USING : F1,F2,F3 AND F4
REGRESSION MODEL USING: F1 AND F4

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 114 | 0.9 | 0.9000 | 0.9818 | 0.0245 | 0.9335 | 1.0300 | -0.0818 |
| 115 | 0.9 | 0.9000 | 0.9700 | 0.0298 | 0.9113 | 1.0288 | -0.0700 |
| 116 | 0.9 | 0.9000 | 1.0932 | 0.0219 | 1.0501 | 1.1363 | -0.1932 |
| 117 | 0.9 | 0.9000 | 0.8636 | 0.0202 | 0.8237 | 0.9035 | 0.0364 |
| 118 | 0.9 | 0.9000 | 0.8955 | 0.0487 | 0.7996 | 0.9915 | 0.04547 |
| 119 | 0.9 | 0.9000 | 1.0349 | 0.0218 | 0.9921 | 1.0778 | -0.1349 |
| 120 | 0.9 | 0.9000 | 0.9347 | 0.0215 | 0.8924 | 0.9771 | -0.0347 |
| 121 | 0.9 | 0.9000 | 0.9634 | 0.0365 | 0.8915 | 1.0353 | -0.0634 |
| 122 | 0.95 | 0.9500 | 1.0639 | 0.0303 | 1.0043 | 1.1236 | -0.1139 |
| 123 | 0.95 | 0.9500 | 1.0366 | 0.0209 | 0.9955 | 1.0777 | -0.0866 |
| 124 | 1 | 1.0000 | 0.9328 | 0.0205 | 0.8924 | 0.9732 | 0.0672 |
| 125 | 1 | 1.0000 | 1.0893 | 0.0331 | 1.0341 | 1.1645 | -0.0893 |
| 126 | 1 | 1.0000 | 0.9474 | 0.0279 | 0.8923 | 1.0024 | 0.0526 |
| 127 | 1 | 1.0000 | 1.0100 | 0.0307 | 0.9496 | 1.0705 | -0.0100 |
| 128 | 1 | 1.0000 | 1.0468 | 0.0223 | 1.0029 | 1.0907 | -0.0468 |
| 129 | 1 | 1.0000 | 1.1527 | 0.0240 | 1.1054 | 1.1999 | -0.1527 |
| 130 | 1 | 1.0000 | 1.0763 | 0.0305 | 1.0162 | 1.1365 | -0.0763 |
| 131 | 1 | 1.0000 | 0.8867 | 0.0204 | 0.8466 | 0.9268 | 0.1133 |
| 132 | 1 | 1.0000 | 0.9253 | 0.0495 | 0.8278 | 1.0229 | 0.0747 |
| 133 | 1 | 1.0000 | 1.0108 | 0.0202 | 0.9710 | 1.0506 | -0.0108 |
| 134 | 1 | 1.0000 | 0.9949 | 0.0373 | 0.9214 | 1.0683 | 0.051384 |
| 135 | 1.01 | 1.0100 | 1.0586 | 0.0213 | 1.0167 | 1.1006 | -0.0486 |
| 136 | 1.02 | 1.0200 | 1.0737 | 0.0217 | 1.0309 | 1.1165 | -0.0537 |
| 137 | 1.02 | 1.0200 | 1.1214 | 0.0223 | 1.0775 | 1.1653 | -0.1014 |
| 138 | 1.02 | 1.0200 | 1.1220 | 0.0226 | 1.0774 | 1.1666 | -0.1020 |
| 139 | 1.02 | 1.0200 | 1.0860 | 0.0308 | 1.0254 | 1.1466 | -0.0660 |
| 140 | 1.03 | 1.0300 | 1.0990 | 0.0231 | 1.0534 | 1.1446 | -0.0690 |
| 141 | 1.05 | 1.0500 | 1.0961 | 0.0310 | 1.0350 | 1.1571 | -0.0461 |
| 142 | 1.05 | 1.0500 | 1.0361 | 0.0206 | 0.9955 | 1.0767 | 0.0139 |
| 143 | 1.08 | 1.0800 | 1.1058 | 0.0312 | 1.0443 | 1.1673 | -0.0258 |
| 144 | 1.08 | 1.0800 | 1.0219 | 0.0203 | 0.9819 | 1.0619 | 0.0581 |
| 145 | 1.08 | 1.0800 | 1.0950 | 0.0221 | 1.0514 | 1.1385 | -0.0150 |
| 146 | 1.1 | 1.1000 | 0.9739 | 0.0210 | 0.9326 | 1.0152 | 0.1261 |
| 147 | 1.1 | 1.1000 | 1.1326 | 0.0339 | 1.0658 | 1.1994 | -0.0326 |
| 148 | 1.1 | 1.1000 | 1.0114 | 0.0283 | 0.9557 | 1.0672 | 0.0886 |
| 149 | 1.1 | 1.1000 | 1.0585 | 0.0320 | 0.9955 | 1.1215 | 0.0415 |
| 150 | 1.1 | 1.1000 | 1.0657 | 0.0225 | 1.0213 | 1.1101 | 0.0343 |
| 151 | 1.1 | 1.1000 | 1.0921 | 0.0236 | 1.0456 | 1.1386 | 0.007922 |
| 152 | 1.1 | 1.1000 | 1.3002 | 0.0278 | 1.2454 | 1.3551 | -0.2002 |
| 153 | 1.1 | 1.1000 | 1.1145 | 0.0314 | 1.0526 | 1.1765 | -0.0145 |
| 154 | 1.1 | 1.1000 | 0.9853 | 0.0455 | 0.8957 | 1.0749 | 0.1147 |
| 155 | 1.1 | 1.1000 | 1.1034 | 0.0223 | 1.0595 | 1.1473 | -0.03368 |
| 156 | 1.1 | 1.1000 | 1.0366 | 0.0214 | 0.9945 | 1.0786 | 0.0634 |
| 157 | 1.1 | 1.1000 | 1.0221 | 0.0381 | 0.9470 | 1.0973 | 0.0779 |
| 158 | 1.12 | 1.1200 | 1.1248 | 0.0228 | 1.0798 | 1.1698 | -0.04771 |
| 159 | 1.12 | 1.1200 | 1.0451 | 0.0382 | 0.9698 | 1.1203 | 0.0749 |

CORRELATION FOR VARIABLES: F1, F2, F3 AND F4
 RSQUARE FOR REGRESSION MODEL USING: F1, F2, F3 AND F4
 REGRESSION MODEL USING: F1 AND F4

13:02 THURSDAY, OCTOBER 8, 1987 12

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 160 | 1.15 | 1.1500 | 0.9819 | 0.0216 | 0.9394 | 1.0244 | 0.1681 |
| 161 | 1.15 | 1.1500 | 1.0427 | 0.0315 | 0.9807 | 1.1047 | 0.1073 |
| 162 | 1.15 | 1.1500 | 1.1250 | 0.0244 | 1.0770 | 1.1731 | 0.0250 |
| 163 | 1.15 | 1.1500 | 1.1318 | 0.0319 | 1.0690 | 1.1946 | 0.0182 |
| 164 | 1.15 | 1.1500 | 1.1132 | 0.0225 | 1.0689 | 1.1575 | 0.0368 |
| 165 | 1.15 | 1.1500 | 1.1328 | 0.0230 | 1.0874 | 1.1781 | 0.0172 |
| 166 | 1.15 | 1.1500 | 1.0797 | 0.0215 | 1.0374 | 1.1220 | 0.0703 |
| 167 | 1.15 | 1.1500 | 1.0874 | 0.0358 | 1.0168 | 1.1579 | 0.0626 |
| 168 | 1.18 | 1.1800 | 1.1405 | 0.0232 | 1.0948 | 1.1863 | 0.0395 |
| 169 | 1.18 | 1.1800 | 1.1464 | 0.0234 | 1.1004 | 1.1925 | 0.0336 |
| 170 | 1.2 | 1.2000 | 1.0154 | 0.0225 | 0.9711 | 1.0597 | 0.1846 |
| 171 | 1.2 | 1.2000 | 1.0590 | 0.0277 | 1.0045 | 1.1135 | 0.1410 |
| 172 | 1.2 | 1.2000 | 1.0304 | 0.0312 | 0.9690 | 1.0919 | 0.1696 |
| 173 | 1.2 | 1.2000 | 1.1073 | 0.0238 | 1.0605 | 1.1542 | 0.0927 |
| 174 | 1.2 | 1.2000 | 1.1418 | 0.0321 | 1.0786 | 1.2050 | 0.0582 |
| 175 | 1.2 | 1.2000 | 1.0029 | 0.0200 | 0.9634 | 1.0424 | 0.1971 |
| 176 | 1.2 | 1.2000 | 1.0084 | 0.0463 | 0.9171 | 1.0996 | 0.1916 |
| 177 | 1.2 | 1.2000 | 1.1541 | 0.0236 | 1.1076 | 1.2005 | 0.0459 |
| 178 | 1.2 | 1.2000 | 1.0091 | 0.0410 | 0.9283 | 1.0900 | 0.1909 |
| 179 | 1.21 | 1.2100 | 1.1699 | 0.0240 | 1.1226 | 1.2171 | 0.0401 |
| 180 | 1.25 | 1.2500 | 1.1830 | 0.0349 | 1.1142 | 1.2518 | 0.0670 |
| 181 | 1.25 | 1.2500 | 1.0716 | 0.0322 | 1.0082 | 1.1351 | 0.1784 |
| 182 | 1.25 | 1.2500 | 1.0772 | 0.0323 | 1.0135 | 1.1409 | 0.1728 |
| 183 | 1.25 | 1.2500 | 1.1576 | 0.0325 | 1.0935 | 1.2216 | 0.0924 |
| 184 | 1.25 | 1.2500 | 1.0287 | 0.0467 | 0.9368 | 1.1207 | 0.2213 |
| 185 | 1.3 | 1.3000 | 1.0383 | 0.0215 | 0.9960 | 1.0806 | 0.2617 |
| 186 | 1.3 | 1.3000 | 1.1016 | 0.0284 | 1.0456 | 1.1575 | 0.1984 |
| 187 | 1.3 | 1.3000 | 1.1505 | 0.0249 | 1.1014 | 1.1996 | 0.1495 |
| 188 | 1.3 | 1.3000 | 1.1953 | 0.0280 | 1.1402 | 1.2503 | 0.1047 |
| 189 | 1.3 | 1.3000 | 1.1725 | 0.0329 | 1.1077 | 1.2373 | 0.1275 |
| 190 | 1.3 | 1.3000 | 1.0421 | 0.0209 | 1.0010 | 1.0833 | 0.2579 |
| 191 | 1.3 | 1.3000 | 1.1114 | 0.0333 | 1.0459 | 1.1770 | 0.1886 |
| 192 | 1.35 | 1.3500 | 1.2074 | 0.0338 | 1.1407 | 1.2741 | 0.1426 |
| 193 | 1.35 | 1.3500 | 1.1867 | 0.0333 | 1.1211 | 1.2523 | 0.1633 |
| 194 | 1.35 | 1.3500 | 0.9336 | 0.0535 | 0.8281 | 1.0391 | 0.4164 |
| 195 | 1.4 | 1.4000 | 1.1266 | 0.0291 | 1.0693 | 1.1839 | 0.2734 |
| 196 | 1.4 | 1.4000 | 1.2003 | 0.0337 | 1.1339 | 1.2666 | 0.1997 |
| 197 | 1.4 | 1.4000 | 0.9867 | 0.0200 | 0.9472 | 1.0261 | 0.4133 |
| 198 | 1.4 | 1.4000 | 1.0100 | 0.0453 | 0.9206 | 1.0993 | 0.3900 |
| 199 | 1.45 | 1.4500 | 1.0836 | 0.0225 | 1.0392 | 1.1279 | 0.3664 |
| 200 | 1.45 | 1.4500 | 1.2155 | 0.0343 | 1.1479 | 1.2831 | 0.2345 |
| 201 | 1.5 | 1.5000 | 1.1156 | 0.0233 | 1.0696 | 1.1616 | 0.3844 |
| 202 | 1.5 | 1.5000 | 1.2484 | 0.0352 | 1.1790 | 1.3178 | 0.2516 |
| 203 | 1.5 | 1.5000 | 1.1585 | 0.0299 | 1.0996 | 1.2173 | 0.3415 |
| 204 | 1.5 | 1.5000 | 1.0591 | 0.0213 | 1.0172 | 1.1011 | 0.4409 |
| 205 | 1.5 | 1.5000 | 1.0257 | 0.0461 | 0.9348 | 1.1166 | 0.4743 |

CORRELATION FOR VARIABLES: F1, F2, F3 AND F4
 RSQUARE FOR REGRESSION MODEL USING: F1, F2, F3 AND F4
 REGRESSION MODEL USING: F1 AND F4

| OBS | ID | ACTUAL | PREDICT VALUE | STD ERR PREDICT | LOWER95% MEAN | UPPER95% MEAN | RESIDUAL |
|-----|------|--------|---------------|-----------------|---------------|---------------|----------|
| 206 | 1.55 | 1.5500 | 1.1972 | 0.0295 | 1.1390 | 1.2553 | 0.3528 |
| 207 | 1.55 | 1.5500 | 1.1359 | 0.0237 | 1.0891 | 1.1827 | 0.4141 |
| 208 | 1.55 | 1.5500 | 1.0157 | 0.0499 | 0.9174 | 1.1139 | 0.5343 |
| 209 | 1.6 | 1.6000 | 1.1712 | 0.0250 | 1.1219 | 1.2206 | 0.4288 |
| 210 | 1.6 | 1.6000 | 1.2838 | 0.0368 | 1.2114 | 1.3563 | 0.3162 |
| 211 | 1.6 | 1.6000 | 1.3288 | 0.0407 | 1.2487 | 1.4089 | 0.2712 |
| 212 | 1.6 | 1.6000 | 1.2279 | 0.0302 | 1.1684 | 1.2874 | 0.3721 |
| 213 | 1.6 | 1.6000 | 1.0855 | 0.0301 | 1.0261 | 1.1448 | 0.5145 |
| 214 | 1.6 | 1.6000 | 1.2067 | 0.0321 | 1.1435 | 1.2700 | 0.3933 |
| 215 | 1.6 | 1.6000 | 1.0710 | 0.0445 | 0.9834 | 1.1587 | 0.5290 |
| 216 | 1.62 | 1.6200 | 1.1719 | 0.0243 | 1.1241 | 1.2197 | 0.4481 |
| 217 | 1.65 | 1.6500 | 1.2120 | 0.0263 | 1.1601 | 1.2639 | 0.4380 |
| 218 | 1.65 | 1.6500 | 1.2422 | 0.0306 | 1.1819 | 1.3026 | 0.4078 |
| 219 | 1.65 | 1.6500 | 1.3150 | 0.0294 | 1.2571 | 1.3728 | 0.3350 |
| 220 | 1.65 | 1.6500 | 1.1684 | 0.0237 | 1.1217 | 1.2151 | 0.4816 |
| 221 | 1.65 | 1.6500 | 1.0716 | 0.0595 | 0.9543 | 1.1888 | 0.5784 |
| 222 | 1.7 | 1.7000 | 1.3417 | 0.0397 | 1.2635 | 1.4200 | 0.3583 |
| 223 | 1.7 | 1.7000 | 1.3726 | 0.0421 | 1.2895 | 1.4556 | 0.3274 |
| 224 | 1.7 | 1.7000 | 1.3273 | 0.0298 | 1.2686 | 1.3860 | 0.3727 |
| 225 | 1.7 | 1.7000 | 1.3476 | 0.0304 | 1.2877 | 1.4074 | 0.3524 |
| 226 | 1.7 | 1.7000 | 1.2698 | 0.0281 | 1.2144 | 1.3251 | 0.4302 |
| 227 | 1.72 | 1.7200 | 1.2205 | 0.0260 | 1.1692 | 1.2718 | 0.4995 |
| 228 | 1.75 | 1.7500 | 1.2484 | 0.0275 | 1.1942 | 1.3026 | 0.5016 |
| 229 | 1.75 | 1.7500 | 1.2419 | 0.0284 | 1.1859 | 1.2979 | 0.5081 |
| 230 | 1.75 | 1.7500 | 1.3582 | 0.0308 | 1.2976 | 1.4189 | 0.3918 |
| 231 | 1.75 | 1.7500 | 1.3672 | 0.0311 | 1.3060 | 1.4284 | 0.3828 |
| 232 | 1.8 | 1.8000 | 1.2399 | 0.0266 | 1.1875 | 1.2924 | 0.5601 |
| 233 | 1.8 | 1.8000 | 1.3770 | 0.0314 | 1.3150 | 1.4389 | 0.4230 |
| 234 | 1.8 | 1.8000 | 1.3851 | 0.0317 | 1.3227 | 1.4476 | 0.4149 |

SUM OF RESIDUALS -1.07736E-12
 SUM OF SQUARED RESIDUALS 19.43494
 PREDICTED RESID SS (PRESS) 20.24222

VITA


Alvin Eugene Grimmig Jr. was born on May 24, 1951 in Miami Beach, Florida of Alvin and Nora Grimmig Sr. He married Miss Debra Kay Rademacher on May 6, 1972. He enlisted in the Navy in June 1972 and received a commission in Civil Engineer Corps in 1978. He received a baccalaureate degree in ocean engineering from the University of Washington located in Seattle, Washington in December of 1978.

Permanent address:

LT Alvin E. Grimmig Jr.
c/o Barbra Rademacher
555 Filmore Ave. Apt.101
Cape Canaveral, FL 32950

Subsidence vs Time

EXPERIMENT 4 T= 20 secs A= 0.8 inch Ap= 1sf Wp= 25lbs



Subsidence vs Cycles

EXPERIMENT 4 T= 20 secs A= 0.8 inch Ap= 1sf Wp= 25lbs





FIGURE 4

Subsidence vs Time

EXPERIMENT 5 T= 10 secs A= 0.8 inch Ap= 1sf Wp= 25lbs



Subsidence vs Cycles

EXPERIMENT 5 T= 10 secs A= 0.8 inch Ap= 1sf Wp= 25lbs





FIGURE 5

Subsidence vs Time

EXPERIMENT 6 T= 5 secs A= 0.8 inch Ap= 1sf Wp= 25lbs



Subsidence vs Cycle

EXPERIMENT 6 T= 5 secs A= 0.8 inch Ap= 1sf Wp= 25lbs





FIGURE 6

Subsidence vs Time

EXPERIMENT 7 T= 20 secs A= 1.0 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 7 T= 20 secs A= 1.0 inch Ap= 2sf Wp= 36lbs





FIGURE 7

Subsidence vs Time

EXPERIMENT 8 $T = 10$ secs $A = 1.0$ inch $A_p = 2sf$ $W_p = 36$ lbs



Subsidence vs Cycles

EXPERIMENT 8 $T = 10$ secs $A = 1.0$ inch $A_p = 2sf$ $W_p = 36$ lbs





FIGURE 8

Subsidence vs Time

EXPERIMENT 9 T= 5 secs A= 1.0 inch Ap= 2sf Wp= 36lbs



Subsidence vs Cycles

EXPERIMENT 9 T= 5 secs A= 1.0 inch Ap= 2sf Wp= 36lbs




FIGURE 9

END

DATE

FILMED

6-1988

DTIC