

NO 4155 898

NUMERICAL CALCULATIONS OF THE RESPONSE OF A SPHEROIDAL
PAYLOAD TO CONING MOTION(U) ARMY BALLISTIC RESEARCH LAB
ABERDEEN PROVING GROUND MD G R COOPER MAR 88

171

UNCLASSIFIED


BRL-MR-3661

F/G 19/10

NL

DIRL

DIRL



4

DTIC FILE COPY

AD-A195 890

MEMORANDUM REPORT BRL-MR-3661

BRL

1938 - Serving the Army for Fifty Years - 1988

NUMERICAL CALCULATIONS OF THE RESPONSE
OF A SPINNING SPHEROIDAL PAYLOAD TO
CONING MOTION

GENE R. COOPER

DTIC
ELECTE
JUN 22 1988
S H D

MARCH 1988

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

88 0 02 15 6

DESTRUCTION NOTICE

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution is unlimited.		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) BRL-MR-3661			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION U.S. Army Ballistic Research Laboratory		6b. OFFICE SYMBOL (if applicable) SLCBR-LF	7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066			7b. ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION U.S. Army Ballistic Research Laboratory		8b. OFFICE SYMBOL (if applicable) SLCBR-DD-T	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 62618A	PROJECT NO. 1L1 62618AH80	TASK NO.
					WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) NUMERICAL CALCULATIONS OF THE RESPONSE OF A SPINNING SPHEROIDAL PAYLOAD TO CONING MOTION					
12. PERSONAL AUTHOR(S) Cooper, Gene R.					
13a. TYPE OF REPORT Memorandum Report		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day) 1988 March	
15. PAGE COUNT 13					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	> Singular Integral, Rotating Liquid Numerical Calculations, Eigenvalue Spheroidal Container		
01	02				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) A method for numerically evaluating a particular type of singular integral coupled with a complex eigenvalue problem is presented here. This presentation provides the information needed to carry out the numerical calculations found in the cited Murphy report. This technique has proven useful for calculating the moment exerted by a low-viscosity spinning liquid in a coning spheroidal container.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL Gene R. Cooper			22b. TELEPHONE (Include Area Code) (301)-278-2057		22c. OFFICE SYMBOL SLCBR-LF-A

Table of Contents

	<u>Page</u>
I. INTRODUCTION	1
II. NUMERICAL INTEGRATION	1
III. ROOT FINDER	3
IV. DISCUSSION	3
REFERENCES	5
LIST OF SYMBOLS	7
DISTRIBUTION LIST	9



Accession For	
DTIC GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Distribution	
Availability Codes	
Avail and/or	
Special	
A-1	

I. INTRODUCTION

Murphy¹ has studied the moment exerted by a low-viscosity spinning liquid in a coning spheroidal container and presented some computations. The purpose of this report is to elaborate on some of the numerical methods used by Murphy. He indicates the need of further clarification of two numerical problems. The first problem involves the numerical evaluation of integrals that have a singularity in their integrands. The second problem deals with calculating complex zeroes (i.e., complex eigenvalues) of a complex function.

II. NUMERICAL INTEGRATION

The calculations used in Reference 1 basically center around numerically evaluating integrals. These integrals are found in Equations (6.22)-(6.23), (8.6) and (8.9) of his report and are repeated here for convenience:

$$(U_{km}(s_{km}))_i + Re^{-1/2}a_{km} = 0 \quad (6.22)$$

where

$$\begin{aligned} (U_{km})_i &= \frac{2if^\sigma}{D\rho_o^\sigma(1-\rho_o^2)^{|m|/2}} \left[mP_k^{(|m|)}(\rho_o) - \frac{(1-\rho_o^2)}{f(1-e\rho_o^2)^{1/2}} \frac{d}{d\rho} (P_k^{(|m|)}(\rho))_{\rho_o} \right] \\ D &= 4(1-b^2) \\ b &= (m + is_{km})/2 \\ \rho_o &= bf(1+b^2(f^2-1))^{-1/2} \\ e &= 1-f^{-2} \\ a_{km} &= \frac{c_{kkm}}{b_{kkm}} \\ b_{kkm} &= f \int_{-1}^1 (P_k^{(|m|)}(\omega))^2 (1-e\omega^2)^{-1/2} d\omega \\ c_{kkm} &= \frac{i}{2} \int_{-1}^1 \frac{mfP_k^{(|m|)}(\omega)}{(1-\omega^2)^{1/2}} \left(\frac{A_{km}}{\alpha_1} + \frac{B_{km}}{\beta_1} \right) \\ &\quad + (1-\omega^2)^{1/2} \left(\frac{A_{km}}{\alpha_1} - \frac{B_{km}}{\beta_1} \right) \frac{d}{d\omega} \left(\frac{P_k^{(|m|)}(\omega)}{(1-e\omega^2)^{1/2}} \right) d\omega \quad (6.23) \\ (x/a)^2 &= (f\rho/\rho_o)^2\omega^2 \\ (r/a)^2 &= \left[\frac{1-\rho^2}{1-\rho_o^2} \right] (1-\omega^2) \end{aligned}$$

¹ Murphy, C. H., "Moment Exerted on a Coning Projectile by a Spinning Liquid in a Spheroidal Cavity," U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, Technical Report BRL-TR-2775, December 1986.

$$\tau C_{LM_p} = \frac{i}{5}(f^2 - 1)(9d_2 - 1) + \frac{i(f^2 - 1)}{4f\hat{K}} \int_{-1}^1 Re^{-1/2} \left(\frac{A_0}{\alpha_1} + \frac{B_0}{\beta_1} \right) \left(\frac{1 - \omega^2}{1 - e\omega^2} \right)^{1/2} P_2^1(\omega) d\omega \quad (8.6)$$

$$\tau C_{LM_v} = \frac{3}{8Re^{1/2}f\hat{K}} \int_{-1}^1 \left[\omega(\alpha_1 A_0 + \beta_1 B_0) + \frac{\alpha_1 A_0 - \beta_1 B_0}{f(1 - e\omega^2)^{1/2}} \right] d\omega \quad (8.9)$$

Re	= Reynolds number
(k, m)	= {(4, 0), (2, 1), (4, 1), (6, 1)}
$\hat{K}$	= sine of the coning angle
σ	= 0 if k - m is even = 1 if k - m is odd
i	= $\sqrt{-1}$
$P_k^{(m)}$	= associated Legendre function
f	= fineness ratio = $\frac{\text{height}/2}{\text{maximum radius}}$
τ	= ratio of coning rate to spin rate ¹
s	= $(\varepsilon + i)\tau$
α_1	= $[-2i(b + C_{10})]^{1/2}$
β_1	= $[-2i(b - C_{10})]^{1/2}$
C_{10}	= $f^{-1}[1 - e\omega^2]^{-1/2}\omega$
A_{km}, B_{km}	
A_0, B_0	= functions of ω and s_{km} ¹
$(x/a), (r/a)$	= $(\frac{\text{axial displacement}}{\text{maximum radius}}), (\frac{\text{radial displacement}}{\text{maximum radius}})$
$C_{LM_{p,v}}$	= non-dimensional side moment coefficients
d_2	= $\frac{(s-i)(1-f^2)}{3f(U_{21})}$

Equation (6.22) represents the normal velocity boundary condition that must be satisfied at the wall of the container for non-forced motion. $(U_{km})_i$ is the (k, m) th mode of the normal inviscid velocity for $k = 2, 4, 6$ and $m = 0, 1$. The variable a_{km} is obtained by expanding the normal wall boundary layer correction in the least squares formulation given by the terms c_{kkm} and b_{kkm} . Expression (8.6) gives the non-dimensional side moment due to the inviscid pressure plus the boundary layer correction to this pressure resulting from the velocity boundary layer at the wall. The boundary layer also introduces a further correction to the liquid side moment found from the viscous diffusion terms. This correction is given by Equation (8.9). The definitions as well as the interpretation of the remaining variables in the above equations can be found in Murphy's report and the List of Symbols at the end of this report. The corresponding integrations are carried out over the range of $[-1, 1]$. By inspection it is revealed that each integrand is an even function of ω . Hence each integration is equal to twice that integration over the interval $[0, 1]$. For constant-amplitude motion, $\varepsilon_{km} = 0$, Murphy points out that the integrands in Equations (6.23) and (8.6) have a singularity at $\omega = \pm\omega_c$, where

$$\omega_c = f | m - \tau | [4 + f^2(m - \tau)^2 e]^{-1/2} \quad (2.1)$$

$$m = 0, 1$$

After some straightforward algebra it can be shown that each integral in Equations (6.23) and (8.6) can be written in the form:

$$I = i(-1)^{(1-|m|)} \int_0^{\omega_c} \frac{F(\omega, \alpha_1, \beta_1) d\omega}{\sqrt{\omega_c - \omega}} + \int_{\omega_c}^1 \frac{F(\omega, i^{(1-|m|)} \alpha_1, i^{|m|} \beta_1) d\omega}{\sqrt{\omega - \omega_c}} \quad (2.2)$$

where $F(\omega, \alpha_1, \beta_1)$ is an analytic function on $[0, 1]$. Equation (2.2) shows explicitly the type of singularity found in the corresponding integrands. Identify the first integral in Equation (2.2) by I1 and second by I2. Using the substitution $t^2 = \omega_c - \omega$ in I1 and $t^2 = \omega - \omega_c$ in I2 allows the integral I to be written as:

$$I = 2i(-1)^{(1-|m|)} \int_0^{\sqrt{\omega_c}} G(t, \dots) dt + 2 \int_0^{\sqrt{1-\omega_c}} G(t, \dots) dt \quad (2.3)$$

The integrals shown in Equation (2.3) are no longer singular. These integrals along with the integral given in Equation (8.9) can now be integrated by standard numerical quadratures. The particular numerical quadrature that was used for Reference 1 is an iterative Simpson's rule with adaptive gridding. This is a variation of a technique given by Sampine and Allen² where the real integrand is replaced by a complex integrand.

III. ROOT FINDER

The results given in TABLE 3 of Reference 1 can now be found by using a numerical root-finding technique on Equation (6.22). For completeness TABLE 3 is reproduced on page 4.

The procedures described above allow the values of this analytic complex function to be calculated. The eigenvalues (Murphy's s_{km}) were readily found by applying a Muller³ algorithm to Equation (6.22). Its main advantage is that it requires functional values only, not derivatives. Experience has shown that with reasonable initial guesses for s_{mk} , the Muller algorithm obtains the desired roots with only a few iterations.

IV. DISCUSSION

The procedures presented in this report show one method of eliminating the singular point in the required integrals. These integrals as well as the eigenvalues can then be evaluated using standard methods found in text books on numerical analysis. The numerical methods presented here were found to work successfully when applied to the Murphy¹ integration and the eigenvalue problems. All of the remaining calculated results found in

² Sampine and Allen, 1973, *Numerical Computing: An Introduction*, W.B. Saunders Company.

³ Muller, H., 1956: A Method for Solving Algebraic Equations Using an Automatic Computer. *Math. Comput.* 10, 208-215.

Table 1: Comparison of Eigenvalues with Greenspan/Kudlick (TABLE 3. of ref. 1)

		τ_{km}	$Re^{1/2}\epsilon_{km}$		
(k,m)	f	Re=10 ⁴	Re=10 ⁴	Re=10 ⁸	Greenspan Kudlick
4,0	1	1.3054	2.30	2.59	2.59
	2	.7964	2.81	3.09	3.33
	4	.4252	3.29	3.64	4.52
2,1	1	-.0026	1046.	1014.	1011
	2	.6037	-2.91	-2.82	-
	4	.8847	-1.31	-1.25	-
4,1*	1	-.7130	4.16	3.73	3.70
	2	-.2110	12.91	11.94	11.81
	4	.3828	-4.86	-4.64	-5.22

*Two other eigenvalues exist for this case. For f=1, the other τ_{41} 's are .3878 and 1.8203

Reference 1 can be obtained by a direct application of the formulas given there. Since this procedure is straight-forward, no further discussion will be presented here.

REFERENCES

1. Murphy, C.H., "Moment Exerted on a Coning Projectile by a Spinning Liquid in a Spheroidal Cavity," U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, Technical Report BRL-TR-2775, December 1986.
2. Sampine and Allen, 1973, Numerical Computing: An Introduction, W.B. Saunders Company.
3. Muller, H., 1956: A Method for Solving Algebraic Equations Using an Automatic Computer. Math. Comput. 10, 208-215.

List of Symbols

a_{km}	coefficient in Eq. (6.22)
$A_{km} B_{km}$	functions of ω and s in Eq. (6.23)
b	$(m + is)/2$
b_{kkm}, c_{kkm}	denominator and numerator of a_{km}
C_{10}	factor in Eqs. (8.6) and (8.9)
$C_{LM_{p,v}}$	complex coefficient of the transverse liquid moment
d_2	coefficient in the expression (8.6)
e	$1 - f^{-2}$
F, G	integrands in integrals I, I1 and I2
f	fineness ratio
$I, I1, I2$	integrals in Eqs. (2.2)-(2.3)
$\hat{K}$	sine of the coning angle
k	axial wave number
m	azimuthal wave number
$P_k^{(m)}$	associated Legendre function of the first kind
Re	Reynolds number
s	$(\varepsilon + i)\tau$
s_{km}	eigenvalue of s
t	integration variable
$(U_{km})_i$	factor in Eq. (6.22)
α_1, β_1	functions of ω Eqs.(8.6),(8.9)
ε	non-dimensionalized damping
σ	0 if $k - m $ is even; 1 if $k - m $ is odd
τ	non-dimensionalized coning frequency
τ_{km}	eigenfrequency
ω_c	latitude at which $\alpha_1 = 0(\omega = \omega_c)$ or $\beta_1 = 0(\omega = -\omega_c)$
$()_i$	inviscid quantity

DISTRIBUTION LIST

<u>No.</u> <u>Copies</u>	<u>Organization</u>	<u>No.</u> <u>Copies</u>	<u>Organization</u>
12	Administrator Defense Technical Information Center ATTN: DTIC-FDAC Cameron Station, Bldg. 5 Alexandria, VA 22304-6145	1	OPM Nuclear ATTN: AMCPM-NUC COL. W. P. Farmer Dover, NJ 07801-5001
1	HQDA DAMA-ART-M Washington, DC 20310	1	AFWL/SUL Kirtland AFB, NM 87117-6008
1	Commander US Army Material Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001	3	Commander U.S. Armament RD&E Center US Army AMCCOM ATTN: SMCAR-AET-A Mr. R. Kline ATTN: SMCAR-AET Mr. F. Scerbo Mr. J. Bera Dover, NJ 07801-5001
1	Commander US Army ARDEC ATTN: SMCAR-TDC Dover, NJ 07801-5001	1	Commander US Army Armament, Munitions and Chemical Command ATTN: AMSMC-IMP-L Rock Island, IL 61299-7300
1	Commander U.S. Armament RD&E Center US Army AMCCOM ATTN: SMCAR-MSI Dover, NJ 07801-5001	1	Commander U.S. AMCCOM ARDEC CCAC Benet Weapons Laboratory ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050
1	Commander U.S. Armament RD&E Center US Army AMCCOM ATTN: SMCAR-LC Dover, NJ 07801-5001	1	Commander US Army Aviation Systems Command ATTN: AMSAV-ES 4300 Goodfellow Blvd St Louis, MO 63120-1789
1	Commander U.S. Army AMCCOM ATTN: SMCAR-CAWS-AM Mr. DellaTerga Dover, NJ 07801-5001		

DISTRIBUTION LIST

<u>No.</u> <u>Copies</u>	<u>Organization</u>	<u>No.</u> <u>Copies</u>	<u>Organization</u>
1	Director US Army Aviation Research and Technology Activity Moffett Field, CA 94035-1099	1	Director US Army Missile and Space Intelligence ATTN: AIAMS-YDL Redstone Arsenal, AL 35898-5500
1	Commander US Army Communications Electronics Command ATTN: AMSEL-ED Fort Monmouth, NJ 07703-5000	1	Commander US Army Tank Automotive Command ATTN: AMSTA-TSL Warren, MI 48397-5000
1	Commander CECOM R&D Technical Library ATTN: AMSEL-IM-L, (Reports Section) B. 2700 Fort Monmouth, NJ 07703-5000	1	Director US Army TRADOC Analysis Center ATTN: ATOR-TSL White Sands Missile Range NM 88002-5502
10	C. I. A. OIC/DB/Standard GE47 HQ Washington, DC 20505	1	Commander US Army Development & Employment Agency ATTN: MODE-ORO Fort Lewis, WA 98433-5000
1	Commandant US Army Infantry School ATTN: ATSH-CD-CS-OR Fort Benning, GA 31905-5400	1	Commandant US Army Field Artillery School ATTN: ATSF-GD Fort Sills, OK 73503
1	Commander US Army Missile Command Research Development and Engineering Center ATTN: AMSMI-RD Redstone Arsenal, AL 35898-5230	1	Director National Aeronautics and Space Administration Langley Research Center ATTN: Tech Library Langley Station Hampton, VA 23365
1	Commander US Army Missile Command ATTN: AMSMI-RDK, Mr. R. Deep Redstone Arsenal, AL 35898-5230	1	Director US Army Field Artillery Board ATTN: ATZR-BDW Fort Sills, OK 73503

DISTRIBUTION LIST

<u>No.</u> <u>Copies</u>	<u>Organization</u>	<u>No.</u> <u>Copies</u>	<u>Organization</u>
1	Commander US Army Dugway Proving Ground ATTN: STEDP-MT Mr. G. C. Travers Dugway, UT 84022	1	Director National Aeronautics and Space Administration Marshall Space Flight Center ATTN: Dr. W. W. Fowlis Huntsville, AL 35812
1	Commander US Army Yuma Proving Ground ATTN: STEYP-MTW Yuma, AZ 85365-9103	1	Director National Aeronautics and Space Administration Ames Research Center ATTN: Dr. T. Steger Moffet Field, CA 94035
2	Director Sandia National Laboratories ATTN: Dr. W. Oberkampf Dr. W. P. Wolfe Division 1636 Albuquerque, NM 87185	1	Calspan Corporation ATTN: W. Rae P.O. Box 400 Buffalo, NY 14225
1	Air Force Armament Laboratory ATTN: AFATL/DLODL (Tech Info Center) Eglin AFB, FL 32542-5438	2	Rockwell International ATTN: Dr. V. Shankar Dr. S. Chakravarthy 1049 Camino Dos Rios Thousand Oaks, CA 91360
1	Carco Electronics 195 Constitution Drive Menlo Park, CA 94025	1	University of Santa Clara Department of Physics ATTN: R. Greeley Santa Clara, CA 95053
1	Aerospace Corporation Aero-Engineering Subdivision ATTN: Walter F. Reddall El Segundo, CA 90245	1	Arizona State University Department of Mechanical and Energy Systems Engineering ATTN: G.P. Neitzel Tempe, AZ 85281
1	Commander Naval Surface Weapons Center ATTN: Dr. W. Yanta Aerodynamics Branch K-24, Building 402-12 White Oak Laboratory Silver Spring, MD 20910		

DISTRIBUTION LIST

<u>No.</u> <u>Copies</u>	<u>Organization</u>	<u>No.</u> <u>Copies</u>	<u>Organization</u>
1	Massachusetts Institute of Technology ATTN: H. Greenspan 77 Massachusetts Avenue Cambridge, MA 02139	2	Director Lawrence Livermore National Laboratory ATTN: Mail Code L-35 Mr. T. Morgan Mr. R. Cornell P.O. Box 808 Livermore, CA 94550
1	North Carolina State University Mechanical and Aerospace Engineering Department ATTN: F.F. DeJarnette Raleigh, NC 27607	1	University of Wisconsin-Madison Center for Mathematical Sciences ATTN: Dr. John Strikwerda 610 Walnut Street Madison, WI 53706
1	Northwestern University Department of Engineering Science and Applied Mathematics ATTN: Dr. S.H. Davis Evanston, IL 60201	1	Virginia Polytechnic Institute and State University Department of Aerospace Engineering ATTN: Tech Library Blacksburg, VA 24061
1	University of Colorado Department of Astro-Geophysics ATTN: E.R. Benton Boulder, CO 80302	2	University of Southern California Department of Aerospace Engineering ATTN: T. Maxworthy P. Weidman Los Angeles, CA 90007
2	University of Maryland ATTN: W. Melnik J.D. Anderson College Park, MD 20740	1	Hughes Aircraft ATTN: Dr. John McIntyre Mail Code S41/B323 P.O. Box 92919 Los Angeles, CA 90009
1	University of Maryland Baltimore County Department of Mathematics ATTN: Dr. Y.M. Lynn 5401 Wilkens Avenue Baltimore, MD 21228		
1	Rensselaer Polytechnic Institute Department of Math Sciences Troy, NY 12181		

DISTRIBUTION LIST

<u>No.</u> <u>Copies</u>	<u>Organization</u>	<u>No.</u> <u>Copies</u>	<u>Organization</u>
1	University of Virginia Department of Mechanical Aerospace Engineering ATTN: W. E. Scott Charlottesville, VA 22904		Aberdeen Proving Ground Director, USAMSAA ATTN: AMXSY-D AMXSY-RA, R. Scungio
1	Ohio State University Dept. of Mechanical Engineering ATTN: Dr. T. Herbert Columbus, OH		Commander, UASTECOM ATTN: AMSTE-SI-F AMSTE-TE-F, W. Vomocil PM-SMOKE, Bldg. 324 ATTN: AMCPM-SMK-M Mr. J. Callahan
1	Mr. Harold Vaughn 7709 Gladden N.E. Albuquerque, NM 87110		Cdr, CRDC, AMCCOM ATTN: SMCCR-MU Mr. W. Dee Mr. C. Hughes Mr. F. Dagostin Mr. D. Bromley Mr. C. Jeffers Mr. L. Shaft ATTN: SMCCR-RSI -A Mr. Miles Miller ATTN: SMCCR-SPS-IL SMCCR-RSP-A SMCCR-MU
1	Illinois Institute of Technology ATTN: Mr. Simon Rosenblat 3300 South Federal Chicago, Illinois 60616		

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number _____ Date of Report _____
2. Date Report Received _____
3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. How specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT ADDRESS	_____
	Name

	Organization

	Address

	City, State, Zip

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD ADDRESS	_____
	Name

	Organization

	Address

	City, State, Zip

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

----- FOLD HERE -----

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-5066




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON, DC
POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-9989



----- FOLD HERE -----

END

DATED

FILM

8-88
STIC