

DTIC FILE COPY

4

AD

SPECIAL PUBLICATION ARCCB-SP-88023

**INDEX TO BENET LABORATORIES
TECHNICAL REPORTS - 1987**

R. D. NEIFELD

TECHNICAL PUBLICATIONS AND EDITING SECTION

JUNE 1988

DTIC
ELECTE
AUG 08 1988
S H D



**US ARMY ARMAMENT RESEARCH,
DEVELOPMENT AND ENGINEERING CENTER
CLOSE COMBAT ARMAMENTS CENTER
BENÉT LABORATORIES
WATERVLIET, N.Y. 12189-4050**



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

88 8 02 31

AD-A196 617

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The use of trade name(s) and/or manufacturer(s) does not constitute an official indorsement or approval.

DESTRUCTION NOTICE

For classified documents, follow the procedures in DoD 5200.22-M, Industrial Security Manual, Section II-19 or DoD 5200.1-R, Information Security Program Regulation, Chapter IX.

For unclassified, limited documents, destroy by any method that will prevent disclosure of contents or reconstruction of the document.

For unclassified, unlimited documents, destroy when the report is no longer needed. Do not return it to the originator.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-SP-88023	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INDEX TO BENET LABORATORIES TECHNICAL REPORTS - 1987		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) R. D. Neifeld		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE June 1988
		13. NUMBER OF PAGES 95
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Benet Laboratories Technical Publications Bibliography Abstracts Document Control Data		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is a compilation of technical reports published by Benet Laboratories during 1987.		

TABLE OF CONTENTS

	<u>Page</u>
LIST OF REPORTS	1
AUTHOR INDEX	5
CONTRACTOR REPORT INDEX	8
SUBJECT INDEX	9
AD NUMBERS	18
ABSTRACTS--REPORT DOCUMENTATION PAGE (DD FORM 1473)	21

The abstracts of the limited DD Form 1473s are unlimited.
Per Ms. R. D. Neifeld, U. S. Army ARDEC, Benet Labs.

QUALITY INSPECTED

Accession For	
NTIS GRA&I	☒
DIC TAP	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A-1	

TECHNICAL REPORTS 1987

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-TR-87001	Superconducting Augmented Rail Gun (SARG)	C.G. Homan C.E. Cummings C.M. Fowler	Jan 87
ARCCB-TR-87002	Groove Adhesion Test for Electrodeposited Chromium	S.K. Pan E.S. Chen	Jan 87
ARCCB-TR-87003	Superconducting Augmented Rail Gun (SARG)	C.G. Homan W. Scholz	Feb 87
ARCCB-CR-87004	The Thermal Response of Perforated Muzzle Brakes	MAJ R.E. Dillon, Jr. COL M.A. Paolino M.J. Glennon (Benet POC)	Feb 87
ARCCB-CR-87005	Tank Turret Program	H.J. Reepmeyer R.A. Piacente (Benet POC)	Feb 87
ARCCB-TR-87006	An Evaluation of the Service Failure of Aluminum Nose Cones Using Four Test Techniques	J.A. Kapp R.R. Fujczak R.T. Abbott	Mar 87
ARCCB-TR-87007	Acoustic Emission During Chromium Plating	M.E. Todaro G.P. Capsimalis E.S. Chen	Mar 87
ARCCB-TR-87008	Resonance of Flexural Waves in Gun Tubes	T.E. Simkins	Jul 87
ARCCB-TR-87009	Non-Living Intelligence	M. Johnson R.D. Scanlon	Apr 87
ARCCB-TR-87010	Warm Hydrostatic Extrusion of a Liquid Phase Sintered Tungsten Composite for Kinetic Energy Penetrators - Part I	C.J. Nolan K.J. Tauer	Apr 87
ARCCB-TR-87011	Evaluation of "Never-Seez" Treatment of 120-mm Gun Tube	S.K. Pan L. McNamara G.P. Capsimalis	Apr 87
ARCCB-TR-87012	Variations in the Bainite Hardenability of ASTM A723 Steel	P.J. Cote L.V. Meisel W. Sheldon	May 87

TECHNICAL REPORTS 1987 (CONT.)

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-TR-87013	Experimental and Analytical Investigation of a Steel Pressure Vessel Overwrapped with Graphite Bismaleimide	M.A. Scavullo M.D. Witherell K. Miner T.E. O'Brien W. Yaiser	May 87
ARCCB-TR-87014	Test Methods for Material Characterization of Composite Cylinders	Y.F. Cheng	Jun 87
ARCCB-TR-87015	Some Results on Orthotropic High Pressure Cylinders	G.P. O'Hara	Jun 87
ARCCB-TR-87016	An Experimental and Numerical Study of the Flow Through a Vent Hole in a Perforated Muzzle Brake	H.T. Nagamatsu K.Y. Choi R.E. Duffy G.C. Carofano	Jun 87
ARCCB-TR-87017	Fatigue Life Prediction in Thick-Walled Cylinders with Complex Residual Stresses	S.L. Pu P.C.T. Chen	Jul 87
ARCCB-TR-87018	Analysis of Composite Shrink Fits - Tresca Material	P.C.T. Chen	Jul 87
ARCCB-TR-87019	The C ² Continuity of Piecewise Cubic Hermite Polynomials with Unequal Intervals	C.N. Shen	Jul 87
ARCCB-TR-87020	Stochastic Analysis for Navigation of Autonomous Platforms Using Range Finders	C.N. Shen	Aug 87
ARCCB-TR-87021	The Analysis of Metal Finishing Solutions by Ion Chromatography	S. Sopok	Aug 87
ARCCB-SP-87022	Index to Benet Laboratories Technical Reports - 1986	R.D. Neifeld	Aug 87
ARCCB-SP-87023	Proceedings of the Fifth U.S. Army Symposium on Gun Dynamics	T.E. Simkins, ed. C.G. Homan, ed.	Sep 87
ARCCB-TR-87024	Adaptive Finite Element Methods for Parabolic Systems in One- and Two-Space Dimensions	S. Adjerdid J.E. Flaherty	Sep 87

TECHNICAL REPORTS 1987 (CONT.)

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-CR-87025	Final Report - Generic Ammunition Loading System (GALS) - Phase II	D.E. Jones (Benet POC)	Oct 87
ARCCB-CR-87026	Generic Ammunition Loading System (GALS) - Final Report - Phase II	M.W. Osborne S.J. Kelly R.A. Dahl R.D. Diseth R.C. Schmidt S.C. Reed D. Frandson T. O'Connell D.E. Jones (Benet POC)	Oct 87
ARCCB-TR-87027	Effect of Rotation on the Lateral Stability of a Free-Flying Column Subjected to an Axial Thrust with Directional Control	J.D. Vasilakis J.J. Wu	Oct 87
ARCCB-TR-87028	Travelling Wave Resonance in Gun Tubes	T.E. Simkins	Oct 87
ARCCB-TR-87029	Evaluation of Filament-Reinforced Electrocomposites (Reinforcement of Electroforms with Continuous Filaments)	V.P. Greco	Oct 87
ARCCB-TR-87030	Hydrogen Embrittlement of Gun Steel	G.L. Spencer	Nov 87
ARCCB-TR-87031	Structural Integrity of Metallic Armature Rail Guns	G.P. O'Hara M. Cascio	Nov 87
ARCCB-CR-87032	Study of High Modulus Graphite/High Temperature Polymeric Matrices - Phase 2	S.J. Calabrese J.D. Cogdell S.F. Murray H. Vollmer G.S. Friar (Benet POC)	Nov 87
ARCCB-TR-87033	Normal Modes Analysis of Gun Vibrations by the Uniform Segment Method	R.G. Gast	Nov 87

TECHNICAL REPORTS 1987 (CONT.)

<u>REPORT NUMBER</u>	<u>TITLE</u>	<u>AUTHOR</u>	<u>DATE</u>
ARCCB-TR-87034	Determination of Aquo-Complexes of Chromium and Iron in Chromium Plating and Polishing Solutions by Ion Chromatography	S. Sopok	Nov 87
ARCCB-TR-87035	Rail Damage in a Solid Armature Rail Gun	T. Brassard C.G. Homan	Dec 87
ARCCB-MR-87036	Launchability of Base-Driven Electromagnetic Projectiles	C.G. Homan P.M. Vottis	Dec 87
ARCCB-TR-87037	A Posteriori Error Estimation in a Finite Element Method for Parabolic Partial Differential Equations	J.M. Coyle J.E. Flaherty	Dec 87

AUTHOR INDEX--1987

<u>AUTHOR</u>	<u>REPORT NUMBER</u>
Abbott, R. T.	ARCCB-TR-87006
Adjerid, S.	ARCCB-TR-87024
Brassard, T.	ARCCB-TR-87035
Calabrese, S. J.	ARCCB-CR-87032
Capsimalis, G. P.	ARCCB-TR-87007 ARCCB-TR-87011
Carofano, G. C.	ARCCB-TR-87016
Cascio, M.	ARCCB-TR-87031
Chen, E. S.	ARCCB-TR-87002 ARCCB-TR-87007
Chen, P. C. T.	ARCCB-TR-87017 ARCCB-TR-87018
Cheng, Y. F.	ARCCB-TR-87014
Choi, K. Y.	ARCCB-TR-87016
Cogdell, J. D.	ARCCB-CR-87032
Cote, P. J.	ARCCB-TR-87012
Coyle, J. M.	ARCCB-TR-87037
Cummings, C. E.	ARCCB-TR-87001
Dahl, R. A.	ARCCB-CR-87026
Dillon, R. E., Jr., MAJ	ARCCB-CR-87004
Diseth, R. D.	ARCCB-CR-87026
Duffy, R. E.	ARCCB-TR-87016
Flaherty, J. E.	ARCCB-TR-87024 ARCCB-TR-87037
Fowler, C. M.	ARCCB-TR-87001
Frandsen, D.	ARCCB-CR-87026

AUTHOR INDEX--1987 (CONT.)

<u>AUTHOR</u>	<u>REPORT NUMBER</u>
Friar, G. S.	ARCCB-CR-87032
Fujczak, R. R.	ARCCB-TR-87006
Gast, R. G.	ARCCB-TR-87033
Glennon, M. J.	ARCCB-CR-87004
Greco, V. P.	ARCCB-TR-87029
Homan, C. G.	ARCCB-TR-87001 ARCCB-TR-87003 ARCCB-SP-87023 ARCCB-TR-87035 ARCCB-MR-87036
Johnson, M.	ARCCB-TR-87009
Jones, D. E.	ARCCB-CR-87025 ARCCB-CR-87026
Kapp, J. A.	ARCCB-TR-87006
Kelly, S. J.	ARCCB-CR-87026
McNamara, L.	ARCCB-TR-87011
Meisel, L. V.	ARCCB-TR-87012
Miner, K.	ARCCB-TR-87013
Murray, S. F.	ARCCB-CR-87032
Nagamatsu, H. T.	ARCCB-TR-87016
Neifeld, R. D.	ARCCB-SP-87022
Nolan, C. J.	ARCCB-TR-87010
O'Brien, T. E.	ARCCB-TR-87013
O'Connell, T.	ARCCB-CR-87026
O'Hara, G. P.	ARCCB-TR-87015 ARCCB-TR-87031
Osborne, M. W.	ARCCB-CR-87026

AUTHOR INDEX--1987 (CONT.)

<u>AUTHOR</u>	<u>REPORT NUMBER</u>
Pan, S. K.	ARCCB-TR-87002 ARCCB-TR-87011
Paolino, M. A., COL	ARCCB-CR-87004
Piacente, R. A.	ARCCB-CR-87005
Pu, S. L.	ARCCB-TR-87017
Reed, S. C.	ARCCB-CR-87026
Reepmeyer, H. J.	ARCCB-CR-87005
Scanlon, R. D.	ARCCB-TR-87009
Scavullo, M. A.	ARCCB-TR-87013
Schmidt, R. C.	ARCCB-CR-87026
Scholz, W.	ARCCB-TR-87003
Sheldon, W.	ARCCB-TR-87012
Shen, C. N.	ARCCB-TR-87019 ARCCF-TR-87020
Simkins, T. E.	ARCCB-TR-87008 ARCCB-SP-87023 ARCCB-TR-87028
Sopok, S.	ARCCB-TR-87021 ARCCB-TR-87034
Spencer, G. L.	ARCCB-TR-87030
Tauer, K. J.	ARCCB-TR-87010
Todaro, M. E.	ARCCB-TR-87007
Vasilakis, J. D.	ARCCB-TR-87027
Vollmer, H.	ARCCB-CR-87032
Vottis, P. M.	ARCCB-MR-87036
Witherell, M. D.	ARCCB-TR-87013
Wu, J. J.	ARCCB-TR-87027
Yaiser, W.	ARCCB-TR-87013

CONTRACTOR REPORT INDEX

<u>CORPORATE AUTHOR</u>	<u>REPORT NUMBER</u>
Emerson Electric Company St. Louis, MO	ARCCB-CR-87025
FMC Corporation Minneapolis, MN	ARCCB-CR-87026
Reepmeyer, Herman J. Cohoes, NY	ARCCB-CR-87005
Rensselaer Polytechnic Institute Troy, NY	ARCCB-CR-87032
US Military Academy West Point, NY	ARCCB-CR-87004

SUBJECT INDEX--1987

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Abstracts	ARCCB-SP-87022
Acids	ARCCB-TR-87030
Acoustic Emissions	ARCCB-TR-87007
Adaptive Systems	ARCCB-TR-87024
Additives	ARCCB-TR-87011
Adhesion	ARCCB-TR-87002
Adhesive Bonding	ARCCB-CR-87032
Aluminum Alloys	ARCCB-TR-87006
Ammunition	ARCCB-CR-87025 ARCCB-CR-87026
Anisotropy	ARCCB-TR-87014
Aquo-Complexes	ARCCB-TR-87034
Armatures	ARCCB-TR-87031 ARCCB-TR-87035
Artificial Intelligence	ARCCB-TR-87009
Augmentation	ARCCB-TR-87001 ARCCB-TR-87003 ARCCB-TR-87035
Austenite	ARCCB-TR-87012
Autofrettage	ARCCB-TR-87017
Automation	ARCCB-CR-87025 ARCCB-CR-87026
Autonomous Navigation	ARCCB-TR-87020
Axial Thrust	ARCCB-TR-87027
Backward Euler Method	ARCCB-TR-87037
Bainite	ARCCB-TR-87012
Ballistics	ARCCB-SP-87023

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Beams	ARCCB-TR-87033
Bibliographies	ARCCB-SP-87022
Bismaleimides	ARCCB-CR-87032
Boundary Value Problems	ARCCB-TR-87024
Brain	ARCCB-TR-87009
Breadboard Demonstrators	ARCCB-CR-87025 ARCCB-CR-87026
Cadmium	ARCCB-TR-87030
Chromium	ARCCB-TR-87002 ARCCB-TR-87007 ARCCB-TR-87011 ARCCB-TR-87021 ARCCB-TR-87034
Coatings	ARCCB-TR-87011 ARCCB-TR-87029
Combat Vehicles	ARCCB-CR-87025 ARCCB-CR-87026
Composite Materials	ARCCB-TR-87010 ARCCB-TR-87013 ARCCB-TR-87014 ARCCB-TR-87015 ARCCB-TR-87031 ARCCB-CR-87032
Computerized Simulation	ARCCB-TR-87009
Conduction	ARCCB-CR-87004
Convection	ARCCB-CR-87004
Crack Propagation	ARCCB-TR-87007
Cracks	ARCCB-TR-87017
Cubic Hermite Polynomials	ARCCB-TR-87019

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Cylindrical Bodies	ARCCB-TR-87008 ARCCB-TR-87013 ARCCB-TR-87014 ARCCB-TR-87015 ARCCB-TR-87028
Damage	ARCCB-TR-87035
Dynamic Pressure	ARCCB-TR-87008 ARCCB-TR-87028
Dynamics	ARCCB-SP-87023 ARCCB-TR-87033
Elastic Properties	ARCCB-TR-87014 ARCCB-TR-87018 ARCCB-TR-87033
Electric Guns	ARCCB-TR-87001 ARCCB-TR-87003 ARCCB-TR-87031 ARCCB-TR-87035 ARCCB-MR-87036
Electrodeposition	ARCCB-TR-87002 ARCCB-TR-87007 ARCCB-TR-87029
Electromagnetic Fields	ARCCB-TR-87031
Electromagnetism	ARCCB-TR-87035 ARCCB-MR-87036
Encapsulation	ARCCB-TR-87029
Energy Conservation	ARCCB-TR-87003
Energy Dispersive X-Ray Analysis	ARCCB-TR-87011
Energy Transfer	ARCCB-TR-87001
Engineering Change Proposals	ARCCB-CR-87005
Error Analysis	ARCCB-TR-87037
Extrusion	ARCCB-TR-87010
Fabrication	ARCCB-CR-87032

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Fatigue Life	ARCCB-TR-87017
Fiber-Reinforced Composites	ARCCB-TR-87029 ARCCB-CR-87032
Filaments	ARCCB-TR-87029
Finite Difference Theory	ARCCB-CR-87004
Finite Element Analysis	ARCCB-TR-87013 ARCCB-TR-87024 ARCCB-TR-87027 ARCCB-TR-87037
Flexural Waves	ARCCB-TR-87008 ARCCB-TR-87028
Flow Rule	ARCCB-TR-87018
Fracture (Mechanics)	ARCCB-TR-87006
Free-Flying Column	ARCCB-TR-87027
Generic Ammunition Loading System (GALS)	ARCCB-CR-87025 ARCCB-CR-87026
Graphited Bismaleimide	ARCCB-TR-87013
Graphited Materials	ARCCB-CR-87032
Gun Tubes	ARCCB-TR-87008 ARCCB-TR-87011 ARCCB-TR-87028
Guns	ARCCB-SP-87022 ARCCB-SP-87023 ARCCB-TR-87033
Hardening	ARCCB-TR-87012
Heat Transfer	ARCCB-CR-87004
High Pressure	ARCCB-TR-87015
Hydrogen Embrittlement	ARCCB-TR-87030
Inviscid Flow	ARCCB-TR-87016

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Ion Chromatography	ARCCB-TR-87021 ARCCB-TR-87034
Iron	ARCCB-TR-87034
Isotropism	ARCCB-TR-87014
J Integrals	ARCCB-TR-87006
Kinetic Energy Projectiles	ARCCB-TR-87010 ARCCB-MR-87036
Laser Applications	ARCCB-TR-87019
Laser Tracking	ARCCB-TR-87020
Launchability	ARCCB-MR-87036
Liquid Phases	ARCCB-TR-87010
Loading (Handling)	ARCCB-CR-87025 ARCCB-CR-87026
Magnetic Fields	ARCCB-TR-87001 ARCCB-TR-87003
Material Characterization	ARCCB-TR-87014
Mesh Moving Methods	ARCCB-TR-87024
Mesh Refinement	ARCCB-TR-87037
Metal Coatings	ARCCB-TR-87021
Metal Matrix Composites	ARCCB-TR-87029
Metals	ARCCB-TR-87031
Method of Lines	ARCCB-TR-87024
Modal Analysis	ARCCB-TR-87033
Muzzle Brakes	ARCCB-CR-87004 ARCCB-TR-87016
Neural Nets	ARCCB-TR-87009
Never-Seez	ARCCB-TR-87011

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Non-Living Intelligence (NLI)	ARCCB-TR-87009
Nonuniform Beams	ARCCB-TR-87033
Nose Cones	ARCCB-TR-87006
Notched Tensile Testing	ARCCB-TR-87030
Orthotropism	ARCCB-TR-87014 ARCCB-TR-87015
Packaging	ARCCB-CR-87025 ARCCB-CR-87026
Partial Differential Equations	ARCCB-TR-87024 ARCCB-TR-87037
Penetrators	ARCCB-TR-87010
Perforated Muzzle Brakes	ARCCB-CR-87004 ARCCB-TR-87016
Plastic Deformation	ARCCB-TR-87018
Plating	ARCCB-TR-87007 ARCCB-TR-87021
Polishing	ARCCB-TR-87034
Polyimide Resins	ARCCB-CR-87032
Polynomials	ARCCB-TR-87019
Precision	ARCCB-SP-87023
Pressure Vessels	ARCCB-TR-87013
Projectiles	ARCCB-MR-87036
Propulsion Systems	ARCCB-SP-87023
Publications	ARCCB-SP-87022
Radiation	ARCCB-CR-87004

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Rail Guns	ARCCB-TR-87001 ARCCB-TR-87003 ARCCB-TR-87031 ARCCB-TR-87035 ARCCB-MR-87036
Range Finding	ARCCB-TR-87019 ARCCB-TR-87020
Reports	ARCCB-SP-87022
Residual Stress	ARCCB-TR-87006 ARCCB-TR-87017
Resins	ARCCB-CR-87032
Resonance	ARCCB-TR-87008 ARCCB-TR-87028
Robotics	ARCCB-CR-87025 ARCCB-CR-87026
Rotation	ARCCB-TR-87027
Sabot Projectiles	ARCCB-MR-87036
Scanning Electron Microscopy	ARCCB-TR-87011
Shock Tubes	ARCCB-TR-87016
Shrink Fits	ARCCB-TR-87018
Smoothing	ARCCB-TR-87019 ARCCB-TR-87020
Solutions	ARCCB-TR-87021 ARCCB-TR-87034
Splines	ARCCB-TR-87019 ARCCB-TR-87020
Stability	ARCCB-TR-87027
Stabilization	ARCCB-SP-87023

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Steel	ARCCB-TR-87002 ARCCB-TR-87012 ARCCB-TR-87030
Stochastic Analysis	ARCCB-TR-87020
Stress Analysis	ARCCB-TR-87018
Stress Intensity	ARCCB-TR-87017
Stress Strain Relations	ARCCB-TR-87013 ARCCB-TR-87014
Stress Waves	ARCCB-TR-87008 ARCCB-TR-87028
Stresses	ARCCB-TR-87015
Structural Properties	ARCCB-TR-87031
Superconducting Augmentation	ARCCB-TR-87001 ARCCB-TR-87003 ARCCB-TR-87035
Superconvergence	ARCCB-TR-87037
Surface Finishing	ARCCB-TR-87021
Symposia	ARCCB-SP-87023
Tank Turrets	ARCCB-CR-87005
Target Acquisition	ARCCB-SP-87023
Technical Data Packages	ARCCB-CR-87005
Test Methods	ARCCB-TR-87006 ARCCB-TR-87014
Thermal Properties	ARCCB-CR-87004
Thick-Wall Cylinders	ARCCB-TR-87015 ARCCB-TR-87017
Thin Walls	ARCCB-TR-87015
Three-Dimensional Flow	ARCCB-TR-87016

SUBJECT INDEX--1987 (CONT.)

<u>SUBJECT</u>	<u>REPORT NUMBER</u>
Trapezoidal Rule	ARCCB-TR-87037
Travelling Waves	ARCCB-TR-87028
Tresca Material	ARCCB-TR-87018
Tungsten Alloys	ARCCB-TR-87010
Ultrasonic Tests	ARCCB-TR-87006
Uniform Segment Method	ARCCB-TR-87033
Vibration	ARCCB-TR-87008 ARCCB-SP-87023 ARCCB-TR-87033
Vision Systems	ARCCB-TR-87019 ARCCB-TR-87020
Waivers/Deviations	ARCCB-CR-87005

AD NUMBERS--1987

<u>REPORT NUMBER</u>	<u>AD NUMBER</u>
ARCCB-TR-87001	A177 555
ARCCB-TR-87002	A177 828
ARCCB-TR-87003	A179 269
ARCCB-CR-87004	B109 811L
ARCCB-CR-87005	B109 999L
ARCCB-TR-87006	A179 971
ARCCB-TR-87007	A180 357
ARCCB-TR-87008	B114 018L
ARCCB-TR-87009	A180 637
ARCCB-TR-87010	B111 695L
ARCCB-TR-87011	B111 742L
ARCCB-TR-87012	A181 905
ARCCB-TR-87013	A182 684
ARCCB-TR-87014	A182 534
ARCCB-TR-87015	A182 535
ARCCB-TR-87016	B113 817L
ARCCB-TR-87017	A183 599
ARCCB-TR-87018	A183 555
ARCCB-TR-87019	A183 351
ARCCB-TR-87020	A184 448
ARCCB-TR-87021	A184 812
ARCCB-SP-87022	A186 521
ARCCB-SP-87023	A186 238

AD NUMBERS--1987 (CONT.)

<u>REPORT NUMBER</u>	<u>AD NUMBER</u>
ARCCB-TR-87024	A186 534
ARCCB-CR-87025	B117 014L
ARCCB-CR-87026	B117 047L
ARCCB-TR-87027	A188 690
ARCCB-TR-87028	A188 650
ARCCB-TR-87029	A188 649
ARCCB-TR-87030	A188 972
ARCCB-TR-87031	A188 735
ARCCB-CR-87032	B117 808L
ARCCB-TR-87033	A189 332
ARCCB-TR-87034	A190 168
ARCCB-TR-87035	A190 295
ARCCB-MR-87036	A189 635
ARCCB-TR-87037	A190 296

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87001	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SUPERCONDUCTING AUGMENTED RAIL GUN (SARG)		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) C. G. Homan, C. E. Cummings, and C. M. Fowler (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.0 PRON No. 1A6AZ601NMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE January 1987
		13. NUMBER OF PAGES 17
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Third Symposium on Electromagnetic Launch Technology, Austin, Texas, 22-24 April 1986. Published in <u>IEEE Transactions on Magnetics</u> .		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Rail Guns Superconducting Augmentation Design		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Superconducting augmentation consists of a superconducting coil operating in the persistent mode closely coupled magnetically with a normally conducting rail gun. A theoretical investigation of the effect of this system on a rail gun has shown that two benefits occur. Projectile velocities increase by more than 50 percent and launch efficiencies increase by more than a factor of two depending on the magnetic coupling between the rail and augmentation circuits. (CONT'D ON REVERSE)		

7. AUTHORS (Cont'd)

C. E. Cummings and C. M. Fowler
Los Alamos National Laboratory
Los Alamos, NM 87545

20. ABSTRACT (Cont'd)

The previous work evaluated an idealized system by neglecting energy dissipation effects. In this report, we extend the analysis to include the neglected terms and show improved actual launch efficiencies for the SARG configuration.

To evaluate this concept, a one meter, 0.95 cm square bore rail gun powered by a 5 KV, 1440 μ f capacitor discharging into a pulse shaping inductance of about 5 μ h was constructed. This system will accelerate a 4 g armature type projectile to the 0.8 km/sec range.

Superconducting augmentation will be accomplished using a 4 Tesla dipole magnet recently acquired from DOE's Lawrence Berkeley Laboratory. This magnet system, originally designed as an ESCAR bending magnet, has been modified to a warm bore configuration operating in either the persistent or constant current mode powered by 1600 amp DC supplies. These modifications will allow the above rail gun to be inserted and tested in the SARG configuration.

Several factors, including magnetic quench protection, reproducibility of results, relatively low magnetic coupling coefficients, minimization of rail wear, etc., indicated that this experimental evaluation be conducted with an armature device. An advanced armature design is incorporated in our projectiles.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87002	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) GROOVE ADHESION TEST FOR ELECTRODEPOSITED CHROMIUM		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) S. K. Pan and E. S. Chen		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.0 PRON No. 1A6DZ602NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE January 1987
		13. NUMBER OF PAGES 16
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the International Conference on Metallurgical Coatings, San Diego, California, 7-11 April 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Adhesion Test Electrodeposit Chromium		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A quantitative test has been devised to evaluate the adhesion of electro-deposited chromium on steel substrates. The test involves the cutting of parallel grooves across a plated surface using a small metal shaper equipped with a carbide tool. The grooves are cut at a depth just below the interface and shearing stresses are generated which can produce failure of the coating. In general, varying amounts of residual chromium are left on the surface of the (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

lands depending on the relative cohesive and adhesive bond strengths of the electrodeposited chromium. Energy dispersive x-ray analysis is used to map the distribution of residual chromium and obtain an intensity count. The ratio of intensity count normalized against a reference of 100 percent chromium coverage provides a quantitative measurement of adhesion. The groove adhesion test was found to be equally applicable for the evaluation of both hard chromium and soft chromium deposits.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87003	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SUPERCONDUCTING AUGMENTED RAIL GUN (SARG)		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Clarke G. Homan and Wilfred Scholz (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.0 PRON No. 1A6AZ601NMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE February 1987
		13. NUMBER OF PAGES 16
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the U.S. Army Science Conference, U.S. Military Academy, West Point, NY, 17-20 June 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Rail Gun Superconducting Augmentation Theoretical Analysis		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Both the energy efficiency and projectile velocity of a rail gun system can be substantially increased by the addition of an adjunct superconducting augmentation coil system. The energy efficiency results from the superconducting coil's ability to recover the rail magnetic field energy normally dissipated at the end of launch in rail guns, by means of a unique application of the flux conservation property of superconducting coils. The increased velocity results (Cont'd on Reverse)		

7. AUTHORS (CONT'D)

Wilfred Scholz
U.S. Army Armament Research, Development, and Engineering Center
Benet Weapons Laboratory
Watervliet, NY

and

Physics Department
State University of New York
Albany, NY

20. ABSTRACT (CONT'D)

from the augmented Lorentz force due to the augmentation coil magnetic field. In an idealized system, both the energy efficiency and projectile velocities can be increased by more than 80 percent, dependent on the magnetic coupling between the rail and augmentation coils. The theoretical evaluation has been extended to include dissipative effects which reveal that actual launch efficiencies are increased from 25 percent (rail gun) to over 50 percent (SARG). A theoretical analysis of SARG is presented here together with the progress of an experimental demonstrator developed at Benet Weapons Laboratory.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-87004	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE THERMAL RESPONSE OF PERFORATED MUZZLE BRAKES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) MAJ Robert E. Dillon, Jr. and COL Michael A. Paolino		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Military Academy Department of Mechanics West Point, NY 10996-1792		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE February 1987
		13. NUMBER OF PAGES 25
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense only because of critical technology; February 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-DA, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Michael J. Glennon - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Perforated Muzzle Brakes Heat Transfer Convection Control Volume Conduction Blowdown Radiation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A computer program was developed to study the heat transfer in perforated muzzle brakes. The numerical procedure used in this study divided the muzzle into a finite difference grid with suitably arranged node points. The control volume approach was used to develop finite difference node equations to model the heat input to the muzzle from the hot propellant gases. (CONT'D ON REVERSE)		


20. ABSTRACT (CONT'D)

The computer program was tested by comparing numerical results with experimental data. The numerical results and experimental data are in good agreement. The thermal response of the muzzle is presented as time histories of the inside and outside tube wall temperatures. A comparison is made of a conventional solid muzzle and an axisymmetric perforated muzzle. The gun modeled is the 105mm M68 tank cannon. The temperature histories of both muzzle configurations are compared for a "worst case" firing scenario of eight rounds of M735 APFSDS ammunition with a five second delay between rounds. Computations are carried out to 90 seconds at which time the muzzle temperature has stabilized. Results of this study show that the perforations increase the temperature of the muzzle by 22% over that of the standard, solid muzzle.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-87005	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) TANK TURRET PROGRAM		5. TYPE OF REPORT & PERIOD COVERED Final Report January 1986 - November 1986
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Herman J. Reepmeyer		8. CONTRACT OR GRANT NUMBER(s) DAAA22-86-M-0055
9. PERFORMING ORGANIZATION NAME AND ADDRESS Herman J. Reepmeyer, Proprietor R.D. #1, Box 53 Cohoes, NY 12047		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6940.OR.2200
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE February 1987
		13. NUMBER OF PAGES 5
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies only because of administrative/ operational use; February 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-DC, Watervliet, New York 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Robert A. Piacente - Benet Weapons Laboratory Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Requests for Waivers/Deviations Engineering Change Proposals Technical Data Packages Miscellaneous Tasks		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report is a compilation of work assigned to and accomplished by Northern Industrial Services, Inc., on Contract DAAA22-86-C-0117. It also includes a record of the funds expended and acceptance level of work accomplished on the aforementioned contract.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87006	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) AN EVALUATION OF THE SERVICE FAILURE OF ALUMINUM NOSE CONES USING FOUR TEST TECHNIQUES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. A. Kapp, R. R. Fujczak, and R. T. Abbott		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 4111.16.2935.6 PRON No. 1A42RZSXNMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE March 1987
		13. NUMBER OF PAGES 18
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the 1986 Spring Conference of the Society for Experimental Mechanics (SEM), New Orleans, LA, 9-13 June 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Residual Stresses J-Integral Fracture Toughness Ultrasonics Simulation Tests Hole Drilling Technique		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Service failure of 7075-T6 aluminum nose cones was evaluated by four techniques: 1. Residual stress measurements (hole drilling technique). 2. Notched crack initiation toughness tests. 3. Verification of fracture toughness. 4. Simulation tests of finished nose cones. In this examination, residual stress differences contributed most to the failure analysis.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87007	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ACOUSTIC EMISSION DURING CHROMIUM PLATING		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) M. E. Todaro, G. P. Capsimalis, and E. S. Chen		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6920.00.0770.011 PRON No. 1A62ZH7DNMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE March 1987
		13. NUMBER OF PAGES 18
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the International Conference on Metallurgical Coatings, San Diego, California, 7-11 April 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Acoustic Emission Chromium Electrodeposition Plating		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The authors used acoustic emission to study crack formation during the electrodeposition of chromium over a range of temperatures and current densities which characterize the transition from high contraction (HC) to low contraction (LC) chromium. Several characteristics of the acoustic emissions were examined, including the amplitude distribution, signal energy, emission rate, count rate, and frequency spectrum. The acoustic emission technique (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)


detected the onset of cracking and yielded useful information regarding the number of cracks. Such information acquired during the actual deposition process can be an invaluable aid in determining the quality of the deposit and in developing improved chromium coatings.

Experimental data were acquired and analyzed using commercial acoustic emission instrumentation, including standard piezoelectric transducers. The deposition bath was a standard aqueous solution of 250 g/l chromic acid and 2.5 g/l sulfuric acid. The solution temperature and deposition current density were varied to obtain deposits of differing crack content. The substrate was electropolished carbon steel.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87008	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) RESONANCE OF FLEXURAL WAVES IN GUN TUBES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Thomas E. Simkins		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H610.0 PRON No. 1A7AZ703NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE July 1987
		13. NUMBER OF PAGES 43
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies only because of test and evaluation; July 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-RA, Watervliet, New York 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Axially Symmetric Stress Waves in Cylinders Axially Symmetric Motion of Cylinders Axially Symmetric Motion of Cylindrical Shells Flexural Vibrations in Tubes/Cylinders Resonance Flexural Waves Moving Pressure		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Unusually large dynamic strains have been measured on the surface of a 120-mm gun tube. The primary cause of these strains, which oscillate at approximately 15 khz, is a resonance of axially symmetric flexural vibrations travelling in a wave-like fashion with the moving ballistic pressure. Theoretical strain predictions, based on the work of Mirsky and Herrmann, are in excellent agreement with the measured values.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87009	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) NON-LIVING INTELLIGENCE		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Mark Johnson and Raymond D. Scanlon		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.0 PRON No. 1A6AZ601NMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE April 1987
		13. NUMBER OF PAGES 13
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Non-Living Intelligence NLI Neural Modeling Connectionism Brain		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The science of constructing machines that think using the brain as a model is called non-living intelligence (NLI). This report investigates the origins of NLI and discusses recent progress in the field. A computer simulation has been developed which exhibits the behavior of a primitive organism capable of adapting and surviving. The program is used to demonstrate learning using the hypothesis of synaptic plasticity. A neural (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

network consisting entirely of sensory and motor neurons models the reward mechanism of the vertebrate brain.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87010	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) WARM HYDROSTATIC EXTRUSION OF A LIQUID PHASE SINTERED TUNGSTEN COMPOSITE FOR KINETIC ENERGY PENETRATORS - PART I		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Charles J. Nolan and Kenneth J. Tauer (See reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6126.23.1BLO.0 PRON No. 1A-7-7Z76A-NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE April 1987
		13. NUMBER OF PAGES 22
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies and their contractors because of critical technology; April 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-RP, Watervliet, New York 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Liquid Phase Sintering Tungsten Alloy Composite Warm Hydrostatic Extrusion Interfacial Porosity Strengthening Mechanisms		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Kinetic energy penetrator material was produced by warm hydrostatic extrusion of billets which had been fabricated by liquid phase sintering a 90W-7Ni-3Fe jacket to a pure tungsten core. Both components of the billets extruded with no external cracking and only isolated internal cracking. An excellent metallurgical bond was obtained between the core and jacket material when porosity, which developed during the sintering cycle, was absent. The large deformation produced by the warm hydrostatic extrusion resulted in significant strain-hardening of the jacket and core materials.		

7. AUTHORS (CONT'D)

Kenneth J. Tauer
U.S. Army LABCOM
Materials Technology Laboratory
Watertown, MA

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87011	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EVALUATION OF "NEVER-SEEZ" TREATMENT OF 120 MM GUN TUBE		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) S. K. Pan, L. McNamara, and G. P. Capsimalis		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6126.23.1BLO.0 PRON No. 1A-7-7276A-NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE April 1987
		13. NUMBER OF PAGES 51
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies only because of test and evaluation; April 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-RP, Watervliet, New York 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Never-Seez Additive Agent Evaluation Energy Dispersive X-Ray Analysis Scanning Electron Microscopy 120 mm M256 Gun Tube Chromium Coating		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Scanning electron microscopy (SEM) and energy dispersive x-ray analysis (EDAX) were employed after proof firing to evaluate the protective effects of "Never-Seez" treatment on chromium coated gun tubes. A chromium coated 120 mm M256 gun was selected for the experimental study. A tape replicating non-destructive method was used for the extraction and detection of "Never-Seez" particles possibly trapped in the cracks of the chromium coating. The results from this (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

method did not support the presence of "Never Seez" in the cracks. Four post-firing samples obtained via the sectioning method provided no significant evidence of "Never-Seez" particles on the bore surface or in the cross-section.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87012	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) VARIATIONS IN THE BAINITE HARDENABILITY OF ASTM A723 STEEL		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Paul J. Cote, Lawrence V. Meisel, and William Sheldon (see reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.0 PRON No. 1A6DZ602NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research, Develop, & Engr Center Close Combat Armaments Center Dover, NJ 07801-5001		12. REPORT DATE May 1987
		13. NUMBER OF PAGES 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the ASME 1986 Pressure Vessel and Piping Conference, Chicago, IL, 21-25 July 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Hardenability Bainite Austenite Steel		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Austenite transformation characteristics were determined for ASTM A723 steels prepared by various suppliers and refining methods. Standard measurement techniques as well as differential thermal analysis and thermomagnetic analysis were employed. Remarkably large variations in hardenability are found among these steels; the variations appear to be due to differences of less than one percent in the (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

William Sheldon
Operations Directorate
Watervliet Arsenal
Watervliet, NY 12189-4050

20. ABSTRACT (CONT'D)

nickel content among the samples. These hardenability properties are shown to correlate in a straightforward way with mechanical properties of large size components that were quenched at different rates.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87013	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EXPERIMENTAL AND ANALYTICAL INVESTIGATION OF A STEEL PRESSURE VESSEL OVERWRAPPED WITH GRAPHITE BISMALEIMIDE		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) M. A. Scavullo, M. D. Witherell, K. Miner, T. E. O'Brien, and W. Yaiser		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 2437353410012 PRON No. 1A62ZH3HNMSC
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE May 1987
		13. NUMBER OF PAGES 25
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Finite Element Stress Analysis ABAQUS Composite Cylinder Graphite-Bismaleimide		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In this report we present the results of an analytical (finite element) and experimental investigation of the stress-strain response of a composite cylinder subjected to an internal pressurization cycle. The composite cylinder is constructed of a steel liner and a graphite-bismaleimide outer shell. Results are also presented for cases where the structure was subjected to a temperature cycle above the manufacturer's specified operating temperature. (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

The results indicate a delayed strain response in the composite outer shell and only small changes in burst pressure and strain-to-failure for temperature cycles up to 200°F higher than the manufacturer's specified temperatures.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87014	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) TEST METHODS FOR MATERIAL CHARACTERIZATION OF COMPOSITE CYLINDERS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Y. F. Cheng		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6126.23.1BLO.0 PRON No. 1A-7-7Z76A-NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE June 1987
		13. NUMBER OF PAGES 7
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Composite Cylinder Material Characterization Elastics Constants Anisotropic Materials Stiffness Matrix Orthotropic Materials Compliance Matrix Transversely Isotropic Materials		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A study has been conducted of test methods for material characterization of composite cylinders. The purpose was to obtain constants in the stiffness matrix C_{ij} , which is necessary in the designing process. Test methods for determining engineering constants (Young's moduli, Poisson's ratios, and shear moduli) for composite cylinders with fibers in the axial and circumferential directions have been found. Constants in the compliance matrix S_{ij} can then (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

be calculated by means of the well-known equations relating compliance matrix to engineering constants. Finally, the stiffness matrix C_{ij} is given by the inverse of S_{ij} . For composite cylinders with other fiber directions, engineering constants may be obtained by the rotation of coordinate axes and rule of mixture.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87015	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SOME RESULTS ON ORTHOTROPIC HIGH PRESSURE CYLINDERS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) G. Peter O'Hara		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6920.0R.8970.021 PRON No. 1A62ZHFCNMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE June 1987
		13. NUMBER OF PAGES 25
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Cylinder Stress Strain Composite		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) With the current emphasis on composite materials, it has become necessary to use the thick-wall cylinder equations for cylindrically orthotropic materials. This report is a preliminary investigation of these equations. The most important result is that many of the old ideas of high pressure cylinders will have to be changed. When the cylinder is very thin (wall ratio near 1.0), the simple thin-wall equations are adequate. However, as the thickness increases, stress variation through the wall becomes large and the full thick-wall (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

solution is necessary. In orthotropic (composite) cylinders this transition happens at a lower wall ratio. Furthermore, the maximum useful wall ratio may become smaller for a composite cylinder.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87016	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) AN EXPERIMENTAL AND NUMERICAL STUDY OF THE FLOW THROUGH A VENT HOLE IN A PERFORATED MUZZLE BRAKE		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) H. T. Nagamatsu, K. Y. Choi, R. E. Duffy, and G. C. Carofano (see reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.0 PRON No. 1A6DZ602NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE June 1987
		13. NUMBER OF PAGES 25
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government Agencies and their contractors only because of critical technology; June 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Weapons Laboratory, SMCAR-CCB-RA, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Three-Dimensional Flow Inviscid Flow Shock Tube Flow Muzzle Brake Flow Perforated Muzzle Brake		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A perforated muzzle brake consists simply of a set of vent holes drilled through the wall of a cannon near the muzzle. When the propellant gas expands through this configuration, an asymmetric pressure distribution develops in each hole with the highest pressures acting on the downstream surface. To calculate that resulting braking force, a detailed knowledge of the pressure distribution is required. This was determined experimentally and numerically using a three-dimensional code. The predicted mass and momentum fluxes from (Cont'd on reverse)		

7. AUTHORS (Cont'd)

H. T. Nagamatsu, K. Y. Choi, and R. E. Duffy
Rensselaer Polytechnic Institute
Troy, NY 12180-3590

20. ABSTRACT (Cont'd)

the hole were averaged and used in a one-dimensional flow model with mass extraction at the tube wall to predict the performance of an entire brake. Comparison with the experimental data of Dillon shows favorable agreement.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87018	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ANALYSIS OF COMPOSITE SHRINK FITS - TRESCA MATERIAL		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Peter C. T. Chen		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.0 PRON No. 1A6DZ602NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE July 1987
		13. NUMBER OF PAGES 21
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fourth Army Conference on Applied Mathematics and Computing, Cornell University, Ithaca, New York, 27-30 May 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Shrink Fits Plastic Deformation Tresca's Yield Condition Flow Rule Plane Stress		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A thin composite shrink fit assembly is examined herein using an elastic-plastic analysis. The ring and disk are made of different materials. Interferences large enough to induce plastic deformations in the ring are considered. The ring material is assumed to be a linear strain-hardening material that obeys Tresca's yield condition and the associated flow rule. The explicit expressions for stresses and deformations in the shrink fit assembly have been (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

obtained. Numerical results are presented for shrink fit assemblies with different geometric ratio, hardening parameter, and different combinations of materials.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87019	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE C ² CONTINUITY OF PIECEWISE CUBIC HERMITE POLYNOMIALS WITH UNEQUAL INTERVALS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) C. N. Shen		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.0 PRON No. 1A6AZ601NMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE July 1987
		13. NUMBER OF PAGES 12
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fourth Army Conference on Applied Mathematics and Computing, Cornell University, Ithaca, New York, 27-30 May 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Hermite Polynomials Spline Functions Data Smoothing Laser Vision System		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Cubic hermite polynomials are usually C ² continuous. With the introduction of smoothing within the intervals, the second derivatives can be made continuous. This may be applied to the autonomous vehicle problem with unequal laser scanning. In using a laser range finder to measure the range, the direction of these laser rays can be subjected to angular errors. These errors, in the direction (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

of the elevation angle, affect the determination of in-path slopes for navigation of autonomous vehicles. A nonuniform grid may be employed to compute by the spline function method with cubic hermite polynomials. For the purpose of smoothing, it is essential to obtain continuous second derivatives at the grid point from both sides.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87020	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) STOCHASTIC ANALYSIS FOR NAVIGATION OF AUTONOMOUS PLATFORMS USING RANGE FINDERS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) C. N. Shen		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.01.91A0.0 PRON No. 1A6AZ601NMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE August 1987
		13. NUMBER OF PAGES 14
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Workshop on Automation and Robotics for Military Applications, Huntsville, AL, 22-23 October 1986. Published in Proceedings of the Workshop.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Laser Range Finder Spline Functions Vision Systems Autonomous Vehicle		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) For range finders having noncooperative targets and considerable measurement errors, a stochastic analysis is necessary to determine the differentials such as the gradient of a terrain during navigation of an autonomous platform. The angular measurement errors in elevation or azimuth contribute a deteriorated effect of the gradient estimate, especially when the terrain or target is far away. The smoothing of these gradients can be obtained by using an optimization method for approximation involving spline functions. This method (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

can be applied to solve the following problems: whether the platform can climb on the estimated in-path slope or whether it will tip over on the estimated cross-path.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87021	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE ANALYSIS OF METAL FINISHING SOLUTIONS BY ION CHROMATOGRAPHY		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) Samuel Sopok		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6126.23.1BL0.0 PRON No. A172Z76AA11A
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE August 1987
		13. NUMBER OF PAGES 216
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This was a thesis in partial fulfillment of the requirements for degree of Doctor of Philosophy in Chemistry at Rensselaer Polytechnic Institute, Troy, New York.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Ion Chromatography Metal Finishing Chromium Plating		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Ion chromatography is very effective for ionic and polar species determinations. Separation of the analytes into pure peaks simplifies detection compared to detecting the same species in the unseparated sample matrix. One of the methods provides important improvements on existing methods, while the rest provide new and improved ways to analyze metal finishing solutions. The advantages of these methods are that considerable improvements were made in (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

the areas of: trace ion determinations in the presence of other extremely high ionic concentrations, analysis time, analyst intervention, sensitivity, automation, and multi-ion determinations while maintaining equal precision and specificity compared to traditional chemical methods now in use.

This report describes procedures for the analysis of solutions for chromium plating, acid finishing, metal cyanide plating, and their associated waste solutions. These metal finishing solutions are very successfully analyzed by ion chromatography using a diverse range of techniques.


For the above matrices, the following is a brief summary of the automated procedures developed: analysis of chromium, iron, and copper aqua-complexes using atomic absorption or visible detection; analysis of iron and copper cyano-complexes using atomic absorption or conductivity detection; and analysis of chromate, sulfate, oxalate, phosphate, nitrate, nitrite, formate, and glycolate by conductivity detection. Atomic absorption detection is the laboratory method of choice for metals, while visible and conductivity detection are universally suitable.

An extensive study was made on the influence of injected samples affecting eluent equilibria and thus detection. It is shown that in order to achieve reliable results, samples and standards must have similar acid-base characteristics.


These methods are an improvement to standard methods now in practice and have been tested for three years on real industrial samples with excellent results.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-SP-87022	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INDEX TO BENET LABORATORIES TECHNICAL REPORTS - 1986		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) R. D. Neifeld		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE August 1987
		13. NUMBER OF PAGES 103
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Benet Laboratories Technical Publications Bibliography Abstracts Document Control Data		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is a compilation of technical reports published by Benet Laboratories during 1986.		



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-SP-87023	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) PROCEEDINGS OF THE FIFTH U.S. ARMY SYMPOSIUM ON GUN DYNAMICS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Editors: Dr. Thomas E. Simkins Clarke G. Homan		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE September 1987
		13. NUMBER OF PAGES 375
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fifth U.S. Army Symposium on Gun Dynamics, The Institute on Man and Science, Rensselaerville, New York, 23-25 September 1987.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Acquisition Electromagnetic Propulsion Ballistics Precision Barrel Vibration Stabilization Dynamics Target Acquisition		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This represents a compilation of technical papers concerning analyses, design, measurement, and automation of gun dynamics. The authors represent a cross-section of the scientific and technical community, including universities, industrial, and Government research laboratories.		



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87024	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ADAPTIVE FINITE ELEMENT METHODS FOR PARABOLIC SYSTEMS IN ONE- AND TWO-SPACE DIMENSIONS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Slimane Adjerid and Joseph E. Flaherty (CONT'D ON REVERSE)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Weapons Laboratory, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H600.0 PRON No. 1A6DZ602NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE September 1987
		13. NUMBER OF PAGES 32
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fourth Army Conference on Applied Mathematics and Computing, Cornell University, Ithaca, New York, 27-30 May 1986. Published in the Proceedings of the Conference. (CONT'D ON REVERSE)		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Adaptive Methods Finite Element Methods Parabolic Partial Differential Equations Local Mesh Pefinement Mesh Moving Techniques Method of Lines		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) We discuss adaptive finite element methods for solving initial-boundary value problems for vector systems of parabolic partial differential equations in one- and two-space dimensions. One-dimensional systems are discretized using piecewise linear finite element approximations in space and a backward difference code for stiff ordinary differential systems in time. A spatial error estimate is calculated using (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

Slimane Adjerd
Department of Computer Science
and
Center for Applied Mathematics and Advanced Computation
Rensselaer Polytechnic Institute
Troy, NY 12180-3590

Joseph E. Flaherty
Department of Computer Science
Rensselaer Polytechnic Institute
Troy, NY 12180-3590
and
US Army ARDEC
Close Combat Armaments Center
Benet Weapons Laboratory
Watervliet, NY 12189-4050

18. SUPPLEMENTARY NOTES (CONT'D)

This research was partially supported by the U.S. Air Force Office of Scientific Research, Air Force Systems Command, USAF, under Grant Number AFOSR 85-0156 and the U.S. Army Research Office under Contract Number DAAL 03-86-K-0112. This work was used to partially fulfill the Ph.D. requirements of the first author at the Rensselaer Polytechnic Institute.

20. ABSTRACT (CONT'D)

piecewise quadratic approximations that employ nodal superconvergence to increase computational efficiency. This error estimate is used to move and refine the finite element mesh in order to equidistribute a measure of the total spatial error and to satisfy a prescribed error tolerance. Ordinary differential equations for the spatial error estimate and the mesh motion are integrated in time using the same backward difference software that is used to determine the finite element solution.

Two-dimensional systems are discretized using piecewise bilinear finite element approximations in space and backward difference software in time. A spatial error estimate is calculated using piecewise cubic approximations that take advantage of nodal superconvergence. This error estimate is used to locally refine a stationary finite element mesh in order to satisfy a prescribed spatial error tolerance.

Some examples are presented in order to illustrate the effectiveness of our error estimation technique and the performance of our adaptive algorithm.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-87025	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) FINAL REPORT GENERIC AMMUNITION LOADING SYSTEM (GALS) PHASE II		5. TYPE OF REPORT & PERIOD COVERED Final Report - Phase II May 1986 - April 1987
7. AUTHOR(s)		6. PERFORMING ORG. REPORT NUMBER 0588d
9. PERFORMING ORGANIZATION NAME AND ADDRESS Emerson Electric Company Electronics and Space Division St. Louis, MO 63136		8. CONTRACT OR GRANT NUMBER(s) DAAA22-85-C-0213
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		12. REPORT DATE October 1987
		13. NUMBER OF PAGES 83
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense and Department of Defense Contractors because of critical technology; October 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Laboratories, SMCAR-CCB-DS, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Donald E. Jones - Benet Laboratories Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Technology Demonstrator Control System Robotics Manual Backup Autoloader Rearm Ammunition Packaging Resupply Chain Rammer		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is Phase II of a technology demonstration program for the Generic Ammunition Loading System (GALS). The work done by Emerson Electric Company in converting a conceptual design to a breadboard demonstrator is presented. A potential future ammunition resupply/rearm scheme was synthesized, and advanced technologies were applied to ammunition packaging and autoloader elements to demonstrate the application for a main battle tank. (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

Commercially available electro-hydraulically actuated mechanisms and a programmable logic controller were applied to the breadboard. Testing of the demonstrator was performed.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-CR-87026	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) GENERIC AMMUNITION LOADING SYSTEM (GALS) FINAL REPORT - PHASE II		5. TYPE OF REPORT & PERIOD COVERED Final Report - Phase II March 1986 - April 1987
		6. PERFORMING ORG. REPORT NUMBER E-2951
7. AUTHOR(s) M. W. Osborne R. C. Schmidt S. J. Kelly S. C. Reed R. A. Dahl D. Frandson R. D. Diseth T. O'Connell		8. CONTRACT OR GRANT NUMBER(s) DAAA22-85-C-0207
9. PERFORMING ORGANIZATION NAME AND ADDRESS FMC Corporation Northern Ordnance Division 4800 East River Road, Minneapolis, MN 55421		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE October 1987
		13. NUMBER OF PAGES 277
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to Department of Defense and Department of Defense Contractors because of critical technology; October 1987. Other requests for this document must be referred to Commander, US Army Armament Research, Development, and Engineering Center, ATTN: Benet Laboratories, SMCAR-CCB-DS, Watervliet, NY 12189-4050.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Donald E. Jones - Benet Laboratories Project Engineer		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Technology Demonstrator Control System Robotics Manual Backup Autoloader Rearm Ammunition Packaging Resupply Chain Rammer		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is Phase II of a technology demonstration program for the Generic Ammunition Loading System (GALS). The work done by FMC, Northern Ordnance Division, in converting a conceptual design to a breadboard demonstrator is presented. A potential future ammunition resupply/rearm scheme was synthesized, and advanced technologies were applied to ammunition packaging and autoloader elements to demonstrate the application for a main battle tank. (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

High energy-density electric motors were applied and custom robotic transfer mechanisms were developed. Testing of the demonstrator was performed.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87027	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EFFECT OF ROTATION ON THE LATERAL STABILITY OF A FREE-FLYING COLUMN SUBJECTED TO AN AXIAL THRUST WITH DIRECTIONAL CONTROL		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. D. Vasilakis and J. J. Wu (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6126.23.1BLO.0 PRON No. 1A-7-7Z76A-NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE October 1987
		13. NUMBER OF PAGES 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fourth Army Conference on Applied Mathematics and Computing, Cornell University, Ithaca, New York, 27-30 May 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Free-Flying Column Stability Finite Elements Rotation Axial Thrust		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report discusses some aspects of the stability problems of a free-flying column subjected to axial thrusts. In an age of spacecrafts and missiles, the stability of unsupported flying structures is obviously of great importance. Surprisingly though, there has not been a great deal of work addressing this type of problem. In this report, first the brief history of the lateral stability of a column is reviewed, and then the basic characteristic features of the stability problem of a free-free column are described. The mathematical (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

J. J. Wu
U.S. Army European Research Office
London, England

20. ABSTRACT (CONT'D)

techniques developed to solve these problems depend on a particular problem considered. The most general case requires the solution of a nonself-adjoint differential equation/boundary condition system, which is homogeneous and with zero eigenvalues. Numerical procedures for such a system appear to work well, although theoretical proof of convergence is still lacking. Results of these procedures are discussed.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87028	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) TRAVELLING WAVE RESONANCE IN GUN TUBES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) T. E. Simkins		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6111.02.H610.0 PRON No. 1A7AZ703NMSC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE October 1987
		13. NUMBER OF PAGES 18
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Tenth International Symposium on Ballistics, San Diego, CA, 27-29 October 1987. Published in Proceedings of the Symposium.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Axially Symmetric Stress Waves in Cylinders Axially Symmetric Motion of Cylinders Axially Symmetric Motion of Cylindrical Shells Resonance Flexural Waves Moving Pressure		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Experimental and analytical studies have verified the existence of high amplitude dynamic strains in large caliber gun tubes. These strains have been observed to travel with the projectile as axially symmetric waves and are large enough to exceed the yield stress of the gun tube material and become even larger as the wave reflects from the muzzle. The possibility for such waves in cylinders has been known since 1964 and physical evidence for their existence in gun tubes was first reported in 1978 and in 1986 by the (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

author. These waves not only create strains higher than those for which the gun tube is designed, but are capable through coupling of producing beam-like motions affecting projectile launch conditions. Muzzle motions affecting round accuracy have long been suspect and their spurious character has evaded the most arduous attempts to predict them.

The existence of large amplitude dynamic strains in gun tubes implies a projectile environment more hostile than previously supposed. Designers of projectile casings, warheads, fuzes, etc., should be interested in these ramifications as should those concerned with projectile/tube friction and wear.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87029	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EVALUATION OF FILAMENT-REINFORCED ELECTROCOMPOSITES (REINFORCEMENT OF ELECTROFORMS WITH CONTINUOUS FILAMENTS)		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) V. P. Greco		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6658.01.M420.012 PRON No. A1620307A11A
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE October 1987
		13. NUMBER OF PAGES 28
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Thirty-First International SAMPE Symposium, Las Vegas, Nevada, 7-10 April 1986. Published in Proceedings of the Symposium.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Metal Matrix Composites Fibrous Composites High Strength Electrodeposited Coatings Fiber Encapsulation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) From a review of the literature, an updated evaluation of filament-reinforced electrocomposites is given and the benefits and limitations of the process are summarized. The successful results and properties obtained with electrocomposites from earlier studies are also presented and problems encountered are discussed. Process changes for improving the quality and strength of electrocomposites are proposed.		

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87030	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) HYDROGEN EMBRITTLEMENT OF GUN STEEL		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Gerald L. Spencer		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 3111CT120 PRON No. 4A6CAV0202M71A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE November 1987
		13. NUMBER OF PAGES 73
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This was a thesis in partial fulfillment of the requirements for degree of Master of Engineering at Rensselaer Polytechnic Institute, Troy, New York.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Hydrogen Embrittlement Notched Tensile Testing Hydrogen Analysis Cadmium Plating		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The objectives of this engineering project were to determine the critical concentration of hydrogen at which gun steel is embrittled, and to evaluate the effects of some acid solutions on gun steel to determine safe exposure parameters. (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

Specimens were taken from gun steel which is very similar to ASTM A723-grade 2- class 4 with a yield strength of 165 Ksi in the quenched and tempered condition. Notched tensile bars were charged with hydrogen by electrolysis. After charging, the specimens were plated with cadmium to a thickness of 0.36 mil to provide a barrier coating which would retard the loss of hydrogen. After plating, the specimens were given a heat treatment at 300°F for 35 minutes to homogenize the sharp gradient of hydrogen within the specimen.

Notched tensile tests were conducted at room temperature and at a slow strain rate, 0.00026/min, to detect hydrogen embrittlement. With a specimen charged for 16 hours, the Notched Tensile Strength (NTS) was 97.0 percent of the original NTS and the fracture did not show embrittlement. Two specimens with a 20-hour charging time were tested with 68 percent and 77 percent of the original NTS and the fractures clearly were embrittled. Scanning electron microscopic photographs of the fractured surface verified intergranular fracture typical of hydrogen embrittlement. Hydrogen analysis was conducted on a LECO HW-100 hydrogen analyzer and diffusible hydrogen was extracted at 200°C. Hydrogen was measured for five specimens charged for 16 hours and the mean value for the critical concentration for hydrogen was 1.71 ml/100g or 1.53 ppm. Using a pickling solution of 50 percent hydrochloric acid in corrosion tests at room temperature, it was determined that it would take approximately 110 hours for the hydrogen concentration to reach the critical concentration of 1.7 ml/100g (1.5 ppm) for this gun steel.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87031	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) STRUCTURAL INTEGRITY OF METALLIC ARMATURE RAIL GUNS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) G.P. O'Hara and M. Cascio		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army APDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6126231BL PRON No. D07C405707D01A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE November 1987
		13. NUMBER OF PAGES 21
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fifth U.S. Army Symposium on Gun Dynamics, The Institute on Man and Science, Rensselaerville, New York, 23-25 September 1987. Published in Proceedings of the Symposium.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Rail gun Electromagnetic Launcher Composite Structure		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The design of a rail system for an electromagnetic gun becomes more compli- cated when the transfer from a laboratory to a tactical system is considered. In the laboratory, weight and volume are not important and the system must be bolted together in order to be disassembled for study, modification, and repair. The tactical system must be of reasonable weight and volume, self- supporting, safe to use, have a long life, and be factory assembled. This set of design requirements must be reconciled with the function as a projectile (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

guide and an electrical conductor. The first crude prototype 'barrel' must be manufactured from available materials which do not have the optimum properties. The design then becomes a series of compromises which are performed in the hope of a successful result.

UNCLASSIFIED

20. ABSTRACT (CONT'D)

dependent loads.

In the Uniform Segment Method the spatial domain is divided into a finite number of prismatic sections within which the Euler equation is applied. Solutions to this equation yield functional relationships for mode shapes in the form of trigonometric and hyperbolic functions. The overall structure is modelled as a free-free beam with intersegment continuity assured by the matching of displacement, slope, moment, and shear transfer at segment boundaries. Applying the free-free boundary and continuity conditions results in a system of equations in the unknown frequencies and coefficients. The solution of this system yields the natural frequencies and mode shape coefficients within an arbitrary constant.

The main advantage of using this method over finite elements lies in the reduced number of degrees of freedom needed to model the structure. Real prismatic sections model one to one. This is not the case in finite element methods. Additionally, a number of the transient loads known to drive gun vibrations are functions of the mode shape derivatives. Since these functions are represented analytically, which is a characteristic of the Uniform Segment Method, the need to calculate derivatives by numerical algorithms is eliminated. Thus, exactness in derivative calculations is assured.

UNCLASSIFIED


20. ABSTRACT (CONT'D)

dependent loads.

In the Uniform Segment Method the spatial domain is divided into a finite number of prismatic sections within which the Euler equation is applied. Solutions to this equation yield functional relationships for mode shapes in the form of trigonometric and hyperbolic functions. The overall structure is modelled as a free-free beam with intersegment continuity assured by the matching of displacement, slope, moment, and shear transfer at segment boundaries. Applying the free-free boundary and continuity conditions results in a system of equations in the unknown frequencies and coefficients. The solution of this system yields the natural frequencies and mode shape coefficients within an arbitrary constant.

The main advantage of using this method over finite elements lies in the reduced number of degrees of freedom needed to model the structure. Real prismatic sections model one to one. This is not the case in finite element methods. Additionally, a number of the transient loads known to drive gun vibrations are functions of the mode shape derivatives. Since these functions are represented analytically, which is a characteristic of the Uniform Segment Method, the need to calculate derivatives by numerical algorithms is eliminated. Thus, exactness in derivative calculations is assured.

UNCLASSIFIED



REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87035	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) RAIL DAMAGE IN A SOLID ARMATURE RAIL GUN		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Theresa Brassard and Clarke G. Homan (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 611102H61 PRON No. A172026502A11A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE December 1987
		13. NUMBER OF PAGES 17
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fifth U.S. Army Symposium on Gun Dynamics, The Institute on Man and Science, Rensselaerville, New York, 23-25 September 1987. Published in Proceedings of the Symposium.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Rail Guns Solid Armature Rail Damage		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Two types of rail guns are currently under investigation to meet Army tactical missions. Plasma arc drive rail guns operate by forming a high temperature plasma behind the projectile using a thin metal fuze. These systems achieve the highest projectile velocities (~ 12 km/sec), since the driving force includes a substantial plasma pressure as well as the electro-magnetic or Lorentz force. Unfortunately, severe rail damage occurs primarily (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

Theresa Brassard
Long Beach Naval Shipyard
Long Beach, CA 90822

20. ABSTRACT (CONT'D)

from the intense temperatures generated by the plasma arc and the wiping motion of the armature itself. This severe rail damage is not compatible with Army tactical missions requiring multi-shot applications. The plasma armature gun will not be discussed in this report.

The solid armature gun replaces the plasma armature with a conducting metal armature. Since the plasma arcing is reduced or eliminated, the projectiles are accelerated mainly by the Lorentz force. Thus, solid armature rail guns operate at lower projectile velocities. The important tradeoff is that there is a substantial reduction in rail damage for metal armature projectiles.

Several factors limit projectile velocities in the metal armature rail guns. The most obvious is the elimination of the plasma force. However, a more subtle limit is the speed at which the commutation process can take place. Although the latter limit is still not well understood, experimental evidence indicates a commutation limit may occur near 6 to 7 km/sec. This velocity limit is still attractive for Army tactical missions for rail guns.

The actual rail damage occurring with two types of metal armatures, wire brush contactors and monolithic metal contactors, and new developments in barrel technology, such as superconducting augmentation, are presented in this report.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-MR-87036	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) LAUNCHABILITY OF BASE-DRIVEN ELECTROMAGNETIC PROJECTILES		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) C. G. Homan and P. M. Vottis		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 611102H61 PRON No. A172026502A11A
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE December 1987
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 14
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Electromagnetic Launch EM Projectile Launch EM Projectile Stresses		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The launchability of penetrator projectiles at the velocities attainable in electromagnetic (EM) launch is examined. By assuming a base-driven model, theoretical expressions are derived for the ratio of projectile mass to the mass of the penetrator core (M_T/M_P) as a function of the ratio (λ) of the length of the penetrator (ℓ) to the unsupported length of the penetrator (ℓ_0). This analysis relates the specific strengths and densities of the penetrator and sabot materials to λ and M_T/M_P . (CONT'D ON REVERSE)		

20. ABSTRACT (CONT'D)

It is shown that an electromagnetic projectile made from materials used in fielded penetrators and launched with a maximum acceleration of 150,000 G's can have an unsupported length (l_0) of 5 to 7.2 cm dependent on the material yield criteria used. Using conservative design criteria similar to those used in the XM829 round, we show that a projectile of 2 kg mass having a 1 kg penetrator core may be launched in the base-driven mode without exceeding material properties.

UNCLASSIFIED

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ARCCB-TR-87037	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A POSTERIORI ERROR ESTIMATION IN A FINITE ELEMENT METHOD FOR PARABOLIC PARTIAL DIFFERENTIAL EQUATIONS		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. M. Coyle and J. E. Flaherty (See Reverse)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army ARDEC Benet Laboratories, SMCAR-CCB-TL Watervliet, NY 12189-4050		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AMCMS No. 6920.0R.8970.021 PRON No. 1A62ZHFCNMLC
11. CONTROLLING OFFICE NAME AND ADDRESS US Army ARDEC Close Combat Armaments Center Picatinny Arsenal, NJ 07806-5000		12. REPORT DATE December 1987
		13. NUMBER OF PAGES 23
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Presented at the Fourth Army Conference on Applied Mathematics and Computing, Cornell University, Ithaca, New York, 27-30 May 1986. Published in Proceedings of the Conference.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Error Estimation Finite Element Method Superconvergence Backward Euler Method Mesh Refinement Trapezoidal Rule		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Superconvergence properties and quadratic polynomials are used to derive a computationally inexpensive approximation to the spatial component of the error in a piecewise linear finite element method for one-dimensional parabolic partial differential equations. This technique is coupled with time integration schemes of successively higher orders to obtain an approximation of the temporal and total discretization errors. Computational results indicate that these approximations converge to the exact discretization errors as the mesh is (CONT'D ON REVERSE)		

7. AUTHORS (CONT'D)

J. E. Flaherty
Department of Computer Science
Rensselaer Polytechnic Institute
Troy, NY 12180-3590

and

US Army ARDEC
Close Combat Armaments Center
Benet Laboratories
Watervliet, NY 12189-4050

20. ABSTRACT (CONT'D)

refined. The approximate errors are used to control an adaptive mesh refinement strategy.

UNCLASSIFIED

TECHNICAL REPORT INTERNAL DISTRIBUTION LIST

	<u>NO. OF COPIES</u>
CHIEF, DEVELOPMENT ENGINEERING BRANCH	
ATTN: SMCAR-CCB-D	1
-DA	1
-DC	1
-DM	1
-DP	1
-DR	1
-DS (SYSTEMS)	1
CHIEF, ENGINEERING SUPPORT BRANCH	
ATTN: SMCAR-CCB-S	1
-SE	1
CHIEF, RESEARCH BRANCH	
ATTN: SMCAR-CCB-R	2
-R (ELLEN FOGARTY)	1
-RA	1
-RM	1
-RP	1
-RT	1
TECHNICAL LIBRARY	5
ATTN: SMCAR-CCB-TL	
TECHNICAL PUBLICATIONS & EDITING UNIT	2
ATTN: SMCAR-CCB-TL	
DIRECTOR, OPERATIONS DIRECTORATE	1
ATTN: SMCWV-OD	
DIRECTOR, PROCUREMENT DIRECTORATE	1
ATTN: SMCWV-PP	
DIRECTOR, PRODUCT ASSURANCE DIRECTORATE	1
ATTN: SMCWV-QA	

NOTE: PLEASE NOTIFY DIRECTOR, BENET LABORATORIES, ATTN: SMCAR-CCB-TL, OF ANY ADDRESS CHANGES.

TECHNICAL REPORT EXTERNAL DISTRIBUTION LIST

	<u>NO. OF COPIES</u>		<u>NO. OF COPIES</u>
ASST SEC OF THE ARMY RESEARCH AND DEVELOPMENT ATTN: DEPT FOR SCI AND TECH THE PENTAGON WASHINGTON, D.C. 20310-0103	1	COMMANDER ROCK ISLAND ARSENAL ATTN: SMCRI-ENM ROCK ISLAND, IL 61299-5000	1
ADMINISTRATOR DEFENSE TECHNICAL INFO CENTER ATTN: DTIC-FDAC CAMERON STATION ALEXANDRIA, VA 22304-6145	12	DIRECTOR US ARMY INDUSTRIAL BASE ENGR ACTV ATTN: AMXIB-P ROCK ISLAND, IL 61299-7260	1
COMMANDER US ARMY ARDEC ATTN: SMCAR-AEE	1	COMMANDER US ARMY TANK-AUTMV R&D COMMAND ATTN: AMSTA-DDL (TECH LIB) WARREN, MI 48397-5000	1
SMCAR-AES, BLDG. 321	1	COMMANDER US MILITARY ACADEMY ATTN: DEPARTMENT OF MECHANICS WEST POINT, NY 10996-1792	1
SMCAR-AET-O, BLDG. 351N	1		
SMCAR-CC	1		
SMCAR-CCP-A	1		
SMCAR-FSA	1		
SMCAR-FSM-E	1	US ARMY MISSILE COMMAND REDSTONE SCIENTIFIC INFO CTR ATTN: DOCUMENTS SECT, BLDG. 4484 REDSTONE ARSENAL, AL 35898-5241	2
SMCAR-FSS-D, BLDG. 94	1		
SMCAR-IMI-I (STINFO) BLDG. 59	2		
PICATINNY ARSENAL, NJ 07806-5000			
DIRECTOR US ARMY BALLISTIC RESEARCH LABORATORY ATTN: SLCBR-DD-T, BLDG. 305 ABERDEEN PROVING GROUND, MD 21005-5066	1	COMMANDER US ARMY FGN SCIENCE AND TECH CTR ATTN: DRXST-SD 220 7TH STREET, N.E. CHARLOTTESVILLE, VA 22901	1
DIRECTOR US ARMY MATERIEL SYSTEMS ANALYSIS ACTV ATTN: AMXSY-MP ABERDEEN PROVING GROUND, MD 21005-5071	1	COMMANDER US ARMY LABCOM MATERIALS TECHNOLOGY LAB ATTN: SLCMT-IML (TECH LIB) WATERTOWN, MA 02172-0001	2
COMMANDER HQ, AMCCOM ATTN: AMSMC-IMP-L ROCK ISLAND, IL 61299-6000	1		

NOTE: PLEASE NOTIFY COMMANDER, ARMAMENT RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER, US ARMY AMCCOM, ATTN: BENET LABORATORIES, SMCAR-CCB-TL, WATERVLIET, NY 12189-4050, OF ANY ADDRESS CHANGES.

TECHNICAL REPORT EXTERNAL DISTRIBUTION LIST (CONT'D)

	<u>NO. OF COPIES</u>		<u>NO. OF COPIES</u>
COMMANDER US ARMY LABCOM, ISA ATTN: SLCIS-IM-TL 2800 POWDER MILL ROAD ADELPHI, MD 20783-1145	1	COMMANDER AIR FORCE ARMAMENT LABORATORY ATTN: AFATL/MN EGLIN AFB, FL 32542-5434	1
COMMANDER US ARMY RESEARCH OFFICE ATTN: CHIEF, IPO P.O. BOX 12211 RESEARCH TRIANGLE PARK, NC 27709-2211	1	COMMANDER AIR FORCE ARMAMENT LABORATORY ATTN: AFATL/MNF EGLIN AFB, FL 32542-5434	1
DIRECTOR US NAVAL RESEARCH LAB ATTN: MATERIALS SCI & TECH DIVISION CODE 26-27 (DOC LIB) WASHINGTON, D.C. 20375	1 1	METALS AND CERAMICS INFO CTR BATTELLE COLUMBUS DIVISION 505 KING AVENUE COLUMBUS, OH 43201-2693	1

NOTE: PLEASE NOTIFY COMMANDER, ARMAMENT RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER, US ARMY AMCCOM, ATTN: BENET LABORATORIES, SMCAR-CCB-TL, WATERVLIET, NY 12189-4050, OF ANY ADDRESS CHANGES.