

AD-A197 827

DTIC FILE COPY

DOCUMENT NO. 578

James Earl Ray, et al.  
Guilty of Murder of Dr. Martin Luther King, Jr.

James Earl Ray, et al.  
Guilty of Murder of Dr. Martin Luther King, Jr.  
Guilty of Murder of Dr. Martin Luther King, Jr.

RESEARCH TROOP OF BRANCH  
BRANCH OF TROOP

DTIC  
ELECTR  
AR 22 000

H

Toxicology Series: 55

INSTITUTE OF RESEARCH  
SAN FRANCISCO, CALIFORNIA 94120

88 8 19 043



UNCLASSIFIED

## SECURITY CLASSIFICATION OF THIS PAGE

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |       |                                                      |                                                                                                     | Form Approved<br>OMB No. 0704-0188                                                               |                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| 1a. REPORT SECURITY CLASSIFICATION<br>UNCLASSIFIED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       |                                                      | 1b. RESTRICTIVE MARKINGS                                                                            |                                                                                                  |                                                              |
| 2a. SECURITY CLASSIFICATION AUTHORITY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |                                                      | 3. DISTRIBUTION / AVAILABILITY OF REPORT<br>Approved for public release; distribution is unlimited. |                                                                                                  |                                                              |
| 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
| 4. PERFORMING ORGANIZATION REPORT NUMBER(S)<br>Institute Report No. 276                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |                                                      | 5. MONITORING ORGANIZATION REPORT NUMBER(S)                                                         |                                                                                                  |                                                              |
| 6a. NAME OF PERFORMING ORGANIZATION<br>Mammalian Toxicology Branch<br>Division of Toxicology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       | 6b. OFFICE SYMBOL<br>(if applicable)<br>SGRD-UL-TO-M |                                                                                                     | 7a. NAME OF MONITORING ORGANIZATION<br>US Army Biomedical Research and Development<br>Laboratory |                                                              |
| 6c. ADDRESS (City, State, and ZIP Code)<br>Letterman Army Institute of Research<br>Presidio of San Francisco, CA 94129-6800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |                                                      | 7b. ADDRESS (City, State, and ZIP Code)<br>Ft. Detrick<br>Frederick, MD 21701-5010                  |                                                                                                  |                                                              |
| 8a. NAME OF FUNDING / SPONSORING<br>ORGANIZATION US Army Medical<br>Research & Development Command                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       | 8b. OFFICE SYMBOL<br>(if applicable)                 |                                                                                                     | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER                                                  |                                                              |
| 8c. ADDRESS (City, State, and ZIP Code)<br>Ft. Detrick<br>Frederick, MD 21701-5012                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       |                                                      | 10. SOURCE OF FUNDING NUMBERS                                                                       |                                                                                                  |                                                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                                      | PROGRAM<br>ELEMENT NO<br>62720A                                                                     | PROJECT<br>NO.<br>835                                                                            | TASK<br>NO.<br>AB<br>WORK UNIT<br>ACCESSION NO.<br>DA 303913 |
| 11. TITLE (Include Security Classification)<br>Acute Oral Toxicity of Guanidine Nitrate in Mice                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
| 12. PERSONAL AUTHOR(S)<br>Larry D. Brown, Gerald F.S. Hiatt, Conrad R. Wheeler, Don W. Korte, Jr.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
| 13a. TYPE OF REPORT<br>institute                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       | 13b. TIME COVERED<br>FROM 14Mar84 TO 17Apr84         |                                                                                                     | 14. DATE OF REPORT (Year, Month, Day)<br>July 1988                                               |                                                              |
| 15. PAGE COUNT<br>55                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
| 16. SUPPLEMENTARY NOTATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
| 17. COSATI CODES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       |                                                      | 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)                   |                                                                                                  |                                                              |
| FIELD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | GROUP | SUB-GROUP                                            | Acute oral toxicity, Guanidine nitrate, Mouse, Propellants,<br>Nitroguanidine                       |                                                                                                  |                                                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number)<br>The acute oral toxicity of guanidine nitrate was determined in male and female ICR mice by using the oral gavage single-dose method. The median lethal dose was 1105 mg/kg for male mice and 1028 mg/kg for female mice. Clinical signs included behavioral changes, hunched posture, and changes in reflex activity. Behavioral signs observed were irritability, inactivity, disoriented condition, hyperactivity, jumping, tremors, twitching, head tilt, catalepsy, and ataxia. Reflex activity affected by guanidine nitrate administration included depressed grasping and righting reflexes and changes in the startle reflex. The lethality and clinical signs were observed primarily during the first 24 hours after dosing. These results place guanidine nitrate in the slightly toxic category. (P) 5x |       |                                                      |                                                                                                     |                                                                                                  |                                                              |
| 20. DISTRIBUTION / AVAILABILITY OF ABSTRACT<br><input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       |                                                      | 21. ABSTRACT SECURITY CLASSIFICATION<br>UNCLASSIFIED                                                |                                                                                                  |                                                              |
| 22a. NAME OF RESPONSIBLE INDIVIDUAL<br>Edwin S. Beatrice, COL, MC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |                                                      | 22b. TELEPHONE (Include Area Code)<br>415-561-3600                                                  |                                                                                                  | 22c. OFFICE SYMBOL<br>SGRD-UL2                               |

DD Form 1473, JUN 86

Previous editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

# ABSTRACT

The acute oral toxicity of guanidine nitrate was determined in male and female ICR mice by using the oral gavage single-dose method. The median lethal dose was 1105 mg/kg for male mice and 1028 mg/kg for female mice. Clinical signs included behavioral changes, hunched posture, and changes in reflex activity. Behavioral signs observed were irritability, inactivity, disoriented condition, hyperactivity, jumping, tremors, twitching, head tilt, catalepsy, and ataxia. Reflex activity affected by guanidine nitrate administration included depressed grasping and righting reflexes and changes in the startle reflex. The lethality and clinical signs were observed primarily during the first 24 hours after dosing. These results place guanidine nitrate in the slightly toxic category.

KEY WORDS: Acute Oral Toxicity, Guanidine Nitrate, Mouse, Propellants, Nitroguanidine

|                    |                                            |
|--------------------|--------------------------------------------|
| Accession For      |                                            |
| NTIS GRA&I         | <input checked="checked" type="checkbox"/> |
| DTIC TAB           | <input type="checkbox"/>                   |
| Unannounced        | <input type="checkbox"/>                   |
| Justification      |                                            |
| By                 |                                            |
| Distribution/      |                                            |
| Availability Codes |                                            |
| Dist               | Avail and/or<br>Special                    |
| A-1                |                                            |



## PREFACE

TYPE REPORT: Acute Oral Toxicity GLP Study Report

TESTING FACILITY:

US Army Medical Research and Development Command  
Letterman Army Institute of Research  
Presidio of San Francisco, CA 94129-6800

SPONSOR:

US Army Medical Research and Development Command  
US Army Biomedical Research and Development Laboratory  
Fort Detrick, MD 21701-5010  
Project Officer: Gunda Reddy, PhD

WORK UNIT/APC: 180, Environmental Health Effects of Army  
Materials/TLB0

GLP STUDY NUMBER: 84002

STUDY DIRECTOR: MAJ Don W. Korte, Jr, PhD, MSC

PRINCIPAL INVESTIGATOR: LTC Larry D. Brown, MPVM, VC  
Diplomate, American College of  
Veterinary Preventive Medicine,  
American Board of Toxicology

CO-PRINCIPAL INVESTIGATOR: Gerald F.S. Hiatt, PhD

PATHOLOGIST: LTC Lance O. Lollini, VC, Diplomate,  
American College of Veterinary Pathologists

DATA MANAGER: Carolyn M. Lewis, MS

REPORT/DATA MANAGEMENT: A copy of the final report, study  
protocol, retired SOPs, raw data,  
analytical, stability, and purity  
data of the test compound, tissues,  
and the test compound will be  
retained in the LAIR Archives.

TEST SUBSTANCE: Guanidine Nitrate

INCLUSIVE STUDY DATES: 14 March - 17 April 1984

OBJECTIVE: The objective of this study was to determine the  
acute oral toxicity of guanidine nitrate in male  
and female Institute of Cancer Research (ICR) mice.

## ACKNOWLEDGMENTS

SP5 Thomas P. Kellner, BA, SP5 Justo Rodriguez, BS, Carolyn M. Lewis, MS, and Susan Hernandez provided research assistance; Edward Sands, Roosevelt Cunningham, and Richard Spieler provided animal care; and Callie Crosby, JoAnn Nishimoto, and Colleen Kamiyama provided secretarial assistance.

SIGNATURES OF PRINCIPAL SCIENTISTS AND MANAGERS  
INVOLVED IN THE STUDY

We, the undersigned, declare that GLP Study 84002 was performed under our supervision, according to the procedures described herein, and that this report is an accurate record of the results obtained.

Don W. Korte Jr. 7 JUN 85  
DON W. KORTE JR., PhD / DATE  
MAJ, MS  
Study Director

Gerald F.S. Hiatt 7 Jun 85  
GERALD F.S. HIATT, PhD / DATE  
DAC  
Co-Principal Investigator

Larry D. Brown 3 June 1985  
LARRY D. BROWN, DVM / DATE  
MAJ, VC  
Principal Investigator

Conrad R. Wheeler 4 Jun 85  
CONRAD R. WHEELER, PhD / DATE  
DAC  
Chemist

Lance O. Lollini 6 Jun 85  
LANCE O. LOLLINI, DVM / DATE  
LTC, VC  
Pathologist

Carolyn M. Lewis 7 Jun 85  
CAROLYN M. LEWIS, MS / DATE  
DAC  
Data Manager



DEPARTMENT OF THE ARMY

LETTERMAN ARMY INSTITUTE OF RESEARCH  
PRESIDIO OF SAN FRANCISCO, CALIFORNIA 94129-6800

REPLY TO  
ATTENTION OF

SGRD-ULZ-QA (73-1n)

24 June 1988

MEMORANDUM FOR RECORD

SUBJECT: Report of GLP Compliance for GLP Study 84002

1. I hereby certify that in relation to LAIR GLP Study 84002, the following inspections were made:

|                |   |                 |
|----------------|---|-----------------|
| 4 January 1984 | - | Protocol Review |
| 27 March 1984  | - | Necropsy        |

2. The raw data for this study and the report entitled "Acute Oral Toxicity of Guanidine Nitrate in Mice," Toxicology Series 96, were audited on 22 April 1987 and 17 May 1988.

*Carolyn M. Lewis*  
CAROLYN M. LEWIS, MS  
C, Quality Assurance

## TABLE OF CONTENTS

|                                           | Page |
|-------------------------------------------|------|
| Abstract.....                             | i    |
| Preface.....                              | iii  |
| Acknowledgments.....                      | iv   |
| Signatures of Principal Scientists.....   | v    |
| Report of Quality Assurance Unit.....     | vi   |
| Table of Contents.....                    | vii  |
| BODY OF REPORT                            |      |
| INTRODUCTION.....                         | 1    |
| Objective of Study.....                   | 1    |
| MATERIALS.....                            | 1    |
| Test Substance.....                       | 1    |
| Vehicle.....                              | 2    |
| Animal Data.....                          | 2    |
| Husbandry.....                            | 2    |
| METHODS.....                              | 2    |
| Group Assignment/Acclimation.....         | 2    |
| Dosage Levels.....                        | 3    |
| Compound Preparation.....                 | 3    |
| Chemical Analysis of Dosing Solution..... | 4    |
| Test Procedures.....                      | 4    |
| Observations.....                         | 4    |
| Necropsy.....                             | 5    |
| Statistical Analysis.....                 | 5    |
| Duration of Study.....                    | 5    |
| Changes/Deviations.....                   | 5    |
| Raw Data and Final Report Storage.....    | 5    |
| RESULTS.....                              | 6    |
| Mortality.....                            | 6    |
| Lethal Dose Calculation .....             | 7    |
| Clinical Observations.....                | 7    |
| Gross Pathology Observations..            | 10   |

## Table of Contents (continued)

|                                                     |    |
|-----------------------------------------------------|----|
| DISCUSSION.....                                     | 11 |
| CONCLUSIONS.....                                    | 13 |
| REFERENCES.....                                     | 14 |
| APPENDICES.....                                     | 15 |
| Appendix A. Chemical Data.....                      | 16 |
| Appendix B. Animal Data.....                        | 22 |
| Appendix C. Historical Listing of Study Events..... | 23 |
| Appendix D. Cumulative Mortality Data.....          | 24 |
| Appendix E. Individual Animal Histories.....        | 25 |
| Appendix F. Individual Body Weights.....            | 41 |
| Appendix G. Pathology Report.....                   | 53 |
| OFFICIAL DISTRIBUTION LIST.....                     | 55 |

**Acute Oral Toxicity of Guanidine Nitrate in Mice--**  
Brown *et al*

**INTRODUCTION**

Guanidine nitrate is an intermediate product in the synthesis of nitroguanidine. Nitroguanidine is a primary component of US Army triple-base propellants and is now being produced in a Government-owned contractor-operated ammunition plant. The US Army Biomedical Research and Development Laboratory (USABRDL), as part of its mission to evaluate the environmental and health hazards of military-unique propellants generated by US Army munitions-manufacturing facilities, conducted a review of the nitroguanidine data base and identified significant gaps in the toxicity data (1). The Division of Toxicology, LAIR, was tasked by USABRDL to develop a genetic and mammalian toxicity profile for nitroguanidine, related intermediates/by-products of its manufacture, and its environmental degradation products.

172  
**Objective of Study**

The objective of this study was to determine the acute oral toxicity of guanidine nitrate in male and female Institute of Cancer Research (ICR) mice.


**MATERIALS**

Test Substance

Chemical name: Guanidine Nitrate

Chemical Abstract Service (CAS) Registry No.: 506-93-4

Molecular structure:



Molecular formula:  $\text{CH}_6\text{N}_5\text{O}_3$

Other test substance information is presented in Appendix A.

### Vehicle

The suspension vehicle for guanidine nitrate was 0.2% methylcellulose and 0.4% polyoxyethylene-(20)-sorbitan monooleate Tween®80 (MC-TW80) in sterile water for injection. The methylcellulose (lot 12F-0478, expiration date, December 1986) was obtained from Sigma Chemical Company, St. Louis, MO. The Tween®80 (lot 713137, expiration date, December 1986) was obtained from Fisher Scientific Company, Chemical Manufacturing Division, Fair Lawn, NJ. The sterile water for injection (lot 426-27, expiration date, March 1986) was obtained from Cutter Medical Laboratory, Inc., Emersonville, MD.

### Animal Data

Seventy-two male and 75 female ICR mice from Harlan Sprague-Dawley, Inc, Indianapolis, IN, were studied. They were identified individually with ear tags numbered 84C00193 - 84C00269 (males) and 84C00270 - 84C00341, 84C00343 - 84C00345 (females). Two males and 2 females were selected at random for quality control necropsy evaluation at receipt. Two animals were removed from the study during quarantine. Eighteen of the animals were studied in an Approximate Lethal Dose (ALD) determination. Six animals were transferred to another protocol. The animal weights on receipt (14 Mar 84) ranged from 23 to 31 g. Additional animal data appear in Appendix B.

### Husbandry

Mice were caged individually in stainless steel wire mesh cages in racks equipped with automatic flushing dumptanks. The diet, fed *ad libitum*, consisted of Certified Purina Rodent Chow Diet 5002 (lots JAN19842C and FEB02841D; Ralston Purina Company, Checkerboard Square, St Louis, MO); water was provided by linit valves on a central line. The animal room temperature was constantly monitored and maintained in a range from 20.5°C to 23.3°C with a relative humidity range of 44% to 72% with occasional spikes to 80% due to room cleaning. The photoperiod was 12 hours of light per day.

## **METHODS**

### Group Assignment/Acclimation

Study mice were randomized into five dose groups of 10 males and 10 females each and vehicle control groups of 5 males and 5 females each. Allocation was accomplished by

using a computer-based stratified weight-biased method. The Beckman TOXSYS® Animal Allocation Program was used in conjunction with a Beckman TOXSYS® Data Collection Terminal. After the initial dosing, additional mice were assigned to female Groups 3 and 4 to define more completely the dose-response relationship. This left female Group 6 with seven animals. The animals were acclimated for 12 days before the day of dosing. During this period they were observed daily for signs of illness.

#### Dosage Levels

The results of the ALD determination suggested that the median lethal dose (MLD) was between 800 and 1200 mg/kg for both male and female mice. Based on these data, test doses were selected (Table 1).

TABLE 1  
Group Dose Schedule

| Group       | Dose<br>(mg/kg) |
|-------------|-----------------|
| 1 (vehicle) | 0.2 ml MC-TW80  |
| 2           | 708             |
| 3           | 891             |
| 4           | 1121            |
| 5           | 1410            |
| 6           | 1780            |

#### Compound Preparation

Five dosing suspensions (102.5, 129.0, 162.5, 204.5, and 258.0 mg/ml) were prepared by mixing an appropriate quantity of guanidine nitrate in 25 ml of MC-TW80 vehicle. The compound was ground to a fine powder with mortar and pestle and then slowly added to warm (50-60°C) MC-TW80. These mixtures were vortexed, stirred, and sonicated to ensure good suspensions were achieved. Suspensions were evaluated for homogeneity and concentration (Appendix A). Samples for analysis were transferred to screwcapped tubes and stored below 0°C before analysis.

#### Chemical Analysis of Dosing Solution

Guanidine nitrate was stable in aqueous solution for at least ten days (Appendix A). The vehicle was prepared three days before suspension preparation. Dosing began the day following the preparation of the suspension and was completed within two days for all animals except the seven female mice in Group 6. These seven animals were dosed the following week with a freshly prepared compound suspension. Since the accuracy and homogeneity of guanidine nitrate suspensions in MC-TW80 had been demonstrated previously (see data for GLP Protocol 84001 in Appendix A), only the most concentrated suspension (258 mg/ml) was analyzed for homogeneity for this study. Accuracy and homogeneity data are presented in Appendix A.

#### Test Procedures

This study was conducted in accordance with EPA guidelines (2) and LAIR SOP OP-STX-36 (3). The volume of dosing solution given each animal was based upon the desired dose level and the compound concentration in suspension. The dose level was increased by varying the concentration of each suspension, and animals received calculated volumes based upon weight. Volumes ranged from 0.21 to 0.27 ml in the male and 0.17 to 0.24 ml in female mice. The vehicle control group was given 0.2 ml of the MC-TW80 vehicle. Dosing was performed by oral gavage without animal sedation or anesthesia. Sterile, disposable syringes fitted with 20-gauge, 1-1/2-inch, ball-tipped, stainless steel Perfektum® oral gavage animal tubes (Popper & Sons, Inc., New Hyde Park, NY) were used for dosing. Homogeneity of test suspensions was ensured by vortexing immediately before withdrawal of the dose and by maintaining the test suspensions on heated (37-40°C) magnetic stir plates. All animals were dosed between 1014 and 1136 hours on 27 and 28 March 1984 except for seven female mice which were dosed between 1046 and 1056 hours on 3 April 1984.

#### Observations

Observations for mortality and signs of acute toxicity were performed daily according to the following procedure: 1) animals were observed undisturbed in their cages, 2) animals were removed from their cages and given a physical examination, and 3) animals were observed after being returned to their cages. On the day of dosing, the mice were checked intermittently throughout the day. Recorded observations were performed approximately 2-3, 4, and 5 hours after the completion of dosing, and daily for the remainder

of the 2-week test period. A second "walk through" observation was performed daily with only significant observations recorded. Body weights were recorded once weekly during the course of the study.

#### Necropsy

Animals that died during the observation period were submitted for necropsy. Those which survived the 14-day study period were also submitted for necropsy. The animals were terminated by intraperitoneal barbiturate overdose.

#### Statistical Analysis

Statistical analyses were performed on the study results. Selected lethal doses were derived by Litchfield-Wilcoxon probit analysis (4). The program, EASYGRAPH (Tektronix, Beaverton, OR), on the Data General Computer, Model MV8000, was used to draw the probit curve based on results from the Litchfield-Wilcoxon analyses.

#### Duration of Study

Appendix C is a complete listing of historical events.

#### Changes/Deviations

There were fluctuations in the relative humidity in the animal room associated with steam outages that occurred from 1600 to 2200 hours on 31 March 1984 and from 0800 to 2000 hours on 8 April 1984. These days were selected by the building engineer for routine maintenance. The outages did not affect room temperature; however, the relative humidity did reach 70% and 60%, respectively, on these two days. These deviations were within the relative humidity limits set by the ILAR Guide for the Care and Use of Laboratory Animals.

Animals were observed at 2-3, 4, and 5 hours rather than 1, 2, and 4 hours as originally scheduled due to the length of time it took to dose all the animals.

These changes did not affect the outcome of the study.

#### Raw Data and Final Report Storage

A copy of the final report, study protocols, raw data, retired SOPs, and an aliquot of the test compound will be retained in the LAIR Archives.

**RESULTS****Mortality**

Fifty-one (91.1%) of the deaths occurred within 4 hours after dosing. The remaining five deaths occurred within 24 hours after dosing. Table 2 lists the compound-related deaths by group and the percent mortality. Two misdosed female mice (84C00300, 84C00306) from Group 3 (891 mg/kg) were removed from the study and excluded from statistical analysis. Animal 84C00300 was identified as a misdose at dosing while 84C00306 was identified as a misdose at necropsy. Appendix D is a tabular presentation of cumulative mortality.

TABLE 2

## Compound-Related Deaths by Group

| Group  | Dose<br>(mg/kg) | Compound-Related Death/<br>Number in Group | Percent<br>Mortality |
|--------|-----------------|--------------------------------------------|----------------------|
| MALE   |                 |                                            |                      |
| 1      | Vehicle         | 0/5                                        | 0                    |
| 2      | 708             | 0/10                                       | 0                    |
| 3      | 891             | 3/10                                       | 30                   |
| 4      | 1121            | 5/10                                       | 50                   |
| 5      | 1410            | 9/10                                       | 90                   |
| 6      | 1780            | 3/10                                       | 30                   |
| FEMALE |                 |                                            |                      |
| 1      | Vehicle         | 0/5                                        | 0                    |
| 2      | 708             | 2/10                                       | 20                   |
| 3      | 891             | 8/13*>                                     | 61.5                 |
| 4      | 1121            | 9/15*                                      | 60                   |
| 5      | 1410            | 6/10                                       | 60                   |
| 6      | 1780            | 5/7>>                                      | 71.1                 |

\*Numbers in Groups 3 and 4 (females) were increased after the first day of dosing in an attempt to define more completely the dose-response relationships.

>Group 3 (females) contained two additional animals which were misdosed and therefore excluded from statistical analysis and removed from the study.

>>Seven females were assigned to Group 6.

Lethal Dose Calculation

Lethal dose values were calculated by the Litchfield-Wilcoxon method of probit analysis. The equation for the probit regression line was:  $Y = -19.10 + 7.92 \log X$  for males and  $Y = -3.19 + 2.72 \log X$  for females, where X is the dose and Y the corresponding probit value. Lethal doses calculated from the equation for the probit regression line are presented in Table 3. Figures 1 and 2 graphically present the actual data points and the regression line.

TABLE 3

Calculated Lethal Doses (LD) of Guanidine Nitrate

| Effect Level | Dose (mg/kg) | 95% Confidence Limits (mg/kg) |
|--------------|--------------|-------------------------------|
| MALES        |              |                               |
| LD10         | 762          | (603, 963)                    |
| LD50         | 1105*        | (957, 1276)                   |
| LD90         | 1603         | (1268, 2027)                  |
| FEMALES      |              |                               |
| LD10         | 348          | (103, 1173)                   |
| LD50         | 1028*        | (752, 1404)                   |
| LD90         | 3036         | (901, 10,231)                 |

\*Median Lethal Dose

Clinical Observations

The most frequently observed categories of clinical signs in animals administered guanidine nitrate were behavioral disturbances (51 of 105 animals dosed), hunched posture (30 of 105), and changes in reflex activity (26 of 105). Behavioral signs included irritability, inactivity, disoriented condition, hyperactivity, jumping, hypertonia, tremors, twitching, head tilt, catalepsy, or ataxia. Changes in reflex activity include depressed grasping and righting reflexes and changes in the startle reflex. Although clinical signs were observed at each dose level, there was no clear dose-response relationship for severity or duration of the symptoms.

FIGURE 1: Dose Mortality Curve for Guanidine Nitrate in Male Mice





FIGURE 2: Dose Mortality Curve for Guanidine Nitrate in Female Mice



Thirty female mice died during the study. Of the 25 surviving female mice, 17 were normal within 24 hours and another 7 mice were normal within 48 hours. Twenty-six male mice died during the study. Of 24 surviving males, 14 were normal within 24 hours, and 8 other mice were normal within 48 hours. All vehicle control animals survived until study termination at 14 days.

The term "disorientation" describes a behavior pattern in which the animal appeared dazed and confused in response to external stimuli. "Disoriented" animals were observed sitting in their cages with vacant stares and exhibiting little or no response to noise, movement of their cages, or handling. Their movements were hesitant and appeared random except upon perceiving a threat which elicited grossly exaggerated escape movements. Table 4 contains a summary of clinical observations. Appendix E contains individual animal histories.

Weight gains of survivors were not affected by dosing. Table 5 presents the mean body weights by groups. Appendix F contains individual weight tables.

#### Gross Pathology Observations

Vehicle control animals were normal (NLR = no lesion recorded) by gross examination. The mortalities in the groups which received compound appear to have been caused by the test compound except for one female (84C00306) identified as misdosed. Test compound-related lesions were found only in the respiratory system. The lungs of 19 females and 10 males were congested. A single male in Group 6 (1780 mg/kg) had multiple petechiae in the glandular mucosa of the stomach which was considered an incidental finding. The veterinary pathologist's report appears at Appendix G.

TABLE 4

Incidence Summary for Clinical Observations in Mice  
Administered Guanidine Nitrate

| Category of<br>Clinical<br>Signs | Group<br>Dose (mg/kg)<br>(N=) | 1<br>Vehicle<br>5 | 2<br>708<br>10 | 3<br>891<br>10† | 4<br>1121<br>10† | 5<br>1410<br>10 | 6<br>1780<br>10† |
|----------------------------------|-------------------------------|-------------------|----------------|-----------------|------------------|-----------------|------------------|
|----------------------------------|-------------------------------|-------------------|----------------|-----------------|------------------|-----------------|------------------|

## MALES

|                   |   |   |   |   |   |   |
|-------------------|---|---|---|---|---|---|
| Respiratory*      | 1 | 1 | 0 | 1 | 3 | 2 |
| Gastrointestinal> | 1 | 1 | 3 | 1 | 2 | 1 |
| Behavioral>>      | 2 | 6 | 6 | 4 | 4 | 3 |
| Skin<             | 1 | 1 | 2 | 3 | 1 | 1 |
| Hunched Posture   | 0 | 2 | 2 | 0 | 3 | 3 |
| Reflex<<          | 0 | 2 | 3 | 1 | 3 | 2 |
| Other#            | 1 | 0 | 1 | 2 | 0 | 0 |
| Normal            | 1 | 3 | 0 | 1 | 0 | 0 |

## FEMALES

|                   |   |   |   |   |   |   |
|-------------------|---|---|---|---|---|---|
| Respiratory*      | 0 | 0 | 3 | 3 | 2 | 1 |
| Gastrointestinal> | 1 | 3 | 3 | 1 | 0 | 1 |
| Behavioral>>      | 3 | 8 | 6 | 7 | 5 | 2 |
| Skin<             | 1 | 1 | 0 | 2 | 0 | 0 |
| Hunched Posture   | 3 | 6 | 2 | 7 | 3 | 2 |
| Reflex<<          | 1 | 4 | 3 | 4 | 3 | 1 |
| Other             | 0 | 0 | 1 | 0 | 0 | 0 |
| Normal            | 1 | 0 | 0 | 0 | 0 | 0 |

†Number of females in Group 3 was 13, in Group 4 the number was 15, and in Group 6, the number was 7.

\*Includes changes in rate, depth, and/or regularity.

>Includes increased salivation, diarrhea, retching movements, or stains on body.

>>Includes irritability, inactivity, disoriented condition, hyperactivity, jumping, hypertonia, tremors, twitching, head tilt, catalepsy, or ataxia.

<Includes alopecia and rough coat.

<<Includes depressed grasping and/or righting reflexes, and changes in the startle reflex.

#Includes prostration, tonic convulsions, and squinting.

TABLE 5  
Mean Body Weights In Grams  $\pm$  S.E. †

| Dose<br>(mg/kg) | At<br>Receipt          | Dosing<br>Day          | Day<br>7               | Day<br>14*             |
|-----------------|------------------------|------------------------|------------------------|------------------------|
| MALES           |                        |                        |                        |                        |
| Vehicle         | 28.2<br>$\pm 0.5$ (5)  | 34.2<br>$\pm 0.7$ (5)  | 35.6<br>$\pm 0.8$ (5)  | 36.4<br>$\pm 0.4$ (5)  |
| 708             | 28.1<br>$\pm 0.5$ (10) | 33.5<br>$\pm 0.6$ (10) | 39.4<br>$\pm 1.6$ (10) | 35.3<br>$\pm 0.4$ (10) |
| 891             | 28.0<br>$\pm 0.4$ (10) | 34.7<br>$\pm 0.6$ (10) | 37.3<br>$\pm 1.3$ (7)  | 36.3<br>$\pm 0.9$ (7)  |
| 1121            | 26.6<br>$\pm 0.5$ (10) | 34.5<br>$\pm 0.8$ (10) | 40.0<br>$\pm 2.2$ (5)  | 36.8<br>$\pm 0.7$ (5)  |
| 1410            | 28.0<br>$\pm 0.6$ (10) | 34.0<br>$\pm 0.6$ (10) | 35.0 (1)               | 37.0 (1)               |
| 1780            | 27.6<br>$\pm 0.7$ (10) | 33.7<br>$\pm 0.6$ (10) | 33.0 (1)               | 35.0 (1)               |
| FEMALES         |                        |                        |                        |                        |
| Vehicle         | 25.6<br>$\pm 0.3$ (5)  | 28.4<br>$\pm 0.9$ (5)  | 30.6<br>$\pm 2.6$ (5)  | 28.8<br>$\pm 0.9$ (5)  |
| 708             | 26.6<br>$\pm 0.4$ (10) | 28.4<br>$\pm 0.6$ (10) | 32.5<br>$\pm 2.1$ (8)  | 29.9<br>$\pm 0.5$ (8)  |
| 891             | 26.5<br>$\pm 0.3$ (15) | 28.1<br>$\pm 0.5$ (15) | 33.8<br>$\pm 2.8$ (5)  | 28.2<br>$\pm 1.4$ (5)  |
| 1121            | 26.1<br>$\pm 0.3$ (15) | 27.7<br>$\pm 0.3$ (15) | 33.2<br>$\pm 2.2$ (6)  | 29.0<br>$\pm 0.7$ (6)  |
| 1410            | 27.2<br>$\pm 0.6$ (10) | 28.5<br>$\pm 0.5$ (10) | 28.0<br>$\pm 0.7$ (4)  | 28.8<br>$\pm 1.0$ (4)  |
| 1780            | 27.3<br>$\pm 1.6$ (4)  | 28.6<br>$\pm 1.1$ (7)  | 28.0<br>$\pm 2.0$ (2)  | 26.5<br>$\pm 1.5$ (2)  |

†Number in parenthesis = number of animals.

\*Weight after a 4-6 hr fast in preparation for necropsy.

## DISCUSSION

The calculated MLD for guanidine nitrate was 1105.0 mg/kg in male ICR mice and 1028.0 mg/kg in female ICR mice. These MLD values are within the slightly toxic range (5).

Guanidine nitrate appeared to have a pharmacologic-toxicologic effect primarily on the central nervous and somatomotor systems as supported by the clinical signs data; however, no correlated gross pathological findings were observed. Guanidine has been reported to increase the amplitude of the neuromuscular end-plate potential by increasing the quantity of acetylcholine released from the nerve endings by a single nerve impulse (6). Because of its ability to augment neuromuscular transmission, the hydrochloride form of guanidine has been used to treat myasthenia gravis (6). More recently, guanidine hydrochloride has been used in the treatment of botulism (7). Since the botulism toxin blocks the release of acetylcholine at the neuromuscular junction, the therapeutic effect of guanidine hydrochloride is attributed to a facilitated release of acetylcholine from remaining efflux sites not blocked by the toxin (8). This proposed mechanism of action is consistent with the listing of guanidine as a striated muscle stimulant (9). It is also consistent with the clinical signs reported in this study.

## CONCLUSIONS

The calculated MLD values for guanidine nitrate were 1105.0 mg/kg for male ICR mice and 1028.0 mg/kg for female ICR mice. The lethality and clinical signs were observed primarily during the first 24 hours after dosing. These results indicate that guanidine nitrate is a slightly toxic compound (5).

## REFERENCES

1. Kenyon KF. A data base assessment of environmental fate aspects of nitroguanidine. Frederick, MD: US Army Medical Bioengineering Research and Development Laboratory, 1982. DTIC No. ADA125591.
2. Environmental Protection Agency. Office of Pesticides and Toxic Substances, Office of Toxic Substances (TS-792). Acute exposure, oral toxicity. In: Health effects test guidelines. Washington, DC: Environmental Protection Agency 1982; EPA 560/6-82-001.
3. Acute oral toxicity study (ALD and LD50). LAIR Standard Operating Procedure OP-STX-36, Letterman Army Institute of Research, Presidio of San Francisco, CA. 22 December 1982.
4. Litchfield JT, Wilcoxon F. A simplified method of evaluating dose-effect experiments. J Pharmacol Exp Ther 1949;96:99-113.
5. Spector WS, ed. Handbook of toxicology, Vol I. Acute toxicities. Philadelphia: W.B. Saunders Co., 1956: p. 4.
6. Otsuka M, Endo M. The effect of guanidine on neuromuscular transmission. J Pharmacol Exp Ther 1960;128:273-82.
7. Cherington M, Ryan DW. Treatment of botulism with guanidine: early neurophysiologic studies. N Engl J Med 1970;282:195-7.
8. Scaer RC, Tooker J, Cherington M. Effect of guanidine on the neuromuscular block of botulism. Neurology 1969;19:1107-10.
9. Windholz M, ed. Merck Index. 10th ed. Rahway, NJ: Merck and Co., 1983, p. 657.

|                                                      | Page |
|------------------------------------------------------|------|
| Appendix A. Chemical Data .....                      | 16   |
| Appendix B. Animal Data .....                        | 22   |
| Appendix C. Historical Listing of Study Events ..... | 23   |
| Appendix D. Cumulative Mortality Data .....          | 24   |
| Appendix E. Individual Animal Histories .....        | 25   |
| Appendix F. Individual Body Weights .....            | 41   |
| Appendix G. Pathology Report .....                   | 53   |

## Appendix A: CHEMICAL DATA


Chemical Name: Guanidine Nitrate

Lot Number: 123820

Chemical Abstracts Registry Number: 506-93-4

LAIR Code: TP030

Chemical Structure:



Molecular Formula:  $\text{CH}_5\text{N}_3\cdot\text{NO}_3$

Molecular Weight: 122.1

Physical State: White crystalline powder

Melting Point:  $214^\circ\text{C}^1$

Analytical Data:

Infrared spectrophotometry was performed, and the spectrum obtained<sup>2</sup> was identical to the Sadtler spectrum<sup>3</sup> for Guanidine Nitrate. Major absorption peaks were observed at 3400 (broad), 3200, 1665, 1575, 1400, 1385, and 825  $\text{cm}^{-1}$ . The grade of material obtained for this study is referred to as the Ultralog Grade by the manufacturer. The label on the bulk container states that the purity is at least 99.5%.

Source: Chemical Dynamics Corporation  
Hadley Road, P.O. Box 395  
South Plainfield, NJ

<sup>1</sup>Windholz M, ed., The Merck Index, 9th ed., Rahway, NJ: Merck and Co., Inc., 1976: Monograph Number 4411.

<sup>2</sup>Wheeler CR. Nitrocellulose-Nitroguanidine Project. Laboratory Notebook #84-05-010.2, p. 62. Letterman Army Institute of Research, Presidio of San Francisco, CA.

<sup>3</sup>Sadtler Research Laboratory, Inc., Sadtler standard spectra, Philadelphia: The Sadtler Research Laboratory, Inc., 1961: Infrared Spectrogram #14498.

**Appendix A (cont.): CHEMICAL DATA****Analysis of Dosing Solutions/Suspensions and Determination of Stability**

Dosing solutions/suspensions of guanidine nitrate were vortexed to ensure suspension of particulate material and 1-ml samples were removed from the top, middle, and bottom. Samples were transferred to screwcapped tubes and stored below 0°C prior to analysis.

For analysis, dilution of the sample was necessary. The first dilution was accomplished by heating the 1-ml sample to 50°C in a water bath to dissolve suspended material, and then quickly cooling to room temperature. Before the guanidine nitrate could crystallize out of solution, 0.5 ml was transferred to a 50-ml volumetric flask and diluted to volume with water. This worked satisfactorily for all concentrations except the highest (258 mg/ml). This sample was kept at 50°C while the aliquot was removed.

A second dilution of 1:100 was performed for a total dilution of 1:10,000. Aliquots (2 ml) of the final dilution were assayed using a modification of the Voges-Proskauer assay for guanidine.<sup>1</sup> Quantitation was accomplished by measuring the absorbance of a colored guanidine derivative at a wavelength of 535 nm.

For the first analysis, seven samples were chosen that represented the entire range of concentrations used for dosing.<sup>2</sup> The results indicated that homogeneous suspensions can be prepared up to 258 mg/ml (Table 1). As a result of this determination, all subsequent analyses were performed with pooled samples (i.e., the top, middle, and bottom samples obtained from dosing solutions/suspensions were heated to dissolve suspended material and pooled).<sup>3</sup> These results are presented in Table 2. Of the six suspensions prepared, four were determined to be within 5.2% of the target. The concentration of the two 258-mg/ml suspensions, however, showed a deviation of 10.1% and 10.3% below their target value.

<sup>1</sup>Micklus MJ, Stein JM. The colorimetric determination of mono- and disubstituted guanidines. *Anal Biochem* 1973; 53:545-553.

<sup>2</sup>Wheeler CR. Nitrocellulose-Nitroguanidine Projects. Laboratory Notebook #84-05-010.2, p 49-51, 1st. Letterman Army Institute of Research, Presidio of San Francisco, CA.

<sup>3</sup>*Ibid.* p 52, 55-59.

**Appendix A (cont.): CHEMICAL DATA**

Analytical Method: Stock Solutions and Calibration Plot

Stock Solution - 50 µg/ml in water:

The stock solution was prepared by weighing out 50.0 mg of guanidine nitrate and transferring this amount to a 1000-ml volumetric flask. The compound was diluted to volume with water and mixed well.

Standard Curve (calibration plot):

To generate the standard curve, two ml of guanidine nitrate solution were prepared at a variety of concentrations as follows:

| Final<br>Concentration | ml of stock added to ml of water |               |
|------------------------|----------------------------------|---------------|
| 2 µg/ml                | 0.08 ml stock                    | 1.92 ml water |
| 5                      | 0.20                             | 1.80          |
| 10                     | 0.40                             | 1.60          |
| 15                     | 0.60                             | 1.40          |
| 20                     | 0.80                             | 1.20          |
| 25                     | 1.00                             | 1.00          |
| 30                     | 1.20                             | 0.80          |

## Appendix A (cont.): CHEMICAL DATA

## Calculations:

Linear regression was used to calculate the standard curve. In all cases a correlation coefficient (r) of greater than 0.999 was obtained.

$$\text{assay value} = \frac{\mu\text{g/ml found} \times \text{dilution factor} \times A}{(\text{mg/ml}) \quad 1000}$$

where  $\mu\text{g/ml}$  found is determined by linear regression

dilution factor = 10,000

A = 1 for all samples except those obtained from suspensions of guanidine nitrate at 258 mg/ml. For these samples, A has a value of 1.0101 which accounts for the change in volume on going from room temperature to 50°C. This factor was calculated by dividing the volume of 1 kg of water at 50°C by the volume of 1 kg of water at 20°C. Data on water volume as a function of temperature were obtained from the CRC Handbook of Chemistry and Physics, 64th ed., R.C. Weast, ed., 1983, CRC Press, Boca Raton, FL, p. F-5.

## Stability:

The stability of guanidine nitrate in aqueous solution is demonstrated by the absorbance values obtained for a standard solution containing 20  $\mu\text{g/ml}$  of guanidine nitrate. This solution was prepared on 25 May and kept at room temperature over the period of analysis. From 25 May to 6 June, four assays of this solution were performed yielding statistically identical absorbance values.<sup>1</sup> Since the Voges-Proskauer assay is specific for unsubstituted and mono-substituted guanidines, the data demonstrate that aqueous solutions of guanidine nitrate are stable for a period of at least 12 days (Table 3).

<sup>1</sup> Wheeler CR. Nitrocellulose-Nitr. Guanidine Projects. Laboratory Notebook #84-05-010.2, p. 55-57, 59. Letterman Army Institute of Research, Presidio of San Francisco, CA.

## Appendix A (cont.): CHEMICAL DATA

TABLE 1: Analysis of Dosing Suspensions for Homogeneity

| Date Mixed | Date Analyzed | Source of Sample* | Target Conc. mg/ml | Actual Conc. mg/ml | Target |
|------------|---------------|-------------------|--------------------|--------------------|--------|
| 6 Mar      | 18 May        | T                 | 66 >               | 67.4               | 102.1  |
|            |               | M                 |                    | 65.5               | 99.2   |
|            |               | B                 |                    | 65.7               | 99.5   |
|            |               | Mean              |                    | 66.2               | 100.3  |
|            |               |                   |                    |                    |        |
| 14 Mar     | 18 May        | T                 | 83 >               | 80.5               | 97.0   |
|            |               | M                 |                    | 75.7 <             | 91.2   |
|            |               | B                 |                    | 77.2               | 93.0   |
|            |               | Mean              |                    | 77.8               | 93.7   |
|            |               |                   |                    |                    |        |
| 8 Mar      | 18 May        | T                 | 100                | 96.0               | 96.0   |
|            |               | M                 |                    | 99.8               | 99.8   |
|            |               | B                 |                    | 97.6               | 97.6   |
|            |               | Mean              |                    | 97.8               | 97.8   |
|            |               |                   |                    |                    |        |
| 8 Mar      | 18 May        | T                 | 133                | 122.2              | 91.9   |
|            |               | M                 |                    | 131.2              | 98.6   |
|            |               | B                 |                    | 122.8              | 92.3   |
|            |               | Mean              |                    | 125.4              | 94.3   |
|            |               |                   |                    |                    |        |
| 8 Mar      | 18 May        | T                 | 166                | 162.5              | 97.9   |
|            |               | M                 |                    | 165.2              | 99.0   |
|            |               | B                 |                    | 158.7              | 95.6   |
|            |               | Mean              |                    | 162.2              | 97.7   |
|            |               |                   |                    |                    |        |
| 6 Mar      | 18 May        | T                 | 200                | 184.5              | 92.3   |
|            |               | M                 |                    | 188.0              | 94.0   |
|            |               | B                 |                    | 197.0              | 98.5   |
|            |               | Mean              |                    | 189.8              | 94.9   |
|            |               |                   |                    |                    |        |
| 27 Mar†    | 18 May        | T                 | 258                | 230.0              | 89.1   |
|            |               | M                 |                    | 245.2              | 95.0   |
|            |               | B                 |                    | 224.6              | 87.1   |
|            |               | Mean              |                    | 233.3              | 90.1   |
|            |               |                   |                    |                    |        |

\*The letters T, M, and B refer to the top, middle, and bottom of the dosing solution/suspension.

>These samples were solutions.

<This sample was originally assayed on 18 May and a low value of 67.9 mg/ml was determined. Reanalysis on 29 May 84 gave a value of 75.7 mg/ml. As a check for consistency, the samples prepared on 6 Mar and 27 Mar were also reanalyzed on 29 May. The values obtained for these samples were within 1% of the respective values obtained on 18 May.

†Samples are from ILP study E4002.

## Appendix A (cont.): CHEMICAL DATA

TABLE 2: Verification of Guanidine Nitrate Concentration\*

| Date Mixed | Date Analyzed | Target Conc.<br>mg/ml | Actual Conc.†<br>mg/ml | % Target |
|------------|---------------|-----------------------|------------------------|----------|
| 26 Mar     | 25 May        | 102.5                 | 98.8 ± 0.7             | 96.4     |
|            |               | 129.0                 | 122.1 ± 0.1            | 94.7     |
|            |               | 162.0                 | 151.9 ± 0.8            | 93.8     |
|            |               | 204.0                 | 193.4 ± 1.5            | 94.8     |
|            |               | 258.0                 | 231.9 ± 1.8            | 89.9     |
| 3 Apr      | 6 Jun         | 258.0                 | 231.3 ± 1.3            | 89.7     |

\*Wheeler CR. Nitrocellulose-Nitroguanidine Projects.  
Laboratory Notebook #84-05-010.2, p. 57-59. Letterman Army  
Institute of Research, Presidio of San Francisco, CA.

†Mean and standard deviation of three analyses.

TABLE 3: Stability Assay of a 20 µg/ml Standard Solution of Guanidine Nitrate

| Date of Analysis | Absorbance Values* |
|------------------|--------------------|
| 25 May 84        | 1.74 ± 0.02        |
| 29 May 84        | 1.76 ± 0.05        |
| 30 May 84        | 1.76 ± 0.02        |
| 6 Jun 84         | 1.76 ± 0.02        |

\* Values are mean ± S.D. for three replicates.

**Appendix B: ANIMAL DATA**

Species: *Mus musculus*

Strain: ICR

Source: Harlan Sprague-Dawley, Inc.  
P.O. Box 29176  
Indianapolis, IN 46229

Sex: Male and female

Date of birth: Male: 27 January 1984  
Female: 27 January 1984

Method of randomization: Weight bias, stratified animal  
allocation (SOP OP-ISG-24)

Animals in each group: 10 male and female animals, except:  
Group 3 females totaled 14,  
Group 4 females totaled 15,  
Group 6 females totaled 7,  
Group 1 (controls) contained 5/sex.

Condition of animals at start of study: Normal

Body weight range at dosing: 25-39 g

Identification procedures: Ear tag (SOP OP-ARG-1), tag  
numbers 84C00198 to 84C00345  
inclusive.

Pretest conditioning: Quarantine/acclimation 14-26 Mar 84

Justification: The laboratory mouse has proven to be a  
sensitive and reliable system for lethal dose  
determination.

**Appendix C: HISTORICAL LISTING OF STUDY EVENTS**

| <u>Date</u>            | <u>Event</u>                                                                                                                                     |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 14 Mar 84              | Received 72 male and 75 female ICR mice. Mice were checked for physical condition, sexed, weighed, cervical skin tagged, and individually caged. |
| 14-26 Mar 84           | Animals were observed daily during quarantine/acclimation period.                                                                                |
| 15 Mar 84              | Four mice (2 male and 2 female) were submitted for necropsy quality control.                                                                     |
| 16 Mar 84              | Animals were weighed and randomized into dose groups. One animal was removed from the study.                                                     |
| 20-21 Mar 84           | Eighteen ALD animals were fasted 2-4 hours, weighed, dosed, and observed. One animal was removed from the study.                                 |
| 27,28 Mar,<br>3 Apr 84 | One hundred seventeen animals were fasted 2-4 hours, weighed, dosed, and observed three times during the first 6 hours after dosing.             |
| 28 Mar-<br>16 Apr 84   | Animals were observed daily for 14 days in a.m. and p.m.                                                                                         |
| 31 Mar,<br>8 Apr 84    | Steam outages occurred in animal suite.                                                                                                          |
| 4,11 Apr 84            | Animals were weighed.                                                                                                                            |
| 10,11 Apr 84           | All surviving animals except Group 6 females were fasted 2-4 hours, weighed, and submitted to Necropsy at study termination.                     |
| 17 Apr 84              | Six animals transferred to another protocol.                                                                                                     |
| 17 Apr 84              | Surviving Group 6 females were fasted 2-4 hours, weighed, and submitted to Necropsy at study termination.                                        |

## Appendix D: Cumulative Mortality Data\*

| Dose<br>mg/kg | Animals<br>Dosed | Time after Dosing |    |    |      |    |    |    |    |    |      |
|---------------|------------------|-------------------|----|----|------|----|----|----|----|----|------|
|               |                  | Hours             |    |    | Days |    |    |    |    |    |      |
|               |                  | 2                 | 4  | 6  | 1    | 2  | 3  | 4  | 5  | 6  | 7-14 |
| MALES         |                  |                   |    |    |      |    |    |    |    |    |      |
| 0             | 5                | 0                 | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0    |
| 708           | 10               | 0                 | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0    |
| 891           | 10               | 0                 | 3  | 3  | 3    | 3  | 3  | 3  | 3  | 3  | 3    |
| 1121          | 10               | 0                 | 5  | 5  | 5    | 5  | 5  | 5  | 5  | 5  | 5    |
| 1410          | 10               | 4                 | 7  | 8  | 9    | 9  | 9  | 9  | 9  | 9  | 9    |
| 1780          | 10               | 6                 | 8  | 9  | 9    | 9  | 9  | 9  | 9  | 9  | 9    |
| FEMALES       |                  |                   |    |    |      |    |    |    |    |    |      |
| 0             | 5                | 0                 | 0  | 0  | 0    | 0  | 0  | 0  | 0  | 0  | 0    |
| 708           | 10               | 0                 | 2  | 2  | 2    | 2  | 2  | 2  | 2  | 2  | 2    |
| 891           | 13               | 0                 | 7  | 8  | 8    | 8  | 8  | 8  | 8  | 8  | 8    |
| 1121          | 15               | 3                 | 8  | 9  | 9    | 9  | 9  | 9  | 9  | 9  | 9    |
| 1410          | 10               | 2                 | 6  | 6  | 6    | 6  | 6  | 6  | 6  | 6  | 6    |
| 1780          | 7                | 5                 | 5  | 5  | 5    | 5  | 5  | 5  | 5  | 5  | 5    |
| Totals        |                  | 20                | 51 | 55 | 56   | 56 | 56 | 56 | 56 | 56 | 56   |

\*Values are deaths/dose group.

## Appendix E: INDIVIDUAL ANIMAL HISTORIES

## ABBREVIATIONS USED IN APPENDIX E

Inc. = increased  
 Dec. = decreased  
 Dep. = depressed

## MALES: Vehicle Control

| Animal Number | Clinical Signs                                           | Dates Observed (1984)                  | Severity                     |
|---------------|----------------------------------------------------------|----------------------------------------|------------------------------|
| 84C00206      | Squinting                                                | March 27-28<br>April 2-7<br>April 9-10 | Slight<br>Slight<br>Slight   |
| 84C00208      | Alopecia<br>Perianal stain, yellow<br>Head stain, yellow | April 4-9<br>April 9-10<br>April 10    | Moderate<br>Slight<br>Slight |
| 84C00213      | Inc.resp.rate/depth<br>Inactive                          | March 27<br>March 29-30                | Slight<br>Slight             |
| 84C00214      | Normal                                                   | N/A                                    | N/A                          |
| 84C00230      | Inactive                                                 | March 31<br>April 1-2                  | Slight<br>Slight             |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

MALES: 708 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs                                                                         | Dates Observed (1984)                                                          | Severity                                                               |
|---------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------|
| 84C00198      | Normal                                                                                 | N/A                                                                            | N/A                                                                    |
| 84C00199      | Perianal stain, yellow<br>Inactive                                                     | March 28<br>March 28-29                                                        | Slight<br>Slight                                                       |
| 84C00200      | Inactive<br><br>Dep. grasping reflex                                                   | March 28, 30<br>April 2-11<br>March 28-29                                      | Slight<br>Slight<br>Slight                                             |
| 84C00201      | Normal                                                                                 | N/A                                                                            | N/A                                                                    |
| 84C00211      | Normal                                                                                 | N/A                                                                            | N/A                                                                    |
| 84C00227      | Inactive<br>Hunched posture                                                            | March 28<br>March 28                                                           | Slight<br>Slight                                                       |
| 84C00239      | Disoriented<br>Hunched posture<br>Catalepsy<br>Inc. resp. rate<br>Dep. grasping reflex | March 28<br>March 28<br>March 28<br>March 28<br>March 26<br>April 4<br>April 5 | Marked<br>Moderate<br>Slight<br>Slight<br>Marked<br>Moderate<br>Slight |
| 84C00247      | Irritable                                                                              | March 29                                                                       | Slight                                                                 |
| 84C00256      | Rough coat                                                                             | March 29                                                                       | Slight                                                                 |
| 84C00269      | Irritable<br>Hyperactive                                                               | March 28-29<br>March 28                                                        | Slight<br>Marked                                                       |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

MALES: 891 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs          | Dates Observed (1984) | Severity |
|---------------|-------------------------|-----------------------|----------|
| 84C00212      | Death                   | March 27              | 2.8 hr   |
| 84C00222      | Inactive                | March 30              | Slight   |
| 84C00223      | Death                   | March 27              | 2.5 hr   |
| 84C00228      | Rough coat              | March 27              | Slight   |
|               | Irritable               | March 27              | Moderate |
| 84C00242      | Prostrate               | March 27              | N/A      |
|               | Twitching               | March 27              | Marked   |
|               | Tremors                 | March 27              | Slight   |
|               | Abdominal stain, yellow | March 27              | Marked   |
|               |                         | March 28              | Moderate |
|               | Inactive                | April 1-3             | Slight   |
| 84C00246      | Inactive                | March 27              | Slight   |
|               | Dep. grasping reflex    | March 27-28           | Slight   |
|               | Dep. righting reflex    | March 27              | Slight   |
|               | Hypertonia              | March 27              | Marked   |
|               | Hyperactive             | March 27-28           | Slight   |
|               | Irritable               | April 9-10            | Moderate |
| 84C00253      | Dep. grasping reflex    | March 27              | Slight   |
|               | Diarrhea                | March 27              | Slight   |
|               | Perianal stain, yellow  | March 27              | Slight   |
| 84C00258      | Inactive                | March 27              | Slight   |
|               | Twitching               | March 27              | Slight   |
|               | Dep. grasping reflex    | March 27              | Marked   |
|               | Disoriented             | March 27              | Slight   |
|               | Hunched posture         | March 27              | Slight   |
|               | Perianal stain, yellow  | March 27              | Moderate |
| 84C00260      | Death                   | March 27              | 3 hr     |
| 84C00264      | Inactive                | March 27              | Marked   |
|               | Hunched posture         | March 27              | Marked   |
|               | Rough coat              | March 27              | Slight   |
|               | Head tilt               | March 27              | Slight   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

MALES: 1121 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs       | Dates Observed (1984) | Severity |
|---------------|----------------------|-----------------------|----------|
| 84C00204      | Death                | March 27              | 2.1 hr   |
| 84C00217      | Death                | March 27              | 2.1 hr   |
| 84C00219      | Disoriented          | March 27              | Moderate |
|               | Inc. resp. depth     | March 27              | Moderate |
|               | Inc. resp. rate      | March 27              | Slight   |
|               | Inactive             | March 27              | Moderate |
|               | Tremors              | March 27              | Moderate |
|               | Dep. grasping reflex | March 27-28           | Slight   |
|               | Hypertonia           | March 27              | Marked   |
|               | Convulsion, tonic    | March 27              | Moderate |
|               | Rough coat           | March 27-28           | Slight   |
| 84C00236      | Prostrate            | March 27              | N/A      |
|               | Death                | March 27              | 2.7 hr   |
| 84C00238      | Inactive             | March 27              | Slight   |
| 84C00244      | Normal               | N/A                   | N/A      |
| 84C00249      | Death                | March 27              | 2.2 hr   |
| 84C00257      | Death                | March 27              | 2.2 hr   |
| 84C00261      | Rough coat           | March 27              | Slight   |
|               | Twitching            | March 27              | Moderate |
|               | Disoriented          | March 27              | Slight   |
|               | Hypertonia           | March 27              | Moderate |
|               | Neck stain, yellow   | March 27              | Slight   |
| 84C00265      | Rough coat           | March 27              | Marked   |
|               |                      | March 28              | Slight   |
|               | Hypertonia           | March 27              | Slight   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

MALE: 1410 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs        | Dates Observed (1984) | Severity |
|---------------|-----------------------|-----------------------|----------|
| 84C00202      | Inactive              | March 27              | Slight   |
|               | Hunched posture       | March 27              | Slight   |
|               | Inc. resp. rate       | March 27              | Marked   |
|               | Inc. startle reflex   | March 27              | Moderate |
|               | Hypertonia            | March 27              | Slight   |
|               | Twitching             | March 27              | Marked   |
|               | Tremors               | March 27              | Marked   |
|               | Death                 | March 28              | 24 hr    |
| 84C00210      | Death                 | March 27              | 1.8 hr   |
| 84C00215      | Inc. Resp. Depth      | March 27              | Marked   |
|               | Dep. righting reflex  | March 27              | Moderate |
|               | Dep. grasping reflex  | March 27              | Marked   |
|               | Ataxia                | March 27              | Marked   |
|               | Tremors               | March 27              | Marked   |
|               | Hunched posture       | March 27              | Moderate |
|               | Death                 | March 27              | 3.4 hr   |
| 84C00216      | Death                 | March 27              | 2.1 hr   |
| 84C00225      | Inc. salivation       | March 27              | Slight   |
|               | Perianal stain, brown | March 27              | Slight   |
|               | Irritable             | March 27              | Moderate |
| 84C00232      | Death                 | March 27              | 1.7 hr   |
| 84C00240      | Death                 | March 27              | 1.8 hr   |
| 84C00255      | Inc. resp. depth      | March 27              | Marked   |
|               | Dec. resp. rate       | March 27              | Slight   |
|               | Hunched posture       | March 27              | Moderate |
|               | Rough coat            | March 27              | Marked   |
|               | Retching movements    | March 27              | Marked   |
|               | Inactive              | March 27              | Slight   |
|               | Dep. grasping reflex  | March 27              | Moderate |
|               | Twitching             | March 27              | Slight   |
|               | Hypertonia            | March 27              | Slight   |
|               | Death                 | March 27              | 5.2 hr   |

**Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES**

MALE: 1410 mg/kg Guanidine Nitrate (cont.)

| Animal<br>Number | Clinical Signs | Dates Observed<br>(1984) | Severity |
|------------------|----------------|--------------------------|----------|
| 84C00266         | Death          | March 27                 | 2.4 hr   |
| 84C00268         | Death          | March 27                 | 1.7 hr   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

MALE: 1780 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs        | Dates Observed (1984) | Severity |
|---------------|-----------------------|-----------------------|----------|
| 84C00205      | Death                 | March 28              | 2.1 hr   |
| 84C00207      | Inc. resp. rate       | March 28              | Slight   |
|               | Inactive              | March 28              | Slight   |
|               | Disoriented           | March 28              | Moderate |
|               | Hunched posture       | March 28              | Slight   |
|               | Death                 | March 28              | 2.5 hr   |
| 84C00209      | Death                 | March 28              | 1.8 hr   |
| 84C00226      | Death                 | March 28              | 2 hr     |
| 84C00233      | Death                 | March 28              | 1.7 hr   |
| 84C00240      | Death                 | March 28              | 1.6 hr   |
| 84C00245      | Hunched posture       | March 28              | Slight   |
|               | Inactive              | March 28              | Moderate |
|               | Disoriented           | March 28              | Moderate |
|               | Dep. grasping reflex  | March 28              | Slight   |
|               | Inc. resp. rate       | March 28              | Slight   |
|               | Death                 | March 28              | 4 hr     |
| 84C00251      | Hunched posture       | March 28-31           | Slight   |
|               |                       | April 1               | Slight   |
|               | Inactive              | March 28              | Moderate |
|               |                       | March 29-30           | Slight   |
|               | Rough coat            | March 28-30           | Slight   |
|               | Perianal feces, green | March 28              | Moderate |
|               | Dep. grasping reflex  | March 30              | Slight   |
| 84C00252      | Death                 | March 28              | 1.6 hr   |
| 84C00259      | Death                 | March 28              | 1.7 hr   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

## FEMALES: Vehicle Controls

| Animal Number | Clinical Signs        | Dates Observed (1984) | Severity |
|---------------|-----------------------|-----------------------|----------|
| 84C00276      | Hunched posture       | March 27              | Slight   |
|               | Inactive              | March 27              | Slight   |
| 84C00318      | Irritable             | March 27-28           | Slight   |
|               |                       | April 2               | Slight   |
|               | Hunched posture       | March 27              | Moderate |
|               | Inactive              | March 27              | Slight   |
|               | Hypertonia            | March 27              | Slight   |
|               | Dep. righting reflex  | March 27              | Slight   |
|               | Disoriented           | March 27              | Slight   |
| 84C00328      | Hunched posture       | March 27              | Marked   |
|               | Tremors               | March 27              | Slight   |
|               | Alopecia              | March 29-31           | Slight   |
|               |                       | April 1-3             | Slight   |
| 84C00329      | Normal                | N/A                   | N/A      |
| 84C00330      | Abdomen stain, yellow | March 27              | Slight   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 708 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs        | Dates Observed (1984) | Severity |
|---------------|-----------------------|-----------------------|----------|
| 84C00273      | Death                 | March 27              | 2.6 hr   |
| 84C00284      | Hunched posture       | March 27              | Slight   |
|               | Disoriented           | March 27              | Slight   |
|               | Twitching             | March 27              | Slight   |
|               | Back stain, yellow    | March 27              | Slight   |
| 84C00293      | Disoriented           | March 27-28           | Slight   |
|               | Hunched posture       | March 27              | Slight   |
|               | Inactive              | March 27              | Slight   |
|               | Dep. grasping reflex  | March 27              | Moderate |
|               | Irritable             | April 4-10            | Moderate |
| 84C00296      | Death                 | March 27              | 2.7 hr   |
| 84C00299      | Disoriented           | March 27              | Moderate |
|               | Irritable             | March 27              | Moderate |
|               | Hunched posture       | March 27              | Slight   |
|               | Inactive              | March 27-28, 30       | Slight   |
| 84C00301      | Inactive              | March 27              | Slight   |
|               | Disoriented           | March 27              | Slight   |
|               | Hunched posture       | March 27              | Slight   |
| 84C00305      | Twitching             | March 27              | Moderate |
|               | Inactive              | March 30              | Slight   |
| 84C00324      | Hunched posture       | March 27              | Marked   |
|               | Inactive              | March 27, 29-31       | Slight   |
|               | Rough coat            | March 27              | Slight   |
|               | Tremors               | March 27              | Moderate |
|               | Perianal stain, brown | March 27              | Slight   |
|               | Dep. grasping reflex  | March 28, 30          | Slight   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 708 mg/kg Guanidine Nitrate (cont.)

| Animal<br>Number | Clinical Signs        | Dates Observed<br>(1984) | Severity |
|------------------|-----------------------|--------------------------|----------|
| 84C00327         | Hunched posture       | March 27                 | Marked   |
|                  | Disoriented           | March 27                 | Moderate |
|                  | Tremors               | March 27                 | Slight   |
|                  | Perianal stain, brown | March 27                 | Slight   |
|                  | Mouth stain, brown    | March 27                 | Slight   |
|                  | Dep. grasping reflex  | March 27-28              | Slight   |
|                  | Hypertonia            | March 27                 | Slight   |
| 84C00336         | Inactive              | March 29-30              | Slight   |
|                  | Disoriented           | March 27                 | Slight   |
|                  | Dep. grasping reflex  | March 29                 | Slight   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 891 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs         | Dates Observed (1984) | Severity |
|---------------|------------------------|-----------------------|----------|
| 84C00275      | Death                  | March 27              | 2.2 hr   |
| 84C00279      | Death                  | March 27              | 2.2 hr   |
| 84C00281      | Death                  | March 28              | 2.4 hr   |
| 84C00283      | Irritable              | March 27              | Slight   |
|               | Disoriented            | March 27              | Slight   |
|               | Inactive               | March 30              | Slight   |
| 84C00287      | Hunched posture        | March 27              | Marked   |
|               | Disoriented            | March 27              | Slight   |
|               | Inactive               | March 27              | Slight   |
|               | Twitching              | March 27              | Slight   |
| 84C00291      | Inactive               | March 28              | Moderate |
|               |                        | April 3               | Slight   |
|               | Twitching              | March 28              | Slight   |
|               | Dep. grasping reflex   | March 28              | Moderate |
|               | Inc. resp. rate        | March 28              | Slight   |
| 84C00295      | Death                  | March 27              | 2.2 hr   |
| 84C00297      | Inactive               | March 27              | Moderate |
|               | Inc. resp. depth       | March 27              | Slight   |
|               | Twitching              | March 27              | Marked   |
|               | Tremors                | March 27              | Moderate |
|               | Disoriented            | March 27              | Marked   |
|               | Perianal stain, yellow | March 27              | Slight   |
|               | Mouth stain, yellow    | March 27              | Moderate |
|               | Dep. grasping reflex   | March 27              | Moderate |
|               | Dep. righting reflex   | March 27              | Moderate |
| 84C00300      | Misdose                |                       |          |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 891 mg/kg Guanidine Nitrate (cont.)

| Animal Number | Clinical Signs       | Dates Observed (1984) | Severity |
|---------------|----------------------|-----------------------|----------|
| 84C00303      | Inactive             | March 28              | Moderate |
|               | Perianal feces       | March 28              | Slight   |
|               | Hunched posture      | March 28              | Slight   |
|               | Irritable            | March 28              | Moderate |
|               |                      | March 30              | Slight   |
|               | Disoriented          | March 28              | Slight   |
| 84C00304      | Inactive             | March 27              | Moderate |
|               | Inc. resp. depth     | March 27              | Moderate |
|               | Disoriented          | March 27              | Moderate |
|               | Dep. grasping reflex | March 27              | Marked   |
|               | Dep. righting reflex | March 27              | Slight   |
|               | Tremors              | March 27              | Marked   |
|               | Twitching            | March 27              | Marked   |
|               | Retching movement    | March 27              | Slight   |
|               | Prostrate            | March 27              | N/A      |
|               | Death                | March 27              | 5.2 hr   |
| 84C00306      | Misdose              |                       |          |
| 84C00307      | Death                | March 28              | 2.2 hr   |
| 84C00313      | Death                | March 27              | 3.3 hr   |
| 84C00325      | Death                | March 27              | 2.1 hr   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 1121 mg/kg Guanidine Nitrate

| Animal   | Clinical Signs         | Dates (1984) | Severity |
|----------|------------------------|--------------|----------|
| 84C00270 | Hunched posture        | March 27     | Marked   |
|          | Disoriented            | March 27     | Marked   |
|          | Inc. resp. depth       | March 27     | Moderate |
|          | Jumping                | March 27     | Moderate |
|          | Death                  | March 27     | 4.2 hr   |
| 84C00278 | Hunched posture        | March 27     | Marked   |
|          | Inactive               | March 27     | Moderate |
|          | Rough coat             | March 27     | Slight   |
|          | Disoriented            | March 27     | Moderate |
|          | Diarrhea               | March 27     | Slight   |
|          | Perianal stain, yellow | March 27     | Slight   |
|          | Dep. grasping reflex   | March 27     | Moderate |
|          | Hyperactive            | March 27     | Slight   |
| 84C00285 | Irritable              | April 3      | Slight   |
|          | Disoriented            | March 27     | Moderate |
|          | Hunched posture        | March 27     | Moderate |
|          | Inactive               | March 27     | Moderate |
|          | Dep. grasping reflex   | March 27     | Marked   |
| 84C00289 | Irritable              | March 29-31  | Slight   |
|          | Disoriented            | March 27-28  | Slight   |
|          | Hypertonia             | March 27     | Moderate |
|          | Irritable              | March 27-28  | Moderate |
|          |                        | April 3-9    | Slight   |
|          | Inactive               | March 27-28  | Slight   |
|          | Hunched posture        | March 27-28  | Slight   |
| 84C00292 | Death                  | March 27     | 1.9 hr   |
| 84C00309 | Death                  | March 27     | 1.8 hr   |
| 84C00310 | Death                  | March 28     | 2.2 hr   |
| 84C00311 | Death                  | March 28     | 2.2 hr   |
| 84C00315 | Death                  | March 27     | 1.8 hr   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 1121 mg/kg Guanidine Nitrate (cont.)

| Animal Number | Clinical Signs       | Dates Observed (1984) | Severity |
|---------------|----------------------|-----------------------|----------|
| 84C00319      | Disoriented          | March 27              | Marked   |
|               | Dep. grasping reflex | March 27              | Moderate |
|               | Tremors              | March 27              | Moderate |
|               | Inc. resp. rate      | March 27              | Slight   |
|               | Hypertonica          | March 27              | Slight   |
|               | Hunched posture      | March 27              | Slight   |
| 84C00323      | Death                | March 28              | 2.1 hr   |
| 84C00326      | Death                | March 27              | 3 hr     |
| 84C00332      | Inactive             | March 28              | Marked   |
|               | Hunched posture      | March 28              | Moderate |
|               | Disoriented          | March 28              | Moderate |
|               | Gasping              | March 28              | Slight   |
|               | Tachypnea            | March 28              | Moderate |
| 84C00335      | Hunched posture      | March 27              | Marked   |
|               | Rough coat           | March 27              | Moderate |
|               | Tremors              | March 27              | Marked   |
|               | Disoriented          | March 27              | Moderate |
|               | Inc. startle reflex  | March 27              | Slight   |
|               | Irritable            | March 27-28           | Marked   |
|               |                      | March 31              | Slight   |
|               |                      | April 2-7             | Moderate |
|               | Hyperactive          | March 27-28           | Marked   |
|               | Inactive             | March 31              | Slight   |
|               |                      | April 5-6             | Slight   |
| 84C00338      | Death                | March 28              | 2.1 hr   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 1410 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs       | Dates Observed (1984) | Severity |
|---------------|----------------------|-----------------------|----------|
| 84C00272      | Death                | March 28              | 2.1 hr   |
| 84C00277      | Death                | March 28              | 2.2 hr   |
| 84C00286      | Death                | March 28              | 1.9 hr   |
| 84C00288      | Inactive             | March 30              | Slight   |
| 84C00294      | Hunched posture      | March 28              | Slight   |
|               | Irritable            | March 28              | Slight   |
|               | Inactive             | March 28              | Moderate |
|               | Dep. grasping reflex | March 28              | Moderate |
| 84C00302      | Death                | March 28              | 2 hr     |
| 84C00308      | Hunched posture      | March 28              | Moderate |
|               | Inactive             | March 28              | Moderate |
|               | Inc. resp. rate      | March 28              | Moderate |
|               | Irritable            | March 28              | Slight   |
| 84C00314      | Jumping              | March 28              | Marked   |
|               | Twitching            | March 28              | Marked   |
|               | Inactive             | March 28              | Marked   |
|               | Inc. resp. rate      | March 28              | Moderate |
|               | Dep. grasping reflex | March 28              | Marked   |
|               | Death                | March 28              | 3.4 hr   |
| 84C00337      | Irritable            | March 28              | Slight   |
|               | Disoriented          | March 28              | Moderate |
|               | Hunched posture      | March 28              | Slight   |
|               | Dep. grasping reflex | March 28              | Slight   |
|               | Inactive             | March 29              | Slight   |
| 84C00339      | Death                | March 28              | 2.1 hr   |

## Appendix E (cont.): INDIVIDUAL ANIMAL HISTORIES

FEMALES: 1780 mg/kg Guanidine Nitrate

| Animal Number | Clinical Signs       | Dates Observed (1984) | Severity |
|---------------|----------------------|-----------------------|----------|
| 84C00271      | Death                | April 3               | 1.7 hr   |
| 84C00274      | Death                | April 3               | 0.7 hr   |
| 84C00321      | Death                | April 3               | 0.8 hr   |
| 84C00340      | Diarrhea, green      | April 3               | Slight   |
|               | Inc. resp. rate      | April 3               | Slight   |
|               | Disoriented          | April 3               | Slight   |
|               | Hunched posture      | April 3               | Moderate |
|               | Twitching            | April 3               | Slight   |
|               | Hypertonia           | April 3               | Slight   |
|               | Irritable            | April 11              | Slight   |
| 84C00343      | Dep. grasping reflex | April 3               | Moderate |
|               |                      | April 4               | Slight   |
|               | Hunched posture      | April 3               | Slight   |
|               | Disoriented          | April 3               | Moderate |
|               | Hypertonia           | April 3               | Moderate |
|               | Irritable            | April 3-4             | Slight   |
| 84C00344      | Death                | April 3               | 0.7 hr   |
| 84C00345      | Death                | April 3               | 0.6 hr   |

**Appendix F: INDIVIDUAL BODY WEIGHTS****MALES: Vehicle Controls**

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|-------|-----------------------|-------------------|
| 84C00206          | 28†     | 34     | 35    | 36                    | +2                |
| 84C00208          | 27      | 35     | 37    | 37                    | +2                |
| 84C00213          | 30      | 34     | 37    | 37                    | +3                |
| 84C00214          | 28      | 36     | 36    | 37                    | +1                |
| 84C00230          | 28      | 32     | 33    | 35                    | +3                |
| .....             |         |        |       |                       |                   |
| Mean              | 28.2    | 34.2   | 35.6  | 36.4                  |                   |
| Standard<br>Error | 0.5     | 0.7    | 0.7   | 0.4                   |                   |

\*Dosing to termination (after a 3-hr fast).

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

MALES: 708 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|-------|-----------------------|-------------------|
| 84C00198          | 30†     | 33     | 45    | 37                    | +4                |
| 84C00199          | 29      | 34     | 45    | 36                    | +2                |
| 84C00200          | 30      | 33     | 44    | 34                    | +1                |
| 84C00201          | 25      | 34     | 44    | 36                    | +2                |
| 84C00211          | 28      | 32     | 42    | 34                    | +2                |
| 84C00227          | 26      | 30     | 32    | 33                    | +3                |
| 84C00239          | 28      | 33     | 34    | 35                    | +2                |
| 84C00247          | 29      | 38     | 38    | 37                    | -1                |
| 84C00256          | 29      | 33     | 34    | 35                    | +2                |
| 84C00260          | 27      | 35     | 36    | 36                    | +1                |
| .....             |         |        |       |                       |                   |
| Mean              | 28.1    | 33.5   | 39.4  | 35.3                  |                   |
| Standard<br>Error | 0.5     | 0.7    | 1.6   | 0.4                   |                   |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

MALES: 891 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|-------|-----------------------|-------------------|
| 84C00212          | 27†     | 35     | Dead  |                       |                   |
| 84C00222          | 28      | 34     | 35    | 36                    | +2                |
| 84C00223          | 28      | 33     | Dead  |                       |                   |
| 84C00228          | 30      | 36     | 37    | 37                    | +1                |
| 84C00242          | 29      | 38     | 39    | 40                    | +2                |
| 84C00246          | 27      | 34     | 35    | 36                    | +2                |
| 84C00253          | 26      | 35     | 35    | 33                    | -2                |
| 84C00258          | 30      | 37     | NR>   | 38                    | +1                |
| 84C00260          | 27      | 32     | Dead  |                       |                   |
| 84C00264          | 28      | 33     | 43    | 34                    | +1                |
| .....             |         |        |       |                       |                   |
| Mean              | 28.0    | 34.7   | 37.3  | 36.3                  |                   |
| Standard<br>Error | 0.4     | 0.6    | 1.3   | 0.9                   |                   |

\*Dosing to determination.  
†Weight is given in grams.  
>NR = Not Recorded.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

MALES: 1121 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight<br>Change |
|-------------------|---------|--------|-------|-----------------------|------------------|
| 84C00204          | 26†     | 32     | Dead  |                       |                  |
| 84C00217          | 27      | 32     | Dead  |                       |                  |
| 84C00219          | 28      | 39     | 39    | 39                    | +0               |
| 84C00236          | 29      | 36     | Dead  |                       |                  |
| 84C00238          | 23      | 35     | 36    | 37                    | +2               |
| 84C00244          | 26      | 34     | 35    | 35                    | +1               |
| 84C00249          | 27      | 38     | Dead  |                       |                  |
| 84C00257          | 28      | 31     | Dead  |                       |                  |
| 84C00261          | 26      | 34     | 44    | 36                    | +2               |
| 84C00265          | 26      | 34     | 46    | 37                    | +2               |
| .....             |         |        |       |                       |                  |
| Mean              | 26.6    | 34.5   | 40.0  | 36.8                  |                  |
| Standard<br>Error | 0.5     | 0.8    | 2.2   | 0.7                   |                  |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

MALES: 1410 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|-------|-----------------------|-------------------|
| 84C00202          | 26†     | 34     | Dead  |                       |                   |
| 84C00210          | 31      | 35     | Dead  |                       |                   |
| 84C00215          | 30      | 30     | Dead  |                       |                   |
| 84C00216          | 29      | 36     | Dead  |                       |                   |
| 84C00225          | 29      | 34     | 35    | 37                    | +3                |
| 84C00232          | 27      | 33     | Dead  |                       |                   |
| 84C00240          | 26      | 35     | Dead  |                       |                   |
| 84C00255          | 26      | 33     | Dead  |                       |                   |
| 84C00266          | 27      | 37     | Dead  |                       |                   |
| 84C00268          | 29      | 33     | Dead  |                       |                   |
| .....             |         |        |       |                       |                   |
| Mean              | 28.0    | 34.0   | 35.0  | 37.0                  |                   |
| Standard<br>Error | 0.6     | 0.6    |       |                       |                   |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

NALEP: 1750 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight<br>Change |
|-------------------|---------|--------|-------|-----------------------|------------------|
| 84C00205          | 24*     | 35     | Dead  |                       |                  |
| 84C00207          | 27      | 34     | Dead  |                       |                  |
| 84C00209          | 26      | 35     | Dead  |                       |                  |
| 84C00226          | 30      | 35     | Dead  |                       |                  |
| 84C00233          | 29      | 32     | Dead  |                       |                  |
| 84C00243          | 28      | 32     | Dead  |                       |                  |
| 84C00245          | 26      | 35     | Dead  |                       |                  |
| 84C00251          | 26      | 32     | 33    | 35                    | +3               |
| 84C00252          | 30      | 33     | Dead  |                       |                  |
| 84C00259          | 30      | 33     | Dead  |                       |                  |
| .....             |         |        |       |                       |                  |
| Mean              | 27.6    | 32.7   | 33.0  | 35.0                  |                  |
| Standard<br>Error | 0.7     | 0.6    |       |                       |                  |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

## FEMALES: Vehicle Controls

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|-------|-----------------------|-------------------|
| FEMALE            |         |        |       |                       |                   |
| 84C00276          | 26†     | 31     | 41    | 31                    | 0                 |
| 84C00318          | 25      | 29     | 28    | 30                    | +1                |
| 84C00328          | 26      | 27     | 27    | 26                    | -1                |
| 84C00329          | 26      | 26     | 28    | 28                    | +2                |
| 84C00330          | 25      | 29     | 29    | 29                    | 0                 |
| .....             |         |        |       |                       |                   |
| Mean              | 25.6    | 28.4   | 30.6  | 28.8                  |                   |
| Standard<br>Error | 0.2     | 0.9    | 2.6   | 0.9                   |                   |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

FEMALES: 708 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight *<br>Change |
|-------------------|---------|--------|-------|-----------------------|--------------------|
| 84C00273          | 27†     | 32     | Dead  |                       |                    |
| 84C00284          | 27      | 28     | 39    | 28                    | +0                 |
| 84C00293          | 27      | 29     | 44    | 32                    | +2                 |
| 84C00296          | 28      | 25     | Dead  |                       |                    |
| 84C00299          | 26      | 28     | 28    | 29                    | +1                 |
| 84C00301          | 28      | 30     | 30    | 31                    | +1                 |
| 84C00305          | 27      | 27     | 27    | 30                    | +3                 |
| 84C00324          | 25      | 28     | 30    | 29                    | +1                 |
| 84C00327          | 24      | 27     | 31    | 31                    | +4                 |
| 84C00336          | 27      | 30     | 31    | 29                    | -1                 |
| .....             |         |        |       |                       |                    |
| Mean              | 26.6    | 28.4   | 32.5  | 29.9                  |                    |
| Standard<br>Error | 0.4     | 0.6    | 2.1   | 0.5                   |                    |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

FEMALES: 891 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7   | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|---------|-----------------------|-------------------|
| 84C00275          | 27†     | 28     | Dead    |                       |                   |
| 84C00279          | 27      | 27     | Dead    |                       |                   |
| 84C00281          | 26      | 25     | Dead    |                       |                   |
| 84C00283          | 26      | 29     | 39      | 29                    | +0                |
| 84C00287          | 28      | 30     | 42      | 26                    | -4                |
| 84C00291          | 27      | 29     | 30      | 30                    | +1                |
| 84C00295          | 27      | 26     | Dead    |                       |                   |
| 84C00297          | 28      | 28     | 30      | 32                    | +4                |
| 84C00300          | 25      | 27     | Misdose |                       |                   |
| 84C00303          | 25      | 27     | 28      | 24                    | -3                |
| 84C00304          | 26      | 32     | Dead    |                       |                   |
| 84C00306          | 25      | 27     | Misdose |                       |                   |
| 84C00307          | 28      | 29     | Dead    |                       |                   |
| 84C00313          | 27      | 30     | Dead    |                       |                   |
| 84C00325          | 25      | 27     | Dead    |                       |                   |
| .....             |         |        |         |                       |                   |
| Mean              | 26.5    | 28.1   | 33.8    | 28.2                  |                   |
| Standard<br>Error | 0.3     | 0.5    | 2.8     | 1.4                   |                   |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

FEMALES: 1121 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|-------|-----------------------|-------------------|
| 84C00270          | 26†     | 28     | Dead  |                       |                   |
| 84C00278          | 26      | 29     | 39    | 30                    | +1                |
| 84C00285          | 26      | 27     | 37    | 29                    | +2                |
| 84C00289          | 26      | 27     | 37    | 28                    | +1                |
| 84C00292          | 26      | 27     | Dead  |                       |                   |
| 84C00309          | 27      | 28     | Dead  |                       |                   |
| 84C00310          | 26      | 27     | Dead  |                       |                   |
| 84C00311          | 26      | 28     | Dead  |                       |                   |
| 84C00315          | 25      | 26     | Dead  |                       |                   |
| 84C00319          | 26      | 27     | 28    | 28                    | +1                |
| 84C00323          | 27      | 29     | Dead  |                       |                   |
| 84C00326          | 26      | 28     | Dead  |                       |                   |
| 84C00332          | 29      | 31     | 32    | 32                    | +1                |
| 84C00335          | 25      | 26     | 26    | 27                    | +1                |
| 84C00338          | 24      | 28     | Dead  |                       |                   |
| .....             |         |        |       |                       |                   |
| Mean              | 26.1    | 27.7   | 33.2  | 29.0                  |                   |
| Standard<br>Error | 0.3     | 0.3    | 2.2   | 0.7                   |                   |

\*Dosing to termination.

†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

FEMALES: 1410 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight*<br>Change |
|-------------------|---------|--------|-------|-----------------------|-------------------|
| 84C00272          | 30†     | 30     | Dead  |                       |                   |
| 84C00277          | 27      | 28     | Dead  |                       |                   |
| 84C00286          | 28      | 29     | Dead  |                       |                   |
| 84C00288          | 26      | 29     | 29    | 30                    | -1                |
| 84C00294          | 25      | 26     | 26    | 26                    | +0                |
| 84C00307          | 29      | 30     | Dead  |                       |                   |
| 84C00308          | 26      | 29     | 29    | 30                    | +1                |
| 84C00314          | 27      | 26     | Dead  |                       |                   |
| 84C00337          | 25      | 27     | 28    | 29                    | +2                |
| 84C00339          | 29      | 31     | Dead  |                       |                   |
| .....             |         |        |       |                       |                   |
| Mean              | 27.2    | 28.5   | 28.0  | 28.8                  |                   |
| Standard<br>Error | 0.6     | 0.5    | 0.7   | 0.9                   |                   |

\*Dosing to termination.  
†Weight is given in grams.

## Appendix F (cont.): INDIVIDUAL BODY WEIGHTS

FEMALES: 1780 mg/kg

| Animal<br>Number  | Receipt | Dosing | Day 7 | Termination<br>Day 14 | Weight<br>Change |
|-------------------|---------|--------|-------|-----------------------|------------------|
| 84C00271          | 30†     | 29     | Dead  |                       |                  |
| 84C00274          | 30      | 34     | Dead  |                       |                  |
| 84C00321          | 24      | 29     | Dead  |                       |                  |
| 84C00340          | 25      | 30     | 30    | 28                    | -2               |
| 84C00343          | NR>     | 25     | 26    | 25                    | 0                |
| 84C00344          | NR>     | 27     | Dead  |                       |                  |
| 84C00345          | NR>     | 26     | Dead  |                       |                  |
| .....             |         |        |       |                       |                  |
| Mean              | 27.2    | 28.6   | 28.0  | 26.5                  |                  |
| Standard<br>Error | 1.6     | 1.1    | 2.0   | 1.5                   |                  |

†Dosing to termination.

†Weight is given in grams.

&gt;Transferred from a Non-GLP Study, initial quarantine weight not recorded (NR).

**Appendix G: PATHOLOGY REPORT**

**ACUTE ORAL TOXICITY TEST IN MICE OF GUANIDINE NITRATE**

GLP Study 84002

History: This study was designed to determine the acute oral toxicity of guanidine nitrate in male and female mice. ICR mice, average weight 30 grams, were divided into six (6) groups with varying numbers per group (see table). After acclimation and randomization, these animals were dosed by oral gavage as follows:

- Group 1 - 0.2 cc vehicle (methylcellulose/Tween® 80)
- Group 2 - 708.0 mg/kg guanidine nitrate
- Group 3 - 891.0 mg/kg guanidine nitrate
- Group 4 - 1121.0 mg/kg guanidine nitrate
- Group 5 - 1410.0 mg/kg guanidine nitrate
- Group 6 - 1780.0 mg/kg guanidine nitrate

Twenty-six (26) males and thirty-one (31) females died within the first 24 hours after dosing. The remaining mice survived until completion of the 14-day post-treatment period. These animals were killed by intraperitoneal exposure to pentobarbital. All animals were necropsied.

Gross Necropsy Findings:

Males: Twenty-six of the 50 males exposed to guanidine nitrate died within the first 24 hours after dosing. The lungs of ten of these males were congested. A single male in Group 6 (1780.0 mg/kg) also had multiple petechiae in the glandular mucosa of the stomach. The remaining mice had no gross lesions at necropsy.

Females: Thirty-one of the 56 females exposed to guanidine nitrate died within the first 24 hours after dosing. The lungs of nineteen of these females were congested. The remaining mice had no gross lesions at necropsy. One animal in Group 3 had a clear, red, nonclotting thoracic fluid (less than 1 cc).

No tissue was saved for microscopic evaluation.

## Appendix G (cont.): PATHOLOGY REPORT


TABLE 1 - Males

|                                |   |    |    |    |    |    |
|--------------------------------|---|----|----|----|----|----|
| Group Number                   | 1 | 2  | 3  | 4  | 5  | 6  |
| Animals/Group                  | 5 | 10 | 10 | 10 | 10 | 10 |
| Deaths                         | 0 | 0  | 3  | 5  | 9  | 9  |
| % Deaths                       | 0 | 0  | 30 | 50 | 90 | 90 |
| Survivors                      | 5 | 10 | 7  | 5  | 1  | 1  |
| Lesions                        | 0 | 0  | 1  | 3  | 2  | 4  |
| Lung -congestion               |   |    | 1  | 3  | 2  | 4  |
| Stomach -<br>mucosal petechiae |   |    |    |    |    | 1  |

TABLE 2 - Females

|                   |   |    |    |    |    |    |
|-------------------|---|----|----|----|----|----|
| Group Number      | 1 | 2  | 3  | 4  | 5  | 5  |
| Animals/Group     | 5 | 10 | 14 | 15 | 10 | 7  |
| Deaths            | 0 | 2  | 9  | 9  | 6  | 5  |
| % Deaths          | 0 | 20 | 64 | 60 | 60 | 71 |
| Survivors         | 5 | 8  | 5  | 6  | 4  | 2  |
| Lesions           | 0 | 1  | 7  | 6  | 5  | 0  |
| Lung - congestion |   | 1  | 7  | 6  | 5  |    |
| Thoracic fluid    |   |    | 1  |    |    |    |

Summary: The diffusely reddened lungs were believed to be due to vascular congestion -- these animals had been convulsing prior to death. The female that had thoracic fluid may have represented iatrogenic deposition of compound into the thorax via esophageal puncture. The gastric mucosal lesions in one male were considered to have been an incidental, unrelated finding. A dose effect was clearly present and the difference noted between the males and females possibly was due to sexual dimorphism.



LANCE O. LOLLINI, DVM  
LTC, VC

Chief Pathology Services Group

13 August 1984

## Distribution List

Commander

US Army Biomedical Research and  
Development Laboratory (27)  
ATTN: SGRD-UBZ-C  
Fort Detrick, Frederick, MD 21701-5010

Defense Technical Information Center  
(DTIC) (2)  
ATTN: DTIC-DLA  
Cameron Station  
Alexandria, VA 22304-6145

US Army Medical Research and  
Development Command (2)  
ATTN: SGRD-RMI-S  
Fort Detrick, Frederick, MD 21701-5012

Commandant  
Academy of Health Sciences, US Army  
ATTN: AHS-CDM  
Fort Sam Houston, TX 78234

Chief  
USAEHA Regional Division, West  
Fitzsimmons AMC  
Aurora, CO 80045

Chief  
USAEHA Regional Division, North  
Fort George G. Meade, MD 20755

Chief  
USAEHA Regional Division, South  
Bldg. 180  
Fort McPherson, GA 30330

Commander  
USA Health Services Command  
ATTN: HSPA-P  
Fort Sam Houston, TX 78234

Commandant

Academy of Health Sciences  
United States Army  
ATTN: Chief, Environmental  
Quality Branch  
Preventive Medicine Division  
(HSHA-IPM)  
Fort Sam Houston, TX 78234

Commander US Army Materiel  
Command  
ATTN: AMSCG  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Commander  
US Army Environmental Hygiene  
Agency  
ATTN: Librarian, HSDH-AD-L  
Aberdeen Proving Ground, MD 21010

Dean  
School of Medicine  
Uniformed Services University of the  
Health Sciences  
4301 Jones Bridge Road  
Bethesda, MD 20014

Commander  
US Army Materiel Command  
ATTN: AMCEN-A  
5001 Eisenhower Avenue  
Alexandria, VA 22333

HQDA  
ATTN: DASG-PSP E  
Falls Church, VA 22041-3258

HQDA  
ATTN: DAEN-RDM  
20 Massachusetts, NW  
Washington, D.C. 20314

END  
DATE  
FILMED  
DTIC  
10-88