

AD-A198 595 REPORT DOCUMENTATION PAGE

4a. SECURITY CLASSIFICATION AND

2b. DECLASSIFICATION/DOWNGRADING

4. PERFORMING ORGANIZATION

54

6a. NAME OF PERFORMING ORGANIZATION

University of Arizona

6c. ADDRESS (City, State, and ZIP Code)

Department of Chemistry
Tucson, Arizona 85721

8a. NAME OF FUNDING/SPONSORING ORGANIZATION

Office of Naval Research

8b. OFFICE SYMBOL (if applicable)

1b. RESTRICTIVE MARKINGS

3. DISTRIBUTION/AVAILABILITY OF REPORT

Approved for public release;
distribution unlimited

5. MONITORING ORGANIZATION REPORT NUMBER(S)

7a. NAME OF MONITORING ORGANIZATION

Office of Naval Research

7b. ADDRESS (City, State, and ZIP Code)

Arlington, Virginia 22217

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

N00014-86-K-0316

8c. ADDRESS (City, State, and ZIP Code)

10. SOURCE OF FUNDING NUMBERS

PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.

11. TITLE (Include Security Classification)

"The Effect of Torch Pressure on Analyte Response in a 27 MHz Inductively Coupled Plasma"

12. PERSONAL AUTHOR(S)

Thomas R. Smith and M. Bonner Denton

13a. TYPE OF REPORT

Technical

13b. TIME COVERED

FROM 5/15/86 TO 4/30/89

14. DATE OF REPORT (Year, Month, Day)

February 4, 1988

15. PAGE COUNT

16. SUPPLEMENTARY NOTATION

Prepared for presentation at the Pittsburgh Conference, New Orleans, Louisiana, February 23, 1988

17. COSATI CODES

FIELD	GROUP	SUB-GROUP

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

Inductively coupled plasma, atomic emission spectroscopy, torch pressure, (magn) E

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

Recent studies employing an inductively coupled argon plasma system equipped with a torch capable of operating at pressures between 100 torr and 3000 torr will be described. Results from these studies indicate two major areas of research where non-atmospheric pressure torch conditions can be utilized.

The first of these areas is the elucidation of excitation and energy transfer mechanisms within the plasma. The effect of pressure on energy transfer mechanisms, electron densities and other excitation phenomenon will be discussed and evaluated in light of recent plasma models. Data demonstrating shifts in the relative concentrations of excited state and ground state species will be presented along with spacial mapping of excitation temperatures and ion-to-atom ratios within the plasma. Additional data to be presented will include relative emission intensities for atomic and ionic emissions originating from high and low energy transitions. Such data is important in predicting plasma deviation from local thermal equilibrium conditions. Results of studies indicating a shift of plasma conditions toward local thermal equilibrium with increasing pressure and the implications for theoretical (over)

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

UNCLASSIFIED/UNLIMITED SAME AS RPT. DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION

UNCLASSIFIED

22a. NAME OF RESPONSIBLE INDIVIDUAL

M. Bonner Denton

22b. TELEPHONE (Include Area Code)

(602) 621-6352

22c. OFFICE SYMBOL

19. Abstract (continued)

continued
→ modeling of this trend will also be discussed.

In addition to improving our theoretical understanding of inductively coupled plasmas, non-atmospheric torch conditions may be utilized to improve the analytical performance of argon inductively coupled plasma atomic emission spectroscopy. Results from these studies will be presented showing the effect of torch pressure on the spacial distribution and relative intensities of atomic and ionic emissions for different analyte species introduced into the plasma. Since the size and shape of the plasma changes with torch pressure, these data are critical for selecting the proper viewing region in the plasma and choosing an appropriate emission line for analytical use. Sensitivity measurements, signal-to-noise ratios, and signal-to-background ratios will also be presented and considered in the evaluation of non-atmospheric operating conditions for analytical analysis. In summary, the practical implications of these studies on routine analysis, including the ability to obtain improved analytical performance, will be discussed.

Keystone

△

OFFICE OF NAVAL RESEARCH
Contract N00014-86-K-0316
R&T Code 4131012---03
Technical Report No. 54

The Effect of Torch Pressure on Analyte Response in a
27 MHz Inductively Coupled Plasma

by

T.R. Smith and M.B. Denton

Prepared for Presentation at the
Pittsburgh Conference
New Orleans, Louisiana
February 23, 1988

Department of Chemistry
University of Arizona
Tucson, Arizona 85721

February 4, 1988

Approved For	
DTIC GRA&I	<input checked="" type="checkbox"/>
DMIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
by <i>per RM</i>	
Date	
Initials and/or	
Signature	
<i>A-1</i>	

Reproduction in whole or in part is permitted for
any purpose of the United States Government.

This document has been approved for public release
and sale; its distribution is unlimited.

88 4 25 074

THE EFFECT OF TORCH PRESSURE ON ANALYTE RESPONSE
IN A 27 MHZ INDUCTIVELY COUPLED PLASMA

Thomas R. Smith and M. Bonner Denton

Department of Chemistry
University of Arizona
Tucson, AZ 85721

Index Headings: Inductively coupled plasma, atomic emission spectroscopy,
torch pressure

ABSTRACT

Recent studies employing an inductively coupled argon plasma system equipped with a torch capable of operating at pressures between 100 torr and 3000 torr will be described. Results from these studies indicate two major areas of research where non-atmospheric pressure torch conditions can be utilized.

The first of these areas is the elucidation of excitation and energy transfer mechanisms within the plasma. The effect of pressure on energy transfer mechanisms, electron densities and other excitation phenomenon will be discussed and evaluated in light of recent plasma models. Data demonstrating shifts in the relative concentrations of excited state and ground state species will be presented along with spacial mapping of excitation temperatures and ion-to-atom ratios within the plasma. Additional data to be presented will include relative emission intensities for atomic and ionic emissions originating from high and low energy transitions. Such data is important in predicting plasma deviation from local thermal equilibrium conditions. Results of studies indicating a shift of plasma conditions toward local thermal equilibrium with increasing pressure and the implications for theoretical modeling of this trend will also be discussed.

In addition to improving our theoretical understanding of inductively coupled plasmas, non-atmospheric torch conditions may be utilized to improve the analytical performance of argon inductively coupled plasma atomic emission spectroscopy. Results from these studies will be presented showing the effect of torch pressure on the spacial distribution and relative intensities of atomic and ionic emissions for different analyte species introduced into the plasma. Since the size and shape of the plasma changes with torch pressure, these data are critical for selecting the proper viewing region in the plasma and choosing an appropriate emission line for analytical use. Sensitivity measurements, signal-to-noise ratios, and signal-to-background ratios will also be presented and considered in the evaluation of non-atmospheric operating conditions for analytical analysis. In summary, the practical implications of these studies on routine analysis, including the ability to obtain improved analytical performance, will be discussed.

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1

ENVD

DATE

FILMED

DTIC

10-88