

AD-A200 298

2

DTIC FILE COPY

OFFICE OF NAVAL RESEARCH

Contract N00014-83-K-0470-P00003

R&T Code NR 33359-718

Technical Report No. 86

Electrochemistry of Ferrocene in Acetonitrile. Evidence for
Irreversible Kinetic Behavior Due to Passive Film Formation

by

M. Josowicz, J. Janata, K. Ashley, and S. Pons

Prepared for publication in Anal. Chem.

Department of Chemistry
University of Utah
Salt Lake City, UT 84112

July 15, 1988

DTIC
ELECTE
NOV 14 1988
S D
CH

Reproduction in whole, or in part, is permitted for
any purpose of the United States Government

* This document has been approved for public release and sale;

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

88 11 10 058

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release and sale. Distribution unlimited.		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) ONR Technical Report No. 86			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION University of Utah		6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and ZIP Code) Department of Chemistry Henry Eyring Building Salt Lake City, UT 84112			7b. ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION Office of Naval Research		8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-83-K-0470-P00003		
8c. ADDRESS (City, State, and ZIP Code) Chemistry Program, Code 1113 800 N. Quincy Street Arlington, VA 22217			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.
11. TITLE (Include Security Classification) Electrochemistry of Ferrocene in Acetonitrile. Evidence for Irreversible Kinetic Behavior Due to Passive Film Formation					
12. PERSONAL AUTHOR(S) M. Josowicz, J. Janata, K. Ashley, and S. Pons					
13a. TYPE OF REPORT Technical		13b. TIME COVERED FROM 9/87 TO 7/88		14. DATE OF REPORT (Year, Month, Day) July 15, 1988	
15. PAGE COUNT 24					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Ferrocene, Microelectrodes		
FIELD	GROUP	SUB-GROUP			
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Attached.					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL Stanley Pons			22b. TELEPHONE (Include Area Code) (801)581-4760		22c. OFFICE SYMBOL

ELECTROCHEMISTRY OF FERROCENE IN ACETONITRILE EVIDENCE FOR IRREVERSIBLE KINETIC BEHAVIOR DUE TO PASSIVE FILM FORMATION

JOHN DASCHBACH, DANIEL BLACKWOOD, JOSEPH W. PONS, and STANLEY PONS *

Department of Chemistry, University of Utah, Salt Lake City, UT 84112 (U.S.A.)

Montenegro and Pletcher [1] have recently pointed out that measurement of the heterogeneous electron transfer rate constant of the ferrocene/ferrocenium couple at ultramicroelectrodes in acetonitrile solutions gives values that are several orders of magnitude larger than those measured at conventional electrodes. In addition, Bond et al. [2] have pointed out that there is ambiguity in the interpretation of the electrochemical behavior of this couple in organic solvents. This couple has been the subject of a large literature due to its apparent very fast rate constant in some solvents; unfortunately a wide range of values have been reported [1-10]. Bond tabulates values in aprotic solvents from 1.9×10^{-3} to 1.1 cm s^{-2} from those references; indeed, there are large discrepancies between the results from different workers on similar electrolyte/solvent systems which serves to show the difficulty in making reliable measurements on this supposedly ideal electrochemical system. The situation is further confused since it has been proposed as a potential standard couple for non-aqueous electrochemical calibration [11-16]. In his work on similar measurements on ferrocene/ferrocenium in acetonitrile at an ultramicroelectrode, Bond has discussed in detail several possible reasons for these discrepancies; they include:

- (1) Instrumental artifacts related to ohmic loss problems.
- (2) Double layer effects.
- (3) Breakdown of conventional transport theory at ultramicroelectrodes.
- (4) Weak reactant adsorption.

There is, however, little real evidence to support these possibilities.

We report here the results of simple polarization and spectroscopic experiments that indicate that the electrode is rapidly covered with a passivating layer of insoluble ferrocene complex, salt, or polymeric layer, and that the heterogeneous transfer process is therefore poorly defined in these experimental conditions.

* To whom correspondence should be addressed.

To a first approximation, depending on electrode preparation and for only a low number of subsequent voltammetric sweeps, the voltammetry appears to be at best a textbook case of a quasi-reversible system as suggested by the work of Kadish et al. [3]. Cyclic voltammetry at a conventional platinum electrode for a typical ferrocene system is shown in Fig. 1. The first voltammogram is at an electrode that has been cleaned in nitric + sulfuric acid, rinsed, and dried in an oven before use. The voltammogram shows a peak separation much greater than the 59 mV expected for a simple reversible one electron transfer reaction. (The voltammetry of an identical solution containing tetracyanoquinodimethane as the substrate under identical conditions indeed exhibits classical reversible one electron behavior; we have found little electrochemical or spectroelectrochemical evidence that this should not be so for that system.) Without removing the electrode from the solution, the electrode is now allowed to relax for a few minutes to allow the concentration profiles to relax to constant values. The voltammetry is then repeated, and there is a degradation in the magnitude of the anodic peak current and a positive shift in the peak potential, while the cathodic peak current falls and shifts to more negative potentials by several hundred in V (Fig. 1a). A well defined "isosbestic" point is indicated at +30 mV. After many scans (always resting to allow the current to fall to zero at the negative limit) the voltammetry relaxes to that in Fig. 1b. It is clear that the electron transfer is now ohmically controlled (above +0.1 V), and the voltammetry below +0.1 V takes on the characteristic properties of polymer film polarization electrochemistry (ca. polypyrrole film chemistry); we note the capacitive behavior of the film at negative potentials.

The electrode during the course of the experiment takes on an increasingly darker green appearance. This film is quite adherent, and may be discharged cathodically at potentials more negative than about -2.4 V, with subsequent regeneration of the voltammetry observed in the first sweep described above.

The conclusions are corroborated by measurements at an ultramicroelectrode. At a 1.0 μm diameter ultramicroelectrode in a dilute (0.1 mM) ferrocene solution (Fig. 2a), the oxidation wave is characteristic of a very fast electron transfer reaction ($> 2 \text{ cm s}^{-1}$). The mass transport of ferrocene to the surface and ferrocenium from the surface is extremely fast. At a larger (25 μm diameter) platinum ultramicroelectrode, the behavior is similar, except for the capacitive behavior which is responsible in the hysteresis on the negative sweep (Fig. 2b). At 10 times the concentration at the larger electrode, the behavior is similar, with increased capacitive contribution (Fig. 2c). At 10.0 mM ferrocene concentration, the ferrocene in reacting with another solution species, has produced enough insoluble material that it competes with the diffusing ferrocene for sites at the electrode surface; the surface is almost fully covered and passivated. The new species is nucleating the surface and the film growth process is inhibited by the rapid mass transport of ferrocenium from the surface (Fig. 2d). A characteristic feature of this behavior is that the limiting current is not a linear function of the concentration, but becomes proportionately similar as the concentration is increased. At still higher concentrations (Fig. 2e), the film growth has overcome the mass transport interference, and a passivating film covers



For	
1	☒
2	☐
3	☐
Distribution/	
Availability Codes	
Dist	Special
A-1	




Fig. 1. (a) Cyclic voltammetry for a 10.0 mM solution of ferrocene and 0.1 M tetrabutylammonium tetrafluoroborate in acetonitrile at a platinum wire electrode, 0.01 cm^2 area. Potential scan rate was 50 mV/s. Outermost voltammogram was first scan; each successive scan was made 2 min after the preceding and is progressively smaller in magnitude. All potentials are with respect to an Ag/Ag^+ (0.01 M silver nitrate in the same electrolyte). (b) Same as above, 20th scan.

the electrode. The oxidation potential shifts dramatically in the positive direction, and the charge transfer to ferrocene occurs only at potentials high enough to cause forced migration through the film, coupled with slow diffusion through the film. We point out that these results were made under different conditions from those of the




Fig. 2. (a) Voltammetry for the same solution as in Fig. 1a, except at a $1.0\ \mu\text{m}$ diameter platinum disk ultramicroelectrode, and $0.1\ \text{mM}$ ferrocene. (b) Same as Fig. 2a except at a $25\ \mu\text{m}$ diameter platinum disk ultramicroelectrode. (c) Same as Fig. 2b except in $1.0\ \text{mM}$ ferrocene. (d) Same as Fig. 2b except in $10.0\ \text{mM}$ ferrocene. (e) Same as Fig. 2b except in $50.0\ \text{mM}$ ferrocene.

Fleischmann group [17] and Murray group [18] since they were working in solvents of very high resistivity and low dielectric permittivity. The nature of the structure of the film, and the reasons for spontaneous optical emission from this film which we have also observed, is being investigated by surface infrared and optical emission spectroscopies. Preliminary infrared spectroelectrochemical results indicate that under these conditions, the film may be a precipitated ferrocenium salt.

We conclude that the electrochemistry of ferrocene in common acetonitrile electrolyte is far from ideal, and that the electrode preparation purity of components, and method of measurements of kinetic parameters should be carefully considered.

ACKNOWLEDGEMENT

We thank the Office of Naval Research for support of this work.

REFERENCES

- 1 M.I. Montenegro and D. Pletcher, *J. Electroanal. Chem.*, 200 (1986) 371.
- 2 A.M. Bond, T.L.E. Henderson, T.F. Mann, W. Thormann and C.G. Zoski, *J. Electroanal. Chem.*, submitted and personal communication. 1987.
- 3 K.M. Kadish, J.Q. Ding, and T. Malinski, *Anal. Chem.*, 56 (1984) 1741.
- 4 J.W. Diggle and A.J. Parker, *Electrochim. Acta*, 18 (1973) 975.
- 5 P. Cassoux, R. Cartiguepuyron, P.-L. Fabre and D. De Montauzon, *Electrochim. Acta*, 30 (1985) 1435.

- 6 M. Sharp, M. Petersson and K.J. Edstrom, *J. Electroanal. Chem.*, 109 (1980) 271.
- 7 N.R. Armstrong, R.K. Quinn and N.E. Vanderburgh, *J. Electroanal. Chem.*, 123 (1976) 646.
- 8 N. Ito, T. Saji and S. Aoyagi, *J. Organomet. Chem.*, 247 (1983) 301.
- 9 A.M. Bond, T.L.E. Henderson and W.J. Thormann, *J. Phys. Chem.* 90 (1986) 2911.
- 10 M. Sharp, *Electrochim. Acta*, 28 (1983) 301.
- 11 T. Zhu, C.A. Su, B.K. Lemke, L.J. Wilson and K.M. Kadish, *Inorg. Chem.* 22 (1983) 2527.
- 12 D.T. Sawyer and J.L. Roberts, Jr., *Experimental Electrochemistry for Chemists*, Wiley, New York, 1974.
- 13 K.M. Kadish and C.H. Su, *J. Am. Chem. Soc.*, 105 (1983) 177.
- 14 M. Sharp, M. Petersson and K. Edstrom, *J. Electroanal. Chem.*, 109 (1980) 271.
- 15 G. Gritzner and J. Kuta, *J. Pure Appl. Chem.*, 54 (1982) 1527; 56 (1984) 461 and references cited therein.
- 16 R.R. Gagne, C.A. Koval and G.C. Lisensky, *Inorg. Chem.*, 19 (1980) 2854 and references cited therein.
- 17 M.J. Pena, M. Fleischmann and N. Garrard, *J. Electroanal. Chem.*, 220 (1987) 31.
- 18 L. Geng, A.G. Ewing, J.C. Jerigan and R.W. Murray, *Anal. Chem.*, 58 (1986) 852.

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 92132	1

ABSTRACTS DISTRIBUTION LIST, SDIO/IST

Dr. Robert A. Osteryoung
Department of Chemistry
State University of New York
Buffalo, NY 14214

Dr. Douglas N. Bennion
Department of Chemical Engineering
Brigham Young University
Provo, UT 84602

Dr. Stanley Pons
~~Department of Chemistry~~
~~University of Utah~~
~~Salt Lake City, UT 84112~~

Dr. H. V. Venkatesetty
Honeywell, Inc.
10701 Lyndale Avenue South
Bloomington, MN 55420

Dr. J. Foos
EIC Labs Inc.
111 Downey St.
Norwood, MA 02062

Dr. Neill Weber
Ceramatec, Inc.
163 West 1700 South
Salt Lake City, UT 84115

Dr. Subhash C. Narang
SRI International
333 Ravenswood Ave.
Menlo Park, CA 94025

Dr. J. Paul Pemsler
Castle Technology Corporation
52 Dragon Ct.
Woburn, MA 01801

Dr. R. David Rauh
EIC Laboratory Inc.
111 Downey Street
Norwood, MA 02062

Dr. Joseph S. Foos
EIC Laboratories, Inc.
111 Downey Street
Norwood, Massachusetts 02062

Dr. Donald M. Schleich
Department of Chemistry
Polytechnic Institute of New York
333 Jay Street
Brooklyn, New York 01

Dr. Stan Szpak
Code 633
Naval Ocean Systems Center
San Diego, CA 92152-5000

Dr. George Blomgren
Battery Products Division
Union Carbide Corporation
25225 Detroit Rd.
Westlake, OH 44145

Dr. Ernest Yeager
Case Center for Electrochemical
Science
Case Western Reserve University
Cleveland, OH 44106

Dr. Mel Miles
Code 3852
Naval Weapons Center
China Lake, CA 93555

Dr. Ashok V. Joshi
Ceramatec, Inc.
2425 South 900 West
Salt Lake City, Utah 84119

Dr. W. Anderson
Department of Electrical &
Computer Engineering
SUNY - Buffalo
Amherst, Massachusetts 14260

Dr. M. L. Gopikanth
Chemtech Systems, Inc.
P.O. Box 1067
Burlington, MA 01803

Dr. H. F. Gibbard
Power Conversion, Inc.
495 Boulevard
Elmwood Park, New Jersey 07407

DL/1113/87/2

ABSTRACTS DISTRIBUTION LIST, SDIO/IST

Dr. V. R. Koch
Covalent Associates
52 Dragon Court
Woburn, MA 01801

Dr. Randall B. Olsen
Chronos Research Laboratories, Inc.
4186 Sorrento Valley Blvd.
Suite H
San Diego, CA 92121

Dr. Alan Hooper
Applied Electrochemistry Centre
Harwell Laboratory
Oxfordshire, OX11 0RA UK

Dr. John S. Wilkes
Department of the Air Force
The Frank J. Seiler Research Lab.
United States Air Force Academy
Colorado Springs, CO 80840-6528

Dr. Gary Bullard
Pinnacle Research Institute, Inc.
10432 N. Tantan Avenue
Cupertino, CA 95014

Dr. J. O'M. Bockris
Ementech, Inc.
Route 5, Box 946
College Station, TX 77840

Dr. Michael Binder
Electrochemical Research Branch
Power Sources Division
U.S. Army Laboratory Command
Fort Monmouth, New Jersey 07703-5000

Professor Martin Fleischmann
Department of Chemistry
University of Southampton
Southampton, Hants, SO9 5NH UK