

DTIC FILE COPY

④

TECHNICAL REPORT BRL-TR-2955

BRL

1938 - Serving the Army for Fifty Years - 1988

**COMPARISON OF SPHERICAL AND ELLIPSOIDAL
FORM FUNCTIONS FOR EVALUATING BLACK POWDER**

RONALD A. SASSÉ
BALLISTIC RESEARCH LABORATORY, MD
JAMES E. ROSE
NAVAL ORDNANCE STATION, MD

DECEMBER 1988

DTIC
ELECTE
DEC 08 1988
S E D

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

AD-A201 105

88 12 8 020

DESTRUCTION NOTICE

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) BRL-TR-2955			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION US Army Ballistic Research Laboratory		6b. OFFICE SYMBOL (If applicable) SLCBB-IB	7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066			7b. ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 61102A	PROJECT NO. AH43	TASK NO.
11. TITLE (Include Security Classification) COMPARISON OF SPHERICAL AND ELLIPSOIDAL FORM FUNCTIONS FOR EVALUATING BLACK POWDER					
12. PERSONAL AUTHOR(S) Ronald A. Sasse' and James E. Rose					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM Jul 87 to Jul 88		14. DATE OF REPORT (Year, Month, Day)	
15. PAGE COUNT					
16. SUPPLEMENTARY NOTATION Published in 13th International Pyrotechnics Seminar, ITT Research Institute, Chicago, IL, 1988					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Black Powder, Burn Rate, IBHVG2, Closed Bomb. JTS		
21	02				
19	01				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Previous reported experimental closed-bomb data have been re-evaluated by including both the actual particle size distribution in models that consider the grains first as spheres, and then as ellipsoids. Small but significant improvements are demonstrated by applying more realistic physical parameters; however, computed results are far removed from strand burn rate measurements and the conclusion offered is that continued investigation suggests that grain fracture or grain break-up dominate closed-bomb evaluation techniques.					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED / LIMITED ☒ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL MR. RONALD A. SASSE'			22b. TELEPHONE (Include Area Code) 301-278-6172		22c. OFFICE SYMBOL SLCBB-IB-1

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES.....	5
I. INTRODUCTION.....	7
II. APPROACH.....	7
III. EXPERIMENTAL.....	8
A. Grain-Size Distribution.....	8
B. Density.....	8
C. Closed-Bomb Evaluation.....	10
D. Strand Burn Rates.....	10
IV. RESULTS.....	10
V. DISCUSSION.....	10
VI. CONCLUSIONS.....	16
ACKNOWLEDGMENT.....	17
REFERENCES.....	19
DISTRIBUTION LIST.....	21

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Surface Area of Five Spheres as a Function of Burning Time.....	11
2	Surface Area of Five Ellipsoids as a Function of Burning Time.....	12
3	Total Surface Area of Five Spheres to Surface Area of One Sphere of Average Radius Shown as a Function of Burning Time.....	13
4	Total Surface Area of Five Ellipsoids to Surface Area of One Ellipsoid of Average Radius Shown as a Function of Burning Time.....	14
5	Pressure as Function of Burning Time.....	15

I. INTRODUCTION

Black powder has been a subject of study for this and other laboratories for some extended period of time. Throughout our work at the Ballistic Research Laboratory we have concentrated our studies to particular lots of black powder and its ingredients from GOEX, Du Pont and Indiana. Our recent report "Evaluation of Black Powder Produced by Indiana Army Ammunition Plant"¹ contains closed-bomb evaluation of GOEX 75-44 black powder as well as its size distribution. Further, the output of the thermal code "BLAKE" was provided by Eli Freedman of the BRL considering the chemical composition of charcoal and black powder. With these data the closed-bomb experiments were evaluated in 1984 by a BRL program² called CBRED2.

These early computations considered black powder grains as spheres having but one average radius and the program resulted in a burn rate equation that did not agree with experimentally determined strand burn rates. Computer sensitivity analysis showed that changing the value of the chosen radius affected the burn rate coefficient more than exponential factor. The conclusion offered in that report was: "closed-bomb burning rate equations have larger exponents than are derived from strand burning rates and it was proposed that the larger exponents embraced both combustion and grain break-up or non-uniform ignition. In contrast, precision of the strand burn rates is good and reflects an uncomplicated and defined mode of combustion i.e., that of a "cigarette burn." Such values could be used to provide a more precise ranking of black powder performance." The problem is the lack of a data base.

The advent of a recently polished and documented BRL computer program IBHVG2, which stands for "Interior Ballistics of High Velocity Guns",³ affords the opportunity of including up to five separated propellant inputs that were used to represent five different grain sizes. Also of importance, was the kindness of the authors to modify this program to include the shape of an ellipse of rotation. We applied this program to the data at hand and, in effect, extended the scope of the previous work. The closed-bomb situation was implemented by citing a much too heavy shell, 50 lbs., and imparted a frictional resistance that exceeded the maximum anticipated pressure. Although we intend to have this report stand on its own, it would be advisable to read them in sequence. One drawback is that the program IBHVG2 does not output a burn rate equation but the program uses such an equation as input to calculate pressure and surface area histories.

II. APPROACH

As one inspects the shape of class 1 black powder it is apparent that the grains are of non-uniform character and that they are far from the spherical form normally assumed in various calculations. It was thought that an ellipse of rotation might be a better estimate of the geometry and from several measurements the long radius, a , was judged to be in a 4:3 ratio to the two equal radii, b . Equations for volume and surface area were added to the computer program and to form a laminar burn the radii were decreased by an equal increment. Early computations showed that the volume decreased to zero before the surface area and an inadequacy of one percent was noted throughout the burning history. The problem is that computations estimate the laminar burn distance from the burn rate equation whereas the surface area and volume are

calculated from the geometry. For the spherical case these are exact solutions thus volume and surface area agree; however, in the elliptical model even though both radii decrease by the same amount the curved shoulder is slightly bigger. This means that in a laminar burn of some distance, x , the new shape is not strictly an ellipsoid and thus the calculation is an approximation. A correction factor of one percent was added to the program and this adjustment allows the program to solve the form function equations to estimate both the intermediate and final closed-bomb conditions. This correction applies just to the case considered where the axes radii are in the ratio of 4:3. As will be discussed later, the total pressure calculated from the spherical case is an exact solution which differs from the elliptical case by much less than one percent giving the authors confidence in the treatment of this model. The volume and surface area equations are given below:

$$V = 4/3 \pi ab^2 \quad (1)$$

$$SA = 2\pi b^2 + \frac{2\pi ab \sin^{-1} e}{e} \quad \text{Where } ae = \sqrt{a^2 - b^2} \quad (2)$$

The calculations require thermodynamic and physical property data and all of the required input information was extracted from a former report¹ and is given in Table 1. In addition, the pressure history is included. The input to the thermodynamic code BLAKE requires the chemical composition of the propellant and in the case of black powder the codes require the composition of charcoal⁴ as well as the other ingredients. Eli Freedman⁵ performed such calculations for the GOEX samples evaluated in his and this report. For the first time charcoal has been represented by its elemental composition as opposed to only carbon as had been the custom. For the GOEX samples Freedman used the chemical composition of charcoal given by Rose⁶ as "Roseville B" made by the Roseville Charcoal Co. of Zanesville, OH, and the potassium nitrate/sulfur/charcoal concentrations were taken from the data sheets supplied by Indiana.

Since the closed-bomb data and particle size distribution are crucial to the present evaluation a description of these experiments, taken from Reference 1 follows.

III. EXPERIMENTAL

A. Grain-Size Distribution

Class-one black powder consists of grains that pass through a number four sieve (4.75 mm) and not a number eight sieve (2.36 mm). One hundred grams of black powder was placed on a stack of sieves, four through eight, and the assembly was shaken. The portion held by each sieve was weighed.

B. Density

The bulk density of black powder is normally given as the ratio of its weight divided by its volume as measured by the amount of mercury displaced by the sample.

Table 1. Class 1 GOEX 75-44 Black Powder

Size and Weight Distribution

Sieve #	>4	5	6	7	8	<8	Total
Largest Opening (in)	0.187	0.157	0.132	0.110	0.0929		
Weight (%)	0.31*	9.49	26.69	22.25	28.46	11.70	98.89
Weight (lbs)		0.003000	0.007489	0.06194	0.007923	0.003257	0.02784
Mean Diam (in)**		0.172	0.144	0.121	0.0985	0.0929	
Long Diam (in)		0.229	0.192	0.161	0.131	0.124	

Global Values

Force, Impetus	Burning Rate Equation**	Flame Temperature
Ft-lb _r /lb _m	Alpha	°K
95583	Beta	2038
	0.164	

Density	Co-Volume	Chamber Volume	Gamma
lb/in ³	in ³ /lb	in ³	---
0.06367	27.67	5.40	1.269

Experimental Pressure-Time Data

Time	Pressure	Time	Pressure	Time	Pressure
ms	psi	ms	psi	ms	psi
0	35	14	3596	21	6398
1	45	15	4269	22	6504
2	61	16	4860	23	6575
3	82	17	5252	24	6623
4	116	18	5739		
5	170	19	6032		
6	251	20	6245		

*0.31 added to 9.49

**Mean diameter for spheres and minor axis of ellipsoid in a particular size interval. Long diameter is the length of the long ellipsoid axis.

***Burn rate, Br, in in/s and pressure, P, in psi then: Br = Beta p^{alpha}

C. Closed-Bomb Evaluation

Closed-chamber experiments were performed in a Technoproducts Impulse Bomb which has an internal volume of 88.5 cubic centimeters. Class-one black powder was evaluated at a loading density of 0.14 gram per cubic centimeter. To achieve a better degree of reproducibility, the charges were placed in Dacron bags with an Atlas M100 electric match inserted in the center of the charge. Pressure was measured with a Kistler 607C3 pressure transducer and Kistler 504E charge amplifier. Data were acquired and recorded using a Nicolet Explorer III digital oscilloscope.

D. Strand Burn Rates

One of the combustion tests invoked was to grind grains of black powder such that it passed through a 120 mesh screen. This material was pressed into sticks which were dried, burned, and photographed using high-speed movie techniques. Burning rates were determined from the slope of the position history of the burning interface plotted as a function of time. From previous work the regression error of estimate is about two percent. This burning rate equation is given in Table 1 and was used as input to the IBHVG2 computer program to represent the rate of combustion.

IV. RESULTS

The surface area produced by each of five particle sizes and the number of grains in each size is given first for the spherical assumption in Figure 1 and secondly for the elliptical size distribution in Figure 2. The surface area values in these five graphs are summed and the resulting total surface area using five radii are compared, in Figures 3 and 4, to the calculation where one average radius or set of radii represents the entire sample.

In Figure 5 the pressure histories resulting from the spherical and elliptical calculations using a five part particle size distribution are compared to experimental data.

V. DISCUSSION

Surface area, at particular times, is directly proportional to the amount of gas produced. Surface area of each of the five particle sizes for the spherical and ellipsoid cases are given in Figures 1 and 2, and both these graphs show real but small differences. The effect of modeling a particle size distribution as contrasted to assuming an average radius or radii becomes clear in Figures 3a and 4a where the total surface areas of both models are compared. In curves 3b and 4b the ratio of these curves show rather large differences at both early and late times and it is clear that using the particle size distribution gives a better representation of the facts, at least in the case studied here. The situation could be more extreme in a particularly skewed distribution but little data has been reported for class one distributions by manufacturers thus generalizations can not be made. Large differences have been noted by four manufacturers of black powder, suggesting that this parameter should be evaluated before serious work is attempted.




Figure 1. Surface Area of Five Spheres as a Function of Burning Time, In Descending Order, Where Largest Radius is Upper Curve.




Figure 2. Surface Area of Five Ellipsoids as a Function of Burning Time, In Descending Order, Where Largest Radii is Upper Curve.




Figure 3a. Total Surface Area of Five Spheres (upper Curve, Left) to Surface Area of One Sphere of Average Radius Shown as a Function of Burning Time




Figure 3b. Ratio of Curves 3a as a Function of Burning Time




Figure 4a. Total Surface Area of Five Ellipsoids (Upper Curve, Left) to Surface Area of One Ellipsoid of Average Radius Shown as a Function of Burning Time




Figure 4b. Ratio of Curves 4a as a Function of Burning Time




Figure 5a. Pressure as Function of Burning Time.
Upper Curve - GOEX 75-44 Experimental Data, Middle Curve -
Calculated Response of Five Spheres, and Lower Curve -
Calculated Response of Five Ellipsoids




Figure 5b. Ratio of Curves 5a, Calculated Data, as a
Function of Burning Time

Since the curves in Figures 1-4 are so similar, Table 2 was prepared where the various surface areas have been listed at zero time as well as the maximum pressure produced. From this table it is seen that by considering the particle size distributions for both models, the initial surface area increases by 19 percent and the ellipsoid, if constituting a better modeling of the facts, reduces this surface area by 8.5 percent. The calculated maximum pressure of the spherical and ellipsoid forms differ by 6 parts in 10,000 which is a measure of the precision of the correction made in the program. One other interesting fact is that the thermal BLAKE evaluation made by E. Freedman predicts the maximum pressure in the closed-bomb to be 6940 psi, a value that is independent of all geometry and is in reasonable agreement with the estimates in Table 2.

Table 2. Surface Area and Pressure Relationships

	Surface Area at Zero Time	Maximum Pressure
Sphere (Average Radius)	18.739	6952
Sphere ($r=1-5$)	22.252	6956
Sphere ($r=1$)	1.6436	
($r=2$)	4.9009	
($r=3$)	4.8239	
($r=4$)	7.5800	
($r=5$)	3.3038	
Ellipsoid (Average Radii)	17.258	6960
Ellipsoid ($r_a r_b = 1-5$)	20.508	6961
($r_a r_b = 1$)	1.5149	
($r_a r_b = 2$)	4.5154	
($r_a r_b = 3$)	4.4467	
($r_a r_b = 4$)	6.9880	
($r_a r_b = 5$)	3.0432	

VI. CONCLUSIONS

It would appear that significant improvements have been achieved in evaluation techniques where the model presented is a better representation of class one black powder. However, when the best pressure estimates of this work are compared to experimental data in Figure 5, it is seen that the calculations yield pressure histories that are too small. This result is taken as further evidence that closed-bomb experiments reflect either a grain fracture mode or a grain break-up process that is not included in our modeling.

ACKNOWLEDGMENT

We wish to thank Ronald Anderson of the BRL for including the ellipsoid of revolution into the IBHVG2 computer program and for making this geometry estimate more accurate. Further, we also thank Josephine Wojciechowski of the BRL for her kindness in putting the many data arrays on graph paper.

REFERENCES

- 1a. R.A. Sasse', H. Holmes, D. Hansen, W. Aungst, O. Doali, and R. Bowman, "Evaluation of Black Powder Produced by the Army Ammunition Plant," Eleventh International Pyrotechnics Seminar, p. 489. IIT Research Institute, Chicago, IL, July 1986.
- b. R.A. Sasse', H. Holmes, D. Hansen, W. Aungst, O. Doali, and R. Bowman, "Evaluation of Black Powder Produced by the Army Ammunition Plant," ARBRL-TR-2596, Ballistic Research Laboratory, USA-ARRADCOM, Aberdeen Proving Ground MD, October 1984. (ADA-147801).
2. JANNAF Combustion Sub Committee, Burn Rate Measurements and Data Reduction Procedures Panel, "Round Robin Results of the Closed Bomb and Strand Burner," A. Juhasz, Ed., CPIA Publication 361, July 1982.
3. R.D. Anderson and K.D. Fickie, "IBHVG2 -- A Users Guide," BRL-TR-2829, Ballistic Research Laboratory, Aberdeen Proving Ground MD, July 1987.
- 4a. R.A. Sasse', "Characterization of Maple Charcoal Used to Make Black Powder," ARBRL-MR-03322, Ballistics Research Laboratory, Aberdeen, MD, November 1983, (ADA-136513).
- b. R.A. Sasse', "Characterization of Maple Charcoal Used to Make Black Powder," Ninth International Pyrotechnics Seminar, p. 471, ITT Research Institute, Chicago, IL, August 1984.
- 5a. E. Freedman, and R.A. Sasse', "The Thermodynamics Of Real And Unreal Black Powder," Ninth International Pyrotechnics Seminar, p. 177, ITT Research Institute, Chicago, IL, August 1984.
- b. E. Freedman, "The Thermodynamics of Real and Unreal Black Powder," Proceedings of the 20th JANNAF Combustion Meeting, CPIA Publication 383, Vol. I, p. 511, October 1983.
6. J.E. Rose, "Investigation on Black Powder and Charcoal," INTR-433, Naval Ordnance Station, Indian Head, MD, September 1975.
- 7a. R.A. Sasse', "Stand Burn Rates of Black Powder to One Hundred Atmospheres," Eighth International Pyrotechnics Seminar, p. 588, IIT Research Institute, Chicago, IL, July 1982.
- b. R.A. Sasse', "Strand Burn Rates of Black Powder to One Hundred Atmospheres," Proceedings of 19th JANNAF Combustion Meeting, CPIA Publication No. 366, Vol. I, p. 13, October 1982.

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
12	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	1	Commander US Army Aviation Systems Command ATTN: AMSAV-DACL 4300 Goodfellow Blvd. St. Louis, MO 63120-1798
1	HQ DA (SARD-TR) Washington, DC 20310	1	Director US Army Aviation Research and Technology Activity Ames Research Center Moffett Field, CA 94035-1099
1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001	4	Commander US Army Research Office ATTN: R. Ghirardelli D. Mann R. Singleton R. Shaw P.O. Box 12211 Research Triangle Park, NC 27709-2211
1	Commander US Army Laboratory Command ATTN: AMSLC-TD Adelphi, MD 20783-1145	1	Commander US Army Communications - Electronics Command ATTN: AMSEL-ED Fort Monmouth, NJ 07703
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-MSI Picatinny Arsenal, NJ 07806-5000	2	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCA-G, D.S. Downs J.A. Lannon Dover, NJ 07801
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000	1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-LC-G, L. Harris Dover, NJ 07801
1	Director Benet Weapons Laboratory Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCB-TL Watervliet, NY 12189-4050		
1	Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299-7300		

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-SCA-T, L. Stiefel Dover, NJ 07801	1	Office of Naval Research Department of the Navy ATTN: R.S. Miller, Code 432 800 N. Quincy Street Arlington, VA 22217
2	Commander US Army Missile Command ATTN: AMSMI-RD AMSMI-AS Redstone Arsenal, AL 35898-5000	1	Commander Naval Air Systems Command ATTN: J. Ramnarace, AIR-54111C Washington, DC 20360
2	Commander US Army Missile Command ATTN: AMSMI-RK, D.J. Ifshin W. Wharton Redstone Arsenal, AL 35898	2	Commander Naval Ordnance Station ATTN: C. Irish P.L. Stang, Code 515 Indian Head, MD 20640
1	Commander US Army Missile Command ATTN: AMSMI-RKA, A.R. Maykut Redstone Arsenal, AL 35898-5249	1	Commander Naval Surface Weapons Center ATTN: J.L. East, Jr., G-23 Dahlgren, VA 22448-5000
1	Commander US Army Tank Automotive Cmd ATTN: AMSTA-DI Warren, MI 48090	2	Commander Naval Surface Weapons Center ATTN: R. Bernecker, R-13 G.B. Wilmot, R-16 Silver Spring, MD 20902-5000
1	Director US Army TRADOC Analysis Cmd ATTN: ATAA-SL White Sands Missile Range, NM 88002-5502	5	Commander Naval Research Laboratory ATTN: M.C. Lin J. McDonald E. Oran J. Shnur R.J. Doyle, Code 6110 Washington, DC 20375
1	Commandant US Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905-5400	1	Commanding Officer Naval Underwater Systems Center Weapons Dept. ATTN: R.S. Lazar/Code 36301 Newport, RI 02840
1	Commander US Army Development and Employment Agency ATTN: MODE-ORO Fort Lewis, WA 98433-5000	1	Superintendent Naval Postgraduate School Dept. of Aeronautics ATTN: D.W. Netzer Monterey, CA 93940

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
4	AFRPL/DY, Stop 24 ATTN: R. Corley R. Geisler J. Levine D. Weaver Edwards AFB, CA 93523-5000	1	Applied Combustion Technology, Inc. ATTN: A.M. Varney P.O. Box 17885 Orlando, FL 32860
1	AFRPL/MKPB, Stop 24 ATTN: B. Goshgarian Edwards AFB, CA 93523-5000	2	Applied Mechanics Reviews The American Society of Mechanical Engineers ATTN: R.E. White A.B. Wenzel 345 E. 47th Street New York, NY 10017
1	AFOSR ATTN: J.M. Tishkoff Bolling Air Force Base Washington, DC 20332	1	Atlantic Research Corp. ATTN: M.K. King 5390 Cherokee Avenue Alexandria, VA 22314
1	Air Force Armament Laboratory ATTN: AFATL/DLODL Eglin AFB, FL 32542-5000	1	Atlantic Research Corp. ATTN: R.H.W. Waesche 7511 Wellington Road Gainesville, VA 22065
1	AFWL/SUL Kirtland AFB, NM 87117	1	AVCO Everett Rsch. Lab. Div. ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149
1	NASA Langley Research Center Langley Station ATTN: G.B. Northam/MS 168 Hampton, VA 23365	1	Battelle Memorial Institute Tactical Technology Center ATTN: J. Huggins 505 King Avenue Columbus, OH 43201
4	National Bureau of Standards ATTN: J. Hastie M. Jacox T. Kashiwagi H. Semerjian US Department of Commerce Washington, DC 20234	1	Cohen Professional Services ATTN: N.S. Cohen 141 Channing Street Redlands, CA 92373
1	OSD/SDIO/UST ATTN: L.H. Caveny Pentagon Washington, DC 20301-7100	1	Exxon Research & Eng. Co. ATTN: A. Dean Route 22E Annandale, NJ 08801
1	Aerojet Solid Propulsion Co. ATTN: P. Micheli Sacramento, CA 95813		

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Ford Aerospace and Communications Corp. DIVAD Division Div. Hq., Irvine ATTN: D. Williams Main Street & Ford Road Newport Beach, CA 92663	1	Honeywell, Inc. Government and Aerospace Products ATTN: D.E. Broden/ MS MN50-2000 600 2nd Street NE Hopkins, MN 55343
1	General Applied Science Laboratories, Inc. 77 Raynor Avenue Ronkonkama, NY 11779-6649	1	IBM Corporation ATTN: A.C. Tam Research Division 5600 Cottle Road San Jose, CA 95193
1	General Electric Armament & Electrical Systems ATTN: M.J. Bulman Lakeside Avenue Burlington, VT 05401	1	IIT Research Institute ATTN: R.F. Remaly 10 West 35th Street Chicago, IL 60616
1	General Electric Company 2352 Jade Lane Schenectady, NY 12309	2	Director Lawrence Livermore National Laboratory ATTN: C. Westbrook M. Costantino P.O. Box 808 Livermore, CA 94550
1	General Electric Ordnance Systems ATTN: J. Mandzy 100 Plastics Avenue Pittsfield, MA 01203	1	Lockheed Missiles & Space Co. ATTN: George Lo 3251 Hanover Street Dept. 52-35/B204/2 Palo Alto, CA 94304
2	General Motors Rsch Labs Physics Department ATTN: T. Sloan R. Teets Warren, MI 48090	1	Los Alamos National Lab ATTN: B. Nichols T7, MS-B284 P.O. Box 1663 Los Alamos, NM 87545
2	Hercules, Inc. Allegany Ballistics Lab. ATTN: R.R. Miller E.A. Yount P.O. Box 210 Cumberland, MD 21501	1	National Science Foundation ATTN: A.B. Harvey Washington, DC 20550
1	Hercules, Inc. Bacchus Works ATTN: K.P. McCarty P.O. Box 98 Magna, UT 84044	1	Olin Corporation Smokeless Powder Operations ATTN: V. McDonald P.O. Box 222 St. Marks, FL 32355

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Paul Gough Associates, Inc. ATTN: P.S. Gough 1048 South Street Portsmouth, NH 03801	1	Stevens Institute of Tech. Davidson Laboratory ATTN: R. McAlevy, III Hoboken, NJ 07030
2	Princeton Combustion Research Laboratories, Inc. ATTN: M. Summerfield N.A. Messina 475 US Highway One Monmouth Junction, NJ 08852	1	Textron, Inc. Bell Aerospace Co. Division ATTN: T.M. Ferger P.O. Box 1 Buffalo, NY 14240
1	Hughes Aircraft Company. ATTN: T.E. Ward 8433 Fallbrook Avenue Canoga Park, CA 91303	1	Thiokol Corporation Elkton Division ATTN: W.N. Brundige P.O. Box 241 Elkton, MD 21921
1	Rockwell International Corp. Rocketdyne Division ATTN: J.E. Flanagan/HB02 6633 Canoga Avenue Canoga Park, CA 91304	1	Thiokol Corporation Huntsville Division ATTN: R. Glick Huntsville, AL 35807
4	Sandia National Laboratories Combustion Sciences Dept. ATTN: R. Cattolica S. Johnston P. Mattern D. Stephenson Livermore, CA 94550	3	Thiokol Corporation Wasatch Division ATTN: S.J. Bennett P.O. Box 524 Brigham City, UT 84302
1	Science Applications, Inc. ATTN: R.B. Edelman 23146 Cumorah Crest Woodland Hills, CA 91364	1	TRW ATTN: M.S. Chou MSRI-1016 1 Parke Redondo Beach, CA 90278
1	Science Applications, Inc. ATTN: H.S. Pergament 1100 State Road, Bldg. N Princeton, NJ 08540	1	United Technologies ATTN: A.C. Eckbreth East Hartford, CT 06108
3	SRI International ATTN: G. Smith D. Crosley D. Golden 333 Ravenswood Avenue Menlo Park, CA 94025	3	United Technologies Corp. Chemical Systems Division ATTN: R.S. Brown T.D. Myers (2 copies) P.O. Box 50015 San Jose, CA 95150-0015

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Universal Propulsion Company ATTN: H.J. McSpadden Black Canyon Stage 1 Box 1140 Phoenix, AZ 85029	2	University of Southern California Dept. of Chemistry ATTN: S. Benson C. Wittig Los Angeles, CA 90007
1	Veritay Technology, Inc. ATTN: E.B. Fisher 4845 Millersport Highway P.O. Box 305 East Amherst, NY 14051-0305	1	Case Western Reserve Univ. Div. of Aerospace Sciences ATTN: J. Tien Cleveland, OH 44135
1	Brigham Young University Dept. of Chemical Engineering ATTN: M.W. Beckstead Provo, UT 84601	1	Cornell University Department of Chemistry ATTN: T.A. Cool Baker Laboratory Ithaca, NY 14853
1	California Institute of Tech. Jet Propulsion Laboratory ATTN: MS 125/159 4800 Oak Grove Drive Pasadena, CA 91103	1	Univ. of Dayton Rsch Inst. ATTN: D. Campbell AFRPL/PAP Stop 24 Edwards AFB, CA 93523
1	California Institute of Technology ATTN: F.E.C. Culick/ MC 301-46 204 Karman Lab. Pasadena, CA 91125	1	University of Florida Dept. of Chemistry ATTN: J. Winefordner Gainesville, FL 32611
1	University of California, Berkeley Mechanical Engineering Dept. ATTN: J. Daily Berkeley, CA 94720	3	Georgia Institute of Technology School of Aerospace Engineering ATTN: E. Price W.C. Strahle B.T. Zinn Atlanta, GA 30332
1	University of California Los Alamos Scientific Lab. P.O. Box 1663, Mail Stop B216 Los Alamos, NM 87545	1	University of Illinois Dept. of Mech. Eng. ATTN: H. Krier 144MEB, 1206 W. Green St. Urbana, IL 61801
2	University of California, Santa Barbara Quantum Institute ATTN: K. Schofield M. Steinberg Santa Barbara, CA 93106	1	Johns Hopkins University/APL Chemical Propulsion Information Agency ATTN: T.W. Christian Johns Hopkins Road Laurel, MD 20707

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	University of Michigan Gas Dynamics Lab Aerospace Engineering Bldg. ATTN: G.M. Faeth Ann Arbor, MI 48109-2140	1	Purdue University Department of Chemistry ATTN: E. Grant West Lafayette, IN 47906
1	University of Minnesota Dept. of Mechanical Engineering ATTN: E. Fletcher Minneapolis, MN 55455	2	Purdue University School of Mechanical Engineering ATTN: N.M. Laurendeau S.N.B. Murthy TSPC Chaffee Hall West Lafayette, IN 47906
3	Pennsylvania State University Applied Research Laboratory ATTN: K.K. Kuo H. Palmer M. Micci University Park, PA 16802	1	Rensselaer Polytechnic Inst. Dept. of Chemical Engineering ATTN: A. Fontijn Troy, NY 12181
1	Pennsylvania State University Dept. of Mechanical Engineering ATTN: V. Yang University Park, PA 16802	1	Stanford University Dept. of Mechanical Engineering ATTN: R. Hanson Stanford, CA 94305
1	Polytechnic Institute of NY Graduate Center ATTN: S. Lederman Route 110 Farmingdale, NY 11735	1	University of Texas Dept. of Chemistry ATTN: W. Gardiner Austin, TX 78712
2	Princeton University Forrestal Campus Library ATTN: K. Brezinsky I. Glassman P.O. Box 710 Princeton, NJ 08540	1	University of Utah Dept. of Chemical Engineering ATTN: G. Flandro Salt Lake City, UT 84112
1	Princeton University MAE Dept. ATTN: F.A. Williams Princeton, NJ 08544	1	Virginia Polytechnic Institute and State University ATTN: J.A. Schetz Blacksburg, VA 24061
1	Purdue University School of Aeronautics and Astronautics ATTN: J.R. Osborn Grissom Hall West Lafayette, IN 47906	1	Commandant USAFAS ATTN: ATSF-TSM-CN Fort Sill, OK 73503-5600
		1	F.J. Seiler Research Lab (AFSC) ATTN: S.A. Shakelford USAF Academy, CO 80840-6528

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>
10	Commander Naval Ordnance Station ATTN: James E. Rose Indian Head, MD 20640-5000
2	Commander Naval Ordnance Station ATTN: M. Tang Indian Head, MD 20640-5000
2	GOEX ATTN: F. Fahranger Berlin Plant Moosic, PA 18507

Aberdeen Proving Ground

Dir, USAMSAA
ATTN: AMXSY-D
AMXSY-MP, H. Cohen
Cdr, USATECOM
ATTN: AMSTE-TO-F
Cdr, CRDEC, AMCCOM
ATTN: SMCCR-RSP-A
SMCCR-MJ
SMCCR-SPS-IL

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number _____ Date of Report _____
2. Date Report Received _____
3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. How specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT ADDRESS	_____
	Name

	Organization

	Address

	City, State, Zip

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD ADDRESS	_____
	Name

	Organization

	Address

	City, State, Zip

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

----- FOLD HERE -----

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-5066




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE. \$300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON, DC
POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY

Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-9989



----- FOLD HERE -----