



DTIC FILE COPY

AD-A201 960

Institute Report No. 304

DTIC
ELECTE
DEC 20 1988
S & D

**Primary Dermal Irritation Potential of
Diethyleneglycol Dinitrate (DEGDN) in Rabbits**

*Larry D. Brown, DVM, MAJ, VC
and
Don W. Korte, Jr., PhD, MAJ, MSC*

**MAMMALIAN TOXICOLOGY BRANCH
DIVISION OF TOXICOLOGY**

DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited


October 1988

Toxicology Series: 154

**LETTERMAN ARMY INSTITUTE OF RESEARCH
PRESIDIO OF SAN FRANCISCO, CALIFORNIA 94129**

88 12 19

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

Primary Dermal Irritation of Diethyleneglycol Dinitrate (DEGDN) in Rabbits (Toxicology Series 154)--Brown and Korte

This document has been approved for public release and sale; its distribution is unlimited.

Destroy this report when it is no longer needed. Do not return to the originator.

Citation of trade names in this report does not constitute an official endorsement or approval of the use of such items.

In conducting the research described in this report, the investigation adhered to the "Guide for the Care and Use of Laboratory Animals," as promulgated by the Committee on Revision of the Guide for Laboratory Animal Facilities and Care, Institute of Laboratory Animal Resources, National Research Council.

This material has been reviewed by Letterman Army Institute of Research and there is no objection to its presentation and/or publication. The opinions or assertions contained herein are the private views of the author(s) and are not to be construed as official or as reflecting the views of the Department of the Army or the Department of Defense. (AR 360-5)



**Edwin S. Beatrice
COL, MC
Commanding**

26 Oct 68

(date)

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION			1b. RESTRICTIVE MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution is unlimited.			
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE						
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Institute Report No. 304			5. MONITORING ORGANIZATION REPORT NUMBER(S)			
6a. NAME OF PERFORMING ORGANIZATION Mammalian Toxicology Branch Division of Toxicology		6b. OFFICE SYMBOL (If applicable) SGRD-ULE-T		7a. NAME OF MONITORING ORGANIZATION US Army Biomedical Research and Development Laboratory		
6c. ADDRESS (City, State, and ZIP Code) Letterman Army Institute of Research Presidio of San Francisco, CA 94129-6800			7b. ADDRESS (City, State, and ZIP Code) Ft. Detrick, Frederick, MD 21701-5010			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION US Army Medical Research & Development Command		8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code) Ft. Detrick Frederick, MD 21701-5012			10. SOURCE OF FUNDING NUMBERS			
			PROGRAM ELEMENT NO. 627204	PROJECT NO. 835	TASK NO. AB	WORK UNIT ACCESSION NO. DA 303913
11. TITLE (Include Security Classification) (U) Primary Dermal Irritation Potential of Diethyleneglycol Dinitrate (DEGDN) in Rabbits						
12. PERSONAL AUTHOR(S) Larry D. Brown and Don W. Korte, Jr.						
13a. TYPE OF REPORT Institute		13b. TIME COVERED FROM 7/25/85 TO 9/3/85		14. DATE OF REPORT (Year, Month, Day) October 1988		15. PAGE COUNT 17
16. SUPPLEMENTARY NOTATION Toxicology Series 154						
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)			
FIELD	GROUP	SUB-GROUP	Primary dermal irritation DEGDN			
			Diethyleneglycol dinitrate Rabbit			
			Munitions - 7251C			
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The primary dermal irritation potential of diethyleneglycol dinitrate (DEGDN) was determined in New Zealand White rabbits using a modified Draize procedure. The test compound was classified as a nonirritant following a 4-hour application period. Neither edema, erythema, nor any other recognizable skin reaction was detected at any time during the 72-hour observation period.						
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION unclassified			
22a. NAME OF RESPONSIBLE INDIVIDUAL Edwin S. Beatrice, COL MC			22b. TELEPHONE (Include Area Code) 415-561-3600		22c. OFFICE SYMBOL SGRD-ULZ	

ABSTRACT

The primary dermal irritation potential of diethyleneglycol dinitrate (DEGDN) was determined in New Zealand White rabbits using a modified Draize procedure. The test compound was classified as a nonirritant following a 4-hour application period. Neither edema, erythema, nor any other recognizable skin reaction was detected at any time during the 72-hour observation period.

Key Words: Primary Dermal Irritation, Diethyleneglycol Dinitrate, DEGDN, Rabbit, Munitions



Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Available for Special
A-1	

PREFACE

TYPE REPORT: Primary Dermal Irritation GLP Study Report

TESTING FACILITY:

US Army Medical Research and Development Command
Letterman Army Institute of Research
Presidio of San Francisco, CA 94129-6800

SPONSOR:

US Army Medical Research and Development Command
US Army Biomedical Research and Development Laboratory
Fort Detrick, Maryland 21701-5010
Project Officer: Gunda Reddy, PhD

PROJECT/WORK UNIT/APC: 3E162720A835/180/TLB0

GLP STUDY NUMBER: 85004

STUDY DIRECTOR: MAJ Don W. Korte, Jr, PhD, MSC

PRINCIPAL INVESTIGATOR: MAJ Larry D. Brown, DVM, VC,
Diplomate, American College of
Veterinary Preventive Medicine

PATHOLOGIST: MAJ John C. Turnier, DVM, VC, USAR
Diplomate, American College of
Veterinary Pathologists

REPORT AND DATA MANAGEMENT: A copy of the final report,
study protocol, retired SOPs,
raw data, analytical, stability,
and purity data of the test
compound, and an aliquot of the
test compound will be retained
in the LAIR Archives.

TEST SUBSTANCE: Diethyleneglycol Dinitrate (DEGDN)

INCLUSIVE STUDY DATES: 25 Jul - 3 Sep 85

OBJECTIVE: The objective of this study was to determine the
primary dermal irritation potential of
diethyleneglycol dinitrate (DEGDN) in New Zealand
White rabbits.

ACKNOWLEDGMENTS

The authors wish to thank the following individuals for their contribution to the successful completion of this study: Gerald F.S. Hiatt, PhD, SSG James D. Justus, BS, and SP4 John R.G. Ryabik, BS, for their assistance with this research; Richard A. Spieler, SP4 Scott L. Schwebe, SP4 James J. Fischer, SP4 Theresa L. Polk, Obie Goodrich, Diane Arevalo, CPT Thomas Pool, DVM, and PVT Greg Rothhammer for animal care; and Colleen S. Kamiyama, Dorothy Davis, and Dianna Johnson for secretarial assistance. Eleanor M. Baker proofread the manuscript.

SIGNATURES OF PRINCIPAL SCIENTISTS AND MANAGERS
INVOLVED IN THE STUDY:

We, the undersigned, declare that GLP Study 85004 was performed under our supervision, according to the procedures described herein, and that this report is an accurate record of the results obtained.

Don W. Korte, Jr. 11 OCT 88

DON W. KORTE, JR., PhD / DATE
MAJ, MSC
Study Director

Larry D. Brown

LARRY D. BROWN, DVM / DATE
MAJ, VC
Principal Investigator

Conrad R. Wheeler 11 OCT 88

CONRAD R. WHEELER, PhD / DATE
DAC
Analytical Chemist



DEPARTMENT OF THE ARMY

LETTERMAN ARMY INSTITUTE OF RESEARCH
PRESIDIO OF SAN FRANCISCO, CALIFORNIA 94129-6800

REPLY TO
ATTENTION OF:

SGRD-ULZ-QA

13 October 1988

MEMORANDUM FOR RECORD

SUBJECT: GLP Statement of Compliance

1. This is to certify that the protocol for GLP Study 85004 was reviewed on 5 March 1985.
2. The institute report entitled "Primary Dermal Irritation Potential of Diethylene Glycol Dinitrate (DEGDN) in Rabbits," Toxicology Series 154, was audited on 10 August 1987.

Carolyn M. Lewis
CAROLYN M. LEWIS
Chief, Quality Assurance

TABLE OF CONTENTS

	<u>Page</u>
Abstract.....	i
Preface.....	iii
Acknowledgments.....	iv
Signatures of Principal Scientists.....	v
Report of Quality Assurance Unit.....	vi
Table of Contents.....	vii
INTRODUCTION.....	1
Objective of Study.....	1
MATERIALS.....	1
Test Substance.....	1
Vehicle.....	2
Animal Data.....	2
Husbandry.....	2
METHODS.....	2
Acclimation and Group Assignment.....	2
Dosage Levels.....	3
Compound Preparation.....	3
Chemical Analysis of Dosing Solution.....	3
Test Procedures.....	3
Observations.....	3
Duration of Study.....	5
Changes/Deviations from Original Protocol.....	5
Storage of the Raw Data and Final Report.....	5
RESULTS.....	5
DISCUSSION.....	5
CONCLUSION.....	6
REFERENCES.....	7

TABLE OF CONTENTS (cont.)

	<u>Page</u>
APPENDICES.....	8
Appendix A. Chemical Data.....	9
Appendix B. Animal Data.....	12
Appendix C. Historical Listing of Study Events.....	13
Appendix D. Tabular Scoring Data.....	15
Appendix E. Pathology Report.....	16
OFFICIAL DISTRIBUTION LIST.....	17

Primary Dermal Irritation Potential of Diethyleneglycol Dinitrate (DEGDN) in Rabbits--Brown and Korte

INTRODUCTION

The Department of Defense is considering the use of either diethyleneglycol dinitrate (DEGDN), triethyleneglycol dinitrate (TEGDN), or trimethylolethane trinitrate (TMETN) as a replacement for nitroglycerin in new propellant formulations. However, considerable gaps in the toxicology data of the compounds were identified during a review of their health effects (1) conducted for the US Army Biomedical Research and Development Laboratory (USABRDL). Consequently, USABRDL has tasked the Division of Toxicology, Letterman Army Institute of Research (LAIR), to conduct an initial health effects evaluation of the proposed replacement nitrate esters. This initial evaluation of DEGDN, TMETN, TEGDN, and two DEGDN-based propellants, JA-2 and DIGL-RP, includes the Ames mutagenicity assay, acute oral toxicity tests in rats and mice, acute dermal toxicity in rabbits, dermal and ocular irritation studies in rabbits, and dermal sensitization studies in guinea pigs.

Objective of Study

The objective of this study was to determine the primary dermal irritation potential of diethyleneglycol dinitrate (DEGDN) in New Zealand White rabbits.

MATERIALS

Test Substance

Chemical Name: Diethylene Glycol Dinitrate (DEGDN)

Chemical Abstracts Service Registry No.: 693-21-0

LAIR Code No.: TP647

Molecular structure:



Molecular Formula: $\text{C}_4\text{H}_8\text{N}_2\text{O}_7$

Other test substance information is presented in Appendix A.

Vehicle

Diethylene glycol dinitrate (DEGDN) is a liquid at room temperature; therefore, a vehicle was not required.

Animal Data

Six male and two female New Zealand White rabbits (Elkhorn Rabbitry, Watsonville, CA; USDA No. 93A7A), identified individually with ear tattoos numbered 85F121, 85F141 to 85F144 inclusive, and 85F146 (males) and 85F129 and 85F131 (females), were assigned to the study. Animal 85F129 (female) was submitted for quality control necropsy on 12 Jul 85, and rabbit 85F143 (male) was sacrificed on 13 Aug 85 due to traumatic ulcerative pododermatitis. The remaining six animals (five males and one female) were dosed. The animal weights on dosing day (20 Aug 85) ranged from 3.0 to 3.6 kilograms. Additional animal data appear in Appendix B.

Husbandry

The rabbits were housed individually in stainless steel, battery-type cages with screened floors and automatically flushing dump tanks. The diet consisted of 150 g/day of Certified Purina Chow® Diet 5322 (Ralston Purina Company, St Louis, MO); water was provided by continuous drip from a central line. The animal room temperature was maintained at 15.5 to 25°C with a relative humidity range of 42 to 60% with occasional spikes to 65% during room cleaning. The photoperiod was 12 hours of light per day.

METHODS

Acclimation and Group Assignment

Study animals were initially assigned to GLP study 85029 for 25 days following a 14-day quarantine by the Division of Animal Care and Services. They were treated once

prophylactically for ear mites with Canex® and mineral oil while under quarantine. During this period they were observed daily for signs of illness; they were not dosed. On 19 Aug 85, the animals were transferred to GLP study 85004, clipped, and quadrants marked. On 20 Aug 85, the animals were dosed.

Dosage Levels

A standard dose of 0.5 ml DEGDN was used for the test compound sites.

Compound Preparation

The test compound was received as a solution containing 18% acetone. The acetone was removed by evaporation before studies with the propellant (Appendix A).

Chemical Analysis of Dosing Solution

DEGDN was analyzed for purity and stability (Appendix A). The reformulated DEGDN was sufficiently pure and stable for use in the test procedures.

Test Procedures

This study was conducted in accordance with EPA guidelines (2) and LAIR SOP-OP-STX-34 (3).

The backs of six rabbits were close-clipped 24 hours before dosing and divided into four unabraded quadrants designated I-IV (1,5). Each animal had two sites (II, III) treated with the test compound. Site I was a sham control (no treatment) site and site IV a sham gauze patch control. A dose of 0.5 ml of DEGDN was placed on a 1-inch square gauze patch which was taped to the appropriate site. Blenderm® (Medical Products Division of 3M, St Paul, MN), a semi-imperious hypoallergenic surgical tape, was used to hold the patches in place. Vetrap® (Animal Care Products Division of 3M, St. Paul, MN) was then wrapped securely around the animal. The test compound was left in contact with the skin for 4 hours. At the end of the exposure period, the wrapping and patches were removed and the skin was gently wiped if the test material had adhered to it, and the areas were scored one hour later.

Observations

The grading and scoring for dermal reactions were performed according to Table 1 (4). Scoring and grading of

TABLE 1
Evaluation of Skin Reactions

Erythema and Eschar Formation	
No erythema	0
Very slight erythema (barely perceptible)	1
Well-defined erythema	2
Moderate-to-severe erythema	3
Severe erythema (beet redness to slight eschar formation, injurious in depth)	4
Possible total erythema score	4*
 Edema Formation	
No edema	0
Very slight edema (barely perceptible)	1
Slight edema (edges of area well-defined by definite raising)	2
Moderate edema (edges raised approx. 1 mm)	3
Severe edema (raised more than 1 mm and extending beyond area of exposure)	4
Possible total edema score	4*
 Possible total score for primary irritation	 8

*Any skin reaction more serious than severe edema, vesiculation, ulceration, or necrosis places the chemical in Category V.

dermal reaction were performed at 1, 24, 48, and 72 hours after removal of the patches. Routine observations for clinical signs were made daily from 20 Aug to 3 Sep 85.

Duration of Study

Appendix C is a complete listing of historical events.

Changes/Deviations from Original Protocol

This study was conducted in accordance with applicable SOPs, the protocol, and addenda, excepting the sex of the animals included both males (6) and females (2) rather than all females. This deviation did not affect the outcome of this study.

Storage of the Raw Data and Final Report

A copy of the final report, study protocols, raw data, retired SOPs, and an aliquot of the test compound will be retained in the LAIR Archives.

RESULTS

Results from scoring the dermal irritation in each rabbit are tabulated in Appendix D. All scores were negative. Neither edema, erythema, nor any other recognizable skin reaction was detected at any time during the 72-hour observation period.

The six dosed animals were submitted for gross necropsy on 3 Sep 85. There were no signs of skin irritation in any of the animals. The Veterinary Pathologist's Report is presented as Appendix E.

DISCUSSION

The modified Draize dermal irritation test as performed for this study has proven reliable for detecting non-irritating substances and severe irritants but considerably less reliable for detecting mild and moderate irritants (5). Consequently, many systems have been used to score and categorize the dermal irritation potentials of a test compound. The system used by the Division of Toxicology, LAIR, is an adaptation of one used at the US Army Environmental Hygiene Agency (6). It develops a dermal irritation index based on the peak net mean score, which is the maximum net mean score calculated during the 72-hour

observation period. Test compounds are classified as nonirritants or irritants based on the following scale:

<u>Classification</u>	<u>Peak Net Mean Score</u>
Nonirritant	0.0 - 0.5
Mild Irritant	0.6 - 2.0
Moderate Irritant	2.1 - 5.0
Severe Irritant	5.1 - 8.0

Topically applied DEGDN produced neither edema nor erythema at any test site on six rabbits. Also, all sham sites were negative for dermal reactions. Therefore, the Peak Net Mean Score for DEGDN was zero. Based on these findings, DEGDN was classified as a nonirritant.

CONCLUSION

Diethyleneglycol dinitrate (DEGDN) should be classified as a nonirritant since it causes no grossly detectable dermal reactions under conditions of this study.

REFERENCES

1. Holleman JW, Ross RH, Carroll JW. Problem definition study on the health effects of diethyleneglycol dinitrate, triethyleneglycol dinitrate, and trimethylolethane trinitrate and their respective combustion products. Frederick, MD: US Army Medical Bioengineering Research and Development Laboratory, 1983, DTIC No. ADA 127846.
2. Environmental Protection Agency. Office of Pesticides and Toxic Substances, Office of Toxic Substances (TS-792). Primary dermal irritation. In: Health effects test guidelines. Washington, DC: Environmental Protection Agency, August 1982; EPA 560/6-82-001.
3. Primary dermal irritation study. LAIR Standard Operating Procedure OP-STX-34. Presidio of San Francisco, CA: Letterman Army Institute of Research, 19 March 1982.
4. Draize JH, Woodard G, Calvery HO. Methods for the study of irritation and toxicity of substances applied topically to the skin and mucous membranes. J Pharmacol Exp Ther 1944; 83:377-390.
5. McCreesh AH, Steinberg M. Skin irritation testing in animals. In: Marzulli FN, Maibach HI, eds. Dermato-toxicology. 3rd ed. Washington, DC: Hemisphere Publishing Corp., 1987: 153-172.
6. US Army Environmental Hygiene Agency (AEHA). Topical hazard evaluation program. Procedural guide. Aberdeen Proving Ground, MD: US Army Environmental Hygiene Agency, October, 1985.

Appendix A. Chemical Data.....	9
Appendix B. Animal Data.....	12
Appendix C. Historical Listing of Study Events.....	13
Appendix D. Primary Irritation Data.....	15
Appendix E. Pathology Report.....	16

Appendix A: CHEMICAL DATA


Chemical name: Ethanol, 2,2'-oxybis(dinitrate)

Alternate chemical name: Diethyleneglycol dinitrate (DEGDN)

Chemical Abstracts Service Registry No.: 693-21-0

LAIR Code No.: TP047

Chemical structure:



Molecular formula: $\text{C}_4\text{H}_8\text{N}_2\text{O}_7$

Molecular weight: 196

Physical state: Pale yellow liquid

Density (g/cm^3): 1.38¹

Analytical data: Refer to the attached data sheet, ARRCOM Form 213R. The compound chromatographed as a single peak (retention time 5.4 min) by HPLC analysis under the following conditions: column, Brownlee RP-18 (4.6 x 250 mm); solvent system, 30% water, 70% acetonitrile; flow rate, 0.9 ml/min; detection wavelength, 205 nm.² NMR (300 MHz, CD_3CN): 3.75 δ (complex multiplet, 4H, $-\text{CH}_2-\text{O}-\text{CH}_2-$), 4.61 complex

¹ Holleman JW, Ross RH, Carroll JW. Problem definition study on the health effects of diethyleneglycol dinitrate, triethyleneglycol dinitrate, and trimethylolethane trinitrate and their respective combustion products. Frederick, MD: US Army Medical Bioengineering Research and Development Laboratory, 1983; DTIC No. ADA127846, p. 17.

² Wheeler CR. Toxicity Testing of Propellants. Laboratory Notebook #85-12-023, p. 31. Presidio of San Francisco, CA: Letterman Army Institute of Research.

Appendix A (cont.): CHEMICAL DATA

multiplet, 4H, -CH₂ONO₂).³ Additional singlet signals of approximately equal intensity were observed at 2.08 d, and were due to sample impurities. Integration of all signals in the spectrum demonstrated that the sample contained 96.6% DEGDN. The impurities were not identified. IR(KBr): 2896, 1632, 1429, 1390, 1373, 1279, 1139, 1032, 909, 857, 758, 707, 655, 572cm⁻¹.⁴

Stability: The DEGDN was shipped containing 18% acetone (a desensitizer) and arrived at LAIR on 12 December 1984. The acetone was removed by rotary evaporation prior to studies with the propellant. Analysis of the compound one year after it was received gave the results described above. Stability of the compound in corn oil (the dosing vehicle) was examined. As determined by HPLC, the concentration of DEGDN in corn oil emulsions 24 h after preparation was within 1% of the target value.⁵

Source: Radford Army Ammunition Plant, Radford, Virginia
(prime contractor: Hercules Inc., Wilmington, Delaware).

Lot No.: RAD84M001S214

³ Ibid. pp. 44-48.

⁴ Ibid. pp. 49-50.

⁵ Wheeler CR. Nitrocellulose - Nitroguanidine Projects. Laboratory Notebook #85-01-006, pp. 57-60. Presidio of San Francisco, CA: Letterman Army Institute of Research.

Appendix A (cont): CHEMICAL DATA

DESCRIPTION SHEET FOR EXPLOSIVES, CHEMICALS, ETC				REPORTS CONTROL SYMBOL EXEMPT-Para 7-2a AR 335-15	PAGE 1 OF 1
TO:		FROM:		DATE December 5, 1984	
				MATERIAL Diethylene Glycol Dinitrate (DEGDN)	
MANUFACTURER HERCULES INCORPORATED RADFORD ARMY AMMUNITION PLANT			CONTRACT NO. DAAA09-77-C-4007		
SECTION A - DESCRIPTION OF LOTS					
FROM NUMBER RAD84M001S214	THRU NUMBER -	TOTAL NO. LOTS 1	TOTAL NET AMOUNT ACCEPTED 5 lbs		
PLACE MANUFACTURED RADFORD ARMY AMMUNITION PLANT, RADFORD, VIRGINIA			SPECIFICATION AND AMENDMENT/DRAWING NO. DOD-D-64015		
SECTION B - DESCRIPTION OF MATERIAL					
Requirements		Limit		Results	
82.2°C Potassium Iodide Starch Paper Heat Test (KI)		10 minutes minimum		12	
Nitrogen, %		14.10 minimum		14.15	
Water, %		Info Only		0.43	
Acidity		None		None	
Alkalinity		None		None	
REMARKS DEGDN is desensitized with 15% or more of acetone for a total weight of 5 lbs, and packed in a DOT 6D 5 gallon drum with a DOT 2S liner, overpacked in a DOT-6J 30 gallon capacity drum with vermiculite as a cushioning agent around the 5 gallon drum and contained in the 30 gallon drum. Requested by shipping Order AMCCOM and COR letter SMCRA dated November 28, 1984 (DOT Exemption 5704).					
SECTION C - CERTIFICATION					
SAMPLING CONDUCTED BY HERCULES INCORPORATED		THE ABOVE MATERIAL COMPLIES WITH ALL SPECIFICATION REQUIREMENTS AND IS CERTIFIED TRUE AND CORRECT.			
TESTING CONDUCTED BY HERCULES INCORPORATED		12-5-84		SIGNATURE <i>P.A. ALNER</i>	
THE ABOVE DESCRIBED LOTS ARE HEREBY ACCEPTED		FOR THE COMMANDER <i>P.A. ALNER</i>			
Dec 6, 1984		SIGNATURE			

Appendix B: ANIMAL DATA

Species: *Oryctolagus cuniculus*

Strain: New Zealand White (albino)

Source: Elkhorn Rabbitry
5265 Starr Way
Watsonville, CA 95076

Sex: Male and Female

Age: Young Adults

Animals in each group: 6 males and 2 females

Condition of animals at start of study: Normal

Body weight range at dosing: 3.0 - 3.6 kg

Identification procedures: Ear tattoo procedure (SOP OP-ARG-1), tattoo numbers 85F121 and 85F141-144 inclusive and 85F146 (males) and 85F129 and 85F131 (females).

Pretest conditioning:

1. Quarantine from 11 Jul - 25 Jul 1985
2. Animals were close-clipped and examined 24 hours before dosing.

Justification: Laboratory rabbits are a proven sensitive animal model for dermal testing.

Appendix C: HISTORICAL LISTING OF STUDY EVENTS

<u>Date</u>	<u>Event</u>
11 Jul 85	Animals arrived at LAIR. They were examined for illness and placed under a two-week quarantine by the Division of Animal Care and Resources Group (ACS).
15 Jul 85	Animals' ears were tattooed.
19 Jul 85	Animals' ears were treated with Canex® and mineral oil for prevention of ear mites.
12-25 Jul 85	Animals were checked daily by ACS personnel.
22 Jul 85	Animal 85F129 was submitted for quality control necropsy.
25 Jul 85	Rabbits were removed from quarantine and assigned to GLP Study 85029 after being certified healthy by ACS Staff Veterinarian.
12,19,25 Jul; 8,20,27 Aug; 3 Sep 85	Animals were weighed.
25 Jul-3 Sep 85	Animals were checked daily by Toxicology Suite personnel.
13 Aug 85	Animal 85F143 was sacrificed due to ulcerative pododermatitis.
19 Aug 85	Six animals were close clipped and quadrant areas marked.
20 Aug 85	Test substance was applied and animals were wrapped. Bandages were removed 24 hours after exposure.
20 Aug 85	Animals were scored 1 hour after exposure.
21 Aug 85	Animals were scored 24 hours after exposure.

Appendix C: HISTORICAL LISTING OF STUDY EVENTS

<u>Date</u>	<u>Event</u>
22 Aug 85	Animals were scored 48 hours after exposure.
23 Aug 85	Animals were scored 72 hours after exposure.
3 Sep 85	Animals were submitted to Pathology Branch for sacrifice and necropsy.

APPENDIX D: Primary Irritation Data

Animal No.	30-60 min		24 h		48 h		72 h	
	Test	Sham Vehicle	Test	Sham Vehicle	Test	Sham Vehicle	Test	Sham Vehicle
85F121	0	0	0	0	0	0	0	0
85F131	0	0	0	0	0	0	0	0
85F141	0	0	0	0	0	0	0	0
85F142	0	0	0	0	0	0	0	0
85F144	0	0	0	0	0	0	0	0
85F146	0	0	0	0	0	0	0	0
Peak Mean	0	0	0	0	0	0	0	0
Net Mean*	0		0		0		0	

*Net Mean equals Test Mean minus the greater of the Sham or Vehicle Mean. The peak or highest Net Mean for all observation periods is used to classify the test compound. A zero peak net mean score places DEGDN in Primary Skin Irritation Category I.

APPENDIX E: Pathology Report

LAIR Gross Pathology Report GLP Study 85004

Test: Primary Dermal Irritation.

Investigator: MAJ Larry Brown.

Species: Rabbit (NZW).


Test Substance: DEGDN (Cas No. 693-21-0).

History: This study was conducted IAW SOP-OP-STX-34, and involved application of the compound to shaved sites of skin for predetermined periods of time and dosages.

Gross findings:

<u>ANIMAL ID#</u>	<u>LAIR ACC#</u>	<u>FINDINGS</u>
85F121	38216	Cecum - Pinworms in lumen
85F131	38217	Cecum - Pinworms in lumen
85F141	38218	Cecum - Pinworms in lumen Lungs - Red mottling Trachea - Red foamy contents
85F142	38219	Cecum - Pinworms in lumen
85F144	38220	No lesions recognized
85F146	38221	Cecum - Pinworms in lumen

Comment: The findings in animal #85F141 were not considered to be related to the administration of test substance. There were no signs of skin irritation in any of the animals.


JOHN C. TURNIER, DVM
MAJ, VC
Comparative Pathology Branch

17 March 1986

Distribution List

Commander
US Army Biomedical Research and
Development Laboratory (27)
ATTN: SGRD-UBZ-C
Fort Detrick, Frederick, MD 21701-5010

Defense Technical Information Center
(DTIC) (2)
ATTN: DTIC-DLA
Cameron Station
Alexandria, VA 22304-6145

US Army Medical Research and
Development Command (2)
ATTN: SGRD-RM-I-S
Fort Detrick, Frederick, MD 21701-5012

Commandant
Academy of Health Sciences, US Army
ATTN: AHS-CDM
Fort Sam Houston, TX 78234

Chief
USAEHA Regional Division, West
Fitzsimmons AMC
Aurora, CO 80045

Chief
USAEHA Regional Division, North
Fort George G. Meade, MD 20755

Chief
USAEHA Regional Division, South
Bldg. 180
Fort McPherson, GA 30330

Commander
USA Health Services Command
ATTN: HSPA-P
Fort Sam Houston, TX 78234

Commander US Army Materiel
Command
ATTN: AMSCG
5001 Eisenhower Avenue
Alexandria, VA 22333

Commander
US Army Environmental Hygiene
Agency
ATTN: Librarian, HSDH-AD-L
Aberdeen Proving Ground, MD 21010

Dean
School of Medicine
Uniformed Services University of the
Health Sciences
4301 Jones Bridge Road
Bethesda, MD 20014

Commander
US Army Materiel Command
ATTN: AMCEN-A
5001 Eisenhower Avenue
Alexandria, VA 22333

HQDA
ATTN: DASG-PSP-E
Falls Church, VA 22041-3258

HQDA
ATTN: DAEN-RDM
20 Massachusetts, NW
Washington, D.C. 20314

CDR, US Army Toxic and Hazardous
Material Agency
ATTN: DRXTH/ES
Aberdeen Proving Ground, MD 21010

Commandant
Academy of Health Sciences
United States Army
ATTN: Chief, Environmental
Quality Branch
Preventive Medicine Division
(HSHA-IPM)
Fort Sam Houston, TX 78234