

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

AD-A205 142

②

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY FEB 23 1989			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			4. PERFORMING ORGANIZATION REPORT NUMBER 1.1988		
5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR- 89-0106			6a. NAME OF PERFORMING ORGANIZATION Washington University		
6b. OFFICE SYMBOL (if applicable)			7a. NAME OF MONITORING ORGANIZATION AFOSR/NL		
6c. ADDRESS (City, State, and ZIP Code) Campus Box 1054 One Brookings Drive St. Louis, MO 63130			7b. ADDRESS (City, State, and ZIP Code) Bldg 410 Bolling AFB DC 20332-1448		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR			8b. OFFICE SYMBOL (if applicable)		
9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-87-0250			10. SOURCE OF FUNDING NUMBERS		
8c. ADDRESS (City, State, and ZIP Code) AFOSR/NL Building 410 Bolling AFB DC 20332-6448			PROGRAM ELEMENT NO. 6102F	PROJECT NO. 2313	TASK NO. A6 A2
11. TITLE (Include Security Classification) Control of Biosonar Behavior by the Auditory Cortex					
12. PERSONAL AUTHOR(S) Nobuo Suga and Stephen Gaioni					
13a. TYPE OF REPORT Annual Report		13b. TIME COVERED FROM 7/1/87 TO 10/31/88		14. DATE OF REPORT (Year, Month, Day) 1988, 11, 28	
15. PAGE COUNT 5					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	biosonar; echolocation; Doppler shift; auditory cortex; cingulate cortex; vocalizations; bats;		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
Lesion experiments were conducted to examine whether the functional organization of the mustached bat's auditory cortex is related to biosonar behavior in the manner inferred from previous neurophysiological experiments. Bats were swung on a pendulum towards a target to elicit echolocation behavior, and their adjustments in their biosonar signals measured: Doppler-shift compensation (to correct for Doppler-shift in echoes), intensity compensation, and rate and duration adjustments. Following bilateral aspiration ablations of the entire auditory cortex, the amount and stability of Doppler-shift compensation was significantly less, and the reaction time for this response significantly greater than preablation. Subsequent localized ablations identified the DSCF area (over)					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL K. P. 1000			22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL NL

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted.
All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

-7 DEC 1988

AFOSR-TR- 89 - 0106

Technical Report

The major aim of this project is to examine, by means of critical lesion experiments, whether the functional organization of the mustached bat's auditory cortex is related to biosonar behavior in the manner inferred from previous neurophysiological experiments.

Our first behavioral task involved swinging bats on a 2.8 m long pendulum towards a large target. Before the cortical ablations, these bats showed the behavioral adjustments made during natural flight towards a target: they compensated for the Doppler shift in returning echoes, reduced pulse amplitude, increased pulse rate, and decreased pulse duration. Their Doppler-shift compensation (DSC) was 80% of the amount of Doppler shift, and their reaction time for DSC averaged 96 ms. They also showed memory for the amount of Doppler shift occurring at different parts of the pendulum's arc. Following large bilateral ablations of the auditory cortex (AC) (n=4), the amount of DSC was reduced to an average of 35%, and the reaction time increased to an average of 150 ms. Similar effects were observed when only the DSCF (Doppler shift constant frequency) area of the AC was ablated (n=2): the amount of DSC was reduced to an average of 54%, and the reaction time increased to an average of 211 msec. Similar results have been obtained in one bat in which the DSCF was 'reversibly lesioned' by topical application of muscimol, a GABA agonist, which produces tonic inhibition lasting for several hours. We are currently replicating this effect. For all of these animals, the other behavioral adjustments were unaffected by the ablations. Electrical stimulation of the cingulate cortex (Cg), the highest vocalization center, suggests that it has a motor map for the control of pulse frequency. When the Cg was bilaterally ablated (n=2), however, no deficits in biosonar behavior were observed. Overall, these results indicate that the AC, particularly the DSCF area, plays an important role in the fine-tuning of DSC. They further suggest that all of these behavioral adjustments are predominantly under subcortical control. The role of the Cg in biosonar behavior is unclear, although we hypothesize that it may be involved in enabling the bat to selectively attend to its own pulses, and their resulting echoes, in an acoustically cluttered environment.

89 2 16 060

Our second behavioral task is a conditioned shock avoidance discrimination task using a leg flexion response. It is designed to probe more directly perceptual deficits caused by AC lesions. Bats are taught to discriminate between two trains of pulse+echo pairs. In our first experiment, bats ($n=3$) have learned to discriminate between a train of 61.0 kHz pulses + 61.0 kHz echoes, and a train of 61.0 kHz pulses and echoes which jitter between 61.0 kHz and 61.1 kHz (i.e. a frequency change of < 0.2%). This month we will be performing reversible lesions of the AC on these bats using muscimol.

Plans for the coming year involve extending the leg flexion task to examine the role of the various AC subdivisions in discriminations of other acoustic parameters (echo delay, intensity, frequency and amplitude modulation). For example, a given bat will be trained on two discriminations, one involving frequency differences and a second involving differences in echo delay. Lesioning of its DSCF area (and/or its CF/CF area) should disrupt only the frequency discrimination, whereas lesioning of the FM-FM area should disrupt only the range discrimination. Also, the pendulum task will be used to explore the role of subcortical structures and the Cg in biosonar behavior. We will further examine the importance of the AC for sound localization in the azimuthal plane by measuring head and pinnae movements to synthetic biosonar pulses played over loudspeakers positioned on a semicircular hoop in front of the bat. Rather than employing the aspiration lesions used during our first year of research, we will apply muscimol to create reversible lesions.

Publications Resulting from Grant

Gaioni, S.J., Suga, N., & Riquimaroux, H. Effects of bilateral ablations of the auditory and/or cingulate cortices on the biosonar behavior of the mustached bat. To be submitted to Journal of Neurophysiology.

Riquimaroux, H., Gaioni, S.J., & Suga, N. Frequency discrimination in the mustached bat using conditioned leg flexion. To be submitted to Hearing Research.

For	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	
101	
102	
103	
104	
105	
106	
107	
108	
109	
110	
111	
112	
113	
114	
115	
116	
117	
118	
119	
120	
121	
122	
123	
124	
125	
126	
127	
128	
129	
130	
131	
132	
133	
134	
135	
136	
137	
138	
139	
140	
141	
142	
143	
144	
145	
146	
147	
148	
149	
150	
151	
152	
153	
154	
155	
156	
157	
158	
159	
160	
161	
162	
163	
164	
165	
166	
167	
168	
169	
170	
171	
172	
173	
174	
175	
176	
177	
178	
179	
180	
181	
182	
183	
184	
185	
186	
187	
188	
189	
190	
191	
192	
193	
194	
195	
196	
197	
198	
199	
200	
201	
202	
203	
204	
205	
206	
207	
208	
209	
210	
211	
212	
213	
214	
215	
216	
217	
218	
219	
220	
221	
222	
223	
224	
225	
226	
227	
228	
229	
230	
231	
232	
233	
234	
235	
236	
237	
238	
239	
240	
241	
242	
243	
244	
245	
246	
247	
248	
249	
250	
251	
252	
253	
254	
255	
256	
257	
258	
259	
260	
261	
262	
263	
264	
265	
266	
267	
268	
269	
270	
271	
272	
273	
274	
275	
276	
277	
278	
279	
280	
281	
282	
283	
284	
285	
286	
287	
288	
289	
290	
291	
292	
293	
294	
295	
296	
297	
298	
299	
300	
301	
302	
303	
304	
305	
306	
307	
308	
309	
310	
311	
312	
313	
314	
315	
316	
317	
318	
319	
320	
321	
322	
323	
324	
325	
326	
327	
328	
329	
330	
331	
332	
333	
334	
335	
336	
337	
338	
339	
340	
341	
342	
343	
344	
345	
346	
347	
348	
349	
350	
351	
352	
353	
354	
355	
356	
357	
358	
359	
360	
361	
362	
363	
364	
365	
366	
367	
368	
369	
370	
371	
372	
373	
374	
375	
376	
377	
378	
379	
380	
381	
382	
383	
384	
385	
386	
387	
388	
389	
390	
391	
392	
393	
394	
395	
396	
397	
398	
399	
400	
401	
402	
403	
404	
405	
406	
407	
408	
409	
410	
411	
412	
413	
414	
415	
416	
417	
418	
419	
420	
421	
422	
423	
424	
425	
426	
427	
428	
429	
430	
431	
432	
433	
434	
435	
436	
437	
438	
439	
440	
441	
442	
443	
444	
445	
446	
447	
448	
449	
450	
451	
452	
453	
454	
455	
456	
457	
458	
459	
460	
461	
462	
463	
464	
465	
466	
467	
468	
469	
470	
471	
472	
473	
474	
475	
476	
477	
478	
479	
480	
481	
482	
483	
484	
485	
486	
487	
488	
489	
490	
491	
492	
493	
494	
495	
496	
497	
498	
499	
500	
501	
502	
503	
504	
505	
506	
507	
508	
509	
510	
511	
512	
513	
514	
515	
516	
517	
518	
519	
520	
521	
522	
523	
524	
525	
526	
527	
528	
529	
530	
531	
532	
533	
534	
535	
536	
537	
538	
539	
540	
541	
542	
543	
544	
545	
546	
547	
548	
549	
550	
551	
552	
553	
554	
555	
556	
557	
558	
559	
560	
561	
562	
563	
564	
565	
566	
567	
568	
569	
570	
571	
572	
573	
574	
575	
576	
577	
578	
579	
580	
581	
582	
583	
584	
585	
586	
587	
588	
589	
590	
591	
592	
593	
594	
595	
596	
597	
598	
599	
600	
601	
602	
603	
604	
605	
606	
607	
608	
609	
610	
611	
612	
613	
614	
615	
616	
617	
618	
619	
620	
621	
622	
623	
624	
625	
626	
627	
628	
629	
630	
631	
632	
633	
634	
635	
636	
637	
638	
639	
640	
641	
642	
643	
644	
645	
646	
647	
648	
649	
650	
651	
652	
653	
654	
655	
656	
657	
658	
659	
660	
661	
662	
663	
664	
665	
666	
667	
668	
669	
670	
671	
672	
673	
674	
675	
676	
677	
678	
679	
680	
681	
682	
683	
684	
685	
686	
687	
688	
689	
690	
691	
692	
693	
694	
695	
696	
697	
698	
699	
700	
701	
702	
703	
704	
705	
706	
707	
708	
709	
710	
711	
712	
713	
714	
715	
716	
717	
718	
719	
720	
721	
722	
723	
724	
725	
726	
727	
728	
729	
730	
731	

Papers Presented at Meetings

Gaioni, S.J., Suga, N., & Riquimaroux, H. Biosonar behavior of mustached bats (Pteronotus parnellii) swung on a pendulum. Animal Behavior Society Meeting, Missoula Montana, 1988.

Gaioni, S.J., Suga, N., & Riquimaroux, H. Effects of bilateral ablation of the auditory cortex and/or cingulate cortex on the biosonar behavior of the mustached bat. Society for Neuroscience 18th Annual Meeting, Toronto, 1988.

Riquimaroux, H., Gaioni, S.J., & Suga, N. Effects of bilateral ablation of auditory and/or cingulate cortices on bat echolocation behavior. To be presented at the Association for Research in Otolaryngology Midwinter Meeting, Clearwater Florida, 1988.

Participating Professionals

Nobuo Suga, Ph.D.
Stephen J. Gaioni, Ph.D.
Hiroshi Riquimaroux, Ph.D.

Report Number: 1.1988

Title: Control of Biosonar Behavior by the Auditory Cortex.

Grant Number: AFOSR-87-0250

Authors: Nobuo Suga & Stephen Gaioni

Performing Organization:
Washington University

Address: Campus Box 1054
One Brookings Drive
St. Louis, MO 63130

Date: 11/28/88

Report Type: Annual Technical Report 7/1/87 to 10/31/88

Prepared for: AFOSR