

DTIC FILE COPY

2

AD-A207 275

First Quarterly Technical Report 1.0.1,

Analysis and Evaluation of Technical Data
on the
Photochromic and Non-Linear Optical
Properties of Materials

March 1, 1989 ✓

George Mason University

Robert F. Cozzens, Principal Investigator ✓

ARPA Order #: 6631 ✓

Contract #: DAAB07-89-C-F404 ✓

Project #: CJ829178CJCA

Program Code#: 8E20

DTIC
ELECTE
APR 28 1989
S H D

DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited

089 4 28 139
89-3 15 074

Background

The overall goal of this relatively small contractual effort is to provide technical assistance to Dr. Frank Patten (DARPA) in evaluating data on materials, especially polymers, that may be useful in the development of optical limiters for the protection of eyes and electrooptic sensors from exposure to damaging levels of laser radiation. A major task is to assist in the development of a predictive capability in assessing the viability of various protective approaches and to determine the theoretical limitations which may exist in the use of organic materials as optical switches and limiters.

The rate at which optical switches may be activated is limited by the intensity of the activating radiation and the basic process responsible for switching. Phase transitions require milliseconds to seconds to respond, Kerr cells operate in the 10^{-2} to 10^{-7} sec range, molecular reorientations require 10^{-6} to 10^{-10} seconds, and pure electronic transitions take place in the 10^{-8} to 10^{-14} second range. Simply because a given molecular transition takes place rapidly does not mean that, collectively, sufficient molecules can be made to undergo transitions in short enough times to serve as an effective optical switch or limiter. Response times for a light driven device as a whole are controlled not only by the response time of individual molecules but the rate at which photons responsible for switching are absorbed by the system in order to induce switching. At the same time, one must consider whether the transparency of the system under ambient illumination is adequate for its intended use and whether the material can dissipate the absorbed energy without irreversible damage to the system.



Progress to Date

A search of the literature has been initiated in an attempt to gather into one table the magnitude of the non-linear optical properties of various organic materials as a function of molecular structure. The search includes research activities supported by the Federal Government as well as the open literature. A partial list of references currently being documented appear as Appendix A of this report. The next quarterly report should contain a partial table of materials vs. NLO properties. It is anticipated that this table will represent a "living document", continuously updated as the NLO properties of experimental organic materials are reported.

① → (none) ↑

on For	
DA&I	☒
3	☐
iced	☐
ation	
per letter	
ation/	
Availability Codes	
Dist	Avail and/or Special
A-1	

Frequent conversations have been held with Dr. Frank Patten (DARPA) with regard to the direction of this effort. At his request, initial contact has been made with Dr. Marshal Sparks of BDM Corp. (Calif.). It is anticipated that we will team in developing a model capable of predicting the theoretical limitations which may exist in using various materials as optical switches or limiters in the protection of eyes and sensors. The Principal Investigator attended the two day Technical Steering Committee meeting held in Crystal City, Virginia, 24-25 January 1989. It is anticipated that he will attend the SPIE meeting in late March in Orlando, Florida which will be dedicated to Sensor Protection.

A recent and related synthetic chemistry research effort has been initiated within the Chemistry Department at George Mason University in developing new organic molecules and polymers which may have enhanced non-linear optical properties, especially ladder polymers, including those containing heterocyclic groups.

The Principal Investigator is coordinating his activities with the Chemistry Division of the Naval Research Laboratory in Washington, D. C. in order to avoid duplication of effort and to maximize research efficiency.

APPENDIX A

Technical References
Used In
Development of Table
of
Non-Linear Optical Properties of Organics
As A Function Of
Molecular Structure

To accompany "First Quarterly Technical Report"

~~89-11-875~~

REFERENCES

- [1] Laser Institute of America, "American National Standard for the Safe Use of Lasers, ANSI Z 136.1," Toledo, Ohio, 1986.
- [2] Sliney, D., Wolbarsht, M., Safety with Lasers and Other Optical Sources: A Comprehensive Handbook, Plenum Press: New York, 1985.
- [3] Nordwall, Bruce, "Laser Advances Spur Pentagon Efforts to Protect Flight Crew Member's Eyes," Aviation Week and Space Technology, February (1988) 73-74.
- [4] Briefing Outline Packet "Laser Eye Protection Program for Navy/Marine Corps Aviators," CNAP Laser Protection and Countermeasures Workshop, December, 1987.
- [5] Garito, A., Singer, K., "Organic Crystals and Polymers - A New Class of Nonlinear Optical Materials," Laser Focus (1982) 59-64.
- [6] Heflin, J., Wong, K., Zamani-Khamiri, O., Garito, A. "Recent Developments in Microscopic Descriptions of the Nonlinear Optical Properties of Organic and Polymer Structures," SPIE Spatial Light Modulators and Applications 825 (1987) 56-68.
- [7] Garito, A., Government Report AD-A172 024, 1986.
- [8] Garito, A., Teng, C., Wong, K., Zammani-Khamiri, O. "Molecular Optics: Nonlinear Optical Processes In Organic and Polymer Crystals," Mol. Cryst. Liq. Cryst. 106 (1984) 219-258.
- [9] Prasad, P. "Non-Linear Optical Effects in Thin Organic Polymeric Films," Thin Solid Films 152 (1987) 275-294.
- [10] Garito, A., Teng, C., "Nonlinear optical processes in organic media: large non-resonant third order electronic responses in high performance liquid crystal polymer structures," SPIE Nonlinear Optics and Applications 613 (1986) 146-152.
- [11] Goodwin, M.J., Edge, C., Trundle, C., Bennion, I., "Intensity-dependent birefringence in nonlinear organic polymer waveguides," J. Opt. Soc. Am. B5 (1988) 419-424.
- [12] Singer, K.D., Lalama, S.J., Sohn, J.E., "Organic Nonlinear optical materials," SPIE Integrated Optical Circuit Engineering II 578 (1985) 130-136.

- [13] Rao, D.N., Swiatkiewicz, J., Chopra, P., Ghoshal, S.K., Prasad, P.N., "Third order nonlinear optical interactions in thin films of poly-p-phenylenebenzobisthiazole polymer investigated by picosecond and subpicosecond degenerate four wave mixing," *Appl. Phys. Lett.* 48 (1986) 1187-1189.
- [14] Lytel, R., Lipscomb, G.F., Thackara, J., Altman, J., Elizondo, P., Stiller, M., Sullivan, B., "Nonlinear and Electro-Optic Organic Devices," in Prasad, P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [15] Garito, A.F., Wong, K.Y., Cai, Y.M. Man, H.T., Zamani-Khamiri, O., "Fundamental nonlinear optics issues in organic and polymer systems," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 2-11.
- [16] Rao, D.N., Chopra, P., Ghoshal, S.K., Swiatkiewicz, J., Prasad, P.N., "Third-order nonlinear optical interaction and conformational transition in poly-4-BCMU polydiacetylene studied by picosecond and subpicosecond degenerate four wave mixing," *J. Chem Phys* 84 (1986) 7049-7050.
- [17] Williams, D. (ed.), Nonlinear Optical Properties of Organic and Polymeric Materials, ACS Symp. Ser. No. 233, ACS:Washington, D.C., 1983.
- [18] Prasad, P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [19] Chemla, D., Zyss, J. (ed.), Nonlinear Optical Properties of Organic Molecules and Crystals, Volumes 1 and 2, Academic Press:New York, 1987.
- [20] Khanarian, G. (ed.), Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications, Proceedings of SPIE, Volume 682, SPIE:Washington, 1986.
- [21] Musikant, S. (ed.), Advances in Materials for Active Optics, Proceedings of SPIE, Volume 567, SPIE:Washington, 1985.
- [22] Lewis, Aaron, Del Priore, Lucian, "The Biophysics of Visual Photoreception," *Physics Today*, January (1988) 38-46.
- [23] McCally, R., Farrell, R., Barger, C., Kues, H., Hochheimer, B., "Nonionizing Radiation Damage In The Eye," *Johns Hopkins APL Technical Digest* 7 (1986) 73-91.
- [24] Material obtained from a research proposal submitted to the Army, CNVEO, Ft. Belvoir, VA by Battelle - Columbus, 1988.

- [25] Auston, D.H., et al., "Research on nonlinear optical materials: an assessment," *Applied Optics* 26 (1987) 211-234.
- [26] Fisher, R. (ed.), Optical Phase Conjugation, Academic:New York, 1983.
- [27] Some examples:
 - (a) Kryukov, P.G., Matveiets, Y.A., Nikogosyan, N.D., Sharkov, A.V., Gordeiev, E.M., Franchenko, S.D., "Generation of frequency-tunable single ultrashort light pulses in a LiIO_3 crystal," *Sov. J. Quantum Electron.* 7 (1977) 127-128.
 - (b) Akhmanov, S.A., Kovrygin, A.I., Kolosov, V.A., Piskarkas, A.S., Fadeiev, V.V., Khokhlov, R.V., "Tunable parametric generator with KDP crystal," *JETP Lett.* 3 (1966) 241-245.
 - (c) Goldberg, L.S., "Optical parametric oscillation in lithium iodate," *Appl. Phys. Lett.* 5 (1964) 234-236.
 - (d) Izrailenko, A.I., Kovrygin, A.I., Nikles, R.V., "Parametric generation of light in high efficiency LiIO_3 and $\alpha\text{-HIO}_3$," *JETP Lett.* 12 (1970) 331-333.
 - (e) Boyd, G.D., Miller, R.C., Nassau, K., Bond, W.L., Savage, A., " LiNbO_3 , an efficient phase-matched nonlinear optical material," *Appl. Phys. Lett.* 5 (1964) 234-236.
 - (f) Zumsteg, F.C., Bierlein, J.D., Gier, T.E., " $\text{K}_x\text{Rb}_{1-x}\text{TiOPO}_4$: a new nonlinear optical material," *J. Appl. Phys.* 47 (1976) 4980-4985.
- [28] Nasu, H., Mackenzie, J.D., "Nonlinear optical properties of glasses and glass- or gel-based composites," *Optical Engineering* 26 (1987) 102-106.
- [29] Roussignol, P., Ricard, D., Lukasik, J., Flytzanis, C., "New results on optical phase conjugation in semiconductor-doped glasses," *J. Opt. Soc. Am. B4* (1987) 5-13.
- [30] Flytzanis, C., Oudar, J., (ed.) Nonlinear Optics: Materials and Devices: Springer Proceedings in Physics 7, Springer-Verlag: New York, 1985.
- [31] Henneberger, F., Woggon, U., Puls, J., Spielgelberg, Ch., "Exciton-Related Optical Nonlinearities in Semiconductors and Semiconductor Microcrystallites," *Appl. Phys. B* 46 (1988) 19-25.
- [32] Broser, I., Gutowski, J., "Optical Nonlinearity of CdS ," *Appl. Physics B46* (1988) 1-19.

- [33] Ewbank, M.D., "Laser Hardened Materials Program Review, SLA Session," Kossiakoff Conference and Education Center, Applied Physics Laboratory, Johns Hopkins University, September 1988; Information obtained from Rockwell International Science Center research proposal submitted to the Army, CNVEO, Ft. Belvoir, VA., 1988
- [34] Kajzar, F., Messier, J., "Cubic nonlinear optical effects in conjugated polymers," *Polymer Journal* 19 (1987) 275-284.
- [35] Egbert, W. "Modeling, synthesis, and characterization of organic nonlinear optical materials," SPIE Advances in Nonlinear Polymers and Inorganic Crystals, Liquid Crystals and Laser Media 824 (1987) 107-114.
- [36] Ulrich, D.R., "Multifunctional macromolecular ultrastructures: Introductory Comments," *Polymer* (Conference issue) 26 (1987) 533-542.
- [37] Ulrich, D., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research: National Academy of Sciences, Washington, D.C., April, 1988.
- [38] Ulrich, D., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society: Virginia Beach, Virginia, May, 1988.
- [39] Holman, R.L., Johnson, L.M., Skinner, D.P., "Desirability of electro-optic materials for guided-wave optics," *Optical Engineering* 26 (1987) 134-142.
- [40] Kowel, S.T., Ye, L., Zhang, Y., Hayden, L.M., "Organic and polymeric thin films for nonlinear optics," *Optical Engineering* 26 (1987) 107-112.
- [41] Williams, D., "Organic Polymeric and Non-Polymeric Materials with Large Optical Nonlinearities," *Angew. Chem. Int. Ed. Engl.* 23 (1984) 690-703.
- [42] Norman, P., Bloor, D., Obhi, J., Karaulov, S. Hursthouse, M., Kolinsky, P., Jones, R., Hall, S. "Efficient second-harmonic generation in single crystals of 2-(N,N-dimethylamino)-5-nitroacetanilide," *J. Opt. Soc. Am. B4* (1987) 1013.
- [43] Cross, G., Girling, I., Peterson, I., Cade, N., Earls, J. "Optically nonlinear Langmuir-Blodgett films: linear electro-optic properties of monolayers," *J. Opt. Soc. Am. B4* (1987) 962-967.
- [44] Kowel, S.T., Ye, L., Zhang, Y., "Organics and Polymers for Active Optics: An Assessment," SPIE Advances in Materials for Active Optics 567 (1985) 44-51.

- [45] Vidakovic, P., Coquillay, M., Salin, F. "N-(4-nitrophenyl)-N-methylamino-aceto-nitrile: a new organic material for efficient second-harmonic generation in bulk and waveguide configurations. I. Growth, crystal structure, and characterization of organic crystal-cored fibers," J. Opt. Soc. Am. B4 (1987) 998-1012.
- [46] Prasad, P.N., "Nonlinear optical interactions in polymer thin films," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 120-124.
- [47] Lipscomb, G.F., et al., "Optical nonlinearities in organic materials" fundamentals and device applications," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 125-131.
- [48] Garito, A., Cai, Y., Man, H., Zamani-Khamiri, O. Chapter 14: "Nonlinear Optics: Organic and Polymeric Systems," in ACS Symposium Series 337 (1987) 177-189.
- [49] Zyss, J., Chemla, D., "Chapter II-1. Quadratic Nonlinear Optics and Optimization of the Second-Order Nonlinear Optical Response of Molecular Crystals," in Chemla, D., Zyss, J. (ed.), Nonlinear Optical Properties of Organic Molecules and Crystals, Volume 1, Academic Press:New York, 1987.
- [50] Pugh, D., Morley, J.O., "Chapter II-2. Molecular Hyperpolarizabilities of Organic Materials," in Chemla, D., Zyss, J. (ed.), Nonlinear Optical Properties of Organic Molecules and Crystals, Volume 1, Academic Press:New York, 1987.
- [51] Nicoud, J.F., Twieg, R.J., "Chapter II-3. Design and Synthesis of Organic Molecular Compounds for Efficient Second-Harmonic Generation," in Chemla, D., Zyss, J. (ed.), Nonlinear Optical Properties of Organic Molecules and Crystals, Volume 1, Academic Press:New York, 1987.
- [52] Kajzar, F., Messier, J., "Cubic hyperpolarizabilities and local electric field in alkanes and substituted alkanes," J. Opt. Soc. Am. B4 (1987) 1040-1046.
- [53] Ye, C., Marks, T.J., Yang, J., Wong, G.K., "Synthesis of molecular arrays with nonlinear optical properties. Second-harmonic generation by covalently functionalized glassy polymers," Macromolecules 20 (1987) 2322-2324.
- [54] Levine, B.F., "Donor-acceptor charge transfer contributions to the second order hyperpolarizability," Chem. Phys. Lett. 37 (1976) 516-520.

- [55] Lipscomb, G.F., Garito, A.F., Narang, R.S., "An exceptionally large linear electro-optic effect in the organic solid MNA," J. Chem. Phys 75 (1981) 1509-1516.
- [56] Watanabe, T., Yoshinaga, K., Fichou, D., Miyata, S., "Large Second Harmonic Generation in Electrically Ordered p-Nitroaniline-Poly(oxyethylene) 'Guest-Host' Systems," J. Chem. Soc., Chem. Comm. (1988) 250-251.
- [57] Willand, C., Williams, D., "Nonlinear Optical Properties of Polymeric Materials," Ber. Bunsenges. Phys. Chem. 91 (1987) 1304-1310.
- [58] Lalama, S.J., Singer, K.D., Garito, A.F., Desai, K.N., "Exceptional second-order nonlinear optical susceptibilities of quinoid systems," Appl. Phys. Lett. 39 (1981) 940-942.
- [59] Lipscomb, G.F., Garito, A.F., Narang, R.S., "A large linear electro-optic effect in a polar organic crystal 2-methyl-4-nitroaniline," Appl. Phys. Lett. 38 (1981) 663-665.
- [60] Teng, C.C., Garito, A.F., "Dispersion of the nonlinear second-order optical susceptibility of an organic system: -Nitroaniline," Phys. Rev. Lett. 50 (1983) 350-352.
- [61] Singer, K.D., Garito, A.F., "Measurements of molecular second order optical susceptibilities using dc induced second harmonic generation," J. Chem. Phys. 75 (1981) 3572-3580.
- [62] Ledoux, I., Badan, J., Zyss, J., Migus, A. Hulin, D., Etchepare, J., Grillon, G., Antonetti, A. "Generation of high-peak-power tunable infrared femtosecond pulses in an organic crystal: application to time resolution of weak infrared signals," J. Opt. Soc. Am. B4 (1987) 987.
- [63] Barzoukas, M., Josse, D., Fremaux, P., Zyss, J., Nicoud, J., Morley, J. "Quadratic nonlinear properties of N-(4-nitrophenyl)-L-prolinol and of a newly engineered molecular compound N-(4-nitrophenyl)-N-methylaminoacetonitrile: a comparative study," J. Opt. Soc. Am. B4 (1987) 977.
- [64] Singer, K., Kuzyk, M., Sohn, J. "Second-order nonlinear-optical processes in orientationally ordered materials: relationship between molecular and macroscopic properties," J. Opt. Soc. Am. B4 (1987) 968-976.
- [65] Marowsky, G., Gierulski, A., Steinhoff, R., Dorsch, D., Eidenschnik, R., Rieger, B. "Efficiency studies of second-harmonic-active organic dye coverages," J. Opt. Soc. Am. B4 (1987) 956-961.

- [66] Girling, I., Cade, N., Kolinsky, P., Jones, R., Peterson, I., Ahmad, M., Neal, D., Petty, M., Roberts, G., Feast, W. "Second harmonic generation in mixed hemicyanine: fatty acid Langmuir-Blodgett monolayers," J. Opt. Soc. Am. B4 (1987) 950-954.
- [67] Berkovic, G., Rasing, Th., Shen, Y. "Second-order nonlinear polarizability of various biphenyl derivatives," J. Opt. Soc. Am. B4 (1987) 945-949.
- [68] Teng, C., Garito, A. "Dispersion of the nonlinear second-order optical susceptibility of organic systems," Physical Review B28 (1983) 6766-6773.
- [69] Wang, Y., Tam, W., Stevenson, S., Clement, R., Calabrese, J. "New Organic Non-Linear Optical Materials of Stilbene and Diphenylacetylene Derivatives," Chemical Phy. Lett. 148 (1988) 136-141.
- [70] Allen, S., Morley, J.O., "CNDOVSB program for the calculation of second order molecular polarizabilities," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 20-26.
- [71] Pierce, B.M., "Molecular orbital and x-ray diffraction studies of nonlinear optical and structural properties of 5-nitrouracil," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 27-35.
- [72] Stamatoff, J.B., et al., "Development of polymeric nonlinear optical materials," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 85-92.
- [73] DeMartino, R.N., Choe, E.W., Khanarian, G., Hass, D., Leslie, T., Nelson, G., Stamatoff, J., Stuetz, D., Teng, C.C., Yoon, H., "Development of Polymeric Nonlinear Optical Materials," in Prasad, P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [74] Garito, A.F., Wong, K.Y., "Nonlinear optical processes in organic and polymer structures," Polymer J. 19 (1987) 51-60.
- [75] Oudar, J.L., "Optical nonlinearities of conjugated molecules. Stilbene derivatives and highly polar aromatic compounds," J. Chem. Phys. 67 (1977) 446-457.
- [76] Dalton, L.R., Thomson, J., Nalwa, H.S., "The role of extensively delocalized pi-electrons in electrical conductivity, nonlinear optical properties and physical properties of polymers," Polymer 28 (1987) 543.

- [77] Beratan D.N., Onuchic, J.N., Perry, J.W., "Nonlinear susceptibilities of finite conjugated organic polymers," J. Phys. Chem. 91 (1987) 2696-2698.
- [78] Garito, A., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [79] Garito, A., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [80] Dalton, L., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [81] Prasad, P., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [82] Prasad, P., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [83] Maloney, C., Blau, W., "Resonant third-order hyperpolarizabilities of large organic molecules," J. Opt. Soc. Am. B4 (1987) 1035-1039.
- [84] Lalama, S.J., Garito, A.F., "Origin of the nonlinear second-order optical susceptibilities of organic systems," Phys. Rev. A20 (1979) 1179.
- [85] Garito, A. "Molecular nonlinear optics: Nonlinear optical process in organic and polymer systems," SPIE Advances in Materials for Active Optics 567 (1985) 51-55.
- [86] Hermann, J.P., Ducuing, J., "Third-order polarizabilities of long-chain molecules," Journal of Applied Physics 45 (1974) 5100-5102.
- [87] Hermann, J., Ricard, D., Ducuing, "Optical Nonlinearities in Conjugated Systems: beta-carotene," J. Appl. Phys. Lett, 23 (1973) 178-180.
- [88] Zyss, J., "Nonlinear Organic Materials for Integrated Optics: a Review," J. Mol. Electronics 1 (1985) 25-45
- [89] Heeger, A.J., Moses, D., Sinclair, M., "Semiconducting polymers: fast response non-linear optical materials," Synthetic Metals 15 (1986) 95-104.

- [90] Kurtz, H., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [91] Le Grange, J.D., Kuzyk, M.G., Singer, K.D., "Effects of order on nonlinear optical processes in organic molecular materials," *Mol. Cryst. Liq. Cryst.* 150b (1987) 567-605.
- [92] Willand, C.S., Feth, S.E., Scozzafava, M., Williams, D.J., Green, G.D., Weinschenck, J.I., Hall, H.K., Mulvaney, J.E., "Electric-Field Poling of Nonlinear Optical Polymers," in Prasad. P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [93] Singer, K.D., Kuzyk, M.G., Sohn, J.E., "Orientationally Ordered Electro-Optic Materials", in Prasad. P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [94] Pantelis, P., Hill, J.R., Davies, G.J., "Poled Copoly(Vinylidene Fluoride-Trifluoroethylene) As A Host for Guest Nonlinear Optical Molecules", in Prasad. P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [95] Barraud, A., Vandevyer, M., "Chapter II-5. Growth and Characterization of Organic Thin Films (Langmuir-Blodgett Films)," in Chemla, D., Zyss, J. (ed.), Nonlinear Optical Properties of Organic Molecules and Crystals, Volume 1, Academic Press:New York, 1987.
- [96] Stamanoff, J., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [97] Griffin, A., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [98] Lytel, R., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [99] Le Barny, P., et al., "Some new side chain liquid crystalline polymers for nonlinear optics," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 56-64.

- [100] Meredith, G., Van Dusen, J., Williams, D. "Optical and Nonlinear Optical Characterization of Molecularly Doped Thermotropic Liquid Crystalline Polymers," *Macromolecules* 15 (1982) 1385-1389.
- [101] Marks, T., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April, 1988.
- [102] Tripathy, S., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [103] Peterson, I., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [104] Richardson, T., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [105] Allen, S., et al., "Second harmonic generation by Langmuir-Blodgett multilayers of an organic azo dye," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 97-102.
- [106] Kowel, S.T., Hayden, L.M., Selfridge, R.H., "Second-order optical effects in multilayer polymeric thin films," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 103-108.
- [107] Rickert, S.E., Lando, J.B., "Integrated Langmuir devices: structural and microprocessing methods," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 109-112.
- [108] Gerbi, D., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [109] Weber, M.J. (ed.), CRC Handbook of Laser Science and Technology, Volume III, Optical Materials Part1: Nonlinear Optical Properties/Radiation Damage, CRC Press, Inc.:Boca Raton, Florida, 1986.
- [110] Chang, T.Y., "Fast self-induced refractive index changes in optical media: a survey," *Optical Engineering*. 20, (1981) 220-232.
- [111] Carter, G.M., Chen, Y.J., Tripathy, S.K., "Intensity dependent index of refraction in organic materials," *Optical Engineering* 24 (1985) 609-612.

- [124] Chemla, D., Zyss, J. (ed.), Nonlinear Optical Properties of Organic Molecules and Crystals, Volume 2, Academic Press:New York, 1987.
- [125] Sauteret, C., Hermann, J.-P., Frey, R., Pradere, F., Ducuing, J., Baughman, R.H., Chance, R.R., "Optical nonlinearities in one-dimensional-conjugated polymer crystals," *Phys. Rev. Lett.* 36 (1976) 956-959.
- [126] Kobayashi, T., "Gain, lasing, and nonlinear optical properties of giant dipole molecules and polydiacetylene," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 12-19.
- [127] Ho, P.P., et al. "Ultrafast nonlinear optical processes in 4BCMU-polydiacetylene," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 36-43.
- [128] Etemad, S., Baker, G.L., Jaye, D., Kajzar, F., Messier, J., "Linear and nonlinear optical properties of polyacetylene," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 44-49.
- [129] Seymour, R.J., Carter, G.M., Chen, Y.J., Elman, B.S., Rubner, M.E., Thakur, M.K., Tripathy, S.K., "Polydiacetylene Polymeric Crystals for Nonlinear Optical Applications," SPIE Advances in Materials for Active Optics 567 (1985) 56-61.
- [130] Chollet, P.A., Kajzar, F., Messier, J., "Frequency and Temperature Variations of Cubic Susceptibility in Polydiacetylenes," in Prasad, P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [131] Nakanishi, H., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [132] Thakur, M., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [133] Carter, G.M., Thakur, M.K., Chen, Y.J., Hryniewicz, J.V., "Time and wavelength resolved nonlinear optical spectroscopy of a polydiacetylene in the solid state using picosecond dye laser pulses," *Appl. Phys. Lett.* 47 (1985) 457-459.
- [134] Tokura, Y., Koda, T., Itsubo, A., Miyabayashi, M., Okuhara, K., Ueda, A., "Optical spectra in polydiacetylene crystals substituted with fluororbenzenes," *J. Chem. Phys.* 85 (1986) 99-104.

- [135] Bloor, D., "Experimental studies of polydiacetylene: model conjugated polymers," Recent Advances in the Quantum Theory of Polymers, Workshop Proceedings (1980) 14-34.
- [136] Carter, G.M., Chen, Y.J., Georger, J. Jr., Hryniewicz, J., Rooney, M., Rubner, M.F., Samuelson, L.A., Sandman, D.J., Thakur, M., Tripathy, S., "Polydiacetylene: The ideal low dimensional organic material," Mol. Cryst. Liq. Cryst. 106 (1984) 259-268.
- [137] Ho, P.P., Yang, N.L., Jimbo, T., Wang, Q.Z., Alfano, R.R., "Ultrafast resonant optical Kerr effect in 4-butoxycarbonylmethylurethane polydiacetylene," J. Opt. Soc. Am. B4 (1987) 1025-1029.
- [138] Cong, P., Pang, Y., Prasad, P., "Degenerate four wave mixing study of conformational transition of a polydiacetylene, poly-4-BCMU, in solution," J. Chem. Phys. 85 (1986) 1077-1080.
- [139] Carter, G.M., "Excited-state dynamics and temporally resolved nonresonant nonlinear-optical processes in polydiacetylenes," J. Opt. Soc. Am. B4 (1987) 1018-1024.
- [140] Wolfe, J.F., "Rigid aromatic heterocyclic polymers for nonlinear optics," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 70-76.
- [141] Wolfe, J.F., Bitler, S.P., "Rigid Aromatic Heterocyclic Polymers: Synthesis of Polymers and Oligomers Containing Benzazole Units for Electrooptic Applications," in Prasad, P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press:New York, 1988.
- [142] Dalton, L.R., "Role of delocalized pi electrons in nonlinear optical and electrical conductivity properties of polymers," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 77-84.
- [143] Frazier, C.C., Guha, S., Chen, W.P., Cockerham, M.P., Porter, P.L., Chauchard, E.A., Lee, C.H., "Third-order optical non-linearity in metal-containing organic polymers," Polymer 28 (1987) 553-555.
- [144] Chauchard, E., "Topical Workshop on Organic and Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [145] Kajzar, F., Messier, J., Rosillio, C., "Nonlinear optical properties of thin films of polysilane," J. Appl. Phys. 60 (1986) 3040-3044.

- [146] Hache, F., Ricard, D., Flytzanis, C., "Optical nonlinearities of small metal particles: surface-mediated resonance and quantum size effects," J. Opt. Soc. Am. B3 (1986) 1647-1655.
- [147] Matsumoto, S., Kubodera, K., Kurihara, T., Kaino, T., "Nonlinear optical properties of an azo dye attached polymer," Appl. Phys. Lett. 51 (1987) 1-2.
- [148] Kramer, M., Tompkin, W., Boyd, R. "Nonlinear-optical interactions in fluorescein-doped boric acid glass," Physical Review A34 (1986) 2026-2031.
- [149] Tompkin, W.R., Boyd, W.R., "Nonlinear-optical properties of lead-tin fluorophosphate glass containing acridine dyes," J. Opt. Soc. Am. B4 (1987) 1030-1034.
- [150] Singer, K.D., Lalama, S.L., Sohn, J.E., Small, R.D., "Chapter II-8. Electro-Optic Organic Materials," in Chemla, D.S., Zyss, J. (ed.), Nonlinear Optical Properties of Organic Molecules and Crystals, Volume 1, Academic Press:New York, 1987.
- [151] Andersson, G., Dahl, I., Keller, P., Kuczynski, W., Lagerwall, S.T., Skarp, K., Stebler, B., "Submicrosecond electro-optic switching in the liquid-crystal smectic A phase: The soft-mode ferroelectric effect," Appl. Phys. Lett. 51 (1987) 640-642.
- [152] Patel, J.S., "Electro-optics of ferroelectric liquid crystals," Optical Engineering 26 (1987) 129.
- [153] Wong, K.Y., Garito, A.F., "Third-harmonic-generation study of orientational order in nematic liquid crystals," Physical Review A34 (1986) 5051-5058.
- [154] Patel, J., Goodby, J. "Ferroelectric Liquid Crystal Devices," SPIE Nonlinear Optics and Applications 613 (1986) 130-134.
- [155] Khoo, I.C., "Nonlinear optics of nematic liquid crystals," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 132-134.
- [156] Soileau, M.J., Van Stryland, E.W., Guha, S., "Two-photon absorption and nonlinear refraction in isotropic liquid crystals," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 135-137.
- [157] Wong, K.Y., Garito, A.F., "Liquid crystal orientational distribution functions and third harmonic generation," SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications 682 (1986) 138-146.

- [158] Khoo, I.C., Normandin, R., "Nanosecond-laser-induced optical wave mixing and ultrasonic wave generation in the nematic phase of liquid crystals," *Optics Letters* 9 (1984) 285-287.
- [159] Fekete, D., AuYeung, J., Yariv, A. "Phase-conjugate reflection by degenerate four-wave mixing in a nematic liquid crystal in the isotropic phase," *Optics Letters* 5 (1980) 51-53.
- [160] Ulrich, D., "Nonlinear Optical and Electroactive Polymers: An Overview," in Prasad, P., Ulrich, D. (ed.), Nonlinear Optical and Electroactive Polymers, Plenum Press: New York, 1988.
- [161] Pepper, D.M., "Optical Phase Conjugation," *Optical Engineering* 21 (1982) 156-183.
- [162] Gunter, P. (ed.), Electro-optic and Photorefractive Materials, Proceeding of the International School on Material Science and Technology, Springer-Verlag: New York, 1986.
- [163] Glass, A.M., Klein, M.B., Valley, G.C., "Fundamental Limit of the Speed of Photorefractive Effect and its Impact on Device Applications and Material Research: Comment," *Appl. Optics* 26 (1987) 3189.
- [164] Yeh, P., "Fundamental Limit of the Speed of Photorefractive Effect and its Impact on Device Applications and Material Research: Author's Reply to Comment," *Appl. Optics* 26 (1987) 3189.
- [165] Swartzlander, G., Kaplan, A. "Self-deflection of laser beams in a thin nonlinear film," *J. Opt. Soc. Am. B5* (1988) 765-768.
- [166] Sari, S.O., Rogovin, D., "Degenerate four-wave mixing from anisotropic artificial Kerr media," *Optics Letters* 9 (1984) 414-416.
- [167] Robinson, B.H., Schurr, J.M., Kwiram, A.L., Thomann, H., Kim, H., Morrobel-Sosa, A., Bryson, P., Dalton, L.R., "Evidence for soliton-phonon interaction in trans-polyacetylene: temperature and frequency dependence of electron spin-lattice relaxation data," *J. Phys. Chem.* 89 (1985) 4994-5002.
- [168] Shibata, N., Azuma, T., Tateda, M. "Identification of longitudinal acoustic modes guided in the core region of a single-mode optical fiber by Brillouin gain spectra measurements," *Optics Letters* 13 (1988) 595-597.

- [169] Palmer, A. "Nonlinear optics in aerosols," *Optics Letters* 5 (1980) 54-55.
- [170] Smith, P., Ashkin, A., Tomlinson, W. "Four-wave mixing in an artificial Kerr medium," *Optics Letters* 6 (1981) 284-286.
- [171] Wang, Y., Bernstein, M., Stevenson, S.H., "Nonlinear optics of molecular aggregates," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 50-54.
- [172] Eich, M., Reck, B., Ringsdorf, H., Wendorff, J.H., "Reversible digital and holographic optical storage in polymeric liquid crystals," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 93-96.
- [173] Massey, G.A., Bowersox, S.H., "Organic nonlinear materials for laser-electron beam generation," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 113-118.
- [174] Stevenson, S.H., Meredith, G.R., "New methods in third harmonic generation and molecular systematics," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 147-152.
- [175] Khanarian, G., et al., "Electro-optic and third harmonic generation studies of polymer alloys and solutions," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 153-158.
- [176] Small, R.D., Singer, K.D., Sohn, J.E., Kuzyk, M.G. Lalama, S.J., "Thin film processing of polymers for nonlinear optics," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 160-169.
- [177] Kashyap, R., "Nonlinear optical interactions in devices with cylindrical geometry," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 170-178.
- [178] Stegeman, G.I., Seaton, C.T., "Third-order nonlinear guided-wave optics," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 179-186.
- [179] Franke, H., Knabke, G., Reuter, R., "Optical waveguiding in polyimide," *SPIE Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications* 682 (1986) 191-195.

- [180] Hermann, J., Smith, P. Digest of Technical Papers from XI International Quantum Electronics Conference, Boston, MA June 23-26, 1980 (IEEE, New York, 1980), Paper T6, 656-657.
- [181] Wolff, P., Yuen, S., Harris, K., Cook, J., Schetzina, J. Appl. Phys. Lett. 50 (1987) 1858-1860.
- [182] Wang, Y., Mahler, W., "Degenerate four-wave mixing of CdS/polymer composite," Optics Communications 61 (1987) 233-236.
- [183] Bergot, M., Fermann, M., Li, L., Poyntz-Wright, L., Russell, P., Smithson, A. "Generation of permanent optically induced second-order nonlinearities in optical fibers by poling," Optics Letters 13 (1988) 592-594
- [184] Stegeman, G.I., Seaton, C.T., Zanoni, R., "Organic films in non-linear intergrated optics structures," Thin Solid Films 152 (1987) 231-263.
- [185] Phu Xuan, N., Ferrier, J., Gazengel, J., Rivoire, G., "Picosecond measurements of the third order susceptibiltiy tensor in liquids," Optics Commumications 51 (1984) 433-437.
- [186] Eich, M., Wendorff, J., Ringsdorf, H., Schmidt, H., "Nonlinear optical self diffraction in a mesogenic side chain polymer," Makromol. Chem 186 (1985) 2639-2647.
- [187] Domash, L., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April 1988.
- [188] Karasz, F., "Nonlinear Optical Polymers Contractors Meeting,"—Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April 1988.
- [189] Egbert, W., "Nonlinear Optical Polymers Contractors Meeting," Air Force Office of Scientific Research:National Academy of Sciences, Washington, D.C., April 1988.
- [190] Prasad, P.N., Casstevens, M.K., Pfleger, J., Logsdon, P., "Nonlinear Optical Interactions in Langmuir-Blodgett Organic Semiconductor Heterostructures," SPIE Multifunctional Materials, 878 (1988) 106-113.
- [191] Hoffman, C.A., Meyer, J.R., Youngdale, E.R., Lindle, J.R., Bartoli, F.J., Han, J.W., Cook, J.W., Schetzina, J.F., Chu, W., Faurie, J.P., Schulman, J.N., "Electro-optical and Nonlinear Optical Characterization of Narrow-gap Superlattices," SPIE Multifunctional Materials, 878 (1988) 47-55.

- [192] Barbara, P.F., "Ultradelocalized Aromatics - A New Class of Optical Media," SPIE Multifunctional Materials, 878 (1988) 65-75.
- [193] Dalton, L.R., "Design of Polymers with Desirable Semiconductor, NLO, and Structural Properties," SPIE Multifunctional Materials, 878 (1988) 102-106.
- [194] Lipscomb, G.F., "Topical Workshop on Organic Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [195] Palffy-Muhoray, P., Lee, M. A., West, J.L., Liquid Crystal Institute, Kent State University, Poster Session at "Topical Workshop on Organic Polymeric Nonlinear Materials," American Chemical Society:Virginia Beach, Virginia, May, 1988.
- [196] Sansone, M., "SLA Session, Laser Hardened Materials Program Review, Air Force," Kossiakoff Conference and Education Center, Applied Physics Laboratory, Johns Hopkins University, September, 1988.