

2

AD-A208 486

ICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. SECURITY CLASSIFICATION

DTIC
ELECTE
JUN 07 1989
F 1 a

1b. RESTRICTIVE MARKINGS

2a. CLASSIFICATION AUTHORITY

3. DISTRIBUTION/AVAILABILITY OF REPORT

Approved for public release;
distribution unlimited.

2b. DOWNGRADING SCHEDULE

4. ORGANIZATION REPORT NUMBER(S)

5. MONITORING ORGANIZATION REPORT NUMBER(S)

AFOSR-TR-89-0748

6a. PERFORMING ORGANIZATION
Computer Sciences Department
University of Texas at Austin

6b. OFFICE SYMBOL
(if applicable)

7a. NAME OF MONITORING ORGANIZATION

AFOSR

6c. ADDRESS (City, State, and ZIP Code)

Austin, Texas 78712

7b. ADDRESS (City, State, and ZIP Code)

BLDG 410
BAFB DC 20332-6448

8a. NAME OF FUNDING/SPONSORING
ORGANIZATION

AFOSR

8b. OFFICE SYMBOL
(if applicable)

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

F49620-79-C-0043

8c. ADDRESS (City, State, and ZIP Code)

BLDG 410
BAFB DC 20332-6448

10. SOURCE OF FUNDING NUMBERS

PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
61102F	2304	A2	

11. TITLE (Include Security Classification)

THEORETICAL ANALYSIS OF MODELS FOR TEXTURE

12. PERSONAL AUTHOR(S)

Larry S. Davis

13a. TYPE OF REPORT

Final

13b. TIME COVERED

FROM _____ TO _____

14. DATE OF REPORT (Year, Month, Day)

March 1980

15. PAGE COUNT

4

16. SUPPLEMENTARY NOTATION

17. COSATI CODES

FIELD	GROUP	SUB-GROUP

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

During the period covered by this contract, technical advances were made in the general area of describing image textures in terms of the spatial distribution of local features, such as edges, in the texture. The first contribution concerned the theoretical development of a minimal error onedimensional edge detector for image models which can be used to describe textures. The second contribution was a comparative classification study of texture statistics derived from grey level and edge cooccurrence matrices. The third contribution was the development of a new computational tool for analyzing textures, called a polarogram. The polarogram is a rich source of directionally sensitive texture statistics which are invariant to image orientation. This research was documented in seven reports and papers.

89 06 045

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION

unclassified

22a. NAME OF RESPONSIBLE INDIVIDUAL

22b. TELEPHONE (Include Area Code)

767-5025

22c. OFFICE SYMBOL

NM

THEORETICAL ANALYSIS OF MODELS FOR TEXTURE

1. RESEARCH OBJECTIVES

Final

Texas U.

Larry S. Davis

The research objectives of this project include the following:

- 1) Developing formal models for the detection of local image features such as edges and lines in image textures.
- 2) Developing formal models for the analysis of statistical properties of the distributions of such local features in image textures.
- 3) Applying the theoretical analyses developed in the efforts associated with (1) and (2) to the discrimination between classes of real image textures.

AFOSK-IR. 89-0743

F49620-79-C-0043

2. STATUS OF THE RESEARCH EFFORT

This research effort was initiated on March 1, 1979. Since then, a substantial number of accomplishments have been achieved. These include:

- 1) The development of a theoretical model for the optimal detection of edges in textures. The analysis is based on a formal model of textures which describes the size and color of texture pieces along an arbitrary line through the texture. Given such a model, we have developed a minimal error edge detector which is based on applying an edge operator to an image texture and then marking edges by a combination of thresholding and local maxima selection. This research utilizes a wide variety of mathematical tools, including random geometry, probability theory and decision theory. We are now in the process of designing processes which will apply these theoretical results to the analysis of real images so that edges can be reliably computed even for images containing a mosaic of different textures.

Approved for public release;
distribution unlimited.

2) A comparative classification study was performed which compared texture statistics derived from grey level cooccurrence matrices with those derived from cooccurrence matrices based on the distribution of local image features, such as edges and lines. The results of this classification study were consistent with previously reported results in that the statistics based on edges were more successful at discriminating between natural textures than were the statistics based on grey level.

3) A new tool for image texture analysis called a polarogram was developed. The motivation for developing the polarogram was to produce a tool which could generate statistics which were sensitive to differences in the structure of image textures as a function of directionality, but which were, at the same time, invariant to the orientation of the texture in the field of view. These two goals, sensitivity to directionality and invariance to orientation, have not been sufficiently attended to in the past. A polarogram is a polar plot of a directionally dependent texture statistic as a function of direction. Features of the polarogram which are invariant to rotations of the polarograms can then be shown to be invariant to the orientation of the image texture. Experimental results indicate that such polarogram statistics are quite powerful for texture discrimination.

3. WRITTEN PUBLICATIONS

1. A comparative texture classification study based on generalized cooccurrence matrices (L. Davis, B. Clearman and J.K. Aggarwal), IEEE Conf. on Decision and Control, Miami, FL., Dec., 1979.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)

NOTICE OF TECHNICAL TO DDC

This technical report has been reviewed and is approved for distribution under AFR 100-12 (7b). Distribution is unlimited.

A. D. EGGER

Technical Information Officer

Availability Codes	
Dist	Avail and/or Special
A-1	

2. An empirical evaluation of generalized cooccurrence matrices, (L. Davis, B. Clearman and J.K. Aggarwal), under revision for publication in the IEEEET-Pattern Analysis and Machine Intelligence, (note: this is an extended version of (1) for journal publication.)
3. Edge detection in textures (L. Davis, A. Mitiche), to appear in Computer Graphics and Image Processing, 1980.
4. "Generalized Cooccurrence", (L. Davis), to appear in Computer Texture Analysis, Ed. R. Haralick, Plenum Press, 1980.
5. Polarograms: A new tool for texture analysis (L. Davis), accepted for publication in Pattern Recognition.
6. Edge Detection in Textures - Maxima Selection (L. Davis, A. Mitiche) to appear in Computer Graphics and Image Processing.
7. Texture analysis using edge cooccurrence, Proc. MICOM Workshop on Imaging Trackers and Autonomous Applications for Missile Guidance, Redstone Arsenal, AL., Nov., 1979.

4. PROFESSIONAL PERSONNEL

1. Larry S. Davis, Assistant Professor and Principal Investigator.
2. Amar Mitiche, Graduate Research Assistant, Ph.D. Candidate.
3. Simon Yam, Graduate Research Assistant, Ph.D. Candidate.
4. Russel Still, Graduate Research Assistant, M.A. Candidate
5. Bo Clearman, Master's thesis in Computer Science: A comparative texture classification study using generalized cooccurrence matrices, degree granted: December, 1979.

5. INTERACTIONS

1. Delivered paper entitled "Optimal edge detection in textures" at Image Modelling Workshop, Chicago, IL., August 1979.
2. Delivered paper entitled "Texture analysis using edge cooccurrence" at MICOM workshop on "Imaging trackers and autonomous applications for missile guidance" Redstone Arsenal, AL., November 1979.
3. Delivered paper entitled "A comparative study of texture classification based on generalized cooccurrence" at the IEEE Conf. on Decision and Control, Miami, FL., December, 1979.