

DTIC FILE COPY

USAARL Report No. 89-15

1

AD-A212 053



Effects of Halothane Anesthesia on Blood Cholinesterase Activity in Cats

By

A. W. Kirby
A. T. Townsend
C. D. Pope
R. G. Stafford
T. H. Harding

DTIC
ELECTE
SEP 07 1989
S
D

Sensory Research Division

July 1989

Approved for public release; distribution unlimited.

89 9 06 144

United States Army Aeromedical Research Laboratory
Fort Rucker, Alabama 36362-5292

Notice

Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

Animal use

In conducting the research described in this report, the investigators adhered to the Guide for care and use of laboratory animals, as promulgated by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Resources Commission on Life Sciences, National Academy of Sciences-National Research Council.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

Disclaimer

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

Reviewed:




BRUCE C. LEIBRECHT, Ph.D.
LTC, MS
Director, Sensory Research
Division



J. D. LaMOTHE, Ph.D.
COL, MS
Chairman, Scientific
Review Committee

Released for publication:



DAVID H. KARNEY
Colonel, MC
Commanding

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release, distribution unlimited		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) USAARL Report 89- 15			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION U.S. Army Aeromedical Research Laboratory		6b. OFFICE SYMBOL (If applicable) SGRD-UAS-NS	7a. NAME OF MONITORING ORGANIZATION U.S. Army Medical Research and Development Command		
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 577 Fort Rucker, AL 36362-5292		7b. ADDRESS (City, State, and ZIP Code) Fort Detrick Frederick, MD 21701-5012			
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)					
			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 62787A	PROJECT NO. 3M162787A 875	TASK NO.
11. TITLE (Include Security Classification) Effects of Halothane Anesthesia on Blood Cholinesterase Activity in Cats (U)					
12. PERSONAL AUTHOR(S) Kirby, Albert W.; Townsend, Alfred T.; Pope, Carolyn D.; Stafford, Robert G. and Harding, Thomas H.					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year- Month, Day) 1989 July	
15. PAGE COUNT 10					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) acetylcholinesterase, anesthesia, blood, butyrylcholinesterase, cats, cholinesterase, cholinesterase inhibition, halothane		
FIELD	GROUP	SUB-GROUP			
06	04				
06	11				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The effect of halothane anesthesia on blood cholinesterase activity was assessed in 24 adult cats. Blood samples were taken both before and during the course of halothane anesthesia. Acetylcholinesterase activity was depressed from 7 percent to 54 percent (average 19.5 percent) in 16 subjects, increased in 2 (9 percent and 11 percent), and was unchanged in the other 6. The mean acetylcholinesterase change for the entire population was a 12.3 percent decrease. Pseudocholinesterase (butyrylcholinesterase) activity was depressed from 7 percent to 24 percent (average 12.2 percent) in 19 subjects, and was unchanged in the other 5. The mean butyrylcholinesterase depression for the entire population was 11 percent. There was no apparent correlation between the weight or gender of the animal, or the length of time on halothane, and the amount of depression in cholinesterase activity. Neither was there close agreement between changes in acetylcholinesterase and butyrylcholinesterase activity in a single cat. These results demonstrate that halothane has an inhibitory effect on blood cholinesterase activity in many cats (96 percent of (See reverse side))					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL Chief, Scientific Information Center			22b. TELEPHONE (Include Area Code) (205) 255-6907		22c. OFFICE SYMBOL SGRD-UAX-SI

those tested when counting either acetyl- or butyrylcholinesterase). The lack of agreement between changes in acetylcholinesterase and butyrylcholinesterase activity in the same animal suggests that the mechanisms may be different. It remains to be determined whether the amount of enzyme inhibition following halothane is functionally significant.

Acknowledgment

The secretarial assistance of Wanda Norton and Keri Butt is gratefully acknowledged.

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail. and/or Special
A-1	



Table of contents

Introduction.....	3
Materials and methods.....	3
Results.....	4
Discussion.....	8
References.....	10

List of figures

1. Prehalothane blood AChE activity plotted against AChE activity during halothane anes- thesia for the 24 cats listed in table 1.....	5
2. Prehalothane plasma BuChE activity plotted against BuChE activity during halothane anes- thesia for the 24 cats listed in table 1.....	6
3. Blood AChE and plasma BuChE activity plotted against time for a single cat exposed to halo- thane for 3.25 hours.....	7

List of tables

1. Blood AChE and BuChE activity for 24 cats.....	4
---	---

=====

This page intentionally left blank.

=====

Introduction

Halothane is used widely as a general anesthetic in both animal and human surgery. During studies investigating cholinergic involvement in the visual pathway of the cat (Harding, Kirby, and Wiley, 1985; Kirby, Harding, and Wiley, 1987), it was noted that there was an apparent decrease in blood cholinesterase activity during halothane anesthesia (Kirby et al., 1985). Unfortunately, base line cholinesterase levels for most cats in those studies were determined from blood samples obtained when the animals first entered the colony. The reported decrease in blood cholinesterase therefore could result from changes occurring in the cat colony rather than from exposure to halothane.

Activity of synaptically released acetylcholine (ACh) is terminated by the degradative enzyme acetylcholinesterase (AChE), or true cholinesterase, which hydrolyzes ACh to choline and acetic acid. AChE is found in neurons and on red blood cells. There is a second class of cholinesterase found in living systems, pseudocholinesterase (butyrylcholinesterase; BuChE), which preferentially hydrolyzes higher choline esters, and is found in nerve tissue as well as in blood plasma. If halothane depresses cholinesterase activity, studies investigating neural function during or after halothane anesthesia actually could be assessing the effect of excess ACh. We undertook the current study to investigate more directly the possible effect of halothane on blood cholinesterase activity (both AChE and BuChE) in the cat.

Materials and methods

Initially, 24 adult cats (2.4-7.4 kg) of either sex were restrained manually while a sample of venous blood was drawn from the jugular or cephalic vein. Anesthesia then was induced with 3 to 4 percent halothane in a 3:1 gas mixture of nitrous oxide and carbogen, and maintained with 1 to 2 percent halothane in the same gas mixture. After 30 minutes or more of halothane anesthesia, one or more additional blood samples were obtained. The determination of AChE and BuChE activity in blood was done according to a colorimetric assay procedure (Ellman et al., 1961). Briefly, for AChE a suspension of blood cells was prepared in phosphate buffer (pH 8.0) at a dilution of 1:600. A 1:600 dilution of plasma in buffer was prepared for BuChE. Three ml of the suspension was pipetted into a cuvette along with 25 μ l of dithiobisnitrobenzoic acid (DTNB) and 20 μ l of the substrate, acetylthiocholine iodide or butyrylthiocholine iodide. Enzyme activity then was measured photometrically by following the increase in absorption (measured at 412 nm) produced from thiocholine reacting with the DTNB ion. Results are expressed in terms of moles of substrate hydrolyzed/min/red blood cell for AChE or per μ l plasma for BuChE. Based upon repeated

determinations of enzyme activity from the same sample of blood, our measurement error was taken to be ± 5 percent. Some animals were allowed to awaken from the anesthesia, but most were used in different experiments during which the halothane was removed from the gas mixture and their cholinesterase activity followed over longer time periods under various conditions.

Results

Results from all 24 cats are presented in Table 1. It shows the gender and weight of each animal, the blood AChE and BuChE activity both pre- and during halothane anesthesia, and the time each animal was exposed to halothane before the second blood sample was taken. Two of the animals demonstrated increased AChE activity (9 and 11 percent), 6 showed essentially no change, and the other 16 showed decreased AChE activity during halothane anesthesia (7 to 54 percent reduction). The average for all 24 cats was a 12.3 percent reduction. As a population, the difference in AChE activity between awake and halothane-anesthetized animals was significant ($p < 0.01$, matched-pair t-test). Although the sample was skewed heavily in favor of females, there was no apparent connection between the gender or weight of the animal or the length of time exposed to halothane, and the direction or magnitude of change in AChE activity.

Table 1.

Blood AChE and BuChE activity for 24 cats

Cat #	Sex	Wt. (Kg)	AChE/Awake	AChE/ Halothane	BuChE/ Awake	BuChE/ Halothane	Hrs. on Halothane
3482	F	2.5	3.468	3.590	1.949	1.657	2.0
3035	M	5.5	1.921	1.556	1.266	1.158	0.5
55	M	7.4	1.143	1.244	1.167	1.078	0.5
57	M	6.2	1.683	1.136	1.625	1.329	0.5
58	F	2.8	1.164	1.167	1.289	1.149	1.5
59	M	5.5	1.422	1.199	0.889	0.763	0.5
61	F	3.6	2.882	2.765	2.119	1.926	0.5
63	F	2.6	1.470	1.165	1.428	1.307	0.5
65	F	2.7	1.735	1.528	1.360	1.172	1.5
66	F	3.0	1.904	1.595	1.316	1.158	3.3
67	F	3.2	1.700	1.651	1.365	1.217	1.8
71	F	3.3	2.391	2.156	1.666	1.155	2.0
72	F	2.4	3.040	1.410	1.661	1.257	2.3
73	F	3.6	1.442	1.338	1.392	1.387	2.8
74	F	3.4	2.609	2.523	1.688	1.598	2.5
75	F	2.6	2.066	1.739	1.347	1.275	2.3
76	F	2.6	2.027	1.892	1.724	1.473	2.8
77	F	2.6	3.942	4.081	1.774	1.486	2.0
78	F	2.4	1.900	2.100	1.688	1.351	2.8
80	F	3.6	1.469	1.267	1.145	1.046	1.8
81	F	3.8	1.819	1.664	1.585	1.387	2.3
84	F	3.2	1.360	0.970	1.230	1.253	1.5
86	M	4.4	2.140	1.490	1.792	1.666	1.8
90	M	3.6	1.230	1.010	1.266	1.221	1.8

AChE activity in moles hydrolyzed/min/RBC ($\times 10^{-16}$)

BuChE activity in moles hydrolyzed/min/ μ l plasma ($\times 10^{-10}$)

Nineteen of the 24 cats showed a decrease in BuChE activity during halothane anesthesia (7 to 24 percent reduction). The other 5 animals showed no change. The average for all 24 cats was an 11 percent reduction. As a population, the difference in BuChE activity between awake and halothane-anesthetized animals was significant ($p < 0.001$, matched-pair t-test). As with AChE, there was no connection between change of BuChE activity and the gender or weight of the animal, or the length of time exposed to halothane. Although cat #72 demonstrated the greatest decrease in both AChE and BuChE activity, only one of the six animals showing no change in AChE activity also showed no change in BuChE activity. The others all demonstrated decreased activity. Four of the five cats demonstrating unchanged BuChE activity during halothane showed decreased AChE activity.

The AChE data from Table 1 are presented graphically in Figure 1, where the prehalothane AChE activity is plotted against the AChE activity determined during halothane anesthesia for the




Figure 1. Prehalothane blood AChE activity plotted against AChE activity during halothane anesthesia for the 24 cats listed in Table 1. The AChE activity is depressed during halothane in 16 of the 24. The difference indicated by the six circled points is within our measurement error. The line of slope 1 is drawn only as a comparison; animals plotted above the line showed increased AChE activity while those below the line showed decreased activity.

24 cats. A line of slope 1 has been drawn from the origin. Any values for AChE activity which have increased during halothane would fall above the line (1 male and 1 female), while decreased AChE activity during halothane would be plotted below the line. Note that the AChE activity is depressed following halothane in 16 of the 24 cats.

The prehalothane BuChE data from Table 1 is plotted against the BuChE values determined during halothane anesthesia in Figure 2. As with the AChE values in Figure 1, decreased BuChE activity during halothane would be plotted below the line of slope 1. It is quite clear that most of the points fall below the line. The difference indicated by the five circled points is within our measurement error.




Figure 2. Prehalothane plasma BuChE activity plotted against BuChE activity during halothane anesthesia for the 24 cats listed in Table 1. The BuChE activity is depressed during halothane in 19 of the 24 cats. The difference indicated by the five circled points is within our measurement error. The line of slope 1 is drawn only as a comparison; animals plotted above the line showed increased BuChE activity while those below the line showed decreased activity.

Figure 3 shows reduction in blood cholinesterase activity for a single cat during halothane anesthesia and recovery to base line levels following cessation of halothane for AChE. The BuChE activity showed no tendency for recovery. The cat was exposed to halothane for 3.25 hours during which time AChE activity was reduced 18 percent and the BuChE activity reduced 22 percent. After 4 hours without halothane, the AChE activity had returned to within 3 percent of the prehalothane level, while the BuChE activity still was inhibited 20 percent. The animal then was used in another experiment. Similar results were obtained from four other animals with recovery of AChE activity ranging from 3 to 6 hours after removal of halothane from the gas mixture (mean $4.8 \text{ hrs} \pm 1.3 \text{ hrs}$; $n=5$). Only one of the five animals showed any trend for recovery in BuChE. It was exposed to halothane for almost 4 hours. The BuChE activity was reduced 14 percent during that time, and had recovered to within 5 percent of base line by 3 hours after halothane.




Figure 3. Blood AChE and plasma BuChE activity plotted against time for a single cat exposed to halothane for 3.25 hours. AChE activity was reduced 18 percent while BuChE activity was reduced 22 percent. After 4 hours without halothane, the AChE activity had returned to within 3 percent of base line while BuChE activity showed no tendency for recovery. The animal then was used in another study.

Discussion

The results show that halothane in the concentrations used depresses blood cholinesterase activity, either AChE or BuChE, in most of the cats tested (96 percent, n=24). The effect on AChE is reversible fully once halothane is discontinued, while BuChE activity shows a much greater tendency to remain inhibited. Since the animals from which the data of this report were collected were scheduled for other studies, we have no information on possible long-term recovery of BuChE activity.

The amount of cholinesterase inhibition shows no apparent correlation with the gender or weight of the animal or the length of halothane exposure. Although the 6 cats reported here showing no change in AChE activity during halothane exposure were females, it should be emphasized that our experimental sample was heavily skewed in that direction (18 females out of 24 cats). Five of the six animals showing no change in AChE did show reduction in BuChE activity. We have no information as to the mechanism of cholinesterase inhibition by halothane, but it appears to differ for AChE and BuChE judging from recovery, since in a single animal we see recovery of AChE, but not BuChE activity following halothane. Similar findings of reductions in cholinesterase activity in cats following halothane anesthesia recently have been brought to our attention (Alistair Webb, personal communication).

There is certainly tremendous interest concerning the role of acetylcholine as a central neurotransmitter and its possible interaction with other neurotransmitter systems. Since the levels of synaptically released ACh are regulated by the action of cholinesterase, and halothane inhibits both AChE and BuChE in the blood, use of halothane anesthesia certainly could alter central function. We have no direct evidence from these studies whether brain cholinesterase actually is inhibited by halothane, since all the animals were used in other studies following collection of blood samples. However, we previously have seen a close relationship between cortical and blood cholinesterase in several cats (unpublished observation), and a close correlation between plasma and brain cholinesterase activity has been reported in the rat following administration of an anticholinesterase agent (Shih, 1983).

If we assume that brain cholinesterase is inhibited by halothane, the question arises as to whether enough AChE might be inhibited to cause a functionally significant increase in the amount of synaptic ACh. There is some evidence in the literature to support that hypothesis. Increasing alveolar halothane concentration in humans results in an increased latency in the P1 peak of the cortical visual evoked potential (Uhl et al., 1980), and halothane anesthesia in rabbits affects latencies, ampli-

tudes, and wave shape of the visual evoked response (VER) (Gerritsen, 1970). Since administration of anticholinesterase agents alters the VER in cats (Harding, Kirby, and Wiley, 1985; Harding, Wiley, and Kirby, 1983), and nonhuman primates (Woolley, 1976), the VER changes during halothane anesthesia (Uhl et al., 1980; Gerritsen, 1970) could result from cholinergic inhibition.

Until recently, BuChE was reported to only a limited extent in neuronal tissue (Mayer, 1980). Recently, however, the distributions of AChE and BuChE were compared in the central visual pathway, and the histochemical localization of BuChE was shown to rival that of AChE (Graybiel and Ragsdale, 1982). This suggests that the depression of BuChE activity by halothane certainly could have functional significance as well, especially in the visual system. Since we did not use a specific inhibitor of BuChE when assaying for AChE, or a specific inhibitor of AChE when assaying for BuChE, the values obtained for the activities of the two enzymes are likely not entirely independent of each other. However, substantial independence of the two activities is demonstrated when AChE, but not BuChE, activity returns to base line following cessation of halothane. It does seem safe to conclude that halothane inhibits cholinesterase activity in the cat. Investigators utilizing halothane in their preparation must therefore be concerned that the cholinergic system may well be hyperactive in their animals.

References

- Ellman, G. L., Courtney, K. D., Andres, V., Jr., and Featherstone, R. M. 1961. A new and rapid colorimetric determination of acetylcholinesterase activity. Biochemical pharmacology. 7: 88-95.
- Gerritsen, B. G. 1970. Changes of the electro retinogram and visual evoked responses in rabbits with volatile anesthetics. Pflugers archiv. 318: 272-273.
- Graybiel, A. M., and Ragsdale, C. W., Jr. 1982. Pseudocholinesterase staining in the primary visual pathway of the macaque monkey. Nature. 299: 439-442.
- Harding, T. H., Kirby, A. W., and Wiley, R. W. 1985. The effects of diisopropylfluorophosphate on spatial frequency responsivity in the cat visual system. Brain research. 325: 357-361.
- Harding, T. H., Wiley, R. W., and Kirby, A. W. 1983. A cholinergicsensitive channel in the cat visual system tuned to low spatial frequencies. Science. 221:1076-1078.
- Kirby, A. W., Harding, T. H., Pope, C. D., Stafford, R. G., and Townsend, A. T. 1985. Acetylcholinesterase activity in the cat following halothane anesthesia. Federation proceedings. 44: 1836.
- Kirby, A. W., Harding, T. H., and Wiley, R. W. 1987. Recovery of the visual evoked response in the cat following administration of diisopropylfluorophosphate, an irreversible cholinesterase inhibitor. Life sciences. 41: 2669-2677.
- Mayer, S. E. 1980. Drugs acting at synaptic and neuroeffector junctional sites. The pharmacological basis of therapeutics, (eds.) Gilman, A. G., Goodman, L. S., and Gilman, A. New York: Macmillan.
- Shih, T. M. 1983. Could blood cholinesterase levels be used as an indicator of brain enzyme activity in acute soman poisoning? Federation proceedings. 42: 656.
- Uhl, R. R., Squires, K. C., Bruce, D. L., and Starr, A. 1980. Effect of halothane anesthesia on the human cortical visual evoked response. Anesthesiology. 53: 273-276.
- Woolley, D. E. 1976. Some aspects of the neurophysiological basis of insecticide action. Federation proceedings. 35: 2610-2617.

Initial distribution

Commander
U.S. Army Natick Research
and Development Center
ATTN: Documents Librarian
Natick, MA 01760

Naval Submarine Medical
Research Laboratory
Medical Library, Naval Sub Base
Box 900
Groton, CT 05340

Commander/Director
U.S. Army Combat Surveillance
& Target Acquisition Lab
ATTN: DELCS-D
Fort Monmouth, NJ 07703-5304

Commander
10th Medical Laboratory
ATTN: Audiologist
APO NEW YORK 09180

Commander
Naval Air Development Center
Biophysics Lab
ATTN: G. Kydd
Code 60B1
Warminster, PA 18974

Naval Air Development Center
Technical Information Division
Technical Support Detachment
Warminster, PA 18974

Commanding Officer
Naval Medical Research
and Development Command
National Naval Medical Center
Bethesda, MD 20014

Under Secretary of Defense
for Research and Engineering
ATTN: Military Assistant
for Medical and Life Sciences
Washington, DC 20301

Commander
U.S. Army Research Institute
of Environmental Medicine
Natick, MA 01760

U.S. Army Avionics Research
and Development Activity
ATTN: SAVAA-P-TP
Fort Monmouth, NJ 07703-5401

U.S. Army Research and Development
Support Activity
Fort Monmouth, NJ 07703

Chief, Benet Weapons Laboratory
LCWSL, USA ARRADCOM
ATTN: DRDAR-LCB-TL
Watervliet Arsenal, NY 12189

Commander
Man-Machine Integration System
Code 602
Naval Air Development Center
Warminster, PA 18974

Commander
Naval Air Development Center
ATTN: Code 6021 (Mr. Brindle)
Warminster, PA 18974

Commanding Officer
Harry G. Armstrong Aerospace
Medical Research Laboratory
Wright-Patterson
Air Force Base, OH 45433

Director
Army Audiology and Speech Center
Walter Reed Army Medical Center
Washington, DC 20307-5001

COL Carl F. Tyner, MC
Walter Reed Army Institute
of Research
Washington, DC 20307-5100

HQ DA (DASG-PSP-0)
5109 Leesburg Pike
Falls Church, VA 22041-3258

Naval Research
Laboratory Library
Code 1433
Washington, DC 20375

Harry Diamond Laboratories
ATTN: Technical Infor-
mation Branch
2800 Powder Mill Road
Adelphi, MD 20783-1197

U.S. Army Materiel Systems
Analysis Agency
ATTN: Reports Processing
Aberdeen Proving Ground
MD 21005-5017

U.S. Army Ordnance Center
and School Library
Building 3071
Aberdeen Proving Ground,
MD 21005-5201

U.S. Army Environmental Hygiene
Agency
Building E2100
Aberdeen Proving Ground,
MD 21010

Technical Library
Chemical Research
and Development Center
Aberdeen Proving Ground,
MD 21010-5423

Commander
U.S. Army Institute
of Dental Research
Walter Reed Army Medical Center
Washington, DC 20307-5300

Naval Air Systems Command
Technical Air Library 950D
Rm 278, Jefferson Plaza II
Department of the Navy
Washington, DC 20361

Naval Research Laboratory Library
Shock and Vibration Infor-
mation Center, Code 5804
Washington, DC 20375

Director
U.S. Army Human Engineer-
ing Laboratory
ATTN: Technical Library
Aberdeen Proving Ground,
MD 21005-5001

Commander
U.S. Army Test
and Evaluation Command
ATTN: AMSTE-AD-H
Aberdeen Proving Ground,
MD 21005-5055

Director
U.S. Army Ballistic
Research Laboratory
ATTN: DRXBR-OD-ST Tech Reports
Aberdeen Proving Ground,
MD 21005-5066

Commander
U.S. Army Medical Research
Institute of Chemical Defense
ATTN: SGRD-UV-AO
Aberdeen Proving Ground,
MD 21010-5425

Commander
U.S. Army Medical Research
and Development Command
ATTN: SGRD-RMS (Ms. Madigan)
Fort Detrick, Frederick,
MD 21701

Commander
U.S. Army Medical Research
Institute of Infectious Diseases
Fort Detrick, Frederick,
MD 21701

Director, Biological
Sciences Division
Office of Naval Research
600 North Quincy Street
Arlington, VA 22217

Commander
U.S. Army Materiel Command
ATTN: AMCDE-XS (MAJ Wolfe)
5001 Eisenhower Avenue
Alexandria, VA 22333

Commandant
U.S. Army Aviation
Logistics School
ATTN: ATSQ-TDN
Fort Eustis, VA 23604

U.S. Army Training
and Doctrine Command
ATTN: ATCD-ZX
Fort Monroe, VA 23651

Structures Laboratory Library
USARTL-AVSCOM
NASA Langley Research Center
Mail Stop 266
Hampton, VA 23665

Naval Aerospace Medical
Institute Library
Bldg 1953, Code 102
Pensacola, FL 32508

Command Surgeon
U.S. Central Command
MacDill Air Force Base
FL 33608

Air University Library
(AUL/LSE)
Maxwell AFB, AL 36112

Commander
U.S. Army Biomedical Research
and Development Laboratory
ATTN: SGRD-UBZ-I
Fort Detrick, Frederick,
MD 21701

Defense Technical
Information Center
Cameron Station
Alexandria, VA 22313

U.S. Army Foreign Science
and Technology Center
ATTN: MTZ
220 7th Street, NE
Charlottesville, VA 22901-5396

Director,
Applied Technology Laboratory
USARTL-AVSCOM
ATTN: Library, Building 401
Fort Eustis, VA 23604

U.S. Army Training
and Doctrine Command
ATTN: Surgeon
Fort Monroe, VA 23651-5000

Aviation Medicine Clinic
TMC #22, SAAF
Fort Bragg, NC 28305

U.S. Air Force Armament
Development and Test Center
Eglin Air Force Base, FL 32542

U.S. Army Missile Command
Redstone Scientific
Information Center
ATTN: Documents Section
Redstone Arsenal, AL 35898-5241

U.S. Army Research and Technology
Laboratories (AVSCOM)
Propulsion Laboratory MS 302-2
NASA Lewis Research Center
Cleveland, OH 44135

AFAMRL/HEX
Wright-Patterson AFB, OH 45433

University of Michigan
NASA Center of Excellence
in Man-Systems Research
ATTN: R. G. Snyder, Director
Ann Arbor, MI 48109

John A. Dellinger,
Southwest Research Institute
P. O. Box 28510
San Antonio, TX 78284

Project Officer
Aviation Life Support Equipment
ATTN: AMCPO-ALSE
4300 Goodfellow Blvd.
St. Louis, MO 63120-1798

Commander
U.S. Army Aviation
Systems Command
ATTN: DRSAB-ED
4300 Goodfellow Blvd
St. Louis, MO 63120

Commanding Officer
Naval Biodynamics Laboratory
P.O. Box 24907
New Orleans, LA 70189

U.S. Army Field Artillery School
ATTN: Library
Snow Hall, Room 14
Fort Sill, OK 73503

Commander
U.S. Army Health Services Command
ATTN: HSOP-SO
Fort Sam Houston, TX 78234-6000

U.S. Air Force Institute
of Technology (AFIT/LDEE)
Building 640, Area B
Wright-Patterson AFB, OH 45433

Henry L. Taylor
Director, Institute of Aviation
University of Illinois-
Willard Airport
Savoy, IL 61874

Commander
U.S. Army Aviation
Systems Command
ATTN: DRSAB-WS
4300 Goodfellow Blvd
St. Louis, MO 63120-1798

Commander
U.S. Army Aviation
Systems Command
ATTN: SGRD-UAX-AL (MAJ Lacy)
4300 Goodfellow Blvd., Bldg 105
St. Louis, MO 63120

U.S. Army Aviation Systems Command
Library and Information
Center Branch
ATTN: DRSAB-DIL
4300 Goodfellow Blvd
St. Louis, MO 63120

Federal Aviation Administration
Civil Aeromedical Institute
CAMI Library AAC 64D1
P.O. Box 25082
Oklahoma City, OK 73125

Commander
U.S. Army Academy
of Health Sciences
ATTN: Library
Fort Sam Houston, TX 78234

Commander
U.S. Army Institute
of Surgical Research
ATTN: SGRD-USM (Jan Duke)
Fort Sam Houston, TX 78234-6200

Director of Professional Services
AFMSC/GSP
Brooks Air Force Base, TX 78235

U.S. Army Dugway Proving Ground
Technical Library
3Bldg 5330
Dugway, UT 84022

U.S. Army Yuma Proving Ground
Technical Library
Yuma, AZ 85364

AFFTC Technical Library
6520 TESTG/ENXL
Edwards Air Force Base,
CAL 93523-5000

Commander
Code 3431
Naval Weapons Center
China Lake, CA 93555

Aeromechanics Laboratory
U.S. Army Research
and Technical Labs
Ames Research Center,
M/S 215-1
Moffett Field, CA 94035

Sixth U.S. Army
ATTN: SMA
Presidio of San Francisco,
CA 94129

Commander
U.S. Army Aeromedical Center
Fort Rucker, AL 36362

Directorate
of Combat Developments
Bldg 507
Fort Rucker, AL 36362

U.S. Air Force School
of Aerospace Medicine
Strughold Aeromedical Library
Documents Section, USAFSAM/TSK-4
Brooks Air Force Base, TX 78235

Dr. Diare Damos
Department of Human Factors
ISSM, USC
Los Angeles, CA 90089-0021

U.S. Army White Sands
Missile Range
Technical Library Division
White Sands Missile Range,
NM 88002

U.S. Army Aviation Engineering
Flight Activity
ATTN: SAVTE-M (Tech Lib)
Stop 217
Edwards Air Force Base,
CA 93523-5000

Ms. Sandra G. Hart
Ames Research Center
MS 239-5
Moffett Field, CA 94035

Commander
Letterman Army Institute
of Research
ATTN: Medical Research Library
Presidio of San Francisco,
CA 94129

Director
Naval Biosciences Laboratory
Naval Supply Center, Bldg 844
Oakland, CA 94625

Commander
U.S. Army Medical Materiel
Development Activity
Fort Detrick, Frederick,
MD 21701-5009

Directorate
of Training Development
Bldg 502
Fort Rucker, AL 36362

Chief
Army Research Institute
Field Unit
Fort Rucker, AL 36362

Commander
U.S. Army Safety Center
Fort Rucker, AL 36362

U.S. Army Aircraft Development
Test Activity
ATTN: STEBG-MP-QA
Cairns AAF
Fort Rucker, AL 36362

Commander
U.S. Army Medical Research
and Development Command
ATTN: SGRD-PLC (COL Sedge)
Fort Detrick, Frederick
MD 21701

Chief
Human Engineering Laboratory
Field Unit
Fort Rucker, AL 36362

Commander
U.S. Army Aviation Center
and Fort Rucker
ATTN: ATZQ-T-ATL
Fort Rucker, AL 36362

President
U.S. Army Aviation Board
Cairns AAF
Fort Rucker, AL 36362