

GL-TR-89-0249 (II)
ENVIRONMENTAL RESEARCH PAPERS, NO. 1038

SCATHA Atlas Data Base, Volume II

Editors:

E. G. MULLEN
M. S. GUSSENHOVEN

AD-A214 205



1 September 1989



Approved for public release; distribution unlimited.



DTIC
ELECTE
NOV 13 1989
S B D

SPACE PHYSICS DIVISION PROJECT 7601
GEOPHYSICS LABORATORY

HANSCOM AFB, MA 01731-5000

89 11 09 012

"This technical report has been reviewed and is approved for publication"



E.G. MULLEN, Chief
Space Particles Environment Branch
Space Physics Division

FOR THE COMMANDER



RITA C. SAGALYN, Director
Space Physics Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Services (NTIS).


Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFGL/DAA, Hanscom AFB, MA 01731. This will assist us in maintaining a current mailing list.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) AFGL-TR-89-0249 (II) ERP, No.1038			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Geophysics Laboratory	6b. OFFICE SYMBOL (If applicable) PHP	7a. NAME OF MONITORING ORGANIZATION Geophysics Laboratory			
6c. ADDRESS (City, State, and ZIP Code) Hanscom AFB Massachusetts, 01731		7b. ADDRESS (City, State, and ZIP Code) Hanscom AFB Massachusetts, 01731-5000			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS			
		PROGRAM ELEMENT NO. 62101F	PROJECT NO. 7601	TASK NO. 22	WORK UNIT ACCESSION NO. 01
11. TITLE (Include Security Classification) SCATHA ATLAS DATA BASE, Volume 2					
12. PERSONAL AUTHOR(S) E.G. Mullen and M.S. Gussenhoven, Editors					
13a. TYPE OF REPORT Scientific	13b. TIME COVERED FROM 1/1/89 TO 6/30/89	14. DATE OF REPORT (Year, Month, Day) September 1, 1989	15. PAGE COUNT 288		
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Space physics Spacecraft ~~charging~~		
			Space environment Ions		
			SCATHA Electrons (X) 		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) A study of the plasma environment encountered by the P78-2 Spacecraft Charging At High Altitudes (SCATHA) satellite during its operation between March 1979 and June 1980 was conducted and reported in the SCATHA Environmental Atlas (AFGL-TR-84-0002). Summary plots of much of the data used in the Atlas are presented in two volumes. The first volume contains magnetic field data and spacecraft frame potential data. The second volume contains low and medium energy range electron and ion data, medium energy range ion composition data and high energy electron data. The data are presented in 24-hour plots.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified/Unlimited		
22a. NAME OF RESPONSIBLE INDIVIDUAL M.S. Gussenhoven			22b. TELEPHONE (Include Area Code) 617-377-3212	22c. OFFICE SYMBOL PHP	

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted.
All other editions are obsolete.SECURITY CLASSIFICATION OF THIS PAGE
Unclassified

ACKNOWLEDGEMENTS

The editors would like to thank the SCATHA experimenters: D.A. Hardy, AFGL; T.L. Aggson, NASA Goddard; B.G. Ledley, NASA Goddard; E.C. Whipple, UCSD; R.G. Johnson, Lockheed; and J.B. Reagan, Lockheed for use of their data and countless discussions of its interpretation. Special appreciation is expressed to F.A. Hanser of Panametrics, Inc. for discussions on the SC5 data; R. Nightingale of Lockheed for discussions on the SC3 data; and R. Strangeway and R. Sharp of Lockheed for discussions on the SC8 data. Special thanks are given to Mr. R.E. McInerney of AFGL who provided us the necessary computer resources to accomplish the task; to D.E. Delorey of Boston College who provided the bulk of the computer programming; to J. Cronin of Boston College and D. Riehl of Regis College who provided programming for special studies; and to Ajay Sadhwani for compiling the manuscript.



Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/ _____	
Availability Codes	
Dist	Avail and/or Special
A-1	

CONTENTS, VOLUME I

1 INTRODUCTION	1
2 MAGNETIC FIELD DATA BASE, SC11	2
2.1 Instrument Description	2
2.2 Description of Data Presentation	2
2.3 Calendar of Days for which Data are Presented	3
2.4 Data Presentation	4
3 SPACECRAFT POTENTIAL DATA BASE, SC10	121
3.1 Instrument Description	121
3.2 Description of Data Presentation	121
3.3 Calendar of Days for which Data are Presented	122
3.4 Data Presentation	123

CONTENTS, VOLUME II

4	INTRODUCTION	1
5	LOW ENERGY PLASMA DATA BASE, SC9	2
5.1	Instrument Description	2
5.2	Description of Data Presentation	2
5.3	Calendar of Days for which Data are Presented	3
5.4	Data Presentation	4
6	MIDDLE ENERGY ION COMPOSITION DATA BASE, SC8	96
6.1	Instrument Description	96
6.2	Description of Data Presentation	96
6.3	Calendar of Days for which Data are Presented	97
6.4	Data Presentation	98
7	MIDDLE ENERGY ELECTRON AND ION DATA BASE, SC5	169
7.1	Instrument Description	169
7.2	Description of Data Presentation	169
7.3	Calendar of Days for which Data are Presented	170
7.4	Data Presentation	171
8	HIGH ENERGY ELECTRON DATA BASE, SC3	205
8.1	Instrument Description	205
8.2	Description of Data Presentation	205
8.3	Calendar of Days for which Data are Presented	206
8.4	Data Presentation	207

4. INTRODUCTION

The P78-2 SCATHA satellite was launched on 30 January 1979 and inserted into a 5.3×7.8 RE (RE = 1 Earth radius), low inclination (7.9°) orbit with an easterly drift rate of about 5° per day. The satellite is spin stabilized at approximately 1 rpm with the spin axis of the satellite located in the orbital plane of the satellite and normal to the Earth-sun line. Because of the drift and eccentricity of the orbit, the satellite passes through each altitude at varying local times (LT) and varying magnetic latitudes.

The SCATHA Atlas was prepared in 1983⁵ in order to specify those aspects of the space environment in the near-geosynchronous region that contribute to spacecraft charging. The key data for the Atlas were the magnetic field data, the common mode of the electric field experiment and particle data from four instruments, covering the energy range from approximately 10 eV to 2 MeV for electrons and ions from approximately 100 eV to 30 keV for singly ionized Oxygen and Hydrogen.

The Atlas data were taken mainly during 1979 and the first part of 1980. To accomplish the statistical studies in the Atlas, survey plots of much of the data were produced. The survey plots are presented here in two volumes. In the first volume we present the magnetometer data and the common mode electric field data. In the second volume we present the particle data. All data are plotted against Universal Time. Some of the data plots are annotated rather completely with ephemeris, others have only Universal Time. The magnetometer data is the most completely annotated and is presented for the greatest number of days. It can be used to provide ephemeris for most of the other data.

The volumes are organized in the following way. For each data set we give 1) a brief description of the instrument from which the data were collected; 2) calendar on which the days that data presented are marked; 3) description of the format in which the data are presented; 4) the data, presented in chronological order, one day per page.

(Received for publication 1 September 1989)

⁵Mullen, E.G. and Gussenhoven, M.S. (1983) *SCATHA Environmental Atlas*, AFGL-TR-83-0002, 169 pp.
ADA131456

5. LOW ENERGY PLASMA DATA BASE, SC9

5.1 Instrument Description

The University of California, San Diego Charged Particle Experiment, built and operated under the direction of E.C. Whipple, is similar to that flown on the ATS 6 satellite⁶. It consists of an array of five electrostatic analyzers: three to measure ions and two to measure electrons. The analyzers are configured as two pairs of electron and ion sensors, each mounted in a separate rotating assembly, and a single ion detector mounted with a fixed look direction relative to the satellite. The two rotating assemblies sweep out pitch angles in the spin plane of the satellite and in an orthogonal plane containing the spin axis, respectively. The fixed ion detector also samples in the spin plane. One pair of detectors measures particles with energies from 1 eV to 81 keV. The other three detectors cover an energy range from 0.1 eV to 2 keV. All sensors have an energy resolution of 20% and return a 64-point spectrum over their energy ranges in 16 s. The experiment is normally operated to complete an energy scan and then dwell between 2 and 128 s at a fixed energy.

5.2 Description of Data Presentation: SC9 Low Energy Plasma


In each Figure the SC9 data are presented in a spectrogram format as a function of Universal Time for a 24-hour period. The particle flux is presented in grey-scale as a function of energy (vertical axis) in eV. The energy scale is logarithmic. Electron data are plotted in the top panel with energy increasing upward. The ion data are in the bottom panel with energy increasing downward. In addition to UT, the ephemeris include the distance of the satellite from the center of the Earth in RE (Earth radius), Local Time, and the Magnetic Latitude of the satellite.


⁶Mauk, B.H., and McIlwain, C.E. (1975) ATS-6 UCSD auroral particles experiment, *IEEE Trans. Aerosp. Electron. Syst.*, AES-11:1125.


5.3 Calendar of Days for which SC9 Low Energy Plasma Data are Presented


1979												1980		1981		
DAY	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		JAN	FEB	MAR	APR	DAY
1			121												091	1
2															092	2
3		093														3
4		094				216						004				4
5		095		156				278					036			5
6				157									037			6
7			127	158	188			280	311					066		7
8								281								8
9				160				282								9
10																10
11							254						042			11
12												012		071		12
13		103				225			317					072		13
14						226								073		14
15				166					319				046			15
16													047	075		16
17	076			168						351				076		17
18		108	138				261					018		077		18
19					200		262									19
20		110				232								079		20
21	080	111		172			264								111	21
22															112	22
23										357				082	113	23
24		114	144						328							24
25		115	145		206				329	359						25
26			146											085		26
27				178					331	361		027		086		27
28	087						271	301				028		087		28
29	088		149	180		241	272			363				088		29
30		120					273							089		30
31														090		31


5.4 Data Presentation; SC9 Low Energy Plasma




























































































N/S ELEC


N/S DMS





1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
0 1 2 3 4 5 6 7 8 9































































1950-1951



























































AD-A214 285


SCOTHA (SPACECRAFT CHARGING AT HIGH ALTITUDES) ATLAS
DATA BASE DOCUMENT 2 (U) GEOPHYSICS LAB (AFSC) HANSCOM AFB
NR E G MULLEN ET AL. 01 SEP 85 GL-TR-85-0249(2)

2/3


UNCLASSIFIED

F/C 22/3

ML



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



RECEIVED 10/10/54

N/S ELECT

N/S IONS

423

N/S ELEC

1000-


1000-

100-

N/S ELEC

1000-

1000-



6. MIDDLE ENERGY ION COMPOSITION DATA BASE, SC8

6.1 Instrument Description

The Lockheed Energetic Ion Composition Experiment, built and operated under the direction of R.G. Johnson, measures ions with energies per unit charge (keV/q) from $100\text{ eV}/q$ to $32\text{ keV}/q$ in 24 logarithmically-spaced energy steps and with masses 1 to 160 AMU. The instrument consists of three ion mass spectrometer heads (CXAs), each consisting of a Wien velocity filter in series with an electrostatic analyzer and a channel electron multiplier sensor. Each detector measures in eight energy-per-unit charge steps and has a resolution of 5° FWHM. The instrument operates in two modes. One mode (sweep mode) sweeps in mass per unit charge, acquiring a full mass (32 point) and energy (24 point) spectrum every 16 s. The other mode (locked mode) samples one particular mass and obtains a complete (24 point) energy spectrum every 1/2 s. In normal operation the detectors alternate between a sweep and a lock mode every 64 s. Background samples are periodically taken over the whole mass range. A complete description of the instrument is given in Kaye, et al. ⁷

The data base used in the SCATHA Atlas are 1-h averages of differential energy flux for mass 1 (H^+) and mass 16 (O^+) in each of 24 different energy steps. The fluxes were provided on magnetic tape by Dr. R.G. Johnson of Lockheed, in units of $keV\text{ (cm}^2\text{ s sr keV)}^{-1}$. The data include both negative and positive values due to background subtractions, and the negative values were included in the statistical calculations. No pitch angle discrimination was made in the data set, and a 1-h average consists of the total data available in that 1-h time span.

6.2 Description of Data Presentation: SC8 Low Energy Plasma

In each Figure H^+ and O^+ differential energy flux is plotted for 24 different energies as a function of Universal Time (UT) for a 24-hour period. The points represent 1-hr averages of the data. The oxygen fluxes (O^+) are plotted with +'s and the hydrogen fluxes (H^+) are plotted with X's. Missing data points indicate values are below the lower plotting limits.

⁷Kaye, S.M., Johnson, R.G., Sharp, R.D., and Shelley, E.G. (1981) Observations of transient H^+ and O^+ bursts in the equatorial magnetosphere, *J. Geophys. Res.*, 86:1335.


6.3 Calendar of Days for which SC3 Ion Composition Data are Presented

1979

DAY	FEB	MAR	APR	MAY	JUN	JUL	AUG	DAY
1					152			1
2				122				2
3			093	123				3
4			094	124			216	4
5			095	125	156			5
6				126	157		218	6
7					158	188		7
8				128				8
9				129				9
10								10
11								11
12	043							12
13	044		103		164	194	225	13
14	045		104				226	14
15	046						227	15
16	047				167			16
17					168			17
18		077	108	138			230	18
19						200		19
20			110				232	20
21	052	080	111	141			233	21
22	053	081	112				234	22
23			113					23
24			114					24
25			115	145		206		25
26			116	146		207		26
27			117		178	208		27
28	059	087	118					28
29		088	119	149	180	210	241	29
30		089	120	150				30
31					212			31


6.4 Data Presentation; SC3 Ion Composition Data

IONS




DAY 43

IONS




DAY 44

IONS




IONS




DAY 46

IONS




DAY 47

IONS




DAY 52

IONS




IONS




IONS


X HYDROGEN
+ OXYGEN



IONS




IONS



DAY 81


IONS

X HYDROGEN
+ OXYGEN




DAY 87

IONS




IONS




DAY 89

IONS



DAY 93


IONS



DAY 94


IONS

X HYDROGEN
+ OXYGEN




IONS


X HYDROGEN
+ OXYGEN



IONS




IONS




IONS


X HYDROGEN
+ OXYGEN



IONS




IONS



DAY 112

IONS


X HYDROGEN
+ OXYGEN




DAY 113

IONS

X HYDROGEN
+ OXYGEN




IONS




DAY 115

IONS

X HYDROGEN
• OXYGEN




IONS



DAY 117


IONS

X HYDROGEN
• OXYGEN




IONS

X HYDROGEN
+ OXYGEN




DAY 119

IONS



IONS




UT (HOURS)


DAY 122

IONS

X HYDROGEN
+ OXYGEN




IONS



DAY 124


IONS



DAY 125


IONS

X HYDROGEN
• OXYGEN




DAY 126

IONS




IONS




DAY 129

IONS

X HYDROGEN
+ OXYGEN




IONS




DAY 141

IONS




DAY 145

IONS



DAY 146


IONS



DAY 149


IONS

X HYDROGEN
• OXYGEN



IONS


X HYDROGEN
• OXYGEN




DAY 152

IONS

X HYDROGEN
+ OXYGEN




IONS




DAY 157

IONS




IONS




DAY 164

IONS




DAY 167

IONS




IONS




DAY 178

IONS




IONS




IONS

X HYDROGEN
+ OXYGEN




DAY 194

IONS




DAY 200

IONS



DAY 206


IONS



DAY 207


IONS

X HYDROGEN
+ OXYGEN




DAY 208

IONS




DAY 210


IONS



IONS




IONS



DAY 218


IONS




DAY 225

IONS


X HYDROGEN
+ OXYGEN



IONS




IONS




DAY 230

IONS




IONS



DAY 233


IONS

X HYDROGEN
+ OXYGEN



DAY 234

IONS



DAY 241

7. MIDDLE ENERGY ELECTRON AND ION DATA BASE, SC5

7.1 Instrument Description

The Air Force Geophysics Laboratory SC5 Rapid Scan Particle Detector, built and operated under the direction of D.A. Hardy, measures fluxes of electrons and ions in the energy ranges from 50 eV to 1 MeV and from 50 eV to 7 MeV, respectively. These energies are the central energies of the channels. A complete spectrum is returned for the entire energy range in each 1 s interval, but the energy resolution is low, nearly 100%. The instrument consists of two sets of detectors. One set is mounted with the look direction oriented parallel to the spin axis, and the other set perpendicular to the spin axis. Each set of detectors consists of two cylindrical plate electrostatic analyzers (ESA) with spiraltron electron multipliers and two silicon surface barrier solid-state detector telescopes.

The two low- (high-) energy ESAs measure the electron and ion fluxes in four contiguous channels that range from 100 eV to 1.7 keV and from 1.7 to 60 keV, respectively. Both sets of ESAs also measure a background channel with zero voltage on the deflection plate. The low-energy ESAs have geometric factors of $1 \times 10^{-4} \text{ cm}^2 \text{ sr}$ for both ions and electrons. The high-energy ESAs have geometric factors of $3 \times 10^{-5} \text{ cm}^2 \text{ sr}$ for electrons and $3 \times 10^{-4} \text{ cm}^2 \text{ sr}$ for ions. The solid state spectrometers (SSSs) make both anticoincident and coincident measurements. Here we use only the anticoincidence channels that measure particles between 70 and 400 keV. The electron SSSs use a 0.1 mil aluminum foil to absorb light and protons below 250 keV and have a $3 \times 10^{-4} \text{ m}$ -thick front detector. The proton SSSs use a sweeping magnet to eliminate electrons below about 200 keV and have an $6 \times 10^{-6} \text{ m}$ -thick front detector with 120 mg/cm² of aluminum for a light shield. The front detectors, in anticoincidence with the rear detectors, measure the particle fluxes over the energies studied. A full description of the instrument and its calibration can be found in Hanser, et al.⁸

7.2 Description of Data Presentation; SC5 Middle Energy Electrons and Ions

In each Figure are plotted ten minute averages of the number flux in $(\text{cm}^2 \text{ s sr eV})^{-1}$ of electrons (left hand panel) and ions (right hand panel) for selected energies as a function of Universal Time for a 24-hour period. The number flux scale is logarithmic. The detectors used to create these averages are those perpendicular to the satellite spin axis. In each plot the averages are performed for fluxes that are most parallel (+') and perpendicular (X's) to the magnetic field. The satellite spin axis is such that fluxes within 15° of the field line are usually measured. Data gaps occur when the detectors were operated in single energy, high data rate modes, or turned off during beam operations.


⁸Hanser, F.A., Hardy, D.A. and Sellers, B. (1979) *Calibration of the Rapid Scan Particle Detector Mounted in the SCATHA Satellite*, AFGL-TR-79-167, AD A082382.

7.3 Calendar of Days for which SC5 Middle Energy Electron and Ion Data are Presented


1979												1980		
DAY	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		JAN	FEB	DAY
1			121											1
2			122											2
3														3
4														4
5				156								036		5
6		096						279						6
7			127											7
8														8
9														9
10														10
11												042		11
12														12
13														13
14														14
15				166		227								15
16														16
17														17
18												018		18
19														19
20		110												20
21	080	111												21
22		112	142					295						22
23		113								357				23
24		114												24
25		115								359				25
26		116						299						26
27		117						300						27
28		118					271							28
29		119		180		241				363				29
30		120				242								30
31														31

7.4 Data Presentation; SC5 Middle Energy Electron and Ion Data


ELECTRONS
DAY 080




IONS
DAY 080




ELECTRONS DAY 096




IONS DAY 096



ELECTRONS DAY 110




IONS DAY 110




ELECTRONS

DAY 100




ELECTRONS


DAY 100




ELECTRONS DAY 112




DAY 113




ELECTRONS DAY 113




IONS DAY 113




ELECTRONS DAY 114




IONS DAY 114




ELECTRONS DAY 115




IONS DAY 115




ELECTRONS DAY 116




IONS DAY 116




ELECTRONS DAY 117




IONS DAY 117



ELECTRONS DAY 118




IONS DAY 118




ELECTRONS

DAY 119




IONS


DAY 119




ELECTRONS
DAY 120




IONS
DAY 120



ELECTRONS
DAY 121




IONS
DAY 121




UT


ELECTRONS DAY 122




IONS DAY 122




ELECTRONS DAY 127




IONS DAY 127



ELECTRONS
DAY 142



IONS
DAY 142



AD-A214 285

SCATINA (SPACECRAFT CHARGING AT HIGH ALTITUDES) ATLAS
DATA BASE VOLUME 2 (U) GEOPHYSICS LAB (AFSC) HANSCOM AFB
RM E G MULLEN ET AL. 01 SEP 89 GL-TR-89-0249(2)


3/3

UNCLASSIFIED

F/C 22/5

NL


END
FILMED
4-82
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A


ELECTRONS

DAY 156




IONS


DAY 156




ELECTRONS DAY 166




IONS DAY 166




ELECTRONS
DAY 180




IONS
DAY 180



ELECTRONS
DAY 227





IONS
DAY 227




ELECTRONS DAY 241


IONS DAY 241



ELECTRONS
DAY 242





IONS
DAY 242




ELECTRONS
DAY 271


IONS
DAY 271



ELECTRONS
DAY 279





IONS
DAY 279




ELECTRONS DAY 295


IONS DAY 295




ELECTRONS DAY 299




IONS DAY 299




ELECTRONS DAY 300




IONS DAY 300




ELECTRONS
DAY 357




IONS
DAY 357




FLUORESCENCE DAY 359




IONS DAY 359




ELECTRONS
DAY 363




IONS
DAY 363




ELECTRONS DAY 18




IONS DAY 18




ELECTRONS
DAY 36




IONS
DAY 36



ELECTRONS
DAY 42



IONS
DAY 42



8. HIGH ENERGY ELECTRON DATA BASE, SC3

8.1 Instrument Description

The Lockheed SC3 High Energy Particle Spectrometer was built and operated under the direction of J.B. Reagan. The instrument is a solid-state spectrometer consisting of a long, narrow collimator that defines the 3° field-of-view, a solid-state stack of silicon detectors to stop the high-energy electrons and measure their total energy loss, an active anticoincidence collimator operating on high-energy particles that penetrate the detector stack, a plastic scintillator detector viewed by a photomultiplier tube to sense and reject energetic particles and Bremsstrahlung that penetrate the shielding walls, and associated control electronics. The sensors were energy calibrated prior to launch with several radioactive sources, and a weak source was flown on the instrument to monitor any changes in calibrations. The instrument has a 3° (FWHM) pitch angle resolution and a directional geometric factor of approximately $3 \times 10^{-3} \text{ cm}^2 \text{ sr}$.

On orbit the instrument was programmable to operate in eight different modes, plus a hardwired mode. One of the programmable modes (ELEC2) plus the hardwire mode (BACKUP) collected electron data. However, only the ELEC2 mode data are given here for electrons over the energy range of interest. Characteristics of the SC3 spectrometer in this mode are given in Reagan, et al.⁹ The dwell time in each mode was programmable at 8, 16, 32, or 64 s. This represents approximately 1/8 to 1 full spin. Data were received on computer tapes from Lockheed as 64-s averages of differential electron fluxes in electrons/($\text{cm}^2 \text{ s sr keV}$) within energy ranges of 634–1026, 1026–1419, 1419–2610 and 2603–4970 keV. The 64-s averages were calculated for whatever pitch angles the data were collected over and therefore some pitch angle scatter appears in the data set. The data were edited to remove spurious values.

8.2 Description of Data Presentation; SC3 High Energy Electrons

In each Figure the differential number flux of electrons for four energy ranges is plotted as a function of Universal Time (UT) for a 24-hour period. The number flux scale is logarithmic. At times the instrument is recording at background levels and these have not been edited out of the data.


⁹Reagan, J.B., Nightingale, R.W., Gaines, E.E., Imhof, W.L., and Stassinopoulos, E.G. (1981) Outer zone energetic electron spectral measurements, *J. Spacecraft Rockets*, 18:83.


8.3 Calendar of Days for which the SC3 High Energy Electron Data are Presented


1979												1980		
DAY	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	DAY
1				121										1
2														2
3			093											3
4			094									004		4
5			095		156				278				036	5
6					157				279				037	6
7				127	158	188			280		341			7
8									281					8
9					160				282					9
10														10
11	042												042	11
12	043											012		12
13	044		103				225			317				13
14	045						226							14
15	046				166					319			046	15
16	047												047	16
17											351			17
18			108	138				261				018		18
19						200		262						19
20			110				232							20
21	052	080	111		172			264						21
22	053			142										22
23														23
24			114	144						328				24
25			115	145		206				329	359			25
26				146										26
27											361	027		27
28	087							271	301			028		28
29	088			149	180		241	272			363			29
30			120					273						30
31														31

8.4 Data Presentation; SC3 High Energy Electron Data


SCATHA SC3 DAY 79042










SCATHA SC3 DAY 79045






SCATHA SC3 DAY 79047







SCATHA SC3 DAY 79052




SCATHA SC3 DAY 79053




SCATHA SC3 DAY 79080




SCATHA SC3 DAY 79087




SCATHA SC3 DAY 79088




SCATHA SC3 DAY 79093




SCATHA SC3 DAY 79094




SCATHA SC3 DAY 79095




SCATHA SC3 DAY 79103




SCATHA SC3 DAY 79108




SCATHA SC3 DAY 79110




SCATHA SC3 DAY 79111




SCATHA SC3 DAY 79114




SCATHA SC3 DAY 79115




SCATHA SC3 DAY 79120








SCATHA SC3 DAY 79127




SCATHA SC3 DAY 79138









SCATHA SC3 DAY 79145




SCATHA SC3 DAY 79146




SCATHA SC3 DAY 79149




SCATHA SC3 DAY 79156




SCATHA SC3 DAY 79157




SCATHA SC3 DAY 79158




SCATHA SC3 DAY 79160





SCATHA SC3 DAY 79166




SCATHA SC3 DAY 79172









SCATHA SC3 DAY 79200




SCATHA SC3 DAY 79206




SCATHA SC3 DAY 79225




SCATHA SC3 DAY 79226




SCATHA SC3 DAY 79232




SCATHA SC3 DAY 79241




SCATHA SC3 DAY 79261




SCATHA SC3 DAY 79262




SCATHA SC3 DAY 79264




SCATHA SC3 DAY 79271




SCATHA SC3 DAY 79272




SCATHA SC3 DAY 79273




SCATHA SC3 DAY 79276




SCATHA SC3 DAY 79279




SCATHA SC3 DAY 79280




SCATHA SC3 DAY 79281




SCATHA SC3 DAY 79282




SCATHA SC3 DAY 79301







SCATHA SC3 DRY 79319




SCATHA SC3 DAY 79328




SCATHA SC3 DAY 79329




SCATHA SC3 DAY 79341




SCATHA SC3 DAY 79351




SCATHA SC3 DAY 79359




SCATHA SC3 DAY 79361




SCATHA SC3 DAY 79363




SCATHA SC3 DAY 80004




SCATHA SC3 DAY 80012




SCATHA SC3 DAY 80018




SCATHA SC3 DAY 80027




SCATHA SC3 DAY 80028




SCATHA SC3 DAY 80036




SCATHA SC3 DAY 80037




SCATHA SC3 DAY 80042



SCATHA SC3 DAY 80046



SCATHA SC3 DAY 80047



U.S. GOVERNMENT PRINTING OFFICE

**END
FILMED**

DATE: **4-90**

DTIC