

JTC FILE COPY

REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

|                                  |                            |   |
|----------------------------------|----------------------------|---|
| 1. AGENCY USE ONLY (Leave blank) | 2. REPORT DATE<br>May 1982 | 3. REPORT TYPE AND DATES COVERED<br>Final |
|----------------------------------|----------------------------|---|

|   |   |
|---|---|
| 4. TITLE AND SUBTITLE<br>EXPERIMENTAL STUDY OF THE TURBULENCE PRODUCTION MECHANISM IN BOUNDARY LAYER FLOWS<br>AUTHOR(S)<br>R.E. Falco | 5. FUNDING NUMBERS<br>61102F<br>2307/A2 |
|---|---|

2

|  |  |
|--|--|
| PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br>Michigan State University<br>Dept of mechanical Engineering<br>East Lansing, MI 48824 | 8. PERFORMING ORGANIZATION REPORT NUMBER<br>AFOSR-TR-88-1553 |
|--|--|

|   |  |
|---|--|
| SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br>AFOSR<br>BLDG 410<br>BAFB DC 20332-6448 | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER<br>F49620-82-K-0003 |
|---|--|

11. SUPPLEMENTARY NOTES

|   |                        |
|---|------------------------|
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT<br>Approved for public release;<br>distribution unlimited. | 12b. DISTRIBUTION CODE |
|---|------------------------|

13. ABSTRACT (Maximum 200 words)  
Summary of progress made during the first nine months of the contract period is presented.

DTIC  
ELECTE  
DEC 05 1989  
S D

|                   |                          |
|-------------------|--------------------------|
| 14. SUBJECT TERMS | 15. NUMBER OF PAGES<br>9 |
|                   | 16. PRICE CODE           |

|   |  |   |                            |
|---|--|---|----------------------------|
| 17. SECURITY CLASSIFICATION OF REPORT<br>unclassified | 18. SECURITY CLASSIFICATION OF THIS PAGE<br>unclassified | 19. SECURITY CLASSIFICATION OF ABSTRACT | 20. LIMITATION OF ABSTRACT |
|---|--|---|----------------------------|

89 12 04 115

AD-A215 404

EXPERIMENTAL STUDY OF THE TURBULENCE PRODUCTION MECHANISM  
IN BOUNDARY LAYER FLOWS

by

R. E. Falco

Principal Investigator

APOOR. TR. 58 2553

Interim Progress Report

Prepared from work done under  
Air Force Office of Scientific Research  
Contract F49620-82-K-0003

Turbulence Structure Laboratory  
Department of Mechanical Engineering  
Michigan State University  
East Lansing, MI 48824

May 1982

|               |                                     |
|---------------|-------------------------------------|
| Accession for |                                     |
| NTIS (GPO)    | <input checked="" type="checkbox"/> |
| DTIC (GPO)    | <input type="checkbox"/>            |
| Unannounced   | <input type="checkbox"/>            |
| Justification |                                     |
| By            |                                     |
| Distribution  |                                     |
| Date          |                                     |
| A-1           |                                     |



## INTRODUCTION

Progress during the first nine months of the contract has been made in experimental techniques, in data acquisition and film quality, in data reduction, in our data base of simultaneous visual and point measurements, and in our knowledge of the physics of turbulence production.

We have learned how to make our laser sheets thinner than previously attained by using both mirrors and lenses. We have learned how to obtain 'almost' continuous data records up to 96 K bytes. We have changed to use of the new non-silvered base Kodak films ( this involved a great deal of testing because our exposures are not standard ) and now can achieve a better uniformity of image in both the flood and laser sheets. Data analysis programs have been written which allow us to ensemble average the detected events. We have performed a series of experiments in October and November, and a second series in December and January. The first series was made with the four-wire vorticity probe at  $y^+=10$ . We investigated the flow field associated with the evolution of pockets under fully turbulent boundary layers and under turbulent spots. The turbulent boundary layer data was run through the turbulent detection schemes of Zaric ( he visited the laboratory and brought his programs ). We found that there was a close correspondence between his detection technique and the passage of pockets. This data was then examined and stored for later processing, and ensemble averaging. The second series of experiments involved simultaneous laser sheet illumination of a slice of flow across the boundary layer, and flood

illumination of the sublayer, along with simultaneous vorticity probe measurements. The algorithms for this data were written and ensemble averages formed. These results have reinforced our earlier qualitative picture of the importance of microscale sweeps which have concentrated vorticity.

The most important results of our investigations to date have been:

1. Vortices of the scale of  $100 l^+$  exist above pockets during their formation stage ( pockets are the footprints of the turbulence production process ).

2. These vortices come in pairs, having both downstream and upstream facing orientations. The pairs which propagate upstream ( in a relative sense ) have been called negative rings, because they would propagate against the flow direction ( relatively speaking ). It appears that these pairs are rings, and furthermore that they are 'typical eddies' which are in the inner part of the wall region. The pairs which propagate downstream have been called a positive rings, because they would propagate in the positive flow direction. The limited Lagrangian information we have on these pairs does not confirm the hypothesis that they are rings. Investigations on this point are continuing. ( see figure 1 ).

3. Signals from the vortices ( which had just formed pockets ) were conditionally sampled, and ensemble averages of their velocity, vorticity, Reynolds stress, and a number of turbulence detection functions were

obtained. Figure 2 shows the ensemble averaged values of these quantities at  $y^+ = 24$ , when a 'positive' pair of vortices creates a pocket. The positive 'u' and negative 'v' indicate that the pair creates a 'sweep'. The Reynolds stress is approximately twice the long time average and the vorticity is less than average at the wire level, even when the streamwise rotating vortex goes through the wire.

4. Figure 3 shows the ensemble averaged values of u, v, uv and the vorticity, when a negative ring ( or 'typical eddy' ) creates a pocket. Once again the positive 'u' and negative 'v' indicate that the ring results in a 'sweep'. The Reynolds stress is approximately 4 times the long time average. The transverse vorticity is significantly less than the long time average. It actually is less on average than the mean vorticity at  $y^+ = 24$ , meaning that there is rotation of the opposite sign occurring. In this case, these ensemble averages are verifying and firming-up the visual impressions of the occurrence of concentrated regions of vorticity, and they show unequivally, that the eddies which created these pockets were vortex rings, not hairpins, since vorticity of the opposite sign from the mean is not associated with hairpins.

In both cases the strong correlation of the sweep and the vorticity perturbations strongly support the visual information which indicates that vortices of scale  $100 l^+$  are the cause of the pockets, and hence the interaction of these microscale vortices with the wall initiates the turbulence production process. Finally it should be noted that our total sample consisted of 109 pockets, and that 10% did not show visual

indications of vorticity above them as they formed.




Figure 1. Stagnation Flow Fields Created by Vortex Pairs.




Figure 2. Ensemble Averaged Signals of Positive Rings with High Visual Certainty




Figure 3. Ensemble Averaged Signals of Negative Rings with High Visual Certainty and Centered Pockets