

DTIC FILE COPY

1

AD AD-A219 814

CONTRACT NO: DAMD17-88-C-8053

TITLE: EFFECTS OF HIGH ALTITUDE HYPOXIA ON LUNG AND CHEST WALL  
FUNCTION DURING EXERCISE

PRINCIPAL INVESTIGATOR: Jerome A. Dempsey, Ph.D.

CONTRACTING ORGANIZATION: University of Wisconsin  
750 University Avenue  
Madison, Wisconsin 53706

REPORT DATE: January 27, 1990

TYPE OF REPORT: Midterm Report

PREPARED FOR: U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND  
Fort Detrick, Frederick, Maryland 21701-5012

DISTRIBUTION STATEMENT: Approved for public release;  
distribution unlimited

The findings in this report are not to be construed as an  
official Department of the Army position unless so designated by  
other authorized documents.

DTIC  
SELECTED  
MAR 29 1990  
S D & D

00 08 29 061

**REPORT DOCUMENTATION PAGE**

Form Approved  
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release; distribution unlimited	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		4. PERFORMING ORGANIZATION REPORT NUMBER(S)	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION University of Wisconsin	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION	
6c. ADDRESS (City, State, and ZIP Code) Department of Preventive Medicine 504 N. Walnut Street Madison, WI 53705		7b. ADDRESS (City, State, and ZIP Code)	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION U.S. Army Medical Research & Development Command	8b. OFFICE SYMBOL (if applicable) SGRD-RMI-S	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Contract No. DAMD17-88-C-8053	
8c. ADDRESS (City, State, and ZIP Code) Fort Detrick Frederick, Maryland 21701-5012		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO. 62787A	PROJECT NO. 3M1 62787A879
		TASK NO. BC	WORK UNIT ACCESSION NO. 082
11. TITLE (Include Security Classification) Effects of High Altitude Hypoxia on Lung and Chest Wall Function During Exercise			
12. PERSONAL AUTHOR(S) Jerome A. Dempsey, Ph.D.			
13a. TYPE OF REPORT Midterm	13b. TIME COVERED FROM 6/30/88 TO 12/30/89	14. DATE OF REPORT (Year, Month, Day) 1990 January 27	15. PAGE COUNT 9
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
06	04		
06	05		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p>We have, more precisely than ever before, defined the mechanical limitations to normal exercise in healthy persons. In most instances in the normal or moderately fit individual the ventilatory requirement is such that mechanical limitations are barely reached on expiration, but not to inspiratory muscles in heavy exercise and fatigue of respiratory muscles is not a factor.</p> <p>The greater the level of physical fitness, the greater the maximum exercise load the greater the probability that mechanical limitation to flow on expiration and to pressure generation by inspiratory muscles on inspiration will be achieved over a substantial part of the tidal breath. This results in an even higher oxygen cost of respiration in these subjects that reach mechanical limitation. On the other hand, it is only in very rare instances that we observed that this mechanical limitation interfered with the provision of sufficient alveolar hyperventilation in these subjects to achieve adequate gas exchange and arterial oxygenation and acid-base regulation.</p>			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Mrs. Virginia M. Miller		22b. TELEPHONE (Include Area Code) (301) 663-7325	22c. OFFICE SYMBOL SGRD-RMI-S

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

\_\_\_\_\_ Where copyrighted material is quoted, permission has been obtained to use such material.

\_\_\_\_\_ Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

\_\_\_\_\_ Citations of commercial organizations and trade names in this report do not constitute an official Department of the Army endorsement or approval of the products or services of these organizations.

\_\_\_\_\_ In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).

✓ \_\_\_\_\_ For the protection of human subjects, the investigator(s) have adhered to policies of applicable Federal Law 45CFR46.

\_\_\_\_\_ In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

PI Signature

Date

Introduction. The studies we are currently undertaking, and that were proposed in the original contract application, are concerned with mechanical limitations to breathing in heavy exercise, in normoxia and hypoxia. Most previous work on this topic gave rise to the concept that ventilation in heavy exercise never achieved mechanical limits, and that either the limitation to this ventilation, or its cost, would rarely if ever be a factor in the limitation of physical performance. Our previous studies, on the other hand, have indicated that indeed the gas exchange function of the lung can fail in very heavy exercise, and that in some instances, very fit persons may play a major role in limiting their oxygen transport and CO<sub>2</sub> transport, and acid base regulation. Thus it was our specific goal here to study the metabolic cost of breathing and to find whether mechanical limits to ventilation were indeed ever achieved in heavy exercise, in normoxia and hypoxia.

Accession For		↓
NTIS	CRA&I	<input checked="" type="checkbox"/>
DTIC	...	<input type="checkbox"/>
Unann...	...	<input type="checkbox"/>
Justific...		
By		
Distrib...		
Availability Codes		
Dist	Availability of Special	
A-1		



Body. The Methods we used were adaptations of established techniques and included: a) the definition of limitations to expiratory flow as determined in a body plathysmograph, b) definition of the limitations to pressure development by the inspiratory muscles, c) measurement of dynamically determined end-expiratory lung volume (FRC) and the flow volume and pressure volume profile of tidal breathing in heavy exercise. These techniques were used to define the mechanical limits to inspiration and expiration. We then applied these to normal, healthy males of widely varying fitness levels as they exercised progressively to maximum short-term exercise. Thus far we have obtained the following major findings:

- 1) In most healthy young adults studied, we found very efficient regulation of the lung and chest wall mechanics. For example, progressive exercise saw a progressively reduced end-expiratory lung volume, which is accomplished with active expiration. This meant that the inspiratory muscles, including the diaphragm, were placed at a much longer length for the subsequent inspiration and were thus able to develop considerable tension to reach the high tidal volumes recorded in heavy exercise. In moderately fit individuals, some limitation to expiratory flow was usually reached. But this only occurred at the very extreme exercise levels, and at very low lung volumes. The capacity of inspiratory muscles to develop pressure decreased with increasing flow rate (velocity of shortening) and with increasing lung volume during progressive exercise; but the peak inspiratory pressure actually achieved during exercise rarely exceeded 50% of the capacity of the inspiratory muscles to generate pressure.

2) We determined the oxygen cost of exercise ventilation by having the subjects mimic (at rest) the actual work breathing that they accomplished during sub maximal or maximal exercise. At maximal exercise, the oxygen cost of respiration averaged 10% of the total body  $\text{VO}_2$ . In some subjects, ie, especially those who approached expiratory and low inspiratory flow limitation in very heavy exercise, the oxygen cost of ventilation reached 13-15% of maximal oxygen consumption.

3) Fatigue of the respiratory muscles was not evident in these subjects as they were able to continue the work of breathing they experienced during exercise for three to ten times longer (at rest) than the exercise period itself.

4) A fitter group of subjects, ie, endurance athletes, all showed substantial limitation to expiratory flow and to pressure generation by inspiratory muscles at maximum exercise. That these subjects had reached the capacity for flow generation during expiration on the one hand, and pressure generation by the inspiratory muscles on the other, was demonstrated by superimposing a  $\text{CO}_2$  load for them to breathe at maximum exercise. This showed that their minute ventilation was unable to rise any higher, nor was their pressure or flow:volume loop enlarged beyond that obtained during maximum exercise air breathing.

Conclusions. We have, more precisely than ever before, defined the mechanical limitations to normal exercise in healthy persons. In most instances in the normal or moderately fit individual, the ventilatory requirement is such that mechanical limitations are barely reached on expiration, but not to inspiratory muscles in heavy exercise and fatigue of respiratory muscles is not a factor. On the other hand, the oxygen cost of ventilation may be quite high, even in these subjects who do not reach limitation, ie, 10-15% of the total body O<sub>2</sub> cost which would represent a substantial potential "steal" of blood flow and oxygen consumption from locomotor muscles.

Conclusion II. The greater the level of physical fitness, the greater the maximum exercise load achieved, the greater the probability that mechanical limitation to flow on expiration and to pressure generation by inspiratory muscles on inspiration will be achieved over a substantial part of the tidal breath. This results in an even higher oxygen cost of respiration in these subjects that reach mechanical limitation. On the other hand, it is only in very rare instances that we observed that this mechanical limitation interfered with the provision of sufficient alveolar hyperventilation in these subjects to achieve adequate gas exchange and arterial oxygenation and acid-base regulation.

## References.

- 1) Henke, K.G., M. Sharratt, D. Pegelow, and J.A. Dempsey. Regulation of End-Expiratory Lung Volume During Exercise. J. Appl. Physiol. 65:921-927, 1988.
- 2) Dempsey, J.A. and K. Henke. Some Rules and Exceptions in the Response of the Pulmonary System to Muscular Exercise. Epidemiology, Behavior change, and Intervention in Chronic Lung Disease. (L. Hall and G. Meyer, editors), Human Kinetics Publ, Champaign. pp 199-223, 1988.
- 3) Dempsey, J.A., E. Aaron, and K. Henke. Pulmonary Function in Prolonged Exercise. Perspectives in Exercise Science and Sports Medicine--Vol. 1: Prolonged Exercise. (D.R. Lamb and R. Murray, ed.) Benchmark Press, Indianapolis, IN. pp 75-124, 1988.
- 4) Dempsey, J.A. Problems with the Hyperventilatory Response to Exercise and Hypoxia. Oxygen Transfer from Atmosphere to Tissues. (N.C. Gonzalez and M.R. Fedde, eds.), Plenum Publishing Corporation. pp 277-291, 1988.
- 5) Klas, James V., and J.A. Dempsey. Voluntary Vs. Reflex Regulation of Maximal Exercise Flow: Volume Loop. Amer. Rev. Resp. Dis. 139:150-156, 1989.
- 6) Reeves, J.T., J.A. Dempsey, and R.F. Grover. Pulmonary Circulation During Exercise. Pulmonary Vascular Physiology and Pathophysiology. (E.K. Weir and J.T. Reeves, eds).

Marcel Dekker, Inc., NY. pp 107-133, 1989.

7) Dempsey, J.A., K.G. Henke, and E.A. Aaron. Feedback and Feed-Forward Mechanisms. Future Directions in Exercise and Sport Science Research. (J.S. Skinner, et al., eds). Human Kinetics Books, Champaign, IL pp 313-327.

8) Powers, S.K., J. Lawler, J.A. Dempsey, S. Dodd and G. Landry. Effects of Incomplete Pulmonary Gas Exchange on  $\text{VO}_2$  Max. J. Appl. Physiol. 66:2491-2495, 1989.

9) Dempsey, J.A., B.D. Johnson and W.M. Bayly. Constraints on the Ventilatory Response to Maximum Exercise in Health. Hypoxia: The Adaptations. (J.R. Sutton, G. Coates, J.E. Remmers, eds). B.C. Decker, Inc., Canada. pp 178-181, 1990.

10) Dempsey, J.A. and M. Manahan. Pulmonary Function in Endurance Exercise. Encyclopedia of Sports Medicine. (R.J. Shepherd, ed). In press, 1990.