


1

AD-A221 183



DTIC
ELECTE
APR 25 1990
S
C
D

QUICK REACTION ANALYSIS REPORT

HQ TRAC-RPD-QRAR-1-90

MUNITIONS REQUIREMENTS

DECISION SUPPORT SYSTEM

(MRDSS)

MAY 1990

PREPARED BY:

LTC ROBERT M. BAKER
MR. ROBERT L. FORD
CPT WILLIAM N. PROKOPYK
MR. BARRY R. WISE

DECLASSIFICATION STATEMENT A
Approved for public release
Distribution Unlimited

DEPARTMENT OF THE ARMY

US ARMY TRADOC ANALYSIS COMMAND

REQUIREMENTS AND PROGRAMS DIRECTORATE

FORT MONROE, VA 23651-5143

TRADOC ANALYSIS COMMAND

REPORT DOCUMENTATION PAGE

Form Approved
OMB No 0704-0188
Exp Date Jun 30, 1986

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT NONE		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE OADR					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) HQ TRAC, RPD-QRAR-1-90			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Requirements & Programs Dir U.S. Army TRADOC Analysis Cmd		6b. OFFICE SYMBOL (If applicable) ATRC-RPR	7a. NAME OF MONITORING ORGANIZATION Requirements and Programs Directorate U.S. Army TRADOC Analysis Command		
6c. ADDRESS (City, State, and ZIP Code) HQ TRAC, RPD Fort Monroe, VA 23651-5143		7b. ADDRESS (City, State, and ZIP Code) HQ TRAC, RPD ATTN: ATRC-RP Fort Monroe, VA 23651-5143			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION HQ TRADOC, DCSCD		8b. OFFICE SYMBOL (If applicable) ATCD	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code) HQ TRADOC Ft Monroe, VA 23651-5000		10. SOURCE OF FUNDING NUMBERS			
		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) Munitions Requirements Decision Support System (Unclassified)					
12. PERSONAL AUTHOR(S) BAKER, ROBERT M., FORD, ROBERT L., PROKOPYK, WILLIAM N., WISE, BARRY R.					
13a. TYPE OF REPORT Quick Reaction Analysis		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day) 1990, May	
				15. PAGE COUNT 28	
16. SUPPLEMENTARY NOTATION Amphibious Scout Cars					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Combat Vehicles, Reconnaissance Vehicles, Logistics Planning, Lotus 1-2-3 Spreadsheet, Tanks (Combat Vehicles)		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The Munitions Requirements Decision Support System (MRDSS) is a macro-level Decision Support System (DSS) designed to assist the user in determining the optimum munitions requirements for various types of munitions. The MRDSS uses a threat based technology at a macro-level of detail to support a quick-turnaround, sensitivity analyses of munitions requirements. It uses an electronic spreadsheet (Lotus 1-2-3) which allows the user to quickly change certain assumptions and constraints and observe the impact of munitions requirements. The DSS considers specific user-defined direct fire and indirect fire munitions against tanks, <u>BMPs</u> , <u>BRDMs</u> and other threats. The user must specify and allocate threat quantities, allocate required kills to area of operations, and allocate required kills to the specified munitions. The MRDSS then calculates required kills by munition type, rounds required per kill and total rounds required. Additionally, the MRDSS					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION		
22a. NAME OF RESPONSIBLE INDIVIDUAL LTC ROBERT M. BAKER			22b. TELEPHONE (Include Area Code) (804) 727-3030 (AV 680)		22c. OFFICE SYMBOL ATRC-RPR

Name: Robert M. Baker (George Washington University)

Block 19, ABSTRACT

enables the user to adjust these estimates for real world wartime inefficiencies such as combat losses, contingency of supplies, tactics, sustainment operations and other inefficiencies.

Model 19

ACKNOWLEDGMENTS

HQ TRADOC, DCSCD requested that HQ TRAC, Requirements and Programs Directorate (RPD) develop a decision support system (DSS) to assist TRADOC planners with staff actions/studies on the Army's munitions requirements. The DSS which RPD developed was approved by the ADCSCD for his staff use during Long-Range Research, Development and Acquisition Plan (LRRDAP) deliberations and by the Commander, Combined Arms Center, for use in a follow-on staff study conducted by that organization. This report documents the DSS.

The methodology presented in this report was developed by HQ TRAC, RPD. Support to the development effort was provided by HQ TRADOC's Plans, Concepts and Technology Directorate under the Deputy Chief of Staff for Combat Developments and the Threat Directorate under the Deputy Chief of Staff for Intelligence.

The HQ TRAC, RPD analysts were LTC Robert M. Baker, Mr. Robert L. Ford, CPT(P) William N. Prokopyk and Mr. Barry R. Wise.

STATEMENT "A" per Robert Ford
Requirements and Programs Directorate/
ATRC-RPR, US Army TRADOC Analysis
Command, Fort Monroe, VA 23651-5143
TELECON 4/23/90 VG

INSPECTED

Accession	
NTIS	CRAG ☒
DTIC	IAS ☐
DTIC	IAS ☐
Justification	
By <i>per call</i>	
Distribution	
Availability	
Dist	Avail
A-1	

Distribution Release Information

This report was prepared by the U. S. Army TRADOC Analysis Command as directed by the U. S. Army Training and Doctrine Command.

DISCLAIMER

The views, opinions, and/or findings contained in this report are those of the authors and should not be construed as an official Department of the Army position, policy, or decision unless so designated by other official documentation.

WARNING

Information and data contained herein are based on inputs available at the time of presentation. The results are subject to change.

TABLE OF CONTENTS

Section	Page
1.0 Background	1
2.0 Goal	1
3.0 Approach	1
4.0 Methodology Overview	2
5.0 Application of the Methodology	4
5.1 Munition Set	4
5.2 Threat Quantities	5
5.3 Required Kills	6
5.4 Allocation of Required Kills	7
5.5 Rounds Required per Kill	10
5.6 Maximum Efficiency Estimates	12
5.7 Inefficiency Factors	13

LIST OF FIGURES

Number	Description	Page
4.1	Methodology	3
5.1	Input Threat Quantities	4
5.2	Input Threat Quantities	5
5.3	Calculate Required Kills	6
5.4.1	Allocate Required Kills to Area of Operations	7
5.4.2	Allocate Required Kills to Munitions	8
5.4.3	Calculate Required Kills by Munition Type	9
5.5.1	Calculate Pounds Requirements Kill per Munition	11
5.5.2	Probability of Single Shot Kill (PSSK) Table	11
5.6	Calculate Maximum Efficiency Estimate for Munitions Requirements	12
5.7.1	Input Inefficiency Factors	13
5.7.2	Final Estimate	14

MUNITIONS REQUIREMENTS DECISION SUPPORT SYSTEM (MRDSS)

1.0 BACKGROUND

The Munitions Requirements Decision Support System (MRDSS) is a macro-level decision support system (DSS) developed to assist the TRADOC DCSCD during Long-Range Research, Development and Acquisition Plan (LRRDAP) deliberations. The tasking from DCSCD was to produce a threat based methodology at a macro-level of detail that would support quick-turnaround, sensitivity analyses of anti-tank and air defense munition requirements. The Quick Reaction Analysis Team from the TRADOC Analysis Command's Requirements and Programs Directorate was given two weeks to accomplish this task.

2.0 GOAL

The goal was to keep the methodology simple, visible and responsive to changes in major factors affecting munitions requirements. It was acknowledged and accepted by all concerned that to accomplish this goal, some input data would be highly aggregated and subjective.

3.0 APPROACH

The approach used was to develop an electronic spreadsheet (LOTUS 1-2-3) which would allow the DCSCD staff to quickly change certain assumptions and constraints and observe the impact on munition requirements.

4.0 METHODOLOGY OVERVIEW

An overview of the methodology is shown in Figure 4.1. The specifics will be presented in the section on the application of the methodology. The first input is a list of the munitions to be included in the analysis. Given a specified munition set, the next step is to enter the quantity and type of threat weapon systems that are to be included as targets for this set of munitions. Once these quantities are identified, it is necessary to estimate the percentage of each target set that needs to be killed in order to accomplish the decisionmaker's objective. This is called the "attack criteria" and is the first of three sets of input factors which require the attention of the decisionmaker and/or subject matter experts. The attack criteria for each target type is multiplied times the threat quantity for that target type and the product defined as the "required kills" for each target type. The "required kills" are then allocated across the munition set. This is a two-step process that requires the use of the second set of subjective factors. First, the "required kills" are allocated to groups of munition. For example, for anti-tank munitions the first allocation might be 70% to direct fire systems, 20% to indirect fire systems and the remaining 10% to the air force. Once this is done, it is necessary to allocate within each of the groups, specific munition types. The next step is to calculate the number of rounds of each type of munition which must be fired against each type of target to achieve a single kill. Since this number is a random variable, probability theory is used to provide an appropriate point estimate of its value. Having estimated the required number of kills and the rounds required per kill, simple multiplication yields an estimate of the total number of rounds required. This estimate is referred to as the maximum efficiency estimator as it represents the number of munitions required under ideal circumstances, e.g., all the munitions are available at the right place, at the right time, there is no fratricide, overkills, etc.. Since this perfect environment does not exist on the battlefield, it is necessary to increase the maximum efficiency estimator to account for a number of inefficiencies. This requires the use of the third and final set of subjective factors. This third set of factors represent the percent that the maximum efficiency estimators must be increased to account for specific inefficiencies in the environment. This produces the final estimate of the munition requirements and the last output of the DSS. The final step of the methodology is accomplished "off-line" and involves a graphic comparison of the DSS estimates and the programmed inventories for each munition.

METHODOLOGY




Figure 4.1

5.0 APPLICATION OF THE METHODOLOGY

5.1 MUNITION SET

As mentioned earlier, the task included the examination of both air defense munitions and anti-tank munitions. While the methodology was applicable to either category of munition, the categories were sufficiently different to make it advantageous to develop two separate, albeit similar, decision support systems. Figure 5.1 shows a generic set of anti-tank munitions which will be used for discussion purposes. The spreadsheet requires that these munitions be listed in the first column and grouped by category as shown. Notice the next column in the spreadsheet has the title "Include". This allows the analyst to either include or not include a particular munition in the analysis. Therefore, from this generic set of munitions, numerous subsets can be constructed to represent different munition options. Also, note that the "other" category under the munitions is basically a "catch all" category for all those munitions which are on the battlefield and can kill the targets of interest but which do not need to be addressed explicitly in the analysis.

YEAR: 1986
MUNITION CATEGORY: ANTI-TANK

INPUT THREAT QUANTITIES

MUNITION	INCLUDE (Y/N)	TANK	BMP	BROM	OTHER1	OTHER2
DIRECT FIRE BATTLE						
105 MM #1	Y	XX	XX	XX	XX	XX
105 MM #2	N	XX	XX	XX	XX	XX
120 MM #1	N	XX	XX	XX	XX	XX
120 MM #2	Y	XX	XX	XX	XX	XX
MANPAT #1	Y	XX	XX	XX	XX	XX
MANPAT #2	N	XX	XX	XX	XX	XX
ATGM #1	Y	XX	XX	XX	XX	XX
ATGM #2	Y	XX	XX	XX	XX	XX
OTHER	Y	XX	XX	XX	XX	XX
INDIRECT FIRE BATTLE						
PGM #1	Y	XX	XX	XX	XX	XX
PGM #2	N	XX	XX	XX	XX	XX
PGM #3	N	XX	XX	XX	XX	XX
OTHER	Y	XX	XX	XX	XX	XX
AIR FORCE/ALLIES						

Figure 5.1

5.2 THREAT QUANTITIES

The next portion of the spreadsheet allows the user to specify quantities for various threat targets as depicted in Figure 5.2. Note that the quantities are specified only for total categories of munitions, e.g., direct fire, indirect fire, etc.. Additionally, the quantities entered represent the total number which could be presented as targets to each category of munition. Thus, in the example, the threat is a total of only 1000 tanks (not 3000). All 1000 tanks could all be killed by any of the categories of munitions listed. How many of the 1000 tanks need to be killed and by which category of munition is the subject of the next few sections of the spreadsheet.

At this point, an editorial note is needed to help the reader understand how the DSS is organized on the electronic spreadsheet. Each of the figures referred to in the following paragraphs represents a single screen on the computer. Successive screens are positioned from left to right across the spreadsheet by depressing the "tab" key.

YEAR: 1986
MUNITION CATEGORY: ANTI-TANK

INPUT THREAT QUANTITIES

MUNITION	INCLUDE (Y/N)	TANK	BMP	BRDM	OTHER1	OTHER2
DIRECT FIRE BATTLE		1000	80	20	50	0
105 MM #1	Y	XX	XX	XX	XX	XX
105 MM #2	N	XX	XX	XX	XX	XX
120 MM #1	N	XX	XX	XX	XX	XX
120 MM #2	Y	XX	XX	XX	XX	XX
MANPAT #1	Y	XX	XX	XX	XX	XX
MANPAT #2	N	XX	XX	XX	XX	XX
ATGM #1	Y	XX	XX	XX	XX	XX
ATGM #2	Y	XX	XX	XX	XX	XX
OTHER	Y	XX	XX	XX	XX	XX
INDIRECT FIRE BATTLE		1000	80	20	50	0
PGM #1	Y	XX	XX	XX	XX	XX
PGM #2	N	XX	XX	XX	XX	XX
PGM #3	N	XX	XX	XX	XX	XX
OTHER	Y	XX	XX	XX	XX	XX
AIR FORCE/ALLIES		1000	80	20	50	0

Figure 5.2

Next, it is necessary to allocate the required kills to each munition by type. This is a two step process. First, the required kills are allocated to munition categories and then sub-allocated within each category to specific munition types. Figure 5.4.1 shows the allocation process to munition categories. Here the decisionmaker, or his subject matter expert, simply enters the proportion of each target type he expects to be killed by each category of munition. The proportions in each column must sum to 100%.

[illegible]

Figure 5.4.1

Having accomplished this, the DSS requires that the decisionmaker sub-allocate the proportion of each target type he expects to be killed by each munition type within each category of munition (Figure 5.4.2). The proportions within each munition category in each column must sum to 100%.

YEAR: 1986
MUNITION CATEGORY: ANTI-TANK

ALLOCATE REQUIRED KILLS TO MUNITIONS
(ENTER ALLOCATION FACTORS IN TABLE BELOW)

MUNITION	TANK	BMP	BRDM	OTHER1	OTHER2
DIRECT FIRE BATTLE	XX	XX	XX	XX	XX
105 MM #1	30%	35%	35%	5%	5%
120 MM #2	40%	35%	35%	5%	5%
MANPAT #1	5%	5%	5%	50%	50%
ATGM #1	10%	10%	10%	10%	10%
ATGM #2	10%	10%	10%	25%	25%
OTHER	5%	5%	5%	5%	5%
INDIRECT FIRE BATTLE	XX	XX	XX	XX	XX
PGM #1	90%	80%	80%	70%	70%
OTHER	10%	20%	20%	30%	30%
AIR FORCE/ALLIES	XX	XX	XX	XX	XX
	100%	100%	100%	100%	100%

Figure 5.4.2

With this input, the DSS calculates the required kills by munition type and presents these quantities as depicted in Figure 5.4.3.

YEAR: 1986
MUNITION CATEGORY: ANTI-TANK

CALCULATE REQUIRED KILLS BY
MUNITION TYPE

MUNITION	TANK	BMP	BRDM	OTHER1	OTHER2
DIRECT FIRE BATTLE	XX				
105 MM #1	126	6	1	0	0
120 MM #2	168	6	1	0	0
MANPAT #1	21	1	0	2	0
ATGM #1	42	2	0	0	0
ATGM #2	42	2	0	1	0
OTHER	21	1	0	0	0
INDIRECT FIRE BATTLE	XX				
PGM #1	378	13	3	2	0
OTHER	42	3	1	1	0
AIR FORCE/ALLIES	420	16	4	3	0

Figure 5.4.3

5.5 ROUNDS REQUIRED PER KILL

Having estimated the number of targets of each type which need to be killed by munitions of each type, the next step is to estimate the number of rounds of each munition type which must be fired to achieve a specified cumulative probability of a kill against a single target of a specified type. To calculate this estimate, the event of a single munition attacking a single target is modeled by a Bernoulli Process with success defined as a target kill. The probability of success is equal to the probability of single shot kill (PSSK). If it is assumed that the PSSK remains constant from shot to shot and that each shot is independent, then it is reasonable to represent the probability of success on more than one shot by the binomial distribution. Of particular interest is the number of shots needed to produce a successful outcome. The cumulative probability of not killing a target in some number of shots, say "n", is equal to $(1 - \text{PSSK})^n$. Therefore, the cumulative probability of achieving at least one kill in "n" shots is given by $1 - (1 - \text{PSSK})^n$. If a value for this cumulative probability is specified, say "k", then the equation of interest becomes:

$$k = 1 - (1 - \text{PSSK})^n$$

This equation can be solved for "n" in the following manner:

$$(1 - \text{PSSK})^n = (1 - k)$$

$$n * \ln(1 - \text{PSSK}) = \ln(1 - k)$$

$$n = \ln(1 - k) / \ln(1 - \text{PSSK})$$

The decisionmaker, or his subject matter expert, enters the desired cumulative probability of kill in the parentheses labeled "SURETY FACTOR". When he does this, he is stating how sure he wants to be that he has enough rounds available to achieve a successful outcome. The DSS calculates the number of rounds required to produce this level of surety for each combination of munition type and target type as depicted in Figure 5.5.1

YEAR: 1986
MUNITION CATEGORY: ANTI-TANK

CALCULATE ROUNDS REQUIRED PER KILL BY MUNITION
(ENTER SURETY FACTOR: 0.8)

MUNITION	TANK	BMP	BROM	OTHER1	OTHER2
DIRECT FIRE BATTLE	*****				
105 MM #1	9.9	7.2	7.2	5.6	4.5
120 MM #2	7.2	5.6	5.6	4.5	3.7
MANPAT #1	15.3	9.9	9.9	7.2	5.6
ATGM #1	9.9	7.2	7.2	5.6	4.5
ATGM #2	5.6	4.5	4.5	3.7	3.2
INDIRECT FIRE BATTLE	*****				
PGM #1	31.4	15.3	15.3	9.9	7.2

Figure 5.5.1

PSSK is frequently estimated in the analytical community and should be obtained from approved data sources. PSSK values must be entered for each combination of target and munition type as depicted in Figure 5.5.2. It is noted that this spreadsheet screen is out of sequence; it is the very last screen (right most) in the spreadsheet.

YEAR: 1986
MUNITION CATEGORY: ANTI-TANK

PSSK TABLE

MUNITION	TANK	BMP	BROM	OTHER1	OTHER2
DIRECT FIRE BATTLE	x	x	x	x	x
105 MM #1	0.15	0.20	0.20	0.25	0.30
105 MM #2	0.15	0.20	0.20	0.25	0.30
120 MM #1	0.25	0.30	0.30	0.35	0.40
120 MM #2	0.20	0.25	0.25	0.30	0.35
MANPAT #1	0.10	0.15	0.15	0.20	0.25
MANPAT #2	0.30	0.35	0.35	0.40	0.45
ATGM #1	0.15	0.20	0.20	0.25	0.30
ATGM #2	0.25	0.30	0.30	0.35	0.40
INDIRECT FIRE BATTLE	x	x	x	x	x
PGM #1	0.05	0.10	0.10	0.15	0.20
PGM #2	0.20	0.25	0.25	0.30	0.35
PGM #3	0.20	0.25	0.25	0.30	0.35

Figure 5.5.2

5.6 MAXIMUM EFFICIENCY ESTIMATOR

At this point, the DSS knows the number of each target type which needs to be killed by each munition type, and it knows the number of rounds required of each type of munition to achieve a single kill to some specified level of certainty. Hence, it is simple calculation to estimate the total number of rounds required by munition type. This is shown in Figure 5.6. However, the estimate assumes that all required munitions are at the right place, at the right time and are fired at separate targets. Obviously, this is not the case in battle. Therefore, the DSS requires an additional mechanism for considering the inefficiencies inherent in war.

YEAR: 1986
MUNITION CATEGORY ANTI-TANK

CALCULATE MAXIMUM EFFICIENCY ESTIMATE
FOR MUNITIONS REQUIREMENTS

MUNITION	TANK	BMP	BRDM	OTHER1	OTHER2	TOTAL
DIRECT FIRE BATTLE*****						
105 MM #1	1248	40	10	1	0	1299
120 MM #2	1212	31	8	1	0	1252
MANPAT #1	321	8	2	11	0	342
ATGM #1	416	12	3	2	0	432
ATGM #2	235	7	2	3	0	247
INDIRECT FIRE BATT*****						
PGM #1	11861	196	49	21	0	12126

Figure 5.6

5.7 INEFFICIENCY FACTORS

In order to compensate for real world wartime inefficiencies, the following five battlefield factors known to influence munitions requirements were selected:

a. Combat Losses are munitions which are destroyed before they can be used (e.g., while in ammunition supply points, while enroute to the forward areas, etc.). Also, included in the category are munitions on board damaged weapon systems which cannot be recovered.

b. Contingency Supplies are munitions pre-positioned outside the normal area of operations to support contingency missions.

c. Tactics are that portion of available munitions on board weapon systems which are not in the right place at the right time (i.e., they don't get into the fight.).

d. Sustainment Operations are that set of munitions which must be kept in reserve to fight the next battle.

e. Other are any additional factors which will influence munitions requirements.

For each munition/battlefield category, an estimate of the contribution of that factor is entered as depicted in Figure 5.7.1

YEAR: 1986					
MUNITION CATEGORY: ANTI-TANK					
INPUT INEFFICIENCY FACTORS					
MUNITION	COMBAT LOSSES	CONTINGENCY SUPPLY	TACTICS	SUSTAIN OPNS	OTHER
DIRECT FIRE BATTLE*****					
105 MM #1	10%	30%	5%	75%	0%
120 MM #2	10%	30%	5%	75%	0%
MANPAT #1	5%	30%	5%	75%	0%
ATGM #1	15%	30%	5%	75%	0%
ATGM #2	15%	30%	5%	75%	0%
INDIRECT FIRE BATTLE*****					
PGM #1	2%	30%	5%	75%	0%

Figure 5.7.1

From the optimum munitions required for each target as depicted in Figure 5.6 and the efficiency factors entered for each munition as depicted in Figure 5.7.1, a final maximum efficiency estimate for each munition is then calculated as depicted in Figure 5.7.2.

YEAR: 1986
MUNITION CATEGORY: ANTI-TANK

FINAL ESTIMATE	
	QUANTITY
DIRECT FIRE BATTLE	
105 MM *1	2858
120 MM *2	2753
MANPAT *1	734
ATGM *1	972
ATGM *2	555
INDIRECT FIRE BATTLE	
PGM *1	25707

Figure 5.7.2

DISTRIBUTION LIST

<u>Addressee</u>	<u>Number of Copies</u>
Department of the Army Deputy Chief of Staff for Operations and Plans ATTN: DAMO-ZD/Mr. Riente The Pentagon Washington, DC 20310-0410	1
Department of the Army Deputy Chief of Staff for Research, Development and Acquisition ATTN: DAMA-ER/Mr. Woodall The Pentagon, Room 3E411 Washington, DC 20310-0620	1
Deputy Under Secretary of the Army (Operations Research) ATTN: SAUS (OR)/Mr. Hollis The Pentagon Washington, DC 20310-0100	1
Commander US Army Europe and Seventh Army ATTN: AEAGC AEAGC-O AEAGX-OR APO New York 09403	3
Commander V Corps APO 09074	1
Commander VII Corps APO 09107	1
Commander US Army Training and Doctrine Command ATTN: ATCG ATCD ATDO ATIS Fort Monroe, VA 223651-5000	4
Commander US Army TRADOC Analysis Command ATTN: ATRC-TD Fort Leavenworth, KS 66026-5200	1

<u>Addressee</u>	<u>Number of Copies</u>
Commander US Army Infantry Center and Fort Benning ATTN: ATSH-CD Fort Benning, GA 31905-5000	1
Commander US Army Combined Arms Center and Fort Leavenworth ATTN: ATZL-CD Fort Leavenworth, KS 66027-5000	1
Commander US Army Armor Center and Fort Knox ATTN: ATSB-CD Fort Knox, KY 40121-5000	1
Commander US Army Aviation Center ATTN: ATZQ-D Fort Rucker, AL 36361-5000	1
Commander US Army Engineer Center and Fort Belvoir ATTN: ATZA-CD Fort Belvoir, VA 22060-5000	1
Commander US Army Field Artillery Center and Fort Sill ATTN: ATSF-CD Fort Sill, OK 73503-5500	1
Commandant US Army Command and General Staff College Fort Leavenworth, KS 66027-5000	1
Commandant US Army Air Defense Artillery School ATTN: ATSA-CD Fort Bliss, TX 79916	1
Director US Army TRADOC Analysis Command-FLVN ATTN: ATRC-FF Fort Leavenworth, KS 66026-5200	1

<u>Addressee</u>	<u>Number of Copies</u>
Director US Army Concepts Analysis Agency 8120 Woodmont Avenue Bethesda, MD 20014	1
Director US Army TRADOC Analysis Command-WSMR ATTN: ATRC-WA White Sands Missile Range, NM 88002-5502	1
Director US Army Materiel Systems Analysis Activity Aberdeen Proving Ground, MD 21005-5071	1
Alpha Agency Langley AFB, VA 23665-5001	1
The Army Library ATTN: ANR-AL-RS (Army Studies) Room 1A518, Pentagon Washington, DC 20310-6010	1
Administrator Defense Technical Information Center ATTN: DTIC-DDAC Cameron Station Alexandria, VA 22314	1
HQ USAFE/DDD/DOA Ramstein AFB APO New York 09012	2
Warrior Prep Center Kaiserslautern Military Community (KMC) 29th Area Support Group APO NY 09054	1