



DD FORM 1 COPY

2

Laboratory Note No. 90-78

AD-A221 322

The Effects of Protective Eyewear on Tow Field of View

DTIC
ELECTE
MAY 09 1990
S D CS D


BE. Campbell,
GR. Mastroianni
and DA. Stamper

DIVISION OF OCULAR HAZARDS RESEARCH

DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited

January 1990



LETTERMAN ARMY INSTITUTE OF RESEARCH PRESIDIO OF SAN FRANCISCO CALIFORNIA 94129

90 05 08 148

Reproduction of this document in whole or in part is prohibited except with the permission of the Commander, Letterman Army Institute of Research, Presidio of San Francisco, California 94129. However, the Defense Technical Information Center is authorized to reproduce the document for United States Government purposes.

Destroy this report when it is no longer needed. Do not return to the originator.

Citation of trade names in this report does not constitute an official endorsement or approval of the use of such items.

Human Subjects participated in these studies after giving their free and informed voluntary consent. Investigators adhered to AR 70-25 and USAMRDC Reg 50-25 on the use of volunteers in research.

This material has been reviewed by Letterman Army Institute of Research and there is no objection to its presentation and/or publication. The opinions or assertions contained herein are the private views of the author(s) and are not to be construed as official or as reflecting the views of the Department of the Army or the Department of Defense. (AR 360-5)

for William C. Corby 10 Jan '90
DONALD G. CORBY (date)
COL, MC
Commanding

This document has been approved for public release and sale; its distribution is unlimited.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS UNCLASSIFIED		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Unlimited distribution		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) LABORATORY REPORT NO. 90-78			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Latterman Army Institute of Research		6b. OFFICE SYMBOL (If applicable) SGRD-ULE-OH		7a. NAME OF MONITORING ORGANIZATION US Army Medical Research and Development Command	
6c. ADDRESS (City, State, and ZIP Code) Latterman Army Institute of Research Division of Ocular Hazards Presidio of San Francisco, CA 94129-6800			7b. ADDRESS (City, State, and ZIP Code) Frederick, MD 21701-5012		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 61102A	PROJECT NO. BS10	TASK NO. S10/CF
11. TITLE (Include Security Classification) The Effect of Protective Eyewear on Tow Field of View					
12. PERSONAL AUTHOR(S) Bryan E. Campbell, George R. Mastroianni, Ph.D., David A. Stamper, M.A					
13a. TYPE OF REPORT Laboratory Report		13b. TIME COVERED FROM Jul 89 TO Aug 89		14. DATE OF REPORT (Year, Month, Day) Sep 89	
15. PAGE COUNT 6					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP			
			Protective Eyewear, TOW (Tube-launched) Field, Tracking		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
The purpose of this experiment was to quantify the effect of wearing Ballistic and Laser Protective Spectacles (B-LPS) on an M-47 TOW (Tube-launched, Optically-tracked, Wire-guided missiles) gunner's field of view. The within-subjects design had three conditions: no eye wear, clear B-LPS only, and clear B-LPS with laser protective frontserts. Under each condition the observer's field of view was measured by bringing the reflection of a laser into the periphery from each of the four cardinal directions. As expected, the observer's field of view while wearing either configuration of the B-LPS was significantly smaller than the field of view while wearing no eye wear. This degradation could have a great impact on tracking performance, and is another factor to be considered in employing the B-LPS. (KR)					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL DONALD CORBY, COL, MC			22b. TELEPHONE (Include Area Code) (415) 561-6300		22c. OFFICE SYMBOL SGRD-ULE-Z

ABSTRACT

The purpose of this experiment was to quantify the effect of wearing Ballistic and Laser Protective Spectacles (B-LPS) on an M-47 TOW (Tube-launched, Optically-tracked, Wire-guided missile) gunner's field of view. The within-subjects design had three conditions: no eyewear, clear B-LPS only , and clear B-LPS with laser protective frontserts. Under each condition the observer's field of view was measured by bringing the reflection of a laser into the periphery from each of the four cardinal directions. As expected, the observer's field of view while wearing either configuration of the B-LPS was significantly smaller than the field of view while wearing no eyewear. This degradation could have a great impact on tracking performance, and is another factor to be considered in employing the B-LPS.



Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

THE EFFECT OF PROTECTIVE EYEWEAR ON TOW FIELD OF VIEW

Bryan E. Campbell, George R. Mastroianni
and David A. Stamper

INTRODUCTION

The proliferation of lasers in modern battlefield weapons has increased concern about the level of ocular protection currently available for soldiers. The risk of ocular injury by ballistic fragments has always been great, causing 10-15% of battlefield injuries by some accounts.¹ The apparent threat from battlefield laser weapons designed specifically to cause ocular injuries adds new urgency to the development of adequate combat ocular protection.

Fielding a combat ocular protection system is a difficult and complex process. Among the considerations involved are the effects that these devices can have on a soldier's ability to perform both everyday tasks and his warfighting mission. One mission involves locating, tracking, and engaging enemy vehicles using the TOW missile system. The TOW system uses high power optics to magnify and track the enemy target. One drawback of the B-LPS, resulting from a built-in feature to accommodate corrective lens inserts, is that they rest very far away from the face. This distance effectively moves the gunner's eye away from the designed focal point for the TOW and reduces his field of view (FOV).

Our hypothesis for this experiment was that while wearing the B-LPS the FOV would be significantly smaller than while wearing no protective eyewear. Furthermore, since the frontsert design adds another increment of distance between the gunner's eye and the TOW objective lens, the FOV with frontsert should be still smaller than that observed with B-LPS alone. That such a reduction will occur is intuitive given the optics of the device; however, we felt it profitable to quantify the amount of the effect and to determine whether the difference in FOV was likely to produce mission-relevant degradation.

METHOD

Observers: Observers were 13 members of the staff at Letterman Army Institute of Research. There were 11 men and 2 women in this experiment, ranging in age from 19 to 45 years. Due to the magnifying properties of the TOW, corrective eyewear was neither needed nor worn.

Apparatus: The apparatus used in the experiment consisted of a 10mW Helium-Neon laser reflected off a white-paper scale on a wall 48 ft away. The scale was made from sheets of computer paper with markings every 5 cm. Observers viewed the laser on the scale by looking through the sight of a TOW missile system mounted at a comfortable sitting height. For the first experimental condition, observers viewed the scale using only the clear ballistic goggles. The second condition added a 2 mm green frontsert to the clear goggles. For the third condition observers wore no eyewear. The intensity of the laser was great enough that the tint of the frontsert did not affect the observer's ability to visualize the laser.

Procedure: For each of the conditions the observers were asked to look through the TOW sight and to center their FOV at 0,0 on the scale. They were instructed to remain fixated at 0,0 throughout the testing. The laser was moved from 0,0 toward the periphery until the observer stated that the reflection was no longer visible. The laser was then moved back toward the center until it was again visible. Each observer was measured twice in each cardinal direction for each of the three conditions. The order of presentation of the three conditions was counterbalanced in an exhaustive sequence.

RESULTS

The FOV was calculated by summing the measurements in opposite cardinal directions. This sum and the known distance of 14.4 m (48 ft) were used to calculate the angle subtended, the FOV. A repeated measures ANOVA on the data from all three conditions yielded a significant main effect ($F(5,12) = 304.464$, $p < .001$) with the control group yielding a much greater mean FOV of 5.966 degrees. (See Table) This compares to a FOV

of 2.268 degrees for the clear B-LPS and a FOV of 1.995 degrees for the green frontserts. No interactions were significant. Although there was a difference in the mean FOVs between the two B-LPS conditions (B-LPS alone and B-LPS with frontsert), it was not significant at the .05 level.

Table 1

Mean FOV for Each Condition

Condition			
<u>Control</u>		<u>Clear</u>	<u>Frontsert</u>
Mean	5.97	2.27	1.99
SD	.65	.60	.45

DISCUSSION

The results supported our hypothesis that the B-LPS would have a detrimental effect on a TOW gunner's FOV. More importantly, we were able to quantify the degree to which the B-LPS would reduce FOV. The loss was dramatic at 62%. This is a substantial effect and might indeed impair a gunner's ability to track targets. Moreover, this reduction will probably make it more difficult to locate a target while looking through the TOW sight.

Additionally, almost all the observers complained that the pressure of the B-LPS on their faces made them uncomfortable. Prolonged use under these conditions could become intolerable and result in a loss of concentration.

CONCLUSION

Given the effect that the B-LPS have on FOV, tests should be conducted to find out how the loss in FOV affects a TOW gunner's performance in locating, tracking, or engaging enemy vehicles. The results of the present study would suggest that performance may also

4 - Campbell et al

be affected on other optically based weapons and equipment. Before the employment of these devices in the field, more research and perhaps a new design will be necessary if we hope to gain the maximum advantage from their use.

OFFICIAL DISTRIBUTION LIST

Commander
USAMRDC
ATTN:SGRD-PLC/MG Russell
ATTN:SGRD-PLC/COL Lam
SGRD-RMS/Ms. Madigan
Fort Detrick, MD 21701-5000

Director
Defense Technical Information
ATTN:DTIC-DDA (2 copies)
Cameron Station
Alexandria, VA 22314

Commander
US Army SMO
ATTN:AMXCM-EO/MAJ Dedmond
2800 Powder Mill Road
Adelphi, MD 20783

Commander
USAMSAA
ATTN: DRXSY-CSD/P. Baers
ATTN: DRXST-GWD/F. Campbell
Aberdeen Proving Ground
Maryland 21010

Commander
ATTN: AFWAL/MLPJ/G. Kepple
Wright Patterson AFB
Ohio 45433

Commander
US AEHA
ATTN: HSHB-RL/D. Sliney
Aberdeen Proving Ground
Maryland 21010

Dr. John Ewen
PO Box 1925
Washington, DC 20013

Commander
HQ, USAMMDA
ATTN: SGRD-UMA/Channing
Fort Detrick
Frederick, MD 21701-5012

Commander
ATTN:AFAMRL/HEF/R. Susnik
Wright Patterson AFB
Ohio 45433

Headquarters
Department of the Army
ATTN: DASG-TLO
Washington, DC 20310

Commander
CACDA/ATZL-OPS-SE
ATTN: MAJ J.C. Johnson
Fort Leavenworth
Kansas 66027

Director
NADC
ATTN: Code 601B/Dr. Chisum
Warminster, PA 18974-5000

Commander
NMRDC
ATTN: Code 43
National Naval Med Center
Bethesda, MD 20814

Commander
USAF SAM
ATTN: RZW/Dr. Farrer
ATTN: RZW/LTC Cartledge
Brooks AFB, Texas 78235

Official Distribution List, cont.

Director
AMSAA
ATTN: AMXSY-CR/Mr. Brand
Aberdeen Proving Ground
Maryland 21005

Commander
USA Aviation Systems Command
ATTN: AMCPM-ALSE/H. Lee
4300 Goodfellow Blvd
St. Louis, MO 63120

Director
Defense Intelligence Agency
ATTN: DT-5A/Hal Hock
Pentagon
Washington, DC 20301

Commander
USA Aeromedical Research Lab
ATTN: COL La Mothe
Ft. Rucker, AL 36330-5000

Director
EWL/RSTA Center
ATTN: AMSEL-EW-C/J. Allen
Ft Monmouth, NJ 07703-5303

Director
USA HEL
ATTN: AMXHE-IS/D. Giordano
Aberdeen Proving Ground
Maryland 21005-5001

Director
US Army AMMRC
ATTN: AMXMR-O/Fitzpatrick
Watertown, MA 02172-0001

Director
Armed Forces Medical
Intelligence Center
ATTN: AFMIC-SA/MAJ Downs
Fort Detrick
Maryland 21701-5004

Director
DTD Directorate
ATTN: EOGWCM-CCM/Kasperek
White Sands Missile Range
New Mexico 88002-5519

Commander
HQ TRADOC
ATTN: ATCD-ML/J. Gray
Ft. Monroe, VA 23651-5000

Commander
LAIR
ATTN: SGRD-ULZ (1 copy)
SGRD-IR (10 copies)
PSF, CA 94129-6800