

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public Reporting Burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 4/4/90	3. REPORT TYPE AND DATES COVERED Final Report (11/1/86 - 10/31/89)		
4. TITLE AND SUBTITLE Final Report for Grant "Theoretical Studies of Time-of-Flight and Atom and Molecular Surface Collision"			5. FUNDING NUMBERS 61102F 2303/A3	
6. AUTHOR(S) E.J. Heller			<b>AD-A221 705</b>	
7. PERFORMING ORGANIZATION N. University of Washington Dept of Chemistry, BG-10 Seattle, WA 98195				
8. PERFORMING ORGANIZATION REPORT NUMBER  <b>APOSR-TR-90-0420</b>				
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NC Bolling AFB Washington, DC 20332-6448			10. SPONSORING / MONITORING AGENCY REPORT NUMBER  AFOSR-87-0075	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution is unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) One major project has been finished and two important projects were well underway when funds were cut off. <b>I.</b> The finished work, dealing with cross sections for scattering from defects on surfaces, will be a classic work, since the definition of the cross section had not been done properly before. <b>II.</b> The second project has to do with trapping and sticking coefficients in low and medium energy collisions of atoms and molecules with surfaces. <b>Our</b> aim is to lay to rest the long standing debate regarding the low energy asymptotic limit of sticking coefficients: is it 0? or 1? <b>III.</b> A student was looking at improvements to the wavepacket code for atom surface collisions, He also had started a project involving atom scattering with a vibrating adatom on a surface. <b>IV.</b> Another unfinished project is inspired by some data that Tom Engel has generated on scattering of helium from stepped surfaces. He sees, at certain angles aimed into the steps, a scattering in non-Bragg directions, even though there is supposedly little or no disorder. The scattering is at half the momentum transfer of the perfect surface and rather broad, suggesting that perhaps steps of twice the usual length are involved. <i>(hcl)</i>				
14. SUBJECT TERMS			15. NUMBER OF PAGES 3	16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL (Unlimited) SAR (Same as Report)	

Final Project Summary- Eric. J. Heller

We have developed the theory for cross sections for scattering from defects on corrugated surfaces. Just as in the gas phase, one needs to have a definition of what is meant by the "size" of an object, as measured by collisions. The history of this problem has been fraught with mistakes and misconceptions. The correct definition of such cross sections had not been given before. The theory allows a rigorous measurement of the "size" of a defect or of an adsorbate, etc, on a surface. The optical theorem was derived for the case of scattering from a corrugated surface. It is interesting in that the "forward" scattering of the textbook optical theorem becomes the Bragg scattering. The optical theorem again is the flux conserving law which states that flux lost from the Bragg directions is recovered as diffuse scattering in between.

The theory was applied successfully to the system CO on Pt (111), resolving a long standing controversy on whether CO is much "larger" on a surface than in the gas phase. In fact it is only slightly "larger".

Another project has examines trapping and sticking coefficients in low and medium energy collisions of atoms and molecules with surfaces. Our aim has been to lay to rest the long standing debate regarding the low energy asymptotic limit of sticking coefficients: Is it 0? or 1? This project is about 2/3 completed. The issue of sticking at low temperatures and low collision energy has important space physics applications.

Finally, the wavepacket code for atom surface collisions has been significantly enhanced. Faster means of propagation have been developed. We have begun a project involving atom scattering with a vibrating adatom on a surface.

Approved For	<input checked="" type="checkbox"/>
SECRET	<input type="checkbox"/>
CONFIDENTIAL	<input type="checkbox"/>
NOFORN	<input type="checkbox"/>
UNCLASSIFIED	<input type="checkbox"/>

A-1



## Final Report- Eric. J. Heller

One major project has been finished and two important projects were well underway when funds were cut off.

- I. The finished work, dealing with **cross sections for scattering from defects on surfaces**, will be a classic work, since the definition of the cross section had not been done properly before. Anyone wishing to measure the "size" of a defect or of an adsorbate, etc. on a surface will need the formula and methods developed by us. Coworkers: Daniel Huber, postdoc; Han Xu, student.

### *Details:*

The first paper is finished, dealing with (1) the definition of the cross section of a defect on a surface, and (2) specifically the system CO on Pt (111). We could have easily split this into two papers, namely a theory paper and an application paper, and this would have surely helped us with those who count papers and don't assess them for quality and impact.

*No one has ever defined the cross section for surface defect scattering on a corrugated surface before; we believe our work to be a real landmark in this respect. Just as in the gas phase, we need to have a definition of what is meant by the "size" of an object. The history of this problem has already been fraught with misconceptions.*

The calculations of CO on Pt (111) have been successful, and compare well with the experiments. Semiclassical wavepackets have been used to perform the calculations. More details are to be found in the manuscript.

- II. The second project has to do with trapping and **sticking coefficients in low and medium energy collisions of atoms and molecules with surfaces**. Our aim is to lay to rest the long standing debate regarding the low energy asymptotic limit of sticking coefficients: Is it 0? or 1? This project was about 2/3 completed, when funding was cut off. Coworker: John Frederick, Postdoc.

### *Details:*

The issue of sticking at low temperatures and low collision energy has important space physics applications. Moreover, it has important experimental consequences since atoms can be dropped onto surfaces at very low velocity using laser atom traps with gravity as the accelerating agent.

- III. A student, Colin Wright (grad student, physics) was looking at **improvements to the wavepacket code** for atom surface collisions. He also had started a project involving atom scattering with a vibrating adatom on a surface. When his funding AFOSR was cut off, he left graduate school. The project is now in limbo.
- IV. Another unfinished project is inspired by some data that Tom Engel has generated on **scattering of Helium from stepped surfaces**. He sees, at certain angles aimed into the steps, a scattering in non-Bragg directions, even though there is supposedly little or no disorder. The scattering is at half the momentum transfer of the perfect surface and rather broad, suggesting that perhaps steps of twice the usual length are involved.
  1. H. Xu, D.P. Huber and E.J. Heller, "Cross Section and Optical Theorem for Defects on a Corrugated Surface," *J. Chem. Phys.*, **89**, 2550 (1988)

UW # 62-5263

### FINANCIAL STATUS REPORT

(Federal Instructions on this form)

3. REPORTING ORGANIZATION (Name and address) (Include ZIP code)  
 University of Washington  
 USC Accounting #62-5263  
 3511 University Way NE - ND-22  
 Seattle, Washington 98195

1. FEDERAL AGENCY AND ORGANIZATION (Name and address) (Include ZIP code)  
 U.S. AIR FORCE  
 1916001537A1  
 PRODUCT/ACCOUNT NUMBER (See Instructions)

2. FEDERAL AGENCY AND ORGANIZATION (Name and address) (Include ZIP code)  
 AFOSR-87-0075  
 62-5263  
 PRODUCT/ACCOUNT NUMBER (See Instructions)

4. REPORTING ACCOUNT NUMBER OR INSTITUTION NUMBER  
 10751/89

5. FUNDING NUMBER  
 11/1/88

6. REPORTING PERIOD (Date)  
 10/31/89

7. STATUS OF FUNDS  
 (a) (b) (c) (d) (e) (f)

1. Net outlays previously reported	\$ 195,736.00				
2. Total outlays this report period	96,764.00				
3. Less: Program income credits	-0-				
4. Net outlays this report period (Lines 1 through 3)	96,764.00				
5. Net outlays to date (Lines 1 and 4)	292,500.00				
6. Less: Non-federal share of outlays (Line 5 unless line 6)	-0-				
7. Total federal share of outlays and unliquidated obligations	292,500.00				
8. Total unliquidated obligations	-0-				
9. Less: Non-federal share of unliquidated obligations shown on line 8	-0-				
10. Federal share of unliquidated obligations	-0-				
11. Total federal share of outlays and unliquidated obligations	292,500.00				
12. Total cumulative amount of Federal funds not utilized	292,500.00				
13. Unliquidated balance of Federal funds	-0-				

14. PERCENTAGE OF FEDERAL FUNDS NOT UTILIZED (Line 12 divided by Line 7)  
 44.5%

15. DATE OF REPORT (Month and year)  
 11/12/90

16. SIGNATURE OF AUTHORIZED CERTIFYING OFFICIAL  
 Fred H. Bailey, Director

17. TYPED OR PRINTED NAME AND TITLE  
 Fred H. Bailey, Director

18. DATE REPORT SUBMITTED  
 11/12/90

19. FUNDING NUMBER (Area code, number and extension)  
 06 543-8951

STANDARD FORM NO. 17-70  
 PREVIOUS EDITIONS ARE OBSOLETE  
 GSA GEN. REG. NO. 27