

2

DTIC FILE COPY

OFFICE OF NAVAL RESEARCH

Grant or Contract N00014-89-J-1590

R&T Code 413m012

Technical Report No. 8

Non-Destructive Characterization of Polymer/Metal Interfaces
Using Surface-Enhanced Raman Scattering (SERS)

by

F. J. Boerio

Presented

at

International Conference on Adhesion and Surface Analysis
Loughborough University
Loughborough, Great Britain
April 3-5, 1990

Department of Materials Science
and Engineering
University of Cincinnati
Cincinnati, OH 45221-0012

June 1, 1990

DTIC FILE COPY
JUN 14 1990
S E D
CO

Reproduction in whole or in part is permitted for any
purpose of the United States Government

This document has been approved for public release and sale;
its distribution is unlimited.

AD-A223 105

90 06 11 103

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION None		1b. RESTRICTIVE MARKINGS None	
2a. SECURITY CLASSIFICATION AUTHORITY None		3. DISTRIBUTION/AVAILABILITY OF REPORT This document has been approved for public release and sale; its distribution is unlimited.	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE None		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report #8		7a. NAME OF MONITORING ORGANIZATION Office of Naval Research	
6a. NAME OF PERFORMING ORGANIZATION University of Cincinnati	6b. OFFICE SYMBOL (if applicable)	7b. ADDRESS (City, State, and ZIP Code) 800 North Quincy Street Arlington, VA 22217	
6c. ADDRESS (City, State, and ZIP Code) Department of Materials Science Cincinnati, OH 45221-0012		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-89-J-1590	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Office of Naval Research	8b. OFFICE SYMBOL (if applicable)	10. SOURCE OF FUNDING NUMBERS	
8c. ADDRESS (City, State, and ZIP Code) 800 North Quincy Street Arlington, VA 22217		PROGRAM ELEMENT NO. N00014-89	PROJECT NO. J-1590
		TASK NO. 413m012	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) Non-Destructive Characterization of Polymer/Metal Interfaces Using Surface-Enhanced Raman Scattering (SERS)			
12. PERSONAL AUTHOR(S) F. J. Boerio			
13a. TYPE OF REPORT Technical Report	13b. TIME COVERED FROM TO	14. DATE OF REPORT (Year, Month, Day) June 1, 1990	15. PAGE COUNT 2
16. SUPPLEMENTARY NOTATION Presented at International Conference on Adhesion and Surface Analysis, Loughborough University, Loughborough, Great Britain, April 3-5, 1990.			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	DD Form 1473, NON DESTRUCTIVE Characterization, Polymer/metal Interfaces, Surface-enhanced Raman Scattering, SERS, Adsorption, Silver, Acrylic Adhesive System	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Surface-enhanced Raman scattering (SERS) is an analytical technique in which the Raman scattering cross-sections of molecules adsorbed onto the roughened surfaces of certain metals are enhanced by as much as six orders of magnitude compared to their value for normal Raman scattering. Many models have been proposed to explain SERS, but it is now considered that most of the enhancement is related to two mechanisms. The first is associated with the large electric fields that can be induced at the surfaces of metal particles having small radii of curvature. The second is associated with formation of charge-transfer complexes between the adsorbed molecules and the substrate. Enhancement due to the charge transfer mechanism is obtained only for molecules immediately adjacent to the surface, but enhancement due to electromagnetic mechanism may extend several monolayers away from the surface. Considering that normal Raman scattering by polymers is weak and that scattering by molecules adjacent to the substrate is strongly enhanced, it is			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Joann Milliken		22b. TELEPHONE (Include Area Code) (202)696-4410	22c. OFFICE SYMBOL

Block 18

19. Abstract (continued)

evident that SERS can be used for non-destructive characterization of interfaces between polymer films and metals as long as the films are not so thick that scattering by the bulk of the film is comparable in intensity to SERS from the interface. SERS can be used to obtain a great deal of information about the interface, including the identity and orientation of adsorbed species and mechanisms of adsorption.

We have used SERS to examine the interface between silver and an acrylic adhesive system consisting of an acrylic monomer and a cure system consisting of cumene hydroperoxide (CHP), acetylphenylhydrazine (APH) and saccharin. SERS spectra obtained from films of the adhesive spin-coated onto silver island films were similar to normal Raman spectra of salts of saccharin, indicating that saccharin had adsorbed on the silver dissociatively. The spectra were independent of the thickness of the adhesive films, indicating that the SERS signal was characteristic of the interface and not of the bulk adhesive.

SERS has also been used to characterize the interface between silver and pyromellitic diimide (PMDI), a model compound for polyimides. SERS spectra of PMDI adsorbed onto silver were considerably different from normal Raman spectra. The strongest band in the normal spectra, a carbonyl stretching mode near 1770 cm⁻¹, was absent from the SERS spectra and a band near 700 cm⁻¹ which was very weak in normal Raman spectra was strong in SERS spectra. It was inferred that PMDI was adsorbed with a vertical conformation with one imide group adjacent to the surface.

DTIC
COPY
INSPECTED
6

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-121	

DOCUMENTLESS INPUT per Dr. J. Milliken
ONR/Code 1114
TELECON 6/11/90 VG

cont. - Block 18 - Keywords: Cumene Hydroperoxide (CHP), Acetylphenylhydrazine (APH), Saccharin, Pyromellitic diimide (PMDI)

(6)